# Learner's Character Dictionary of Chinese Medicine

## Preface

This dictionary is designed for student who is learning Chinese in order to be able to read Chinese medical literature.

It addresses the student's difficulties in learning Chinese characters, namely the difficulty in analysing the structure of a characters, knowing what which element is its signific, and what order to write the strokes in.

This dictionary contains just over 2,550 characters, arranged in Pin1yin1 order.
For each character, the meaning the meaning, signific and stroke count are given.
The stroke sequence is then provided in graphic form.
Finally, example combinations in which the character appears (or starts with).
are given.

** after an entry-head character that is of frequent use; * marks a character of medium frequency.

Fixed combinations: Certain characters always appear in combination with other characters, e.g., 螳螂 {tang2 lang2}, the mantis, and its egg-case, 螵蛸 {piao1 xiao1}.
These fixed combinations are indicated under both characters in question.

T a i w a n / P R C D i f f e r e n c e s i n P r o n u n c i a t i o n

跌 die1/die2

髂 ka4/qia4
暫 zhan4/zan
肋 le4/lei4
錫 xi2/xi1
夕 xi4/xi1
期 qi2/qi1
突 tu2/tu1
凸 tu2/tu1
奄 yan1/yan3
癌 yan2/ai2
擊 ji2/ji1

CREATED CHARACTERS STILL TO BE FOUND
See CDDIC.mac

== A ==

~~ {a1} ~~
【阿】 {a1} [Freq. 4] prefix to nicknames and titles of relatives (see also 阿 {e1}); interjection oh!, ouch! (see also 阿 {e1}); used in the transcription of foreign names (see also 阿 {e1}).
阿狄森氏病 {a1 di2 sen1 shi4 bing4}, 西醫 Addison's disease
阿耳茨海默氏病 {a1 er3 ci2 hai3 mo4 shi4 bing4}, 西醫 Alzheimer's disease
阿爾泰紫菀 {a1 er3 tai4 zi3 wan3}, 中藥正名 Altai heteropappus (Heteropappi Altaici Flos seu Herba)
阿膠 {a1 jiao1}, 中藥異名 ass hide glue (Asini Corii Colla)
阿膠珠 {a1 jiao1 zhu1}, 中藥異名 ass hide glue pellets (Asini Corii Gelatini Pilula)
阿利藤 {a1 li4 teng2}, 中藥正名 alyxia (Alyxiae Herba et Radix)
阿米巴 {a1 mi3 ba1}, 西醫 ameba
阿米巴腸炎 {a1 mi3 ba1 chang2 yan2}, 西醫 intestinal amebiasis
阿米巴痢疾 {a1 mi3 ba1 li4 ji2}, 西醫 amebic dysentery
阿米巴原蟲 {a1 mi3 ba1 yuan2 chong2}, 西醫 ameba
阿是穴 {a1 shi4 xue2}, ouch point; a1-shi4 point
阿魏 {a1 wei4}, 中藥異名 asafetida (Ferulae Resina)
阿仙藥 {a1 xian1 yao4}, 中藥異名 cutch (Catechu)

阿育魏實 {a1 yu4 wei4 shi2}, 中藥正名 trachyspermum seed (Trachyspermi Semen)
阿月渾子 {a1 yue4 hun2 zi3}, 中藥異名 pistachio (Pistaciae Verae Fructus)

~~ {ai1} ~~
【哀】 {ai1} [Freq. 5] grief; lament (腹哀 {fu4 ai1}, Abdominal Lament (SP-16))

【埃】 {ai1} [Freq. 4] dust.
埃蕾 {ai1 lei3}, 中藥正名 centaury (Centaurii Altaici Herba cum Flore)

~~ {ai2} ~~
【癌】 {ai2} [Freq. 4] rock (also pronounced {yan2}; same as 岩 {yan2}); 西醫 cancer (in Tai2wan2, also pronounced {yan2}).
癌瘤 {ai2 liu2}, 西醫 cancer tumor

~~ {ai3} ~~
【矮】 {ai3} [Freq. 4] short.
矮呆病 {ai3 dai1 bing4}, 西醫 cretinism
矮地茶 {ai3 di4 cha2}, 中藥異名 Japanese ardisia (Ardisiae Japonicae Herba)
矮瓜 {ai3 gua1}, 中藥異名 eggplant (Solani Melongenae Fructus)
矮腳白花蛇利草 {ai3 jiao3 bai2 hua1 she2 li4 cao3}, 中藥異名 oldenlandia (Oldenlandiae Diffusae Herba)
矮腳苦蒿 {ai3 jiao3 ku3 hao1}, 中藥正名 conyza (Conyzae Herba)
矮腳羅傘 {ai3 jiao3 luo2 san3}, 中藥正名 shaggy ardisia (Ardisiae Villosae Radix seu Herba)
矮莖朱砂根 {ai3 jing1 zhu1 sha1 gen1}, 中藥正名 short-stemmed ardisia (Ardisiae Brevicaulis Radix et Herba)
矮楊梅 {ai3 yang2 mei2}, 中藥正名 dwarf bayberry (Myricae Nanae Cortex et Fructus)

~~ {ai4} ~~
【艾】 {ai4} [Freq. 2] moxa (n.).
艾 {ai4}, 中藥異名 mugwort (Artemisiae Argyi Folium)
艾冬花 {ai4 dong1 hua1}, 中藥異名 coltsfoot (Farfarae Flos)
艾附暖宮丸 {ai4 fu4 nuan3 gong1 wan2}, 方名 Mugwort and Cyperus Palace-Warming Pill
艾蒿 {ai4 hao1}, 中藥異名 mugwort (Artemisiae Argyi Folium)
艾薑丸 {ai4 jiang1 wan2}, 方名 Mugwort and Ginger Pill

艾灸 {ai4 jiu3}, moxibustion
艾灸補瀉 {ai4 jiu3 bu3 xie4}, moxibustion supplementation and drainage
艾卷 {ai4 juan3}, moxa cigar; moxa roll
艾納香 {ai4 na4 xiang1}, 中藥正名 blumea (Blumeae Folium seu Ramulus)
艾納香根 {ai4 na4 xiang1 gen1}, 中藥正名 blumea root (Blumeae Radix)
艾片 {ai4 pian4}, 中藥正名 blumea preparation (Blumeae Praeparatio)
艾絨 {ai4 rong2}, moxa floss
艾實 {ai4 shi2}, 中藥正名 mugwort fruit (Artemisiae Argyi Fructus)
艾炭 {ai4 tan4}, 中藥異名 charred mugwort (Artemisiae Argyi Folium Carbonisatum)
艾條 {ai4 tiao2}, moxa stick; moxa pole
艾條灸 {ai4 tiao2 jiu3}, poling; stick moxibustion
艾條雀啄灸 {ai4 tiao2 que4 zhuo2 jiu3}, pecking sparrow poling
艾條溫和灸 {ai4 tiao2 wen1 he2 jiu3}, gentle stick moxibustion
艾葉 {ai4 ye4}, 中藥正名 mugwort (Artemisiae Argyi Folium)
艾葉炭 {ai4 ye4 tan4}, 中藥正名 charred mugwort (Artemisiae Argyi Folium Carbonisatum)
艾葉油 {ai4 ye4 you2}, 中藥正名 mugwort leaf oil (Artemisiae Argyi Folii Oleum)
艾炷 {ai4 zhu4}, moxa cone
艾炷灸 {ai4 zhu4 jiu3}, cone moxibustion
艾滋病 {ai4 zi1 bing4}, 西醫 acquired immunodeficiency syndrome (AIDS)

【愛】 {ai4} [Freq. 4] love.
愛玉子 {ai4 yu4 zi3}, 中藥正名 jelly fig seed (Fici Awkeotsang Semen)
愛滋病 {ai4 zi1 bing4}, 西醫 acquired immunodeficiency syndrome (AIDS)

【噯】 {ai4} [Freq. 2] belching (n.).
噯腐 {ai4 fu3}, putrid belching; belching of putrid qi4 (gas)
噯腐吞酸 {ai4 fu3 tun1 suan1}, putrid belching and acid swallowing
噯氣 {ai4 qi4}, belching
噯氣腐臭 {ai4 qi4 fu3 chou4}, putrid belching; belching of putrid qi4 (gas)
噯氣嘔逆 {ai4 qi4 ou3 ni4}, belching and retching counterflow
噯氣酸腐 {ai4 qi4 suan1 fu3}, belching of sour putrid qi4 (gas)
噯氣吞酸 {ai4 qi4 tun1 suan1}, belching and acid swallowing
噯酸 {ai4 suan1}, sour belching; belching of sour qi4 (gas)

【礙】 {ai4} [Freq. 4] hamper; impair.
礙胃口 {ai4 wei4 kou3}, impair the appetite

~~ {an1} ~~

【安】 {an1} [Freq. 2] quiet (v.) (安神 {an1 shen2}, quiet the spirit; 心神不安 {xin1 shen2 bu4 an1}, disquieted heart spirit).

安冲湯 {an1 chong1 tang1}, 方名 Thoroughfare-Quieting Decoction

安蟲散 {an1 chong2 san3}, 方名 Worm-Quieting Powder

安蟲丸 {an1 chong2 wan2}, 方名 Worm-Quieting Pill

安宮牛黃丸 {an1 gong1 niu2 huang2 wan2}, 方名 Peaceful Palace Bovine Bezoar Pill

安固 {an1 gu4}, secure

安蛔湯 {an1 hui2 tang1}, 方名 Roundworm-Quieting Decoction

安魂湯 {an1 hun2 tang1}, 方名 Soul-Quieting Decoction

安精神 {an1 jing1 shen2}, quiet the spirit

安眠 {an1 mian2}, 腧穴正名 Quiet Sleep

安眠（一） {an1 mian2 (1)}, 腧穴正名 Quiet Sleep \#1

安眠（二） {an1 mian2 (2)}, 腧穴正名 Quiet Sleep \#2

安眠（三） {an1 mian2 (3)}, 腧穴正名 Quiet Sleep \#3

安眠（四） {an1 mian2 (4)}, 腧穴正名 Quiet Sleep \#4

安眠劑 {an1 mian4 ji4}, 西醫 sleeping pills

安南子 {an1 nan2 zi3}, 中藥異名 sterculia (Sterculiae Lychnophorae Semen)

安脾 {an1 pi2}, quiet the spleen

安榮湯 {an1 rong2 tang1}, 方名 Quiet Construction Decoction

安神 {an1 shen2}, quiet the spirit

安神定志 {an1 shen2 ding4 zhi4}, quiet the spirit and stabilize the mind

安神定志丸 {an1 shen2 ding4 zhi4 wan2}, 方名 Spirit-Quieting Mind-Stabilizing Pill

安神法 {an1 shen2 fa3}, spirit-quieting method

安神和胃 {an1 shen2 he2 wei4}, quiet the spirit and harmonize the stomach

安神劑 {an1 shen2 ji4}, spirit-quieting formula

安神生化湯 {an1 shen2 sheng1 hua4 tang1}, 方名 Spirit-Quieting Engendering Transformation Decoction

安神丸 {an1 shen2 wan2}, 方名 Spirit-Quieting Pill

安神藥 {an1 shen2 yao4}, spirit-quieting medicinal

安腎丸 {an1 shen4 wan2}, 方名 Kidney-Quieting Pill

安石榴實殼 {an1 shi2 liu2 shi2 ke2}, 中藥異名 pomegranate rind (Granati Pericarpium)

安胎 {an1 tai1}, quiet the fetus

安胎和氣飲 {an1 tai1 he2 qi4 yin3}, 方名 Fetus-Quieting Qi4-Harmonizing Beverage

安胎和中 {an1 tai1 he2 zhong1}, quiet the fetus and harmonize the center

安胎鯉魚粥 {an1 tai1 li3 yu2 zhou1}, 方名 Fetus-Quieting Carp Gruel

安胎飲 {an1 tai1 yin3}, 方名 Fetus-Quieting Beverage

安神益志 {an1 teng2 e2 i4 zhi4}, quiet the spirit and boost the mind

安胃飲 {an1 wei4 yin3}, 方名 Stomach-Quieting Beverage
安息香 {an1 xi1 xiang1}, 中藥正名 benzoin (Benzoinum)
安息香丸 {an1 xi1 xiang1 wan2}, 方名 Benzoin Pill
安息香脂 {an1 xi1 xiang1 zhi1}, 中藥異名 benzoin (Benzoinum)
安邪 {an1 xie2}, 腧穴異名 BL-61 (Quieting of Evil)
安心 {an1 xin1}, quiet the heart
安心神 {an1 xin1 shen2}, quit the heart spirit
安中 {an1 zhong1}, quiet the center
安中散 {an1 zhong1 san3}, 方名 Center-Quieting Powder

【庵】 {an1} [Freq. 4] hut.
庵摩勒 {an1 mo2 le4}, 中藥異名 emblic (Phyllanthi Fructus)
庵摩落迦果 {an1 mo2 luo4 jia1 guo3}, 中藥異名 emblic (Phyllanthi Fructus)

【菴】 {an1} [Freq. 4] plant name.
菴&&4561|{an1 lu92}, 中藥正名 Keiske artemisia (Artemisiae Keiskeanae Herba)
菴&&4561||子 {an1 lu92 zi3}, 中藥正名 Keiske artemisia fruit (Artemisiae Keiskeanae Fructus)
菴&&4561||子丸 {an1 lu92 zi3 wan2}, 方名 Keiske Artemisia Pill

【鵪】 {an1} quail (鵪鶉 {an1 chun2}, quail).
鵪鶉 {an1 chun2}, 中藥正名 quail (Coturnicis Caro)
鵪鶉蛋 {an1 chun2 dan4}, 中藥正名 quail's egg (Coturnicis Ovum)

【桉】 {an1} [Freq. 4] eucalyptus.
桉葉 {an1 ye4}, 中藥正名 eucalyptus leaf (Eucalypti Folium)

~~ {an4} ~~
【按】 {an4} [Freq. 3] press.
按法 {an4 fa3}, pressing (manipulation technique)
按截法 {an4 jie2 fa3}, damming method
按脈 {an4 mai4}, press the pulse (i.e., feel)
按摩 {an4 mo2}, massage
按摩博士 {an4 mo2 bo2 shi4}, scholar of massage
按摩博士 {an4 mo4 bo2 shi4}, scholar of massage
按蹻 {an4 qiao1}, massage
按腧穴的特殊作用選穴 {an4 shu1 xue2 de te4 shu1 zuo4 yong4 xuan3 xue4}, selection of

points belonging to special groups
按壓法 {an4 ya1 fa3}, pressure massage
按診 {an4 zhen3}, body palpation
按之 {an4 zhi1}, when pressure is applied
按之凹陷 {an4 zhi1 ao1 xian4}, pits when pressed
按之凹陷不起 {an4 zhi1 ao1 xian4 bu4 qi3}, pits when pressure is applied
按之凹陷，舉手即起 {an4 zhi1 ao1 xian4, ju3 shou3 qi2 qi3}, pitting that disappears as soon as pressure is released
按之復起 {an4 zhi1 fu4 qi3}, springs back after pressure is released
按之沒指 {an4 zhi1 mo4 zhi3
按之窅而不起 {an4 zhi1 yao3 er2 bu4 qi3}, fails to spring back after pressure is released
按之益甚 {an4 zhi1 yi4 shen4}, exacerbated by pressure
按之應手而起 {an4 zhi1 ying4 shou3 er2 qi3}, springs back with the hand after pressure is released

【案】 {an4} [Freq. 5] case (醫案 {yi1 an4}, case history)

【暗】 {an4} [Freq. 4] dark.
暗疔 {an4 ding1}, dark clove sore
暗&&7145|{an4 duan4}, sealed pot calcination
暗經 {an4 jing1}, surreptitious menstruation
暗滯 {an4 zhi4}, dull and stagnant-looking
暗紫 {an4 zi3}, dull purple

【黯】 {an4} [Freq. 4] dull.
黯淡 {an4 dan4}, pale and dull

~~ {ao1} ~~
【凹】 {ao1} [Freq. 4] indented.
凹樸皮 {ao1 po4 pi2}, 中藥正名 liriodendron bark (Liriodendri Cortex)

~~ {ao2} ~~
【熬】 {ao2} [Freq. 3] boil; decoctum (Latin); stew.
熬膏 {ao2 gao1}, boil to a paste

~~ {ao4} ~~
【拗】 {ao4} [Freq. 5] defiant; rough and ready (三拗湯 {san1 ao4 tang1}, Rough and Ready Three Decoction)

【懊】 {ao4} [Freq. 4] anguish.
懊&&61B9|{ao4 nong2}, anguish

== B ==

~~ {ba1} ~~
【八】 {ba1} [Freq. 1] eight, eighth, eightfold.
八般頭風 {ba1 ban1 tou2 feng1}, eight kinds of head wind
八寶丹 {ba1 bao3 dan1}, 方名 Eight-Jewel Elixir
八寶眼藥 {ba1 bao3 yan3 yao4}, 方名 Eight-Jewel Eye Medication
八沖 {ba1 chong1}, 腧穴異名 Eight Surges
八疸 {ba1 dan3}, eight jaundices
八疸身面黃 {ba1 dan3 shen1 mian4 huang2}, eight kinds of jaundice with yellowing of the body and face
八點 {ba1 dian3}, 腧穴異名 Eight Points
八段錦 {ba1 duan4 jin3}, eight brocades
八二丹 {ba1 er4 dan1}, 方名 Eight-To-Two Powder
八法 {ba1 fa3}, eight methods
八風 {ba1 feng1}, eight winds; 腧穴正名 Eight Winds
八風穴 {ba1 feng1 xue2}, eight wind points
八綱 {ba1 gang1}, eight principles
八綱辨證 {ba1 gang1 bian4 zheng4}, eight-principle pattern identification
八華 {ba1 hua2}, 腧穴正名 Florid Eight
八會穴 {ba1 hui4 xue2}, eight meeting points
八角 {ba1 jiao3}, 中藥異名 star anise (Anisi Stellati Fructus*)
八角茶 {ba1 jiao3 cha2}, 中藥異名 Chinese holly leaf (Ilicis Cornutae Folium)
八角刺 {ba1 jiao3 ci4}, 中藥異名 Chinese holly leaf (Ilicis Cornutae Folium)
八角楓根 {ba1 jiao3 feng1 gen1}, 中藥正名 alangium root (Alangii Radix)
八角楓花 {ba1 jiao3 feng1 hua1}, 中藥正名 alangium (Alangii Flos)
八角楓葉 {ba1 jiao3 feng1 ye4}, 中藥正名 alangium leaf (Alangii Folium)
八角茴香 {ba1 jiao3 hui2 xiang1, 中藥正名 star anise (Anisi Stellati Fructus*)
八角金盤 {ba1 jiao3 jin1 pan2}, 中藥異名 dysosma (Dysosmae Rhizoma et Radix)

八角蓮 {ba1 jiao3 lian2}, 中藥正名 dysosma (Dysosmae Rhizoma et Radix)
八角香 {ba1 jiao3 xiang1}, 中藥正名 cacalia (Cacaliae Radix)
八廓 {ba1 kuo4}, eight belts
八楞木 {ba1 leng2 mu4}, 中藥正名 Japanese saussurea (Saussureae Japonicae Herba)
八釐散 {ba1 li2 san3}, 方名 Eight Pinches Powder
八&&91C3.9ACE|{ba1 liao2}, 腧穴異名 BL-31-34 (Eight Bone-Holes)
八脈交會穴 {ba1 mai4 jiao1 hui4 xue2}, master points of the eight vessels; confluence points of the eight vessels
八目鰻 {ba1 mu4 man2}, 中藥正名 lamprey eel (Lampetra)
八片錦 {ba1 pian4 jin3}, eight brocades
八俞 {ba1 shu1}, 腧穴異名 Eighth Vertebra Point
八味帶下方 {ba1 wei4 dai4 xia4 fang1}, 方名 Eight-Ingredient Discharge Formula
八味地黃丸 {ba1 wei4 di4 huang2 wan2}, 方名 Eight-Ingredient Rehmannia Pill
八味逍遙散 {ba1 wei4 xiao1 yao2 san3}, 方名 Eight-Ingredient Free Wanderer Powder
八物湯 {ba1 wu4 tang1}, 方名 Eight Agents Decoction
八溪 {ba1 xi1}, eight ravines (elbow, wrist, knee, and ankle joints)
八仙草 {ba1 xian1 cao3}, 中藥正名 galium (Galii Herba)
八仙長壽丸 {ba1 xian1 chang2 shou4 wan2}, 方名 Eight Immortals Longevity Pill
八仙花 {ba1 xian1 hua1}, 中藥正名 hydrangea (Hydrangeae Macrophyllae Radix, Folium et Flos)
八仙湯 {ba1 xian1 tang1}, 方名 Eight Immortals Decoction
八仙消遙湯 {ba1 xian1 xiao1 yao2 tang1}, 方名 Eight Immortals Free Wanderer Decoction
八邪 {ba1 xie2}, 腧穴正名 Eight Evils
八邪穴 {ba1 xie2 xue2}, eight evil points
八月札 {ba1 yue4 zha2}, 中藥正名 akebia fruit (Akebiae Fructus)
八珍湯 {ba1 zhen1 tang1}, 方名 Eight-Gem Decoction
八珍益母丸 {ba1 zhen1 yi4 mu3 wan2}, 方名 Eight-Gem Leonurus (Motherwort) Pill
八陣 {ba1 zhen4}, eight tactical arrays
八正散 {ba1 zheng4 san3}, 方名 Eight Corrections Powder
八芝蘭竹 {ba1 zhi1 lan2 zhu2}, 中藥正名 pachilan bamboo (Bambusae Pachinensis Surculus)
八種頭風 {ba1 zhong3 tou2 feng1}, eight kinds of head wind
八柱散 {ba1 zhu4 san3}, 方名 Five Pillars Powder
八椎下 {ba1 zhui1 xia4}, 腧穴正名 Below the Eighth Vertebra

【巴】 {ba1} [Freq. 4] name of a country in region surrounding present-day Chong2qing4, Si4chuan1.
巴旦杏仁 {ba1 dan4 xing4 ren2}, 中藥正名 almond (Pruni Amygdali Semen)
巴豆 {ba1 dou4}, 中藥正名 croton (Crotonis Fructus)

巴豆殼 {ba1 dou4 qiao4 (ke2)}, 中藥正名 croton seed-coat (Crotonis Testa)
巴豆肉 {ba1 dou4 rou4}, 中藥異名 croton (Crotonis Fructus)
巴豆樹根 {ba1 dou4 shu4 gen1}, 中藥正名 croton root (Crotonis Radix)
巴豆霜 {ba1 dou4 shuang1}, 中藥正名 croton frost (Crotonis Fructus Pulveratus)
巴豆葉 {ba1 dou4 ye4}, 中藥正名 croton leaf (Crotonis Folium)
巴豆油 {ba1 dou4 you2}, 中藥正名 croton oil (Crotonis Seminis Oleum)
巴多林氏腺 {ba1 duo1 lin2 shi4 xian4}, 西醫 Bartholin's glands
巴戟 {ba1 ji3}, 中藥異名 morinda (Morindae Officinalis Radix)
巴戟酒 {ba1 ji3 jiu3}, 方名 Morinda Wine
巴戟肉 {ba1 ji3 rou4}, 中藥異名 morinda (Morindae Officinalis Radix)
巴戟天 {ba1 ji3 tian1}, 中藥正名 morinda (Morindae Officinalis Radix)
巴戟丸 {ba1 ji3 wan2}, 方名 Morinda Pill
巴椒 {ba1 jiao1}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
巴茅果 {ba1 mao2 guo3}, 中藥正名 miscanthus gall (Miscanthi Galla)
巴山虎 {ba1 shan1 hu3}, 中藥正名 Indian nightshade root (Solani Indici Radix)
巴葉 {ba1 ye4}, 中藥異名 loquat leaf (Eriobotryae Folium)

【芭】 {ba1} [Freq. 4] plant name.
芭蕉 {ba1 jiao1}, 中藥正名 Japanese banana (Musae Basjoo Fructus)
芭蕉根 {ba1 jiao1 gen1}, 中藥正名 banana stump (Musae Basjoo Caudex)
芭蕉花 {ba1 jiao1 hua1}, 中藥正名 Japanese banana flower (Musae Basjoo Flos)
芭蕉葉 {ba1 jiao1 ye4}, 中藥正名 Japanese banana leaf (Musae Basjoo Folium)
芭蕉油 {ba1 jiao1 you2}, 中藥正名 Japanese banana sap (Musae Basjoo Succus)
芭蕉子 {ba1 jiao1 zi3}, 中藥正名 Japanese banana seed (Musae Basjoo Semen)
芭茅根 {ba1 mao2 gen1}, 中藥異名 Chinese miscanthus root (Miscanthi Sinensis Radix)

【疤】 {ba1} [Freq. 4] scar.
疤瘌 {ba1 la}, scar

【粑】 {ba1} [Freq. 4] burnt pot rice (鍋粑 {guo1 ba1}, burnt pot rice)

~~ {ba2} ~~
【拔】 {ba2} [Freq. 4] pull up.
拔毒散 {ba2 du2 san3}, 中藥正名 Si4chuan1 sida (Sidae Szechuensis Herba)
拔罐法 {ba2 guan4 fa3}, cupping
拔罐療法 {ba2 guan4 liao2 fa3}, cupping
拔火罐 {ba2 huo3 guan4}, fire cup; fire cupping

拔膿 {ba2 nong2}, draw out pus
拔針 {ba2 zhen1}, needle removal
拔粥 {ba2 zhou1}, 方名 Flour Gruel

【菝】 {ba2} [Freq. 4] plant name.
菝&&845C|{ba2 qia4}, 中藥正名 chinaroot (Smilacis Chinae Rhizoma)
菝&&845C‖葉 {ba2 qia4 ye4}, 中藥正名 chinaroot leaf (Smilacis Chinae Folium)

~~ {ba3} ~~
【把】 {ba3} [Freq. 4] take; handful.
把脈 {ba3 mai4}, take the pulse; pulse-taking

~~ {ba4} ~~
【罷】 {ba4} [Freq. 4] stop; finish (see also 罷 {pi2}).
罷子 {ba4 zi3}, 中藥異名 torreya (Torreyae Semen)
霸王鞭 {ba4 wang2 bian1}, 中藥正名 prickly-club spurge sap (Euphorbiae Royleanae Succus)
霸王根 {ba4 wang2 gen1}, 中藥正名 bean caper (Zygophylli Radix)
霸王七 {ba4 wang2 qi1}, 中藥正名 snapweed tuber (Impatientis Textori Tuber)

~~ {bai2} ~~
【白】 {bai2} [Freq. 2] white (adj.), (n.) (color associated with lung-metal. 面白 {mian4 bai2}, white face).
白艾 {bai2 ai4}, 中藥異名 crossostephium leaf (Crossostephii Folium)
白百合 {bai2 bai3 he2}, 中藥異名 lily bulb (Lilii Bulbus)
白斑病 {bai2 ban1 bing4}, 西醫 vitiligo
白斑二號藥膏 {bai2 ban1 er4 hao4 yao4 gao1}, 方名 Leukoplakia No.~3 Medicinal Paste
白斑洗劑 {bai2 ban1 xi3 ji4}, 方名 Leukoplakia Wash
白斑一號藥膏 {bai2 ban1 yi1 hao4 yao4 gao1}, 方名 Leukoplakia No.~1 Medicinal Paste
白斑三號藥膏 {bai2 ban4 san1 hao4 yao4 gao1}, 方名 Leukoplakia No.~3 Medicinal Paste
白斑一號洗劑 {bai2 ban4 yi1 hao4 xi3 ji4}, 方名 Leukoplakia No.~1 Wash
白背三七 {bai2 bei4 san1 qi1}, 中藥正名 divaricate gynura root (Gynurae Divaricatae Radix et Rhizoma)
白背三七莖葉 {bai2 bei4 san1 qi1 jing1 ye4}, 中藥正名 divaricate gynura stem and leaf (Gynurae Divaricatae Caulis et Folium)
白背楊 {bai2 bei4 yang2}, 中藥正名 white poplar leaf (Populi Albae Folium)

白背葉 (1) {bai2 bei4 ye4}, 中藥正名 mallotus leaf (Malloti Folium)
白背葉 (2) {bai2 bei4 ye4}, 中藥正名 Gamble's lindera (Linderae Gambleanae Radix et Folium)
白背葉根 {bai2 bei4 ye4 gen1}, 中藥正名 mallotus root (Malloti Radix)
白崩 {bai2 beng1}, white flood
白疕 {bai2 bi3}, white crust (equivalent to psoriasis)
白萆薢 {bai2 bi4 xie4}, 中藥正名 Longling greenbrier (Smilacis Lunglingensis Rhizoma) (Smilacis Lunglingensis Rhizoma); 中藥異名 Longling greenbrier
白扁豆 {bai2 bian3 dou4, 中藥正名 lablab (Lablab Semen Album)
白檳榔 {bai2 bing1 lang2}, 中藥異名 areca (Arecae Semen)
白駁風 {bai2 bo2 feng1}, white patch wind (equivalent to vitiligo)
白駁片 {bai2 bo2 pian4}, 方名 White Patch Tablet
白菜 (1) {bai2 cai4}, 中藥異名 celery cabbage (Brassicae Pekinensis Folium)
白菜 (2) {bai2 cai4}, 中藥異名 pakchoi (Brassicae Chinensis Herba)
白側耳 {bai2 ce4 er3}, 中藥正名 leafy parnassia (Parnassiae Foliosae Herba)
白茶菊 {bai2 cha2 ju2}, 中藥異名 white Hang2zhou1 chrysanthemum (Chrysanthemi Flos *Hangzhouensis Albus)
白昌 {bai2 chang1}, 中藥異名 silver pomfret (Stromateoidis Argentei Caro)
白菖 {bai2 chang1}, 中藥正名 sweetflag (Acori Calami Rhizoma)
白常山 {bai2 chang2 shan1}, 中藥正名 mussaenda (Mussaendae Radix)
白癡 {bai2 chi1}, feeble-minded person; feeble-mindedness
白蟲病 {bai2 chong2 bing4}, whiteworm disease
白丑 {bai2 chou3}, 中藥正名 white morning glory (Pharbitidis Semen Album)
白瘡 {bai2 chuang1}, white sores
白醋 {bai2 cu4}, 中藥正名 white vinegar (Acetum Album)
白帶 {bai2 dai4}, vaginal discharge; leukorrhea; white vaginal discharge
白帶過多 {bai2 dai4 guo4 duo1}, excessive vaginal discharge
白帶片 {bai2 dai4 pian4}, 方名 White Discharge Tablet
白帶魚 {bai2 dai4 yu2}, 中藥異名 hairtail (Thichiuri Caro)
白地栗 {bai2 di4 li4}, 中藥異名 arrowhead corm (Sagittariae Cormus) (Cremastrae seu Pleiones Pseudobulbus); 中藥異名 cremastra/pleione [pseudobulb]
白地榆 {bai2 di4 yu2}, 中藥異名 sanguisorba (Sanguisorbae Radix)
白地紫菀 {bai2 di4 zi3 wan3}, 中藥正名 Delavay's gerbera (Gerberae Delavayi Radix)
白地紫菀 {bai2 di4 zi3 yuan4}, 中藥異名 Delavay's gerbera (Gerberae Delavayi Radix)
白癜 {bai2 dian4}, white patch (equivlaent to WM vitiligo)
白癜風 {bai2 dian4 feng1}, 西醫 vitiligo; white patch wind
白丁香 {bai2 ding1 xiang1}, 中藥正名 sparrow's droppings (Passeris Faeces)
白冬瓜 {bai2 dong1 gua1}, 中藥異名 wax gourd (Benincasae Fructus)

白豆 {bai2 dou4}, 中藥異名 kidney bean (Phaseoli Vulgaris Semen)
白豆蔻 {bai2 dou4 kou4}, 中藥異名 cardamom (Amomi Fructus Rotundus)
白豆蔻殼 {bai2 dou4 kou4 qiao4 (ke2)}, 中藥正名 cardamom husk (Amomi Cardamomi Pericarpium)
白鵝膏 {bai2 e2 gao1}, 中藥正名 goose fat (Anseris Adeps)
白堊 {bai2 e4}, 中藥正名 chalk (Creta)
白耳子 {bai2 er3 zi3}, 中藥異名 tremella (Tremella)
白髮 {bai2 fa4}, graying of the hair
白礬 {bai2 fan2}, 中藥正名 alum (Alumen)
白礬散 {bai2 fan2 san3}, 方名 Alum Powder
白飯豆 {bai2 fan4 dou4}, 中藥正名 kidney bean (Phaseoli Vulgaris Semen)
白飯樹根 {bai2 fan4 shu4 gen1}, 中藥正名 fluggea root (Fluggeae Radix)
白飯樹葉 {bai2 fan4 shu4 ye4}, 中藥正名 fluggea leaf (Fluggeae Folium)
白鳳仙 {bai2 feng4 xian1}, 中藥異名 garden balsam (Impatientis Balsaminae Herba)
白符 {bai2 fu2}, 中藥異名 kaolin (Kaolin)
白茯苓 {bai2 fu2 ling2}, 中藥正名 white poria (Poria Alba)
白附片 {bai2 fu4 pian4}, 中藥正名 white sliced aconite (Aconiti Radix Lateralis Alba)
白附子 {bai2 fu4 zi3}, 中藥正名 typhonium (Typhonii Rhizoma)
白干 {bai2 gan1}, 中藥異名 white liquor (Granorum Spiritus Incolor*)
白干葛 {bai2 gan1 ge2}, 中藥異名 pueraria (Puerariae Radix)
白干酒 {bai2 gan1 jiu3}, 中藥異名 white liquor (Granorum Spiritus Incolor*)
白根 {bai2 gen1}, 中藥異名 bletilla (Bletillae Rhizoma)
白故子 {bai2 gu4 zi3}, 中藥異名 oroxylum (Oroxyli Semen)
白瓜 {bai2 gua1}, 中藥異名 wax gourd (Benincasae Fructus)
白瓜子 {bai2 gua1 zi3}, 中藥異名 wax gourd seed (Benincasae Semen)
白果 {bai2 guo3}, 中藥正名 ginkgo (Ginkgo Semen)
白果根 {bai2 guo3 gen1}, 中藥正名 ginkgo root (Ginkgo Radix)
白果肉 {bai2 guo3 rou4}, 中藥異名 ginkgo (Ginkgo Semen)
白果樹皮 {bai2 guo3 shu4 pi2}, 中藥正名 ginkgo bark (Ginkgo Cortex)
白果葉 {bai2 guo3 ye4}, 中藥正名 ginkgo leaf (Ginkgo Folium)
白果中毒 {bai2 guo3 zhong4 du2}, ginkgo poisoning
白蒿 {bai2 hao1}, 中藥正名 Sievers artemisia (Artemisiae Sieversianae Herba)
白河車 {bai2 he2 che1}, 中藥異名 lanceolate codonopsis (Codonopsis Lanceolatae Radix)
白荷花露 {bai2 he2 hua1 lu4}, 中藥正名 lotus flower distillate (Nelumbinis Floris Distillatum)
白鶴靈芝 {bai2 he4 ling2 zhi1}, 中藥正名 rhinacanthus (Rhinacanthi Ramulus et Folium)
白鶴藤 {bai2 he4 teng2}, 中藥正名 argyreia (Argyreiae Acutae Caulis et Folium)
白鶴藤根 {bai2 he4 teng2 gen1}, 中藥正名 argyreia root (Argyreiae Acutae Radix)
白喉 {bai2 hou2}, 西醫 diphtheria; white throat; diphtheria

白喉 {bai2 hou4}, 西醫 diphtheria
白蝴蝶 {bai2 hu2 die2}, 中藥異名 hairy mussaenda (Mussaendae Pubescentis Caulis et Folium)
白胡椒 {bai2 hu2 jiao1}, 中藥正名 white pepper (Piperis Fructus Albicatus)
白虎 {bai2 hu3}, 中藥異名 gypsum (Gypsum Fibrosum)
白虎承氣湯 {bai2 hu3 cheng2 qi4 tang1}, 方名 White Tiger Qi4-Infusing Decoction
白虎加蒼朮湯 {bai2 hu3 jia1 cang1 zhu2 tang1}, 方名 White Tiger Decoction Plus Atractylodes
白虎加地黃湯 {bai2 hu3 jia1 di4 huang2 tang1}, 方名 White Tiger Decoction Plus Rehmannia
白虎加桂枝湯 {bai2 hu3 jia1 gui4 zhi1 tang1}, 方名 White Tiger Decoction Plus Cinnamon Twig
白虎加人參湯 {bai2 hu3 jia1 ren2 shen1 tang1}, 方名 White Tiger Decoction Plus Ginseng
白虎歷節 {bai2 hu3 li4 jie2}, white tiger joint running
白虎湯 {bai2 hu3 tang1}, 方名 White Tiger Decoction
白花百合 {bai2 hua1 bai3 he2}, 中藥異名 lily bulb (Lilii Bulbus)
白花菜 {bai2 hua1 cai4}, 中藥正名 cleome (Cleomes Herba)
白花菜根 {bai2 hua1 cai4 gen1}, 中藥正名 cleome root (Cleomes Radix)
白花菜子 {bai2 hua1 cai4 zi3}, 中藥正名 cleome seed (Cleomes Semen)
白花草 {bai2 hua1 cao3}, 中藥正名 Chinese leucas (Leucadis Chinensis Herba)
白花丹 {bai2 hua1 dan1}, 中藥正名 plumbago (Plumbaginis Herba cum Radice)
白花姑魚 {bai2 hua1 gu1 yu2}, 中藥正名 white flower croaker (Nibeae Albiflorae Caro)
白花果 {bai2 hua1 guo3}, 中藥正名 ternstroemia (Ternstroemiae Folium, Flos et Fructus)
白花蓮 {bai2 hua1 lian2}, 中藥異名 rauwolfia root (Rauvolfiae Radix)
白花茅根 {bai2 hua1 mao2 gen1}, 中藥異名 imperata (Imperatae Rhizoma)
白花蛇 {bai2 hua1 she2}, 中藥正名 krait/agkistrodon (Bungarus seu Agkistrodon)
白花蛇目睛 {bai2 hua1 she2 mu4 jing1}, 中藥正名 krait/agkistrodon eye (Bungari seu Agkistrodonis Oculus)
白花蛇舌草 {bai2 hua1 she2 she2 cao3}, 中藥正名 oldenlandia (Oldenlandiae Diffusae Herba)
白花蛇頭 {bai2 hua1 she2 tou2}, 中藥正名 agkistrodon's head (Agkistrodonis Caput)
白花射干 {bai2 hua1 she4 qian1}, 中藥正名 dichotomous iris (Iridis Dichotomae Radix seu Herba)
白花夏枯草 {bai2 hua1 xia4 ku3 cao3}, 中藥正名 heterophyllous dragon's-head (Dracocephali Heterophylli Herba)
白樺皮 {bai2 hua4 pi2}, 中藥正名 white birch bark (Betulae Pendulae Cortex)
白環俞 {bai2 huan2 shu1}, 腧穴正名 BL-30 (White Ring Transport)
白雞屎藤 {bai2 ji1 shi3 teng2}, 中藥正名 white-haired paederia (Paederiae Tomentosae Radix seu Herba)
白及 {bai2 ji2}, 中藥正名 bletilla (Bletillae Rhizoma)

白芨 {bai2 ji2}, 中藥異名 bletilla (Bletillae Rhizoma)
白蒺 {bai2 ji2}, 中藥異名 tribulus (Tribuli Fructus)
白及粉 {bai2 ji2 fen3}, 中藥正名 powdered bletilla (Bletillae Rhizoma Pulveratum)
白及合劑 {bai2 ji2 he2 ji4}, 方名 Bletilla Mixture
白蒺藜 {bai2 ji2 li2}, 中藥異名 tribulus (Tribuli Fructus)
白蒺藜散 {bai2 ji2 li2 san3}, 方名 Tribulus Powder
白及枇杷丸 {bai2 ji2 pi2 pa2 wan2}, 方名 Bletilla and Loquat Pill
白芨散 {bai2 ji2 san3}, 方名 Bletilla Powder
白繭唇 {bai2 jian3 chun2}, white cocoon lip
白薑 {bai2 jiang1}, 中藥異名 dried ginger (Zingiberis Rhizoma)
白殭蠶 {bai2 jiang1 can2}, 中藥異名 silkworm (Bombyx Batryticatus)
白僵蠶散 {bai2 jiang1 can2 san3}, 方名 Silkworm Powder
白降丹 {bai2 jiang4 dan1}, 中藥正名 white downborne elixir (Praeparatio Sublimata Alba); White Downborne Elixir
白膠香 {bai2 jiao1 xiang1}, 中藥異名 liquidambar (Liquidambaris Resina)
白腳草 {bai2 jiao3 cao3}, 中藥異名 phoenix-tail fern (Pteridis Multifidi Herba)
白接骨 {bai2 jie1 gu3}, 中藥正名 asystasiella (Asystasiellae Rhizoma seu Herba)
白芥 {bai2 jie4}, 中藥正名 white mustard stalk and leaf (Brassicae Albae Caulis et Folium)
白芥子 {bai2 jie4 zi3, 中藥正名 white mustard (Sinapis Albae Semen)
白金古欖 {bai2 jin1 gu3 lan3}, 中藥正名 Champion's aristolochia (Aristolochiae Championii Tuber)
白金丸 {bai2 jin1 wan2}, 方名 Alum and Curcuma Pill
白槿子 {bai2 jin3 zi3}, 中藥異名 rose-of-Sharon seed (Hibisci Syriaci Fructus)
白睛 {bai2 jing1}, white of the eye
白睛病 {bai2 jing1 bing4}, disease of the white of the eye
白睛紅赤 {bai2 jing1 hong2 chi4}, reddening of the white of the eye
白睛亂脈 {bai2 jing1 luan4 mai4}, chaotic vessels in the white of the eye
白睛青藍 {bai2 jing1 qing1 lan2}, blue whites of the eye
白睛生疳 {bai2 jing1 sheng1 gan1}, gan1 of the white of the eye
白睛溢血 {bai2 jing1 yi4 xue4}, blood spillage in the white of the eye
白睛魚胞 {bai2 jing1 yu2 bao1}, fish-belly eye white
白頸蚯蚓 {bai2 jing3 qiu1 yin3}, 中藥異名 earthworm (Pheretima)
白敬宇眼藥 {bai2 jing4 yu3 yan3 yao4}, 方名 Bai Jing-Yu's Eye Medication
白酒 {bai2 jiu3}, 中藥正名 white liquor (Granorum Spiritus Incolor*)
白菊 {bai2 ju2}, 中藥正名 white chrysanthemum (Chrysanthemi Flos *Albus)
白菊花 {bai2 ju2 hua1}, 中藥異名 white chrysanthemum (Chrysanthemi Flos *Albus)
白菊花根 {bai2 ju2 hua1 gen1}, 中藥正名 chrysanthemum root (Chrysanthemi Radix)
白苣 {bai2 ju4}, 中藥正名 lettuce (Lactucae Sativae Caulis et Folium)

白君 {bai2 jun1}, 中藥異名 alum (Alumen)
白口瘡 {bai2 kou3 chuang1}, white mouth sore
白蔻 {bai2 kou4}, 中藥異名 cardamom (Amomi Fructus Rotundus)
白蔻仁 {bai2 kou4 ren2}, 中藥異名 cardamom (Amomi Fructus Rotundus)
白蠟 {bai2 la4}, 中藥正名 white wax (Cera Alba)
白蠟花 {bai2 la4 hua1}, 中藥正名 Chinese ash flower (Fraxini Chinensis Flos)
白鬄鬁 {bai2 la4 li4}, white perverse crop (favus of the scalp)
白蠟樹皮 {bai2 la4 shu4 pi2}, 中藥正名 Chinese ash bark (Fraxini Chinensis Cortex)
白蠟樹葉 {bai2 la4 shu4 ye4}, 中藥正名 Chinese ash leaf (Fraxini Chinensis Folium)
白癩 {bai2 lai4}, white lai4
白蘭花 {bai2 lan2 hua1}, 中藥正名 white michelia flower (Micheliae Albae Flos)
白欖根 {bai2 lan3 gen1}, 中藥正名 Chinese olive root (Canarii Albi Radix)
白郎花 {bai2 lang2 hua1}, 中藥正名 Emei linden (Tiliae Omeiensis Radicis Cortex)
白芀薳 {bai2 le4 wei3}, 中藥正名 trifoliate acanthopanax twig and leaf (Acanthopanacis Trifoliati Ramulus et Folium)
白雷丸 {bai2 lei2 wan2}, 中藥異名 omphalia (Omphalia)
白痢 {bai2 li4}, white dysentery
白薟丸 {bai2 lian2 wan2}, 方名 Ampelopsis Pill
白斂 {bai2 lian3}, 中藥異名 ampelopsis (Ampelopsis Radix)
白薟 {bai2 lian3}, 中藥正名 ampelopsis (Ampelopsis Radix)
白薟子 {bai2 lian3 zi3}, 中藥正名 ampelopsis seed (Ampelopsis Fructus)
白梁米 {bai2 liang2 mi3}, 中藥正名 white millet (Setariae *Albae Semen)
白淋 {bai2 lin2}, white strangury
白龍粉 {bai2 long2 fen3}, 中藥異名 refined mirabilite (Natrii Sulfas Exsiccatus)
白龍骨 {bai2 long2 gu3}, 中藥正名 white dragon bone (Mastodi Ossis Fossilia Alba)
白龍頭 {bai2 long2 tou2}, 中藥正名 Indian lettuce root (Lactucae Indicae Radix)
白龍占 {bai2 long2 zhan4}, 中藥正名 purple-headed emperor (Lethrinus Leutjanus)
白漏 {bai2 lou4}, white leak
白露 {bai2 lu4}, White Dew (15th solar term)
白螺螄殼 {bai2 luo2 si1 qiao4 (ke2)}, 中藥正名 bellamya shell (Bellamyae Testa)
白麻子 {bai2 ma2 zi3}, 中藥異名 cannabis fruit (Cannabis Fructus)
白馬骨 {bai2 ma3 gu3}, 中藥正名 serissa (Serissae Herba)
白馬骨根 {bai2 ma3 gu3 gen1}, 中藥正名 serissa root (Serissae Radix)
白馬溺 {bai2 ma3 niao4}, 中藥正名 white horse's urine (Equi Albi Urina)
白馬薇 {bai2 ma3 wei1}, 中藥異名 black swallowwort (Cynanchi Atrati Radix)
白馬陰莖 {bai2 ma3 yin1 jing1}, 中藥正名 horse's penis (Equi Albi Penis)
白茅 {bai2 mao2}, 中藥異名 imperata (Imperatae Rhizoma)
白茅根 {bai2 mao2 gen1}, 中藥正名 imperata (Imperatae Rhizoma)

白毛姑 {bai2 mao2 gu1}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
白茅花 {bai2 mao2 hua1}, 中藥正名 imperata flower (Imperatae Flos)
白毛藤 {bai2 mao2 teng2}, 中藥正名 climbing nightshade (Solani Lyrati Herba)
白毛藤根 {bai2 mao2 teng2 gen1}, 中藥正名 climbing nightshade root (Solani Lyrati Radix)
白毛夏枯草 {bai2 mao2 xia4 ku3 cao3}, 中藥正名 bending bugle (Ajugae Decumbentis Herba)
白茅針 {bai2 mao2 zhen1}, 中藥正名 imperata bud (Imperatae Flos Immaturus)
白梅 {bai2 mei2}, 中藥正名 candied mume (Mume Fructus Conditus)
白梅花 {bai2 mei2 hua1}, 中藥正名 white mume flower (Mume Flos Albus)
白霉苔 {bai2 mei2 tai1}, white-mold tongue fur
白蜜 {bai2 mi4}, 中藥異名 honey (Mel)
白麵粉 {bai2 mian4 fen3}, 中藥異名 wheat flour (Tritici Farina)
白面風 {bai2 mian4 feng1}, 中藥正名 tapering-leaf basket vine (Trichospori Herba)
白面痧 {bai2 mian4 sha1}, white-face sand
白膜侵睛 {bai2 mo2 qin1 jing1}, white membrane invading the eye
白冇骨消 {bai2 mo4 gu3 xiao1}, 中藥異名 rhomboid hyptis (Hyptis Rhomboidis Herba)
白木耳 {bai2 mu4 er3}, 中藥正名 tremella (Tremella)
白&&7847||砂 {bai2 nao2 sha1}, 中藥異名 sal ammoniac (Sal Ammoniacum)
白臘樹子 {bai2 nao3 shu4 zi3}, 中藥異名 ligustrum (Ligustri Lucidi Fructus)
白內障 {bai2 nei4 zhang4}, cataract; cataract
白黏涕 {bai2 nian2 ti4}, sticky white snivel (nasal mucus)
白牛膽 {bai2 niu2 dan3}, 中藥正名 goat-ear elecampane (Inulae Cappae Herba)
白牛膝 {bai2 niu2 xi1}, 中藥正名 cucubalus root (Cucubali Radix)
白&&3FA6|{bai2 pei1}, miliaria alba
白砒 {bai2 pi1}, 中藥正名 white arsenic (Arsenicum Album) (Arsenicum); 中藥異名 arsenic
白皮耆 {bai2 pi2 qi2}, 中藥正名 white-skinned astragalus (Astragali Radix Alba)
白蒲薑 {bai2 pu2 jiang1}, 中藥異名 Asian buddleia (Buddlejae Asiaticae Radix, Caulis et Folium)
白浦姜 {bai2 pu3 jiang1}, 中藥異名 Asian buddleia (Buddlejae Asiaticae Radix, Caulis et Folium)
白蹐} {bai2 qia4}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
白千層 {bai2 qian1 ceng2}, 中藥正名 cajeput (Melaleucae Cortex)
白千層葉 {bai2 qian1 ceng2 ye4}, 中藥正名 cajeput (Melaleucae Folium)
白牽牛 {bai2 qian1 niu2}, 中藥異名 white morning glory (Pharbitidis Semen Album)
白牽牛子 {bai2 qian1 niu2 zi3}, 中藥異名 white morning glory (Pharbitidis Semen Album)
白前 {bai2 qian2}, 中藥正名 willowleaf swallowwort (Cynanchi Stauntonii Rhizoma)
白前湯 {bai2 qian2 tang1}, 方名 Willowleaf Swallowwort Decoction
白茄根 {bai2 qie2 gen1}, 中藥異名 eggplant root (Solani Melongenae Radix)

白茄子 {bai2 qie2 zi3}, 中藥正名 white eggplant (Solani Seaforthiani Fructus)
白屈菜 {bai2 qu1 cai4}, 中藥正名 celandine (Chelidonii Herba cum Flore)
白屈菜根 {bai2 qu1 cai4 gen1}, 中藥正名 celandine root (Chelidonii Radix)
白仁 {bai2 ren2}, white of the eye
白日咳 {bai2 ri4 ke2}, 西醫 whooping cough
白肉 {bai2 rou4}, white flesh (of the arms and legs)
白如枯骨 {bai2 ru2 ku1 gu3}, white as dry bones
白三七 {bai2 san1 qi1}, 中藥正名 rhodiola (Rhodiolae Herba)
白三山根 {bai2 san1 shan1 gen1}, 中藥正名 rhodiola root (Rhodiolae Radix)
白散 {bai2 san3}, 方名 White Powder
白桑皮 {bai2 sang1 pi2}, 中藥異名 mulberry bark (Mori Cortex)
白色葡萄球菌 {bai2 se4 pu2 tao2 qiu2 jun1}, 西醫 Staphylococcus albus
白澀症 {bai2 se4 zheng4}, white dry eye
白沙蟲藥 {bai2 sha1 chong2 yao4}, 中藥正名 yellow flowered rabdosia (Rabdosiae Sculponeati Herba)
白沙蜜 {bai2 sha1 mi4}, 中藥異名 honey (Mel)
白沙糖 {bai2 sha1 tang2}, 中藥正名 white sugar (Saccharon Granulatum Album)
白羶 {bai2 shan1}, 中藥異名 dictamnus (Dictamni Cortex)
白山苔 {bai2 shan1 tai2}, 中藥正名 marsh tea (Ledi Palustris Folium)
白芍藥 {bai2 shao2 yao4}, 中藥異名 white peony (Paeoniae Radix Alba)
白芍 {bai2 shao2, 中藥正名 white peony (Paeoniae Radix Alba)
白參 {bai2 shen1}, 中藥正名 white ginseng (Ginseng Radix Alba)
白升麻 {bai2 sheng1 ma2}, 中藥正名 bearded-flower delphinium (Delphinii Pogonanthi Radix)
白石 {bai2 shi2}, 中藥異名 actinolite (Actinolitum)
白石榴根 {bai2 shi2 liu2 gen1}, 中藥正名 white pomegranate root (Granati Albescentis Radix)
白石榴花 {bai2 shi2 liu2 hua1}, 中藥正名 white pomegranate flower (Granati Albescentis Flos)
白石英 {bai2 shi2 ying1}, 中藥正名 white quartz (Quartz Album)
白石英湯 {bai2 shi2 ying1 tang1}, 方名 White Quartz Decoction
白石英丸 {bai2 shi2 ying1 wan2}, 方名 White Quartz Pill
白石棗 {bai2 shi2 zao3}, 中藥異名 honey tree fruit (Hoveniae Fructus seu Semen)
白石脂 {bai2 shi2 zhi1}, 中藥正名 kaolin (Kaolin)
白氏眼藥 {bai2 shi4 yan3 yao4}, 方名 Bai's Eye Medication
白首烏 {bai2 shou3 wu1}, 中藥正名 Bunge's Cynanchum (Cynanchi Bungei Tuber)
白薯莨 {bai2 shu3 lang2}, 中藥正名 bristly dioscorea (Dioscoreae Hispidae Tuber)
白水石 {bai2 shui3 shi2}, 中藥異名 glauberite (Gypsum seu Calcitum)
白松塔 {bai2 song1 ta3}, 中藥正名 lacebark pine cone (Pini Bungeanae Conus)

白蘇梗 {bai2 su1 geng3}, 中藥正名 white perilla stem (Perillae Albae Caulis)
白蘇皮 {bai2 su1 pi2}, 中藥正名 white perilla bark (Perillae Albae Cortex)
白蘇葉 {bai2 su1 ye4}, 中藥正名 white perilla leaf (Perillae Albae Folium)
白蘇子 {bai2 su1 zi3}, 中藥正名 white perilla seed (Perillae Albae Fructus)
白苔 {bai2 tai1}, white tongue fur
白檀根 {bai2 tan2 gen1}, 中藥正名 sapphire-berry sweetleaf (Symplocoris Paniculatae Radix)
白炭 {bai2 tan4}, 中藥正名 white charcoal (Carbo Dealbatus)
白糖 {bai2 tang2}, 中藥異名 white sugar (Saccharon Granulatum Album)
白陶土 {bai2 tao2 tu3}, 中藥異名 kaolin (Kaolin)
白苕 {bai2 tiao2}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
白通草 {bai2 tong1 cao3}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
白通加豬膽汁湯 {bai2 tong1 jia1 zhu1 dan3 zhi1 tang1}, 方名 Scallion Yang2-Freeing Decoction Plus Pig's Bile
白通湯 {bai2 tong1 tang1}, 方名 Scallion Yang2-Freeing Decoction
白頭公 (1) {bai2 tou2 gong1}, 中藥異名 pulsatilla (Pulsatillae Radix)
白頭公 (2) {bai2 tou2 gong1}, 中藥異名 hairy mussaenda (Mussaendae Pubescentis Caulis et Folium)
白頭翁 {bai2 tou2 weng1}, 中藥正名 pulsatilla (Pulsatillae Radix)
白頭翁花 {bai2 tou2 weng1 hua1}, 中藥正名 pulsatilla flower (Pulsatillae Flos)
白頭翁加甘草阿膠湯 {bai2 tou2 weng1 jia1 gan1 cao3 e1 jiao1 tang}, 方名 Pulsatilla Decoction Plus Ass Hide Glue and Licorice
白頭翁莖葉 {bai2 tou2 weng1 jing1 ye4}, 中藥正名 pulsatilla stem and leaf (Pulsatillae Caulis et Folium)
白頭翁湯 {bai2 tou2 weng1 tang1}, 方名 Pulsatilla Decoction
白禿 {bai2 tu1}, bald white scalp sore
白禿瘡 {bai2 tu1 chuang1}, bald white scalp sore
白禿堆灰 {bai2 tu1 dui1 hui1}, ash heap bald white scalp sore
白薇 {bai2 wei1}, 中藥正名 black swallowwort (Cynanchi Atrati Radix)
白薇湯 {bai2 wei1 tang1}, 方名 Black Sallowwort Decoction
白薇丸 {bai2 wei1 wan2}, 方名 Black Sallowwort Pill
白微 {bai2 wei2}, 中藥異名 black swallowwort (Cynanchi Atrati Radix)
白細胞減少症 {bai2 xi4 bao1 jie3 shao3 zheng4}, 西醫 leukopenia
白細辛 {bai2 xi4 xin1}, 中藥正名 beesia (Beesiae Herba)
白鮮皮 {bai2 xian1 pi2}, 中藥正名 dictamnus (Dictamni Cortex)
白鮮皮散 {bai2 xian1 pi2 san3}, 方名 Dictamnus Powder
白鷴 {bai2 xian2}, 中藥正名 silver pheasant (Lophurae Nycthemerae Caro)
白蘚皮 {bai2 xian3 pi2}, 中藥異名 dictamnus (Dictamni Cortex)
白莧 {bai2 xian4}, 中藥異名 amaranth (Amaranthi Caulis et Folium)

白線蛇 {bai2 xian4 she2}, 中藥正名 coluber (Coluber)
白屑風 {bai2 xie4 feng1}, white scaling wind
白血病 {bai2 xue4 bing4}, 西醫 leukemia
白血球 {bai2 xue4 qiu2}, 西醫 white blood cells; leukocyte (white blood cell)
白鴨肉 {bai2 ya1 rou4}, 中藥正名 duck's flesh (Anatis Caro)
白眼 {bai2 yan3}, white eye (an eye disease) (part of the eye); white of the eye
白楊樹根皮 {bai2 yang2 shu4 gen1 pi2}, 中藥正名 David's poplar root bark (Populi Davidianae Radicis Cortex)
白楊樹皮 {bai2 yang2 shu4 pi2}, 中藥正名 David's poplar bark (Populi Davidianae Cortex)
白楊葉 {bai2 yang2 ye4}, 中藥正名 David's poplar leaf (Populi Davidianae Folium)
白楊枝 {bai2 yang2 zhi1}, 中藥正名 David's poplar twig (Populi Davidianae Ramus)
白藥 {bai2 yao4}, 中藥異名 platycodon (Platycodonis Radix)
白藥子 {bai2 yao4 zi3}, 中藥正名 cepharantha (Stephaniae Cepharanthae Tuber) (Dioscoreae Rhizoma); 中藥異名 dioscorea
白葉刺根 {bai2 ye4 ci4 gen1}, 中藥正名 Fu2jian4 elaeagnus root (Elaeagni Oldhamii Radix)
白淫 {bai2 yin2}, white ooze
白英 {bai2 ying1}, 中藥異名 climbing nightshade (Solani Lyrati Herba)
白游風 {bai2 you2 feng1}, white wandering wind
白魚 {bai2 yu2}, 中藥正名 erythroculter (Erythroculter)
白魚尾 {bai2 yu2 wei3}, 中藥正名 Asian buddleia (Buddlejae Asiaticae Radix, Caulis et Folium)
白魚尾果 {bai2 yu2 wei3 guo3}, 中藥正名 Asian buddleia fruit (Buddlejae Asiaticae Fructus)
白玉膏 {bai2 yu4 gao1}, 方名 White Jade Plaster
白玉紙 {bai2 yu4 zhi3}, 中藥異名 oroxylum (Oroxyli Semen)
白疹 {bai2 zhen3}, white papules
白脂麻 {bai2 zhi1 ma2}, 中藥正名 white sesame (Sesami Semen Album)
白芷散 {bai2 zhi3 san3}, 方名 Dahurian Angelica Powder
白紙扇 {bai2 zhi3 shan4}, 中藥異名 hairy mussaenda (Mussaendae Pubescentis Caulis et Folium)
白芷葉 {bai2 zhi3 ye4}, 中藥正名 angelica (Angelicae Dahuricae Folium)
白芷 {bai2 zhi3, 中藥正名 Dahurian angelica (Angelicae Dahuricae Radix)
白質 {bai2 zhi4}, 西醫 white matter
白朮附子湯 {bai2 zhu2 fu4 zi3 tang1}, 方名 White Atractylodes and Aconite Decoction
白朮膏 {bai2 zhu2 gao1}, 方名 White Atractylodes Paste
白朮散 {bai2 zhu2 san3}, 方名 White Atractylodes Powder
白朮芍藥散 {bai2 zhu2 shao2 yao4 san3}, 方名 White Atractylodes and Peony Powder
白朮豬肚粥 {bai2 zhu2 zhu1 du3 zhou1}, 方名 Pig's Stomach Gruel
白朮 {bai2 zhu2, 中藥正名 white atractylodes (Atractylodis Macrocephalae Rhizoma)

白濁 {bai2 zhuo2}, white turbidity

~~ {bai3} ~~

【百】 {bai3} [Freq. 4] hundred.

百倍 {bai3 bei4}, 中藥異名 achyranthes (Achyranthis Bidentatae Radix)

百病皆生于氣 {bai3 bing4 jie1 sheng1 yu2 qi4}, hundred diseases arise out of qi4

百步 {bai3 bu4}, 中藥異名 stemona (Stemonae Radix)

百部膏 {bai3 bu4 gao1}, 方名 Stemona Paste

百部根 {bai3 bu4 gen1}, 中藥異名 stemona (Stemonae Radix)

百部灌腸劑 {bai3 bu4 guan4 chang2 ji4}, 方名 Stemona Enema

百部還魂 {bai3 bu4 huan2 hun2}, 中藥正名 Chinese gymnotheca (Gymnothecae Chinensis Herba seu Folium)

百步還陽丹 {bai3 bu4 huan2 yang2 dan1}, 中藥正名 neottianthe (Neottianthes Herba cum Radice)

百部流浸膏 {bai3 bu4 liu2 jin4 gao1}, 中藥正名 liquid extract of stemona (Stemonae Radicis Extractum Liquidum)

百部清金湯 {bai3 bu4 qing1 jin1 tang1}, 方名 Stemona Metal-Clearing Decoction

百部散 {bai3 bu4 san3}, 方名 Stemona Powder

百部湯 {bai3 bu4 tang1}, 方名 Stemona Decoction

百部丸 {bai3 bu4 wan2}, 方名 Stemona Pill

百部 {bai3 bu4, 中藥正名 stemona (Stemonae Radix)

百草霜 {bai3 cao3 shuang1}, 中藥正名 weed soot (Herbarum Ustarum Fuligo*)

百蟲倉 {bai3 chong2 cang1}, 中藥異名 sumac gallnut (Galla Chinensis Galla)

百蟲窠 {bai3 chong2 ke1}, 腧穴異名 SP-10 (Hundred Worm Burrow)

百蟲入耳 {bai3 chong2 ru4 er3}, insects in the ear

百蟲窩 {bai3 chong2 wo1}, 腧穴正名 Hundred Worm Nest

百沸湯 {bai3 fei4 tang1}, 中藥正名 hundred times boiled water (Aqua Centies Cocta)

百骸 {bai3 hai2}, hundred bones

百合病 {bai3 he2 bing4}, lily disease; hundred-union disease

百合地黃湯 {bai3 he2 di4 huang2 tang1}, 方名 Lily Bulb and Rehmannia Decoction

百合固金湯 {bai3 he2 gu4 jin1 tang1}, 方名 Lily Bulb Metal-Securing Decoction

百合花 {bai3 he2 hua1}, 中藥正名 lily (Lilii Folium)

百合滑石散 {bai3 he2 hua2 shi2 san3}, 方名 Lily Bulb and Talcum Powder

百合知母湯 {bai3 he2 zhi1 mu3 tang1}, 方名 Lily Bulb and Anemarrhena Decoction

百合子 {bai3 he2 zi3}, 中藥正名 lily seed (Lilii Semen)

百合 {bai3 he2, 中藥正名 lily bulb (Lilii Bulbus)

百花膏 {bai3 hua1 gao1}, 方名 Lily Bulb and Coltsfoot Paste

百會 {bai3 hui4}, 腧穴正名 GV-20 (Hundred Convergences)
百節 {bai3 jie2}, hundred joints
百勞 {bai3 lao2}, 腧穴正名 Hundred Taxations (Hundred Taxations); 腧穴異名 GV-14
百里香 {bai3 li3 xiang1}, 中藥異名 wild thyme (Thymi Serpylli Herba) (Thymi Herba); 中藥異名 thyme
百兩金 {bai3 liang3 jin1}, 中藥正名 crispate-leaved ardisia root (Ardisiae Crispae Radix et Rhizoma)
百兩金葉 {bai3 liang3 jin1 ye4}, 中藥正名 crispate-leaved ardisia leaf (Ardisiae Crispae Folium)
百脈朝肺 {bai3 mai4 chao2 fei4}, hundred vessels face the lung
百脈根 {bai3 mai4 gen1}, 中藥正名 corniculate lotus root (Loti Corniculati Radix)
百日咳 {bai3 ri4 ke2}, hundred-day cough; whooping cough (pertussis); whooping cough
百日咳桿菌 {bai3 ri4 ke2 gan3 jun1}, 西醫 Bordatella pertussis
百蕊草 {bai3 rui3 cao3}, 中藥正名 Chinese thesium (Thesii Chinensis Herba)
百蕊草根 {bai3 rui3 cao3 gen1}, 中藥正名 Chinese thesium root (Thesii Chinensis Radix)
百舌鳥 {bai3 she2 niao3}, 中藥正名 blackbird (Turdi Merulae Caro)
百尾筍 {bai3 wei3 sun3}, 中藥正名 sessile disporum (Dispori Sessilis Rhizoma et Radix)
百味參 {bai3 wei4 shen1}, 中藥正名 downy aletris (Aletris Lanuginosae Herba)
百眼藤 {bai3 yan3 teng2}, 中藥正名 small-leaved morinda (Morindae Parvifoliae Radix et Caulis)
百藥煎 {bai3 yao4 jian1}, 中藥正名 schisandra and tea fermentation (Schisandrae et Camelliae Fermentatio)
百頁 {bai3 ye4}, 中藥正名 sheet bean curd (Sojae Lamina)
百一蠲痹湯 {bai3 yi1 juan1 bi4 tang1}, 方名 Hundred and One Formulas Impediment-Alleviating Decoction
百症賦 {bai3 zheng4 fu4}, 書名 Ode on a Hundred Pathoconditions (Jin1-Yuan2 (1115--1368), Dou4 Jie2 竇杰 [Han4-Qing1 漢卿])
百種風 {bai3 zhong3 feng1}, 腧穴正名 Hundred Winds
百晬嗽 {bai3 zui4 sou4}, hundred-day cough

【柏】 {bai3} [Freq. 4] arborvitae.
柏根白皮 {bai3 gen1 bai2 pi2}, 中藥正名 arborvitae root bark (Platycladi Radicis Cortex)
柏皮 {bai3 pi2}, 中藥異名 arborvitae root bark (Platycladi Radicis Cortex)
柏仁 {bai3 ren2}, 中藥異名 arborvitae seed (Platycladi Semen)
柏實 {bai3 shi2}, 中藥異名 arborvitae seed (Platycladi Semen)
柏樹果 {bai3 shu4 guo3}, 中藥正名 cypress fruit (Cupressi Funebris Fructus)
柏樹葉 {bai3 shu4 ye4}, 中藥正名 cypress twig and leaf (Cupressi Funebris Ramulus et Folium)

柏樹油 {bai3 shu4 you2}, 中藥正名 cypress resin (Cupressi Funebris Resina)
柏葉 {bai3 ye4}, 中藥異名 arborvitae leaf (Platycladi Cacumen)
柏葉湯 {bai3 ye4 tang1}, 方名 Arborvitae Leaf Decoction
柏脂 {bai3 zhi1}, 中藥正名 arborviate resin (Platycladi Resina)
柏枝節 {bai3 zhi1 jie2}, 中藥正名 arborvitae twig (Platycladi Ramulus)
柏子 {bai3 zi3}, 中藥異名 arborvitae seed (Platycladi Semen)
柏子仁霜 {bai3 zi3 ren2 shuang1}, 中藥正名 arborvitae seed frost (Platycladi Semen Pulveratum)
柏子仁湯 {bai3 zi3 ren2 tang1}, 方名 Arborvitae Seed Decoction
柏子仁丸 {bai3 zi3 ren2 wan2}, 方名 Arborvitae Seed Pill
柏子仁粥 {bai3 zi3 ren2 zhou1}, 方名 Arborvitae Seed Gruel
柏子仁 {bai3 zi3 ren2, 中藥正名 arborvitae seed (Platycladi Semen)
柏子霜 {bai3 zi3 shuang1}, 中藥異名 arborvitae seed frost (Platycladi Semen Pulveratum)
柏子養心丸 {bai3 zi3 yang3 xin1 wan2}, 方名 Arborvitae Seed Heart-Nourishing Pill

~~ {bai4} ~~
【敗】 {bai4} [Freq. 2] vanquish (v.).
敗毒散 {bai4 du2 san3}, 方名 Toxin-Vanquishing Powder
敗龜板 {bai4 gui1 ban3}, 中藥異名 tortoise plastron (Testudinis Plastrum)
敗龜版 {bai4 gui1 ban3}, 中藥異名 tortoise plastron (Testudinis Plastrum)
敗龜甲 {bai4 gui1 jia3}, 中藥異名 tortoise plastron (Testudinis Plastrum)
敗醬 {bai4 jiang4}, 中藥異名 patrinia (Patriniae Herba)
敗醬草 {bai4 jiang4 cao3}, 中藥正名 patrinia (Patriniae Herba)
敗血 {bai4 xue4}, vanquished blood
敗血沖肺 {bai4 xue4 chong1 fei4}, vanquished blood surging into the lung
敗血沖胃 {bai4 xue4 chong1 wei4}, vanquished blood surging into the stomach
敗血沖心 {bai4 xue4 chong1 xin1}, vanquished blood surging into the heart

【稗】 {bai4} [Freq. 4] barnyard grass.
稗根苗 {bai4 gen1 miao2}, 中藥正名 barnyard grass (Echinochloae Radix et Folium)

~~ {ban1} ~~
【般】 {ban1} [Freq. 5] kind; like

【斑】 {ban1} [Freq. 2] macule (n.) (斑疹 {ban1 zhen3}, maculopapular eruption).
斑雞魚 {ban1 ji1 yu2}, 中藥正名 spotted grunter (Pomadasys Maculatus)

斑鳩 {ban1 jiu1}, 中藥正名 turtledove (Streptopliae Caro)
斑鳩飯 {ban1 jiu1 fan4}, 中藥異名 Chinese smartweed (Polygoni Chinensis Herba)
斑鳩木 {ban1 jiu1 mu4}, 中藥正名 nightshade vernonia (Vernoniae Solanifoliae Folium, Radix, seu Herba)
斑鳩占 {ban1 jiu1 zhan4}, 中藥正名 downy premna (Premnae Puberulae Radix et Folium)
斑龍丸 {ban1 long2 wan2}, 方名 Striped Dragon Pill
斑貓 {ban1 mao1}, 中藥異名 mylabris (Mylabris)
斑毛 {ban1 mao2}, 中藥異名 mylabris (Mylabris)
斑蝥 {ban1 mao2}, 中藥正名 mylabris (Mylabris)
斑蝥通經丸 {ban1 mao2 tong1 jing1 wan2}, 方名 Mylabris Channel-Freeing Pill; Mylabris Menstruation-Promoting Pill
斑鰭白姑魚 {ban1 qi2 bai2 gu1 yu2}, 中藥正名 pawak croaker (Pennahia Pawak)
斑禿 {ban1 tu1}, patch balding
斑葉蘭 {ban1 ye4 lan2}, 中藥正名 goodyera (Goodyerae Herba)
斑葉蘭根 {ban1 ye4 lan2 gen1}, 中藥正名 goodyera root (Goodyerae Rhizoma et Radix)
斑疹 {ban1 zhen3}, maculopapular eruption
斑疹透露 {ban1 zhen3 tou4 lu4}, outthrust of macules and papules
斑疹隱隱 {ban1 zhen3 yin3 yin3}, faint maculopapular eruptions
斑疹隱隱欲現 {ban1 zhen3 yin3 yin3 yu4 xian4}, faint macules and pupules trying to appear
斑疹隱約可見 {ban1 zhen3 yin3 yue1 ke3 jian4}, faintly visible macules or papules
斑竹根 {ban1 zhu2 gen1}, 中藥正名 madake bamboo root (Phyllostachydis Bambusoidis Radix)
斑竹花 {ban1 zhu2 hua1}, 中藥正名 madake bamboo flower (Phyllostachydis Bambusoidis Flos)
斑竹殼 {ban1 zhu2 qiao4 (ke2)}, 中藥正名 madake bamboo sheath (Phyllostachydis Bambusoidis Vagina)

【瘢】 {ban1} [Freq. 3] scar.
瘢痕 {ban1 hen2}, scar; scar (cicatrix)
瘢痕灸 {ban1 hen2 jiu3}, scarring moxibustion
瘢瘤 {ban1 liu2}, 西醫 keloid

~~ {ban3} ~~
【板】 {ban3} [Freq. 3] solid (unbroken); board (distal portion of the sole proximal to the great toe).
板齒 {ban3 chi3}, front teeth
板藍大青湯 {ban3 lan2 da4 qing1 tang1}, 方名 Isatis Root and Leaf Decoction

板藍根 {ban3 lan2 gen1}, 中藥正名 isatis root (Isatidis Radix)
板栗 {ban3 li4}, 中藥異名 chestnut (Castaneae Semen)
板門 {ban3 men2}, 腧穴正名 Board Gate

~~ {ban4} ~~
【半】 {ban4} [Freq. 4] half; short for 半夏 {ban4 xia4}, pinellia.
半貝丸 {ban4 bei4 wan2}, 方名 Pinellia and Fritillaria Pill
半邊花 {ban4 bian1 hua1}, 中藥異名 Chinese lobelia (Lobeliae Chinensis Herba)
半邊菊 {ban4 bian1 ju2}, 中藥異名 Chinese lobelia (Lobeliae Chinensis Herba)
半邊蓮 {ban4 bian1 lian2}, 中藥正名 Chinese lobelia (Lobeliae Chinensis Herba)
半邊蘇 {ban4 bian1 su1}, 中藥正名 ciliate elzholtia (Elsholtziae Ciliatae Herba)
半表半里 {ban4 biao3 ban4 li3}, half-interior half-exterior; midstage penetration
半表半里證 {ban4 biao3 ban4 li3 zheng4}, half-interior half-exterior pattern; midstage pattern
半產 {ban4 chan3}, abortion (after the fetus has formed) (after the fetus has formed); late miscarriage
半刺 {ban4 ci4}, half needling (one of the five needling methods)
半楓荷根 {ban4 feng1 he2 gen1}, 中藥正名 pterospermum (Pterospermi Radix)
半楓荷葉 {ban4 feng1 he2 ye4}, 中藥正名 pterospermum leaf (Pterospermi Folium)
半黃丸 {ban4 huang2 wan2}, 方名 Pinellia and Scutellaria Pill
半腱肌 {ban4 jian4 ji1}, 西醫 semitendinous muscle
半截葉 {ban4 jie2 ye4}, 中藥正名 Wilson's passion flower (Passiflorae Wilsonii Herba)
半硫丸 {ban4 liu2 wan2}, 方名 Pinellia and Sulfur Pill
半膜肌 {ban4 mo2 ji1}, 西醫 semimembranous muscle
半身不隨 {ban4 shen1 bu4 sui2}, hemiplegia; half-body paralysis
半身不遂 {ban4 shen1 bu4 sui4}, hemiplegia; half-body paralysis
半身出汗 {ban4 shen1 chu1 han4}, hemilateral sweating; half-body sweating
半身汗出 {ban4 shen1 han4 chu1}, hemilateral sweating
半身麻木 {ban4 shen1 ma2 mu4}, hemilateral numbness; half-body numbness
半身無汗 {ban4 shen1 wu2 han4}, hemilateral absense of sweating
半天菜 {ban4 tian1 cai4}, 中藥異名 areca flower (Arecae Flos Immaturus)
半天筍 {ban4 tian1 sun3}, 中藥異名 areca shoot (Arecae Surculus)
半夏白朮天麻湯 {ban4 xia4 bai2 zhu2 tian1 ma2 tang1}, 方名 Pinellia, White Atractylodes, and Gastrodia Decoction
半夏茯苓湯 {ban4 xia4 fu2 ling2 tang1}, 方名 Pinellia and Poria Decoction
半夏干薑散 {ban4 xia4 gan1 jiang1 san3}, 方名 Pinellia and Dried Ginger Powder
半夏厚朴湯 {ban4 xia4 hou4 po4 tang1}, 方名 Pinellia and Officinal Magnolia Bark Decoction
半夏精 {ban4 xia4 jing1}, 中藥異名 arisaema (Arisaematis Rhizoma)

半夏曲 {ban4 xia4 qu1}, 中藥正名 pinellia leaven (Pinelliae Massa Fermentata)
半夏秫米湯 {ban4 xia4 shu2 mi3 tang1}, 方名 Pinellia and Broomcorn Millet Decoction
半夏湯 {ban4 xia4 tang1}, 方名 Pinellia Decoction
半夏瀉心湯 {ban4 xia4 xie4 xin1 tang1}, 方名 Pinellia Heart-Draining Decoction
半夏 {ban4 xia4, 中藥正名 pinellia (Pinelliae Rhizoma)
半瀉六君湯 {ban4 xie4 liu4 jun1 tang1}, 方名 Pinellia Heart-Draining Six Gentlemen Decoction
半月瓣 {ban4 yue4 ban4}, 西醫 semilunar valve
半支蓮 {ban4 zhi1 lian2}, 中藥正名 large-flowered purslane (Portulacae Grandiflorae Herba)
半枝蓮 {ban4 zhi1 lian2}, 中藥正名 bearded scutellaria (Scutellariae Barbatae Herba)

【伴】 {ban4} [Freq. 4] accompany.
伴有 {ban4 you3}, accompanied by

【拌】 {ban4} [Freq. 4] stir.
拌炒 {ban4 chao3}, stir-fry with adjuvant

【絆】 {ban4} [Freq. 4] tie up.
絆舌 {ban4 she2}, tongue-tie

【瓣】 {ban4} [Freq. 5] petal (齒齦結瓣 {chi3 yin2 jie2 ban4}, petalled gums)

~~ {bang4} ~~
【蚌】 {bang4} [Freq. 4] freshwater pearl-producing mussel.
蚌粉 {bang4 fen3}, 中藥正名 powdered lea shell (Leae Concha Pulverata)
蚌蘭 {bang4 lan2}, 中藥正名 rhoeo (Rhoeonis Folium)
蚌蘭花 {bang4 lan2 hua1}, 中藥正名 oyster plant flower (Rhoeonis Discoloris Flos)
蚌蘭葉 {bang4 lan2 ye4}, 中藥正名 oyster plant leaf (Rhoeonis Folium)
蚌淚 {bang4 lei4}, 中藥正名 lea secretion (Leae Secretio)
蚌肉 {bang4 rou4}, 中藥正名 lea (Leae Caro)
蚌珠 {bang4 zhu1}, 中藥異名 pearl (Margarita)

【傍】 {bang4} [Freq. 4] beside (same as 旁 {pang2}).
傍針刺 {bang4 zhen1 ci4}, one-beside needling (one of the twelve needling methods)

【棒】 {bang4} [Freq. 4] stick.
棒草 {bang4 cao3}, 中藥異名 licorice (Glycyrrhizae Radix)

棒子毛 {bang4 zi3 mao2}, 中藥異名 corn silk (Maydis Stigma)

【鎊】 {bang4} [Freq. 3] flake.
鎊刀 {bang4 dao1}, flaker

~~ {bao1} ~~
【包】 {bao1} [Freq. 2] envelop; pouch.
包白 {bao1 bai2}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)
包谷火焰包 {bao1 gu3 huo4 yan4 bao1}, 中藥正名 infested corn flower (Maydis Flos Infestata)
包煎 {bao1 jian1}, wrap-boiling
包皮 {bao1 pi2}, 西醫 foreskin
包皮環切術 {bao1 pi2 huan2 qie1 shu4}, 西醫 circumcision
包心菜 {bao1 xin1 cai4}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)
包心菜 {bao1 xin1 cao3}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)
包扎固定療法 {bao1 zha1 gu4 ding4 liao2 fa3}, bandage-fixing therapy
包珍珠 {bao1 zhen1 zhu1}, pearl lump (sty)

【胞】 {bao1} [Freq. 2] eyelid (upper and lower); upper eyelid; bladder; uterus; womb; mole (discharged from the vagina).
胞痹 {bao1 bi4}, bladder impediment
胞垂 {bao1 chui2}, sagging eyelids
胞宮 {bao1 gong1}, uterus; womb
胞宮寒凝 {bao1 gong1 han2 ning2}, congealing uterine cold
胞宮濕熱 {bao1 gong1 shi1 re4}, uterine damp-heat
胞宮濕熱證 {bao1 gong1 shi1 re4 zheng4}, uterine damp-heat pattern
胞宮虛寒 {bao1 gong1 xu1 han2}, uterine vacuity cold
胞宮虛寒證 {bao1 gong1 xu1 han2 zheng4}, pattern of uterine vacuity cold
胞寒 {bao1 han2}, uterine cold
胞寒不孕 {bao1 han2 bu4 yun4}, uterine cold infertility
胞肓 {bao1 huang1}, 腧穴正名 BL-53 (Bladder Huang)
胞瞼 {bao1 jian3}, eyelid
胞瞼病 {bao1 jian3 bing4}, disease of the eyelid
胞瞼外翻 {bao1 jian3 wai4 fan1}, everted eyelid; ectropion
胞瞼腫核 {bao1 jian3 zhong3 he2}, phlegm node of the eyelid
胞瞼腫脹 {bao1 jian3 zhong3 zhang4}, swelling of the eyelid
胞漏 {bao1 lou4}, fetal spotting; fetal spotting

胞漏血 {bao1 lou4 xue4}, fetal spotting
胞輪振跳 {bao1 lun2 zhen4 tiao4}, twitching eyelid
胞絡 {bao1 luo4}, uterine network vessels
胞脈 {bao1 mai4}, uterine vessels
胞門 {bao1 men2}, uterine gate (orificium uteri) (Bladder Gate); 腧穴異名 CV-4 (Uterine Gate (left)); 腧穴異名 KI-13
胞內生肉 {bao1 nei4 sheng1 rou4}, growth inside the eyelid
胞肉黏輪 {bao1 rou4 nian2 lun2}, eyelid flesh sticking to the eye
胞生痰核 {bao1 sheng1 tan2 he2}, phelgm node of the eyelid
胞系了戾 {bao1 xi4 liao3 li4}, twisted bladder tie
胞虛如球 {bao1 xu1 ru2 qiu2}, eyelid vacuous as a ball
胞衣 {bao1 yi1}, placenta (Hominis Placenta); 中藥異名 placenta
胞衣不下 {bao1 yi1 bu4 xia4}, retention of the placenta
胞腫如桃 {bao1 zhong3 ru2 tao2}, eyelid swollen like a peach
胞轉 {bao1 zhuan3}, shifted bladder
胞阻 {bao1 zu3}, uterine obstruction

【苞】 {bao1} [Freq. 4] bud.
苞薔薇根 {bao1 qiang2 wei1 gen1}, 中藥正名 seashore rose root (Rosae Bracteatae Radix)

~~ {bao3} ~~
【保】 {bao3} [Freq. 3] safeguard.
保安萬靈丹 {bao3 an1 wan4 ling2 dan1}, 方名 Safeguard Unlimited Efficacy Elixir
保產無憂方 {bao3 chan3 wu2 you1 fang1}, 方名 Carefree Pregnancy Formula
保產無憂散 {bao3 chan3 wu2 you1 san3}, 方名 Carefree Pregnancy Powder
保赤散 {bao3 chi4 san3}, 方名 Infant-Safeguarding Red Powder
保和丸 {bao3 he2 wan2}, 方名 Harmony-Preserving Pill
保護脾胃 {bao3 hu4 pi2 wei4}, safeguards the stomach
保護胃氣 {bao3 hu4 wei4 qi4}, safeguards stomach qi4
保胎資生丸 {bao3 tai1 zi1 sheng1 wan2}, 方名 Fetus-Safeguarding Life-Supporting Pill
保陰煎 {bao3 yin1 jian1}, 方名 Yin1-Safeguarding Brew
保元湯 {bao3 yuan2 tang1}, 方名 Origin-Preserving Decoction
保真湯 {bao3 zhen1 tang1}, 方名 True-Safeguarding Decoction

【飽】 {bao3} [Freq. 3] satiated (adj.), satiety (n.).
飽嗝 {bao3 ge2}, belching from satiation
飽脹 {bao3 zhang4}, bloating

【寶】 {bao3} [Freq. 3] jewel.
寶蓋草 {bao3 gai4 cao3}, 中藥正名 amplexicaul dead nettle (Lamii Amplexicaulis Herba)
寶雞白芍 {bao3 ji1 bai2 shao2}, 中藥正名 Shaanxi white peony (Paeoniae Radix Alba *Shaansiensis)
寶塔菜 {bao3 ta3 cai4}, 中藥異名 Chinese artichoke (Stachydis Sieboldii Tuber et Herba)
寶珠茶花 {bao3 zhu1 cha2 hua1}, 中藥異名 camellia (Camelliae Japonicae Flos)

【鴇】 {bao3} [Freq. 4] bustard.
鴇肉 {bao3 rou4}, 中藥正名 bustard flesh (Otis Caro)

~~ {bao4} ~~
【刨】 {bao4} [Freq. 5] plane; make into shavings

【抱】 {bao4} [Freq. 3] embrace.
抱兒癆 {bao4 er2 lao2}, consumption of pregnancy
抱龍丸 {bao4 long2 wan2}, 方名 Dragon-Embracing Pill
抱輪紅 {bao4 lun2 hong2}, red areola surrounding the dark of the eye
抱輪紅赤 {bao4 lun2 hong2 chi4}, red areola surrounding the dark of the eye
抱樹蓮 {bao4 shu4 lian2}, 中藥正名 drymoglossum (Drymoglossi Herba)
抱頭火丹 {bao4 tou2 huo3 dan1}, head fire cinnabar
抱膝 {bao4 xi1}, knee board
抱子甘藍 {bao4 zi3 gan1 lan2}, 中藥正名 Brussels sprout (Brassicae Gemmiferae Gemma)

【豹】 {bao4} [Freq. 4] leopard.
豹骨 {bao4 gu3}, 中藥正名 leopard's bone (Leopardi Os)
豹骨膠 {bao4 gu3 jiao1}, 中藥正名 leopard's bone glue (Leopardi Ossis Gelatinum)
豹骨木瓜酒 {bao4 gu3 mu4 gua1 jiu3}, 方名 Leopard's Bone and Chaenomelis Wine
豹鮫 {bao4 jiao1}, 中藥正名 spotted cat shark (Halaelurus Buergueri)
豹肉 {bao4 rou4}, 中藥正名 leopard (Leopardi Caro)
豹文刺 {bao4 wen2 ci4}, leopard-spot needling (one of the five needling methods)

【報】 {bao4} [Freq. 4] report.
報標 {bao4 biao1}, heralding tip
報刺 {bao4 ci4}, report needling (one of the twelve needling methods)
報點 {bao4 dian3}, heralding speckle
報傷點 {bao4 shang1 dian3}, trauma pointer

【暴】 {bao4} [Freq. 2] sudden (adj.) (暴盲 {bao4 mang2}, sudden blindness); fulminant (adj.) (暴脫 {bao4 tuo1}, fulminant desertion).
暴崩 {bao4 beng1}, fulminant flooding
暴病 {bao4 bing4}, fulminant disease
暴不知人 {bao4 bu4 zhi1 ren2}, sudden loss of consciousness
暴喘 {bao4 chuan3}, fulminant panting
暴發火眼 {bao4 fa1 huo3 yan3}, fulminant fire eye
暴風客熱 {bao4 feng1 ke4 re4}, fulminant wind and visiting heat
暴昏 {bao4 hun1}, fulminant clouding
暴厥 {bao4 jue2}, fulminant reversal
暴聾 {bao4 long2}, sudden deafness
暴馬子 {bao4 ma3 zi3}, 中藥正名 Amur lilac seed (Syringae Amurensis Cortex, Truncus, seu Ramus)
暴盲 {bao4 mang2}, sudden blindness
暴怒傷肝 {bao4 nu4 shang1 gan1}, sudden violent anger damages the liver
暴迫下注 {bao4 po4 xia4 zhu4}, fulminant distressing downpour
暴仆 {bao4 pu1}, sudden collapse
暴熱 {bao4 re4}, fulminant heat [effusion] (fever)
暴吐 {bao4 tu4}, fulminant vomiting
暴脫 {bao4 tuo1}, fulminant desertion
暴瀉 {bao4 xie4}, fulminant diahrrea
暴喑 {bao4 yin1}, sudden loss of voice
暴瘖 {bao4 yin1}, sudden loss of voice
暴飲暴食 {bao4 yin3 bao4 shi2}, voracious eating and drinking
暴注 {bao4 zhu4}, fulminant pouring

【鮑】 {bao4} [Freq. 4] abalone.
鮑魚菇 {bao4 yu2 gu1}, 中藥正名 abalone fungus (Pleurotus Cystidiosus)
鮑魚皮 {bao4 yu2 pi2}, 中藥異名 abalone shell (Haliotidis Concha)

【爆】 {bao4} [Freq. 4] burst violently.
爆格蚤 {bao4 ge2 zao3}, 中藥異名 ligustrum (Ligustri Lucidi Fructus)

~~ {bei1} ~~
【卑】 {bei1} [Freq. 4] low-lying; inferior.
卑相 {bei1 xiang4}, 中藥異名 ephedra (Ephedrae Herba)

卑鹽 {bei1 yan2}, 中藥異名 ephedra (Ephedrae Herba)

【杯】 {bei1} [Freq. 4] cup.
杯莧 {bei1 xian4}, 中藥正名 prostrate cyathula (Cyathulae Prostratae Herba)

【悲】 {bei1} [Freq. 2] sorrow (n.) (one of the seven affects. 悲則氣消 {bei1 ze2 qi4 xiao1}, sorrow causes qi to disperse).
悲觀 {bei1 guan1}, pessimism
悲傷欲哭 {bei1 shang1 yu4 ku1}, sorrow and desire to weep
悲喜不常 {bei1 xi3 bu4 chang2}, abnormal sorrow and joy
悲優傷肺 {bei1 you1 shang1 fei4}, sorrow and anxiety damage the lung
悲則氣消 {bei1 ze2 qi4 xiao1}, sorrow causes qi4 to disperse

【椑】 {bei1} [Freq. 4] tree name

【蓓】 {bei1} [Freq. 4] plant name

~~ {bei3} ~~
【北】 {bei3} [Freq. 3] north (position associated with water).
北朝 {bei3 chao2}, Northern Dynasties (386--534 A.D.)
北風菌 {bei3 feng1 jun4}, 中藥異名 abalone fungus (Pleurotus Cystidiosus)
北瓜 {bei3 gua1}, 中藥正名 winter pumpkin (Cucurbitae Maximae Fructus) (Cucurbitae Fructus); 中藥異名 pumpkin
北鶴蝨 {bei3 he4 shi1}, 中藥異名 carpesium seed (Carpesii Fructus)
北寄生 {bei3 ji4 sheng1}, 中藥異名 red-berried mistletoe (Visci Ramus)
北耆 {bei3 qi2}, 中藥正名 Northern astragalus (Astragali Radix *Septentrionalis)
北齊 {bei3 qi2}, Northern Qi4 (550--577 A.D.)
北沙參 {bei3 sha1 shen1, 中藥正名 glehnia (Glehniae Radix)
北山楂 {bei3 shan1 zha1}, 中藥正名 northern crataegus (Crataegi Fructus *Septentrionalis)
北宋 {bei3 song4}, Northern Song4 (960--1127 A.D.)
北葶藶 {bei3 ting2 li4}, 中藥正名 lepidium (Lepidii Semen)
北味 {bei3 wei4}, 中藥異名 northern schisandra (Schisandrae Chinensis Fructus)
北魏 {bei3 wei4}, Northern Wei4 (386--534 A.D.)
北五味 {bei3 wu3 wei4}, 中藥異名 northern schisandra (Schisandrae Chinensis Fructus)
北五味子 {bei3 wu3 wei4 zi3}, 中藥正名 northern schisandra (Schisandrae Chinensis Fructus)
北細辛 {bei3 xi4 xin1}, 中藥正名 northern asarum (Asari Herba cum Radice *Septentionalis)
北鮮皮 {bei3 xian1 pi2}, 中藥異名 dictamnus (Dictamni Cortex)

北辛 {bei3 xin1}, 中藥異名 northern asarum (Asari Herba cum Radice *Septentionalis)
北杏 {bei3 xing4}, 中藥異名 northern apricot kernel (Armeniacae Semen *Septentrionale)
北杏仁 {bei3 xing4 ren2}, 中藥正名 northern apricot kernel (Armeniacae Semen *Septentrionale)
北周 {bei3 zhou1}, Northern Zhou1 (557--581 A.D.)

~~ {bei4} ~~
【貝】 {bei4} [Freq. 4] cowrie.
貝齒 {bei4 chi3}, 中藥異名 cowrie shell (Monetariae Concha)
貝耳氏癱瘓 {bei4 er3 shi4 tan1 huan4}, 西醫 Bell's palsy
貝父 {bei4 fu4}, 中藥異名 Si4chuan1 fritillaria (Fritillariae Cirrhosae Bulbus)
貝母栝蔞散 {bei4 mu3 gua1 lou2 san3}, 方名 Fritillaria and Trichosanthes Powder
貝母蘭 {bei4 mu3 lan2}, 中藥正名 coelogyne (Coelogynes Pseudobulbus seu Herba)
貝母湯 {bei4 mu3 tang1}, 方名 Fritillaria Decoction
貝母 {bei4 mu3, 中藥正名 fritillaria (Fritillariae Bulbus)
貝子 {bei4 zi3}, 中藥正名 cowrie shell (Monetariae Concha)

【背】 {bei4} [Freq. 2] back (n.) (背痛 {bei4 tong4}, back pain).
背反張 {bei4 fan3 zhang1}, arched-back rigidity
背寒 {bei4 han2}, cold back
背解 {bei4 jie3}, 腧穴異名 GV-2 (Back's Resolution)
背闊肌 {bei4 kuo4 ji1}, 西醫 latissimus dorsi muscle
背冷 {bei4 leng3}, cold in the back
背熱 {bei4 re4}, heat in the back
背俞 {bei4 shu1}, back transport point (Back Transport); 腧穴異名 BL-11 (Back Transport); 腧穴異名 BL-15
背俞穴 {bei4 shu1 xue2}, back transport point
背痛 {bei4 tong4}, back pain
背痛徹心 {bei4 tong4 che4 xin1},
背痛腰疼 {bei4 tong4 yao1 teng2}, back and lumbar pain
背惡寒 {bei4 wu4 han2}, aversion to cold in the back
背鮮 {bei4 xian1}, 腧穴異名 GV-2 (Back Fresh)
背癰 {bei4 yong1}, welling-abscess of the back

【倍】 {bei4} [Freq. 4] times (as much).
倍子 {bei4 zi3}, 中藥異名 sumac gallnut (Galla Chinensis Galla)

【悖】 {bei4} [Freq. 5] stupor (酒悖 {jiu3 bei4}, drunken stupor); clash (v.) (并行而不悖 {bing4 xing2 er2 bu4 bei4}, act in tandem without clashing)

【被】 {bei4} [Freq. 4] cover; contract; by (in passive constructions).
被寒 {bei4 han2}, contract cold

【備】 {bei4} [Freq. 5] prepare; place at the ready.
備急千金要方 {bei4 ji2 qian1 jin1 yao4 fang1}, 書名 A Thousand Gold Pieces Emergency Formulary (7th century (Tang2), Sun1 Si1-Miao3 孫思邈)

【焙】 {bei4} [Freq. 2] stone-bake (v.).
焙炕 {bei4 kang4}, baking slab

【憊】 {bei4} [Freq. 5] exhausted (精神疲憊 {jing1 shen2 pi2 bei4}, exhaustion of essence-spirit)

~~ {ben1} ~~
【奔】 {ben1} [Freq. 2] run (v.).
奔豚丸 {ben1 tun1 wan2}, 方名 Running Piglet Pill
奔豚 {ben1 tun2}, running piglet
奔豚氣 {ben1 tun2 qi4}, running piglet qi4

【賁】 {ben1} [Freq. 3] rush.
賁門 {ben1 men2}, rushing gate (the cardia)
賁豚 {ben1 tun2}, running piglet

~~ {ben3} ~~
【本】{ben3} [Freq. 2] root (n.) (標本 {biao1 ben3}, root and tip); originally (標本 {biao1 ben3}, root and tip); essentially (標本 {biao1 ben3}, root and tip).
本草 {ben3 cao3}, pents'ao; herbal foundation; bencao; materia medica
本草備要 {ben3 cao3 bei4 yao4}, 書名 The Essential Herbal Foundation (1694 (Qing1), Wang1 Ang2 汪昂)
本草綱目 {ben3 cao3 gang1 mu4}, 書名 Herbal Foundation Compendium 李時珍)
本草綱目拾遺 {ben3 cao3 gang1 mu4 shi2 yi2}, 書名 Supplement to the Herbal Foundation Compendium (1590 (Ming2), Li3 Shi2-Zhen1 李時珍)
本草匯言 {ben3 cao3 hui4 yan2}, 書名 Collected Statements on the Herbal Foundation
本草品匯精要 {ben3 cao3 pin3 hui4 jing1 yao4}, 書名 Concise Herbal Foundation

Compilation
本草拾遺 {ben3 cao3 shi2 yi2}, 書名 Supplement to the Herbal Foundation (1590 (Ming=2), Li3 Shi2-Zhen1 李時珍)
本草衍義 {ben3 cao3 yan3 yi4}, 書名 Expanded Herbal Foundation
本草正義 {ben3 cao3 zheng4 yi4}, 書名 True Meaning of the Herbal Foundation
本池 {ben3 chi2}, 腧穴異名 CV-23 (Root Pool)
本節 {ben3 jie2}, base joint (of a phalanx); knuckle
本經選穴 {ben3 jing1 xuan3 xue2}, selection of same-channel points
本經自發 {ben3 jing1 zi4 fa1}, originate in channel
本神 {ben3 shen2}, 腧穴正名 GB-13 (Root Spirit)
本虛標實 {ben3 xu1 biao1 shi2}, root vacuity and tip repletion

~~ {beng1} ~~
【崩】 {beng1} [Freq. 2] flooding (n.).
崩大碗 {beng1 da4 wan3}, 中藥異名 centella (Centellae Herba)
崩帶 {beng1 dai4}, flooding and vaginal discharge
崩漏 {beng1 lou4}, flooding and spotting
崩證極驗方 {beng1 zheng4 ji2 yan4 fang1}, 方名 Well-Tried Flooding Formula
崩中 {beng1 zhong1}, flooding
崩中暴下 {beng1 zhong1 bao4 xia4}, fulminant flooding

~~ {bi1} ~~
【逼】 {bi1} [Freq. 4] drive; force.
逼迫 {bi1 po4}, distress
逼針法 {bi1 zhen1 fa3}, needle-driving method

~~ {bi2} ~~
【荸】 {bi2} [Freq. 4] water chestnut (荸薺 {bi2 qi2}).
荸薺 {bi2 qi2}, 中藥正名 water chestnut (1) (Heleocharitis Cormus)
荸薺粉 {bi2 qi2 fen3}, 中藥正名 water chestnut starch (Heleocharitis Cormi Amylum)
荸薺汁 {bi2 qi2 zhi1}, 中藥異名 water chestnut juice (Heleocharitis Cormi Succus)

【鼻】 {bi2} [Freq. 2] nose (n.) (酒齇鼻 {jiu3 zha1 bi2}, drinker's nose); nasal (adj.).
鼻崩 {bi2 beng1}, collapse of the nose
鼻病 {bi2 bing4}, diseases of the nose

鼻赤 {bi2 chi4}, red nose (drinker's nose)
鼻沖 {bi2 chong1}, 腧穴異名 BL-4 (Nose Flush)
鼻臭 {bi2 chou4}, bad nose breath
鼻出熱氣 {bi2 chu1 re4 qi4}, hot breath issuing from the nose
鼻出血 {bi2 chu1 xue4}, nosebleed; epistaxis nosebleed
鼻瘡 {bi2 chuang1}, sore of the nose
鼻疔 {bi2 ding1}, clove sore of the nose
鼻竇 {bi2 dou4}, 西醫 paranasal sinuses
鼻竇痰包 {bi2 dou4 tan2 bao1}, phlegm pouch in the nasal sinuses
鼻竇炎 {bi2 dou4 yan2}, 西醫 sinusitis
鼻頞 {bi2 e4}, bridge of the nose
鼻副竇 {bi2 fu4 dou4}, 西醫 paranasal sinuses
鼻干 {bi2 gan1}, dry nose
鼻疳 {bi2 gan1}, gan1 of the nose
鼻干咽燥 {bi2 gan1 yan1 zao4}, dry nose and throat
鼻槁 {bi2 gao3}, desiccated nose
鼻槁臘 {bi2 gao3 la4}, dried-meat nose
鼻骨 {bi2 gu3}, 西醫 nasal bone
鼻鼾 {bi2 han1}, snoring
鼻洪 {bi2 hong2}, nose flood
鼻癤 {bi2 jie2}, 西醫 furuncle of nose; nose boil
鼻孔 {bi2 kong3}, nostril
鼻孔干燥 {bi2 kong3 gan1 zao4}, dry nostrils
鼻孔扇張 {bi2 kong3 shan1 zhang1}, flaring nostrils
鼻孔生瘡 {bi2 kong3 sheng1 chuang1}, nostril sores
鼻孔中痛 {bi2 kong3 zhong1 tong4}, pain in the nostrils
鼻孔作煽
鼻淚管 {bi2 lei4 guan3}, 西醫 nasolacrimal duct
鼻梁 {bi2 liang2}, nose beam; stem of the nose
鼻流 {bi2 liu2}, 腧穴正名 Runny Nose
鼻流清涕 {bi2 liu2 qing1 ti4}, runny nose with clear snivel (nasal mucus)
鼻流涕 {bi2 liu2 ti4}, running nose
鼻流腥臭膿涕 {bi2 liu2 xing1 chou4 nong2 ti4}, runny nose with fishy-smelling purulent snivel
鼻聾 {bi2 long2}, loss of smell
鼻苗 {bi2 miao2}, nasal inoculation; nasal vaccine
鼻鳴 {bi2 ming2}, noisy nose
鼻&&460C‖瘡 {bi2 ni4 chuang1}, invisible worm sore of the nose
鼻衄 {bi2 nu94}, nosebleed

鼻衄血 {bi2 nu94 xue4}, nosebleed
鼻腔填塞療法 {bi2 qiang1 tian2 sai1 liao2 fa3}, nose-stuffing method
鼻竅不利 {bi2 qiao4 bu4 li4}, inhibited nose orifices
鼻鼽 {bi2 qiu2}, sniveling nose
鼻人中 {bi2 ren2 zhong1}, 腧穴異名 GV-26 (Nose Human Center)
鼻塞 {bi2 se4}, nasal congestion
鼻塞不通 {bi2 se4 bu4 tong1}, nasal congestion
鼻塞不聞香臭 {bi2 se4 bu4 wen2 xiang1 chou4}, nasal congestion inhibiting the sense of smell
鼻塞流清涕 {bi2 se4 liu2 qing1 ti4}, nasal congestion with clear snivel
鼻塞流涕 {bi2 se4 liu2 ti4}, nasal congestion and runny nose
鼻塞無聞 {bi2 se4 wu2 wen2}, nasal congestion with loss of smell
鼻煽 {bi2 shan1}, flaring nostrils
鼻煽胸高 {bi2 shan1 xiong1 gao1}, flaring nostrils and raised chest
鼻上生酒醉風 {bi2 shang4 sheng1 jiu3 zui4 feng1}, liquor wind on the nose
鼻水 {bi2 shui3}, clear runny snivel (nasal mucus)
鼻飼法紿藥 {bi2 si4 fa3 gei3 yao4}, 西醫 administration by nasal feeding
鼻酸 {bi2 suan1}, sour-sore nose
鼻隧 {bi2 sui4}, nasal passages
鼻損傷 {bi2 sun3 shang1}, injury of the nose
鼻涕黃稠 {bi2 ti4 huang2 chou2}, thick yellow snivel (nasal mucus)
鼻涕黃濁 {bi2 ti4 huang2 zhuo2}, turbid yellow snivel (nasal mucus)
鼻涕清稀 {bi2 ti4 qing1 xi1}, clear thin snivel (nasal mucus)
鼻涕團 {bi2 ti4 tuan2}, 中藥異名 crataegus (Crataegi Fructus)
鼻通 {bi2 tong1}, 腧穴正名 Clear Nose
鼻痛 {bi2 tong4}, pain in the nose
鼻頭 {bi2 tou2}, bulb of the nose
鼻聞焦臭 {bi2 wen2 jiao1 chou4}, smelling of burnt odor (subjective symptom)
鼻齆 {bi2 weng4}, nasal congestion
鼻息肉 {bi2 xi1 rou4}, 西醫 nasal polyp; nasal polyp
鼻瘜肉 {bi2 xi1 rou4}, nasal polyp
鼻掀 {bi2 xian1}, flaring nostrils
鼻掀胸挺 {bi2 xian1 xiong1 ting3}, flaring nostrils and outthrust chest
鼻嗅療法 {bi2 xiu4 liao2 fa3}, smelling therapy
鼻血草 {bi2 xue4 cao3}, 中藥正名 melissa (Melissae Herba)
鼻咽 {bi2 yan1}, 西醫 nasopharynx
鼻煙 {bi2 yan1}, 中藥正名 snuff (Nicotianae Folii Pulvis)
鼻咽癌 {bi2 yan1 ai2}, 西醫 nasopharyngeal carcinoma
鼻炎 {bi2 yan2}, 西醫 rhinitis

鼻癢 {bi2 yang3}, itchy nose
鼻翼煽動 {bi2 yi4 shan1 dong4}, flaring nostrils
鼻淵 {bi2 yuan1}, deep-source nasal congestion
鼻燥 {bi2 zao4}, dry nose
鼻造形術 {bi2 zao4 xing2 shu4}, 西醫 rhinoplasty
鼻齇 {bi2 zha1}, drinker's nose
鼻張 {bi2 zhang1}, flaring nostrils
鼻針 {bi2 zhen1}, nasal acupuncture
鼻針療法 {bi2 zhen1 liao2 fa3}, nasal acupuncture
鼻痔 {bi2 zhi4}, nose pile
鼻窒 {bi2 zhi4}, nasal congestion
鼻窒不聞 {bi2 zhi4 bu4 wen2}, nasal congestion with loss of smell
鼻中出血 {bi2 zhong1 chu1 xue4}, nosebleed
鼻中干 {bi2 zhong1 gan1}, dry nose
鼻腫 {bi2 zhong3}, swollen nose
鼻柱 {bi2 zhu4}, nose pillar (stem of the nose)
鼻柱壞 {bi2 zhu4 huai4}, decay of the stem of the nose
鼻準 {bi2 zhun3}, tip of the nose (Tip of the Nose); 腧穴異名 GV-25
鼻子 {bi2 zi3}, nose

~~ {bi3} ~~
【比】 {bi3} [Freq. 4] compare(d with).
比類法 {bi3 lei4 fa3}, comparison
比類取象 {bi3 lei4 qu3 xiang4}, classification according to manifestation
比目魚肌 {bi3 mu4 yu2 ji1}, 西醫 soleus muscle

【彼】 {bi3} [Freq. 4] that.
彼子 {bi3 zi3}, 中藥異名 torreya (Torreyae Semen)

【筆】 {bi3} [Freq. 4] brush; pen.
筆管癬 {bi3 guan3 xian3}, brush stick lichen
筆羅子 {bi3 luo2 zi3}, 中藥正名 rigid meliosma (Meliosmae Rigidae Fructus)
筆仔草 {bi3 zai3 cao3}, 中藥正名 golden hair grass (Pogonatheri Herba)

【疕】 {bi3} [Freq. 4] crust.
疕風 {bi3 feng1}, crust wind

【柀】 {bi3} [Freq. 4] torreya.
柀子 {bi3 zi3}, 中藥異名 torreya (Torreyae Semen)

~~ {bi4} ~~
【必】{bi4} [Freq. 5] must (邪之所湊，其氣必虛 {xie2 zhi1 suo3 cou4, qi2 qi4 bi4 xu1}, for evil to encroach, qi4 must be vacuous)

【秘】 {bi4} [Freq. 5] constipation (n.) (lit. dense. 便秘 {bian4 bi4}, constipation).
秘魯香膠 {bi4 lu3 xiang1 jiao1}, 中藥正名 balsam of Peru (Myroxylonis Resina)

【畢】 {bi4} [Freq. 4] complete.
畢豆 {bi4 dou4}, 中藥異名 pea (Pisi Semen)
畢茄 {bi4 qie2}, 中藥異名 cubeb (Litseae Fructus)

【閉】 {bi4} [Freq. 2] block (v.), (n.) (熱閉 {heat block}, heat block).
閉遏 {bi4 e4}, obstruct
閉合面 {bi4 he2 mian4}, 西醫 occlusal surface
閉角型青光眼 {bi4 jiao3 xing3 qing1 guang1 yan3}, 西醫 angle-closune glaucoma
閉經 {bi4 jing1}, 西醫 amenorrhea; menstrual block; amenorrhea
閉厥 {bi4 jue2}, block reversal
閉孔 {bi4 kong3}, 腧穴正名 Closed Hole
閉癃 {bi4 long2}, dribbling urinary block
閉鞘薑 {bi4 qiao4 jiang1}, 中藥異名 crape ginger (Costi Rhizoma)
閉塞 {bi4 sai1}, block
閉塞性動脈硬化 {bi4 se4 xing4 dong4 mai4 ying4 hua4}, 西醫 arteriosceloris obliterans
閉塞性脈管炎 {bi4 se4 xing4 mai4 guan3 yan2}, 西醫 obliterating phlebitis
閉眼即睡 {bi4 yan3 ji2 shui4}, fall asleep almost immediately
閉證 {bi4 zheng4}, block pattern
閉阻 {bi4 zu3}, obstruct

【痺】 {bi4} [Freq. 4] palsy.
痺 {bi4}, impediment (same as 痹 {bi4}, impediment)

【睥】 {bi4} [Freq. 4] eyelid.
睥翻粘瞼 {bi4 fan1 zhan1 jian3}, everted stuck eyelid
睥虛如球 {bi4 xu1 ru2 qiu2}, eyelid vacuous as a ball

【辟】 {bi4} [Freq. 2] repel (v.).
辟宮子 {bi4 gong1 zi3}, 中藥異名 house lizard (Gekko Swinhoana)
辟宮子圓 {bi4 gong1 zi3 yuan2}, 方名 House Lizard Pill
辟汗草 {bi4 han4 cao3}, 中藥正名 sweet clover (Meliloti Herba)
辟穢 {bi4 hui4}, repel foulness
辟穢開竅 {bi4 hui4 kai1 qiao4}, repel foulness and open the orifices; repel foulness and open the orifices
辟瘟丹 {bi4 wen1 dan1}, 方名 Scourge-Repelling Elixir

【碧】 {bi4} [Freq. 4] jasper jade.
碧桃干 {bi4 tao2 gan1}, 中藥正名 immature peach (Persicae Fructus Immaturus)
碧玉散 {bi4 yu4 san3}, 中藥正名 Jasper Jade Powder (Jasper Jade Powder); Jasper Jade Powder

【蔽】 {bi4} [Freq. 4] cover; shelter (tragus); cloud (v.) (lit. cover. 痰濁蒙蔽心包 {tan2 zhuo2 meng2 bi4 xin1 bao1}, phlegm turbidity clouding).
蔽心骨 {bi4 xin1 gu3}, heart-covering bone (xiphoid process or sternum)

【壁】 {bi4} [Freq. 4] wall.
壁宮 {bi4 gong1}, 中藥異名 house lizard (Gekko Swinhoana)
壁虎 {bi4 hu3}, 中藥正名 house lizard (Gekko Swinhoana)
壁錢 {bi4 qian2}, 中藥正名 wall spider (Urocteae)
壁錢幕 {bi4 qian2 mu4}, 中藥正名 wall spider's egg-case (Urocteae O\"otheca)

【篦】 {bi4} [Freq. 4] double-edged fine-toothed comb.
篦子舒筋草 {bi4 zi3 shu1 jin1 cao3}, 中藥正名 toothed polipody (Cyclosori Dentati Rhizoma)

【臂】 {bi4} [Freq. 4] upper arm; forearm (n.).
臂膊 {bi4 bo2}, arm
臂叢神經炎 {bi4 cong2 shen2 jing1 yan2}, 西醫 brachialis pleuxus neuralgia
臂厥 {bi4 jue2}, reversal cold in the arm
臂臑 {bi4 nao4}, 腧穴正名 LI-14 (Upper Arm)
臂痛 {bi4 tong4}, arm pain
臂中 {bi4 zhong1}, 腧穴異名 Upper Arm Center

【薜】 {bi4} [Freq. 4] plant name (do not confuse with 薛 {xue1}, a surname).
薜荔 {bi4 li4}, 中藥正名 creeping fig (Fici Pumilae Caulis et Folium)
薜荔根 {bi4 li4 gen1}, 中藥正名 creeping fig root (Fici Pumilae Radix)

薜荔果 {bi4 li4 guo3}, 中藥異名 creeping fig fruit (Fici Pumilae Flos)
薜息 {bi4 xi1}, 腧穴異名 ST-18 (Hemp Breathing)

【避】 {bi4} [Freq. 4] avoid.
避火丹 {bi4 huo3 dan1}, 方名 Fire-Repelling Elixir

【萆】 {bi4} [Freq. 4] plant name.
萆麻子 {bi4 ma2 zi3}, 中藥異名 castor bean (Ricini Semen)
萆薢 {bi4 xie4}, 中藥正名 fish poison yam (Dioscoreae Hypoglaucae seu Semptemlobae Rhizoma)
萆薢分清飲 {bi4 xie4 fen1 qing1 yin3}, 方名 Fish Poison Yam Clear-Turbid Separation Beverage
萆薢化毒湯 {bi4 xie4 hua4 du2 tang1}, 方名 Fish Poison Yam Toxin-Transforming Decoction
萆薢滲濕湯 {bi4 xie4 shen4 shi1 tang1}, 方名 Fish Poison Yam Dampness-Percolating Decoction

【痹】 {bi4} [Freq. 2] impediment (n.) (風痹 {feng1 bi4}, wind impediment).
痹病 {bi4 bing4}, impediment disease
痹氣 {bi4 qi4}, impeded qi4
痹痛 {bi4 tong4}, impediment
痹證 {bi4 zheng4}, impediment pattern
痹阻 {bi4 zu3}, impede

【蓖】 {bi4} [Freq. 4] plant name.
蓖麻 {bi4 ma2}, 中藥正名 castor plant (Ricini Semen seu Folium)
蓖麻根 {bi4 ma2 gen1}, 中藥正名 castor plant root (Ricini Radix)
蓖麻仁 {bi4 ma2 ren2}, 中藥異名 castor bean (Ricini Semen)
蓖麻葉 {bi4 ma2 ye4}, 中藥正名 castor plant leaf (Ricini Folium)
蓖麻油 {bi4 ma2 you2}, 中藥正名 castor oil (Ricini Oleum)
蓖麻子 {bi4 ma2 zi3}, 中藥正名 castor bean (Ricini Semen)
蓖麻子肉 {bi4 ma2 zi3 rou4}, 中藥異名 castor bean (Ricini Semen)

【蓽】 {bi4} [Freq. 4] plant name.
蓽茇根 {bi4 ba2 gen1}, 中藥正名 long pepper root (Piperis Longi Radix)
蓽茇粥 {bi4 ba2 zhou1}, 方名 Long Pepper Gruel
蓽撥 {bi4 bo1}, 中藥異名 long pepper (1) (Piperis Longi Fructus)
蓽撥梨 {bi4 bo1 li2}, 中藥異名 long pepper (1) (Piperis Longi Fructus)
蓽茇 {bi4 bo2}, 中藥正名 long pepper (1) (Piperis Longi Fructus)

蓽澄茄 {bi4 cheng2 qie2}, 中藥正名 cubeb (Litseae Fructus)

【髀】 {bi4} [Freq. 4] thigh bone; thigh; upper thigh.
髀骨 {bi4 gu3}, thigh bone (femur)
髀關 {bi4 guan1}, thigh joint (Thigh Joint); 腧穴正名 ST-31
髀樞 {bi4 shu1}, thigh pivot (great trochanter or acetabulum) (Thigh Pivot 穴異名 GB-30
髀壓 {bi4 ya1}, 腧穴異名 GB-30 (Buttock Press)
髀厭 {bi4 yan4}, hip joint
髀陽 {bi4 yang2}, yang2 of the thigh (outer face of thigh)

【躄】 {bi4} [Freq. 5] cripple (痿躄 {wei3 bi4}, crippling wilt)

【鷩】 {bi4} [Freq. 4] bird name.
鷩雉 {bi4 zhi4}, 中藥正名 golden pheasant (Chrysolophi Caro)

~~ {bian1} ~~
【砭】 {bian1} [Freq. 3] healing stone; stone needle.
砭鐮法 {bian1 lian2 fa3}, stone needling
砭石 {bian1 shi2}, wedge stone

【編】 {bian1} [Freq. 4] weave; plait; redact.
編竹 {bian1 zhu2}, 中藥異名 knotgrass (Polygoni Avicularis Herba)

【蝙】 {bian1} [Freq. 4] bat.
蝙蝠 {bian1 fu2}, 中藥正名 bat (Vespertilio)
蝙蝠刺 {bian1 fu2 ci4}, 中藥異名 arctium (Arctii Fructus)
蝙蝠葛 {bian1 fu2 ge2}, 中藥正名 Siberian moonseed (Menispermi Daurici Caulis)
蝙蝠葛根 {bian1 fu2 ge2 gen1}, 中藥正名 moonseed root (Menispermi Daurici Rhizoma)

【鞭】 {bian1} [Freq. 5] whip; penis; male genitals (虎鞭 {hu3 bian1}, tiger's genitals).
鞭打繡球 {bian1 da3 xiu4 qiu2}, 中藥正名 hemiphragma (Hemiphragmatis Herba seu Radix)
鞭葉鐵線蕨 {bian1 ye4 tie3 xian4 ju2}, 中藥正名 walking maidenhair (Adianti Caudati Herba)

【邊】 {bian1} [Freq. 4] side.
邊頭風 {bian1 tou2 feng1}, side head wind

~~ {bian3} ~~

【扁】 {bian3} [Freq. 4] flat.

扁柏葉 {bian3 bai3 ye4}, 中藥異名 arborvitae leaf (Platycladi Cacumen)

扁菜 {bian3 cai4}, 中藥異名 Chinese leek (Allii Tuberosi Folium)

扁豆 {bian3 dou4}, 中藥異名 lablab (Lablab Semen Album)

扁豆根 {bian3 dou4 gen1}, 中藥正名 lablab root (Lablab Radix)

扁豆花 {bian3 dou4 hua1}, 中藥正名 lablab flower (Lablab Flos)

扁豆藤 {bian3 dou4 teng2}, 中藥正名 lablab stem (Lablab Caulis)

扁豆葉 {bian3 dou4 ye4}, 中藥正名 lablab leaf (Lablab Folium)

扁豆衣 {bian3 dou4 yi1}, 中藥正名 lablab seed-coat (Lablab Testa)

扁骨 {bian3 gu3}, 腧穴異名 LI-15 (Flat Bone)

扁瘊 {bian3 hou2}, flat wart

扁肩 {bian3 jian1}, 腧穴異名 LI-15 (Flat Shoulder)

扁蕾 {bian3 lei3}, 中藥正名 gentianopsis (Gentianopsis Herba)

扁平苔藓 {bian3 ping2 tai1 xian3}, 西醫 lichen planus

扁平疣 {bian3 ping2 you2}, 西醫 verruca plana

扁蒲 {bian3 pu2}, 中藥異名 bottle gourd (Lagenariae Depressae Fructus) (Lagenariae Clavatae Fructus); 中藥異名 sweet gourd

扁青 {bian3 qing1}, 中藥正名 azurite (Azuritum)

扁鵲 {bian3 que4}, Bian3 Que4

扁桃 {bian3 tao2}, 腧穴正名 Tonsils

扁桃體 {bian3 tao2 ti3}, 腧穴異名 Tonsils

扁桃體周圍膿腫 {bian3 tao2 ti3 zhou1 wei2 nong2 zhong3}, 西醫 peritonsillsr abscess

扁桃腺 {bian3 tao2 xian4}, 西醫 tonsils

扁桃腺紅腫 {bian3 tao2 xian4 hong2 zhong3}, 西醫 red swollen tonsils

扁桃腺炎 {bian3 tao2 xian4 yan2}, 西醫 tonsillitis

扁藤 {bian3 teng2}, 中藥正名 flat-stemmed tetrastigma (Tetrastigmatis Planicaulis Caulis et Radix)

扁藤葉 {bian3 teng2 ye4}, 中藥正名 flat-stemmed tetrastigma leaf (Tetrastigmatis Planicaulis Folium)

扁畜 {bian3 xu4}, 中藥異名 knotgrass (Polygoni Avicularis Herba)

扁蓄 {bian3 xu4}, 中藥異名 knotgrass (Polygoni Avicularis Herba)

扁豬牙 {bian3 zhu1 ya2}, 中藥異名 knotgrass (Polygoni Avicularis Herba)

扁竹 {bian3 zhu2}, 中藥異名 knotgrass (Polygoni Avicularis Herba)

扁竹根 {bian3 zhu2 gen1}, 中藥正名 Japanese iris (Iridis Japonicae Rhizoma)

扁竹蓼 {bian3 zhu2 liao3}, 中藥異名 knotgrass (Polygoni Avicularis Herba)

【匾】 {bian3} [Freq. 5] tray

【萹】 {bian3} [Freq. 4] plant name.
萹蓄 {bian3 xu4}, 中藥正名 knotgrass (Polygoni Avicularis Herba)
萹竹 {bian3 zhu2}, 中藥異名 knotgrass (Polygoni Avicularis Herba)

~~ {bian4} ~~
【便】 {bian4} [Freq. 2] stool (n.) (lit. convenience. 便溏 {bian4 tang2}, sloppy stool).
便秘 {bian4 bi4}, constipation
便閉 {bian4 bi4}, fecal block
便赤 {bian4 chi4}, red stool
便出不爽 {bian4 chu1 bu4 shuang3}, ungratifying defecation
便次頻繁 {bian4 ci4 pin2 fan2}, frequent defecation
便毒 {bian4 du2}, bian toxin [sore]
便干 {bian4 gan1}, dry stool
便利 {bian4 li4}, uninhibited stool
便祕 {bian4 mi4}, 西醫 constipation
便難 {bian4 nan2}, difficult defecation
便溺秘澀 {bian4 niao4 bi4 se4}, constipation and rough urination
便溺清利 {bian4 niao4 qing1 li4}, clear uninhibited stool and urine
便膿血 {bian4 nong2 xue4}, stool containing pus and blood
便溏 {bian4 tang2}, sloppy stool
便先硬后溏 {bian4 xian1 ying4 hou4 tang2}, hard stool followed by sloppy stool
便泄 {bian4 xie4}, diarrhea
便血 {bian4 xue4}, bloody stool; hemafecia
便意 {bian4 yi4}, desire to defecate
便意頻數 {bian4 yi4 pin2 shuo4}, frequent desire to defecate
便燥 {bian4 zao4}, dry stool
便質 {bian4 zhi4}, consistency of stool
便濁 {bian4 zhuo2}, turbid urine

【遍】 {bian4} [Freq. 4] all over.
遍地金 {bian4 di4 jin1}, 中藥正名 elodea hypericum (Hyperici Elodeoidis Herba)
遍山紅 {bian4 shan1 hong2}, 中藥正名 oxyspora (Oxysporae Frutex seu Radix)
遍身肌膚麻癢 {bian4 shen1 ji1 fu1 ma2 yang3}, generalized numbness and itching of the skin
遍身疼痛 {bian4 shen1 teng2 tong4}, generalized pain

【辨】 {bian4} [Freq. 2] identify (v.), identification (n.).

辨病論治 {bian4 bing4 lun4 zhi4}, disease identification as the basis for determining treatment
辨病施治 {bian4 bing4 shi1 zhi4}, identify diseases and administer treatment; administer treatment according to disease
辨舌指南 {bian4 she2 zhi3 nan2}, 書名 Guide to Tongue Diagnosis (1920 (Republic), Cao2 Bing3-Zhang1 曹炳章)
辨證 {bian4 zheng4}, identify patterns (or signs); pattern identification
辨證論治 {bian4 zheng4 lun4 zhi4}, pattern identification as the basis for determining treatment
辨證求因 {bian4 zheng4 qiu2 yin1}, identify patterns and seek disease causes; seek disease causes from patterns identified
辨證取穴 {bian4 zheng4 qu3 xue4}, point selection by pattern identification
辨證施治 {bian4 zheng4 shi1 zhi4}, identify patterns and administer treatment; administer treatment according to pattern

【辮】 {bian4} [Freq. 4] plait; braid.
辮子草根 {bian4 zi3 cao3 gen1}, 中藥正名 small-leaved desmodium root (Desmodii Microphylli Radix)

【變】 {bian4} [Freq. 2] transmute (v.); transmutation (n.).
變蛋 {bian4 dan4}, 中藥正名 limed egg (Galli Ovum cum Calce Praeparatum)
變化 {bian4 hua4}, transmute and transform; transmutation and transformation; mutate; mutation
變脈 {bian4 mai4}, transmuted pulse
變態反應性鼻炎 {bian4 tai4 fan3 ying4 xing4 bi2 yan2}, 西醫 allergic rhinitis
變通十味溫膽湯 {bian4 tong1 shi2 wei4 wen1 dan3 tang1}, 方名 Modified Ten-Ingredients Gallbladder-Warming Decoction
變蒸 {bian4 zheng1}, transmutation and steaming
變證 {bian4 zheng4}, transmuted pattern
變制心氣飲 {bian4 zhi4 xin1 qi4 yin3}, 方名 Modified Heart Qi4 Beverage

~~ {biao1} ~~
【標】 {biao1} [Freq. 2] tip (n.).
標本 {biao1 ben3}, root and tip
標本兼治 {biao1 ben3 jian1 zhi4}, treating both tip and root
標本兼顧 {biao1 ben3 jian1 zhi4}, taking care of both tip and root
標本同治 {biao1 ben3 tong2 zhi4}, treating the root and tip simultaneously; simultaneous treatment of root and tip
標本中氣 {biao1 ben3 zhong1 qi4}, tip, root, and center qi4
標幽賦 {biao1 you1 fu4}, 書名 Song to Elucidate Mysteries (Jin1-Yuan2 (1115--1368), Dou4

Jie2 竇杰 [Han4-Qing1 漢卿])

【熛】 {biao1} [Freq. 5] flare.
熛疽 {biao1 ju1}, flare-tip abscess

【瘭】 {biao1} [Freq. 5] tip-abscess.
瘭疽 {biao1 ju1}, tip-abscess; biao1 ju1

【薥】 {biao1} [Freq. 5] plant name

~~ {biao3} ~~
【表】 {biao3} [Freq. 2] exterior (adj.), (n.) (解表 {jie3 biao3}, resolve the exterior).
表固 {biao3 gu4}, exterior is secure
表寒 {biao3 han2}, exterior cold
表寒里熱 {biao3 han2 li3 re4}, exterior cold and interior heat
表寒里熱證 {biao3 han2 li3 re4 zheng4}, exterior cold and interior heat pattern
表寒證 {biao3 han2 zheng4}, exterior cold pattern
表解里未和 {biao3 jie3 li3 wei4 he2}, exterior resolution leaving interior disharmony
表里 {biao3 li3}, exterior and interior
表里辨證 {biao3 li3 bian4 zheng4}, exterior-interior pattern identification
表里傳 {biao3 li3 chuan2}, exterior-interior passage
表里經選穴 {biao3 li3 jing1 xuan3 xue2}, selection of exterior-interior--related channel points
表里俱寒 {biao3 li3 ju4 han2}, exterior-interior cold
表里俱寒證 {biao3 li3 ju4 han2 zheng4}, exterior-interior cold pattern
表里俱熱 {biao3 li3 ju4 re4}, exterior-interior heat
表里俱熱證 {biao3 li3 ju4 re4 zheng4}, exterior-interior heat pattern
表里雙解 {biao3 li3 shuang1 jie3}, resolve both the exterior and interior; exterior-interior resolution
表里同病 {biao3 li3 tong2 bing4}, dual disease of the exterior and interior
表皮 {biao3 pi2}, 西醫 epidermis; cuticle
表皮角質層 {biao3 pi2 jiao3 zhi4 zeng1}, 西醫 stratum corneum epidermidis
表皮粒層 {biao3 pi2 li4 ceng2}, 西醫 stratum granulosum epidermidis; stratum granulosum epidermidis
表氣不固 {biao3 qi4 bu4 gu4}, insecurity of exterior qi4
表氣通里氣亦通 {biao3 qi4 gong1 li3 qi4 yi4 tong1}, when exterior qi4 is freed, interior qi4 is also freed
表情呆滯 {biao3 qing2 dai1 zhi4}, dull expression

表情淡漠 {biao3 qing2 dan4 mo2}, indifferent expression
表情異常 {biao3 qing2 yi4 chang2}, abornmal expression
表熱 {biao3 re4}, exterior heat
表熱傳里 {biao3 re4 chuan2 li3}, exterior heat passing into the interior
表熱里寒 {biao3 re4 li3 han2}, exterior heat and interior cold
表熱里寒證 {biao3 re4 li3 han2 zheng4}, exterior heat and interior cold pattern
表熱證 {biao3 re4 zheng4}, exterior heat pattern
表濕 {biao3 shi1}, exterior dampness
表實 {biao3 shi2}, exterior repletion
表實里虛 {biao3 shi2 li3 xu1}, exterior repletion and interior vacuity
表實里虛證 {biao3 shi2 li3 xu1 zheng4}, exterior repletion and interior vacuity pattern
表實證 {biao3 shi2 zheng4}, exterior repletion pattern
表疏 {biao3 shu1}, loose exterior
表現(爲) {biao3 xian4 wei2}, manifest (as)
表邪 {biao3 xie2}, exterior evil
表邪內陷 {biao3 xie2 nei4 xian4}, inward fall of an exterior evil
表邪入裡 {biao3 xie2 ru4 li3}, exterior evil entering the interior
表邪未解 {biao3 xie2 wei4 jie3}, exterior evil not yet resolved
表虛 {biao3 xu1}, exterior vacuity
表虛里實 {biao3 xu1 li3 shi2}, exterior vacuity and interior repletion
表虛里實證 {biao3 xu1 li3 shi2 zheng4}, exterior vacuity and interior repletion pattern
表虛證 {biao3 xu1 zheng4}, exterior vacuity pattern
表郁 {biao3 yu4}, exterior depression; depressed exterior
表證 {biao3 zheng4}, exterior pattern

~~ {bie1} ~~
【鱉】 {bie1} [Freq. 4] soft-shelled turtle.
鱉膽 {bie1 dan3}, 中藥正名 turtle's gallbladder (Trionycis Vesica Fellea)
鱉蓋子 {bie1 gai4 zi3}, 中藥異名 turtle shell (Trionycis Carapax)
鱉甲 {bie1 jia3}, 中藥正名 turtle shell (Trionycis Carapax)
鱉甲地黃湯 {bie1 jia3 di4 huang2 tang1}, 方名 Turtle Shell and Rehmannia Decoction
鱉甲尖 {bie1 jia3 jian1}, 中藥異名 turtle shell (Trionycis Carapax)
鱉甲煎丸 {bie1 jia3 jian1 wan2}, 方名 Turtle Shell Decocted Pill
鱉甲膠 {bie1 jia3 jiao1}, 中藥正名 turtle shell glue (Trionycis Caparacis Gelatinum)
鱉甲湯 {bie1 jia3 tang1}, 方名 Turtle Shell Decoction
鱉甲飲子 {bie1 jia3 yin3 zi3}, 方名 Turtle Shell Drink
鱉鯉甲 {bie1 li3 jia3}, 中藥異名 pangolin scales (Manis Squama)

鱉卵 {bie1 luan3}, 中藥正名 turtle's egg (Trionycis Ovum)
鱉殼 {bie1 qiao4 (ke2)}, 中藥異名 turtle shell (Trionycis Carapax)
鱉肉 {bie1 rou4}, 中藥正名 turtle flesh (Trionycis Caro)
鱉頭 {bie1 tou2}, 中藥正名 turtle's head (Trionycis Caput)
鱉血 {bie1 xue4}, 中藥正名 turtle's blood (Trionycis Sanguis)
鱉血炙 {bie1 xue4 zhi4}, mix-fry with turtle's blood
鱉脂 {bie1 zhi1}, 中藥正名 turtle's fat (Trionycis Adeps)

【憋】 {bie1} [Freq. 4] stifle.
憋悶 {bie1 men4}, stifling oppression
憋尿 {bie1 niao4}, withhold urine
憋氣 {bie1 qi4}, hold one's breath; suffocation

~~ {bie2} ~~
【别】 {bie2} [Freq. 3] other; diverge (v.); divergent (adj.); divergence (n.); divergence (network point).
别絡 {bie2 luo4}, diverging network vessel
别清濁 {bie2 qing1 zhuo2}, separate the clear and the turbid
别陽 {bie2 yang2}, 腧穴異名 GB-35 (Divergent Yang2) (Divergent Yang2); 腧穴異名 TB-4

~~ {bie3} ~~
【癟】 {bie3} [Freq. 3] marked emaciation.
濱菜 {bin1 cai4}, 中藥正名 sea kale (Crambes Caulis et Folium)

~~ {bin1} ~~
【瀕】 {bin1} [Freq. 4] shore.
瀕湖脈學 {bin1 hu2 mai4 xue2}, Bin1-Hu2 Sphygmology (1564 (Ming2), Li3 Shi2-Zhen1 李時珍 [Bin1-Hu2 瀕湖])

~~ {bin4} ~~
【臏】 {bin4} [Freq. 3] kneecap.
臏骨 {bin4 gu3}, 腧穴異名 GB-30 (Kneecap)

【鬢】 {bin4} [Freq. 4] side-lock.

鬢骨 {bin4 gu3}, side-lock bone

【髕】 {bin4} [Freq. 3] kneecap.
髕骨 {bin4 bu3}, 膕穴異名 GB-30 (Kneecap)
髕骨 {bin4 gu3}, 西醫 patella

~~ {bing1} ~~
【冰】 {bing1} [Freq. 3] ice (n.); icy (adj.).
冰 {bing1}, 中藥正名 ice (Glacies)
冰草白穗 {bing1 cao3 bai2 sui4}, 中藥正名 infested aneurolepidium spike (Aneurolepidii Spica Infestata)
冰草根 {bing1 cao3 gen1}, 中藥正名 aneurolepidium root (Aneurolepidii Radix)
冰硼散 {bing1 peng2 san3}, 方名 Borneol and Borax Powder
冰片 {bing1 pian4}, 中藥正名 borneol (Borneolum)
冰片腦 {bing1 pian4 nao3}, 中藥異名 borneol (Borneolum)
冰球子 {bing1 qiu2 zi3}, 中藥異名 bletilla (Bletillae Rhizoma)
冰石 {bing1 shi2}, 中藥異名 glauberite (Gypsum seu Calcitum)
冰蛳散 {bing1 si1 san3}, 方名 Borneol and Freshwater Snail Powder
冰糖 {bing1 tang2}, 中藥正名 rock candy (Saccharon Crystallinum)
冰瑕障 {bing1 xia2 zhang4}, ice and jade obstruction

【檳】 {bing1} [Freq. 4] areca (檳榔 {bing1 lang2}).
檳榔 {bing1 lang2}, 中藥正名 areca (Arecae Semen)
檳榔果 {bing1 lang2 guo3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
檳榔花 {bing1 lang2 hua1}, 中藥正名 areca flower (Arecae Flos Immaturus)
檳榔蒟 {bing1 lang2 ju3}, 中藥異名 betel pepper (Piperis Betle Fructus)
檳榔嫩莖 {bing1 lang2 nen4 jing1}, 中藥正名 areca shoot (Arecae Surculus)
檳榔皮 {bing1 lang2 pi2}, 中藥異名 areca husk (Arecae Pericarpium)
檳榔仁 {bing1 lang2 ren2}, 中藥異名 areca (Arecae Semen)
檳榔衣 {bing1 lang2 yi1}, 中藥異名 areca husk (Arecae Pericarpium)
檳榔玉 {bing1 lang2 yu4}, 中藥異名 areca (Arecae Semen)
檳榔粥 {bing1 lang2 zhou1}, 方名 Areca Gruel
檳榔子 {bing1 lang2 zi3}, 中藥異名 areca (Arecae Semen)
檳門 {bing1 men2}, 中藥異名 areca (Arecae Semen)
檳門藥錢 {bing1 men2 yao4 qian2}, 中藥異名 areca (Arecae Semen)

~~ {bing3} ~~
【丙】 {bing3} [Freq. 3] third heavenly stem; S3.
丙火 {bing3 huo3}, S3-fire (the small intestine)

【秉】 {bing3} [Freq. 4] grasp.
秉風 {bing3 feng1}, 腧穴正名 SI-12 (Grasping the Wind)
秉氏鯢 {bing3 shi4 ni2}, 中藥異名 salamander (Batrachuperus)

【稟】 {bing3} [Freq. 4] endowed with.
稟賦 {bing3 fu4}, constitution
稟賦不足 {bing3 fu4 bu4 zu2}, constitutional insufficiency

【餅】 {bing3} [Freq. 5] cake (附餅灸 {fu4 bing3 jiu3}, moxibustion on aconite)

~~ {bing4} ~~
【并】 {bing4} [Freq. 3] parallel.
并病 {bing4 bing4}, dragover disease
并行而不悖 {bing4 xing2 er2 bu4 bei4}, act in tandem without clashing
并月 {bing4 yue4}, bimonthly menstruation
併發性白內障 {bing4 fa1 xing4 bai2 nei4 zhang4}, 西醫 complicated cataract

【病】 {bing4} [Freq. 2] disease (n.) (心病 {xin1 bing4}, heart disease); illness (n.) (久病 {jiu3 bing4}, enduring illness); sickness (n.); morbid (adj.) (病色 {bing4 se4}, morbid complexion).
病變 {bing4 bian4}, 西醫 pathology
病傳 {bing4 chuan2}, disease shift
病毒 {bing4 du2}, 西醫 virus
病毒性肺炎 {bing4 du2 xing4 fei4 yan2}, 西醫 viral pneumonia
病毒性肝炎 {bing4 du2 xing4 gan1 yan2}, 西醫 viral hepatitis
病毒性心肌炎 {bing4 du2 xing4 xin1 ji1 yan2}, 西醫 viral myocarditis; viral myocarditis
病兒 {bing4 er2}, pregnancy sickness
病發于陽 {bing4 fa1 yu2 yang2}, disease arising in yang2
病發于陰 {bing4 fa1 yu2 yin1}, disease arising in yin1
病房 {bing4 fang2}, 西醫 ward
病隔 {bing4 ge2}, morbid blockage (same as malign obstruction)
病候 {bing4 hou4}, manifestations of disease
病后虛弱 {bing4 hou4 xu1 ruo4}, vacuity following illness
病機 {bing4 ji1}, pathomechanism

病機十九條 {bing4 ji1 shi2 jiu3 tiao2}, nineteen pathomechanisms
病機學說 {bing4 ji1 xue2 shuo1}, pathomechanical theory
病家 {bing4 jia1}, patient
病克色 {bing4 ke4 se4}, disease [phase] restraining color [phase]
病&&3FC9|{bing4 kui2}, morbid prominence
病脈 {bing4 mai4}, morbid pulse
病起過用 {bing4 qi3 guo4 yong4}, disease arising through overuse
病情 {bing4 qing2}, condition
病情多變 {bing4 qing2 duo1 bian4}, highly varied conditions
病人 {bing4 ren2}, patient
病色 {bing4 se4}, disease and complexion; morbid complexion
病色不相應 {bing4 se4 bu4 xiang1 ying4}, non-correspondence between disease and color phases
病色相克 {bing4 se4 xiang1 ke4}, restraint between disease and color phases
病色相應 {bing4 se4 xiang1 ying4}, correspondence between disease and color
病史 {bing4 shi3}, 西醫 history of disease
病勢 {bing4 shi4}, dynamic of disease
病態竇房結綜合症 {bing4 tai4 dou4 fang2 jie2 zong4 he2 zheng4}, 西醫 sick sinus syndrome
病&&3FC9|{bing4 tui2}, morbid prominence
病邪 {bing4 xie2}, disease evil
病邪辨證 {bing4 xie2 bian4 zheng4}, disease-evil pattern identification
病因 {bing4 yin1}, cause of disease
病因辨證 {bing4 yin1 bian4 zheng4}, disease cause pattern identification
病因學說 {bing4 yin1 xue2 shuo1}, theory of causes of disease
病灶 {bing4 zao4}, focus
病者 {bing4 zhe3}, patient (n.)
病證 {bing4 zheng4}, disease pattern
病阻 {bing4 zu3}, morbid obstruction (same as malign obstruction)

~~ {bo1} ~~
【波】 {bo1} [Freq. 4] wave.
波及 {bo1 ji2}, affect; spread to
波棱瓜 {bo1 ling2 gua1}, 中藥正名 herpetospermum (Herpetospermi Fructus)
波羅 {bo1 luo2}, 中藥正名 pineapple (Ananatis Fructus)
波羅門參 {bo1 luo2 men2 shen1}, 中藥正名 salsify (Tragopogonis Radix) (Tragopogonis Radix); 中藥異名 salsify
波羅蜜 {bo1 luo2 mi4}, 中藥正名 jackfruit (Artocarpi Heterophylli Fructus) (Artocarpi

Heterophylli Fructus); 中藥異名 jackfruit
波羅蜜核中仁 {bo1 luo2 mi4 he2 zhong1 ren2}, 中藥正名 jackfruit seed (Artocarpi Heterophylli Semen)
波羅蜜樹液 {bo1 luo2 mi4 shu4 ye4}, 中藥正名 jackfruit resin (Artocarpi Heterophylli Resina)
波羅蜜葉 {bo1 luo2 mi4 ye4}, 中藥正名 jackfruit leaf (Artocarpi Heterophylli Folium)

【玻】 {bo1} [Freq. 4] glass (玻璃 {bo1 li}).
玻璃菜 {bo1 li2 cai4}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)
玻璃罐 {bo1 li2 guan4}, glass cup
玻璃體出血 {bo1 li2 ti3 chu1 xue4}, 西醫 vitreous hemorrhage
玻璃體混濁 {bo1 li2 ti3 hun4 zhuo2}, 西醫 vitreous opacities
玻璃體積血 {bo1 li2 ti3 ji1 xue4}, 西醫 vitreous hemorrhage
玻璃狀液 {bo1 li2 zhuang4 ye4}, 西醫 vitreous humor

【剝】 {bo1} [Freq. 4] deprive.
剝苔 {bo1 tai1}, peeling fur
菠菜 {bo1 cai4}, 中藥正名 spinach (Spinaciae Herba cum Radice)
菠菜子 {bo1 cai4 zi3}, 中藥正名 spinach seed (Spinaciae Fructus)
菠稜 {bo1 leng2}, 中藥異名 spinach (Spinaciae Herba cum Radice)
菠稜菜 {bo1 leng2 cai4}, 中藥異名 spinach (Spinaciae Herba cum Radice)
菠斯菜 {bo1 si1 cai4}, 中藥異名 spinach (Spinaciae Herba cum Radice)

~~ {bo2} ~~
【伯】 {bo2} [Freq. 4] uncle.
伯樂樹 {bo2 le4 shu4}, 中藥正名 bretschneidera (Bretschneiderae Cortex)

【勃】 {bo2} [Freq. 4] ; (of penis).
勃起 {bo2 qi3}, 西醫 erection
勃起不能 {bo2 qi3 bu4 neng2}, 西醫 impotence

【柏】 {bo2} [Freq. 4] arborvitae (see also 柏 {bai3}).
柏根白皮 {bo2 gen1 bai2 pi2}, 中藥異名 arborvitae root bark (Platycladi Radicis Cortex)
柏皮 {bo2 pi2}, 中藥異名 arborvitae root bark (Platycladi Radicis Cortex)
柏仁 {bo2 ren2}, 中藥異名 arborvitae seed (Platycladi Semen)
柏實 {bo2 shi2}, 中藥異名 arborvitae seed (Platycladi Semen)
柏樹果 {bo2 shu4 guo3}, 中藥異名 cypress fruit (Cupressi Funebris Fructus)
柏樹葉 {bo2 shu4 ye4}, 中藥異名 cypress twig and leaf (Cupressi Funebris Ramulus et

Folium)
柏樹油 {bo2 shu4 you2}, 中藥異名 cypress resin (Cupressi Funebris Resina)
柏葉 {bo2 ye4}, 中藥異名 arborvitae leaf (Platycladi Cacumen)
柏脂 {bo2 zhi1}, 中藥異名 arborviate resin (Platycladi Resina)
柏枝節 {bo2 zhi1 jie2}, 中藥異名 arborvitae twig (Platycladi Ramulus)
柏子 {bo2 zi3}, 中藥異名 arborvitae seed (Platycladi Semen)
柏子仁 {bo2 zi3 ren2}, 中藥異名 arborvitae seed (Platycladi Semen)

【脖】 {bo2} [Freq. 3] neck.
脖胦 {bo2 yang1}, 腧穴異名 CV-6 (Navel) (Navel); 腧穴異名 CV-4
脖子 {bo2 zi3}, neck

【舶】 {bo2} [Freq. 4] ship; foreign.
舶上茴香 {bo2 shang4 hui2 xiang1}, 中藥異名 star anise (Anisi Stellati Fructus*)

【博】 {bo2} [Freq. 4] broad.
博落回 {bo2 luo4 hui2}, 中藥正名 macleaya (Macleayae Herba cum Radice)

【跛】 {bo2} [Freq. 4] limp.
跛行 {bo2 xing2}, limping gait

【搏】 {bo2} [Freq. 5] contend (v.), contention (n.) (風水相搏 {feng1 shui3 xiang1 bo2}, wind and water contending with each other)

【膊】 {bo2} [Freq. 3] arm.
膊骨 {bo2 gu3}, humerus
膊井 {bo2 jing3}, 腧穴異名 GB-21 (Shoulder Well)

【駁】 {bo2} [Freq. 4] refute; transport by barge; parti-colored.
駁骨草 {bo2 gu3 cao3}, 中藥正名 Siam psychotria (Psychotriae Siamicae Frutex)
駁骨丹 {bo2 gu3 dan1}, 中藥正名 gendarussa (Gendarussae Caulis et Folium)

【薄】 {bo2} [Freq. 2] thin (adj.) (大便溏薄 {da4 bian4 tang2 bo2}, thin stool, 苔薄 {tai1 bo2}, thin fur); mild (adj.) (氣薄 {qi4 bo2} mild qi4. See also 薄 {bo4}).
薄姜木 {bo2 jiang1 mu4}, 中藥異名 five-leaved vitex (Viticis Quinatae Radix seu Lignum)
薄厥 {bo2 jue2}, sudden reversal
薄魯蔥 {bo2 lu3 cong1}, 中藥異名 leek (Allii Porri Herba)
薄苔 {bo2 tai1}, thin fur

薄貼 {bo2 tie1}, medicinal paste
薄葉碎米蕨 {bo2 ye4 sui4 mi3 jue2}, 中藥正名 thin-leaved cheilanthes (Cheilanthis Tenuifoliae Herba)

【&&74DF||】 {bo2} [Freq. 4] small gourd

【葧】 {bo2} [Freq. 4] water chestnut (葧臍 {bo2 qi2}).
葧臍 {bo2 qi2}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)

【&&3F0E||】 {bo2} [Freq. 4] small gourd

~~ {bo3} ~~
【簸】 {bo3} [Freq. 3] winnow.
簸箕 {bo3 ji1}, winnowing basket; winnowing fan
簸揚 {bo3 yang2}, winnow

~~ {bo4} ~~
【擘】 {bo4} [Freq. 5] split

【檗】 {bo4} [Freq. 4] arborvitae.
檗木 {bo4 mu4}, 中藥異名 phellodendron (Phellodendri Cortex)
檗皮 {bo4 pi2}, 中藥異名 phellodendron (Phellodendri Cortex)

【薄】 {bo4} [Freq. 4] plant name (see also 薄 {bo2}).
薄荷草 {bo4 he2 cao3}, 中藥異名 mint (Menthae Herba)
薄荷連翹方, 方名 Mint and Forsythia Formula
薄荷露 {bo4 he2 lu4}, 中藥正名 mint distillate (Menthae Herbae Distillatum)
薄荷腦 {bo4 he2 nao3}, 中藥正名 menthol (Mentholum)
薄荷玄明散 {bo4 he2 xuan2 ming2 san3}, 方名 Mint and Refined Mirabilite Powder
薄荷葉 {bo4 he2 ye4}, 中藥正名 mint leaf (Menthae Folium)
薄荷油 {bo4 he2 you2}, 中藥正名 mint oil (Menthae Oleum Herbae)
薄荷 {bo4 he2, 中藥正名 mint (Menthae Herba)
薄苛 {bo4 ke1}, 中藥異名 mint (Menthae Herba)
蘗木 {bo4 mu4}, 中藥異名 phellodendron
搏動 {bong2 dong4}, beat (beat, of a vessel)

~~ {bu1} ~~
【晡】 {bu1} [Freq. 3] late afternoon.
晡時 {bu1 shi2}, late afternoon watch (B9 watch, 3--5 p.m.)

~~ {bu3} ~~
【哺】 {bu3} [Freq. 4] suckle.
哺露疳 {bu3 lu4 gan1}, suckling gan1

【補】{bu3} [Freq. 2] supplement (v.), supplementation (n.) (補氣 {bu3 qi4}, supplement qi4. 補法 {bu3 fa3}, supplementation).
補而不膩 {bu3 er2 bu4 ni4}, supplementing without being slimy
補而不滯 {bu3 er2 bu4 zhi4}, supplement without causing stagnation
補法 {bu3 fa3}, supplementation [method]
補肺 {bu3 fei4}, supplement the lung
補肺阿膠湯 {bu3 fei4 e1 jiao1 tang1}, 方名 Ass Hide Glue Decoction
補肺散 {bu3 fei4 san3}, 方名 Lung-Supplementing Powder
補肺湯 {bu3 fei4 tang1}, 方名 Lung-Supplementing Decoction
補肝 {bu3 gan1}, supplement the liver
補肝散 {bu3 gan1 san3}, 方名 Liver-Supplementing Powder
補肝腎 {bu3 gan1 shen4}, supplement the liver and kidney
補肝腎藥 {bu3 gan1 shen4 yao4}, medicinals that supplement the liver and kidney
補肝湯 {bu3 gan1 tang1}, 方名 Liver-Supplementing Decoction
補肝血 {bu3 gan1 xue4}, supplement liver blood
補骨鴟 {bu3 gu3 chi1}, 中藥異名 psoralea (Psoraleae Fructus)
補骨脂 {bu3 gu3 zhi1}, 中藥正名 psoralea (Psoraleae Fructus)
補骨脂酊 {bu3 gu3 zhi1 ding1}, 方名 Psoralea Tincture
補骨脂丸 {bu3 gu3 zhi1 wan2}, 方名 Psoralea Pill
補火生土 {bu3 huo3 sheng1 tu3}, supplement fire to engender earth
補劑 {bu3 ji4}, supplementing formula
補筋骨 {bu3 jin1 gu3}, supplement sinew and bone
補可去弱 {bu3 ke3 qu4 ruo4}, supplementing [medicinals] can eliminate weakness
補力 {bu3 li4}, supplementing power
補脾 {bu3 pi2}, supplement the spleen; splenic supplementation
補脾健胃 {bu3 pi2 jian4 wei4}, supplement the spleen and fortify the stomach
補脾舉陷 {bu3 pi2 ju3 xian4}, supplement the spleen and raise the fall
補脾氣 {bu3 pi2 qi4}, supplement spleen qi4

補脾胃 {bu3 pi2 wei4}, supplement the spleen and stomach
補脾陽 {bu3 pi2 yang2}, supplement spleen yang2
補脾藥 {bu3 pi2 yao4}, spleen-supplementing medicinal
補脾益肺 {bu3 pi2 yi4 fei4}, supplement the spleen and boost the lung
補脾益氣 {bu3 pi2 yi4 qi4}, supplement the spleen and boost qi4
補其不足 {bu3 qi2 bu4 zu2}, supplement the insufficiency
補氣 {bu3 qi4}, supplement qi4; qi4 supplementation
補氣固表 {bu3 qi4 gu4 biao3}, supplement qi4 and secure the exterior
補氣固脫 {bu3 qi4 gu4 tuo1}, supplement qi4 and stem desertion
補氣劑 {bu3 qi4 ji4}, qi4-supplementing formula
補氣健脾 {bu3 qi4 jian4 pi2}, supplement qi4 and fortify the spleen
補氣健脾劑 {bu3 qi4 jian4 pi2 ji4}, qi4-supplementing spleen-fortifying formula
補氣健脾藥 {bu3 qi4 jian4 pi2 yao4}, qi4-supplementing spleen-fortifying medicinal
補氣建中湯 {bu3 qi4 jian4 zhong1 tang1}, 方名 Qi4-Supplementing Center-Fortifying Decoction
補氣解暈湯 {bu3 qi4 jie3 yun1 tang1}, 方名 Qi4-Supplementing Dizziness-Resolving Decoction
補氣明目 {bu3 qi4 ming2 mu4}, supplement qi4 and brighten the eyes
補氣潤燥 {bu3 qi4 run4 zao4}, supplement qi4 and moisten dryness
補氣攝血 {bu3 qi4 she4 xue4}, supplement qi4 and contain the blood
補氣升提 {bu3 qi4 sheng1 ti2}, supplement qi4 to upraise
補氣生血 {bu3 qi4 sheng1 xue4}, supplement qi4 and engender blood
補氣通脬飲 {bu3 qi4 tong1 pao1 yin3}, 方名 Qi4-Supplementing Bladder-Freeing Beverage
補氣養血 {bu3 qi4 yang3 xue4}, supplement qi4 and nourish the blood
補氣藥 {bu3 qi4 yao4}, qi4-supplementing medicinal
補氣運脾湯 {bu3 qi4 yun4 pi2 tang1}, 方名 Qi4-Supplementing Spleen-Moving Decoction; Qi4-Boosting Spleen-Moving Decoction
補氣止血 {bu3 qi4 zhi3 xue4}, supplement qi4 and stanch bleeding
補榮湯 {bu3 rong2 tang1}, 方名 Construction-Supplementing Decoction
補腎 {bu3 shen4}, supplement the kidney
補腎安胎 {bu3 shen4 an1 tai1}, supplement the kidney and quiet the fetus
補腎固齒 {bu3 shen4 gu4 chi3}, supplement the kidney and secure the teeth
補腎固沖丸 {bu3 shen4 gu4 chong1 wan2}, 方名 Kidney-Supplementing Thoroughfare-Securing Pill
補腎固精 {bu3 shen4 gu4 jing1}, supplement the kidney and secure essence
補腎活血湯 {bu3 shen4 huo2 xue4 tang1}, 方名 Kidney-Supplementing Blood-Quickening Decoction
補腎劑 {bu3 shen4 ji4}, kidney-supplementing formula

補腎秘氣 {bu3 shen4 mi4 qi4}, supplement the kidney and secure qi4
補腎明目 {bu3 shen4 ming2 mu4}, supplement the kidney and brighten the eyes
補腎納氣 {bu3 shen4 na4 qi4}, supplement the kidney to promote qi4 absorption
補腎攝精 {bu3 shen4 she4 jing1}, supplement the kidney and contain essence
補腎縮小便 {bu3 shen4 suo1 xiao3 bian4}, supplement the kidney and reduce urine
補腎調經 {bu3 shen4 tiao2 jing1}, supplement the kidney and regulate menstruation
補腎陽 {bu3 shen4 yang2}, supplement kidney yang2
補腎陽藥 {bu3 shen4 yang2 yao4}, kidney-supplementing medicinals
補腎養肝 {bu3 shen4 yang3 gan1}, supplement the kidney and nourish the liver
補腎益精 {bu3 shen4 yi4 jing1}, supplement the kidney and boosts essence
補腎陰 {bu3 shen4 yin1}, supplement kidney yin1
補腎助陽 {bu3 shen4 zhu4 yang2}, supplement the kidney and assist yang2
補腎壯筋湯 {bu3 shen4 zhuang4 jin1 tang1}, 方名 Kidney-Supplementing Sinew-Strengthening Decoction
補腎滋陰 {bu3 shen4 zi1 yin1}, supplement the kidney enrich yin1
補天大造丸 {bu3 tian1 da4 zao4 wan2}, 方名 Heaven-Supplementing Great Creation Pill
補土制水 {bu3 tu3 zhi4 shui3}, supplement earth to dam water
補托 {bu3 tuo1}, supplementation drawing
補五臟 {bu3 wu3 zang4}, supplement the five viscera
補瀉 {bu3 xie4}, supplementation and draining
補心 {bu3 xin1}, supplement the heart
補心丹 {bu3 xin1 dan1}, 方名 Heart-Supplementing Elixir
補心氣 {bu3 xin1 qi4}, supplement heart qi4
補心湯 {bu3 xin1 tang1}, 方名 Heart-Supplementing Decoction
補虛 {bu3 xu1}, supplement vacuity
補虛正氣粥 {bu3 xu1 zheng4 qi4 zhou1}, 方名 Vacuity-Supplementing Qi4-Righting Gruel
補血 {bu3 xue4}, supplement the blood
補血安心 {bu3 xue4 an1 xin1}, supplement blood and quiet the heart
補血草 {bu3 xue4 cao3}, 中藥正名 Gmelin's limonium (Limonii Gmelinii Herba)
補血固脫 {bu3 xue4 gu4 tuo1}, supplement the blood to stem desertion
補血活血 {bu3 xue4 huo2 xue4}, supplement blood and quicken the blood
補血劑 {bu3 xue4 ji4}, blood-supplementing formula
補血涼血藥 {bu3 xue4 liang2 xue4 yao4}, blood-supplementing blood-cooling medicinal
補血平肝 {bu3 xue4 ping2 gan1}, supplement the blood and calm the liver
補血榮筋丸 {bu3 xue4 rong2 jin1 wan2}, 方名 Blood-Supplementing Sinew-Enhancing Pill
補血潤燥 {bu3 xue4 run4 zao4}, supplement the blood and moisten dryness
補血調經 {bu3 xue4 tiao2 jing1}, supplement the blood and regulate menstruation
補血養肝 {bu3 xue4 yang3 gan1}, supplement blood and nourish the liver

補血養筋丸 {bu3 xue4 yang3 jin1 wan2}, 方名 Blood-Supplementing Sinew-Nourishing Pill
補血養心 {bu3 xue4 yang3 xin1}, supplement blood and nourish the heart
補血藥 {bu3 xue4 yao4}, blood-supplementing medicinal
補血益氣 {bu3 xue4 yi4 qi4}, supplement blood and boost qi4
補血滋陰 {bu3 xue4 zi1 yin1}, supplement the blood and enrich yin1
補陽 {bu3 yang2}, supplement yang2
補陽還五湯 {bu3 yang2 huan2 wu3 tang1}, 方名 Yang2-Supplementing Five-Returning Decoction
補陽氣 {bu3 yang2 qi4}, supplement yang2 qi4
補陽祛寒 {bu3 yang2 qu1 han2}, supplement yang2 and dispel cold
補陽祛寒藥 {bu3 yang2 qu1 han2 yao4}, yang2-supplementing cold-dispelling medicinal
補陽藥 {bu3 yang2 yao4}, yang2-supplementing medicinal
補陽益氣 {bu3 yang2 yi4 qi4}, supplement yang2 and boost qi4
補養 {bu3 yang3}, supplement; supplementation
補養強壯 {bu3 yang3 qiang2 zhuang4}, nourishment and invigoration
補養心肝 {bu3 yang3 xin1 gan1}, supplement and nourish the heart and liver
補藥 {bu3 yao4}, supplementing medicinal
補益 {bu3 yi4}, supplement (and boost); supplementation (and boosting)
補益法 {bu3 yi4 fa3}, supplementing [and boosting] method
補益肺氣 {bu3 yi4 fei4 qi4}, supplement lung qi4
補益肺腎化痰 {bu3 yi4 fei4 shen4 hua4 tan2}, supplement the lung and kidney and transform phlegm
補益肺胃 {bu3 yi4 fei4 wei4}, supplement [and boost] the lung and stomach
補益肝脾 {bu3 yi4 gan1 pi2}, supplement the liver and spleen
補益肝氣 {bu3 yi4 gan1 qi4}, supplement liver qi4
補益劑 {bu3 yi4 ji4}, supplementing [and boosting] formula
補益精髓 {bu3 yi4 jing1 sui2}, supplement essence-marrow
補益精血 {bu3 yi4 jing1 xue4}, supplement essence-blood
補益脾腎 {bu3 yi4 pi2 shen4}, supplement the spleen and kidney
補益腎氣 {bu3 yi4 shen4 qi4}, supplement kidney qi4
補益心肺 {bu3 yi4 xin1 fei4}, supplement the heart and lung
補益心肝 {bu3 yi4 xin1 gan1}, supplement the heart and liver
補益心脾 {bu3 yi4 xin1 pi2}, supplement the heart and spleen
補益心氣 {bu3 yi4 xin1 qi4}, supplement heart qi4
補益心腎 {bu3 yi4 xin1 shen4}, supplement the heart and kidney
補益藥 {bu3 yi4 yao4}, supplementing [and boosting] medicinal
補益中氣 {bu3 yi4 zhong1 qi4}, supplement center qi4
補陰 {bu3 yin1}, supplement yin1

補陰劑 {bu3 yin1 ji4}, yin1-supplementing formula
補陰收斂藥 {bu3 yin1 shou1 lian3 yao4}, yin1-supplementing astringing medicinal
補陰湯 {bu3 yin1 tang1}, 方名 Yin1-Supplementing Decoction
補陰丸 {bu3 yin1 wan2}, 方名 Yin1-Supplementing Pill
補陰養血藥 {bu3 yin1 yang3 xue4 yao4}, yin1-supplementing blood-nourishing medicinal
補陰藥 {bu3 yin1 yao4}, yin1-supplementing medicinal
補陰中之陽 {bu3 yin1 zhong1 zhi1 yang2}, supplement the yang2 in yin1
補元 {bu3 yuan2}, 腧穴異名 ST-25 (Origin Supplementer)
補陣 {bu3 zhen4}, supplementing array
補中焦 {bu3 zhong1 jiao1}, supplement center qi4
補中氣 {bu3 zhong1 qi4}, supplement center qi4
補中益氣 {bu3 zhong1 yi4 qi4}, supplement the center and boost qi4
補中益氣湯 {bu3 zhong1 yi4 qi4 tang1}, 方名 Center-Supplementing Qi4-Boosting Decoction
補助腎陽 {bu3 zhu4 shen4 yang2}, supplement and assist kidney yang2

~~ {bu4} ~~
【不】 {bu4} [Freq. 4] not; impairment; failure; breakdown.
不安 {bu4 an1}, disquieted
不安腿綜合症 {bu4 an1 tui3 zong4 he2 zheng4}, 西醫 Ekbom syndrome (restless legs syndrome)
不暢 {bu4 chang4}, inhibited
不出林 {bu4 chu1 lin2}, 中藥異名 Japanese ardisia (Ardisiae Japonicae Herba)
不傳 {bu4 chuan2}, non-passage
不大便 {bu4 da4 bian4}, inability to defecate
不得 {bu4 de2}, unable to
不得安臥 {bu4 de2 an1 wo4}, inability to rest
不得嚼 {bu4 de2 jiao2}, inability to chew
不得眠 {bu4 de2 mian2}, insomnia; inability to sleep
不得平臥 {bu4 de2 ping2 wo4}, inability to lie flat
不得前后 {bu4 de2 qian2 hou4}, inability to urinate or defecate
不得傾側 {bu4 de2 qing1 ce4}, inability to turn over
不得臥 {bu4 de2 wo4}, inability to lie down; inability to sleep
不得息 {bu4 de2 xi1}, inability to catch the breath; inability to breathe
不得小便 {bu4 de2 xiao3 bian4}, inability to urinate
不得轉側 {bu4 de2 zhuan3 ce4}, inability to turn sides
不定穴 {bu4 ding4 xue2}, non-fixed point
不斷 {bu4 duan4}, incessant; constant

不更衣 {bu4 geng1 yi1}, not to change one's clothes (i.e., constipation)
不固 {bu4 gu4}, insecurity
不和 {bu4 he2}, disharmony
不換金丹 {bu4 huan4 jin1 dan1}, 方名 Priceless Elixir
不換金正氣散 {bu4 huan4 jin1 zheng4 qi4 san3}, 方名 Priceless Qi4-Righting Powder
不灰木 {bu4 hui1 mu4}, 中藥正名 asbestos (Asbestus)
不會講話 {bu4 hui4 jiang3 hua4}, inability to speak
不會說話 {bu4 hui4 shuo1 hua4}, inability to speak
不饑 {bu4 ji1}, absence of hunger; absence of hunger
不及 {bu4 ji2}, deficient
不盡 {bu4 jin4}, incessant
不舉 {bu4 ju3}, failure to rise (i.e, impotence)
不絕 {bu4 jue2}, incessant
不可長期服用 {bu4 ke3 chang2 qi1 fu2 yong4}, cannot be taken over long periods
不可忍 {bu4 ke3 ren3}, insufferable
不渴飲 {bu4 ke3 yin3}, no thirst and drinking
不口渴 {bu4 kou3 ke3}, absence of thirst
不利 {bu4 li4}, inhibited; inhibition
不良情緒 {bu4 liang2 qing2 xu4}, unhealthy emotions
不流利 {bu4 liu2 li4}, disfluent
不留行 {bu4 liu2 xing2}, 中藥異名 vaccaria (Vaccariae Semen)
不寐 {bu4 mei4}, insomnia; sleeplessness
不夢而遺 {bu4 meng4 er2 yi2}, seminal emission without dreaming
不秘 {bu4 mi4}, not tight; not sound
不眠 {bu4 mian2}, insomnia; sleeplessness
不磨 {bu4 mo2}, inability to grind [food]
不耐久立 {bu4 nai4 jiu3 li4}, inability to stand for long periods
不內外因 {bu4 nei4 wai4 yin1}, neutral cause; cause neither internal nor external
不能觸近 {bu4 neng2 chu4 jin4}, cannot be touched
不能平臥 {bu4 neng2 ping2 wo4}, inability to lie flat
不能吮乳 {bu4 neng2 shun3 ru3}, inability to suckle (inability of the child to take milk)
不能眴 {bu4 neng2 shun4}, inability to roll the eyes
不能行動 {bu4 neng2 xing2 dong4}, loss of mobility
不能行走 {bu4 neng2 xing2 zou3}, inability to walk
不能遠視 {bu4 neng2 yuan3 shi4}, inability to see distant objects; nearsightedness
不能正立 {bu4 neng2 zheng4 li4}, inability to stand erect
不能正偃 {bu4 neng2 zheng4 yan3}, inability to lie out straight
不能自主 {bu4 neng2 zi4 zhu3}, uncontrollable

不寧 {bu4 ning2}, disquieted
不起 {bu4 qi3}, failure to rise (impotence)
不全脫位 {bu4 quan2 tuo1 wei4}, 西醫 subluxation
不仁 {bu4 ren2}, insensitivity; numbness
不妊 {bu4 ren4}, infertility
不容 {bu4 rong2}, 腧穴正名 ST-19 (Not Contained)
不乳 {bu4 ru3}, failure to take milk
不射精 {bu4 she4 jing1}, inability to ejaculate
不射精症 {bu4 she4 jing1 zheng4}, 西醫 ejaculatory incompetence
不食 {bu4 shi2
不嗜食 {bu4 shi4 shi2}, no pleasure in eating
不舒 {bu4 shu1}, constrained; ill-being
不睡 {bu4 shui4}, sleeplessness; insomnia
不思乳食 {bu4 si1 ru3 shi2}, no thought of food and milk
不思食 {bu4 si1 shi2}, no thought of food
不思飲食 {bu4 si1 yin3 shi2}, no thought of food and drink
不遂 {bu4 sui4}, paralyzed; -plegia
不通 {bu4 tong1}, stoppage
不通則痛 {bu4 tong1 ze2 tong4}, when there is stoppage, there is pain
不聞香臭 {bu4 wen2 xiang1 chou4}, inability to detect fragrance or fetor; loss of smell
不穩定 {bu4 wen3 ding4}, unstable
不惡寒 {bu4 wu4 han2}, absence of aversion to cold
不惡寒反惡熱 {bu4 wu4 han2 fan3 e4 re4}, aversion to heat rather than to cold
不息 {bu4 xi1}, incenssangt
不下食 {bu4 xia4 shi2}, inability to get food down
不想說話 {bu4 xiang3 jiang3 hua4}, no desire to talk
不省人事 {bu4 xing3 ren2 shi4}, loss of consciousness; unconsciousness
不休 {bu4 xiu1}, incessant
不藥而癒 {bu4 yao4 er2 yu4}, recover without medication
不已 {bu4 yi3}, incessant
不易喀出 {bu4 yi4 ka4 chu1}, not easily expectorated
不易咯出 {bu4 yi4 luo4 chu1}, not easily expectorated
不育 {bu4 yu4}, sterility (in males)
不欲多言 {bu4 yu4 duo1 yan2}, little desire to talk
不欲多飲 {bu4 yu4 duo1 yin3}, no desire to drink much
不欲言 {bu4 yu4 yan2}, no desire to talk
不欲飲食 {bu4 yu4 yin3 shi2}, no desire for food and drink
不欲飲水 {bu4 yu4 yin3 shui3}, no desire to drink water

不願喝水 {bu4 yuan4 he1 shui3}, no desire to drink water
不願視人 {bu4 yuan4 shi4 ren2}, no desire to see people
不月 {bu4 yue4}, absence of menses
不孕 {bu4 yun4}, infertility
不振 {bu4 zhen4}, devitalized (n.); devitalization
不正之氣 {bu4 zheng4 zhi1 qi4}, unright qi4
不知穢潔 {bu4 zhi1 hui4 jie2}, no sense of hygiene
不知饑飽 {bu4 zhi1 ji1 bao3}, obliviousness of hunger and satiety
不知人 {bu4 zhi1 ren2}, inability to recognize people
不知人事 {bu4 zhi1 ren2 shi4}, loss of consciousness
不知香臭 {bu4 zhi1 xiang1 chou4}, inability to detect fragrance or fetor; loss of smell
不止 {bu4 zhi3}, incessant
不足 {bu4 zu2}, insufficiency; insufficient

【布】 {bu4} [Freq. 4] cloth.
布包 {bu4 bao1}, wrap in cloth
布袋丸 {bu4 dai4 wan2}, 方名 Cloth Bag Pill
布骨消 {bu4 gu3 xiao1}, 中藥正名 rhomboid hyptis (Hyptis Rhomboidis Herba)
布瓜 {bu4 gua1}, 中藥異名 luffa gourd (Luffae Fructus)
布姜 {bu4 jiang1}, 中藥異名 five-leaved vitex (Viticis Quinatae Radix seu Lignum)
布荊 {bu4 jing1}, 中藥正名 five-leaved vitex (Viticis Quinatae Radix seu Lignum)
布渣葉 {bu4 zha1 ye4}, 中藥異名 microcos leaf (Microcoris Folium)
布指 {bu4 zhi3}, finger positioning

【步】 {bu4} [Freq. 4] walk.
步郎 {bu4 lang2}, 腧穴異名 KI-22 (Walking Gentleman)
步廊 {bu4 lang2}, 腧穴正名 KI-22 (Corridor Walk)
步履艱難 {bu4 lu93 jian1 nan2}, difficulty in walking

【部】 {bu4} [Freq. 3] region (陰部 {yin1 bu4}, lit. genital region, i.e., genitals); section (草部 {cao3 bu4}, herb section); position (三部九候 {san1 bu4 jiu3 hou4}, three positions and nine indicators)

== C ==

~~ {ca1} ~~

【擦】 {ca1} [Freq. 3] rub.
擦草 {ca1 cao3}, 中藥異名 equisetum (Equiseti Hiemalis Herba)
擦藥方 {ca1 yao4 fang1}, 方名 Rub-On Medicinal Formula

~~ {cai2} ~~
【才】 {cai2} [Freq. 5] talent (三才 san1 cai2, the three talents, Heaven, Humankind, and Earth); just; only.
彩斑桑勒草 {cai3 ban1 sang1 le4 cao3}, 中藥正名 sonerila (Sonerilae Herba)
彩葉萵苣 {cai3 ye4 wo1 ju4}, 中藥正名 red winter cos (Lactucae Longifoliae Red Winter Herba)

~~ {cai3} ~~
【踩】 {cai3} [Freq. 4] step (on something); tread; trample.
踩法 {cai3 fa3}, trampling method

~~ {cai4} ~~
【菜】 {cai4} [Freq. 4] vegetable; food dishes (as opposed to rice, noodles, or breads).
菜伯 {cai4 bo2}, 中藥異名 scallion (Allii Fistulosi Herba)
菜刀豆 {cai4 dao1 dou4}, 中藥異名 sword bean (Canavaliae Semen)
菜豆 {cai4 dou4}, 中藥異名 asparagus bean (Vignae Sesquipedalis Fructus)
菜豆樹 {cai4 dou4 shu4}, 中藥正名 radermachera (Radermacherae Radix et Folium seu Fructus)
菜瓜 {cai4 gua1}, 中藥異名 snake melon (Cucumeris Flexuosi Fructus)
菜苔 {cai4 tai2}, 中藥異名 flowering white cabbage stem (Brassicae Parachinensis Caulis)
菜頭 {cai4 tou2}, 中藥異名 radish (Raphani Radix)
菜心 {cai4 xin1}, 中藥正名 flowering white cabbage stem (Brassicae Parachinensis Caulis)
菜肴梨 {cai4 yao2 li2}, 中藥異名 chayote (Sechii Edulis Fructus)
菜子 {cai4 zi3}, 中藥異名 mustard seed (Brassicae Junceae Semen)
菜子七 {cai4 zi3 qi1}, 中藥正名 white bitter cress (Cardamines Leucanthae Radix)

【蔡】 {cai4} [Freq. 4] surname.
蔡松汀難產方 {cai4 song1 ding1 nan2 chan3 fang1}, 方名 Cai Song-Ding's Difficult Delivery Formula

~~ {can1} ~~
【餐】 {can1} [Freq. 5] meal

~~ {can2} ~~
【殘】 {can2} [Freq. 4] damage; cruel; remaining (after wear and tear).
殘燈復明 {can2 deng1 fu4 ming2}, last flicker of a dying lamp
殘槁&&8503|{can2 gao3 qiang2}，中藥正名 glutinous litsea (Litseae Glutinosae Radix, Cortex, Folium et Semen)

【蠶】 {can2} [Freq. 4] silkworm.
蠶蟲 {can2 chong2}，中藥異名 silkworm (Bombyx Batryticatus)
蠶豆 {can2 dou4}，中藥正名 broad bean (Viciae Fabae Semen)
蠶豆病 {can2 dou4 bing4}，西醫 favism
蠶豆花 {can2 dou4 hua1}，中藥正名 broad bean flower (Viciae Fabae Flos)
蠶豆莢殼 {can2 dou4 jia2 qiao4 (ke2)}，中藥正名 broad bean pod (Viciae Fabae Exocarpium)
蠶豆莖 {can2 dou4 jing1}，中藥正名 broad bean stem (Viciae Fabae Caulis)
蠶豆殼 {can2 dou4 qiao4 (ke2)}，中藥正名 broad bean seed-coat (Viciae Fabae Testa)
蠶豆芽 {can2 dou4 ya2}，中藥正名 broad bean sprout (Viciae Fabae Semen Germinatum)
蠶豆葉 {can2 dou4 ye4}，中藥正名 broad bean leaf} (Viciae Fabae Folium)
蠶蛾 {can2 e2}, silk moth
蠶繭 {can2 jian3}，中藥正名 silkworm moth cocoon (Bombycis Bombyx)
蠶繭草 {can2 jian3 cao3}，中藥正名 Japanese smartweed (Polygoni Japonici Herba)
蠶羌 {can2 qiang1}，中藥異名 notopterygium (Notopterygii Rhizoma et Radix)
蠶沙 {can2 sha1}，中藥異名 silkworm droppings (Bombycis Faeces)
蠶矢湯 {can2 shi3 tang1}，方名 Silkworm Droppings Decoction
蠶退 {can2 tui4}，中藥異名 silkworm moth exuviae (Bombycis Exuviae)
蠶蛻 {can2 tui4}，中藥正名 silkworm moth exuviae (Bombycis Exuviae)
蠶退紙 {can2 tui4 zhi3}，中藥正名 silkworm moth egg case (Bombycis Oo5theca)
蠶衣 {can2 yi}，中藥異名 silkworm moth exuviae (Bombycis Exuviae)
蠶蛹 {can2 yong3}，中藥正名 silkworm moth pupa (Bombycis Pupa)

~~ {can3} ~~
【穇】 {can3} [Freq. 4] tree name.
穇子 {can3 zi3}，中藥正名 ragi (Eleusines Coracanae Semen)

~~ {cang1} ~~

【倉】 {cang1} [Freq. 4] granary.

倉廩散 {cang1 lin3 san3}, 方名 Old Rice Granary Powder

倉廩之本 {cang1 lin3 zhi1 ben3}, root of the granaries (spleen and stomach)

倉廩之官 {cang1 lin3 zhi1 guan1}, office of the granaries (spleen and stomach)

【蒼】 {cang1} [Freq. 2] somber (complexion).

蒼白 {cang1 bai2}, somber white (complexion)

蒼白秤鈎風 {cang1 bai2 cheng4 gou1 feng1}, 中藥正名 diploclisia (Diploclisiae Caulis)

蒼耳 {cang1 er3}, 中藥正名 xanthium herb (Xanthii Herba)

蒼耳蠹蟲 {cang1 er3 du4 chong2}, 中藥正名 xanthium grub (Xanthii Vermiculus)

蒼耳根 {cang1 er3 gen1}, 中藥正名 xanthium root (Xanthii Radix)

蒼耳花 {cang1 er3 hua1}, 中藥正名 xanthium flower (Xanthii Flos)

蒼耳蒺藜 {cang1 er3 ji2 li2}, 中藥異名 xanthium (Xanthii Fructus)

蒼耳蒺藶 {cang1 er3 ji2 li4}, 中藥異名 xanthium (Xanthii Fructus)

蒼耳散 {cang1 er3 san3}, 方名 Xanthium Powder

蒼耳子散 {cang1 er3 zi3 san3}, 方名 Xanthium Powder

蒼耳子 {cang1 er3 zi3, 中藥正名 xanthium (Xanthii Fructus)

蒼附導痰丸 {cang1 fu4 dao3 tan2 wan2}, 方名 Atractylodes and Cyperus Phlegm-Abducting Pill

蒼黃 {cang1 huang2}, somber yellow (complexion)

蒼棵子 {cang1 ke1 zi3}, 中藥異名 xanthium (Xanthii Fructus) (Xanthii Fructus); 中藥異名 xanthium

蒼郎種 {cang1 lang2 zhong3}, 中藥異名 xanthium (Xanthii Fructus) (Xanthii Fructus); 中藥異名 xanthium

蒼條魚鱉 {cang1 tiao2 yu2 bie1}, 中藥正名 saxiglossum (Saxiglossi Herba)

蒼蠅草 {cang1 ying2 cao3}, 中藥正名 Hancock's indigo (Indigoferae Hancockii Radix)

蒼朮白虎湯 {cang1 zhu2 bai2 hu3 tang1}, 方名 Atractylodes White Tiger Decoction

蒼朮除濕湯 {cang1 zhu2 chu2 shi1 tang1}, 方名 Atractylodes Dampness-Eliminating Decoction

蒼朮 {cang1 zhu2, 中藥正名 atractylodes (Atractylodis Rhizoma)

蒼子 {cang1 zi3}, 中藥異名 xanthium (Xanthii Fructus) (Xanthii Fructus); 中藥異名 xanthium

~~ {cang2} ~~

【藏】 {cang2} [Freq. 2] store (v.), storage (n.) (肝藏血 {gan1 cang2 xue2}, the liver stores the blood).

藏精氣而不瀉 {cang2 jing1 er2 bu4 xie4}, stores esssence and does not drain

~~ {cao1} ~~
【操】 {cao1} [Freq. 4] manipulate.
操縱 {cao1 zong4}, manipulation
操縱指法 {cao1 zong4 zhi3 fa3}, manipulative technique

【糙】 {cao1} [Freq. 2] rough (adj.).
糙苔 {cao1 tai1}, rough tongue fur
糙葉樹 {cao1 ye4 shu4}, 中藥正名 aphananthes [(root) bark] (Aphananthes Cortex (Radicis))

~~ {cao2} ~~
【曹】 {cao2} [Freq. 4] surname.
曹谿 {cao2 xi1}, 腧穴異名 GV-16 (Cao's Ravine)
曹溪路 {cao2 xi1 lu4}, 腧穴異名 GV-1 (Cao's Ravine Road)

【嘈】 {cao2} [Freq. 4] clamor.
嘈雜 {cao2 za2}, clamoring stomach

~~ {cao3} ~~
【草】 {cao3} [Freq. 3] herb; grass; straw.
草貝母 {cao3 bei4 mu3}, 中藥正名 iphigenia (Iphigeniae Bulbus)
草鱉甲 {cao3 bie1 jia3}, 中藥異名 eggplant (Solani Melongenae Fructus)
草蒾蓉 {cao3 cong1 rong2}, 中藥正名 boschniakia (Boschniakiae Herba)
草豆蔻 {cao3 dou4 kou4}, 中藥正名 Katsumada's galangal seed (Alpiniae Katsumadai Semen)
草豆蔻仁 {cao3 dou4 kou4 ren2}, 中藥異名 Katsumada's galangal seed (Alpiniae Katsumadai Semen)
草菇 {cao3 gu1}, 中藥正名 straw mushroom (Volvariella)
草果 {cao3 guo3}, 中藥正名 tsaoko (Tsaoko Fructus)
草果仁 {cao3 guo3 ren2}, 中藥異名 tsaoko (Tsaoko Fructus)
草果藥 {cao3 guo3 yao4}, 中藥正名 spicate hedychium fruit (Hedychii Spicati Fructus)
草果子 {cao3 guo3 zi3}, 中藥異名 tsaoko (Tsaoko Fructus)
草紅花 {cao3 hong2 hua1}, 中藥異名 carthamus (Carthami Flos)
草金杉 {cao3 jin1 shan1}, 中藥正名 pentanema (Pentanematis Herba)
草決明 {cao3 jue2 ming2}, 中藥異名 fetid cassia (Cassiae Semen)

草蔻 {cao3 kou4}, 中藥異名 Katsumada's galangal seed (Alpiniae Katsumadai Semen)
草蔻仁 {cao3 kou4 ren2}, 中藥異名 Katsumada's galangal seed (Alpiniae Katsumadai Semen)
草靈脂 {cao3 ling2 zhi1}, 中藥正名 pika droppings (Ochotonae Faeces)
草龍膽 {cao3 long2 dan3}, 中藥異名 gentian (Gentianae Radix)
草龍牙 {cao3 long2 ya2}, 中藥異名 agrimony (Agrimoniae Herba)
草龍珠 {cao3 long2 zhu1}, 中藥異名 grape (Vitis Viniferae Fructus)
草棉花子 {cao3 mian2 hua1 zi3}, 中藥異名 cotton seed (Gossypii Semen)
草木灰 {cao3 mu4 hui1}, 中藥正名 puccoon ash (Lithospermi, Arnebiae, seu Onosmatis Cinis)
草蓐 {cao3 ru4}, straw mat
草珊瑚 {cao3 shan1 hu2}, 中藥異名 sarcandra (Sarcandrae Ramulus et Folium)
草石蠶 (1) {cao3 shi2 can2}, 中藥正名 Chinese artichoke (Stachydis Sieboldii Tuber et Herba)
草石蠶 (2) {cao3 shi2 can2}, 中藥正名 humata (Humatae Tyermanni Rhizoma et Herba)
草威靈 {cao3 wei1 ling2}, 中藥正名 nerved elecampane (Inulae Nervosae Radix)
草烏頭 {cao3 wu1 tou2}, 中藥異名 wild aconite (Aconiti Kusnezoffii Radix)
草烏頭散 {cao3 wu1 tou2 san3}, 方名 Wild Aconite Powder
草烏 {cao3 wu1, 中藥正名 wild aconite (Aconiti Kusnezoffii Radix)
草香附 {cao3 xiang1 fu4}, 中藥正名 broad-leaved rush (Junci Amplifolii Rhizoma)
草鞋刺 {cao3 xie2 ci4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
草鞋底 {cao3 xie2 di3}, 中藥異名 elephantopus (Elephantopi Herba)
草鞋風 {cao3 xie2 feng1}, straw-shoe wind
草繡球 {cao3 xiu4 qiu2}, 中藥正名 cardiandra (Cardiandrae Rhizoma)
草血竭 {cao3 xu4 jie2}, 中藥正名 blood knotweed (Polygoni Paleacei Rhizoma)
草藥 {cao3 yao4}, herbal medicinal; herb
草魚 {cao3 yu2}, 中藥異名 grass carp (Ctenopharyngodonis Caro)
草禹余糧 {cao3 yu3 yu2 liang2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
草原老鸛草 {cao3 yuan2 lao3 guan4 cao3}, 中藥正名 meadow cranesbill (Geranii Pratensis Herba)
草澤蘭 {cao3 ze2 lan2}, 中藥異名 lycopus (Lycopi Herba)
草蜘蛛 {cao3 zhi1 zhu1}, 中藥正名 agelena (Agelena)
草紙 {cao3 zhi3}, straw paper
草鐘乳 {cao3 zhong1 ru3}, 中藥異名 Chinese leek (Allii Tuberosi Folium)

~~ {ce4} ~~
【側】 {ce4} [Freq. 3] side.
側柏 {ce4 bai3}, 中藥異名 arborvitae leaf (Platycladi Cacumen)
側柏樗皮丸 {ce4 bai3 shu1 pi2 wan2}, 方名 Arborvitae Leaf and Toona Bark Pill
側柏炭 {ce4 bai3 tan4}, 中藥正名 charred arborvitae leaf (Platycladi Folium Carbonisatum)

側柏葉 {ce4 bai3 ye4}, 中藥正名 arborvitae leaf (Platycladi Cacumen)
側柏葉汁 {ce4 bai3 ye4 zhi1}, 中藥正名 arborvitae leaf juice (Platycladi Folii Succus)
側柏子 {ce4 bai3 zi3}, 中藥異名 arborvitae seed (Platycladi Semen)
側柏 {ce4 bo2}, 中藥異名 arborvitae leaf (Platycladi Cacumen)
側柏葉 {ce4 bo2 ye4}, 中藥異名 arborvitae leaf (Platycladi Cacumen)
側耳根 {ce4 er3 gen1}, 中藥異名 houttuynia (Houttuyniae Herba)
側指法 {ce4 zhi3 fa3}, off-side palpation
側子 {ce4 zi3}, 中藥正名 small aconite (Aconiti Radix Lateralis Parva)

【測】 {ce4} [Freq. 5] judge (從外測內 {cong2 wai4 ce4 nei4}, judging the inside from the outside)

~~ {cen2} ~~
【岑】 {cen2} [Freq. 4] small, high mountain.
岑草 {cen2 cao3}, 中藥異名 houttuynia (Houttuyniae Herba)
岑皮 {cen2 pi2}, 中藥異名 ash (Fraxini Cortex)

~~ {ceng2} ~~
【曾】 {ceng2} some time in the past (also used for 層 {ceng2}, layer).
曾青 {ceng2 qing1}, 中藥正名 layered azurite (Azuritum Stratificatum)

~~ {cha1} ~~
【叉】 {cha1} [Freq. 4] fork.
叉氣 {cha1 qi4}, 腧穴異名 Forking Qi4

【差】 {cha1} [Freq. 4] difference.
差經 {cha1 jing1}, deviated menstruation

【插】 {cha1} [Freq. 4] insert.
插藥 {cha1 yao4}, medicinal stick insertion

~~ {cha2} ~~
【茶】 {cha2} [Freq. 3] tea.
茶 {cha2}, 中藥異名 tea (Theae Folium)

茶點吃 {cha2 dian3 chi1}, eat as a snack
茶樹根 {cha2 shu4 gen1}, 中藥正名 tea root (Theae Radix)
茶芽 {cha2 ya2}, 中藥異名 tea (Theae Folium)
茶葉 {cha2 ye4}, 中藥正名 tea (Theae Folium)
茶油 {cha2 you2}, 中藥正名 tea oil (Camelliae Oleum)
茶子 {cha2 zi3}, 中藥正名 tea seed (Theae Fructus)
茶子餅 {cha2 zi3 bing3}, 中藥正名 oil tea cake (Camelliae Oleiferae Seminis Residuum)
茶子木花 {cha2 zi3 mu4 hua1}, 中藥正名 oiltea camellia flower (Camelliae Oleiferae Flos)
茶子心 {cha2 zi3 xin1}, 中藥正名 oiltea camellia seed (Camelliae Oleiferae Semen)

【搽】 {cha2} [Freq. 3] apply; rub (as paste or powder on the skin)

【察】 {cha2} [Freq. 4] inspect.
察目 {cha2 mu4}, eye inspection
察色 {cha2 se4}, examine the complexion

【&&6AAB‖】 {cha2} [Freq. 4] plant name.
&&6AAB‖樹 {cha2 shu4}, 中藥正名 Chinese sassafras [root or stem and leaf] (Sassafras Tzumu Radix seu Caulis et Folium)

~~ {chai1} ~~
【釵】 {chai1} [Freq. 4] hairpin.
釵子股 {chai1 zi3 gu3}, 中藥正名 Morse luisia (Luisiae Radix seu Herba)

~~ {chai2} ~~
【柴】 {chai2} [Freq. 4] brushwood; firewood.
柴草 {chai2 cao3}, 中藥異名 bupleurum (Bupleuri Radix)
柴葛解肌湯 {chai2 ge2 jie3 ji1 tang1}, 方名 Bupleurum and Pueraria Flesh-Resolving Decoction
柴根牡蠣湯 {chai2 gen1 mu3 li4 tang1}, 方名 Bupleurum, Arnebia/Lithospermum, and Oyster Shell Decoction
柴桂湯 {chai2 gui4 tang1}, 方名 Bupleurum and Cinnamon Twig Decoction
柴胡白虎湯 {chai2 hu2 bai2 hu3 tang1}, 方名 Bupleurum White Tiger Decoction
柴胡達原飲 {chai2 hu2 da2 yuan2 yin3}, 方名 Bupleurum Membrane-Source--Opening Beverage
柴胡桂薑湯 {chai2 hu2 gui4 jiang1 tang1}, 方名 Bupleurum, Cinnamon Twig, and Dried

Ginger Decoction
柴胡桂枝干薑湯 {chai2 hu2 gui4 zhi1 gan1 jiang1 tang1}, 方名 Bupleurum, Cinnamon Twig, and Dried Ginger Decoction
柴胡桂枝湯 {chai2 hu2 gui4 zhi1 tang1}, 方名 Bupleurum and Cinnamon Twig Decoction
柴胡加龍骨牡蠣湯 {chai2 hu2 jia1 long2 gu3 mu3 li4 tang1}, 方名 Bupleurum Decoction Plus Dragon Bone and Oyster Shell
柴胡加芒硝湯 {chai2 hu2 jia1 mang2 xiao1 tang1}, 方名 Bupleurum Decoction Plus Marabilite
柴胡清膽湯 {chai2 hu2 qing1 dan3 tang1}, 方名 Bupleurum Gallbladder-Clearing Decoction
柴胡清肝散 {chai2 hu2 qing1 gan1 san3}, 方名 Bupleurum Liver-Clearing Powder
柴胡清肝湯 {chai2 hu2 qing1 gan1 tang1}, 方名 Bupleurum Liver-Clearing Decoction
柴胡清肝飲 {chai2 hu2 qing1 gan1 yin3}, 方名 Bupleurum Liver-Clearing Beverage
柴胡清燥湯 {chai2 hu2 qing1 zao4 tang1}, 方名 Bupleurum Dryness-Clearing Decoction
柴胡去半夏加瓜蔞湯 {chai2 hu2 qu4 ban4 xia4 jia1 gua1 lou2 tang1}, 方名 Bupleurum Decoction Minus Pinellia Plus Trichosanthes Root
柴胡散 {chai2 hu2 san3}, 方名 Bupleurum Powder
柴胡勝濕湯 {chai2 hu2 sheng4 shi1 tang1}, 方名 Bupleurum Dampness-Overcoming Decoction
柴胡疏肝散 {chai2 hu2 shu1 gan1 san3}, 方名 Bupleurum Liver-Coursing Powder
柴胡四物湯 {chai2 hu2 si4 wu4 tang1}, 方名 Bupleurum Four Agents Decoction
柴胡細辛湯 {chai2 hu2 xi4 xin1 tang1}, 方名 Bupleurum and Asarum Decoction
柴胡陷胸湯 {chai2 hu2 xian4 xiong1 tang1}, 方名 Bupleurum Chest Bind Decoction
柴胡飲子 {chai2 hu2 yin3 zi3}, 方名 Bupleurum Drink
柴胡枳桔湯 {chai2 hu2 zhi3 jie2 tang1}, 方名 Bupleurum Decoction Plus Bitter Orange and Platycodon
柴胡 {chai2 hu2, 中藥正名 bupleurum (Bupleuri Radix)
柴苓湯 {chai2 ling2 tang1}, 方名 Bupleurum and Poria Decoction
柴平煎 {chai2 ping2 jian1}, 方名 Bupleurum Stomach-Calming Brew
柴平湯 {chai2 ping2 tang1}, 方名 Bupleurum Stomach-Calming Decoction
柴朴湯 {chai2 po4 tang1}, 方名 Bupleurum and Officinal Magnolia Bark Decoction
柴芍六君子湯 {chai2 shao2 liu4 jun1 zi3 tang1}, 方名 Bupleurum and Peony Six Gentlemen Decoction
柴芍龍牡湯 {chai2 shao2 long2 mu3 tang1}, 方名 Bupleurum, Peony, Dragon Bone, and Oyster Shell Decoction
柴陷湯 {chai2 xian4 tang1}, 方名 Bupleurum Chest Bind Decoction
柴魚 {chai2 yu2}, 中藥正名 fish flakes (Katsuwonus Pelamis)

【豺】 {chai2} [Freq. 4] cuon.

豺皮 {chai2 pi2}, 中藥正名 cuon skin (Cuonis Cutis)
豺皮樟根 {chai2 pi2 zhang1 gen1}, 中藥正名 leopard camphor (Actinodaphnes Lancifoliae Radix)
豺肉 {chai2 rou4}, 中藥正名 cuon flesh (Cuonis Caro)

【茈】 {chai2} [Freq. 4] plant name.
茈胡 {chai2 hu2}, 中藥異名 bupleurum (Bupleuri Radix)

~~ {chai4} ~~
【差】 {chai4} [Freq. 4] recover (from illness).
差后勞復 {chai4 hou4 lao2 fu4}, taxation relapse

【瘥】 {chai4} [Freq. 5] recover (from illness) (v.); recovery (n.) (same as 差 {chai4})

~~ {chan1} ~~
【摻】 {chan1} [Freq. 4] add.
摻藥 {chan1 yao4}, topping with powder
摻藥法 {chan1 yao4 fa3}, topping with powder

【鏟】 {chan1} [Freq. 4] chisel.
鏟針 {chan1 zhen1}, chisel needle (one of the nine needles)

~~ {chan2} ~~
【潺】 {chan2} [Freq. 4] sound of water flowing.
潺菜 {chan2 cai4}, 中藥異名 Malabar spinach (Basellae Rubrae Folium seu Herba)

【蟬】 {chan2} [Freq. 4] cicada.
蟬花 {chan2 hua1}, 中藥正名 cordyceps-infested cicada larva (Cordyceps cum Larva Cicadae)
蟬殼 {chan2 qiao4 (ke2)}, 中藥異名 cicada molting (Cicadae Periostracum)
蟬退 {chan2 tui4}, 中藥異名 cicada molting (Cicadae Periostracum)
蟬蛻 {chan2 tui4}, 中藥正名 cicada molting (Cicadae Periostracum)
蟬退殼 {chan2 tui4 ke2}, 中藥異名 cicada molting (Cicadae Periostracum)
蟬衣 {chan2 yi1}, 中藥異名 cicada molting (Cicadae Periostracum)
蟬翼藤 {chan2 yi4 teng2}, 中藥正名 securidaca (Securidacae Radix)

【蟾】 {chan2} [Freq. 4] toad.
蟾蜍 {chan2 chu2}, 中藥正名 dried toad (Bufo Siccus)
蟾蜍膽 {chan2 chu2 dan3}, 中藥正名 toad's gallbladder (Bufonis Vesica Fellea)
蟾蜍干 {chan2 chu2 gan1}, 中藥異名 dried toad (Bufo Siccus)
蟾蜍眉酥 {chan2 chu2 mei2 su1}, 中藥異名 toad venom (Bufonis Venenum)
蟾蜍眉脂 {chan2 chu2 mei2 zhi1}, 中藥異名 toad venom (Bufonis Venenum)
蟾鱗 {chan2 lin2}, toad scales
蟾皮 {chan2 pi2}, 中藥正名 toad's skin (Bufonis Corium)
蟾皮證 {chan2 pi2 zheng4}, toad skin pattern
蟾舌 {chan2 she2}, 中藥正名 toad's tongue (Bufonis Lingua)
蟾酥 {chan2 su1}, 中藥正名 toad venom (Bufonis Venenum)
蟾酥膏 {chan2 su1 gao1}, 方名 Toad Venom Paste
蟾頭 {chan2 tou2}, 中藥正名 toad's head (Bufonis Caput)
蟾蜍肝 {chan2 yu2 gan1}, 中藥正名 toad's liver (Bufonis Iecur)

【纏】 {chan2} [Freq. 4] bind.
纏縛療法 {chan2 fu2 liao2 fa3}, binding therapy
纏喉風 {chan2 hou2 feng1}, throat-entwining wind
纏龍子 {chan2 long2 zi3}, 中藥異名 cuscuta (Cuscutae Semen)
纏綿不解 {chan2 mian2 bu4 jie3}, continuous
纏腰火丹 {chan2 yao1 huo3 dan1}, girdling fire cinnabar
纏腰蛇丹 {chan2 yao1 she2 dan1}, girdling snake cinnabar

~~ {chan3} ~~
【產】 {chan3} [Freq. 2] childbirth (n.); delivery (n.) (早產 {zao3 chan3}, premature delivery); parturition; partum (n.); birth (n.).
產婦 {chan3 fu4}, woman who is giving/has just given birth
產后 {chan3 hou4}, postpartum; postpartum
產后敗血沖肺 {chan3 hou4 bai4 xue4 chong1 fei4}, postpartum vanquished blood surging into the lung
產后敗血沖胃 {chan3 hou4 bai4 xue4 chong1 wei4}, postpartum vanquished blood surging into the stomach
產后敗血沖心 {chan3 hou4 bai4 xue4 chong1 xin1}, postpartum vanquished blood surging into the heart
產后痹證 {chan3 hou4 bi4 zheng4}, postpartum impediment pattern
產后病 {chan3 hou4 bing4}, postpartum disease
產后病痙 {chan3 hou4 bing4 jing4}, postpartum tetany

產后不語 {chan3 hou4 bu4 yu3}, postpartum loss of speech
產后出血 {chan3 hou4 chu1 xue4}, postpartum hemorrhage; postpartum bleeding
產后喘促 {chan3 hou4 chuan3 cu4}, postpartum hasty panting
產后瘡瘍 {chan3 hou4 chuang1 yang2}, postpartum sore
產后大便難 {chan3 hou4 da4 bian4 nan2}, postpartum defecation difficulty
產后大虛 {chan3 hou4 da4 xu1}, major postpartum vacuity
產后盜汗 {chan3 hou4 dao4 han4}, postpartum night sweating
產后多汗 {chan3 hou4 duo1 han4}, postpartum profuse sweating
產后惡露不下 {chan3 hou4 e4 lu4 bu4 xia4}, postpartum retention of the lochia
產后兒枕痛 {chan3 hou4 er2 zhen3 tong4}, postpartum infant's-pillow pain
產后發痙 {chan3 hou4 fa1 jing4}, postpartum tetany
產后發熱 {chan3 hou4 fa1 re4}, postpartum heat [effusion] (fever)
產后風痙 {chan3 hou4 feng1 jing4}, postpartum wind tetany
產后浮腫 {chan3 hou4 fu2 zhong3}, postpartum puffy swelling
產后腹痛 {chan3 hou4 fu4 tong4}, postpartum abdominal pain; afterpains
產后腹脹嘔吐 {chan3 hou4 fu4 zhang4 ou3 tu4}, postpartum abdominal distention and vomiting
產后寒熱 {chan3 hou4 han2 re4}, postpartum heat [effusion] (fever) and [aversion to] cold
產后瘖 {chan3 hou4 in}, postpartum loss of voice
產后交腸病 {chan3 hou4 jiao1 chang2 bing4}, postpartum communicating bowels
產后驚悸 {chan3 hou4 jing1 ji4}, postpartum fright palpitations
產后拘攣 {chan3 hou4 ju1 luan2}, postpartum hypertonicity
產后口渴 {chan3 hou4 kou3 ke3}, postpartum thirst
產后類中風 {chan3 hou4 lei4 zhong4 feng1}, postpartum wind-like stroke
產后流注 {chan3 hou4 liu2 zhu4}, postpartum streaming sore
產后尿血 {chan3 hou4 niao4 xue4}, post partum bloody urine
產后嘔吐 {chan3 hou4 ou3 tu4}, postpartum vomiting
產后痞滿 {chan3 hou4 pi3 man3}, postpartum glomus and fullness
產后遍身疼痛 {chan3 hou4 pian1 shen1 teng2 tong4}, postpartum generalized pain
產后破傷風 {chan3 hou4 po4 shang1 feng1}, postpartum lockjaw
產后氣喘 {chan3 hou4 qi4 chuan3}, postpartum panting
產后氣虛 {chan3 hou4 qi4 xu1}, postpartum qi4 vacuity
產后氣血 {chan3 hou4 qi4 xue4 da4 xu1}, major postpartum qi4-blood vacuity
產后瘛瘲 {chan3 hou4 qi4 zhong4}, postpartum tugging and slackening
產后乳汁自出 {chan3 hou4 ru3 zhi1 zi4 chu1}, postpartum loss of breast milk
產后乳汁自漏 {chan3 hou4 ru3 zhi1 zi4 lou4}, postpartum leakage of breast milk
產后三病 {chan3 hou4 san1 bing4}, three postpartum diseases
產后三沖 {chan3 hou4 san1 chong1}, three postpartum surges
產后三急 {chan3 hou4 san1 ji2}, three postpartum crises

產后三脫 {chan3 hou4 san1 tuo1}, three postpartum desertions
產后傷食 {chan3 hou4 shang1 shi2}, postpartum food damage
產后身痛 {chan3 hou4 shen1 tong4}, postpartum body pain
產后失血 {chan3 hou4 shi1 xue4}, postpartum loss of blood
產后水腫 {chan3 hou4 shui3 zhong3}, postpartum water swelling
產后四肢虛腫 {chan3 hou4 si4 zhi1 xu1 zhong3}, postpartum vacuity swelling of the limbs
產后癱瘓 {chan3 hou4 tan1 huan4}, postpartum paralysis
產后頭痛 {chan3 hou4 tou2 tong4}, postpartum headache
產后完谷不化 {chan3 hou4 wan2 gu3 bu4 hua4}, postpartum non-transformation of food
產后妄言妄見 {chan3 hou4 wang4 yan4 wang4 jian4}, postpartum raving and hallucination
產后惡露不淨 {chan3 hou4 wu4 lu4 bu4 jing4}, postpartum persistent flow of lochia
產后小便不利 {chan3 hou4 xiao3 bian4 bu4 li4}, postpartum inhibited urination
產后小便不通 {chan3 hou4 xiao3 bian4 bu4 tong1}, postpartum urinary stoppage
產后小便淋痛 {chan3 hou4 xiao3 bian4 lin2 tong4}, postpartum painful stranguric urination
產后小便頻數 {chan3 hou4 xiao3 bian4 pin2 shuo4}, postpartum urinary frequency
產后小便失禁 {chan3 hou4 xiao3 bian4 shi1 jin4}, postpartum urinary incontinence
產后脅痛 {chan3 hou4 xie2 tong4}, postpartum rib-side pain
產后泄瀉 {chan3 hou4 xie4 xie4}, postpartum diarrhea
產后心痛 {chan3 hou4 xin1 tong4}, postpartum heart pain
產后虛煩 {chan3 hou4 xu1 fan2}, postpartum vacuity vexation
產后眩暈 {chan3 hou4 xuan4 yun1}, postpartum dizziness
產后血崩 {chan3 hou4 xue4 beng1}, postpartum flooding
產后血氣腹痛 {chan3 hou4 xue4 qi4 fu4 tong4}, postpartum blood [stasis] and qi4 [stagnation] abdominal pain
產后血暈 {chan3 hou4 xue4 yun1}, postpartum blood dizziness
產后腰痛 {chan3 hou4 yao1 tong4}, postpartum lumbar pain
產后遺糞 {chan3 hou4 yi2 fen4}, postpartum involuntary release of stool
產后遺尿 {chan3 hou4 yi2 niao4}, postpartum enuresis
產后音 {chan3 hou4 yin1}, postpartum loss of voice
產后音啞 {chan3 hou4 yin1 ya3}, postpartum loss of voice
產后瘀血 {chan3 hou4 yu1 xue4}, postpartum blood stasis
產后瘀血不淨 {chan3 hou4 yu1 xue4 bu4 jing4}, residual postpartum static blood
產后瘀血傷痛 {chan3 hou4 yu1 xue4 shang1 tong4}, postpartum pain due to static blood and injury
產后余疾 {chan3 hou4 yu2 ji2}, postpartum illness
產后玉戶不斂 {chan3 hou4 yu4 hu4 bu4 lian3}, postpartum failure of the jade door to heal
產后郁冒 {chan3 hou4 yu4 mao4}, postpartum depression and veiling
產后乍寒乍熱 {chan3 hou4 zha4 han2 zha4 re4}, postpartum sudden bouts of heat [effusion]

(fever) and [aversion to] cold
產后怔忡 {chan3 hou4 zheng1 chong1}, postpartum fearful throbbing
產后中風 {chan3 hou4 zhong4 feng1}, postpartum wind strike (stroke)
產后中暑 {chan3 hou4 zhong4 shu3}, postpartum summerheat stroke
產后壯熱 {chan3 hou4 zhuang4 re4}, postpartum vigorous heat [effusion] (fever)
產后自汗 {chan3 hou4 zi4 han4}, postpartum spontaneous sweating
產科 {chan3 ke1}, obstetrics department (branch of medicine)
產門 {chan3 men2}, birth gate (equivalent to WM orificium vaginae) (Delivery Gate); 腧穴異名 CV-4
產門不閉 {chan3 men2 bu4 bi4}, non-closure of the birth gate
產前 {chan3 qian2}, antepartum

~~ {chan4} ~~
【顫】 {chan4} [Freq. 5] tremor (震顫 {zhen4 chan4})

~~ {chang1} ~~
【昌】 {chang1} [Freq. 4] prosperous.
昌本 {chang1 ben3}, 中藥異名 acorus (Acori Tatarinowii Rhizoma)
昌羊 {chang1 yang2}, 中藥異名 acorus (Acori Tatarinowii Rhizoma)
昌陽 {chang1 yang2}, 中藥異名 acorus (Acori Tatarinowii Rhizoma) (Glorious Yang2); 腧穴異名 KI-7

【鯧】 {chang1} [Freq. 4] pomfret.
鯧魚 {chang1 yu2}, 中藥正名 silver pomfret (Stromateoidis Argentei Caro)

【菖】 {chang1} [Freq. 4] acorus.
菖蒲 {chang1 pu2}, 中藥異名 acorus (Acori Tatarinowii Rhizoma)
菖蒲香薷飲 {chang1 pu2 xiang1 ru2 yin3}, 方名 Acorus and Mosla Beverage
菖蒲葉 {chang1 pu2 ye4}, 中藥正名 acorus leaf (Acori Folium)
菖蒲郁金湯 {chang1 pu2 yu4 jin1 tang1}, 方名 Acorus and Curcuma Decoction

~~ {chang2} ~~
【長】 {chang2} [Freq. 2] long (adj.) (小便清長 {xiao3 bian4 qing1 chang2}, long voidings of clear urine; see also 長 {zhang3}).
長柄菊 {chang2 bing3 ju2}, 中藥異名 tridax (Tridacis Herba)

長蟲 {chang2 chong2}, longworm
長蟲病 {chang2 chong2 bing4}, longworm disease
長蟲皮 {chang2 chong2 pi2}, 中藥異名 snake slough (Serpentis Periostracum)
長春花 {chang2 chun1 hua1}, 中藥正名 Madagascar periwinkle (Catharanthi Rosei Herba)
長豆 {chang2 dou4}, 中藥正名 asparagus bean (Vignae Sesquipedalis Fructus)
長服慢補 {chang2 fu2 man4 bu3}, take over a long for gradual supplementation
長桿蘭 {chang2 gan3 lan2}, 中藥正名 arundina (Arundinae Herba seu Rhizoma)
長谷 {chang2 gu3}, 腧穴異名 ST-25 (Long Grain)
長管假茉莉 {chang2 guan3 jia3 mo4 li4}, 中藥正名 Indian glory-bower (Clerodendri Indici Herba)
長顙 {chang2 hui4}, 腧穴異名 LI-19 (Long Plate)
長雞 {chang2 ji1}, 腧穴異名 ST-25 (Long Chicken)
長頰 {chang2 jia2}, 腧穴異名 LI-19 (Long Cheek)
長江豆 {chang2 jiang1 dou4}, 中藥異名 asparagus bean (Vignae Sesquipedalis Fructus)
長距蘭 {chang2 ju4 lan2}, 中藥正名 Japanase platanthera (Platantherae Japonicae Herba cum Radice)
長辣椒 {chang2 la4 jiao1}, 中藥正名 long pepper (2) (Capsici Longi Fructus)
長窌 {chang2 liao2}, 腧穴異名 LI-19 (Long Bone-Hole)
長&&91C3.9ACE|{chang2 liao2}, 腧穴異名 LI-19 (Long Bone-Hole)
長脈 {chang2 mai4}, long pulse
長命草 {chang2 ming2 cao3}, 中藥異名 purslane (Portulacae Herba)
長命莧 {chang2 ming4 xian4}, 中藥異名 purslane (Portulacae Herba)
長頻 {chang2 pin2}, 腧穴異名 LI-19 (Long Shore)
長平 {chang2 ping2}, 腧穴異名 LV-13 (Long Level)
長鰭鯛 {chang2 qi2 diao1}, 中藥正名 king soldier bream (Argyrops Bleekeri)
長強 {chang2 qiang2}, 腧穴正名 GV-1 (Long Strong)
長生草 {chang2 sheng1 cao3}, 中藥異名 pubescent angelica (Angelicae Pubescentis Radix)
長生果 {chang2 sheng1 guo3}, 中藥異名 peanut (Arachidis Semen) (Arachidis Semen); 中藥異名 peanut
長生韭 {chang2 sheng1 jiu3}, 中藥異名 Chinese leek (Allii Tuberosi Folium)
長石 {chang2 shi2}, 中藥正名 anhydrite (Anhydritum)
長收肌 {chang2 shou1 ji1}, 西醫 long adductor muscle
長筒馬先蒿 {chang2 tong3 ma3 xian1 hao1}, 中藥正名 long-flowered pedicularis (Pedicularis Longiflorae Flos)
長維 {chang2 wei2}, 腧穴異名 ST-25 (Long Link)
長谿 {chang2 xi1}, 腧穴異名 ST-25 (Long Ravine)
長夏 {chang2 xia4}, long summer (season associated with earth) (season associated with earth); late summer

長葉山芝麻 {chang2 ye4 shan1 zhi1 ma2}, 中藥正名 long-leaved helicteres (Helicteris Elongatae Frutex)
長皂莢 {chang2 zao4 jia2}, 中藥異名 gleditsia (Gleditsiae Fructus)
長皂角 {chang2 zao4 jiao3}, 中藥異名 gleditsia (Gleditsiae Fructus)
長針 {chang2 zhen1}, long needle (one of the nine needles)
長&&4ABC|{chang2 zhuo1}, 腧穴異名 LI-19 (Long Cheek)

【常】 {chang2} [Freq. 2] normal (adj.) (常脈 {chang2 mai4}, normal pulse).
常春藤 {chang2 chun1 teng2}, 中藥正名 Chinese ivy (Hederae Caulis et Folium)
常春藤子 {chang2 chun1 teng2 zi3}, 中藥正名 Chinese ivy fruit (Hederae Fructus)
常脈 {chang2 mai4}, normal pulse
常色 {chang2 se4}, normal complexion
常山 {chang2 shan1}, 中藥正名 dichroa (Dichroae Radix)
常山飲 {chang2 shan1 yin3}, 方名 Dichroa Beverage
常用方劑 {chang2 yong4 fang1 ji4}, commonly used formula

【腸】 {chang2} [Freq. 2] intestine (n.) (大腸 {da4 chang2}, large intestine).
腸哀 {chang2 ai1}, 腧穴異名 SP-16 (Intestinal Lament)
腸痹 {chang2 bi4}, intestinal impediment
腸道 {chang2 dao4}, intestinal tract
腸道結熱 {chang2 dao4 jie2 re4}, intestinal heat bind
腸道易激綜合症 {chang2 dao4 yi4 ji1 zong4 he2 zheng4}, 西醫 irritable bowel syndrom
腸風 {chang2 feng1}, intestinal wind; 腧穴正名 Intestinal Wind
腸風便秘 {chang2 feng1 bian4 bi4}, intestinal wind constipation
腸風便血 {chang2 feng1 bian4 xue4}, intestinal wind bleeding
腸風下血 {chang2 feng1 xia4 xue4}, intestinal wind bleeding
腸腑 {chang2 fu3}, intestines
腸梗阻 {chang2 geng3 zu3}, 西醫 intestinal obstruction,ileus
腸垢 {chang2 gou4}, intestinal grime
腸結 {chang2 jie2}, 腧穴異名 SP-14 (Intestinal Bind)
腸結核 {chang2 jie2 he2}, 西醫 intestinal tuberculosis
腸菌毒病 {chang2 jun1 du2 bing4}, 西醫 botulism
腸鳴 {chang2 ming2}, rumbling intestines (borborygmus)
腸鳴漉漉 {chang2 ming2 lu4 lu4}, gurgling intestines
腸寧湯 {chang2 ning2 tang1}, 方名 Abdomen-Quieting Decoction
腸癖 {chang2 pi3}, intestinal aggregation
腸僻 {chang2 pi4}, intestinal pi4
腸澼 {chang2 pi4}, intestinal afflux

腸澼下膿血 {chang2 pi4 xia4 nong2 xue4}, intestinal afflux with pus and blood
腸氣滯 {chang2 qi4 zhi4}, intestinal qi4 stagnation
腸屈 {chang2 qu1}, 腧穴異名 SP-16 (Intestinal Bend)
腸山 {chang2 shan1}, 腧穴異名 BL-57 (Intestine Mountain)
腸覃 {chang2 tan2}, intestinal tan2
腸胃不和 {chang2 wei4 bu4 he2}, gastrointestinal disharmony
腸胃積滯 {chang2 wei4 ji1 zhi4}, gastrointestinal accumulation
腸胃熱毒 {chang2 wei4 re4 du2}, gastrointestinal heat toxin
腸胃濕熱 {chang2 wei4 shi1 re4}, gastrointestinal damp-heat
腸胃濕熱積滯 {chang2 wei4 shi1 re4 ji1 zhi4}, gastrointestinal damp-heat accumulation
腸胃虛寒 {chang2 wei4 xu1 han2}, gastrointestinal vacuity cold
腸繫膜 {chang2 xi4 mo2}, 西醫 mesentery
腸繫膜上靜脈 {chang2 xi4 mo2 shang4 jing4 mai4}, 西醫 superior mesenteric vein
腸繫膜下靜脈 {chang2 xi4 mo2 xia4 jing4 mai4}, 西醫 inferior mesenteric vein
腸虛滑脫 {chang2 xu1 hua2 tuo1}, intestinal vacuity efflux desertion
腸虛滑泄 {chang2 xu1 hua2 xie4}, intestinal vacuity efflux diarrhea
腸虛滑泄證 {chang2 xu1 hua2 xie4 zheng4}, pattern of intestinal vacuity efflux diarrhea
腸液虧耗 {chang2 ye4 kui1 hao4}, intestinal humor depletion
腸遺 {chang2 yi2}, 腧穴正名 Intestine's Bequeathal
腸癰 {chang2 yong1}, intestinal welling-abscess
腸燥便秘 {chang2 zao4 bian4 bi4}, intestinal dryness with constipation
腸燥便艱 {chang2 zao4 bian4 jian1}, intestinal dryness with difficult defecation
腸粘連緩解湯 {chang2 zhan1 lian2 huan3 jie3 tang1}, 方名 Intestinal Adhesion Decoction
腸中雷鳴 {chang2 zhong1 lei2 ming2}, thunderous rumbling in the intestines

~~ {chang4} ~~
【暢】 {chang4} [Freq. 5] uninhibited (汗出不暢 {han4 chu1 bu4 chang4}, inhibited sweating)

~~ {chao1} ~~
【超】 {chao1} [Freq. 4] exceed.
超凡子 {chao1 fan2 zi3}, 中藥異名 apple (Mali Pumulae Fructus)

~~ {chao2} ~~
【巢】 {chao2} [Freq. 4] nest; surname.
巢靜脈 {chao2 jing4 mai4}, 西醫 ovarian vein

巢元方 {chao2 yuan2 fang1}, Chao2 Yuan2-Fang1

【朝】 {chao2} [Freq. 4] royal or imperial court.
朝代 {chao2 dai4}, dynasty
朝天巔 {chao2 tian1 dian1}, 腧穴異名 GV-1 (Heavenward Looking Summit)
朝天椒 {chao2 tian1 jiao1}, 中藥異名 red cluster pepper (Capsici Fasciculati Fructus)
朝鮮薊 {chao2 xian1 ji4}, 中藥正名 artichoke (Cynarae Scolymi Flos)
朝鮮參 {chao2 xian1 shen1}, 中藥異名 Korean ginseng (Ginseng Radix *Coreensis)

【潮】 {chao2} [Freq. 2] tidal (adj.).
潮紅 {chao2 hong2}, tidal reddening (of the face)
潮熱 {chao2 re4}, tidal heat [effusion] (fever)

~~ {chao3} ~~
【炒】 {chao3} [Freq. 2] stir-fry (v.) (微炒 {wei1 chao3}, light stir-frying); frictus (Latin).
炒爆 {chao3 bao4}, crack-fry
炒存 {chao3 cun2}, stir-fry preserving nature; nature-preservative stir-frying
炒黑 {chao3 hei1}, stiry-fry until black
炒黃 {chao3 huang2}, stir-fry until yellow
炒焦 {chao3 jiao1}, scorch-fry
炒枯 {chao3 ku1}, stir-fry dry
炒炭 {chao3 tan4}, char-fry
炒制 {chao3 zhi4}, stir-fry

~~ {che1} ~~
【車】 {che1} [Freq. 4] carriage; vehicle.
車螯 {che1 ao2}, 中藥正名 che'ao clam (Meretricis Che'ao Caro seu Concha)
車前 {che1 qian2}, 中藥異名 plantago (Plantaginis Herba)
車前菜 {che1 qian2 cai4}, 中藥異名 plantago (Plantaginis Herba)
車前草 {che1 qian2 cao3, 中藥正名 plantago (Plantaginis Herba)
車前實 {che1 qian2 shi2}, 中藥異名 plantago seed (Plantaginis Semen)
車前葉粥 {che1 qian2 ye4 zhou1}, 方名 Plantago Leaf Gruel
車前子 {che1 qian2 zi3, 中藥正名 plantago seed (Plantaginis Semen)
車桑仔根 {che1 sang1 zai3 gen1}, 中藥正名 dodonaea root (Dodonaeae Radix)
車桑仔葉 {che1 sang1 zai3 ye4}, 中藥正名 dodonaea leaf (Dodonaeae Folium)

【硨】 {che1} [Freq. 4] giant clam (硨磲 {che1 qu2}, giant clam).
硨磲 {che1 qu2}, 中藥正名 giant clam (Tridacnae Concha)

~~ {che3} ~~
【扯】 {che3} [Freq. 4] pull; rip.
扯絲皮 {che3 si1 pi2}, 中藥異名 eucommia (Eucommiae Cortex)

~~ {che4} ~~
【掣】 {che4} [Freq. 3] pulling.
掣痛 {che4 tong4}, pulling pain

【徹】 {che4} [Freq. 4] throughout.
徹夜不寐 {che4 ye4 bu4 mei4}, nightlong sleeplessness

【澈】 {che4} [Freq. 4] clear and pure (澄澈清冷 {cheng2 che4 qing1 leng3}, clear, pure, and cold)

【瘈】 {che4} [Freq. 5] tugging (n.) (see 瘛 {chi4})

【瘛】 {che4} [Freq. 3] tugging (same as 瘈 {qi4})

~~ {chen2} ~~
【臣】 {chen2} [Freq. 5] minister (n.) (君臣佐使 {jun1 chen2 zuo3 shi3}, sovereign, minister, assistant, and courier)

【沉】 {chen2} [Freq. 2] sink (v.); sunken (adj.) (沉降藥 {chen2 jiang4 yao4}, down-sinking medicinal); deep (adj.); heavy (腰腹沉重 {yao1 fu4 chen2 zhong4}, heaviness in the lumbus and abdomen).
沉按 {chen2 an4}, feel the deep level (pulse)
沉降藥 {chen2 jiang4 yao4}, downsinking medicinal; downsinker
沉脈 {chen2 mai4}, sunken pulse; deep pulse
沉默寡言 {chen2 mo4 gua3 yan2}, taciturn
沉取 {chen2 qu3}, feel the deep level (pulse)
沉水香 {chen2 shui3 xiang1}, 中藥異名 aquilaria (Aquilariae Lignum Resinatum)
沉香 {chen2 xiang1}, 中藥正名 aquilaria (Aquilariae Lignum Resinatum)

沉香阿魏丸 {chen2 xiang1 e1 wei4 wan2}, 方名 Aquilaria and Asafetida Pill
沉香降氣湯 {chen2 xiang1 jiang4 qi4 tang1}, 方名 Aquilaria Qi4-Downbearing Decoction
沉香木 {chen2 xiang1 mu4}, 中藥異名 aquilaria (Aquilariae Lignum Resinatum)
沉香曲 {chen2 xiang1 qu1}, 中藥正名 aquilaria leaven (Aquilariae Ligni Massa)
沉香散 {chen2 xiang1 san3}, 方名 Aquilaria Powder
沉香天麻湯 {chen2 xiang1 tian1 ma2 tang1}, 方名 Aquilaria and Gastrodia Decoction
沉香溫胃丸 {chen2 xiang1 wen1 wei4 wan2}, 方名 Aquilaria Stomach-Warming Pill
沉重 {chen2 zhong4}, heavy

【辰】 {chen2} [Freq. 3] fifth earthly branch; B5.
辰砂 {chen2 sha1}, 中藥異名 cinnabar (Cinnabaris)
辰時 {chen2 shi2}, B5 watch (7--9 a.m.)

【晨】 {chen2} [Freq. 3] early morning.
晨泄 {chen2 xie4}, early morning diarrhea

【陳】 {chen2} [Freq. 3] mature; old; Chen2 (557--589 A.D.).
陳倉米 {chen2 cang1 mi3}, 中藥正名 old rice (Oryzae Semen Vetum)
陳藏器 {chen2 cang2 qi4}, Chen2 Cang2-Qi4
陳茶 {chen2 cha2}, 中藥正名 old tea (Theae Folium Vetum)
陳膽星 {chen2 dan3 xing1}, 中藥正名 old bile arisaema (Arisaematis Rhizoma cum Felle Bovis Vetum)
陳壺盧瓢 {chen2 hu2 lu2 piao2}, 中藥正名 old bottle gourd rind (Lagenariae Pericarpium Vetum)
陳火腿骨 {chen2 huo3 tui3 gu3}, 中藥正名 cured ham bone (Suis Piernae Os)
陳芥菜鹵汁 {chen2 jie4 cai4 lu3 zhi1}, 中藥正名 leaf mustard pickling juice (Sinapis Liquor Vetus)
陳酒 {chen2 jiu3}, 中藥正名 vintage grain liquor (Granorum Vinum Maturum*)
陳久痼寒 {chen2 jiu3 gu4 han2}, enduring intractable cold
陳茗 {chen2 ming2}, 中藥異名 old tea (Theae Folium Vetum)
陳茗粥 {chen2 ming2 zhou1}, 方名 Old Tea Gruel
陳皮流浸膏 {chen2 pi2 liu2 jin4 gao1}, 中藥正名 liquid extract of tangerine peel (Citri Reticulatae Pericarpii Extractum Liquidum)
陳皮炭 {chen2 pi2 tan4}, 中藥正名 charred tangerine peel (Citri Reticulatae Pericarpium Carbonisatum)
陳皮 {chen2 pi2, 中藥正名 tangerine peel (Citri Reticulatae Pericarpium)
陳蒁草 {chen2 sha1 cao3}, 中藥異名 Chinese fieldnettle (Stachydis Baicalensis Herba)
陳實功 {chen2 shi2 gong1}, Chen2 Shi2-Gong1

陳石灰 {chen2 shi2 hui1}, 中藥正名 old lime (Calx Veta)
陳修圓 {chen2 xiu1 yuan2}, Chen2 Xiu1-Yuan2
陳言 {chen2 yan2}, Chen2 Yan2
陳自明 {chen2 zi4 ming2}, Chen2 Zi4-Ming2
陳棕皮 {chen2 zong1 pi2}, 中藥正名 old trachycarpus (Trachycarpi Petiolus Vetus)
陳棕炭 {chen2 zong1 tan4}, 中藥正名 charred old trachycarpus (Trachycarpi Petiolus Vetus Carbonisatus)

【塵】 {chen2} [Freq. 4] dust.
塵氣 {chen2 qi4}, 腧穴異名 GV-12 (Dust Qi4)

~~ {cheng1} ~~
【赬】 {cheng1} [Freq. 4] red.
赬桐葉 {cheng1 tong2 ye4}, 中藥正名 Japanese glory-bower leaf (Clerodendri Japonici Folium)

【檉】 {cheng1} [Freq. 4] tamarisk.
檉柳 {cheng1 liu3}, 中藥異名 tamarisk (Tamaricis Cacumen)
檉柳花 {cheng1 liu3 hua1}, 中藥正名 tamarisk flower (Tamaricis Flos)
檉乳 {cheng1 ru3}, 中藥正名 tamarisk resin (Tamaricis Resina)

【蛏】 {cheng1} [Freq. 4] razor clam.
蛏殼 {cheng1 qiao4 (ke2)}, 中藥正名 razor clam shell (Sinonovaculae Concha)
蛏肉 {cheng1 rou4}, 中藥正名 razor clam (Sinonovaculae Caro)

~~ {cheng2} ~~
【丞】 {cheng2} [Freq. 5] assist (v.); assistant (n.) (太醫丞 {tai4 yi1 cheng2}, Imperial Medical Officer)

【成】 {cheng2} [Freq. 4] become; constitute.
成方切用 {cheng2 fang1 qie4 yong4}, 書名 Effective Use of Set Formulas
成分 {cheng2 fen4}, constituent
成骨 {cheng2 gu3}, lower leg bone; tibia; 腧穴正名 Bone Growth
成骨不全 {cheng2 gu3 bu4 quan2}, 西醫 osteogenesis imperfecta
成膿 {cheng2 nong2}, form pus; suppurate
成人呼吸窘迫綜合症 {cheng2 ren2 hu1 xi1 qiong3 po4 zong4 he2 zheng4}, 西醫 adult

respiratory distress syndome
成無己 {cheng2 wu2 ji3}, Cheng2 Wu2-Ji3
成藥 {cheng2 yao4}, ready-prepared medicine; proprietary medicine
成因 {cheng2 yin1}, cause; contributory factor

【承】 {cheng2} [Freq. 4] support; bear (津步上承 {jin1 bu4 shang4 cheng2}, liquid failing to bear upward).
承扶 {cheng2 fu2}, 腧穴正名 BL-36 (Support)
承扶皮部 {cheng2 fu2 pi2 bu4}, 腧穴異名 BL-36 (Skin Region Support)
承光 {cheng2 guang1}, 腧穴正名 BL-6 (Light Guard)
承間 {cheng2 jian1}, 腧穴正名 Between Supports
承漿 {cheng2 jiang1}, sauce receptacle (infralabial fossa) (Sauce Receptacle); 腧穴正名 CV-24
承漿疔 {cheng2 jiang1 ding1}, sauce receptacle clove sore (infralabial fossa); sauce receptacle clove sore
承筋 {cheng2 jin1}, 腧穴正名 BL-56 (Sinew Support)
承靈 {cheng2 ling2}, 腧穴正名 GB-18 (Spirit Support)
承滿 {cheng2 man3}, 腧穴正名 ST-20 (Assuming Fullness)
承命 {cheng2 ming4}, 腧穴正名 Life Support (Life Support); 腧穴異名 SP-6
承泣 {cheng2 qi4}, 腧穴正名 ST-1 (Tear Container)
承氣湯 {cheng2 qi4 tang1}, 方名 Qi4-Infusing Decoctions
承氣養營湯 {cheng2 qi4 yang3 ying2 tang1}, 方名 Qi4-Infusing Construction-Nourishing Decoction
承山 {cheng2 shan1}, 腧穴正名 BL-57 (Mountain Support)

【乘】 {cheng2} [Freq. 2] overwhelm (v.) (木乘土 {mu4 cheng2 tu3}, wood overwhelming earth); exploit (v.) (外邪乘虛 {wai4 xie2 cheng2 xu1}, external evil exploiting vacuity)

【程】 {cheng2} [Freq. 4] journey; surname.
程氏萆薢分清飲 {cheng2 shi4 bi4 xie4 fen1 qing1 yin3}, 方名 Cheng's Fish Poison Yam Clear-Turbid Separation Beverage
程氏蠲痺湯 {cheng2 shi4 juan4 bi4 tang1}, 方名 Cheng's Impediment-Alleviating Decoction

【澄】 {cheng2} [Freq. 4] clear.
澄澈清冷 {cheng2 che4 qing1 leng3}, clear, pure, and cold
澄茄 {cheng2 qie2}, 中藥異名 cubeb (Litseae Fructus)

【橙】 {cheng2} [Freq. 4] orange.
橙皮 {cheng2 pi2}, 中藥正名 sweet orange peel (Citri Sinensis Exocarpium)

橙皮油 {cheng2 pi2 you2}, 中藥正名 sweet orange peel oil (Citri Sinensis Exocarpii Oleum)
橙葉 {cheng2 ye4}, 中藥正名 sweet orange leaf (Citri Sinensis Folium)
秤桿草 {cheng4 gan3 cao3}, 中藥正名 Japanese eupatorium (Eupatorii Japonici Herba seu Radix)
秤桿升麻 {cheng4 gan3 sheng1 ma2}, 中藥正名 Lindley's eupatorium (Eupatorii Lindleyani Radix)
秤砣梨 {cheng4 tuo2 li2}, 中藥正名 leathery-leaved actinidia fruit (Actinidiae Coriaceae Fructus)
秤砣梨根 {cheng4 tuo2 li2 gen1}, 中藥正名 leathery-leaved actinidia root (Actinidiae Coriaceae Radix)

~~ {chi1} ~~
【吃】 {chi1} [Freq. 4] eat.
吃飯不香 {chi1 fan4 bu4 xiang1}, no pleasure in eating
吃素 {chi1 su4}, eat (or be) vegetarian
吃油脂 {chi1 you2 zhi1}, 中藥異名 halloysite (Halloysitum Rubrum)

【癡】 {chi1} [Freq. 5] feeble-minded.
癡呆 {chi1 dai1}, feeble-mindedness

【眵】 {chi1} [Freq. 5] eye discharge (n.) (多眵 {duo1 chi1}, copious eye discharge).
鴟骨 {chi1 gu3}, 中藥正名 owl's bone (Circi Os)
鴟肉 {chi1 rou4}, 中藥正名 owl (Circi Caro)
鴟頭 {chi1 tou2}, 中藥正名 owl's head (Circi Caput)

~~ {chi2} ~~
【弛】 {chi2} [Freq. 4] slack.
弛緩性癱瘓 {chi2 huan3 xing4 tan1 huan4}, 西醫 flaccid paralysis
弛縱 {chi2 zong4}, slack; slacken

【池】 {chi2} [Freq. 3] pool.
池前 {chi2 qian2}, 腧穴正名 Before the Pool
池頭 {chi2 tou2}, 腧穴異名 LI-7 (Pool's Head)
池下 {chi2 xia4}, 腧穴正名 Below the Pool

【持】 {chi2} [Freq. 4] hold.

持脈 {chi2 mai4}, hold the pulse (i.e., feel)
持樞 {chi2 shu1}, 腧穴異名 CV-4 (Junior Pivot)
持物困難 {chi2 wu4 kun4 nan2}, difficulty in grasping objects
持續發熱 {chi2 xu4 fa1 re4}, persistent heat [effusion] (fever)
持續痛 {chi2 xu4 tong4}, continual pain

【匙】 {chi2} [Freq. 4] spoon.
匙葉草 {chi2 ye4 cao3}, 中藥正名 sea lavender (Limonii Sinensis Radix seu Herba)
匙葉伽藍菜 {chi2 ye4 qie2 lan2 cai4}, 中藥正名 spatulate kalanchoe (Kalanchoes Spathulatae Herba)

【遲】 {chi2} [Freq. 3] delayed; slow (adj.), slowness (n.) (遲脈} {chen2 mai4}, slow pulse; 五遲 {wu3 chi2}, the five slownesses).
遲鈍 {chi2 dun4}, torpor
遲緩 {chi2 huan3}, flaccid
遲脈 {chi2 mai4}, slow pulse

【蚳】 {chi2} [Freq. 4] ant eggs.
蚳母 {chi2 mu3}, 中藥異名 anemarrhena (Anemarrhenae Rhizoma)

~~ {chi3} ~~
【尺】 {chi3} [Freq. 3] cubit.
尺側腕伸肌 {chi3 ce4 wan4 shen1 ji1}, 西醫 ulnar extensor muscle of the wrist
尺動脈 {chi3 dong4 mai4}, 西醫 ulnar artery
尺膚 {chi3 fu1}, cubit skin
尺蓋 {chi3 gai4}, 腧穴異名 ST-12 (Cubit Cover)
尺骨 {chi3 gu3}, 西醫 ulna
尺脈 {chi3 mai4}, cubit pulse
尺脈弱 {chi3 mai4 ruo4}, weak cubit pulse
尺脈微弱 {chi3 mai4 wei1 ruo4}, slightly weak cubit pulse
尺橈 {chi3 rao2}, 腧穴正名 Ulna and Radius
尺澤 {chi3 ze2}, 腧穴正名 LU-5 (Cubit Marsh)
尺之五里 {chi3 zhi1 wu3 li3}, 腧穴異名 LI-13 (Five Li3 of the Cubit)
尺中 {chi3 zhong1}, cubit (pulse)

【恥】 {chi3} [Freq. 4] shame.
恥骨 {chi3 gu3}, 西醫 pubic bone

耻骨肌 {chi3 gu3 ji1}, 西醫 pectineal muscle

【豉】 {chi3} [Freq. 4] fermented soybean.
豉餅灸 {chi3 bing3 jiu3}, moxibustion on fermented bean cake
豉蟲 {chi3 chong2}, 中藥正名 whirligig beetle (Gyrinus)
豉汁 {chi3 zhi1}, 中藥正名 fermented soybean juice (Sojae Seminis Fermentati Liquidum)

【齒】 {chi3} [Freq. 2] dental (adj.); tooth (n.); lower tooth.
齒斑 {chi3 band}, 西醫 dental plaque
齒不生 {chi3 bu4 sheng1}, non-growth of teeth
齒槽風 {chi3 cao2 feng1}, bone trough wind
齒遲 {chi3 chi2}, slowness to teethe
齒蠹 {chi3 du4}, tooth decay
齒堊質 {chi3 e4 zhi4}, 西醫 cementum
齒槁 {chi3 gao3}, desiccated teeth
齒更 {chi3 geng1}, change of teeth
齒寒 {chi3 han2}, tooth cold
齒痕舌 {chi3 hen2 she2}, tongue bearing dental impressions
齒忽變黑 {chi3 hu1 bian4 hei1}, sudden blackening of the teeth
齒焦 {chi3 jiao1}, parched teeth
齒噤 {chi3 jin4}, clenched teeth
齒衄 {chi3 nu94}, bleeding gums; spontaneous bleeding of the gum
齒齲 {chi3 qu3}, tooth decay
齒石 {chi3 shi2}, 西醫 dental calculus
齒髓 {chi3 sui3}, 西醫 pulp
齒髓腔 {chi3 sui3 qiang1}, 西醫 pulp cavity
齒痛 {chi3 tong4}, toothache; toothache among the lower teeth
齒爲骨之余 {chi3 wei2 gu3 zhi1 yu2}, teeth are the surplus of the bone
齒齘 {chi3 xie4}, grinding of the teeth; bruxism
齒牙鬆動 {chi3 ya2 song1 dong4}, loosening of the teeth
齒葉草 {chi3 ye4 cao3}, 中藥正名 odontites (Odontitis Herba)
齒齦 {chi3 yin2}, gums; gingiva(n.); gingival(adj.); gum
齒齦炎 {chi3 yin2}, 西醫 gingivitis
齒齦紅腫 {chi3 yin2 hong2 zhong3}, red swollen gums
齒齦紅腫熱痛 {chi3 yin2 hong2 zhong3 re4 tong4}, painful red hot swollen gums sore
齒齦結瓣 {chi3 yin2 jie2 ban4}, petalled gums
齒齦虛浮 {chi3 yin2 xu1 fu2}, vacuous puffy gums
齒齦腫痛 {chi3 yin2 zhong3 tong4}, painful swollen gums

齒緣草 {chi3 yuan2 cao3}, 中藥正名 eritrichium (Eritrichii Flos et Folium)
齒燥 {chi3 zao4}, dry front teeth; dry teeth
齒質 {chi3 zhi4}, 西醫 dentin

~~ {chi4} ~~
【赤】 {chi4} [Freq. 2] red (adj.); reddish \ADC (color associated with heart-fire. 目赤 {mu4 chi4}, {red} eyes).
赤白帶 {chi4 bai2 dai4}, red and white vaginal discharge
赤田帶下 {chi4 bai2 dai4 xia4}, red and white vaginal discharge
赤白痢 {chi4 bai2 li4}, red and white dysentery
赤白肉際 {chi4 bai2 rou4 ji4}, border of the red and whiteflesh (on the arms and legs)
赤白芍 {chi4 bai2 shao2}, 中藥正名 red or white peony (Paeoniae Radix Alba seu Rubra)
赤白游風 {chi4 bai2 you2 feng1}, red and white wandering wind
赤白雜痢 {chi4 bai2 za2 li4}, mixed red and white dysentery
赤白濁 {chi4 bai2 zhuo2}, red and white turbidity; red and white turbidity
赤&&74DF|{chi4 bo2}, 中藥正名 thladiantha fruit (Thladianthae Fructus)
赤車使者 {chi4 che1 shi3 zhe3}, 中藥正名 umbellate elatostema (Elatostematis Umbellati Herba)
赤檉柳 {chi4 cheng1 liu3}, 中藥異名 tamarisk (Tamaricis Cacumen)
赤蟲 {chi4 chong2}, redworm
赤蟲病 {chi4 chong2 bing4}, redworm disease
赤帶 {chi4 dai4}, red vaginal discharge
赤帶抱輪 {chi4 dai4 bao4 lun2}, red areola surrounding the dark of the eye
赤丹 {chi4 dan1}, 中藥異名 cinnabar (Cinnabaris)
赤地利 {chi4 di4 li4}, 中藥異名 Chinese smartweed (Polygoni Chinensis Herba)
赤豆 {chi4 dou4}, 中藥異名 rice bean (Phaseoli Semen)
赤茯 {chi4 fu2}, 中藥異名 red poria (Poria Rubra)
赤茯苓 {chi4 fu2 ling2}, 中藥正名 red poria (Poria Rubra)
赤根菜 {chi4 gen1 cai4}, 中藥異名 spinach (Spinaciae Herba cum Radice)
赤瓜實 {chi4 gua1 shi2}, 中藥異名 crataegus (Crataegi Fructus)
赤紅血絲 {chi4 hong2 xue4 si1}, red blood threads
赤箭 {chi4 jian4}, 中藥異名 gastrodia (Gastrodiae Rhizoma)
赤膠 {chi4 jiao1}, 中藥異名 lac (Lacciferi Secretio)
赤車使者根 {chi4 ju1 shi3 zhe3 gen1}, 中藥正名 umbellate elatostema root (Elatostematis Umbellati Rhizoma)
赤痢 {chi4 li4}, red dysentery
赤鏈蛇 {chi4 lian4 she2}, 中藥正名 dinodon (Dinodon)

赤苓 {chi4 ling2}, 中藥異名 red poria (Poria Rubra)
赤苓湯 {chi4 ling2 tang1}, 方名 Red Poria Decoction
赤脈傳睛 {chi4 mai4 chuan2 jing1}, red vessels spreading across the eye
赤脈侵睛 {chi4 mai4 qin1 jing1}, red vessels invading the eye
赤面風 {chi4 mian4 feng1}, red face wind
赤膜下垂 {chi4 mo2 xia4 chui2}, hanging red membrane
赤木 {chi4 mu4}, 中藥異名 sappan (Sappan Lignum)
赤朴 {chi4 po4}, 中藥異名 officinal magnolia bark (Magnoliae Officinalis Cortex)
赤曲 {chi4 qu1}, 中藥異名 red infested rice (Oryzae Semen cum Monasco)
赤肉 {chi4 rou4}, red flesh
赤肉際 {chi4 rou4 ji4}, [region of] red flesh
赤如衄血 {chi4 ru2 pei1 xue4}, red as coagulated blood
赤沙糖 {chi4 sha1 tang2}, 中藥正名 brown sugar (Saccharon Granulatum Rubrum)
赤芍藥 {chi4 shao2 yao4}, 中藥異名 red peony (Paeoniae Radix Rubra)
赤芍 {chi4 shao2, 中藥正名 red peony (Paeoniae Radix Rubra)
赤參 {chi4 shen1}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)
赤石斑 {chi4 shi2 ban1}, 中藥正名 red-banded rock cod (Epinephelus Fasciatus)
赤石土 {chi4 shi2 tu3}, 中藥異名 halloysite (Halloysitum Rubrum)
赤石脂 {chi4 shi2 zhi1}, 中藥正名 halloysite (Halloysitum Rubrum)
赤石脂禹余糧湯 {chi4 shi2 zhi1 yu3 yu2 liang2 tang1}, 方名 Halloysite and Limonite Decoction
赤霜散 {chi4 shuang1 san3}, 方名 Red Frost Powder
赤水玄珠 {chi4 shui3 xuan2 zhu1}, 書名 Mysterious/Black Pearl of Red Water
赤絲亂脈 {chi4 si1 luan4 mai4}, chaotic red thread-like vessels (in the eye)
赤絲虯脈 {chi4 si1 qiu2 mai4}, tangled red-thread vessels
赤絲&&866C.866F‖脈 {chi4 si1 qiu2 mai4}, tangled red-thread vessels
赤松毬 {chi4 song1 qiu2}, 中藥正名 blotcheye soldier (Myripristis Murdjan)
赤銅屑 {chi4 tong2 xie4}, 中藥正名 copper flakes (Aeris Frusta)
赤土 {chi4 tu3}, 中藥異名 hematite (Haematitum)
赤硝 {chi4 xiao1}, 中藥正名 red niter (Nitrum Rubrum)
赤小豆 {chi4 xiao3 dou4}, 中藥正名 rice bean (Phaseoli Semen)
赤小豆當歸散 {chi4 xiao3 dou4 dang1 gui1 san3}, 方名 Rice Bean and Chinese Angelica Powder
赤小豆花 {chi4 xiao3 dou4 hua1}, 中藥正名 rice bean flower (Phaseoli Flos)
赤小豆芽 {chi4 xiao3 dou4 ya2}, 中藥正名 rice bean sprout (Phaseoli Semen Germinatum)
赤小豆葉 {chi4 xiao3 dou4 ye4}, 中藥正名 rice bean leaf (Phaseoli Folium)
赤穴 {chi4 xue2}, 腧穴正名 Red Point
赤炎瘡 {chi4 yan2 chuang1}, red flaming sore

赤楊 {chi4 yang2}, 中藥正名 Japanese alder (Alni Japonicae Ramulus et Cortex)
赤陽子 {chi4 yang2 zi3}, 中藥正名 firethorn fruit (Pyracanthae Fructus)
赤游丹 {chi4 you2 dan1}, red wandering cinnabar
赤游丹毒 {chi4 you2 dan1 du2}, red wandering cinnabar toxin
赤游風 {chi4 you2 feng1}, red wandering wind
赤芫 {chi4 yuan2}, 中藥異名 genkwa (Genkwa Flos)
赤棗子 {chi4 zao3 zi3}, 中藥異名 crataegus (Crataegi Fructus)
赤赭石 {chi4 zhe3 shi2}, 中藥異名 hematite (Haematitum)
赤朮 {chi4 zhu2}, 中藥異名 atractylodes (Atractylodis Rhizoma)
赤濁 {chi4 zhuo2}, red turbidity (red urethral discharge)

【翅】 {chi4} [Freq. 5] wing (蠅翅黑花 {ying2 chi4 hei1 hua1}, flies' wings and black flowers (i.e., mouches volantes)).
翅豆 {chi4 dou4}, 中藥異名 Goa bean (Psophocarpi Tetragonolobi Fructus)
翅果唐松草 {chi4 guo3 tang2 song1 cao3}, 中藥正名 Siberian meadow rue (Thalictri Aquilegifolii Herba seu Rhizoma et Radix)
翅莖香青 {chi4 jing1 xiang1 qing1}, 中藥正名 Chinese anaphalis (Anaphalis Sinicae Herba)

【熾】 {chi4} [Freq. 2] intense (adj.) (心火熾盛 {xin1 huo3 chi4 sheng4}, intense heart fire)

【瘛】 {chi4} [Freq. 5] tugging (n.) (as in 瘛瘲 {qi4 zong4}).
瘛脈 {chi4 mai4}, 腧穴正名 TB-18 (Tugging Vessel)
瘛瘲 {chi4 zong4}, tugging and slackening (clonic spasm)

~~ {chong1} ~~
【充】 {chong1} [Freq. 2] fullness (n.) (腎，其華在骨 {shen4, qi2 hua2 zai4 gu3}, the kidney, its {fullness} is in the bone).
充血性心力衰竭 {chong1 xue4 xing4 xin1 li4 shuai1 jie2}, 西醫 congestive heart failure

【沖】 {chong1} [Freq. 2] drench (v.) (沖服 {chong1 fu2}, take drenched); hub (n.) (中衝 {zhong1 chong1}, Central Hub (PC-9)); thoroughfare (n.) (衝脈 {chong1 mai4}, thoroughfare vessel); surge (頭沖 {tou2 chong1}, Head Surge).
沖服 {chong1 fu2}, take drenched (mixed with a larged amount of water)
沖服劑 {chong1 fu2 ji4}, soluble preparation
沖和 {chong1 he2}, harmonious flow
沖和膏 {chong1 he2 gao1}, 方名 Harmonious Flow Paste
沖和湯 {chong1 he2 tang1}, 方名 Harmonious Flow Decoction

冲和之象 {chong1 he2 zhi1 xiang4}, sign of harmonious flow
冲化 {chong1 hua4}, dissolve
冲劑 {chong1 ji4}, soluble granules
冲間 {chong1 jian1}, 腧穴異名 Surge Space
冲脈 {chong1 mai4}, thoroughfare vessel
冲門 {chong1 men2}, 腧穴正名 SP-12 (Surging Gate)
冲逆 {chong1 ni4}, surging counterflow (頭冲 {tou2 chong1}, Head Surge)
冲氣 {chong1 qi4}, surging qi4
冲任 {chong1 ren4}, thoroughfare and controlling vessels
冲任胞脈受阻 {chong1 ren4 bao1 mai4 shou4 zu3}, obstruction of the thoroughfare, controlling, and uterine vessels
冲任胞脈損傷 {chong1 ren4 bao4 mai4 sun3 shang1}, damage to the thoroughfare, controlling, and uterine vessels
冲任不固 {chong1 ren4 bu4 gu4}, insecurity of the thoroughfare and controlling vessels
冲任不固證 {chong1 ren4 bu4 gu4 zheng4}, pattern of insecurity of the thoroughfare and controlling vessels
冲任不調 {chong1 ren4 bu4 tiao2}, disharmony of the thoroughfare and controlling vessels
冲任不調證 {chong1 ren4 bu4 tiao2 zheng4}, pattern of disharmony of the thoroughfare and controlling vessels
冲任寒濕瘀結 {chong1 ren4 han2 shi1 yu1 jie2}, thoroughfare and controlling vessel cold-damp stasis bind
冲任寒證 {chong1 ren4 han2 zheng4}, thoroughfare and controlling vessel cold pattern
冲任空虛 {chong1 ren4 kong1 xu1}, emptiness of the thoroughfare and controlling vessels
冲任熱證 {chong1 ren4 re4 zheng4}, thoroughfare and controlling vessel heat pattern
冲任濕熱瘀結 {chong1 ren4 shi1 re4 yu1 jie2}, thoroughfare and controlling vessel damp-heat stasis bind
冲任失調 {chong1 ren4 shi1 tiao2}, disharmony of the thoroughfare and controlling vessels; thoroughfare-controlling disharmony
冲任損傷 {chong1 ren4 sun3 shang1}, damage to the thoroughfare and controlling vessels
冲任虛寒 {chong1 ren4 xu1 han2}, thoroughfare and controlling vessel vacuity cold
冲任虛衰 {chong1 ren4 xu1 shuai1}, debilitation of the thoroughfare and controlling vessels
冲任瘀阻 {chong1 ren4 yu1 zu3}, thoroughfare and controlling vessel stasis obstruction
冲疝 {chong1 shan4}, surging mounting
冲爲血海 {chong1 wei2 xue4 hai3}, thoroughfare vessel is the sea of blood
冲洗療法 {chong1 xi1 liao2 fa3}, irrigation therapy
冲洗 {chong1 xi3}, wash
冲陽 {chong1 yang2}, 腧穴正名 ST-42 (Surging Yang2) (Surging Yang2); 腧穴異名 LI-20 (Thoroughfare Yang2); 腧穴異名 LI-20

沖陽脈 {chong1 yang2 mai4}, surging yang2 pulse

【忡】 {chong1} [Freq. 5] fearful (怔忡 {zheng1 chong1}, fearful throbbing); careworn

【茺】 {chong1} [Freq. 4] leonurus.
茺蔚子 {chong1 wei4 zi3}, 中藥正名 leonurus fruit (Leonuri Fructus)
茺玉子 {chong1 yu4 zi3}, 中藥異名 leonurus fruit (Leonuri Fructus)

~~ {chong2} ~~
【重】 {chong2} [Freq. 3] double.
重唇魚 {chong2 chun2 yu2}, 中藥正名 steed barbel (Hemibarbi Caro)
重訂通俗傷寒論 {chong2 ding4 tong1 su2 shang1 han2 lun4}, 書名 Revised Popular On Cold Damage
重感 {chong2 gan3}, double contraction
重樓 {chong2 lou2}, secluded chamber (Paridis Rhizoma); 中藥正名 petiolate paris
重樓玉鑰 {chong2 lou2 yu4 yao4}, 書名 Jade Key to the Secluded Chamber
重舌 {chong2 she2}, double tongue
重台 {chong2 tai2}, 中藥異名 scrophularia (Scrophulariae Radix)
重修政和經史證類備急本草 {chong2 xiu1 zheng4 he2 jing1 zhi3 zheng4 lei4 bei4 ji2 ben3 cao3}, Revised Zheng4-He2 Classified Emergency Herbal Foundation Based on Historical Classics
重言 {chong2 yan2}, stuttering
重陽 {chong2 yang2}, double yang2; weighted yang2
重陽必陰 {chong2 yang2 bi4 yin1}, double yang2 becomes yin1
重葉蓮 {chong2 ye4 lian2}, 中藥正名 callianthemus (Callianthemi Herba)
重衣不得溫 {chong2 yi1 bu4 de2 wen1}, inability to get warm despite extra clothing
重陰 {chong2 yin1}, double yin1; weighted yin1
重陰必陽 {chong2 yin1 bi4 yang2}, double yin1 becomes yang2
重澤 {chong2 ze2}, 中藥異名 kansui (Kansui Radix)

【崇】 {chong2} [Freq. 4] lofty.
崇骨 {chong2 gu3}, 腧穴正名 Lofty Bone

【蟲】 {chong2} [Freq. 2] worm (n.) (蛔蟲 {hui2 chong2}, roundworm); insect (n.) (百蟲入耳 {bai3 chong2 ru4 er4}, insects in the ear); reptile (蟲類 {chong2 lei4}, chong2 products); chong2 (n.) (蟲類 {chong2 lei4}, chong2 products).
蟲白蠟 {chong2 bai2 la4}, 中藥正名 insect wax (Cera Chinensis Cera)
蟲斑 {chong2 ban1}, worm macule

蟲病似癇 {chong2 bing4 si4 xian2}, worm disease resembling epilepsy
蟲草 {chong2 cao3}, 中藥異名 cordyceps (Cordyceps)
蟲豆 {chong2 dou4}, 中藥正名 soft atylosia (Atylosiae Caulis et Folium)
蟲鼓 {chong2 gu3}, worm drum
蟲臌 {chong2 gu3}, worm drum distention
蟲積 {chong2 ji1}, worm accumulation
蟲積腹痛 {chong2 ji1 fu4 tong4}, worm accumulation abdominal pain
蟲積疳積 {chong2 ji1 gan1 ji1}, worm and gan1 accumulations
蟲膠 {chong2 jiao1}, 中藥異名 lac (Lacciferi Secretio)
蟲蠟 {chong2 la4}, 中藥異名 insect wax (Cera Chinensis Cera)
蟲類 {chong2 lei4}, chong2 product
蟲嚙肺 {chong2 nie4 fei4}, worms gnawing the lung
蟲入耳 {chong2 ru4 er3}, insects in the ear
蟲蟺 {chong2 shan4}, 中藥異名 earthworm (Pheretima)
蟲獸傷 {chong2 shou4 shang1}, ainimal and insect wounds; animal and insect wounds
蟲碎舌 {chong2 sui4 she2}, worm-eaten tongue fur
蟲筍 {chong2 sun3}, 中藥正名 infested bamboo shoot (Bambusae Surculus Infestatus)
蟲痛 {chong2 tong4}, worm pain
蟲癇 {chong2 xian2}, worm epilepsy
蟲蝎螫痛 {chong2 xie1 shi4 tong4}, painful insect and scorpion stings
蟲心痛 {chong2 xin1 tong4}, worm heart pain
蟲牙藥 {chong2 ya2 yao4}, 中藥正名 ternate-leaved rabdosia (Rabdosiae Ternifolii Herba seu Radix)
蟲咬 {chong2 yao3}, insect bites
蟲脹 {chong2 zhang4}, worm distention
蟲疰 {chong2 zhu4}, worm infixation

~~ {chou1} ~~
【抽】 {chou1} [Freq. 4] tug.
抽掣 {chou1 che4}, pulling
抽搐 {chou1 chu4}, convulsion
抽動 {chou1 dong4}, jerking
抽風 {chou1 feng1}, tugging wind
抽筋 {chou1 jin1}, cramp
抽搦 {chou1 nuo4}, convulsion
抽氣罐 {chou1 qi4 guan4}, suction cup
抽氣罐法 {chou1 qi4 guan4 fa3}, suction cupping

抽薪飲 {chou1 xin1 yin3}, 方名 Firewood-Raking Beverage

~~ {chou2} ~~

【愁】 {chou2} [Freq. 4] anxious.

愁悶不安 {chou2 men4 bu4 an1}, anxious and oppressed

【稠】 {chou2} [Freq. 2] thick (adj.) (痰黃黏稠 {tan2 huang2 nian2 chou2}, thick sticky yellow phlegm).

稠梨子 {chou2 li2 zi3}, 中藥異名 bird cherry (Pruni Padi Fructus)

【綢】 {chou2} [Freq. 4] silk fabric.

綢春花 {chou2 chun2 hua1}, 中藥異名 China tea rose (Rosae Chinensis Flos)

~~ {chou3} ~~

【丑】 {chou3} [Freq. 3] second earthly branch; B2.

丑時 {chou3 shi2}, B2 watch (1--3 a.m.)

~~ {chou4} ~~

【臭】 {chou4} [Freq. 2] malodorous (adj.); malodor (n.).

臭柏 {chou4 bai3}, 中藥正名 savin [cacumen and cone] (Sabinae Cacumen et Conus)

臭草 {chou4 cao3}, 中藥正名 rue (Rutae Graveolentis Herba)

臭都魚 {chou4 du1 yu2}, 中藥正名 doctor fish (Siganus Fuscescens)

臭蒿 {chou4 hao1}, 中藥異名 virgate wormwood (Artemisiae Scopariae Herba)

臭荄 {chou4 ji2}, 中藥異名 houttuynia (Houttuyniae Herba)

臭節草根 {chou4 jie2 cao3 gen1}, 中藥正名 white chinaure root (Boenninghauseniae Albiflorae Radix)

臭辣樹 {chou4 la4 shu4}, 中藥正名 Farges' evodia (Evodiae Fargesii Fructus)

臭梨子 {chou4 li2 zi3}, 中藥異名 bird cherry (Pruni Padi Fructus)

臭茉莉 {chou4 mo4 li}, 中藥正名 fragrant glory-bower (Clerodendri Fragrantis Radix et Folium)

臭牡丹 {chou4 mu3 dan1}, 中藥正名 rose glory-bower stem and leaf (Clerodendri Bungei Caulis et Folium)

臭牡丹根 {chou4 mu3 dan1 gen1}, 中藥正名 rose glory-bower root (Clerodendri Bungei Radix)

臭牡丹皮 {chou4 mu3 dan1 pi2}, 中藥異名 red peony (Paeoniae Radix Rubra)

臭苜蓿根 {chou4 mu4 xu4 gen1}, 中藥正名 sweet clover root (Meliloti Radix)
臭氣 {chou4 qi4}, bad smell
臭山羊 {chou4 shan1 yang2}, 中藥正名 orixa (Orixae Radix)
臭屎茉莉 {chou4 shi3 mo4 li4}, 中藥異名 fragrant glory-bower (Clerodendri Fragrantis Radix et Folium)
臭涕 {chou4 ti4}, malodorous snivel (nasal mucus)
臭田螺 {chou4 tian2 luo2}, fetid river snail (Hongkong foot)
臭味 {chou4 wei4}, bad smell
臭梧桐 {chou4 wu2 tong2}, 中藥正名 clerodendron (Clerodendri Folium)
臭梧桐根 {chou4 wu2 tong2 gen1}, 中藥正名 clerodendron root (Clerodendri Radix)
臭梧桐花 {chou4 wu2 tong2 hua1}, 中藥正名 clerodendron flower (Clerodendri Flos)
臭梧桐葉 {chou4 wu2 tong2 ye4}, 中藥異名 clerodendron (Clerodendri Folium)
臭梧桐子 {chou4 wu2 tong2 zi3}, 中藥正名 clerodendron fruit (Clerodendri Fructus)
臭蕪荑 {chou4 wu2 yi2}, 中藥異名 elm cake (Ulmi Fructus Praeparatio)
臭腥草 {chou4 xing1 cao3}, 中藥異名 houttuynia (Houttuyniae Herba)
臭質草 {chou4 zhi2 cao3}, 中藥異名 houttuynia (Houttuyniae Herba)

~~ {chu1} ~~
【出】 {chu1} [Freq. 3] exit; issue; outward movement.
出汗 {chu1 han4}, sweating
出汗不止 {chu1 han4 bu4 zhi3}, incessant sweating
出膿 {chu1 nong2}, exude pus
出氣穴 {chu1 qi4 xue2}, 腧穴正名 Qi4 Issue Point
出血 {chu1 xue4}, bleeding; blood loss; hemorrhage; bloodletting
出針 {chu1 zhen1}, needle removal
出疹 {chu1 zhen3}, eruption of papules
出疹發斑 {chu1 zhen3 fa1 ban1}, promote maculopapular eruption

【初】 {chu1} [Freq. 4] initial; onset; early.
初持 {chu1 chi2}, initial palpation (pulse)
初期 {chu1 qi1}, initial stage (of disease) (of disease); early stage
初起 {chu1 qi3}, onset (of disease) (of disease); initial stage

~~ {chu2} ~~
【除】 {chu2} [Freq. 2] eliminate (v.), elimination (n.).
除痹 {chu2 bi4}, eliminate impediment

除痹痛 {chu2 bi4 tong4}, eliminate impediment pain
除煩 {chu2 fan2}, eliminate vexation
除風清脾飲 {chu2 feng1 qing1 pi2 yin3}, 方名 Wind-Eliminating Spleen-Clearing Beverage
除風濕 {chu2 feng1 shi1}, eliminate wind-damp
除風益損湯 {chu2 feng1 yi4 sun3 tang1}, 方名 Wind-Eliminating Boosting Decoction
除滿 {chu2 man3}, eliminate fullness
除脾濕 {chu2 pi2 shi1}, eliminate spleen dampness
除痞 {chu2 pi3}, eliminate glomus
除痞硬 {chu2 pi3 ying4}, eliminate glomus and hardness
除濕 {chu2 shi1}, eliminate dampness
除濕補氣湯 {chu2 shi1 bu3 qi4 tang1}, 方名 Dampness-Eliminating Qi4-Supplementing Decoction
除濕蠲痹湯 {chu2 shi1 juan1 bi4 tang1}, 方名 Dampness-Eliminating Impediment-Alleviating Decoction
除濕湯 {chu2 shi1 tang1}, 方名 Dampness-Eliminating Decoction
除濕通絡 {chu2 shi1 tong1 luo4}, elimate dampness and free the network vessels
除濕胃苓湯 {chu2 shi1 wei4 ling2 tang1}, 方名 Dampness-Eliminating Stomach-Calming Poria Five Decoction
除濕宣痹 {chu2 shi1 xuan1 bi4}, elimate dampness and diffuse impediment
除濕止帶 {chu2 shi1 zhi3 dai4}, elimate dampness and check vaginal discharge
除水飲 {chu2 shui3 yin3}, eliminate water-rheum
除痰 {chu2 tan2}, eliminate phlegm
除痰飲 {chu2 tan2 yin3}, eliminate phlegm-rheum
除胃滿 {chu2 wei4 man3}, eliminate gastric fullness
除胃滿降積滯 {chu2 wei4 man3 jiang4 ji1 zhi4}, eliminate stomach fullness and downear accumulation and stagnation
除溫熱久留 {chu2 wen1 re4 jiu3 liu2}, eliminate persistent warm-heat
除下焦濕熱 {chu2 xia4 jiao1 shi1 re4}, eliminate lower burner damp-heat
除癎 {chu2 xian2}, eliminate epilepsy
除虛熱 {chu2 xu1 re4}, eliminate vacuity heat
除血脈中之熱 {chu2 xue4 mai4 zhong1 zhi1 re4}, eliminate heat from the blood vessels
除血熱 {chu2 xue4 re4}, eliminate blood heat
除陰分伏熱 {chu2 yin1 fen1 fu2 re4}, eliminate yin1-aspect latent heat
除飲 {chu2 yin3}, eliminate rheum
除瘴截瘧 {chu2 zhang4 jie2 nue94}, eliminate miasma and interrupt malaria
除蒸 {chu2 zheng1}, eliminate steam (steaming bone fever)
除中 {chu2 zhong1}, eliminated center

【滁】 {chu2} [Freq. 4] short for 滁州, Chu2zhou1, a place in An1hui1 Province.
滁菊 {chu2 ju2}, 中藥正名 Chuzhou chrysanthemum (Chrysanthemi Flos *Chuzhouensis)
滁菊花 {chu2 ju2 hua1}, 中藥異名 Chuzhou chrysanthemum (Chrysanthemi Flos *Chuzhouensis)

~~ {chu3} ~~
【杵】 {chu3} [Freq. 4] pestle.
杵頭糠 {chu3 tou2 kang1}, 中藥異名 rice husk (Oryzae Testa)

【處】 {chu3} [Freq. 4] dwell; exist; manage.
處方 {chu3 fang1}, prescription
處方箋 {chu3 fang1 jian1}, prescription
處暑 {chu3 shu3}, Limit of Heat (14th solar term)

【楮】 {chu3} [Freq. 4] paper mulberry.
楮莖 {chu3 jing1}, 中藥正名 paper mulberry stem (Broussonetiae Ramus)
楮實 {chu3 shi2}, 中藥正名 paper mulberry fruit (Broussonetiae Fructus)
楮實子 {chu3 shi2 zi3}, 中藥異名 paper mulberry fruit (Broussonetiae Fructus)
楮樹白皮 {chu3 shu4 bai2 pi2}, 中藥正名 paper mulberry bark (Broussonetiae Cortex)
楮樹根 {chu3 shu4 gen1}, 中藥正名 paper mulberry root (Broussonetiae Radix)
楮樹間白汁 {chu3 shu4 jian1 bai2 zhi1}, 中藥正名 paper mulberry sap (Broussonetiae Succus)
楮桃 {chu3 tao2}, 中藥異名 paper mulberry fruit (Broussonetiae Fructus)
楮頭紅 {chu3 tou2 hong2}, 中藥正名 sarcopyramis (Sarcopyramidis Herba)
楮葉 {chu3 ye4}, 中藥正名 paper mulberry leaf (Broussonetiae Folium)

~~ {chu4} ~~
【怵】 {chu4} [Freq. 4] apprehensive.
怵惕 {chu4 ti4}, apprehensiveness

【處】 {chu4} [Freq. 4] place; residence.
處姑 {chu4 gu1}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
處女 {chu4 nu93}, virgin
處女膜 {chu4 nu93 mo2}, 西醫 hymen
處石 {chu4 shi2}, 中藥異名 loadstone (Magnetitum)

【觸】 {chu4} [Freq. 3] palpate.
觸動 {chu4 dong4}, stir
觸診 {chu4 zhen3}, body palpation
觸之棘手 {chu4 zhi1 ji2 shou3}, prickly to the touch
觸之堅痛 {chu4 zhi1 jian1 tong4}, tender hard to the touch

【搐】 {chu4} [Freq. 3] convulsion; jerking (of knees and elbows); jerk.
搐搦 {chu4 nuo4}, convulsion

~~ {chuai3} ~~
【&&8168||】 {chuai3} [Freq. 3] calf (of the leg).
&&8168||腸 {chuai3 chang2}, 腧穴異名 BL-56 (Calf Intestine) (Calf Intestine); 腧穴異名 KI-9
&&8168||發 {chuai3 fa1}, effusion of the calf

~~ {chuan1} ~~
【川】 {chuan1} [Freq. 4] stream; short for 四川, Si4chuan1, a province in western China.
川白芍 {chuan1 bai2 shao2}, 中藥正名 Si4chuan1 white peony (Paeoniae Radix Alba *Sichuanensis)
川柏 {chuan1 bai3}, 中藥異名 Si4chuan1 phellodendron (Phellodendri Cortex *Sichuanensis) (Phellodendri Cortex); 中藥異名 phellodendron
川貝 {chuan1 bei4}, 中藥異名 Si4chuan1 fritillaria (Fritillariae Cirrhosae Bulbus)
川貝母 {chuan1 bei4 mu3}, 中藥正名 Si4chuan1 fritillaria (Fritillariae Cirrhosae Bulbus)
川萆薢 {chuan1 bi4 xie4}, 中藥異名 smilax tuber (Smilacis Tuber)
川草烏 {chuan1 cao3 wu1}, 中藥正名 aconite wild aconite main root (Aconiti et Aconiti Kusnezoffii Radix Lateralis)
川層草 {chuan1 ceng2 cao3}, 中藥正名 lip fern (Cheilanthis Herba)
川當歸 {chuan1 dang1 gui1}, 中藥正名 Si4chuan1 tangkuei (Angelicae Sinensis Radix *Sichuanensis)
川黨 {chuan1 dang3}, 中藥正名 Si4chuan1 codonopsis (Codonopsis Tangshen Radix)
川黨參 {chuan1 dang3 shen1}, 中藥異名 Si4chuan1 codonopsis (Codonopsis Tangshen Radix)
川斷 {chuan1 duan4}, 中藥異名 dipsacus (Dipsaci Radix)
川防風 {chuan1 fang2 feng1}, 中藥正名 short-lobed ligusticum (Ligustici Brachylobi Radix)
川附 {chuan1 fu4}, 中藥異名 aconite (Aconiti Radix Lateralis Praeparata)
川附子 {chuan1 fu4 zi3}, 中藥異名 aconite (Aconiti Radix Lateralis Praeparata)
川谷 {chuan1 gu3}, 中藥正名 adlay (Coicis Ma-Yuen Semen)

川骨 {chuan1 gu3}, 中藥正名 Japanese spatterdock root (Nupharis Rhizoma)
川紅花 {chuan1 hong2 hua1}, 中藥正名 Si4chuan1 carthamus (Carthami Flos *Sichuanensis)
川花椒 {chuan1 hua1 jiao1}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
川黃柏 {chuan1 huang2 bai3}, 中藥正名 Si4chuan1 phellodendron (Phellodendri Cortex *Sichuanensis)
川薑黃 {chuan1 jiang1 huang2}, 中藥異名 turmeric (Curcumae Longae Rhizoma)
川江子 {chuan1 jiang1 zi3}, 中藥異名 croton (Crotonis Fructus)
川椒 {chuan1 jiao1}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
川椒粉 {chuan1 jiao1 fen3}, 中藥異名 zanthoxylum powder (Zanthoxyli Pericarpium Pulveratum)
川椒炭 {chuan1 jiao1 tan4}, 中藥異名 charred zanthoxylum (Zanthoxyli Pericarpium Carbonisatum)
川椒子 {chuan1 jiao1 zi3}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
川槿皮 {chuan1 jin3 pi2}, 中藥異名 rose-of-Sharon root bark (Hibisci Syriaci Radicis Cortex)
川槿子 {chuan1 jin3 zi3}, 中藥異名 rose-of-Sharon seed (Hibisci Syriaci Fructus)
川菊 {chuan1 ju2}, 中藥正名 Si4chuan1 chrysanthemum (Chrysanthemi Flos *Sichuanensis)
川軍 {chuan1 jun1}, 中藥異名 rhubarb (Rhei Radix et Rhizoma)
川連 {chuan1 lian2}, 中藥正名 Si4chuan1 coptis (Coptidis Rhizoma *Sichuanense)
川連枳殼湯 {chuan1 lian2 zhi3 ke2 tang1}, 方名 Sichuan Coptis and Bitter Orange Decoction
川楝子 {chuan1 lian4 zi3}, 中藥正名 toosendan (Toosendan Fructus)
川楝子炭 {chuan1 lian4 zi3 tan4}, 中藥正名 charred toosendan (Toosendan Fructus Carbonisatus)
川木通 {chuan1 mu4 tong1}, 中藥正名 Armand's clematis (Clematidis Armandii Caulis)
川木香 {chuan1 mu4 xiang1}, 中藥正名 common vladimiria (Vladimiriae Radix)
川牛膝 {chuan1 niu2 xi1}, 中藥正名 cyathula (Cyathulae Radix)
川朴 {chuan1 po4}, 中藥正名 Si4chuan1 magnolia (Magnoliae Cortex *Sichuanensis)
川耆 {chuan1 qi2}, 中藥正名 Si4chuan1 astragalus (Astragali Radix *Sichuanensis) (Hedysari Radix); 中藥異名 hedysarum
川藭 {chuan1 qiong2}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)
川山甲 {chuan1 shan1 jia3}, 中藥異名 pangolin scales (Manis Squama)
川石斛 {chuan1 shi2 hu2}, 中藥正名 Si4chuan1 dendrobium (Dendrobii Herba *Sichuanensis)
川烏頭 {chuan1 wu1 tou2}, 中藥異名 aconite main root (Aconiti Radix)
川烏粥 {chuan1 wu1 zhou1}, 方名 Aconite Main Tuber Gruel
川烏 {chuan1 wu1, 中藥正名 aconite main root (Aconiti Radix)
川膝 {chuan1 xi1}, 中藥異名 cyathula (Cyathulae Radix)
川心蓮 {chuan1 xin1 lian2}, 中藥異名 andrographis (Andrographis Herba)
川芎茶調散 {chuan1 xiong1 cha2 tiao2 san3}, 方名 Tea-Blended Chuan1xiong1 Powder
川芎散 {chuan1 xiong1 san3}, 方名 Chuan1xiong1 Powder

川芎 {chuan1 xiong1, 中藥正名 chuanxiong (Chuanxiong Rhizoma)
川續 {chuan1 xu4}, 中藥異名 dipsacus (Dipsaci Radix)
川續斷 {chuan1 xu4 duan4}, 中藥異名 dipsacus (Dipsaci Radix)
川鬱金 {chuan1 yu4 jin1}, 中藥正名 Si4chuan1 curcuma (Curcumae Radix *Sichuanensis)
川澤瀉 {chuan1 ze2 xie4}, 中藥正名 Si4chuan1 alisma (Alismatis Rhizoma *Sichuanense)

【穿】 {chuan1} [Freq. 4] pierce.
穿刺插針術 {chuan1 ci4 cha1 zhen1 shu4}, stabbing needle insertion
穿刺術 {chuan1 ci4 shu4}, 西醫 centesis
穿根藤 {chuan1 gen1 teng2}, 中藥正名 creeping psychotria (Psychotriae Serpentis Ramulus et Folium)
穿踝風 {chuan1 huai2 feng1}, ankle-boring wind
穿踝疽 {chuan1 huai2 ju1}, ankle-boring flat-abscess
穿踝痰 {chuan1 huai2 tan2}, ankle-boring phlegm
穿甲散 {chuan1 jia3 san3}, 方名 Pangolin Powder
穿破石 {chuan1 po4 shi2}, 中藥正名 vanieria (Vanieriae Caulis seu Radix)
穿山甲 {chuan1 shan1 jia3}, 中藥正名 pangolin scales (Manis Squama)
穿山甲散 {chuan1 shan1 jia3 san3}, 方名 Pangolin Scales Powder
穿山龍 {chuan1 shan1 long2}, 中藥正名 Japanese dioscorea (Dioscoreae Nipponicae Rhizoma)
穿心草 {chuan1 xin1 cao3}, 中藥正名 canscora (Canscorae Herba)
穿心蓮 {chuan1 xin1 lian2}, 中藥正名 andrographis (Andrographis Herba)
穿牙疔 {chuan1 ya2 ding1}, tooth-boring clove sore

【船】 {chuan1} [Freq. 4] boat.
船形烏頭 {chuan2 xing2 wu1 tou2}, 中藥正名 navicular aconite (Aconiti Navicularis Herba)

~~ {chuan2} ~~
【傳】 {chuan2} [Freq. 2] pass (v.), passage (n.) (傳經 {chuan2 jing1}, channel passage); convey (v.), conveyance (n.) (大腸主傳化 {da4 chang2 zhu3 chuan2 hua4}, the large intestine governs conveyance and transformation).
傳變 {chuan2 bian4}, shift; passage and transmutation
傳導性聾 {chuan2 dao3 xing4 long2}, 西醫 conduction deafness (tranmission deafness)
傳導之官 {chuan2 dao3 zhi1 guan1}, office of conveyance (large intestine)
傳化 {chuan2 hua4}, conveyance and transformation; passage and transformation
傳化物而不藏 {chuan2 hua4 wu4 er2 bu4 cang2}, convey and transform, but do not store (function of the bowels)
傳化之府 {chuan2 hua4 zhi1 fu3}, house of conveyance and transformation (any of the six

bowels)
傳經 {chuan2 jing1}, channel passage
傳染 {chuan2 ran3}, infection
傳染性單核細胞增多症 {chuan2 ran3 xing4 dan1 he2 xi4 bao1 zeng1 duo1 zheng4}, 西醫 infection mononucleosis
傳染性肝炎 {chuan2 ran3 xing4 gan1 yan2}, 西醫 infectious hepatitis
傳尸 {chuan2 shi1}, corpse transmission (consumption)
傳尸 {chuan2 shi1}, corpse transmission
傳尸癆 {chuan2 shi1 lao2}, corpse-transmitted consumption

~~ {chuan3} ~~
【喘】 {chuan3} [Freq. 2] pant (v.), panting (n.).
喘不得氣 {chuan3 bu4 de2 qi4}, panting with inability to catch one's breath
喘不得息 {chuan3 bu4 de2 xi1}, panting with inability to catch one's breath
喘促 {chuan3 cu4}, hasty panting
喘促不得臥 {chuan3 cu4 bu4 de2 wo4}, hasty panting with inability to lie down
喘促不能平臥 {chuan3 cu4 bu4 neng2 ping2 wo4}, hasty panting with inability to lie flat
喘急 {chuan3 ji2}, rapid panting
喘悸 {chuan3 ji4}, panting and palpitations
喘家 {chuan3 jia1}, person who suffers from panting
喘咳 {chuan3 ke2}, panting and cough
喘咳氣逆 {chuan3 ke2 qi4 ni4}, qi4 counterflow panting and cough
喘咳上氣 {chuan3 ke2 shang4 qi4}, panting and cough with qi4 ascent
喘滿 {chuan3 man3}, panting and fullness
喘滿熱咳 {chuan3 man3 re4 ke2}, heat cough with panting and fullness
喘鳴 {chuan3 ming2}, panting and rale; panting rale
喘逆 {chuan3 ni4}, panting counterflow
喘四君子湯 {chuan3 si4 jun1 zi3 tang1}, 方名 Four Gentlemen Panting Decoction
喘嗽 {chuan3 sou4}, panting and cough
喘息 {chuan3 xi1}, panting; 腧穴正名 Panting
喘息抬肩 {chuan3 xi1 tai2 jian1}, panting with raised shoulders
喘息倚肩 {chuan3 xi1 yi3 jian1}, panting with raised shoulders
喘哮兼咳 {chuan3 xiao1 chuan3 jian1 ke2}, panting and wheezing with cough
喘脹 {chuan3 zhang4}, panting and distention
喘證 {chuan3 zheng4}, panting patterns

~~ {chuan4} ~~

【串】 {chuan4} [Freq. 4] string together; bunch.

串地蜈蚣 {chuan4 di4 wu2 gong1}, 中藥異名 yellow-downed hedyotis (Hedyotis Chrysotrichae Herba)

串雅內編 {chuan4 ya3 nei4 bian1}, 書名 Internal Treatments of Folk Medicine

串雅外編 {chuan4 ya3 wai4 bian1}, 書名 External Treatments of Folk Medicine

串腰龍 {chuan4 yao1 long2}, girdling dragon

~~ {chuang1} ~~

【創】 {chuang1} [Freq. 3] wound.

創傷 {chuang1 shang1}, wound

創傷出血 {chuang1 shang1 chu1 xue4}, bleeding from wounds; bleeding wound

【窗】 {chuang1} [Freq. 4] window.

窗龍 {chuang1 long2}, 腧穴異名 SI-16 (Window Dragon)

窗籠 {chuang1 long2}, 腧穴異名 SI-16 (Window Basket)

窗聳 {chuang1 song3}, 腧穴異名 SI-16 (Lofty Window)

【瘡】 {chuang1} [Freq. 2] sore (n.) (蓐瘡{ru4 chuang1}, bedsore).

瘡毒 {chuang1 du2}, sore-toxin; toxin of sores

瘡毒丸 {chuang1 du2 wan2}, 方名 Sore-Toxin Pill

瘡家 {chuang1 jia1}, person who suffers from sores

瘡癤腫毒 {chuang1 jie2 zhong3 du2}, swelling and toxin of sores and boils

瘡口 {chuang1 kou3}, opening of a sore; sore-opening

瘡癆 {chuang1 lao2}, consumption from sores

瘡流清膿 {chuang1 liu2 qing1 nong2}, sores exuding clear pus

瘡瘍 {chuang1 yang2}, sore

瘡瘍癤腫 {chuang1 yang2 jie2 zhong3}, sores, boils, and swellings

瘡瘍腫毒 {chuang1 yang2 zhong3 du2}, swelling and toxin of sores

瘡痍 {chuang1 yi2}, sores

瘡腫 {chuang1 zhong3}, swollen sore; swelling of sores

瘡腫堅硬 {chuang1 zhong3 jian1 ying4}, hard swollen sore

~~ {chuang2} ~~

【床】 {chuang2} [Freq. 5] bed (尿床 {niao4 chuang2}, bed-wetting)

~~ {chuang4} ~~
【創】 {chuang4} [Freq. 4] create.
創新門 {chuang4 xin1 men2}, 腧穴正名 Creative Gate

~~ {chui1} ~~
【吹】 {chui1} [Freq. 4] insufflate.
吹鼻 {chui1 bi2}, nasal insufflation
吹鼻方 {chui1 bi2 fang1}, 方名 Nasal Insufflation Formula
吹鼻療法 {chui1 bi2 liao2 fa3}, nasal insufflation therapy
吹耳療法 {chui1 er3 liao2 fa3}, ear insufflation therapy
吹敷咽部 {chui1 fu1 yan1 bu4}, insufflate into the throat
吹喉 {chui1 hou2}, laryngeal insufflation
吹喉療法 {chui1 hou2 liao2 fa3}, laryngeal insufflation therapy
吹花癬 {chui1 hua1 xian3}, blown blossom lichen
吹奶 {chui1 nai3}, breast blowing (mammary welling-abscess)
吹氣 {chui1 qi4}, blow
吹乳 {chui1 ru3}, breast blowing (mammary welling abscess)
吹藥 {chui1 yao4}, insufflation
吹雲草 {chui1 yun2 cao3}, 中藥正名 salomonia (Salomoniae Herba)

【炊】 {chui1} cook

~~ {chui2} ~~
【垂】 {chui2} [Freq. 3] hang down; sag; fall.
垂果南芥 {chui2 guo3 nan2 jie4}, 中藥正名 pendulous arabis (Arabis Pendulae Fructus)
垂漿 {chui2 jiang1}, 腧穴異名 CV-4 (Fallen Sauce)
垂簾翳 {chui2 lian2 yi4}, falling curtain screen
垂簾障 {chui2 lian2 zhang4}, falling curtain obstruction
垂盆草 {chui2 pen2 cao3, 中藥正名 hanging stonecrop (Sedi Herba)
垂入尺澤 {chui2 ru4 chi3 ze2},
垂絲柳 {chui2 si1 liu3}, 中藥異名 tamarisk (Tamaricis Cacumen)
垂體 {chui2 ti3}, 西醫 pituitary gland
垂下 {chui2 xia4}, 腧穴異名 Sagging

【槌】 {chui2} [Freq. 5] mallet; drumstick (鼓槌風 {gu3 chui2 feng1}, drumstick wind)

【綞】 {chui2} [Freq. 4] spindle (紡綞 {fang3 chui2}, spindle).
鎚骨 {chui2 gu3}, 西醫 malleus

~~ {chun1} ~~
【春】 {chun1} [Freq. 3] spring (season associated with wood).
春不見 {chun1 bu4 jian4}, 中藥正名 Virginia moonwort (Botrychii Virginiani Herba cum Radice)
春不老 {chun1 bu4 lao3}, 中藥異名 leafy mustard (Brassicae Foliosae Caulis et Folium)
春草 {chun1 cao3}, 中藥異名 black swallowwort (Cynanchi Atrati Radix)
春分 {chun1 fen1}, Spring Equinox (4th solar term)
春花 {chun1 hua1}, 中藥異名 magnolia flower (1) (Magnoliae Flos)
春花胡枝子 {chun1 hua1 hu2 zhi1 zi3}, 中藥正名 Dunn's lespedeza (Lespedezae Dunnii Herba)
春花木 {chun1 hua1 mu4}, 中藥正名 India hawthorn (Rhaphiolepsis Indicae Ramulus et Folium seu Radix)
春季結膜炎 {chun1 ji4 jie2 mo2 yan2}, 西醫 spring conjunctivitis (vernal conjunctivitis, Fruehjahr Katarrh)
春尖油 {chun1 jian1 you2}, 中藥正名 toona sap (Toonae Succus)
春秋 {chun1 qiu1}, Spring and Autumn (770 B.C.--476 B.C.)
春砂花 {chun1 sha1 hua1}, 中藥正名 Yangchun amomum flower (Amomi Xanthioidis Flos et Pedicellus)
春溫 {chun1 wen1}, spring warmth
春弦 {chun1 xian2}, stringlike in spring (pulse)
春應中規 {chun1 ying4 zhong4 gui1}, [in] spring [the pulse] responds like compasses
春澤湯 {chun1 ze2 tang1}, 方名 Spring Pond Decoction

【椿】 {chun1} [Freq. 4] toona.
椿白皮 {chun1 bai2 pi2}, 中藥異名 toona bark (Toonae Cortex)
椿菜 {chun1 cai4}, 中藥異名 toona shoots (Toonae Surculus)
椿根白皮 {chun1 gen1 bai2 pi2}, 中藥正名 toona root bark (Toonae Radicis Cortex)
椿根皮 {chun1 gen1 pi2}, 中藥異名 toona root bark (Toonae Radicis Cortex)
椿皮 {chun1 pi2, 中藥正名 toona bark (Toonae Cortex)
椿樗白皮 {chun1 shu1 bai2 pi2}, 中藥正名 ailanthus/toona bark (Ailanthi seu Toonae (Radicis) Cortex)
椿葉 {chun1 ye4}, 中藥正名 toona leaf (Toonae Folium)

~~ {chun2} ~~

【唇】 {chun2} [Freq. 2] lip (n.).

唇顫動 {chun2 chan4 dong4}, tremor of the lips

唇疔 {chun2 ding1}, clove sore of the lip

唇反 {chun2 fan3}, eversion of the lip

唇風 {chun2 feng1}, lip wind

唇干 {chun2 gan1}, dry lips

唇頰腫 {chun2 jia2 zhong3}, swelling of the lips and cheek

唇甲青紫 {chun2 jia3 qing1 zi1}, green-blue or purple lips and nails

唇焦 {chun2 jiao1}, parched lips

唇緊 {chun2 jin3}, tight lips

唇菌 {chun2 jun4}, lip mushroom

唇口聚 {chun2 kou3 ju4}, pursed mouth and lips

唇裂 {chun2 lie4}, 西醫 cleft lip (palate); cracked lips

唇青紫 {chun2 qing1 zi3}, green-blue or purple lips

唇上端 {chun2 shang4 duan1}, 腧穴異名 GV-27 (Upper Extremity of the Lip)

唇舌淡白 {chun2 she2 dan4 bai2}, pale white lips and tongue

唇舌青紫 {chun2 she2 qing1 zi3}, green-blue or purple lips and tongue

唇舌色淡 {chun2 she2 se4 dan4}, pale lips

唇吻強 {chun2 wen3 jiang4}, stiff lips

唇燥 {chun2 zao4}, dry lips

唇燥裂 {chun2 zao4 lie4}, dry cracked lips

唇胗 {chun2 zhen1}, lip papule

唇腫 {chun2 zhong3}, swollen lips

唇紫 {chun2 zi3}, purple lips

【純】 {chun2} [Freq. 4] pure.

純陽真人養臟湯 {chun2 yang2 zhen1 ren2 yang3 zang4 tang1}, 方名 Pure Yang2 True Man Viscus-Nourishing Decoction

純陽正氣丸 {chun2 yang2 zheng4 qi4 wan2}, 方名 Pure Yang2 Qi4-Righting Pill

【淳】 {chun2} [Freq. 4] honest and simple; 淳于 Chu2-Yu2, a surname.

淳于意 {chun2 yu2 yi4}, Chun2-Yu2 Yi4

【醇】 {chun2} [Freq. 4] liquor.

醇酒 {chun2 jiu3}, 中藥正名 pure grain spirit (Granorum Spiritus Purus*)

醇酒厚味過度 {chun2 jiu3 hou4 wei4 guo4 du4}, excessive consumption of liquor and rich food

【蓴】 {chun2} [Freq. 4] water shield.
蓴 {chun2}，中藥正名 water shield (Braseniae Caulis et Folium)
蓴菜 {chun2 cai4}，中藥異名 water shield (Braseniae Caulis et Folium)

~~ {chuo4} ~~
【啜】 {chuo4} [Freq. 4] drink.
啜膿膏 {chuo4 nong2 gao1}，中藥異名 pouzolzia (Pouzolziae Herba (cum Radice))

~~ {ci1} ~~
【疵】 {ci1} [Freq. 3] blemish

【雌】 {ci1} [Freq. 4] female (of birds).
雌黃 {ci1 huang2}，中藥正名 orpiment (Auripigmentum)

~~ {ci2} ~~
【茨】 {ci2} [Freq. 5] plant name (鳧茨 {fu2 ci2}, water chestnut).
茨菇 {ci2 gu1}，中藥異名 arrowhead corm (Sagittariae Cormus)
茨菇草 {ci2 gu1 lian2}，中藥正名 spodiopogon (Spodiopogonis Herba)
茨黃蓮 {ci2 huang2 lian2}，中藥正名 mahonia root (Mahoniae Radix)

【瓷】 {ci2} [Freq. 4] ceramic.
瓷罐 {ci2 guan4}, ceramic cup

【慈】 {ci2} [Freq. 4] benevolent.
慈宮 {ci2 gong1}，腧穴異名 SP-12 (Palace of Charity)
慈菇 {ci2 gu1}，中藥正名 arrowhead corm (Sagittariae Cormus)
慈姑花 {ci2 gu1 hua1}，中藥正名 arrowhead flower (Sagittariae Flos)
慈姑葉 {ci2 gu1 ye4}，中藥正名 arrowhead leaf (Sagittariae Folium)
慈石 {ci2 shi2}，中藥異名 loadstone (Magnetitum)
慈竹根 {ci2 zhu2 gen1}，中藥正名 sinocalamus root (Sinocalami Rhizoma)
慈竹花 {ci2 zhu2 hua1}，中藥正名 sinocalamus flower (Sinocalami Flos)
慈竹氣筍 {ci2 zhu2 qi4 sun3}，中藥正名 tender sinocalamus shoot (Sinocalami Surculus Parvus)
慈竹茹 {ci2 zhu2 ru2}，中藥正名 sinocalamus shavings (Sinocalami Cortex)

慈竹筍 {ci2 zhu2 sun3}, 中藥正名 sinocalamus shoot (Sinocalami Surculus)
慈竹籜 {ci2 zhu2 tuo4}, 中藥正名 sinocalamus sheath (Sinocalami Vagina)
慈竹葉 {ci2 zhu2 ye4}, 中藥正名 sinocalamus leaf (Sinocalami Folium)

【磁】 {ci2} [Freq. 4] magnet.
磁君 {ci2 jun1}, 中藥異名 loadstone (Magnetitum)
磁石 {ci2 shi2}, 中藥正名 loadstone (Magnetitum)
磁朱丸 {ci2 zhu1 wan2}, 方名 Loadstone and Cinnabar Pill

【鷀】 {ci2} [Freq. 5] cormorant (鸕鷀 {lu2 ci2}, cormorant)

~~ {ci4} ~~
【次】 {ci4} [Freq. 3] second; secondary; next.
次&&91C3.9ACE|{ci4 liao2}, 腧穴正名 BL-32 (Second Bone-Hole)
次門 {ci4 men2}, 腧穴異名 CV-4 (Second Gate)
次指 {ci4 zhi3}, forefinger
次趾 {ci4 zhi3}, second toe

【刺】 {ci4} [Freq. 2] needle (n.), (v.), needling (n.) (九刺 {jiu3 ci4}, nine needling methods); insert (v.), insertion (v.) (直刺 {zhi2 ci4}, perpendicular insertion).
刺蕖薢 {ci4 bi4 xie4}, 中藥正名 catbrier (Smilacis Ferocis Rhizoma)
刺菠 {ci4 bo1}, 中藥正名 prickly raspberry (Rubi Hirsuti Radix seu Folium)
刺刺芽 {ci4 ci4 ya2}, 中藥異名 field thistle (Cirsii Herba)
刺兒草 {ci4 er2 cao3}, 中藥異名 field thistle (Cirsii Herba)
刺法 {ci4 fa3}, needling; acupuncture
刺蓋草 {ci4 gai4 cao3}, 中藥正名 plumed thistle root (Cirsii Belingschanici Radix)
刺桿菜 {ci4 gan3 cai4}, 中藥異名 field thistle (Cirsii Herba)
刺枸子 {ci4 gou3 zi3}, 中藥異名 honey tree fruit (Hoveniae Fructus seu Semen)
刺瓜 {ci4 gua1}, 中藥異名 cucumber (Cucumeris Sativi Fructus)
刺瓜米草 {ci4 gua1 mo4 cao3}, 中藥正名 small catbrier (Smilacis Nanae Radix)
刺果蘇木 {ci4 guo3 su1 mu4}, 中藥正名 brazilwood leaf (Caesalpiniae Cristae Folium)
刺果衛矛 {ci4 guo3 wei4 mao2}, 中藥正名 Wilson's euonymus (Euonymi Wilsonii Radix)
刺紅花 {ci4 hong2 hua1}, 中藥異名 carthamus (Carthami Flos)
刺槐花 {ci4 huai2 hua1}, 中藥正名 locust flower (Robiniae Pseudoacaciae Flos)
刺黃柏 (1) {ci4 huang2 bai3}, 中藥正名 cihuangbo mahonia (Mahoniae Cihuangbo Radix)
刺黃柏 (2) {ci4 huang2 bai3}, 中藥正名 Anhui barberry (Berberidis Anhweiensis Radix, Caulis et Cortex)

刺黃柏莖葉 {ci4 huang2 bai3 jing1 ye4}, 中藥正名 slender mahonia (Mahoniae Gracilipedis Caulis et Folium)
刺黃連 {ci4 huang2 lian2}, 中藥正名 Tibetan barberry (Berberidis Soulieanae Radix seu Caulis Cortex)
刺薊 {ci4 ji4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
刺薊菜 {ci4 ji4 cai4}, 中藥異名 field thistle (Cirsii Herba)
刺尖頭草 {ci4 jian1 tou2 cao3}, 中藥異名 field thistle (Cirsii Herba)
刺角菜 {ci4 jiao3 cai4}, 中藥異名 field thistle (Cirsii Herba)
刺禁 {ci4 jin4}, needling contraindications
刺老鴉 {ci4 lao3 ya1}, 中藥正名 Japanese angelica tree root bark (Araliae Elatae Radicis Cortex)
刺梨 (1) {ci4 li2}, 中藥正名 spiny pear (Rosae Roxburghii Fructus)
刺梨 (2) {ci4 li2}, 中藥異名 Chinese gooseberry (Actinidiae Chinensis Fructus)
刺藜 {ci4 li2}, 中藥正名 awned goosefoot (Chenopodii Aristati Herba)
刺梨根 {ci4 li2 gen1}, 中藥正名 spiny pear root (Rosae Roxburghii Radix)
刺梨花 {ci4 li2 hua1}, 中藥正名 spiny pear flower (Rosae Roxburghii Flos)
刺梨葉 {ci4 li2 ye4}, 中藥正名 spiny pear leaf (Rosae Roxburghii Folium)
刺梨子 {ci4 li2 zi3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
刺李 {ci4 li3}, 中藥正名 thorny plum (Ribis Alpestris Fructus)
刺栗子 {ci4 li4 zi3}, 中藥正名 spiny chestnut (Rosae Graciliflorae Fructus)
刺菱 {ci4 ling2}, 中藥正名 prickly water caltrop fruit (Trapae Incisae Fructus)
刺菱根 {ci4 ling2 gen1}, 中藥正名 prickly water caltrop root (Trapae Incisae Radix)
刺絡 {ci4 luo4}, prick the network vessel
刺絡拔罐 {ci4 luo4 ba2 guan4}, pricking and cupping
刺莓果 {ci4 mei2 guo3}, 中藥正名 Siberian rose fruit (Rosae Davuricae Fructus)
刺莓果根 {ci4 mei2 guo3 gen1}, 中藥正名 Siberian rose root (Rosae Davuricae Radix)
刺玫花 {ci4 mei2 hua1}, 中藥正名 Siberian rose (Rosae Davuricae Flos)
刺蜜 {ci4 mi4}, 中藥正名 manna (Alhagi Succus Condensatus)
刺蘑苓草 {ci4 mo2 ling2 cao3}, 中藥正名 morina (Morinae Herba)
刺南蛇藤 {ci4 nan2 she2 teng2}, 中藥正名 spiny celastrus (Celastri Flagellaris Radix, Fructus et Caulis)
刺楸樹根 {ci4 qiu1 shu4 gen1}, 中藥正名 kalopanax root (Kalopanacis Radix)
刺楸樹皮 {ci4 qiu1 shu4 pi2}, 中藥正名 kalopanax bark (Kalopanacis Cortex)
刺三加 {ci4 san1 jia1}, 中藥異名 trifoliate acanthopanax root (Acanthopanacis Trifoliati Radix)
刺三甲 {ci4 san1 jia3}, 中藥正名 trifoliate acanthopanax root (Acanthopanacis Trifoliati Radix)
刺殺草 {ci4 sha1 cao3}, 中藥異名 field thistle (Cirsii Herba)

刺沙蓬 {ci4 sha1 peng2}, 中藥正名 spiky-leaved salsola (Salsolae Ruthenicae Herba)
刺參 {ci4 shen1}, 中藥異名 sea cucumber (Stichopus Japonicus)
刺石榴 {ci4 shi2 liu2}, 中藥正名 Emei rose (Rosae Omeiensis Fructus)
刺手 {ci4 shou3}, needling hand
刺糖 {ci4 tang2}, 中藥異名 manna (Alhagi Succus Condensatus)
刺天茄 {ci4 tian1 qie2}, 中藥正名 Himalayan nightshade fruit (Solani Khasiani Fructus)
刺天茄葉 {ci4 tian1 qie2 ye4}, 中藥正名 Himalayan nightshade leaf (Solani Khasiani Folium)
刺通 {ci4 tong1}, 中藥異名 erythrina (Erythrinae Cortex)
刺桐花 {ci4 tong2 hua1}, 中藥正名 erythrina flower (Erythrinae Flos)
刺桐皮 {ci4 tong2 pi2}, 中藥異名 erythrina (Erythrinae Cortex)
刺桐葉 {ci4 tong2 ye4}, 中藥正名 erythrina leaf (Erythrinae Folium)
刺痛 {ci4 tong4}, stabbing pain (urination); stinging pain
刺菀 {ci4 wan3}, 中藥異名 polygala (Polygalae Radix)
刺&&732C‖菌 {ci4 wei4 jun4}, 中藥異名 hedgehog fungus (Hydnum Erinaceum)
刺&&732C‖皮 {ci4 wei4 pi2}, 中藥正名 hedgehog's pelt (Erinacei Pellis)
刺血 {ci4 xue4}, prick to bleed
刺血拔罐 {ci4 xue4 ba2 guan4}, pricking and cupping
刺癢 {ci4 yang3}, prickly itch
刺榆 {ci4 yu2}, 中藥正名 hemiptelea (Hemipteleae Cortex (Radicis) seu Folium)
刺榆子 {ci4 yu2 zi3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
刺豬苓 {ci4 zhu1 ling2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
刺竹筍 {ci4 zhu2 sun3}, 中藥正名 spiny bamboo shoot (Bambusae Sinospinosae Surculus)

【&&ci4‖】 {ci4} [Freq. 2] tetany (n.) (A mistranscription of 痙 {jing4}. 痰火&&ci4|{tan2 huo3 ci4}, phlegm-fire tetany)

~~ {cong1} ~~
【蔥】 {cong1} [Freq. 4] scallion.
蔥 {cong1}, 中藥正名 scallion (Allii Fistulosi Herba)
蔥白 {cong1 bai2}, 中藥正名 scallion white (Allii Fistulosi Bulbus)
蔥白七味飲 {cong1 bai2 qi1 wei4 yin3}, 方名 Scallion White Seven-Ingredient Beverage
蔥白頭 {cong1 bai2 tou2}, 中藥異名 scallion white (Allii Fistulosi Bulbus)
蔥草 {cong1 cao3}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
蔥豉桔梗湯 {cong1 chi3 jie2 geng3 tang1}, 方名 Scallion, Fermented Soybean, and Platycodon Decoction
蔥豉湯 {cong1 chi3 tang1}, 方名 Scallion and Fermented Soybean Decoction
蔥花 {cong1 hua1}, 中藥正名 scallion flower (Allii Fistulosi Flos)

蔥莖白 {cong1 jing1 bai2}, 中藥異名 scallion white (Allii Fistulosi Bulbus)
蔥實 {cong1 shi2}, 中藥正名 scallion seed (Allii Fistulosi Fructus)
蔥頭 {cong1 tou2}, 中藥異名 onion (Allii Cepae Bulbus)
蔥鬚 {cong1 xu1}, 中藥正名 scallion root (Allii Fistulosi Radix)
蔥葉 {cong1 ye4}, 中藥正名 scallion leaf (Allii Fistulosi Folium)
蔥仔 {cong1 zai3}, 中藥異名 scallion (Allii Fistulosi Herba)
蔥汁 {cong1 zhi1}, 中藥正名 scallion juice (Allii Fistulosi Succus)

【聰】 {cong1} [Freq. 3] acute of hearing; sharpen the hearing.
聰耳 {cong1 er3}, sharpen the hearing
聰耳明目 {cong1 er3 ming2 mu4}, sharpen hearing and brighten the eyes
聰耳目 {cong1 er3 mu4}, sharpen hearing and vision

【蓯】 {cong1} [Freq. 4] plant name.
蓯蓉 {cong1 rong2}, 中藥異名 cistanche (Cistanches Herba)
蓯蓉羊肉粥 {cong1 rong2 yang2 rou4 zhou1}, 方名 Cistanche and Goat's Meat Gruel

~~ {cong2} ~~
【從】 {cong2} [Freq. 4] from; by; with (濕從寒化 {shi1 cong2 han2 hua4}, dampness forming with cold); subservient (陰不從陽 {yin1 bu4 cong2 yang2}, yin1 insubservient to yang2).
從化 {cong2 hua4}, transformation
從龍湯 {cong2 long2 tang1}, 方名 Dragon-Chasing Decoction
從容 {cong2 rong2 (also {cong1 rong})}, calm and leisurely
從外測內 {cong2 wai4 ce4 nei4}, judging the inside by the outside
從陽化熱 {cong2 yang2 hua4 re4}, heat forming with yang2
從陰化寒 {cong2 yin1 hua4 han2}, cold forming with yin1
從者反治 {cong2 zhe3 fan3 zhi4}, co-action is paradoxical treatment (using, for example, cold to treat cold is called paradoxical treatment)
從治 {cong2 zhi4}, coacting treatment (e.g., treating cold with cold)

【叢】 {cong2} [Freq. 4] tuft.
叢柏葉 {cong2 bai3 ye4}, 中藥異名 arborvitae leaf (Platycladi Cacumen)
叢刺 {cong2 ci4}, cluster pricking
叢毛 {cong2 mao2}, tuft of hair (region just proximal to the first metatarsophalangeal articulation)
叢毛榕根 {cong2 mao2 rong2 gen1}, 中藥正名 tufted fig (Fici Comatae Radix)
叢針 {cong2 zhen1}, cluster needling

湊理空疏 {cou4 li3 kong1 shu1}, loose empty interstices

~~ {cou4} ~~

【腠】 {cou4} [Freq. 4] interstice.

腠理 {cou4 li3}, interstices

腠理不固 {cou4 li3 bu4 gu4}, insecurity of the interstices

~~ {cu1} ~~

【粗】 {cu1} [Freq. 5] thick; fat (頸粗 {jing3 cu1}, fat neck).

粗隆 {cu1 long2}, 西醫 tuberosity

粗葉懸鉤子 {cu1 ye4 xuan2 gou1 zi3}, 中藥正名 rough raspberry root and leaf (Rubi Alceaefolii Radix et Folium)

~~ {cu4} ~~

【卒】 {cu4} [Freq. 4] sudden.

卒暴中風 {cu4 bao4 zhong4 feng1}, sudden wind strike (stroke)

卒病 {cu4 bing4}, sudden sickness

卒發 {cu4 fa1}, sudden onset

卒厥 {cu4 jue2}, sudden reversal

卒口噤 {cu4 kou3 jin4}, sudden clenching of the jaw

卒口僻 {cu4 kou3 pi4}, sudden deviation of the mouth

卒聾 {cu4 long2}, sudden deafness; sudden death[likeness]

卒心痛 {cu4 xin1 tong4}, sudden heart pain

卒瘖 {cu4 yin1}, sudden loss of voice

卒中 {cu4 zhong4}, sudden stroke

卒中脫證 {cu4 zhong4 tuo1 zheng4}, sudden stroke desertion pattern

【促】 {cu4} [Freq. 2] skipping (adj.); hasty (adj.) (氣促 {qi4 cu4}, hasty breathing).

促進腸管蠕動 {cu4 jin4 chang2 guan3 ru2 dong4}, 西醫 stimulate intestinal peristalsis

促進食慾 {cu4 jin4 shi2 yu4}, increase the appetite

促進胃液分泌 {cu4 jin4 wei4 ye4 fen1 mi4}, 西醫 stimulates secretion of stomach juices

促脈 {cu4 mai4}, skipping pulse; rapid irregularly interrupted pulse

【醋】 {cu4} [Freq. 4] vinegar.

醋 {cu4}, 中藥正名 vinegar (Acetum)

醋炒 {cu4 chao3}, stir-fry with vinegar
醋淬 {cu4 cui4}, vinegar dip calcination
醋&&7145|{cu4 duan4}, vinegar calcination
醋浸炒 {cu4 jin4 chao3}, steep in vinegar and stir-fry
醋柳果 {cu4 liu3 guo3}, 中藥正名 hippopha (Hippophae Fructus)
醋磨 {cu4 mo2}, grind with vinegar
醋磨塗敷 {cu4 mo2 tu2 fu1}, apply ground with vinegar
醋石榴 {cu4 shi2 liu2}, 中藥異名 sour pomegranate (Granati Fructus Acidus)
醋糟 {cu4 zao1}, 中藥正名 vinegar residue (Aceti Residuum)
醋炙 {cu4 zhi4}, mix-fry with vinegar

【猝】 {cu4} [Freq. 4] sudden.
猝然昏倒 {cu4 ran2 hun1 dao3}, sudden clouding collapse

【酢】 {cu4} [Freq. 3] vinegar (same as 醋 {cu4}).
酢 {cu4}, 中藥異名 vinegar (Acetum)
酢漿草 {cu4 jiang1 cao3}, 中藥正名 creeping wood sorrel (Oxalidis Corniculatae Herba)

~~ {cuan4} ~~
【篡】 {cuan4} [Freq. 5] perineum

【竄】 {cuan4} [Freq. 2] scurry (v.); scurrying (adj.) (竄痛 {cuan4 tong4}, scurrying pain); penetrate (v.); penetrating (adj.) (走竄 {zou3 cuan4}, mobile and penetrating); pierce (v.); piercing (adj.) (眼目竄視 {yan3 mu4 cuan4 shi4}, piercing eyes).
竄痛 {cuan4 tong4}, scurrying pain

~~ {cui1} ~~
【催】 {cui1} [Freq. 4] hasten.
催乳 {cui1 ru3}, promote lactation
催生 {cui1 sheng1}, hasten delivery
催生如意散 {cui1 sheng1 ru2 yi4 san3}, 方名 Agreeable Birth-Hastening Powder
催生飲 {cui1 sheng1 yin3}, 方名 Birth-Hastening Beverage
催吐法 {cui1 tu4 fa3}, ejection

~~ {cui4} ~~

【脆】 {cui4} [Freq. 4] brittle.
脆瓜 {cui4 gua1}, 中藥正名 crisp pickled melon (Cucumeris Conomonis Salsamen Durum)
脆腳 {cui4 jiao3}, brittle foot
脆蛇 {cui4 she2}, 中藥正名 glass snake (Ophisaurus)
脆石 {cui4 shi2}, 中藥異名 talcum (Talcum)

【悴】 {cui4} [Freq. 5] haggard (色悴 {se4 cui4}, haggard complexion); withered (毛髮燋悴 {mao2 fa3 jiao1 cui4}, withered hair)

【淬】 {cui4} [Freq. 5] quench (v.), quenching (n.) (&&7145||淬 {duan4 cui4}, calcine and quench)

【翠】 {cui4} [Freq. 4] green; kingfisher; a kind of green jade.
翠雀花 {cui4 que4 hua1}, 中藥正名 large-flowered delphinium (Delphinii Grandiflorii Herba seu Radix)
翠羽草 {cui4 yu3 cao3}, 中藥正名 hooked spikemoss (Selaginellae Uncinatae Herba)
翠玉白菜 {cui4 yu4 bai2 cai4}, 中藥正名 upright celery cabbage (Brassicae Pekinensis Cylindricae Folium)
翠玉膏 {cui4 yu4 gao1}, 方名 Green Jade Plaster
翠玉萵苣菜 {cui4 yu4 wo1 ju4 cai4}, 中藥正名 cos lettuce (Lactucae Longifoliae Herba)

【焠】 {cui4} [Freq. 4] red-hot.
焠刺 {cui4 ci4}, red-hot needling (one of the nine needling methods)
焠針 {cui4 zhen1}, red-hot needling

~~ {cun2} ~~
【存】 {cun2} [Freq. 5] preserve (v.), preservation (n.) (急下存陰 {ji2 xia4 cun2 yin1}, emergency precipitation to preserve yin1)

~~ {cun4} ~~
【寸】 {cun4} [Freq. 2] body inch (n.) (齊下三寸 {qi2 xia4 san1 cun4}, three inches below the umbilicus; 同身寸{tong2 shen1 cun4}, {body inch}); inch (n.) (臍下三寸 {qi2 xia4 san1 cun4}, three inches below the umbilicus; 寸口{cun4 kou3}, inch {opening}); cun4 (n.).
寸八節 {cun4 ba1 jie2}, 中藥異名 agrimony (Agrimoniae Herba)
寸白蟲 {cun4 bai2 chong2}, inch whiteworm
寸冬 {cun4 dong1}, 中藥異名 ophiopogon (Ophiopogonis Radix)

寸關尺 {cun4 guan1 chi3}, inch, bar, and cubit
寸金草 {cun4 jin1 cao3}, 中藥正名 large-flowered savory (Clinopodii Megalanthi Herba)
寸口 {cun4 kou3}, inch opening; cun opening; wrist pulse
寸脈 {cun4 mai4}, inch pulse; cun pulse
寸平 {cun4 ping2}, 腧穴正名 Inch Level

~~ {cuo1} ~~
【搓】 {cuo1} [Freq. 4] rub with the hands.
搓法 {cuo1 fa3}, foulage (manipulation technique)
搓針 {cuo1 zhen1}, needle twisting (needling method) (needling method); unidirectional twirling

【撮】 {cuo1} [Freq. 4] gather together.
撮風散 {cuo1 feng1 san3}, 方名 Pursed Mouth Powder
撮空 {cuo1 kong1}, groping in the air
撮空理線 {cuo1 kong1 li3 xian4}, groping in the air and pulling invisible strings
撮口 {cuo1 kou3}, pursed mouth; pursed lips

~~ {cuo2} ~~
【痤】 {cuo2} [Freq. 4] acne.
痤瘡 {cuo2 chuang1}, pimples; acne; acne
痤痱 {cuo2 fei4}, pock pimples

~~ {cuo4} ~~
【挫】 {cuo4} [Freq. 4] thump.
挫傷 {cuo4 shang1}, contusion

【銼】 {cuo4} [Freq. 3] file; grate; file.
銼草 {cuo4 cao3}, 中藥異名 equisetum (Equiseti Hiemalis Herba)

【錯】 {cuo4} [Freq. 4] crossed; interlocking; wrong.
錯經 {cuo4 jing1}, crossed menstruation
錯言妄語 {cuo4 yan2 wang4 yu3}, deranged speech
錯語 {cuo4 yu3}, disordered speech

【剉】 {cuo4} [Freq. 5] file; grate

【莝】 {cuo4} [Freq. 5] chopped hay (去宛陳莝 {qu4 yu4 chen2 cuo4}, eliminate depressed stale water)

== D ==

~~ {da1} ~~
【搭】 {da1} [Freq. 4] put over (especially over the shoulder).
搭背 {da1 bei4}, reachable sore of the back
搭手 {da1 shou3}, reachable sore

【瘩】 {da1} [Freq. 4] pimple

~~ {da2} ~~
【達】 {da2} [Freq. 2] outthrust (v.), (n.) (木郁達之 {mu4 yu4 da2 zhi1}, depressed wood is treated by outthrust).
達生散 {da2 sheng1 san3}, 方名 Birth-Giving Powder
達瓦咸巴 {da2 wa3 xian2 ba1}, 中藥異名 Tibetan arisaema (Arisaematis Intermedii Tuber)
達邪 {da2 xie2}, outthrust evils
達郁湯 {da2 yu4 tang1}, 方名 Depression Freeing Decoction
達原飲 {da2 yuan2 yin3}, 方名 Membrane-Source--Opening Beverage

【韃】 {da2} [Freq. 4] Tartar (韃靼 {da2 da2}, Tartar).
韃新菊 {da2 xin1 ju2}, 中藥正名 Daxin chrysanthemum (Chrysanthemi Tatsienensis Flos)

~~ {da3} ~~
【打】 {da3} [Freq. 4] knock; beat.
打嗝 {da3 ge2}, belch (colloquial term)
打鼾 {da3 han1}, snoring
打呼 {da3 hu1}, snoring
打火草 {da3 huo3 cao3}, 中藥正名 Nepali anaphalis (Anaphalis Nepalensis Herba)
打米花 {da3 mi3 hua1}, 中藥正名 porana flower (Poranae Radix seu Herba)
打破碗花花 {da3 po4 wan3 hua1 hua1}, 中藥正名 Hubei anemone (Anemones Hupehensis Radix)

打撲墮跌 {da3 pu1 duo4 die1}, knocks and falls
打人毀物 {da3 ren2 hui3 wu4}, beating people and smashing objects
打人罵人 {da3 ren2 ma4 ren2}, beating and cursing people
打傷 {da3 shang1}, injury due to beating
打碎 {da3 sui4}, crush
打眼 {da3 yan3}, 腧穴正名 Eye Strike

~~ {da4} ~~
【大】 {da4} [Freq. 1] large (adj.) (大脈 {da4 mai4}, large pulse. See also 大 {dai4}); great (adj.) (大汗 {da4 han4}, great sweating); major (adj.) (大承氣湯 {da4 cheng2 qi4 tang1}, Major Qi4-Coordinating Decoction); massive (adj.).
大安丸 {da4 an1 wan2}, 方名 Great Tranquility Pill
大白菜 {da4 bai2 cai4}, 中藥正名 celery cabbage (Brassicae Pekinensis Folium)
大白藥 {da4 bai2 yao4}, 中藥正名 Griffith's marsdenia (Marsdeniae Griffithii Liana)
大半夏湯 {da4 ban4 xia4 tang1}, 方名 Major Pinellia Decoction
大包 {da4 bao1}, 腧穴正名 SP-21 (Great Embracement)
大胞 {da4 bao1}, 腧穴異名 SP-21 (Great Bladder)
大貝母 {da4 bei4 mu3}, 中藥異名 Zhe4jiang1 fritillaria (Fritillariae Thunbergii Bulbus)
大壁虎 {da4 bi4 hu3}, 中藥異名 gecko (Gecko)
大便 {da4 bian4}, stool; greater convenience; fecal
大便秘 {da4 bian4 bi4}, constipation
大便秘結 {da4 bian4 bi4 jie2}, bound stool; constipation
大便不暢 {da4 bian4 bu4 chang4}, inhibited defecation
大便不節 {da4 bian4 bu4 jie2}, irregular defecation
大便不解 {da4 bian4 bu4 jie3}, constipation; failure to defecate
大便不實 {da4 bian4 bu4 shi2}, unsolid stool; loose stool
大便不爽 {da4 bian4 bu4 shuang3}, ungratifying defecation
大便不調 {da4 bian4 bu4 tiao2}, stool irregularities
大便不通 {da4 bian4 bu4 tong1}, constipation
大便不行 {da4 bian4 bu4 xing2}, fecal stoppage; constipation
大便出血 {da4 bian4 chu1 xue4}, bloody stool
大便帶膿血 {da4 bian4 dai4 nong2 xue4}, stool containing pus and blood
大便帶血 {da4 bian4 dai4 xue4}, bloody stool
大便干 {da4 bian4 gan1}, dry stool
大便干結 {da4 bian4 gan1 jie2}, dry bound stool
大便干秘 {da4 bian4 gan1 mi4}, dry stool
大便黑色 {da4 bian4 hei1 se4}, black stool

大便滑脫 {da4 bian4 hua2 tuo1}, efflux desertion
大便滑泄 {da4 bian4 hua2 xie4}, efflux diarrhea
大便堅 {da4 bian4 jian1}, hard stool
大便艱難 {da4 bian4 jian1 nan2}, difficult defecation
大便堅硬 {da4 bian4 jian1 ying4}, hard stool
大便久溏 {da4 bian4 jiu3 tang2}, enduring sloppy stool
大便困難 {da4 bian4 kun4 nan2}, difficult defecation
大便冷秘 {da4 bian4 leng3 bi4}, cold constipation
大便利 {da4 bian4 li4}, uninhibited stool
大便難 {da4 bian4 nan2}, difficult defecation
大便膿血 {da4 bian4 nong2 xue4}, stool containing pus and blood
大便排出困難 {da4 bian4 pai2 chu1 kun4 nan2}, difficult defecation
大便頻數 {da4 bian4 pin2 shu4}, frequent defecation
大便頻數不爽 {da4 bian4 pin2 shu4 bu4 shuang3}, frequent ungratifying defecation
大便欠爽 {da4 bian4 qian4 shuang3}, ungratifying defecation
大便不通 {da4 bian4 qian4 tong1}, fecal stoppage
大便清薄 {da4 bian4 qing1 bo2}, clear thin stool
大便清稀 {da4 bian4 qing1 xi1}, clear thin stool
大便清絺 {da4 bian4 qing1 xi1}, clear thin stool
大便如鴨溏 {da4 bian4 ru2 ya1 tang2}, duck's slop stool
大便如羊屎 {da4 bian4 ru2 yang2 shi3}, stool like sheep's droppings
大便澀滯 {da4 bian4 se4 zhi4}, rough stagnant stool
大便失禁 {da4 bian4 shi1 jin4}, fecal incontinence
大便水樣 {da4 bian4 shui3 yang4}, watery stool
大便數 {da4 bian4 shuo4}, frequent defecation
大便酸臭 {da4 bian4 suan1 chou4}, sour-smelling malodorous stool
大便隨矢氣而出 {da4 bian4 sui2 shi3 er2 chu1}, discharge of stool with flatus
大便溏薄 {da4 bian4 tang2 bo2}, thin sloppy stool
大便溏垢 {da4 bian4 tang2 gou4}, grimy sloppy stool
大便溏軟 {da4 bian4 tang2 ruan3}, sloppy soft stool
大便溏泄 {da4 bian4 tang2 xie4}, sloppy diarrhea
大便溏瀉 {da4 bian4 tang2 xie4}, sloppy diarrhea
大便稀溏 {da4 bian4 xi1 tang2}, thin sloppy stool
大便稀瀉 {da4 bian4 xi1 xie4}, thin stool
大便下血 {da4 bian4 xia4 xue4}, bloody stool; precipitation of blood with the stool
大便泄瀉 {da4 bian4 xie4 xie4}, diarrhea
大便泄瀉如敗卵 {da4 bian4 xie4 xie4 ru2 bai4 luan3}, diarrhea smelling like rotten eggs
大便虛秘 {da4 bian4 xu1 bi4}, vacuity constipation

大便虛泄 {da4 bian4 xu1 xie4}, vacuity diarrhea
大便燥 {da4 bian4 zao4}, dry stool
大便燥結 {da4 bian4 zao4 jie2}, dry bound stool
大便自調 {da4 bian4 zi4 tiao2}, regulated stool
大便自遺 {da4 bian4 zi4 yi2}, involuntary discharge of stool
大病 {da4 bing4}, major illness
大駁骨 {da4 bo2 gu3}, 中藥正名 adhatoda (Adhatodae Ramulus et Folium)
大駁骨丹 {da4 bo2 gu3 dan1}, 中藥正名 ventricose adhatoda (Adhatodae Ventricosae Caulis et Folium)
大脖子藥 {da4 bo2 zi3 yao4}, 中藥正名 rhynchoglossum (Rhynchoglossi Radix)
大補氣血 {da4 bu3 qi4 xue4}, greatly supplement qi4 and blood; major supplementation of qi4 and blood
大補人體元氣 {da4 bu3 ren2 ti3 yuan2 qi4}, greatly supplement the original qi4 of the body
大補丸 {da4 bu3 wan2}, 方名 Major Supplementation Pill
大補陰丸 {da4 bu3 yin1 wan2}, 方名 Major Yin1 Supplementation Pill
大補元煎 {da4 bu3 yuan2 jian1}, 方名 Major Origin-Supplementing Brew
大補元氣 {da4 bu3 yuan2 qi4}, greatly supplement original qi4
大草蔻 {da4 cao3 kou4}, 中藥正名 specious alpinia seed (Alpiniae Speciosae Semen)
大草蔻葉 {da4 cao3 kou4 ye4}, 中藥正名 specious alpinia leaf (Alpiniae Speciosae Folium)
大茶根 {da4 cha2 gen1}, 中藥正名 wild mussaenda (Mussaendae Erosae Caulis et Folium)
大茶藥 {da4 cha2 yao4}, 中藥異名 yellow jessamine (Gelsemii Herba)
大茶藥根 {da4 cha2 yao4 gen1}, 中藥正名 yellow jessamine root (bark) (Gelsemii Radix seu Radicis Cortex)
大柴胡湯 {da4 chai2 hu2 tang1}, 方名 Major Bupleurum Decoction
大腸 {da4 chang2}, large intestine; large intestine; LI
大腸癌 {da4 chang2 ai2}, 西醫 carcinoma of the colon
大腸病 {da4 chang2 bing4}, large intestinal disease
大腸傳導 {da4 chang2 chuan2 dao3}, large intestinal conveyance
大腸桿菌 {da4 chang2 gan3 jun1}, 西醫 Bacillus coli
大腸寒結 {da4 chang2 han2 jie2}, large intestinal cold bind
大腸寒冷泄利 {da4 chang2 han2 leng3 xie4 li4}, large intestine cold diarrhea
大腸結熱 {da4 chang2 jie2 re4}, large intestinal heat bind
大腸津虧 {da4 chang2 jin1 kui1}, large intestinal liquid depletion
大腸經 {da4 chang2 jing1}, large intestine channel; LI
大腸咳 {da4 chang2 ke2}, large intestinal cough
大腸募 {da4 chang2 mu4}, 腧穴異名 ST-25 (Large Intestine Alarm)
大腸氣滯 {da4 chang2 qi4 zhi4}, large intestine qi4 stagnation
大腸熱結 {da4 chang2 re4 jie2}, large intestinal heat bind

大腸熱結證 {da4 chang2 re4 jie2 zheng4}, pattern of large intestinal heat bind
大腸濕熱 {da4 chang2 shi1 re4}, large intestinal damp-heat
大腸濕熱證 {da4 chang2 shi1 re4 zheng4}, pattern of large intestinal damp-heat
大腸實熱 {da4 chang2 shi2 re4}, large intestinal repletion heat
大腸俞 {da4 chang2 shu1}, 腧穴正名 BL-25 (Large Intestine Transport)
大腸虛 {da4 chang2 xu1}, large intestinal vacuity
大腸虛寒 {da4 chang2 xu1 han2}, large intestinal vacuity cold
大腸虛冷 {da4 chang2 xu1 leng3}, large intestinal vacuity cold
大腸液虧 {da4 chang2 ye4 kui1}, large intestinal humor depletion
大腸陰虛燥結 {da4 chang2 yin1 xu1 zao4 jie2}, large intestinal yin1 vacuity dryness bind
大腸癰 {da4 chang2 yong1}, large intestinal welling-abscess
大腸脹 {da4 chang2 zhang4}, large intestinal distention
大腸者，傳導之官也，變化出焉 {da4 chang2 zhe3 chuan2 dao3 zhi1 guan1 ye3 bian4 hua4 chu1 yan1}, large intestine holds the office of conveyance, it brings about mutation
大腸主傳導 {da4 chang2 zhu3 chuan2 dao3}, large intestine governs conveyance
大腸主傳化糟粕 {da4 chang2 zhu3 chuan2 hua4 zao1 po4}, large intestine governs the conveyance and transformation of waste
大腸主津 {da4 chang2 zhu3 jin1}, large intestine governs liquid
大巢菜 {da4 chao2 cai4}, 中藥正名 vetch (Viciae Herba)
大成 {da4 cheng2}, 書名 The Great Compendium (full title {Zhen1 Jiu3 Da4 Cheng2} 針灸大成)
大承氣湯 {da4 cheng2 qi4 tang1}, 方名 Major Qi4-Infusing Decoction
大沖 {da4 chong1}, 腧穴異名 LV-3 (Large Surge)
大出血 {da4 chu1 xue4}, major bleeding
大刺兒菜 {da4 ci4 er2 cai4}, 中藥正名 Tibetan thistle (Cirsii Eriophoroidei Herba)
大當門根 {da4 dang1 men2 gen1}, 中藥異名 asparagus (Asparagi Radix)
大刀豆 {da4 dao1 dou4}, 中藥異名 sword bean (Canavaliae Semen)
大地棕根 {da4 di4 zong1 gen1}, 中藥正名 caput curculigo (Curculiginis Capitulatae Rhizoma)
大靛根 {da4 dian4 gen1}, 中藥正名 tinctorial indigo root (Indigoferae Tinctoriae Radix)
大丁草 {da4 ding1 cao3}, 中藥正名 leibnitzia (Leibnitziae Herba (cum Radice))
大丁&&7640|{da4 ding1 huang2}, 中藥異名 cudrania (Cudraniae Lignum)
大定風珠 {da4 ding4 feng1 zhu1}, 方名 Major Wind-Stabilizing Pill
大洞果 {da4 dong4 guo3}, 中藥異名 sterculia (Sterculiae Lychnophorae Semen)
大豆 {da4 dou4}, 中藥正名 soybean (Sojae Semen)
大豆蘖 {da4 dou4 bo4}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)
大豆黃卷 {da4 dou4 huang2 juan3}, 中藥正名 dried soybean sprout (Sojae Semen Germinatum)
大豆黃捲 {da4 dou4 huang2 juan3}, 中藥異名 dried soybean sprout (Sojae Semen

Germinatum)
大豆捲 {da4 dou4 juan3}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)
大都 {da4 du1}, 腧穴正名 Great Metropolis (Great Metropolis); 腧穴正名 SP-2
大都穴 {da4 du1 xue2}, major metropolis point
大毒 {da4 du2}, high toxicity
大獨葉草 {da4 du2 ye4 cao3}, 中藥正名 single-leaved ligularia [leaf or root] (Ligulariae Lapathifoliae Radix seu Folium)
大對經草 {da4 dui4 jing1 cao3}, 中藥正名 west China hypericum (Hyperici Przewalskii Herba)
大敦 {da4 dun1}, 腧穴正名 LV-1 (Large Pile)
大發 {da4 fa1}, 中藥異名 sterculia (Sterculiae Lychnophorae Semen)
大煩渴 {da4 fan2 ke3}, great vexation and thirst
大方 {da4 fang1}, major formula
大方脈 {da4 fang1 mai4}, adult medicine (branch of medicine)
大防風湯 {da4 fang2 feng1 tang1}, 方名 Major Saposhnikovia Decoction
大飛揚草 {da4 fei1 yang2 cao3}, 中藥正名 Faber's bauhinia (Bauhiniae Faberi Ramulus seu Radix)
大飛揚草 {da4 fei4 yang2 cao3}, 中藥正名 hoary spurge (Euphorbiae Hirtae Herba (cum Radice))
大分 {da4 fen1}, major seam
大風 {da4 feng1}, great wind; leprosy
大風惡疾 {da4 feng1 e4 ji2}, malign disease of great wind
大風疥癩 {da4 feng1 jie4 lai4}, great wind scab and lai4
大風苛毒 {da4 feng1 ke1 du2}, great wind and severe toxin
大風癩 {da4 feng1 lai4}, great wind lai4
大風丸 {da4 feng1 wan2}, 方名 Hydnocarpus Great Wind Pill
大風子 {da4 feng1 zi3}, 中藥正名 hydnocarpus (Hydnocarpi Semen)
大楓子 {da4 feng1 zi3}, 中藥異名 hydnocarpus (Hydnocarpi Semen)
大風子油 {da4 feng1 zi3 you2}, 中藥正名 hydnocarpus seed oil (Hydnocarpi Seminis Oleum)
大浮萍 {da4 fu2 ping2}, 中藥正名 water lettuce (Pistiae Herba)
大腹 {da4 fu4}, greater abdomen
大腹檳榔 {da4 fu4 bing1 lang2}, 中藥異名 areca (Arecae Semen)
大腹毛 {da4 fu4 mao2}, 中藥異名 areca husk (Arecae Pericarpium)
大腹皮 {da4 fu4 pi2, 中藥正名 areca husk (Arecae Pericarpium)
大腹絨 {da4 fu4 rong2}, 中藥異名 areca husk (Arecae Pericarpium)
大腹子 {da4 fu4 zi3}, 中藥異名 areca (Arecae Semen)
大戈豆 {da4 ge1 dou4}, 中藥異名 sword bean (Canavaliae Semen)
大谷 {da4 gu3}, large valley

大骨 {da4 gu3}, 腧穴異名 BL-64 (Large Bone)
大骨空 {da4 gu3 kong1}, 腧穴正名 Thumb Bone Hollow
大骨枯槁 {da4 gu3 ku1 gao3}, withering of the major bones
大桂 {da4 gui4}, 中藥異名 cinnamon bark (Cinnamomi Cortex)
大海 {da4 hai3}, 腧穴異名 CV-4 (Great Sea)
大海子 {da4 hai3 zi3}, 中藥異名 sterculia (Sterculiae Lychnophorae Semen)
大寒 {da4 han2}, Great Cold (24th solar term)
大汗 {da4 han4}, great sweating
大汗出 {da4 han4 chu1}, great sweating (in externally contracted febrile disease)
大汗煩渴 {da4 han4 fan2 ke3}, great sweating and vexation thirst
大汗口渴 {da4 han4 kou3 ke3}, great sweating and thirst
大汗淋漓 {da4 han4 lin2 li2}, dripping great sweat
大汗亡陽 {da4 han4 wang2 yang2}, great sweating and yang2 collapse
大赫 {da4 he4}, 腧穴正名 KI-12 (Great Manifestation)
大橫 {da4 heng2}, 腧穴正名 SP-15 (Great Horizontal)
大紅袍 {da4 hong2 pao2}, 中藥正名 myrsine (Myrsines Radix seu Herba) (Zanthoxyli Pericarpium); 中藥異名 zanthoxylum
大花黃槐 {da4 hua1 huang2 huai2}, 中藥正名 flowery cassia (Cassiae Floribundae Semen)
大花衛矛果 {da4 hua1 wei4 mao2 guo3}, 中藥正名 large-flowered euonymus (Euonymi Grandiflori Fructus)
大黃當歸散 {da4 huang2 dang1 gui1 san3}, 方名 Rhubarb and Chinese Angelica Powder
大黃蜂子 {da4 huang2 feng1 zi3}, 中藥正名 hornet's larva (Vespae Larva)
大黃附子湯 {da4 huang2 fu4 zi3 tang1}, 方名 Rhubarb and Aconite Decoction
大黃甘草湯 {da4 huang2 gan1 cao3 tang1}, 方名 Rhubarb and Licorice Decoction
大黃甘遂湯 {da4 huang2 gan1 sui4 tang1}, 方名 Rhubarb and Kansui Decoction
大黃黃連瀉心湯 {da4 huang2 huang2 lian2 xie4 xin1 tang1}, 方名 Rhubarb and Coptis Heart-Draining Decoction
大黃莖 {da4 huang2 jing1}, 中藥正名 rhubarb stem (Rhei Caulis)
大黃末 {da4 huang2 mo4}, 中藥正名 powdered rhubarb (Rhei Radix et Rhizoma Pulverati)
大黃牡丹皮湯 {da4 huang2 mu3 dan1 pi2 tang1}, 方名 Rhubarb and Moutan Decoction
大黃牡丹皮湯方 {da4 huang2 mu3 dan1 pi2 tang1 fang1}, 方名 Rhubarb and Moutan Decoction Formula
大黃牡丹湯 {da4 huang2 mu3 dan1 tang1}, 方名 Rhubarb and Moutan Decoction
大黃硝石湯 {da4 huang2 xiao1 shi2 tang1}, 方名 Rhubarb and Niter Decoction
大黃蠐螬丸 {da4 huang2 zhe4 chong2 wan2}, 方名 Rhubarb and Ground Beetle Pill
大黃 {da4 huang2, 中藥正名 rhubarb (Rhei Radix et Rhizoma)
大茴 {da4 hui2}, 中藥異名 star anise (Anisi Stellati Fructus*)
大茴香 {da4 hui2 xiang1}, 中藥異名 star anise (Anisi Stellati Fructus*)

大活絡丹 {da4 huo2 luo4 dan1}, 方名 Major Network-Quickening Elixir
大活血 {da4 huo2 xue4}, 中藥異名 sargentodoxa (Sargentodoxae Caulis)
大火草根 {da4 huo3 cao3 gen1}, 中藥正名 hairy anemone (Anemones Tomentosae Radix)
大戟 {da4 ji3}, 中藥正名 euphorbia/knoxia (Euphorbiae seu Knoxiae Radix)
大戟散 {da4 ji3 san3}, 方名 Euphorbia/Knoxia Powder
大薊 {da4 ji4}, 中藥正名 Japanese thistle (Cirsii Japonici Herba seu Radix)
大薊根 {da4 ji4 gen1}, 中藥正名 Japanese thirstle root (Cirsii Japonici Radix)
大薊根膏 {da4 ji4 gen1 gao1}, 中藥正名 Japanese thistle root paste (Cirsii Japonici Radicis Pasta)
大薊炭 {da4 ji4 tan4}, 中藥正名 charred Japanese thistle (Cirsii Japonici Herba Carbonisata)
大痕泄 {da4 jia3 xie4}, great conglomeration diarrhea
大箭 {da4 jian4}, 中藥正名 canaliculate alisma (Alismatis Canaliculati Herba)
大楗骨 {da4 jian4 gu3}, thigh bone; femur
大建中湯 {da4 jian4 zhong1 tang1}, 方名 Major Center-Fortifying Decoction
大椒 {da4 jiao1}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
大艽 {da4 jiao1}, 中藥異名 large gentian (Gentianae Macrophyllae Radix)
大蕉皮 {da4 jiao1 pi2}, 中藥正名 banana skin (Musae Paradisiacae Pericarpium)
大角蒺 {da4 jiao3 ci4}, 中藥異名 gleditsia thorn (Gleditsiae Spina)
大節 {da4 jie2}, major joint
大結胸 {da4 jie2 xiong1}, major chest bind
大芥 (1) {da4 jie4}, 中藥異名 turnip (Brassicae Rapae Tuber et Folium)
大芥 (2) {da4 jie4}, 中藥異名 mustard leaf (Sinapis Folium)
大芥 (3) {da4 jie4}, 中藥正名 broad-leaved mustard leaf (Brassicae Rugosae Folium)
大金刀 {da4 jin1 dao1}, 中藥正名 neolepisorus (Neolepisori Herba)
大金牛草 {da4 jin1 niu2 cao3}, 中藥正名 Chinese milkwort (Polygalae Chinensis Herba cum Radice seu Radix)
大金錢草 {da4 jin1 qian2 cao3}, 中藥正名 lysimachia (Lysimachiae Herba (cum Radice))
大禁 {da4 jin4}, 腧穴異名 LI-13 (Great Prohibition)
大經 {da4 jing1}, main channel
大九股牛 {da4 jiu3 gu3 niu2}, 中藥正名 dobinea (Dobineae Radix)
大九節鈴 {da4 jiu3 jie2 ling2}, 中藥正名 ampelocissus (Ampelocissi Radix)
大橘皮湯 {da4 ju2 pi2 tang1}, 方名 Major Tangerine Peel Decoction
大巨 {da4 ju4}, 腧穴正名 ST-27 (Great Gigantic)
大厥 {da4 jue2}, major reversal
大渴引飲 {da4 ke3 yin3 yin3}, great thirst with fluid intake
大苦 {da4 ku3}, 中藥異名 air potato (Dioscoreae Bulbiferae Rhizoma)
大涸 {da4 kun4}, 腧穴異名 CV-4 (Great Reservoir)
大狼毒 {da4 lang2 du2}, 中藥正名 greater wolfsbane (Euphorbiae Nematocyphae Radix)

大栗 {da4 li4}, 中藥異名 chestnut (Castaneae Semen)
大荔核 {da4 li4 he2}, 中藥異名 litchee pit (Litchi Semen)
大力黃 {da4 li4 huang2}, 中藥異名 goat-ear elecampane (Inulae Cappae Herba)
大力薯 {da4 li4 shu3}, 中藥異名 specious millettia (Millettiae Speciosae Radix)
大力子 {da4 li4 zi3}, 中藥異名 arctium (Arctii Fructus)
大良薑 {da4 liang2 jiang1}, 中藥正名 galangal (Alpiniae Galangae Rhizoma)
大量失血 {da4 liang4 shi1 xue4}, 西醫 major loss of blood
大陵 {da4 ling2}, 腧穴正名 PC-7 (Great Mound)
大輪 {da4 lun2}, 腧穴正名 Great Wheel
大絡 {da4 luo4}, great network vessel
大痲風 {da4 ma2 feng1}, great numbing wind; leprosy
大痲仁 {da4 ma2 ren2}, 中藥異名 cannabis fruit (Cannabis Fructus)
大痲子 {da4 ma2 zi3}, 中藥異名 cannabis fruit (Cannabis Fructus)
大脈 {da4 mai4}, large pulse
大麥 {da4 mai4}, 中藥正名 barley (Hordei Fructus)
大麥醋糟 {da4 mai4 cu4 zao1}, 中藥正名 barley vinegar residue (Hordei Fructus Residuum)
大麥秸 {da4 mai4 jie2}, 中藥正名 barley stalk (Hordei Caulis)
大麥毛 {da4 mai4 mao2}, 中藥異名 barley sprout (Hordei Fructus Germinatus)
大麥麵 {da4 mai4 mian4}, 中藥正名 barley flour (Hordei Farina)
大麥苗 {da4 mai4 miao2}, 中藥正名 barley shoot (Hordei Surculus)
大麥蘖 {da4 mai4 nie4}, 中藥異名 barley sprout (Hordei Fructus Germinatus)
大麥糵 {da4 mai4 nie4}, 中藥異名 barley sprout (Hordei Fructus Germinatus)
大麥芽 {da4 mai4 ya2}, 中藥異名 barley sprout (Hordei Fructus Germinatus)
大毛紅花 {da4 mao2 hong2 hua1}, 中藥正名 large pterospermum bark (Pterospermi Grandis Cortex)
大毛藥 {da4 mao2 yao4}, 中藥異名 agrimony (Agrimoniae Herba)
大毛桐子根 {da4 mao2 zi3 gen1}, 中藥正名 bearded mallotus root (Malloti Barbati Radix)
大門 {da4 men2}, 腧穴正名 Great Gate
大米 {da4 mi3}, 中藥異名 non-glutinous rice (Oryzae Semen)
大母豬藤 {da4 mu3 zhu1 teng2}, 中藥正名 large-leaved cayratia (Cayratiae Oligocarpae Radix et Folium)
大木通 {da4 mu4 tong1 tong1}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
大腦 {da4 nao3}, 西醫 cerebrum
大腦性癱瘓 {da4 nao3 xing4 tan1 huan4}, 西醫 cerebral palsy
大黏藥 {da4 nian2 yao4}, 中藥正名 blood-red pouzolzia (Pouzolziae Sanguineae Radix et Folium)
大牛喳口 {da4 niu2 zha1 kou3}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
大牛子 {da4 niu2 zi3}, 中藥異名 arctium (Arctii Fructus)

大怒傷肝 {da4 nu4 shang1 gan1}, great anger damages the liver
大衄 {da4 nu94}, major spontaneous external bleeding
大泡通 {da4 pao4 tong1}, 中藥正名 Delavay schefflera root (bark) (Schefflerae Delavayi Radix seu Radicis Cortex)
大泡通皮 {da4 pao4 tong1 pi2}, 中藥正名 Delavay schefflera stem bark (Schefflerae Delavayi Cortex Caulis)
大泡通葉 {da4 pao4 tong1 ye4}, 中藥正名 Delavay schefflera leaf (Schefflerae Delavayi Folium)
大皰性鼓膜炎 {da4 pao4 xing4 gu3 mo2 yan2}, 西醫 bullous myringitis
大朋砂 {da4 peng2 sha1}, 中藥異名 borax (Borax)
大萍 {da4 ping2}, 中藥異名 clover fern (Marsileae Herba)
大七氣湯 {da4 qi1 qi4 tang1}, 方名 Major Seven Qi4 Decoction
大氣 {da4 qi4}, great qi4
大羌活湯 {da4 qiang1 huo2 tang1}, 方名 Major Notopterygium Decoction
大翹子 {da4 qiao4 zi3}, 中藥異名 forsythia (Forsythiae Fructus)
大秦艽湯 {da4 qin2 jiao1 tang1}, 方名 Large Gentian Decoction
大青 {da4 qing1}, 中藥異名 isatis leaf (Isatidis Folium)
大青草 {da4 qing1 cao3}, 中藥正名 hygrophila (Hygrophilae Herba)
大青根 {da4 qing1 gen1}, 中藥正名 many-flowered glory-bower (Clerodendri Cyrtophylli Radix)
大青龍湯 {da4 qing1 long2 tang1}, 方名 Major Green-Blue Dragon Decoction
大青鹽 {da4 qing1 yan2}, 中藥異名 halite (Halitum)
大青葉 {da4 qing1 ye4}, 中藥正名 isatis leaf (Isatidis Folium)
大荃麻 {da4 quan2 ma2}, 中藥正名 girardinia (Girardiniae Herba seu Radix)
大熱 {da4 re4}, great heat [effusion] (fever)
大人 {da4 ren2},
大人口中疳瘡 {da4 ren2 kou3 zhong1 gan1 chuang1}, gan1 sore of the mouth in adults
大人血匕 {da4 ren2 xue4 bi3}, 中藥正名 stylophorum (Stylophori Herba cum Radice seu Radix)
大肉 {da4 rou4}, major masses of flesh
大肉盡脫 {da4 rou4 jin4 tuo1}, shedding of major masses of flesh
大肉下陷 {da4 rou4 xia4 xian4}, wasting and sagging of the major masses of flesh
大肉陷下 {da4 rou4 xian4 xia4}, wasting and sagging of the major masses of flesh
大肉消脫 {da4 rou4 xiao1 tuo1}, shedding of major masses of flesh
大沙葉 {da4 sha1 ye4}, 中藥正名 Hongkong pavetta (Pavettae Hongkongensis Caulis et Folium)
大蛇藥 {da4 she2 yao4}, 中藥正名 heteropanax (Heteropanacis Radix et Cortex)
大生地 {da4 sheng1 di4}, 中藥正名 thick dried rehmannia (Rehmanniae Radix Crassa)

大聲叫哭 {da4 sheng1 jiao4 ku1}, loud shouting and crying
大失血 {da4 shi1 xue4}, major blood loss
大實如羸狀 {da4 shi2 ru2 lei2 zhuang4}, major repletion resembling weakness
大石韋 {da4 shi2 wei2}, 中藥正名 colysis (Colysis Herba)
大收肌 {da4 shou1 ji1}, 西醫 great adductor muscle
大暑 {da4 shu3}, Great Heat (12th solar term)
大薯 {da4 shu3}, 中藥異名 greater yam (Dioscoreae Alatae Tuber)
大樹跌打 {da4 shu4 die1 da3}, 中藥正名 endospermum (Endospermi Cortex et Folium)
大樹皮 {da4 shu4 pi2}, 中藥正名 Yun2nan2 elm bark (Ulmi Tonkinensis Cortex)
大水 {da4 shui3}, great water
大水&&75B1|{da4 shui3 bao4}, 西醫 bulla
大順 {da4 shun4}, 腧穴異名 LV-1 (Great Favorableness)
大順散 {da4 shun4 san3}, 方名 Great Rectifying Powder
大酸味草 {da4 suan1 wei4 cao3}, 中藥異名 lavender sorrel (Oxalidis Corymbosae Herba seu Radix)
大蒜 {da4 suan4}, 中藥正名 garlic (Allii Sativi Bulbus)
大蒜 (1) {da4 suan4}, 中藥正名 garlic (Allii Sativi Bulbus)
大蒜 (2) {da4 suan4}, 中藥正名 garlic (Allii Sativi Herba)
大桃花湯 {da4 tao2 hua1 tang1}, 方名 Major Peach Blossom Decoction
大田螺 {da4 tian2 luo2}, 中藥異名 freshwater snail (Cipangopaludina)
大通草 {da4 tong1 cao3}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
大銅錢菜 {da4 tong2 qian2 cai4}, 中藥正名 Java marsh pennywort (Hydrocotyles Javanicae Herba)
大頭菜 {da4 tou2 cai4}, 中藥異名 kohlrabi (Brassicae Caulorapae Cormus)
大頭陳 {da4 tou2 chen2}, 中藥正名 Indian adenosma (Adenosmatis Indiani Herba cum Flore)
大頭風 {da4 tou2 feng1}, massive head wind
大頭狗 {da4 tou2 gou3}, 中藥正名 field cricket (Gryllus)
大頭傷寒 {da4 tou2 shang1 han2}, massive head cold damage
大頭瘟 {da4 tou2 wen1}, massive head scourge
大透骨草 {da4 tou4 gu3 cao3}, 中藥正名 south China blueberry (Vaccinii Dunaliani Herba)
大透骨消 {da4 tou4 gu3 xiao1}, 中藥正名 gaultheria (Gaultheriae Radix seu Folium)
大吐 {da4 tu4}, great vomiting
大腿 {da4 tui3}, upper leg; thigh
大腿骨 {da4 tui3 gu3}, thigh bone; femur
大腿疽 {da4 tui3 ju1}, thigh flat-abscess
大尾搖 {da4 wei3 yao2}, 中藥正名 heliotropium (Heliotropii Herba seu Radix)
大溫大熱 {da4 wen1 da4 re4}, highly warm or highly hot
大溫中丸 {da4 wen1 zhong1 wan2}, 方名 Major Center-Warming Pill

大烏泡根 {da4 wu1 pao4 gen1}, 中藥正名 Si4chuan1 blackberry (Rubi Setchuenensis Radix seu Folium)
大下 {da4 xia4}, great precipitation
大陷胸湯 {da4 xian4 xiong1 tang1}, 方名 Major Chest Bind Decoction
大陷胸丸 {da4 xian4 xiong1 wan2}, 方名 Major Chest Bind Pill
大香附子 {da4 xiang1 fu4 zi3}, 中藥正名 umbellate mariscus (Marisci Umbellati Herba seu Radix)
大小便 {da4 xiao3 bian4}, stool and urine
大小便不得 {da4 xiao3 bian4 bu4 de2}, inability to urinate or defecate
大小便數 {da4 xiao3 bian4 shuo4}, frequent urination and defecation
大小薊 {da4 xiao3 ji4}, 中藥正名 cirsium and cephalonoplos (Cirsii et Cephalanoploris Herba)
大小人 {da4 xiao3 ren2}, adults and children
大小溲 {da4 xiao3 shou1},
大瀉 {da4 xie4}, great diarrhea; major drainage technique
大瀉刺 {da4 xie4 ci4}, great draining needling (one of the nine needling methods) (one of the nine needling methods); lancing
大辛大熱 {da4 xin1 da4 re4}, highly acrid and highly hot
大醒風湯 {da4 xing3 feng1 tang1}, 方名 Major Wind Arousal Decoction
大虛 {da4 xu1}, major vacuity
大蓄片 {da4 xu4 pian4}, 中藥異名 knotgrass (Polygoni Avicularis Herba)
大雪 {da4 xue3}, Great Snow (21st solar term)
大血藤 {da4 xue4 teng2}, 中藥正名 sargentodoxa (Sargentodoxae Caulis)
大眼黃龍占 {da4 yan3 huang2 long2 zhan4}, 中藥正名 large-eyed bream (Gymnocranius Japonicus)
大野百合 {da4 ye3 bai3 he2}, 中藥正名 warty crotalaria (Crotalariae Verrucosae Herba)
大葉桉葉 {da4 ye4 an1 ye4}, 中藥正名 swamp mahogany (Eucalypti Robustae Folium)
大葉白頭翁 {da4 ye4 bai2 tou2 weng1}, 中藥正名 pearly everlasting (Anaphalis Margaritaceae Herba (cum Radice))
大葉菜 {da4 ye4 cai4}, 中藥正名 greater selaginella (Selaginellae Doederleinii Herba)
大葉鳳尾 {da4 ye4 feng4 wei3}, 中藥正名 greater pteris (Pteridis Nervosae Herba)
大葉鉤藤 {da4 ye4 gou1 teng2}, 中藥正名 large-leaved uncaria [vine] (Uncariae Macrophyllae Ramulus cum Unco)
大葉鉤藤根 {da4 ye4 gou1 teng2 gen1}, 中藥正名 large-leaved uncaria root (Uncariae Macrophyllae Radix)
大夜關門 {da4 ye4 guan1 men2}, 中藥正名 many-nerved bauhinia leaf (Bauhiniae Pernervosae Folium)
大夜關門根 {da4 ye4 guan1 men2 gen1}, 中藥正名 many-nerved bauhinia root (Bauhiniae Pernervosae Radix)

大葉花椒 {da4 ye4 hua1 jiao1}, 中藥正名 large-leaved zanthoxylum [fruit or seed] (Zanthoxyli Dissiti Fructus seu Semen)
大葉花椒莖葉 {da4 ye4 hua1 jiao1 jing1 ye4}, 中藥正名 large-leaved zanthoxylum stem or leaf (Zanthoxyli Dissiti Caulis seu Folium)
大葉金花草 {da4 ye4 jin1 hua1 cao3}, 中藥正名 sphenomeris (Sphenomeris Herba seu Rhizoma)
大葉馬尾蓮 {da4 ye4 ma3 wei3 lian2}, 中藥正名 Faber's meadow rue (Thalictri Faberi Radix et Rhizoma)
大葉楠根 {da4 ye4 nan2 gen1}, 中藥正名 slender-leaved machilus root (Machili Leptophyllae Radix)
大葉千斤拔根 {da4 ye4 qian1 jin1 ba2 gen1}, 中藥正名 large-leaved moghania (Moghaniae Macrophyllae Radix)
大葉蛇總管 {da4 ye4 she2 zong3 guan3}, 中藥正名 veined rabdosia (Rabdosiae Nervosi Herba)
大葉五加 {da4 ye4 wu3 jia1}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
大葉性肺炎 {da4 ye4 xing4 fei4 yan2}, 西醫 lobar pneumonia
大葉雲實 {da4 ye4 yun2 shi2}, 中藥正名 large-leaved caesalpinia (Caesalpiniae Magnifoliatae Ramulus, Fructus, seu Radix)
大葉紫珠 {da4 ye4 zi3 zhu1}, 中藥正名 large-leaved beauty-berry (Callicarpae Macrophyllae Radix seu Folium)
大一面鑼 {da4 yi1 mian4 luo2}, 中藥正名 didissandra (Didissandrae Herba seu Radix)
大一枝箭 {da4 yi1 zhi1 jian4}, 中藥正名 yellow lycoris bulb (Lycoris Aureae Bulbus)
大陰 {da4 yin1}, 腧穴異名 LV-6 (Great Yin1) (Great Yin1); 腧穴異名 SP-6
大營煎 {da4 yin2 jian1}, 方名 Major Construction Brew
大迎 {da4 ying2}, 腧穴正名 ST-5 (Great Reception)
大羽 {da4 yu3}, 腧穴異名 GV-18 (Great Feather)
大圓肌 {da4 yuan2 ji1}, 西醫 teres major muscle
大芸 {da4 yun2}, 中藥異名 cistanche (Cistanches Herba)
大棗粥 {da4 zao3 zhou1}, 方名 Jujube Gruel
大棗 {da4 zao3, 中藥正名 jujube (Jujubae Fructus)
大皂莢 {da4 zao4 jia2}, 中藥異名 gleditsia (Gleditsiae Fructus)
大皂角 {da4 zao4 jiao3}, 中藥異名 gleditsia (Gleditsiae Fructus)
大造丸 {da4 zao4 wan2}, 方名 Great Creation Pill
大針 {da4 zhen1}, large needle (one of the nine needles)
大指 {da4 zhi3}, thumb
大趾 {da4 zhi3}, great toe
大指次指 {da4 zhi3 ci4 zhi3}, finger next to the thumb; forefinger
大趾次趾 {da4 zhi3 ci4 zhi3}, toe next to the great toe; second toe

大鐘 {da4 zhong1}, 腧穴正名 KI-4 (Large Goblet)
大中極 {da4 zhong1 ji2}, 腧穴異名 CV-4 (Great Central Pole)
大周天 {da4 zhou1 tian1}, large complete qi4 cycle
大主 {da4 zhu3}, great governor
大杼 {da4 zhu4}, 腧穴正名 BL-11 (Great Shuttle)
大椎 {da4 zhui1}, 腧穴正名 GV-14 (Great Hammer)
大眥 {da4 zi4}, inner canthus

~~ {dai1} ~~
【呆】 {dai1} [Freq. 2] feeble-minded (adj.), feeble-mindedness (n.) (癡呆 {chi1 dai4}, feeble-mindedness); dull (adj.) (表情呆滯 {biao3 qing2 dai1 zhi4}, dull expression); torpid (adj.) (納呆 {na4 dai1}, torpid intake).
呆病 {dai1 bing4}, feeble-mindedness
呆小病 {dai1 xiao3 bing4}, cretinism

~~ {dai4} ~~
【大】 {dai4} [Freq. 1] great (see also 大 {da4}).
大夫 {dai4 fu1}, doctor (esp. as a term of address)
大岩蜜湯 {dai4 yan2 mi4 tang1}, 方名 Great Rock Honey Decoction
大眼海鰱 {dai4 yan3 hai3 lian2}, 中藥正名 ox-eye (Megaloptis Cyprinoidis Caro)

【代】 {dai4} [Freq. 2] intermittent (adj.); regularly interrupted (adj.); changing (adj.).
代茶 {dai4 cha2}, take as tea
代茶喝 {dai4 cha2 he1}, take as tea
代茶飲 {dai4 cha2 yin3}, take as tea
代刀散 {dai4 dao1 san3}, 方名 Spare-The-Knife Powder
代抵當丸 {dai4 di3 dang4 wan2}, 方名 Substitute Dead-On Pill
代脈 {dai4 mai4}, intermittent pulse; regularly interrupted pulse
代用穴 {dai4 yong4 xue4}, point substitutions
代赭 {dai4 zhe3}, 中藥異名 hematite (Haematitum)
代赭石 {dai4 zhe3 shi2}, 中藥異名 hematite (Haematitum)

【待】 {dai4} [Freq. 5] deal with (對待法 {dui4 dai4 fa3}, contrasting).
待霄草 {dai4 xiao1 cao3}, 中藥正名 scented evening primrose (Oenotherae Odoratae Radix)

【怠】 {dai4} [Freq. 2] fatigue (n.), fatigued (adj.) (倦怠乏力 {juan4 dai4 fa2 li4}, fatigue and

lack of strength).
怠惰嗜臥 {dai4 duo4 shi4 wo4}, fatigue and somnolence

【玳】 {dai4} [Freq. 4] hawksbill turtle (玳瑁 {dai4 mao4}, hawkbill turtle).
玳玳花 {dai4 dai4 hua1}, 中藥正名 sour orange flower (Daidai Flos)
玳瑁 {dai4 mao4}, 中藥正名 hawksbill shell (Eretmochelydis Carapax)
玳瑁肉 {dai4 mao4 rou4}, 中藥正名 hawksbill turtle flesh (Eretmochelydis Caro)
玳瑁石斑 {dai4 mao4 shi2 ban1}, 中藥正名 spotted grouper (Epinephelus Megachir)
玳瑁丸 {dai4 mao4 wan2}, 方名 Hawksbill Shell Pill

【帶】 {dai4} [Freq. 2] girdle (n.), (v.), girdling (adj.) (纏腰火丹{chan2 yao1 huo3 dan1}, girdling fire cinnabar); vaginal discharge (by abbreviation of 帶下{dai4 xia4}).
帶殼蓮子 {dai4 ke2 lian2 zi3}, 中藥異名 lotus fruit (Nelumbinis Fructus)
帶脈 {dai4 mai4}, girdling vessel; GIV (Girdling Vessel); 腧穴正名 GB-26
帶脈失約 {dai4 mai4 shi1 yue1}, girdling vessel failing to ensure retention
帶皮蓮子 {dai4 pi2 lian2 zi3}, 中藥異名 lotus fruit (Nelumbinis Fructus)
帶下 {dai4 xia4}, vaginal discharge; women's diseases
帶下白 {dai4 xia4 bai2}, white vaginal discharge
帶下病 {dai4 xia4 bing4}, women's diseases
帶下赤 {dai4 xia4 chi4}, red vaginal discharge
帶下黑 {dai4 xia4 hei1}, black vaginal discharge
帶下黃 {dai4 xia4 huang2}, yellow vaginal discharge
帶下青 {dai4 xia4 qing1}, green-blue vaginal discharge
帶下如注 {dai4 xia4 ru2 zhu4}, pouring vaginal discharge
帶下醫 {dai4 xia4 yi1}, women's doctor
帶有膿血 {dai4 you3 nong2 xue4}, containing pus and blood
帶魚 {dai4 yu2}, 中藥正名 hairtail (Thichiuri Caro)
帶狀&&75B1‖疹 {dai4 zhuang4 pao4 zhen3}, 西醫 herpes zoster
帶濁 {dai4 zhuo2}, turbid vaginal discharge

【戴】 {dai4} [Freq. 4] wear on the head.
戴眼 {dai4 yan3}, upcast eyes
戴眼反折 {dai4 yan3 fan3 zhe2}, upcast eyes
戴陽 {dai4 yang2}, upcast yang2

【黛】 {dai4} [Freq. 4] indigo.
黛蛤散 {dai4 ge2 san3}, 方名 Indigo and Clamshell Powder

~~ {dan1} ~~

【丹】 {dan1} [Freq. 2] cinnabar (n.) (丹毒 {dan1 du2}, cinnabar toxin); elixir (n.) (紫雪丹 {zi3 xue3 dan1}, Purple Snow Elixir); minium.

丹 {dan1}, 中藥異名 minium (Minium)

丹毒 {dan1 du2}, 西醫 erysipelas; cinnabar toxin [sore]; erysipelas

丹粉 {dan1 fen3}, 中藥異名 minium (Minium)

丹根 {dan1 gen1}, 中藥異名 moutan (Moutan Cortex)

丹黃四逆散 {dan1 huang2 si4 ni4 san3}, 方名 Moutan and Phellodendron Counterflow Cold Powder

丹荔 {dan1 li4}, 中藥異名 litchee (Litchi Fructus)

丹皮 {dan1 pi2}, 中藥異名 moutan (Moutan Cortex)

丹砂 {dan1 sha1}, 中藥異名 cinnabar (Cinnabaris)

丹痧 {dan1 sha1}, cinnabar sand

丹參散 {dan1 shen1 san3}, 方名 Salvia Powder

丹參飲 {dan1 shen1 yin3}, 方名 Salvia Beverage

丹參 {dan1 shen1, 中藥正名 salvia (Salviae Miltiorrhizae Radix)

丹粟 {dan1 su4}, 中藥異名 cinnabar (Cinnabaris)

丹田 {dan1 tian2}, cinnabar field; dan1 tian1 (Cinnabar Field); 腧穴異名 CV-4 (Cinnabar Field); 腧穴異名 CV-5 (Cinnabar Field); 腧穴異名 CV-7

丹田呼吸 {dan1 tian2 hu1 xi1}, cinnabar field breathing; dan1 tian2 field breathing

丹溪心法 {dan1 xi1 xin1 fa3}, Dan1 Xi1's Heart-Approach (1481 (Yuan2), Zhu1 Zhen4-Heng1 朱震亨 [Dan1-Xi1 丹溪])

丹梔逍遙散 {dan1 zhi1 xiao1 yao2 san3}, 方名 Moutan and Gardenia Free Wanderer Powder

【單】 {dan1} [Freq. 3] single; plain; simple.

單按 {dan1 an4}, pressing with one finger

單側 {dan1 ce4}, 西醫 hemilateral

單炒 {dan1 chao3}, plain stir-fry; stir-fry without adjuvants

單純&&75B1||疹 {dan1 chun2 pao4 zhen3}, 西醫 herpes simplex

單純 A&&75B1||疹病毒性角膜炎 {dan1 chun2 pao4 zhen3 bing4 du2 xing4 jiao3 mo2 yan2}, 西醫 herpes simple keratitis

單刀根 {dan1 dao1 gen1}, 中藥正名 lysidice root (Lysidices Radix)

單蛾 {dan1 e2}, single [baby] moth

單方 {dan1 fang1}, simple formula

單腹鼓 {dan1 fu4 gu3}, simple abdominal drum (without generalized water swelling)

單腹臌 {dan1 fu4 gu3}, simple abdominal drum distention (without generalized water swelling)

單腹脹大 {dan1 fu4 zhang4 da4}, simple abdominal distention

單根木 {dan1 gen1 mu4}, 中藥正名 ervatamia root (Ervatamiae Radix)
單根木葉 {dan1 gen1 mu4 ye4}, 中藥正名 ervatamia leaf (Ervatamiae Folium)
單鼓 {dan1 gu3}, simple drum
單臌脹 {dan1 gu3 zhang4}, simple drum distention
單乳蛾 {dan1 ru3 e2}, single nipple moth
單式補瀉手法 {dan1 shi4 bu3 xie4 shou3 fa3}, simpple supplementation and drainage manipulation
單手進針法 {dan1 shou3 jin4 zhen1 fa3}, single-handed needle insertion
單雙乳娥 {dan1 shuang1 ru3 e2}, 西醫 single and double baby moths
單條草 {dan1 tiao2 cao3}, 中藥正名 candid lysimachia (Lysimachiae Candidae Herba)
單頭紫菀 {dan1 tou2 zi3 wan3}, 中藥正名 turbinate aster (Asteris Turbinati Herba)
單頭紫菀根 {dan1 tou2 zi3 wan3 gen1}, 中藥正名 turbinate aster root (Asteris Turbinati Radix)
單味 {dan1 wei4}, single medicinal
單行 {dan1 xing2}, going alone (7 relations; ability of an agent to be used alone, e.g., ginseng)
單蒸 {dan1 zheng1}, plain-steam; steam without adjuvants
單指壓 {dan1 zhi3 ya1}, single-finger press

【癉】 {dan1} [Freq. 5] see 癉 {dan4}

~~ {dan3} ~~
【疸】 {dan3} [Freq. 5] jaundice (n.) (酒疸 {jiu3 dan3}, liquor jaundice)

【膽】 {dan3} [Freq. 2] gallbladder (n.) (肝膽濕熱 {gan1 dan3 shi1 re4}, liver-gallbladder damp-heat heat); GB.
膽病 {dan3 bing4}, gallbladder disease
膽草 {dan3 cao3}, 中藥異名 gentian (Gentianae Radix)
膽癉 {dan3 dan1}, gallbladder pure heat
膽囊炎 {dan3 dan2 yan2}, 西醫 cholecystitis
膽道感染 {dan3 dao4 gan3 ran3}, 西醫 infection of the biliary tract
膽道蛔蟲 {dan3 dao4 hui2 chong2}, 西醫 biliary ascariasis
膽道蛔蟲病 {dan3 dao4 hui2 chong2 bing4}, 西醫 biliary ascariasis
膽道排石湯 {dan3 dao4 pai2 shi2 tang1}, 方名 Biliary Calculus Decoction
膽道驅蛔湯 {dan3 dao4 qu1 hui2 tang1}, 方名 Biliary Roundworm-Expelling Decoction
膽礬 {dan3 fan2}, 中藥正名 chalcanthite (Chalcanthitum)
膽風毒氣 {dan3 feng1 du2 qi4}, gallbladder wind toxin qi4
膽黃 {dan3 huang2}, gallbladder jaundice (Bovis Vesicae Felleae Bezoar); 中藥正名

gallbladder bezoar

膽火 {dan3 huo3}, gallbladder fire

膽火不得臥 {dan3 huo3 bu4 de2 wo4}, gallbladder fire sleeplessness

膽火不臥 {dan3 huo3 bu4 wo4}, gallbladder fire insomnia

膽結石 {dan3 jie2 shi2}, 西醫 biliary calculi

膽經 {dan3 jing1}, gallbladder channel; GB

膽經實熱 {dan3 jing1 shi2 re4}, gallbladder channel repletion heat

膽經郁熱 {dan3 jing1 yu4 re4}, depressed heat in the gallbladder channel

膽經郁熱證 {dan3 jing1 yu4 re4}, pattern of depressed heat in the gallbladder channel

膽咳 {dan3 ke2}, gallbladder cough

膽木 {dan3 mu4}, 中藥正名 nauclea (Naucleae Ramulus et Cortex)

膽募 {dan3 mu4}, 腧穴異名 GB-23 (Gallbladder Alarm) (Gallbladder Alarm); 腧穴異名 GB-24

膽南星 {dan3 nan2 xing1}, 中藥異名 bile arisaema (Arisaema cum Bile)

膽囊 {dan3 nang2}, 西醫 gallbladder

膽囊切除術後膽道功能障礙 {dan3 nang2 qie1 chu1 shu4 hou4 dan3 dao4 gong1 neng2 zhang4 ai4}, 西醫 postcholecystectomy dysfunction

膽囊穴 {dan3 nang2 xue2}, 腧穴正名 Gallbladder Point

膽囊炎 {dan3 nang2 yan2}, 西醫 cholecystitis

膽氣 {dan3 qi4}, gallbladder qi4

膽氣不足 {dan3 qi4 bu4 zu2}, insufficiency of gallbladder qi4

膽氣虛 {dan3 qi4 xu1}, gallbladder qi4 vacuity

膽氣虛寒 {dan3 qi4 xu1 han2}, gallbladder qi4 vacuity cold

膽氣虛怯 {dan3 qi4 xu1 qie4}, gallbladder qi4 vacuity and timidity

膽怯 {dan3 qie4}, gallbladder timidity

膽怯易驚 {dan3 qie4 yi4 jing1}, gallbladder timidity and susceptibility to fright

膽熱 {dan3 re4}, gallbladder heat

膽熱多睡 {dan3 re4 duo1 shui4}, gallbladder heat profuse sleeping

膽石 {dan3 shi2}, 西醫 gallstones

膽實 {dan3 shi2}, gallbladder repletion

膽石病 {dan3 shi2 bing4}, 西醫 cholelithiasis; cholelithiasis

膽俞 {dan3 shu1}, 腧穴正名 BL-19 (Gallbladder Transport)

膽無決斷 {dan3 wu2 jue2 duan4}, gallbladder lacking decisiveness

膽星 {dan3 xing1}, 中藥正名 bile arisaema (Arisaema cum Bile)

膽虛 {dan3 xu1}, gallbladder vacuity

膽虛不眠 {dan3 xu1 bu4 de2 mian2}, gallbladder vacuity insomnia

膽虛氣怯 {dan3 xu1 qi4 qie4}, gallbladder vacuity and qi4 timidity

膽郁痰擾 {dan3 yu4 tan2 rao3}, depressed gallbladder with harassing phlegm

膽郁痰擾證 {dan3 yu4 tan2 rao3 zheng4}, pattern of depressed gallbladder with harassing phlegm
膽郁痰熱 {dan3 yu4 tan2 re4}, depressed gallbladder phlegm-heat
膽脹 {dan3 zhang4}, gallbladder distention
膽者，中正之官，決斷出焉 {dan3 zhe3, zhong1 zheng4 zhi1 guan1, jue2 duan4 chu1 yan1}, gallbladder holds the office of justice; decision emanates from it
膽汁 {dan3 zhi1}, bile
膽主決斷 {dan3 zhu3 jue2 duan4}, gallbladder governs decision

【癉】 {dan3} [Freq. 3] jaundice (same as 疸 {dan3}. See also 癉 {dan4})

~~ {dan4} ~~
【旦】 {dan4} [Freq. 5] dawn

【但】 {dan4} [Freq. 4] only; but.
但臂不遂 {dan4 bi4 bu4 sui4}, paralysis of the arms only
但代無胃 {dan4 dai4 wu2 wei4}, regularly interrupted only, without stomach (pulse)
但寒不熱 {dan4 han2 bu4 re4}, aversion to cold without heat effusion
但熱不寒 {dan4 re4 bu4 han2}, heat without cold; heat [effusion] (fever) without aversion to cold
但頭汗出 {dan4 tou2 han4 chu1}, sweating from the head only
但弦無胃 {dan4 xian2 wu2 wei4}, stringlike only, without stomach (pulse)
但欲寐 {dan4 yu4 mei4}, desire only to sleep

【淡】 {dan4} [Freq. 2] pale (adj.) (面色淡白 {mian4 se4 dan4 bai2}, pale white facial complexion); bland (adj.), blandness (n.).
淡白舌 {dan4 bai2 she2}, pale tongue
淡菜 {dan4 cai4}, 中藥正名 mussel (Mytili Caro)
淡蓯蓉 {dan4 cong1 rong2}, 中藥異名 sweet cistanche (Cistanches Herba Dulcis)
淡大芸 {dan4 da4 yun2}, 中藥異名 sweet cistanche (Cistanches Herba Dulcis)
淡豆豉 {dan4 dou4 chi3}, 中藥正名 fermented soybean (1) (Sojae Semen Praeparatum)
淡豆豉 {dan4 dou4 shi4}, 中藥異名 fermented soybean (1) (Sojae Semen Praeparatum)
淡附片 {dan4 fu4 pian4}, 中藥正名 desalted aconite (Aconiti Radix Lateralis Insalsa)
淡干薑 {dan4 gan1 jiang1}, 中藥異名 dried ginger (Zingiberis Rhizoma)
淡紅舌 {dan4 hong2 she2}, pale red tongue
淡黃 {dan4 huang2}, pale yellow
淡秋石 {dan4 qiu1 shi2}, 中藥正名 non-salty processed urine sediment (Hominis Urinae

Sedimentum Praeparatum Insulsum)
淡滲利尿 {dan4 shen1 li4 niao4}, disinhibit urine by bland percolation
淡滲利濕 {dan4 shen4 li4 shi1}, disinhibit dampness by bland percolation
淡滲利水 {dan4 shen4 li4 shui3}, disinhibit water by bland percolation
淡滲利水法 {dan4 shen4 li4 shui3 fa3}, bland percolating water-disinhibiting method
淡滲利水藥 {dan4 shen4 li4 shui3 yao4}, bland percolating water-disinhibiting medicinal
淡味當藥 {dan4 wei4 dang1 yao4}, 中藥正名 dilute swertia (Swertiae Dilutae Herba)
淡味滲泄爲陽 {dan4 wei4 shen4 xie4 wei2 yang2}, bland [medicinals] that percolate and drain are yang2
淡鹽湯送下 {dan4 yan2 tang1 song4 xia4}, swallow with weak brine
淡竹根 {dan4 zhu2 gen1}, 中藥正名 bamboo root (Bambusae Rhizoma)
淡竹瀝 {dan4 zhu2 li4}, 中藥異名 bamboo sap (Bambusae Succus)
淡竹米 {dan4 zhu2 mi3}, 中藥異名 lophatherum (Lophatheri Herba)
淡竹皮茹 {dan4 zhu2 pi2 ru2}, 中藥異名 bamboo shavings (Bumbusae Caulis in Taenia)
淡竹殼 {dan4 zhu2 qiao4 (ke2)}, 中藥正名 bamboo sheath (Bambusae Vagina*)
淡竹茹 {dan4 zhu2 ru2}, 中藥異名 bamboo shavings (Bumbusae Caulis in Taenia)
淡竹筍 {dan4 zhu2 sun3}, 中藥正名 bamboo shoot (Bambusae Surculus*)
淡竹葉湯 {dan4 zhu2 ye4 tang1}, 方名 Lophatherum Decoction
淡竹葉 {dan4 zhu2 ye4, 中藥正名 lophatherum (Lophatheri Herba)

【蛋】 {dan4} [Freq. 4] egg.
蛋白 {dan4 bai2}, 西醫 protein (Galli Albumen); 中藥異名 egg white
蛋白尿 {dan4 bai2 niao4}, 西醫 proteinuria
蛋白質 {dan4 bai2 zhi4}, 西醫 proteins
蛋白質-能量營養不良 {dan4 bai2 zhi4-neng2 liang4 ying2 yang4 bu4 liang2}, 西醫 protein-calorie malnutrition
蛋不老 {dan4 bu4 lao3}, 中藥正名 Cantonese speranskia (Speranskiae Cantonensis Herba)
蛋黃 {dan4 huang2}, 中藥異名 egg yolk (Galli Vitellus)
蛋黃果 {dan4 huang2 guo3}, 中藥正名 canistel (Lacumae Fructus)
彈丸 {dan4 wan2}, sling pellet (appears in pulse descriptions)

【澹】 {dan4} [Freq. 4] tranquil.
澹寮四神丸 {dan4 liao2 si4 shen2 wan2}, 方名 Tranquil Hut Four Spirits Pill

【憺】 {dan4} [Freq. 5] calm; thud

【癉】 {dan4} [Freq. 2] pure heat (n.) (Also pronounced {dan1}. 癉瘧 {dan4 nue94}, pure-heat malaria).

癉瘧 {dan4 nue94}, pure-heat malaria

【膻】 {dan4} [Freq. 5] chest (see also 膻 {shan1}).
膻中 {dan4 zhong1}, chest center (Chest Center); 腧穴正名 CV-17
膻中疽 {dan4 zhong1 ju1}, flat-abcess of the chest center

~~ {dang1} ~~
【當】 {dang1} [Freq. 4] must; in; on; at; when.
當道 {dang1 dao4}, 中藥異名 plantago (Plantaginis Herba)
當風睡臥 {dang1 feng1 shui4 wo4}, sleeping in a draft
當歸白朮湯 {dang1 gui1 bai2 zhu2 tang1}, 方名 Chinese Angelica and White Atractylodes Decoction
當歸貝母苦參丸 {dang1 gui1 bei4 mu3 ku3 shen1 wan2}, 方名 Chinese Angelica, Fritillaria, and Flavescent Sophora Pill
當歸補血湯 {dang1 gui1 bu3 xue4 tang1}, 方名 Chinese Angelica Blood-Supplementing Decoction
當歸地黃飲 {dang1 gui1 di4 huang2 yin3}, 方名 Chinese Angelica and Rehmannia Beverage
當歸紅花飲 {dang1 gui1 hong2 hua1 yin3}, 方名 Chinese Angelica and Carthamus Beverage
當歸活血湯 {dang1 gui1 huo2 xue4 tang1}, 方名 Chinese Angelica Blood-Quickening Decoction
當歸雞血藤湯 {dang1 gui1 ji1 xue4 teng2 tang1}, 方名 Chinese Angelica and anesthesia Decoction
當歸建中湯 {dang1 gui1 jian4 zhong1 tang1}, 方名 Chinese Angelica Center-Fortifying Decoction
當歸六黃湯 {dang1 gui1 liu4 huang2 tang1}, 方名 Chinese Angelica Six Yellows Decoction
當歸龍薈丸 {dang1 gui1 long2 hui4 wan2}, 方名 Chinese Angelica, Gentian, and Aloe Pill
當歸拈痛湯 {dang1 gui1 nian1 tong4 tang1}, 方名 Chinese Angelica Pain-Assuaging Decoction
當歸散 {dang1 gui1 san3}, 方名 Chinese Angelica Powder
當歸梢 {dang1 gui1 shao1}, 中藥異名 tangkuei tail (Angelicae Sinensis Radicis Extremitas)
當歸芍藥散 {dang1 gui1 shao2 yao4 san3}, 方名 Chinese Angelica and Peony Powder
當歸身 {dang1 gui1 shen1}, 中藥正名 tangkuei body (Angelicae Sinensis Radicis Corpus)
當歸生薑羊肉湯 {dang1 gui1 sheng1 jiang1 yang2 rou4 tang1}, 方名 Chinese Angelica, Fresh Ginger, and Goat Meat Decoction
當歸四逆加吳茱萸生薑湯 {dang1 gui1 si4 ni4 jia1 wu2 zhu1 yu2 sheng1 jiang1 tang1}, 方名 Chinese Angelica Counterflow Cold Decoction Plus Evodia and Fresh Ginger
當歸四逆湯 {dang1 gui1 si4 ni4 tang1}, 方名 Chinese Angelica Counterflow Cold Decoction

當歸炭 {dang1 gui1 tan4}, 中藥正名 charred tangkuei (Angelicae Sinensis Radix Carbonisata)
當歸湯 {dang1 gui1 tang1}, 方名 Chinese Angelica Decoction
當歸藤 {dang1 gui1 teng2}, 中藥正名 small-leaved embelia (Embeliae Parviflorae Radix seu Caulis)
當歸頭 {dang1 gui1 tou2}, 中藥正名 tangkuei head (Angelicae Sinensis Radicis Caput)
當歸尾 {dang1 gui1 wei3}, 中藥正名 tangkuei tail (Angelicae Sinensis Radicis Extremitas)
當歸鬚 {dang1 gui1 xu1}, 中藥正名 tangkuei fine root (Angelicae Sinensis Radicis Tenuis)
當歸羊肉湯 {dang1 gui1 yang2 rou4 tang1}, 方名 Chinese Angelica and Goat Meat Decoction
當歸飲子 {dang1 gui1 yin3 zi3}, 方名 Chinese Angelica Drink
當歸 {dang1 gui1, 中藥正名 Chinese angelica (Angelicae Sinensis Radix)
當陸 {dang1 lu4}, 中藥異名 phytolacca (Phytolaccae Radix)
當臍跳 {dang1 qi2 tiao4}, beating at th umbilicus
當臍痛 {dang1 qi2 tong4}, umbilical pain
當乳 {dang1 ru3}, 腧穴異名 ST-17 (On the Nipple)
當心而痛 {dang1 xin1 er2 tong4}, pain in the heart
當藥 {dang1 yao4}, 中藥正名 swertia (Swertiae Herba)

~~ {dang3} ~~
【黨】 {dang3} [Freq. 4] clan.
黨參 {dang3 shen1, 中藥正名 codonopsis (Codonopsis Radix)

~~ {dang4} ~~
【蕩】 {dang4} [Freq. 4] flush away; sweep away.
蕩滌 {dang4 di2}, flush
蕩滌頑痰 {dang4 di2 wan2 tan2}, flush stubborn phlegm

~~ {dao1} ~~
【刀】 {dao1} [Freq. 4] knife.
刀巴豆 {dao1 ba1 dou4}, 中藥異名 sword bean (Canavaliae Semen)
刀瘡傷濕 {dao1 chuang1 shang1 shi1}, dampness damage to knife wounds
刀豆 {dao1 dou4}, 中藥正名 sword bean (Canavaliae Semen)
刀豆根 {dao1 dou4 gen1}, 中藥正名 sword bean root (Canavaliae Radix)
刀豆殼 {dao1 dou4 qiao4 (ke2)}, 中藥正名 sword bean pod (Canavaliae Legumen)
刀豆子 {dao1 dou4 zi3}, 中藥異名 sword bean (Canavaliae Semen)
刀斧金瘡 {dao1 fu3 jin1 chuang1}, kife, ax, and incised wounds

刀斧傷 {dao1 fu3 shang1}, knife or ax wound
刀斧傷瘡 {dao1 fu3 shang1 chuang1}, knife or ax wound
刀斧傷損 {dao1 fu3 shang1 sun3}, knife or ax injury
刀斧折傷 {dao1 fu3 zhe2 shang1}, severings by knife or ax
刀箭瘡 {dao1 jian4 chuang1}, knife and arrow wounds
刀箭傷 {dao1 jian4 shang1}, knife adn arrow injuries
刀箭傷瘡 {dao1 jian4 shang1 chuang1}, kife and arrow wounds
刀口藥 {dao1 kou3 yao4}, 中藥正名 three-flowered ainsliaea leaf (Ainsliaeae Triflorae Folium)
刀培豆 {dao1 pei2 dou4}, 中藥異名 sword bean (Canavaliae Semen)
刀芡 {dao1 qian4}, 中藥異名 euryale (Euryales Semen)
刀鞘豆 {dao1 qiao4 dou4}, 中藥異名 sword bean (Canavaliae Semen)
刀傷 {dao1 shang1}, knife wound
刀傷出血 {dao1 shang1 chu1 xue4}, bleeding knife wound
刀暈 {dao1 yun1}, incised-wound syncope
刀杖金瘡 {dao1 zhang4 jin1 chuang1}, knife, club, and incised wound

~~ {dao3} ~~

【搗】 {dao3} [Freq. 2] crush (v.) (搗汁 {dao3 zhi1}, crush to extract the juice); pound (v.) (搗爛 {dao3 lan4}, pound to a pulp).
搗敷 {dao3 fu1}, apply crushed
搗臼 {dao3 jiu4}, pounding
搗爛 {dao3 lan4}, pound to a pulp
搗爛敷 {dao3 lan4 fu1}, apply crushed
搗絨 {dao3 rong2}, pound to a floss
搗筒 {dao3 tong3}, mortar
搗塗 {dao3 tu2}, apply crushed
搗針 {dao3 zhen1}, needle pounding
搗汁 {dao3 zhi1}, crush to extract the juice; extract juice by crushing
搗汁塗 {dao3 zhi1 tu2}, crush and apply juice; apply juice extracted by crushing

【導】 {dao3} [Freq. 2] abduct (v.), abduction (n.) (消食導滯 {xiao1 shi2 dao3 zhi4}, disperse food and abduct stagnation).
導便 {dao3 bian4}, abduct stool; enema
導赤承氣湯 {dao3 chi4 cheng2 qi4 tang1}, 方名 Red-Abducting Qi4-Infusing Decoction
導赤散 {dao3 chi4 san3}, 方名 Red-Abducting Powder
導法 {dao3 fa3}, abduction; enema

導氣 {dao3 qi4}, summon qi4
導氣湯 {dao3 qi4 tang1}, 方名 Qi4-Abducting Decoction
導熱散 {dao3 re4 san3}, 方名 Heat-Abducting Powder
導水茯苓湯 {dao3 shui3 fu2 ling2 tang1}, 方名 Water-Abducting Poria Decoction
導痰湯 {dao3 tan2 tang1}, 方名 Phlegm-Abducting Decoction
導引 {dao3 yin3}, conduction exercise
導滯 {dao3 zhi4}, downbear stagnation
導滯通腑 {dao3 zhi4 tong1 fu3}, abduct stagnation and free the bowels
導滯消積 {dao3 zhi4 xiao1 ji1}, abduct stagnation and disperse accumulation
導滯消痰 {dao3 zhi4 xiao1 tan2}, abduct stagnation and disperse phlegm

~~ {dao4} ~~
【倒】 {dao4} [Freq. 4] invert, inverted.
倒產 {dao4 chan3}, footling presentation
倒赤傘 {dao4 chi4 san3}, 中藥正名 broad-leaved ainsliaea (Ainsliaeae Latifoliae Herba)
倒觸傘 {dao4 chu4 san3}, 中藥正名 rose-leaved raspberry (Rubi Rosaefolii Radix)
倒地蜈蚣 {dao4 di4 wu2 gong1}, 中藥異名 helminthostachys (Helminthostachydis Rhizoma)
倒吊筆葉 {dao4 diao4 bi3 ye4}, 中藥正名 wrightia leaf (Wrightiae Folium)
倒吊蠟燭 {dao4 diao4 la4 zhu2}, 中藥正名 wrightia (Wrightiae Radix seu Caulis)
倒鉤刺 {dao4 gou1 ci4}, 中藥正名 Yun2nan2 raspberry (Rubi Delavayi Frutex)
倒掛金藤 {dao4 gua4 jin1 teng2}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)
倒掛牛 {dao4 gua4 niu2}, 中藥正名 hairy Mysore thorn (Caesalpiniae Pubescentis Radix et Cortex Caulis)
倒甲 {dao4 jia3}, ingrown nail
倒睫 {dao4 jie2}, ingrown eyelash
倒睫拳毛 {dao4 jie2 quan2 mao2}, ingrown eyelash; ingrown eyelash
倒經 {dao4 jing1}, inverted menstruation
倒扣草 {dao4 kou4 cao3}, 中藥正名 rough achyranthes (Achyranthis Asperae Herba)
倒生根 {dao4 sheng1 gen1}, 中藥正名 Korean raspberry root (Rubi Coreani Radix)
倒生蓮 {dao4 sheng1 lian2}, 中藥正名 walking spleenwort (Asplenii Prolongati Herba)
倒水蓮 {dao4 shui3 lian2}, 中藥正名 Emei meadow rue (Thalictri Omeiensis Herba)
倒紮龍 {dao4 za1 long2}, 中藥正名 piercing raspberry (Rubi Pungentis Radix)

【盜】 {dao4} [Freq. 4] thief.
盜汗 {dao4 han4}, night sweating
善盜汗 {dao4 dao4 han4}, tendency to night sweating

【道】 {dao4} [Freq. 3] path; way; Dao4.
道家 {dao4 jia1}, Daoism; Daoist
道引 {dao4 yin3}, Dao4 conduction

【稻】 {dao4} [Freq. 4] rice plant.
稻草 {dao4 cao3}, 中藥正名 rice stalk and leaf (Oryzae Caulis et Folium)
稻根鬚 {dao4 gen1 xu1}, 中藥異名 glutinous rice root (Oryzae Glutinosae Radix)
稻穀芒 {dao4 gu3 mang2}, 中藥正名 rice awn (Oryzae Aculeus Fructus)
稻糵 {dao4 nie4}, 中藥異名 millet sprout (Setariae Fructus Germinatus)
稻芽 {dao4 ya2}, 中藥異名 millet sprout (Setariae Fructus Germinatus)

~~ {de2} ~~
【得】 {de2} [Freq. 4] get.
得按則減 {de2 an4 ze2 jian3}, relieved by pressure
得寒則甚 {de2 han2 ze2 shen4}, exacerbated by cold
得涼則舒 {de2 liang2 ze2 shu1}, relieved by coolness
得氣 {de2 qi4}, obtain qi4; obtaining qi4
得熱痛減 {de2 re4 tong4 jian3}, pain relieved by pressure
得熱則緩 {de2 re4 ze2 huan3}, relieved by heat
得熱痛減 {de2 re4 ze2 jian3}, pain relieved by heat
得神 {de2 shen2}, spiritedness
得食則減 {de2 shi2 ze2 jian3}, relieved by eating
得微汗而解 {de2 wei2 han4 er2 jie3}, otain resolution through slight sweating
得溫痛減 {de2 wen1 tong4 jian3}, pain relieved by warmth

【德】 {de2} [Freq. 4] virtue; Germany (n.); German (adj.).
德國麻疹 {de2 guo2 ma2 zhen3}, 西醫 rubella

~~ {deng1} ~~
【登】 {deng1} [Freq. 4] climb.
登豆瘡 {deng1 dou4 chuang1}, pox sores
登高而歌 {deng1 gao1 er2 ge1}, climbing to high places and singing
登革熱 {deng1 ge2 re4}, 西醫 dengue fever

【燈】 {deng1} [Freq. 4] lamp.
燈草 {deng1 cao3}, 中藥異名 juncus (Junci Medulla)

燈草粉 {deng1 cao3 fen3}, 中藥正名 juncus powder (Junci Medulla Pulverata)
燈草灰 {deng1 cao3 hui1}, 中藥異名 charred juncus (Junci Medulla Carbonisata)
燈蛾 {deng1 e2}, 中藥正名 moth (Arctia )
燈火灸 {deng1 huo3 jiu3}, juncibustion
燈籠草 {deng1 long2 cao3}, 中藥正名 Cape goosebery plant (Physalis Peruvianae Herba)
燈籠果 (1) {deng1 long2 guo3}, 中藥正名 Manchurian currant (Ribis Mandschurici Fructus)
燈籠果 (2) {deng1 long2 guo3}, 中藥正名 Cape gooseberry (Physalis Peruvianae Fructus)
燈籠椒 {deng1 long2 jiao1}, 中藥正名 sweet pepper (Capsici Grossi Fructus)
燈芯 {deng1 xin1}, 中藥異名 juncus (Junci Medulla)
燈心草 {deng1 xin1 cao3}, 中藥正名 juncus (Junci Medulla)
燈芯草 {deng1 xin1 cao3}, 中藥異名 juncus (Junci Medulla)
燈心草根 {deng1 xin1 cao3 gen1}, 中藥正名 juncus root (Junci Radix et Rhizoma)
燈心灰 {deng1 xin1 hui1}, 中藥異名 charred juncus (Junci Medulla Carbonisata)
燈心炭 {deng1 xin1 tan4}, 中藥正名 charred juncus (Junci Medulla Carbonisata)
燈心竹葉湯 {deng1 xin1 zhu2 ye4 tang1}, 方名 Juncus and Lophatherum Decoction
燈盞細辛 {deng1 zhan3 xi4 xin1}, 中藥正名 erigeron (Erigerontis Herba)

~~ {deng3} ~~
【等】 {deng3} [Freq. 4] class; such like; equal; wait.
等分 {deng3 fen4}, in equal proportions

~~ {deng4} ~~
【瞪】 {deng4} [Freq. 4] stare.
瞪目直視 {deng4 mu4 zhi2 shi4}, forward-staring eyes

【鐙】 {deng4} [Freq. 4] stirrup.
鐙骨 {deng4 gu3}, 西醫 stapes
鐙骨切除術 {deng4 gu3 qie1 chu2 shu4}, 西醫 stapedectomy

~~ {di1} ~~
【低】 {di1} [Freq. 4] low.
低密 {di1 mi4}, 中藥異名 rhinoceros horn (Rhinocerotis Cornu)
低熱 {di1 re4}, 西醫 low-grade fever
低燒 {di1 shao1}, 西醫 low-grade fever
低位 {di1 wei4}, 腧穴正名 Low Position

低位俞 {di1 wei4 shu1}, 腧穴正名 Low Position Transport
低血壓 {di1 xue4 ya1}, 西醫 hypotension

【滴】 {di1} [Freq. 4] drip.
滴鼻療法 {di1 bi2 liao2 fa3}, nose drop therapy
滴蟲性陰道炎 {di1 chong2 xing4 yin1 dao4 yan2}, 西醫 trichomonal vaginitis
滴耳療法 {di1 er3 liao3 fa3}, ear drop therapy
滴乳石 {di1 ru3 shi2}, 中藥正名 tubular stalactite (Stalactitum Tubiforme)
滴乳香 {di1 ru3 xiang1}, 中藥正名 top grade frankincense (Olibanum Optimum)
滴水 {di1 shui3}, 中藥異名 bittern (Butio)
滴眼藥水 {di1 yan3 yao4 shui3}, eye drops
滴藥法 {di1 yao4 fa3}, dropping

【鍉】 {di1} [Freq. 5] arrowhead .
鍉針 {di1 zhen1 (one of the nine needles)

~~ {di2} ~~
【滌】 {di2} [Freq. 2] flush (v.).
滌熱 {di2 re4}, flush heat
滌石 {di2 shi2}, flush stones
滌痰 {di2 tan2}, flush phlegm
滌痰湯 {di2 tan2 tang1}, 方名 Phlegm-Flushing Decoction
滌痰熄風 {di2 tan2 xi1 feng1}, flush phlegm and extinguish wind
滌飲 {di2 yin3}, flush rheum

【鸐】 {di2} [Freq. 4] Reeve's pheasant.
鸐雉 {di2 zhi4}, 中藥正名 Reeves's pheasant (Syrmatici Reevesii Caro)

~~ {di3} ~~
【底】 {di3} [Freq. 5] bottom (肺底 {fei4 di3}, Bottom of the Lung (GV-9)); beneath (釜底抽薪 {fu3 di3 chou1 xin1}, raking the firewood from beneath the cauldron); back (喉底 {hou2 di3}, back of the throat); sole (腳底 {jiao3 di3}, sole of the foot)

【抵】 {di3} [Freq. 5] hit.
抵當湯 {di3 dang4 tang1}, 方名 Dead-On Decoction
抵當丸 {di3 dang4 wan2}, 方名 Dead-On Pill

抵抗力 {di3 kang4 li4}, 西醫 resistance

【&&9AB6||】 {di3} [Freq. 4] sacrum.
&&9AB6|{di3}, coccyx
&&9AB6||端 {di3 duan1}, coccyx
&&9AB6||骨 {di3 gu3}, sacrum (Sacral Bone); 腧穴異名 GV-1
&&9AB6||上 {di3 shang4}, 腧穴異名 GV-1 (Sacrum Above)

~~ {di4} ~~
【地】 {di4} [Freq. 1] earth (n.) (天地 {tian1 di4}, heaven and earth).
地八角 {di4 ba1 jiao3}, 中藥正名 Himalayan astragalus (Astragali Bhotanensis Herba)
地白草 {di4 bai2 cao3}, 中藥正名 spreading violet (Violae Diffusae Herba)
地柏葉 {di4 bai3 ye4}, 中藥正名 incised spleenwort (Asplenii Incisi Herba)
地柏枝 {di4 bai3 zhi1}, 中藥正名 grooved spikemoss (Selaginellae Moellendorffii Herba)
地萹蓄 {di4 bian3 xu4}, 中藥異名 knotgrass (Polygoni Avicularis Herba)
地鱉 {di4 bie1}, 中藥異名 ground beetle (Eupolyphaga seu Steleophaga)
地鱉蟲 {di4 bie1 chong2}, 中藥異名 ground beetle (Eupolyphaga seu Steleophaga)
地部 {di4 bu4}, earth level
地不容 {di4 bu4 rong2}, 中藥正名 central China stephania (Stephaniae Delavayi Tuber)
地菜 {di4 cai4}, 中藥異名 shepherd's purse (Capsellae Bursa-Pastoris Herba)
地蠶 {di4 can2}, 中藥異名 Chinese artichoke (Stachydis Sieboldii Tuber et Herba)
地倉 {di4 cang1}, 腧穴正名 ST-4 (Earth Granary)
地沖 {di4 chong1}, 腧穴異名 KI-1 (Earth Surge)
地沖 {di4 chong1}, 腧穴異名 KI-1 (Earth Thoroughfare)
地膽 {di4 dan3}, 中藥正名 oil beetle (Melo\"e)
地膽草 {di4 dan3 cao3}, 中藥異名 elephantopus (Elephantopi Herba)
地膽頭 {di4 dan3 tou2}, 中藥異名 elephantopus (Elephantopi Herba)
地丁 {di4 ding1}, 中藥正名 violet (Violae Herba cum Radice)
地耳草 {di4 er3 cao3}, 中藥正名 lesser hypericum (Hyperici Japonici Herba)
地膚草 {di4 fu1 cao3}, 中藥異名 kochia shoot (Kochiae Caulis et Folium)
地膚苗 {di4 fu1 miao2}, 中藥正名 kochia shoot (Kochiae Caulis et Folium)
地膚子 {di4 fu1 zi3}, 中藥正名 kochia (Kochiae Fructus)
地膏藥 {di4 gao1 yao4}, 中藥正名 adnate cudweed (Gnaphalii Adnati Folium seu Herba)
地骨 {di4 gu3}, 中藥異名 lycium bark (Lycii Cortex)
地牯牛 {di4 gu3 niu2}, 中藥正名 ant lion larva (Myrmeleonis Larva)
地骨皮飲 {di4 gu3 pi2 yin3}, 方名 Lycium Root Bark Beverage
地骨皮 {di4 gu3 pi2, 中藥正名 lycium bark (Lycii Cortex)

地骨子 {di4 gu3 zi3}, 中藥異名 lycium (Lycii Fructus)
地瓜 (1) {di4 gua1}, 中藥異名 yam bean (Pachyrhizi Tuber)
地瓜 (2) {di4 gua1}, 中藥異名 sweet potato (Ipomoeae Batatas Tuber)
地瓜根 {di4 gua1 gen1}, 中藥正名 tikoua fig root (Tikoua Radix)
地瓜果 {di4 gua1 guo3}, 中藥正名 tikoua fig (Tikoua Fructus)
地瓜藤 {di4 gua1 teng2}, 中藥正名 tikoua fig stem (Tikoua Caulis et Folium)
地瓜子 {di4 gua1 zi3}, 中藥正名 yam bean seed (Pachyrhizi Semen)
地管 {di4 guan3}, 中藥異名 imperata (Imperatae Rhizoma)
地合 {di4 he2}, 腧穴正名 Earth Union
地紅子根 {di4 hong2 zi3 gen1}, 中藥正名 ground cotoneaster (Cotoneastri Perpusillae Radix)
地胡苓 {di4 hu2 ling2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
地花生 {di4 hua1 sheng1}, 中藥正名 Si4chuan1 polygala (Polygalae Crotalarioidis Radix)
地槐 {di4 huai2}, 中藥異名 flavescent sophora (Sophorae Flavescentis Radix) (Sophorae Flavescentis Radix); 中藥異名 flavescent sophora
地黃 {di4 huang2}, 中藥正名 rehmannia (Rehmanniae Radix)
地黃瓜 {di4 huang2 gua1}, 中藥正名 swamp violet (Violae Grypoceratis Herba)
地黃花 {di4 huang2 hua1}, 中藥正名 rehmannia flower (Rehmanniae Flos)
地黃連 {di4 huang2 lian2}, 中藥正名 munronia (Munroniae Henryi Frutex)
地黃散 {di4 huang2 san3}, 方名 Rehmannia Powder
地黃實 {di4 huang2 shi2}, 中藥正名 rehmannia fruit (Rehmanniae Semen)
地黃炭 {di4 huang2 tan4}, 中藥異名 charred dried rehmannia (Rehmanniae Radix Carbonisata)
地黃丸 {di4 huang2 wan2}, 方名 Rehmannia Pill
地黃葉 {di4 huang2 ye4}, 中藥正名 rehmannia leaf (Rehmanniae Folium)
地黃飲子 {di4 huang2 yin3 zi3}, 方名 Rehmannia Drink
地箕 {di4 ji1}, 腧穴異名 SP-8 (Earth Winnower)
地機 {di4 ji1}, 腧穴正名 SP-8 (Earth's Crux)
地甲（一） {di4 jia3 (1)}, 腧穴正名 Endemic Goiter \#1
地甲（二） {di4 jia3 (2)}, 腧穴正名 Endemic Goiter \#2
地健 {di4 jian4}, 腧穴正名 Fortifying Earth
地漿 {di4 jiang1}, 中藥正名 yellow earth water (Terrae Flavae Aqua)
地漿水 {di4 jiang1 shui3}, 中藥異名 yellow earth water (Terrae Flavae Aqua)
地椒 {di4 jiao1}, 中藥正名 wild thyme (Thymi Serpylli Herba)
地筋 {di4 jin1}, 中藥正名 heteropogon (Heteropogonis Radix seu Herba)
地錦 {di4 jin3}, 中藥正名 parthenocissus (Parthenocissi Radix et Caulis)
地錦草 {di4 jin3 cao3}, 中藥正名 humifuse euphorbia (Euphorbiae Humifusae Herba)
地精草 {di4 jing1 cao3}, 中藥正名 chickweed (Stellariae Saxatilis Herba)
地骷髏 {di4 ku4 lou2}, 中藥正名 old radish (Raphani Radix Veta)

地廓 {di4 kuo4}, earth belt
地栗粉 {di4 li4 fen3}, 中藥異名 water chestnut starch (Heleocharitis Cormi Amylum)
地龍 {di4 long2}, 中藥正名 earthworm (Pheretima)
地膽草 {di4 long2 cao3}, 中藥異名 gentian (Gentianae Radix)
地龍干 {di4 long2 gan1}, 中藥異名 earthworm (Pheretima)
地龍散 {di4 long2 san3}, 方名 Earthworm Powder
地龍子 {di4 long2 zi3}, 中藥異名 earthworm (Pheretima)
地樓 {di4 lou2}, 中藥異名 trichosanthes root (Trichosanthis Radix)
地麻黃 {di4 ma2 huang2}, 中藥正名 mollugo (Molluginis Herba)
地馬菜 {di4 ma3 cai4}, 中藥異名 purslane (Portulacae Herba)
地毛球 {di4 mao2 qiu2}, 中藥異名 cynomorium (Cynomorii Herba)
地莓子 {di4 mei2 zi3}, 中藥正名 orange rasberry (Rubi Xanthocarpi Radix)
地皮消 {di4 pi2 xiao1}, 中藥正名 ruellia (Ruelliae Herba)
地薔薇 {di4 qiang2 wei1}, 中藥正名 erect chamaerhodos (Chamaerhodoris Herba)
地茄子 {di4 qie2 zi3}, 中藥正名 pratia fruit (Pratiae Fructus)
地&&83CD|{di4 ren3}, 中藥正名 lesser melastome (Melastomatis Dodecandri Herba)
地澀澀 {di4 se4 se4}, 中藥正名 thyme-leaved speedwell (Veronicae Serpyllifoliae Herba)
地沙 {di4 sha1}, 中藥正名 burmannia (Burmannia Coelestis Rhizoma et Radix)
地石榴花 {di4 shi2 liu2 hua1}, 中藥正名 tikoua fig flower (Tikoua Flos)
地菘 {di4 song1}, 中藥異名 carpesium (Carpesii Herba)
地蘇木 {di4 su1 mu4}, 中藥正名 Penang abacopteris (Abacopteridis Penangianae Rhizoma et Herba)
地筍 {di4 sun3}, 中藥正名 lycopus root (Lycopi Rhizoma)
地梭羅 {di4 suo1 luo2}, 中藥正名 liverwort (Marchantia)
地桃花 {di4 tao2 hua1}, 中藥正名 urena (Urenae Radix seu Herba)
地桐子 {di4 tong2 zi3}, 中藥異名 momordica (Momordicae Semen)
地圖舌 {di4 tu2 she2}, geographic tongue
地烏 {di4 wu1}, 中藥正名 flaccid anemone (Anemones Flaccidae Rhizoma)
地烏桃 {di4 wu1 tao2}, 中藥異名 polyporus (Polyporus)
地蜈蚣 {di4 wu2 gong1}, 中藥異名 helminthostachys (Helminthostachydis Rhizoma)
地五 {di4 wu3}, 腧穴異名 GB-42 (Earth Five)
地五會 {di4 wu3 hui4}, 腧穴正名 GB-42 (Earth Fivefold Convergence)
地仙草 {di4 xian1 cao3}, 中藥異名 agrimony (Agrimoniae Herba)
地仙桃 {di4 xian1 tao2}, 中藥正名 peach-fruited lithospermum (Lithospermi Zollingeri seu Arvensis Fructus)
地辛 {di4 xin1}, 中藥異名 ginger (Zingiberis Rhizoma)
地楊梅 {di4 yang2 mei2}, 中藥正名 luzula (Luzulae Herba seu Fructus)
地羊鵲 {di4 yang2 que4}, 中藥正名 corniculate lotus (Loti Corniculati Herba et Flos)

地涌金蓮 {di4 yong3 jin1 lian2}, 中藥正名 musella (Musellae Flos)
地榆 {di4 yu2}, 中藥正名 sanguisorba (Sanguisorbae Radix)
地榆散 {di4 yu2 san3}, 方名 Sanguisorba Powder
地榆炭 {di4 yu2 tan4}, 中藥正名 charred sanguisorba (Sanguisorbae Radix Carbonisata)
地榆湯 {di4 yu2 tang1}, 方名 Sanguisorba Decoction
地榆丸 {di4 yu2 wan2}, 方名 Sanguisorba Pill
地氈草 {di4 zhan1 cao3}, 中藥正名 spatulate sundew (Droserae Spathulatae Herba)
地支 {di4 zhi1}, earthly branch (abbreviation); B
地芝 {di4 zhi1}, 中藥異名 wax gourd (Benincasae Fructus)
地芝丸 {di4 zhi1 wan2}, 方名 Rehmannia Root Pill
地豬 {di4 zhu1}, 中藥異名 hog-nosed badger's flesh (Arctonychis Caro)
地棕根 {di4 zong1 gen1}, 中藥異名 curculigo (Curculiginis Rhizoma)

【帝】 {di4} [Freq. 4] emperor.
帝丁 {di4 ding1}, uvula
帝膏 {di4 gao1}, 中藥異名 storax (Styrax)
帝油流 {di4 you2 liu2}, 中藥異名 storax (Styrax)
帝鐘 {di4 zhong1}, uvula

【第】 {di4} [Freq. 4] particle indicating ordinal number.
第八 {di4 ba1}, eighth
第二 {di4 er4}, second
第九 {di4 jiu3}, ninth
第六 {di4 liu4}, sixth
第三 {di4 san1}, third
第十 {di4 shi2}, tenth
第四 {di4 si4}, fourth
第五 {di4 wu3}, fifth
第一 {di4 yi1}, first

【棣】 {di4} [Freq. 4] plant name.
棣棠花 {di4 tang2 hua1}, 中藥正名 Japan globeflower (Kerriae Flos seu Ramulus et Folium)

【蒂】 {di4} [Freq. 5] stalk (瓜蒂 {gua1 di4}, melon stalk); pedicel

~~ {dian1} ~~
【滇】 {dian1} [Freq. 4] altnative name of 云南 Yun2nan2 Province.

滇常山 {dian1 chang2 shan1}，中藥正名 Yun2nan2 glory-bower (Clerodendri Yunnanensis Radix, Caulis et Folium)
滇橄攬 {dian1 gan3 lan3}，中藥異名 emblic (Phyllanthi Fructus)
滇雞骨常山 {dian1 ji1 gu3 chang2 shan1}，中藥正名 Yun2nan2 alstonia (Alstoniae Yunnanensis Ramulus et Folium)
滇南杭子梢 {dian1 nan2 hang2 zi3 shao1}，中藥正名 Harms' clover shrub (Campylotropis Harmsii Radix)
滇崖爬藤 {dian1 ya2 pa2 teng2}，中藥正名 Yun2nan2 tetrastigma (Tetrastigmatis Yunnanensis Herba)
滇獐牙菜 {dian1 zhang1 ya2 ye4}，中藥正名 Yun2nan2 swertia (Swertiae Yunnanensis Herba)
滇紫草 {dian1 zi3 cao3}，中藥正名 Yun2nan2 puccoon (Onosmatis Radix)

【顛】 {dian1} [Freq. 2] top (of the head); vertex (n.) (顛頂頭痛{dian1 ding3 tou2 tong4}, vertex headache).
顛簸 {dian1 bo3}, riddle
顛倒散 {dian1 dao3 san3}, Reversal Powder
顛頂 {dian1 ding3}, top of the head (vertex cranii); vertex

【巔】 {dian1} [Freq. 3] top (of the head); vertex (n.).
巔頂痛 {dian1 ding3 tong4}, pain at the vertex
巔頂頭痛 {dian1 ding3 tou2 tong4}, vertex headache
巔疾 {dian1 ji2}, disease of the head
巔上 {dian1 shang4}，腧穴異名 GV-20 (Mountain Top)
巔眩 {dian1 xuan4}, dizziness of the head

【癲】 {dian1} [Freq. 2] withdrawal (n.).
癲病 {dian1 bing4}, withdrawal disease
癲疾 {dian1 ji2}, madness
癲疾多言 {dian1 ji2 duo1 yan2}, madness with continual talking
癲狂 {dian1 kuang2}, mania and withdrawal
癲狂病 {dian1 kuang2 bing4}, mania and withdrawal disease
癲狂龍虎丸 {dian1 kuang2 long2 hu3 wan2}，方名 Mania and Withdrawal Dragon and Tiger Pill
癲狂丸 {dian1 kuang2 wan2}，方名 Mania and Withdrawal Pill
癲癎 {dian1 xian2}, withdrawal and epilepsy; epilepsy; epilepsy

【□+】 {dian1} [Freq. 4] plant name

~~ {dian3} ~~
【點】 {dian3} [Freq. 4] speckle; point.
點刺 {dian3 ci4}, prick
點地梅 {dian3 di4 mei2}, 中藥正名 scarlet rock jasmine (Androsaces Aizoonis Herba)
點椒 {dian3 jiao1}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
點穴法 {dian3 xue4 fa3}, acupoint pressing
點眼 {dian3 yan3}, apply topical eye medication; topical eye medication; eye dab; eye drops
點眼療法 {dian3 yan3 liao2 fa1}, eye drop therapy
點眼藥粉 {dian3 yan3 yao4 fen3}, eye powder

~~ {dian4} ~~
【電】 {dian4} [Freq. 4] lightening; electricity.
電針 {dian4 zhen1}, electroacupuncture; electropuncture
電針麻醉 {dian4 zhen1 ma2 zui4}, electroacuanesthesia

【澱】 {dian4} [Freq. 4] starch.
澱粉 {dian4 fen3}, 中藥正名 starch (Amylum)
澱花 {dian4 hua1}, 中藥異名 indigo (Indigo Naturalis)

【靛】 {dian4} [Freq. 4] indigo.
靛根 {dian4 gen1}, 中藥異名 knotty pine wood (Pini Nodi Lignum)
靛花 {dian4 hua1}, 中藥異名 indigo (Indigo Naturalis)
靛沫花 {dian4 mo4 hua1}, 中藥異名 indigo (Indigo Naturalis)
靛青根 {dian4 qing1 gen1}, 中藥異名 isatis root (Isatidis Radix)

【癜】 {dian4} [Freq. 3] patch (白癜風 {bai2 dian4 feng1}, white patch wind)

~~ {diao1} ~~
【貂】 {diao1} [Freq. 4] marten.
貂尾 {diao1 wei3}, 中藥正名 marten's tail (Martis Cauda)

【雕】 {diao1} [Freq. 4] golden eagle.
雕骨 {diao1 gu3}, 中藥正名 golden eagle's bone (Aquilae Chrysa\"eti Os)

~~ {diao4} ~~

【吊】 {diao4} [Freq. 4] hang.

吊菜子 {diao4 cai4 zi3}, 中藥異名 eggplant (Solani Melongenae Fructus)

吊腳痧 {diao4 jiao3 sha1}, leg-hoisting sand

吊蘭 {diao4 lan2}, 中藥異名 dendrobium (Dendrobii Herba)

吊蘭花 {diao4 lan2 hua1}, 中藥異名 dendrobium (Dendrobii Herba)

吊茄子 {diao4 qie2 zi3}, hanging eggplant

吊藤 {diao4 teng2}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)

吊線風 {diao4 xian4 feng1}, hoisted-line wind

吊眼 {diao4 yan3}, hoisted (i.e., upturned) eyes

吊鐘茵陳 {diao4 zhong1 yin1 chen2}, 中藥異名 siphonostegia (Siphonostegiae Herba)

吊竹梅 {diao4 zhu2 mei2}, 中藥正名 wandering Jew (Zebrinae Pendulae Herba)

【掉】 {diao4} [Freq. 2] shaking (n.) (諸風掉眩，皆屬于肝 {zhu1 feng1 diao4 xuan4, jie1 shu3 yu2 gan1}, all wind with shaking and dizzy vision is ascribed to the liver)

【釣】 {diao4} [Freq. 4] fish with a hook and line.

釣桿柴 {diao4 gan3 chai2}, 中藥正名 neillia (Neiliae Radix)

釣鉤藤 {diao4 gou1 teng2}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)

釣蘭 {diao4 lan2}, 中藥正名 spider plant (Chlorophyti Capensis Herba (cum Radice))

釣藤 {diao4 teng2}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)

釣藤鉤 {diao4 teng2 gou1}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)

釣樟根皮 {diao4 zhang1 gan1 pi2}, 中藥正名 umbellate lindera root (bark) (Linderae Umbellatae Radix seu Radicis Cortex)

~~ {die1} ~~

【跌】 {die1} [Freq. 4] fall; fall over.

跌打 {die1 da3}, knocks and falls

跌打老 {die1 da3 lao3}, 中藥正名 whorled litsea (Litseae Verticillatae Caulis et Folium seu Radix)

跌打損傷 {die1 da3 sun3 shang1}, knocks and falls

跌打丸 {die1 da3 wan2}, 方名 Knocks and Falls Pill

跌打腫痛 {die1 da3 zhong3 tong4}, painful swelling from knocks and falls

跌破笁 {die1 po4 le4}, 中藥正名 long-leaved xylosma [leaf, thorn, and seed] (Xylosmatis Longifolii Folium, Spina et Semen)

跌撲損傷 {die1 pu1 sun3 shang1}, knocks and falls

跌陽 {die1 yang2}, 腧穴異名 ST-42 (Unrestrained Yang2)

~~ {die2} ~~
【蝶】 {die2} [Freq. 4] butterfly.
蝶骨 {die2 gu3}, 西醫 sphenoid bone

【疊】 {die2} [Freq. 4] pile up.
疊磚 {die2 zhuan1}, pile of bricks

【昳】 {die2} [Freq. 5] sun's descent

~~ {ding1} ~~
【丁】 {ding1} [Freq. 3] fourth heavenly stem; S4.
丁沉透膈湯 {ding1 chen2 tou4 ge2 tang1}, 方名 Clove and Aquilaria Diaphragm-Freeing Decoction
丁公藤 {ding1 gong1 teng2}, 中藥正名 erycibe (Erycibes Caulis)
丁癸草 {ding1 gui3 cao3}, 中藥正名 zornia (Zorniae Herba)
丁癸草根 {ding1 gui3 cao3 gen1}, 中藥正名 zornia root (Zorniae Radix)
丁桂散 {ding1 gui4 san3}, 方名 Clove and Cinnamon Powder
丁火 {ding1 huo3}, S4-fire (the heart)
丁蔻理中丸 {ding1 kou4 li3 zhong1 wan2}, 方名 Clove and Cardamom Center-Rectifying Pill
丁榔皮 {ding1 lang2 pi2}, 中藥正名 large-leaved cornel bark (Corni Macrophyllae Cortex)
丁皮 {ding1 pi2}, 中藥異名 erythrina (Erythrinae Cortex)
丁香 {ding1 xiang1}, 中藥正名 clove (Caryophylli Flos)
丁香茯苓湯 {ding1 xiang1 fu2 ling2 tang1}, 方名 Clove and Poria Decoction
丁香根 {ding1 xiang1 gen1}, 中藥正名 clove root (Caryophylli Radix)
丁香膠艾湯 {ding1 xiang1 jiao1 ai4 tang1}, 方名 Clove, Ass Hide Glue, and Mugwort Decoction
丁香露 {ding1 xiang1 lu4}, 中藥正名 clove distillate (Caryophylli Floris Distillatum)
丁香蘿蔔 {ding1 xiang1 luo2 bo2}, 中藥異名 carrot (Dauci Carotae Sativae Radix)
丁香柿蒂湯 {ding1 xiang1 shi4 di4 tang1}, 方名 Clove and Persimmon Decoction
丁香樹皮 {ding1 xiang1 shu4 pi2}, 中藥正名 clove bark (Caryophylli Cortex)
丁香油 {ding1 xiang1 you2}, 中藥正名 clove oil (Caryophylli Oleum)
丁香魚 {ding1 xiang1 yu2}, 中藥正名 silver anchovy (Spratelloides Gracilis)
丁香枝 {ding1 xiang1 zhi1}, 中藥正名 clove twig (Caryophylli Ramulus)
丁香散 {ding1 xing1 san3}, 方名 Clove Powder
丁萸理中湯 {ding1 yu2 li3 zhong1 tang1}, 方名 Clove and Evodia Center-Rectifying

Decoction
丁子 {ding1 zi3}, 中藥異名 clove (Caryophylli Flos)
丁子香 {ding1 zi3 xiang1}, 中藥異名 clove (Caryophylli Flos)

【酊】 {ding1} [Freq. 3] tincture.
酊劑 {ding1 ji4}, 西醫 tincture

【釘】 {ding1} [Freq. 4] nail (n.).
釘耙七 {ding1 pa2 qi1}, 中藥正名 Franchet's pondweed root (Potamogetonis Franchetii Radix)
釘桐皮 {ding1 tong2 pi2}, 中藥異名 erythrina (Erythrinae Cortex)

【疔】 {ding1} [Freq. 2] clove sore (n.) (紅私疔 {hong2 si1 ding1}, red-thread clove sore).
疔瘡 {ding1 chuang1}, clove sore
疔瘡走黃 {ding1 chuang1 zou3 huang2}, clove sore running yellow
疔毒 {ding1 du2}, clove-sore toxin
疔毒惡瘡 {ding1 du2 wu4 chuang1}, clove-sore toxin and malign sores
疔疽 {ding1 ju1}, clove flat-abscess
疔俞 {ding1 shu1}, 腧穴正名 Clove Sore Transport

【耵】 {ding1} [Freq. 4] earwax; cerumen.
耵耳 {ding1 er3}, ceruminal congestion
耵聹 {ding1 ning2}, 西醫 cerumen (耵聹 {ding1 ning2}, earwax); earwax (耵聹 {ding1 ning2}, earwax); cerumen

~~ {ding3} ~~
【頂】 {ding3} [Freq. 3] top of the head; vertex (n.) (顛頂頭痛 {dian1 ding3 tou2 tong4}, vertex headache).
頂骨 {ding3 gu3}, 西醫 parietal bone
頂門 {ding3 men2}, 腧穴異名 GV-22 (Vertex Gate)
頂如拔 {ding3 ru2 ba2}, headache as if the top of the head were being pried off
頂上 {ding3 shang4}, 腧穴異名 Vertex Top

~~ {ding4} ~~
【定】 {ding4} [Freq. 4] stabilize.
定喘 {ding4 chuan3}, stabilize panting; calm panting; 腧穴正名 Panting Stabilizer
定喘散 {ding4 chuan3 san3}, 方名 Panting-Stabilizing Powder

定喘湯 {ding4 chuan3 tang1}, 方名 Panting-Stabilizing Decoction
定喘治嗽 {ding4 chuan3 zhi4 sou4}, stabilize panting and treat cough
定喘治嗽藥 {ding4 chuan3 zhi4 sou4 yao4}, medicinals that stabilize panting and treat cough
定風 {ding4 feng1}, stabilize wind
定悸飲 {ding4 ji4 yin3}, 方名 Palpitation-Stabilizing Beverage
定經草 {ding4 jing1 cao3}, 中藥正名 false pimpernel (Linderniae Anagallis Herba)
定經湯 {ding4 jing1 tang1}, 方名 Menses-Stabilizing Decoction
定木香 {ding4 mu4 xiang1}, 中藥正名 beesia root (Beesiae Rhizoma)
定神 {ding4 shen2}, 腧穴正名 Spirit Stabilizer
定時寒熱 {ding4 shi2 han2 re4}, cold and heat occurring at set periods
定痛 {ding4 tong4}, settle pain
定痛膏 {ding4 tong4 gao1}, 方名 Pain-Relieving Paste
定痛丸 {ding4 tong4 wan2}, 方名 Pain-Relieving Pill
定癇丸 {ding4 xian2 wan2}, 方名 Fit-Settling Pill
定心散 {ding4 xin1 san3}, 中藥正名 officinal angiopteris (Angiopteridis Officinalis Rhizoma)
定振丸 {ding4 zhen4 wan2}, 方名 Tremor-Stabilizing Pill
定志 {ding4 zhi4}, stabilize the mind
定志安神 {ding4 zhi4 an1 shen2}, stabilize the mind and quiet the spirit
定志丸 {ding4 zhi4 wan2}, 方名 Mind-Stabilizing Pill
定志小丸 {ding4 zhi4 xiao3 wan2}, 方名 Small Mind-Stabilizing Pill

【釘】 {ding4} [Freq. 4] nail (v.); nail; pin (圖釘針 {tu2 ding4 zhen1}, drawing-pin needle)

【錠】 {ding4} [Freq. 2] lozenge (n.); lozenge preparation.
錠子 {ding4 zi3}, lozenge

~~ {diu1} ~~
【丟】 {diu1} [Freq. 4] throw.
丟了棒 {diu1 liao3 bang4}, 中藥正名 claoxylon (Claoxylonis Radix seu Folium)

~~ {dong1} ~~
【冬】 {dong1} [Freq. 3] winter (position associated with wood).
冬菜 {dong1 cai4}, 中藥正名 winter pickle (Brassicae Salsamen)
冬蟲草 {dong1 chong2 cao3}, 中藥異名 cordyceps (Cordyceps)
冬蟲夏草 {dong1 chong2 xia4 cao3}, 中藥正名 cordyceps (Cordyceps)
冬蔥 {dong1 cong1}, 中藥異名 shallot (Allii Ascalonici Bulbus)

冬菇 {dong1 gu1}, 中藥異名 lentinus (Lentinus)
冬瓜 {dong1 gua1}, 中藥正名 wax gourd (Benincasae Fructus)
冬瓜皮 {dong1 gua1 pi2}, 中藥正名 wax gourd rind (Benincasae Exocarpium)
冬瓜瓤 {dong1 gua1 rang2}, 中藥正名 wax gourd flesh (Benincasae Mesocarpium)
冬瓜仁 {dong1 gua1 ren2}, 中藥異名 wax gourd seed (Benincasae Semen)
冬瓜藤 {dong1 gua1 teng2}, 中藥正名 wax gourd stem (Benincasae Caulis)
冬瓜葉 {dong1 gua1 ye4}, 中藥正名 wax gourd leaf (Benincasae Folium)
冬瓜粥 {dong1 gua1 zhou1}, 方名 Wax Gourd Gruel
冬瓜子 {dong1 gua1 zi3}, 中藥正名 wax gourd seed (Benincasae Semen)
冬花 {dong1 hua1}, 中藥異名 coltsfoot (Farfarae Flos)
冬均子 {dong1 jun1 zi3}, 中藥異名 quisqualis (Quisqualis Fructus)
冬葵根 {dong1 kui2 gen1}, 中藥正名 mallow root (Malvae Radix)
冬葵葉 {dong1 kui2 ye4}, 中藥正名 mallow leaf (Malvae Folium)
冬葵子 {dong1 kui2 zi3}, 中藥正名 mallow seed (Malvae Semen)
冬裡麻 {dong1 li3 ma2}, 中藥正名 debregeasia (Debregeasiae Ramulus, Folium et Radix)
冬綠油 {dong1 lu94 you2}, 中藥正名 wintergreen oil
冬麻子 {dong1 ma2 zi3}, 中藥異名 cannabis fruit (Cannabis Fructus)
冬彭 {dong1 peng2}, 中藥異名 gastrodia (Gastrodiae Rhizoma)
冬青皮 {dong1 qing1 pi2}, 中藥正名 Chinese ilex stem (Ilicis Chinensis Caulis)
冬青葉 {dong1 qing1 ye4}, 中藥正名 Chinese ilex leaf (Ilicis Chinensis Folium)
冬青子 {dong1 qing1 zi3}, 中藥正名 Chinese ilex (Ilicis Chinensis Semen)
冬桑葉 {dong1 sang1 ye4}, 中藥異名 frostbitten mulberry leaf (Mori Folium Praeustum)
冬石 {dong1 shi2}, stonelike in winter (pulse)
冬溫 {dong1 wen1}, winter warmth
冬應中權 {dong1 ying4 zhong1 quan2}, [in] winter [the pulse] responds like a steelyard line
冬至 {dong1 zhi4}, Winter Solstice (22nd solar term)
冬朮 {dong1 zhu2}, 中藥正名 frostbitten ovate atractylodes (Atractylodis Ovatae Rhizoma Praeustum)

【東】 {dong1} [Freq. 3] east (position associated with wood).
東北貫眾 {dong1 bei3 guan4 zhong4}, 中藥正名 Manchurian aspidium (Dryopteridis Crassirhizomae Rhizoma)
東北參 {dong1 bei3 shen1}, 中藥正名 Manchurian ginseng (Ginseng Radix *Manchuriensis)
東北烏毛蕨葉 {dong1 bei3 wu1 mao2 jue2 ye4}, 中藥正名 blechnum leaf (Blechni Folium)
東丹 {dong1 dan1}, 中藥異名 minium (Minium)
東黨 {dong1 dang3}, 中藥正名 eastern codonopsis (Codonopsis Radix *Orientalis)
東方狗脊 {dong1 fang1 gou3 ji3}, 中藥正名 Oriental chain fern root (Woodwardiae Rhizoma)
東方狐鰹 {dong1 fang1 hu2 jian1}, 中藥正名 striped bonito (Sarda Orientalis)

東方醫學 {dong1 fang1 yi1 xue2}, oriental medicine
東防風 {dong1 fang2 feng1}, 中藥正名 eastern saposhnikovia (Saposhnikoviae Radix *Orientalis)
東風 {dong1 feng1}, 腧穴正名 East Wind
東風菜 {dong1 feng1 cai4}, 中藥正名 rough aster (Asteris Scabri Herba)
東風菜根 {dong1 feng1 cai4 gen1}, 中藥正名 rough aster (Asteris Scabri Radix)
東風橘根 {dong1 feng1 ju2 gen1}, 中藥正名 atalantia (Atalantiae Radix)
東瓜 {dong1 gua1}, 中藥異名 wax gourd (Benincasae Fructus)
東漢 {dong1 han4}, Eastern Han4 (Later Han4, 25--220 A.D.)
東黃 {dong1 huang2}, 中藥異名 eastern bovine bozoar (Bovis Bezoar *Orientale)
東黃柏 {dong1 huang2 bai3}, 中藥正名 Eastern phellodendron (Phellodendri Cortex *Orientalis)
東晉 {dong1 jin4}, Eastern Jin4 (317--420 A.D.)
東莨菪 {dong1 lang4 cang4}, 中藥正名 Japanese scopalia (Scopoliae Japonicae Rhizoma)
東牛黃 {dong1 niu2 huang2}, 中藥正名 eastern bovine bozoar (Bovis Bezoar *Orientale)
東廧子 {dong1 qiang2 zi3}, 中藥正名 agriophyllum seed (Agriophylli Semen)
東魏 {dong1 wei4}, Eastern Wei4 (534--550 A.D.)
東洋參 {dong1 yang2 shen1}, 中藥異名 ginseng (Ginseng Radix)
東醫 {dong1 yi1}, Eastern medicine
東周 {dong1 zhou1}, Eastern Zhou1 (770--256 B.C.)

~~ {dong4} ~~
【洞】 {dong4} [Freq. 4] cave.
洞泄 {dong4 xie4}, throughflux diarrhea

【凍】 {dong4} [Freq. 4] frozen.
凍瘡 {dong4 chuang1}, 西醫 chilblain (frostbite,erythema pernio); chilblain; frostbite
凍蔥 {dong4 cong1}, 中藥異名 shallot (Allii Ascalonici Bulbus)
凍結性冷傷 {dong4 jie2 xing4 leng3 shang1}, 西醫 cold injury
凍青樹子 {dong4 qing1 shu4 zi3}, 中藥異名 Chinese ilex (Ilicis Chinensis Semen)
凍青葉 {dong4 qing1 ye4}, 中藥正名 Yun2nan2 machilus leaf (Machili Yunnanensis Folium)

【動】 {dong4} [Freq. 2] stir (n.) (肝風內動 {gan1 feng1 nei4 dong4}, liver wind stirring internally).
動悸 {dong4 ji4}, stirring palpitation
動筋骨折 {dong4 jin1 gu3 zhe2}, pulling of the sinews and bone fractures
動脈 {dong4 mai4}, stirred pulse; pulsating vessel; artery

動脈瘤 {dong4 mai4 liu2}, 西醫 aneurysm
動脈硬化 {dong4 mai4 ying4 hua4}, 西醫 arteriosclerosis
動脈硬化性精神病 {dong4 mai4 ying4 hua4 xing4 jing1 shen2 bing4}, 西醫 arteriosclerotic psychosis
動脈粥樣硬化 {dong4 mai4 zhou1 yang4 ying4 hua4}, 西醫 atherosclerosis
動則氣喘 {dong4 ze2 qi4 chuan3}, panting on exertion
動則氣急 {dong4 ze2 qi4 ji2}, rapid breathing on exertion
動則易汗 {dong4 ze2 yi4 han4}, sweating easily brought on by exertion
動輒氣急 {dong4 zhe2 qi4 ji2}, rapid breathing at the slightest exertion
動作氣喘 {dong4 zuo4 qi4 chuan3}, panting on physical exertion

~~ {dou1} ~~
【兜】 {dou1} [Freq. 4] bag.
兜鈴 {dou1 ling2}, 中藥異名 oroxylum (Oroxyli Semen)

~~ {dou3} ~~
【斗】 {dou3} [Freq. 3] dipper; dou3 (unit of volume)

【抖】 {dou3} [Freq. 4] tremble.
抖法 {dou3 fa3}, tremulation (manipulation technique)

~~ {dou4} ~~
【豆】 {dou4} [Freq. 4] bean.
豆瓣菜 {dou4 ban4 cai4}, 中藥異名 watercress (Nasturtii Herba) (Nasturtii Herba); 中藥異名 watercress
豆瓣醬 {dou4 ban4 jiang4}, 中藥正名 bean paste (Leguminosae Pasta)
豉 {dou4 chi3}, 中藥正名 fermented soybean (2) (Sojae Semen Fermentatum)
豆豉草 {dou4 chi3 cao3}, 中藥正名 sanguine iris (Iridis Sanguineae Rhizoma et Radix)
豆豉鳳梨 {dou4 chi3 feng4 li2}, 中藥異名 pickled pineapple (Ananatis Salsamen)
豆豉姜 {dou4 chi3 jiang1}, 中藥異名 litsea (Litseae Rhizoma et Radix)
豆豉薑 {dou4 chi3 jiang1}, 中藥正名 litsea (Litseae Rhizoma et Radix)
豆腐 {dou4 fu3}, 中藥正名 bean curd (Sojae Coagulatio)
豆腐泔水 {dou4 fu3 gan1 shui3}, 中藥正名 bean curd water (Sojae Coagulationis Aqua)
豆腐鍋巴 {dou4 fu3 guo1 ba1}, 中藥異名 pot-burnt soy milk (Sojae Lac Usta in Olla)
豆腐漿 {dou4 fu3 jiang1}, 中藥正名 soybean milk (Sojae Lac)

豆腐皮 (1) {dou4 fu3 pi2}, 中藥正名 bean curd skin (Sojae Lactis Cutis)
豆腐皮 (2) {dou4 fu3 pi2}, 中藥異名 sheet bean curd (Sojae Lamina)
豆腐乳 {dou4 fu3 ru3}, 中藥正名 ripened bean curd (Sojae Coagulatio Fermentata)
豆腐渣 {dou4 fu3 zha1}, 中藥正名 bean curd dregs (Sojae Lactis Residuum)
豆腐渣果 {dou4 fu3 zha1 guo3}, 中藥正名 helicia (Heliciae Radix seu Folium)
豆菇 {dou4 gu1}, 中藥異名 fermented soybean (2) (Sojae Semen Fermentatum)
豆黃 {dou4 huang2}, 中藥正名 black soy (Sojae Seminis Atri Preparatio)
豆黃卷 {dou4 huang2 juan3}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)
豆漿 {dou4 jiang1}, 中藥異名 soybean milk (Sojae Lac)
豆角 {dou4 jiao3}, 中藥異名 cowpea (Vignae Sinensis Semen)
豆角柴 {dou4 jiao3 chai2}, 中藥正名 Delavay clover shrub (Campylotropis Delavayi Radix)
豆卷 {dou4 juan3}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)
豆蔻 {dou4 kou4}, 中藥異名 Katsumada's galangal seed (Alpiniae Katsumadai Semen)
豆蔻花 {dou4 kou4 hua1}, 中藥正名 cardamom flower (Amomi Cardamomi Flos)
豆蔻丸 {dou4 kou4 wan2}, 方名 Tsaoko Pill
豆蔻粥 {dou4 kou4 zhou1}, 方名 Nutmeg Gruel
豆蔻 {dou4 kou4, 中藥正名 cardamom (Amomi Fructus Rotundus)
豆苗 {dou4 miao2}, 中藥正名 pea shoots (Pisi Caulis et Folium)
豆蘗 {dou4 nie4}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)
豆糵 {dou4 nie4}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)
豆蒲 {dou4 pu2}, 中藥異名 fermented soybean (2) (Sojae Semen Fermentatum)
豆麴 {dou4 qu1}, 中藥異名 fermented soybean (2) (Sojae Semen Fermentatum)
豆豉 {dou4 shi4}, 中藥異名 fermented soybean (2) (Sojae Semen Fermentatum)
豆薯 {dou4 shu3}, 中藥正名 yam bean (Pachyrhizi Tuber)
豆鬚子 {dou4 xu1 zi3}, 中藥異名 cuscuta (Cuscutae Semen)
豆芽 {dou4 ya2}, 中藥正名 bean sprout (Phaseoli seu Glycines Semen Germinatum)
豆芽菜 {dou4 ya2 cai4}, 中藥異名 bean sprout (Phaseoli seu Glycines Semen Germinatum)
豆衣 {dou4 yi1}, 中藥異名 mung bean seed-coat (Phaseoli Radiati Testa)
豆油 {dou4 you2}, 中藥正名 soybean oil (Sojae Seminis Oleum)

【鬥】 {dou4} [Freq. 4] fight.
鬥雞眼 {dou4 ji1 yan3}, cross-eye

【痘】 {dou4} [Freq. 2] pox (n.).
痘瘡 {dou4 chuang1}, pox sore
痘漿 {dou4 jiang1}, pox fluid
痘瘖 {dou4 yin1}, loss of voice due to pox
痘疹方論 {dou4 zhen3 fang1 lun4}, 書名 On Pox Formulas (1518 (Ming2), Cai4 Wei2-Fan2

蔡維藩)

~~ {du1} ~~

【都】 {du1} [Freq. 3] metropolis.
都氣丸 {du1 qi4 wan2}, 方名 Metropolis Qi4 Pill
都咸子 {du1 xian2 zi3}, 中藥正名 cashew nut (Anacardii Fructus)

【督】 {du1} [Freq. 2] governing (adj.); governor (n.); governing vessel.
督脈 {du1 mai4}, GV
督俞 {du1 shu1}, 腧穴正名 BL-16 (Governing Transport)

【嘟】 {du1} [Freq. 4] du1-lu1 (嘟嚕 {du1 lu1}, du1-lu1).
嘟嚕 {du1 lu1}, du1-lu1 (kind of crucible)

~~ {du2} ~~

【毒】 {du2} [Freq. 2] toxin (n.), toxic (adj.), toxicity (n.) (熱毒 {re4 du2}, eat toxin; 微毒 {wei2 du2}, slightly toxic}, slight {toxicity); poison; venom (n.) (蛇毒 {she2 du2}, snake venom); toxin [sore] (n.).
毒蟲螫傷 {du2 chong2 shi4 shang1}, insect sting
毒蟲咬傷 {du2 chong2 yao3 shang1}, poisonous insect bite
毒瘡癰腫 {du2 chuang1 yong1 zhong3}, toxin sores and swollen welling-abscesses
毒火燔熾 {du2 huo3 fan2 chi4}, intense toxic fire
毒火犯耳 {du2 huo3 fan4 er3}, toxic fire invading the ear
毒火犯耳證 {du2 huo3 fan4 er3 zheng4}, pattern of toxic fire invading the ear
毒聾 {du2 long2}, toxin deafness
毒氣 {du2 qi4}, toxic qi4
毒芹根 {du2 qin2 gen1}, 中藥正名 cow bane (Cicutae Radix)
毒熱熾盛 {du2 re4 chi4 sheng4}, intense toxic heat
毒熱結聚 {du2 re4 jie2 ju4}, toxic heat gathering and binding
毒入營血 {du2 ru4 ying2 xue4}, toxin entering construction-bllod
毒入營血證 {du2 ru4 ying2 xue4 zheng4}, pattern of toxin entering construction-bllod
毒蛇咬傷 {du2 she2 yao3 shang1}, poisonous snake bite; snake bite
毒藥攻邪 {du2 yao4 gong1 xie2}, attack evils with toxicity
毒壅氣分 {du2 yong1 qi4 fen4}, toxin congesting the qi4 aspect
毒壅上焦 {du2 yong1 shang4 jiao1}, toxin congesting the upper burner
毒魚 {du2 yu2}, 中藥異名 genkwa (Genkwa Flos)

毒魚藤 {du2 yu2 teng2}, 中藥正名 woolly millettia (Millettiae Lasiopetalae Radix, Caulis et Folium)
毒疰 {du2 zhu4}, toxic infixation

【獨】 {du2} [Freq. 4] alone.
獨衡 {du2 heng2}, 中藥異名 Forbes' asarum (Asari Forbesii Herba)
獨滑 {du2 hua2}, 中藥異名 pubescent angelica (Angelicae Pubescentis Radix)
獨會 {du2 hui4}, 腧穴異名 Solitary Confluence
獨活葛根湯 {du2 huo2 ge2 gen1 tang1}, 方名 Pubescent Angelica and Pueraria Decoction
獨活寄生湯 {du2 huo2 ji4 sheng1 tang1}, 方名 Pubescent Angelica and Mistletoe Decoction
獨活散 {du2 huo2 san3}, 方名 Pubescent Angelica Powder
獨活湯 {du2 huo2 tang1}, 方名 Pubescent Angelica Decoction
獨活 {du2 huo2, 中藥正名 pubescent angelica (Angelicae Pubescentis Radix)
獨角倍 {du2 jiao3 bei4}, 中藥正名 single-horned sumac gallnut (Galla Chinensis Unicornis)
獨腳柑 {du2 jiao3 gan1}, 中藥正名 Asiatic striga (Strigae Asiaticae Herba)
獨腳黃茅 {du2 jiao3 huang2 mao2}, 中藥異名 curculigo (Curculiginis Rhizoma)
獨角蓮 {du2 jiao3 lian2}, 中藥正名 giant typhonium (Typhonii Gigantei Herba)
獨腳絲茅 {du2 jiao3 si1 mao2}, 中藥異名 curculigo (Curculiginis Rhizoma)
獨腳烏&&6855|{du2 jiao3 wu1 jiu4}, 中藥正名 treebine root and stem (Cissi Radix et Caulis)
獨腳烏&&6855‖葉 {du2 jiao3 wu1 jiu4 ye4}, 中藥正名 treebine leaf (Cissi Folium)
獨腳仙茅 {du2 jiao3 xian1 mao2}, 中藥異名 curculigo (Curculiginis Rhizoma)
獨角芋 {du2 jiao3 yu4}, 中藥正名 caladium (Caladii Tuber)
獨蕨箕 {du2 jue2 ji1}, 中藥正名 downy moonwort (Botrychii Lanuginosi Radix)
獨茅根 {du2 mao2 gen1}, 中藥異名 curculigo (Curculiginis Rhizoma)
獨取寸口 {du2 qu3 cun4 kou3}, exclusive examination of the inch opening (wrist pulse)
獨參湯 {du2 shen1 tang1}, 方名 Pure Ginseng Decoction
獨聖散 {du2 sheng4 san3}, 方名 Single Sage Powder
獨蒜 {du2 suan4}, 中藥異名 garlic (Allii Sativi Bulbus)
獨頭蒜 {du2 tou2 suan4}, 中藥異名 garlic (Allii Sativi Bulbus)
獨行菜 {du2 xing2 cai4}, 中藥正名 garden cress (Lepidii Sativae Herba)
獨行千里 {du2 xing2 qian1 li3}, 中藥正名 Hongkong caper (Capparis Membranaceae Radix et Folium)
獨搖草 {du2 yao2 cao3}, 中藥異名 pubescent angelica (Angelicae Pubescentis Radix)
獨葉白芨 {du2 ye4 bai2 ji2}, 中藥正名 Yun2nan2 pleione (Pleiones Tuber)
獨葉一枝花 {du2 ye4 yi1 zhi1 hua1}, 中藥正名 hemipilia (Hemipiliae Herba)
獨葉一枝槍 {du2 ye4 yi1 zhi1 qiang1}, 中藥正名 amitostigma (Amitostigmatis Herba et Rhizoma)
獨一味 {du2 yi1 wei4}, 中藥正名 rotating Jerusalem sage (Phlomidis Rotatae Rhizoma et

Radix seu Herba)
獨陰 {du2 yin1}, 腧穴正名 Solitary Yin1
獨語 {du2 yu3}, soliloquy; talking to onself
獨足綠茅根 {du2 zu2 lu94 mao2 gen1}, 中藥異名 curculigo (Curculiginis Rhizoma)

【瀆】 {du2} [Freq. 5] river (四瀆 {si4 du2}, Four Rivers (TB-9)); sluice (决瀆之官 {jue2 du2 zhi1 guang1}, office of the sluices)

【犢】 {du2} [Freq. 4] calf.
犢鼻 {du2 bi2}, 腧穴正名 ST-35 (Calf's Nose); 腧穴異名 Calf's Nose

~~ {du3} ~~
【肚】 {du3} [Freq. 3] stomach (of an animal. See also 肚 {du4}); tripe (see also 肚 {du4}).
肚大青筋 {du3 da4 qing1 jin1}, enlarged abdomen with green-blue vessels
肚拉 {du3 la1}, 中藥正名 triplostegia root (Triplostegiae Radix)

【堵】 {du3} [Freq. 4] wall; stop up; surname.
堵拉 {du3 la1}, 中藥異名 cucumber gourd root (Trichosanthis Cucumeroidis Radix)

【篤】 {du3} [Freq. 5] serious (危篤 {wei1 du3}, severe)

~~ {du4} ~~
【&&59AC||】 {du4} [Freq. 4] jealous.
&&59AC||精瘡 {du4 jing1 chuang1}, jealous semen sore
&&59AC||乳 {du4 ru3}, begrudging milk (excess of breast milk)

【妒】 {du4} [Freq. 4] jealous (&&59AC|{du4}, jealous).
妒乳 {du4 ru3}, jealous milk (excess of breast milk)

【杜】 {du4} [Freq. 4] plant name.
杜桂 {du4 gui4}, 中藥異名 cinnamon bark (Cinnamomi Cortex)
杜衡 {du4 heng2}, 中藥正名 Forbes' asarum (Asari Forbesii Herba)
杜蘅 {du4 heng2}, 中藥異名 Forbes' asarum (Asari Forbesii Herba)
杜虹花 {du4 hong2 hua1}, 中藥正名 Formosan beauty-berry (Callicarpae Formosanae Caulis et Folium)
杜蒺藜 {du4 ji2 li2}, 中藥異名 tribulus (Tribuli Fructus)

杜莖山 {du4 jing1 shan1}, 中藥正名 Japanese maesa (Maesae Japonicae Radix et Folium)
杜鵑 {du4 juan1}, 中藥正名 cuckoo (Cuculi Caro)
杜鵑花 {du4 juan1 hua1}, 中藥正名 red azalea (Rhododendri Simsii Flos seu Fructus)
杜鵑花根 {du4 juan1 hua1 gen1}, 中藥正名 red azalea root (Rhododendri Simsii Radix)
杜鵑花葉 {du4 juan1 hua1 ye4}, 中藥正名 red azalea leaf (Rhododendri Simsii Folium)
杜蘭 {du4 lan2}, 中藥異名 dendrobium (Dendrobii Herba)
杜松實 {du4 song1 shi2}, 中藥正名 juniper berry (Juniperi Rigidae Fructus)
杜松子 {du4 song1 zi3}, 中藥異名 juniper berry (Juniperi Rigidae Fructus)
杜芫 {du4 yuan2}, 中藥異名 genkwa (Genkwa Flos)
杜仲 {du4 zhong4}, 中藥正名 eucommia (Eucommiae Cortex)
杜仲散 {du4 zhong4 san3}, 方名 Eucommia Powder

【肚】 {du4} [Freq. 3] abdomen (see also 肚 {du3}); belly.
肚倍 {du4 bei4}, 中藥異名 single-horned sumac gallnut (Galla Chinensis Unicornis)
肚腹脹大 {du4 fu4 zhang4 da4}, distention and enlargement of the abdomen
肚上青筋 {du4 shang4 qing1 jin1}, (green-blue) veins on the belly
肚疼 {du4 teng2}, abdominal pain
肚痛 {du4 tong4}, abdominal pain
肚痛腹瀉 {du4 tong4 fu4 xie4}, abdominal pain and diarrhea

【度】 {du4} [Freq. 5] measure (v.); measure, measurement(n.) (骨度法 {gu3 du4 fa3}, bone-measuring method; 無度 {wu2 du4}, without measure, intemperant); standard (n.) (骨度法 {gu3 du4 fa3}, bone-measuring method; 無度 {wu2 du4}, without measure, intemperant)

【蠹】 {du4} [Freq. 4] insect that eats paper, cloth, or wood; worm-eaten.
蠹疽 {du4 ju1}, worm-eaten flat-abscess

~~ {duan1} ~~
【端】 {duan1} [Freq. 5] end (肩端 {jian1 duan1}, end of the shoulder); extremity (唇上端 {chun2 shang4 duan1}, Upper Extremity of the Lip (GV-27)); reposition.
端法 {duan1 fa3}, repositioning

~~ {duan3} ~~
【短】 {duan3} [Freq. 2] short (pulse, breathing, urinary voidings).
短刺 {duan3 ci4}, short needling (one of the twelve needling methods)
短脈 {duan3 mai4}, short pulse

短氣 {duan3 qi4}, shortness of breath
短氣乏力 {duan3 qi4 fa2 li4}, shortness of breath
短氣倦怠 {duan3 qi4 juan4 dai4}, shortness of breath and fatigue
短暫腦缺血發作 {duan3 zan4 nao3 que1 xue4 fa1 zuo4}, 西醫 transient ischemic attack (TIA)
短暫缺血發作 {duan3 zan4 que1 xue4 fa1 zuo4}, 西醫 transient ischemic attack (TIA)

~~ {duan4} ~~
【段】 {duan4} [Freq. 5] section (切斷 {qie1 duan4}, cut into sections); length

【斷】 {duan4} [Freq. 4] break; terminate.
斷耳瘡 {duan4 er3 chuang1}, ear-severing sore
斷交 {duan4 jiao1}, 腧穴異名 GV-28 (Extremity Intersection)
斷節參 {duan4 jie2 shen1}, 中藥正名 Wallich's cynanchum (Cynanchi Wallichii Radix)
斷乳 {duan4 ru3}, terminate lactation
斷下湯 {duan4 xia4 tang1}, 方名 Precipitation-Checking Decoction
斷緒 {duan4 xu4}, breaking lineage

【&&7145||】 {duan4} [Freq. 2] calcine (v.), calcination (n.).
&&7145||淬 {duan4 cui4}, calcine and quench; calcination and quenching
&&7145||存性 {duan4 cun2 xing4}, calcine preserving nature (i.e., to calcine without destroying the nature); nature-preservative calcination
&&7145||用 {duan4 yong4}, used calcined

~~ {dui1} ~~
【堆】 {dui1} [Freq. 4] heap.
堆沙鬄髻 {dui1 sha1 la4 li4}, sand-heap perverse crop (equivalent to WM favus of the scalp)

~~ {dui4} ~~
【兌】 {dui4} [Freq. 4] mouth (厲兌 {li4 dui4}, Severe Mouth (ST-45)); protuberant (兌骨 {dui4 gui3}, protuberant bone).
兌沖 {dui4 chong1}, 腧穴異名 HT-7 (Protuberant Hub)
兌端 {dui4 duan1}, 腧穴正名 GV-27 (Extremity of the Mouth)
兌髮 {dui4 fa4}, ear lock (of hair)
兌骨 {dui4 gu3}, protuberant bone (Protuberant Bone); 腧穴異名 HT-7 (Protuberant Bone); 腧穴異名 HT-8 (Mouth Bone); 腧穴異名 SI-18

兌通兌 {dui4 tong1 dui4}, 腧穴異名 GV-27 (Mouth Means Edge)
兌中 {dui4 zhong1}, 腧穴異名 HT-7 (Protuberance)

【碓】 {dui4} [Freq. 5] crush

【對】 {dui4} [Freq. 4] facing.
對答錯亂 {dui4 da2 cuo4 luan4}, incoherent response to inquiry
對答清楚 {dui4 da2 qing1 chu3}, coherent response to inquiry
對待 {dui4 dai4}, contrast
對待法 {dui4 dai4 fa3}, contrasting
對對參 {dui4 dui4 shen1}, 中藥正名 satyrium root (Satyrii Radix)
對節樹根 {dui4 jie2 shu4 gen1}, 中藥正名 red beauty-berry root (Callicarpae Rubellae Radix)
對節葉 {dui4 jie2 ye4}, 中藥正名 pteracanthus leaf (Pteracanthi Folium)
對節葉根 {dui4 jie2 ye4 gen1}, 中藥正名 pteracanthus root (Pteracanthi Radix)
對口 {dui4 kou3}, mouth-level nape flat-abscess
對馬耳蕨 {dui4 ma3 er3 jue2}, 中藥正名 tsussima holly fern (Polystichi Tsussimensis Herba et Rhizoma)
對臍發 {dui4 qi2 fa1}, umbilicus-level effusion
對蝦 {dui4 xia1}, 中藥正名 shrimp (Penaeus)
對心發 {dui4 xin1 fa1}, heart-level effusion of the back
對葉草 {dui4 ye4 cao3}, 中藥正名 Hancock's cynanchum (Cynanchi Hancockiani Herba)
對葉豆 {dui4 ye4 dou4}, 中藥正名 ringworm cassia (Cassiae Alatae Folium)
對葉散花 {dui4 ye4 san4 hua1}, 中藥正名 Yichang viburnum (Viburni Ichangensis Caulis, Folium et Radix)
對葉四塊瓦 {dui4 ye4 si4 kuai4 wa3}, 中藥正名 serrate-leaved chloranthus stem and leaf (Chloranthi Serrati Caulis et Folium)
對應取穴 {dui4 ying4 qu3 xue2}, selection of corresponding points
對症選穴 {dui4 zheng4 xuan3 xue2}, selection of pathocondition points

~~ {dun1} ~~
【敦】 {dun1} [Freq. 4] honest.
敦盛草 {dun1 sheng4 cao3}, 中藥正名 Tibetan lady's slipper (Cypripedii Tibetici Radix)

【蹲】 {dun1} [Freq. 4] squat.
蹲鴟 {dun1 chi1}, 中藥異名 taro (Colocasiae Tuber)

～～ {dun4} ～～

【盾】 {dun4} [Freq. 4] shield.

盾翅藤 {dun4 chi4 teng2}, 中藥正名 aspidopteris (Aspidopterydis Caulis)

盾葉薯蕷 {dun4 ye4 shu3 yu4}, 中藥正名 ginger dioscorea (Dioscoreae Zingiberensis Rhizoma)

【頓】 {dun4} [Freq. 4] pause; arrest; suddenly.

頓服 {dun4 fu2}, quaff; take in a single dose

頓咳 {dun4 ke2}, long-bout cough (whooping cough) (whooping cough); whooping cough

頓嗽散 {dun4 sou4 san3}, 方名 Cough-Arresting Powder

【燉】 {dun4} [Freq. 3] stew (v.); double-boil (v.).

燉肉 {dun4 rou4}, stew with meat

燉溫 {dun4 wen1}, warm in double boiler

～～ {duo1} ～～

【多】 {duo1} [Freq. 2] copious (adj.) (痰多 {tan2 duo1}, copious phlegm); profuse (n.) (多夢 {duo1 meng4}, profuse dreaming); increased (adj.) (多食易饑 {duo1 shi2 yi4 ji1}, increased eating with rapid hungering).

多發性大動脈炎 {duo1 fa1 xing4 da4 dong4 mai4 yan2}, 西醫 primary arteritis of the aorta and main branches

多發性肌炎 {duo1 fa1 xing4 yi1 yan2}, 西醫 polymyositis

多發性硬化症 {duo1 fa1 xing4 ying4 hua4 zheng4}, 西醫 multiple sclerosis

多伽羅香 {duo1 ga1 luo2 xiang1}, 中藥異名 frankincense (Olibanum)

多骨 {duo1 gu3}, 中藥異名 cardamom (Amomi Fructus Rotundus)

多寒少熱 {duo1 han2 shao3 re4}, [aversion to] cold more pronounced than heat [effusion] (fever)

多汗 {duo1 han4}, profuse sweating

多花野牡丹 {duo1 hua1 ye3 mu3 dan1}, 中藥正名 flowery melastome (Melastomatis Polyanthi Frutex)

多寐 {duo1 mei4}, somnolence

多夢 {duo1 meng4}, profuse dreaming

多夢紛紜 {duo1 meng4 fen1 yun2}, profuse confused dreaming

多尿 {duo1 niao4}, profuse urination

多尿症 {duo1 niao4 zheng4}, 西醫 polyuria

多怒 {duo1 nu4}, irascibility

多氣少血 {duo1 qi4 shao3 xue4}, copious qi4 and scant blood

多蕊蛇菰 {duo1 rui3 she2 gu1}, 中藥正名 polyandrous balanophora (Balanophorae Polyandrae Herba)
多食羸瘦 {duo1 shi2 lei2 shou4}, marked emaciation despite large food intake
多食善饑 {duo1 shi2 shan4 ji1}, large food intake with rapid hungering; increased eating with rapid hungering
多食身瘦 {duo1 shi2 shen1 shou4}, thin body despite large food intake
多食易饑 {duo1 shi2 yi4 ji1}, large food intake with rapid hungering; increased eating with rapid hungering
多睡 {duo1 shui4}, profuse sleeping; tendency to sleep
多所聞 {duo1 suo3 wen2}, 腧穴異名 SI-19 (More Heard)
多嚏 {duo1 ti4}, sneezing
多頭風輪菜 {duo1 tou2 feng1 lun2 cai4}, 中藥正名 many-headed savory (Clinopodii Polycephali Herba)
多唾 {duo1 tuo4}, copious spittle
多忘 {duo1 wang4}, forgetfulness
多血少氣 {duo1 xue4 shao3 qi4}, copious blood and scant qi4
多疑慮 {duo1 yi2 lu94}, tendency to doubt and preoccupation
多飲多食 {duo1 yin3 duo1 shi2}, large intake of food and drink
多針刺法 {duo1 zhen1 ci4 fa3}, multi-needle method
多發性神經炎 {duo2 fa1 xing4 shen2 jing1 yan2}, 西醫 polyneuritis

~~ {duo2} ~~
【奪】 {duo2} [Freq. 2] despoliate (v.), despoliation (n.).
奪精 {duo2 jing1}, despoliation of essence
奪命丹 {duo2 ming4 dan1}, 方名 Life-Clutching Elixir
奪命散 {duo2 ming4 san3}, 方名 Life-Clutching Powder
奪血 {duo2 xue4}, despoliation of the blood
奪血者無汗，奪汗者無血 {duo2 xue4 zhe3 wu2 han4, duo2 han4 zhe3 wu2 xue4}, when blood is despoliated, there is no sweat; when sweat is despoliated, there is no blood
奪血者無汗, 奪汗者無血 {duo2 xue4 zhi3 wu2 han4, duo2 han4 zhe3 wu2 xue}, despoliation of the blood diminishes sweating and despoliation of sweat diminishes the bloood

~~ {duo3} ~~
【朵】 {duo3} [Freq. 4] measure word for flowers.
朵朵花根 {duo3 duo3 hua1 gen1}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)

~~ {duo4} ~~
【墮】 {duo4} [Freq. 4] abort.
墮傷 {duo4 shang1}, injury from falling
墮死胎 {duo4 si3 tai1}, abort the dead fetus
墮胎 {duo4 tai1}, miscarriage

~~ {duo} ~~
【多】 {duo} [Freq. 2] mostly

== E ==

~~ {e1} ~~
【阿】 {e1} [Freq. 4] large hill (see alo 阿 {a1}. Short for 東阿 Dong1-e2, a place in Shan1dong1, where 阿膠 {e1 jiao1}, ass hide glue, comes from).
阿膠 {e1 jiao1}, 中藥正名 ass hide glue (Asini Corii Colla)
阿膠黃連湯 {e1 jiao1 huang2 lian2 tang1}, 方名 Ass Hide Glue and Coptis Decoction
阿膠雞子黃湯 {e1 jiao1 ji1 zi3 huang2 tang1}, 方名 Ass Hide Glue and Egg Yolk Decoction
阿膠散 {e1 jiao1 san3}, 方名 Ass Hide Glue Powder
阿膠芍藥湯 {e1 jiao1 shao2 yao4 tang1}, 方名 Ass Hide Glue and Peony Decoction
阿膠四物湯 {e1 jiao1 si4 wu4 tang1}, 方名 Ass Hide Glue Four Agents Decoction
阿膠湯 {e1 jiao1 tang1}, 方名 Ass Hide Glue Decoction
阿膠珠 {e1 jiao1 zhu1}, 中藥正名 ass hide glue pellets (Asini Corii Gelatini Pilula)
阿魏 {e1 wei4}, 中藥正名 asafetida (Ferulae Resina)
阿魏化痞膏 {e1 wei4 hua4 pi3 gao1}, 方名 Asafetida Glomus-Transforming Paste
阿魏化痞散 {e1 wei4 hua4 pi3 san3}, 方名 Asafetida Glomus-Transforming Powder
阿魏丸 {e1 wei4 wan2}, 方名 Asafetida Pill

【痾】 {e1} [Freq. 5] disease (人痾 {ren2 e1}, hermaphrodism)

【&&754B‖】 {e1} [Freq. 3] disease (also pronounced {ke1})

~~ {e2} ~~
【峨】 {e2} [Freq. 4] lofty (as in 峨眉 e2 mei2, ``Lofty Eyebrow,'' the name of a famous

mountain in Si4chuan1).
峨嵋半邊蓮 {e2 mei2 ban4 bian1 lian2}, 中藥正名 Chinese angiopteris (Angiopteridis Chinensis Rhizoma)
峨眉豆 {e2 mei2 dou4}, 中藥異名 lablab (Lablab Semen Album)
峨嵋耳蕨 {e2 mei2 er3 jue2}, 中藥正名 Emei polystichum (Polystichi Omeiensis Herba)
峨嵋連 {e2 mei2 lian2}, 中藥異名 Hongya coptis (Coptidis Rhizoma *Hongyaensis)
峨眉石鳳丹 {e2 mei2 shi2 feng4 dan1}, 中藥正名 ypsilandra (Ypsilandrae Herba)
峨三七 {e2 san1 qi1}, 中藥正名 Emei greater ginseng (Panacis Majoris Radix)
峨參 {e2 shen1}, 中藥正名 anthriscus root (Anthrisci Radix)

【蛾】 {e2} [Freq. 3] moth.
蛾豆 {e2 dou4}, 中藥正名 moth bean (Phaseoli Aconitifolii Semen)
蛾蝨子 {e2 shi1 zi3}, 中藥異名 xanthium (Xanthii Fructus)
蛾藥 {e2 yao4}, 中藥正名 Chinese leontopodium root (Leontopodii Sinensis Radix)
蛾子 {e2 zi3}, baby moth

【餓】 {e2} [Freq. 4] hungry (adj.); hunger (n.) (易餓多食 {yi4 e4 duo1 shi2}, swift hungering and increased appetite)

【額】 {e2} [Freq. 3] forehead; frontal.
額骨 {e2 gu3}, 西醫 frontal bone
額汗 {e2 han4}, sweating brow
額肌 {e2 ji1}, 西醫 frontal muscle
額角 {e2 jiao3}, frontal angles
額顱 {e2 lu2}, forehead
額痛 {e2 tong4}, frontal headache
額頭出汗 {e2 tou2 chu1 han}, sweating brow
額中 {e2 zhong1}, 腧穴正名 Forehead Center

【鵝】 {e2} [Freq. 3] goose.
鵝不食草 {e2 bu4 shi2 cao3}, 中藥正名 centipeda (Centipedae Herba)
鵝腸草 {e2 chang2 cao3}, 中藥正名 malachium (Stellariae Herba)
鵝&&81CE|{e2 cui4}, 中藥正名 goose tail flesh (Anseris Caudae Caro)
鵝膽 {e2 dan3}, 中藥正名 goose's gallbladder (Anseris Vesica Fellea)
鵝蛋殼 {e2 dan4 qiao4 (ke2)}, 中藥正名 goose egg shell (Anseris Ovi Putamen)
鵝管石 {e2 guan3 shi2}, 中藥正名 goose throat stone (Balanophyllia seu Stalactitum)
鵝喉管 {e2 hou2 guan3}, 中藥正名 goose's throat (Anseris Guttur)
鵝腳板 {e2 jiao3 ban3}, 中藥正名 pimpinella (Pimpinellae Herba)

鵝腳板根 {e2 jiao3 ban3 gen1}, 中藥正名 pimpinella root (Pimpinellae Radix)
鵝腳木葉 {e2 jiao3 mu4 ye4}, 中藥正名 crataeva leaf (Crataevae Folium)
鵝口瘡 {e2 kou3 chuang1}, 西醫 thrush; goose-mouth sore
鵝毛 {e2 mao2}, 中藥正名 goose feather (Anseris Pluma)
鵝內金 {e2 nei4 jin1}, 中藥正名 goose's gizzard lining (Anseris Gigeriae Endothelium)
鵝絨藤 {e2 rong2 teng2}, 中藥正名 Chinese cynanchum sap (Cynanchi Chinensis Succus)
鵝肉 {e2 rou4}, 中藥正名 goose's flesh (Anseris Caro)
鵝首馬先蒿 {e2 shou3 ma3 xian1 hao1}, 中藥正名 duck's-head pedicularis (Pedicularis Anatis Flos)
鵝腿骨 {e2 tui3 gu3}, 中藥正名 goose's leg (Anseris Tibia)
鵝涎 {e2 xian2}, 中藥正名 goose's spittle (Anseris Saliva)
鵝血 {e2 xue4}, 中藥正名 goose blood (Anseris Sanguis)
鵝掌風 {e2 zhang3 feng1}, goose-foot wind (equivalent to tinea manuum)
鵝掌金星草 {e2 zhang3 jin1 xing1 cao3}, 中藥正名 phymatopsis (Phymatopsis Herba (cum Radice))
鵝掌楸根 {e2 zhang3 qiu1 gen1}, 中藥正名 liriodendron root (Liriodendri Radix)
鵝掌上黃皮 {e2 zhang3 shang4 huang2 pi2}, 中藥正名 yellow skin of goose's foot (Anseris Corium Aureum Pedis)
鵝爪風 {e2 zhao3 feng1}, goose-claw wind (same as ashen nail, 灰指甲 {hui1 zhi3 jia3})
鵝爪瘋 {e2 zhao3 feng1}, goose-claw ill-wind

【莪】 {e2} [Freq. 4] plant name.
莪朮 {e2 zhu2}, 中藥正名 curcuma rhizome (Curcumae Rhizoma)
莪&&8481|{e2 zhu2}, 中藥異名 curcuma rhizome (Curcumae Rhizoma)

~~ {e3} ~~
【惡】 {e3} [Freq. 3] nausea.
惡心 {e3 xin1}, nausea
惡心嘔吐 {e3 xin1 ou3 tu4}, nausea and vomiting

【噁】 {e3} [Freq. 4] nausea (噁 {e3} is used in Western medicine, 惡 {e3} in Chinese medicine).
噁心 {e3 xin1}, 西醫 nausea

~~ {e4} ~~
【呃】 {e4} [Freq. 2] hiccup (v.), (n.) (寒呃 {han2 e4}, cold hiccough).

呃逆 {e4 ni4}, 西醫 hiccup; hiccup 穴正名 Hiccough
呃忒 {e4 te4}, hiccup

【惡】 {e4} [Freq. 2] malign (adj.), malignity (n.) (惡血 {e4 xue4}, malign blood; 惡色 malign complexion; 中惡{zhong4 e4}, malignity stroke).
惡臭 {e4 chou4}, malign odor
惡瘡 {e4 chuang1}, malign sore
惡雞婆 {e4 ji1 po2}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
惡疥 {e4 jie4}, malign scab
惡露 {e4 lu4}, lochia
惡露不斷 {e4 lu4 bu4 duan4}, persistent flow of lochia; lochiorrhea
惡露不盡 {e4 lu4 bu4 jin4}, persistent flow of lochia; lochiorrhea
惡露不絕 {e4 lu4 bu4 jue2}, persistent flow of lochia; lochiorrhea
惡露不下 {e4 lu4 bu4 xia4}, retention of the lochia; lochiometra
惡露不行 {e4 lu4 bu4 xing2}, retention of the lochia; lochiometra
惡露不已 {e4 lu4 bu4 yi3}, persistent flow of lochia; lochiorrhea
惡露不止 {e4 lu4 bu4 zhi3}, persistent flow of lochia; lochiorrhea
惡露量少 {e4 lu4 liang4 shao3}, scant lochia
惡露去少 {e4 lu4 qu4 shao3}, scant elimination of the lochia
惡露澀少 {e4 lu4 se4 shao3}, scant disfluent flow of lochia
惡露未盡 {e4 lu4 wei4 jin4}, incomplete elimination of the lochia
惡氣 {e4 qi4}, malign qi4
惡肉 {e4 rou4}, malign flesh
惡色 {e4 se4}, malign complexion
惡實 {e4 shi2}, 中藥異名 arctium (Arctii Fructus)
惡血 {e4 xue4}, malign blood
惡血不去 {e4 xue4 bu4 qu4}, non-elimination of malign blood
惡阻 {e4 zu3}, morning sickness; malign obstruction
惡阻病 {e4 zu3 bing4}, malign obstruction disease

【遏】 {e4} [Freq. 3] obstruct; trap.
餓蝨子 {e4 shi1 zi3}, 中藥異名 xanthium (Xanthii Fructus)

【顎】 {e4} [Freq. 5] palate (n.); palatal (adj.) (上顎 {shang4 e4}, palate).
鱷梨 {e4 li2}, 中藥異名 avocado (Perseae Fructus)
鱷形牛尾魚 {e4 xing2 niu2 wei3 yu2}, 中藥正名 crocodile flathead (Cociellae Crocodilae Caro)

【頷】 {e4} [Freq. 5] bridge of the nose (鼻頷 {bi2 e4}, bridge of the nose).
鶚骨 {e4 gu3}, 中藥正名 osprey's bone (Pandionis Os)

~~ {er2} ~~
【而】 {er2} [Freq. 5] and (鎮心通竅而安神 {zhen4 xin1 tong1 qiao4 er2 an1 shen2}, settle the heart, free the orifices, and quiet the spirit); but (陰陽可分而不可離 {yin1 yang2 ke3 fen1 er2 bu4 ke3 li2}, yin1 and yang2 are divisible but inseparable)

【兒】 {er2} [Freq. 4] child.
兒草 {er2 cao3}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
兒茶 {er2 cha2}, 中藥異名 cutch (Catechu)
兒茶膏 {er2 cha2 gao1}, 中藥異名 cutch (Catechu)
兒茶膏 SCRAP {er2 cha2 gao1, 中藥正名 cutch (Catechu)
兒茶 {er2 cha2, 中藥正名 cutch (Catechu)
兒齒不生 {er2 chi3 bu4 sheng1}, non-growth of teeth in infants
兒風 {er2 feng1}, child wind
兒驚啼 {er2 jing1 ti2}, fright crying in infants
兒科證候 {er2 ke1 zheng4 hou4}, children's patterns
兒臍不合 {er2 qi2 bu4 he2}, failure of the umbilicus to heal in infants
兒臍血出 {er2 qi2 xue4 chu1}, bleeding of the umbilicus in infants
兒臍汁出 {er2 qi2 zhi1 chu1}, discharge from the umbilicus in infants
兒熱啼 {er2 re4 ti2}, heat crying in infants
兒枕 {er2 zhen3}, infant's-pillow
兒枕急痛 {er2 zhen3 ji2 tong4}, acute infant's-pillow pain
兒枕塊硬 {er2 zhen3 kuai4 ying4}, infant's-pillow 塊硬
兒枕痛 {er2 zhen3 tong4}, infant's-pillow pain (afterpains due to blood stasis)
兒枕血瘕 {er2 zhen3 xue4 jia3}, infant's-pillow blood conglomeration

~~ {er3} ~~
【耳】 {er3} [Freq. 2] ear (n.) (耳聹 purulent ear); hearing (n.) (問耳目 {wen4 er3 mu4}, inquiry about hearing and vision).
耳背靜脈三條 {er3 bei4 jing4 mai4 san1 tiao2}, 腧穴正名 Three Veins on Dorsum of the Ear
耳鼻咽喉科證候 {er3 bi2 hou2 ke1 zheng4 hou4}, ear, nose, and throat patterns
耳閉 {er3 bi4}, ear block (deafness)
耳病 {er3 bing4}, ear disease
耳赤 {er3 chi4}, red ears

耳瘡 {er3 chuang1}, sear sore
耳垂 {er3 chui2}, ear lobe; earlobe
耳垂萎縮 {er3 chui2 wei1 suo1}, shrinking of the ear lobes
耳疔 {er3 ding1}, clove sore of the ear
耳根 {er3 gen1}, root of the ear; 腧穴正名 Ear Root
耳根毒 {er3 gen1 du2}, toxin [sore] of the root of the ear (acute postauricular abscess)
耳垢 {er3 gou4}, earwax; earwax
耳鼓 {er3 gu3}, 西醫 eardrum
耳和&&91C3.9ACE|{er3 he2 liao2}, 腧穴異名 TB-22 (Ear Harmony Bone-Hole)
耳后疽 {er3 hou4 ju1}, postauricular flat-abscess
耳環石斛 {er3 huan2 shi2 hu2}, 中藥正名 earring dendrobium (Dendrobii Herba ``Anulus")
耳尖 {er3 jian1}, 腧穴正名 Tip of the Ear
耳癤 {er3 jie2}, ear boil; ear boil
耳菌 {er3 jun4}, ear mushroom
耳殼痰包 {er3 ke2 tan2 bao}, phlegm pouch of the oracle
耳空仔藤 {er3 kong1 zai3 teng2}, 中藥異名 mountain snake grape (Ampelopsis Hancei Radix seu Caulis)
耳聩 {er3 kui4}, deafness
耳廓 {er3 kuo4}, 西醫 auricle; auricle
耳廓紅腫 {er3 kuo4 hong2 zhong3}, red swollen auricles
耳廓化膿性軟骨膜炎 {er3 kuo4 hua4 nong2 xing4 ruan3 gu3 mo2 yan2}, 西醫 suppurative perichondritis auricle
耳廓枯槁 {er3 kuo4ku1gao3}, withered auricles
耳聾 {er3 long2}, 西醫 deafness; deafness
耳聾丸 {er3 long2 wan2}, 方名 Deafness Pill
耳聾左慈丸 {er3 long2 zuo3 ci2 wan2}, 方名 Deafness Left-Benefiting Loadstone Pill
耳輪 {er3 lun2}, 西醫 helix; helix
耳輪薄瘦 {er3 lun2 bo2 shou4}, thin helices
耳輪枯焦 {er3 lun2 ku1 jiao1}, withered helices
耳門 {er3 men2}, ear gate (tragus) (Ear Gate); 腧穴正名 TB-21
耳鳴 {er3 ming2}, tinnitus; ringing in the ears
耳鳴如蟬聲 {er3 ming2 ru2 chan2 sheng1}, ringing in the ears like the sound of cicadas
耳目不聰 {er3 mu4 bu4 cong1}, poor hearing
耳內流膿 {er3 nei4 liu2 nong2}, purulent ear discharge
耳內鳴響 {er3 nei4 ming2 xiang3}, ringing in the ears
耳內長肉 {er3 nei4 zhang3 rou4}, growth in the ear
耳衄 {er3 nu94}, spontaneous bleeding of the ear
耳前起肉 {er3 qian2 qi3 rou4}, fleshy protuberance before the ear

耳如蟬鳴 {er3 ru2 chan2 ming2}, ringing as of cicadas in the ears
耳塞 {er3 se4}, blocked ear
耳屎 {er3 shi3}, earwax
耳聹 {er3 ting2}, purulent ear
耳挺 {er3 ting3}, helix
耳痛 {er3 tong4}, ear pain; earache
耳蝸 {er3 wo1}, 西醫 cochlea
耳穴 {er3 xue2}, ear point
耳蕈 {er3 xun4}, mushroom ear pile
耳癢 {er3 yang3}, itching in the ear
耳葉金毛 {er3 ye4 jin1 mao2}, 中藥正名 auriculate gymnopteris (Gymnopteridis Ariculatae Herba et Rhizoma)
耳翼 {er3 yi4}, 西醫 pinna
耳硬化 {er3 ying4 hua4}, 西醫 otosclerosis
耳硬化症 {er3 ying4 hua4 zheng4}, 西醫 otosclerosis
耳癰 {er3 yong1}, welling-abscess of the ear
耳湧 {er3 yong3}, 腧穴異名 Ear Gush
耳造形術 {er3 zao4 xing2 shu4}, 西醫 otoplasty
耳脹 {er3 zhang4}, distention in the ear
耳針 {er3 zhen1}, ear needle
耳針療法 {er3 zhen1 liao2 fa3}, auricular acupuncture; ear acupuncture
耳痔 {er3 zhi4}, ear pile
耳中珠子 {er3 zhong1 zhu1 zi3}, pearl in the ear (tragus)
耳腫 {er3 zhong3}, swelling of the ear
耳珠 {er3 zhu1}, pearl of the ear
耳子 {er3 zi3}, 中藥異名 wood ear (Auricularia)
耳作蟬鳴 {er3 zuo4 chan2 ming2}, sound of cicadas in the ear

【爾】 {er3} [Freq. 5] you; that (Often used in transcriptions of foreign words, e.g., 耶爾買他格 {ye1 er3 ma3 ta1 ge2}, cynomorium)

~~ {er4} ~~
【二】 {er4} [Freq. 1] two, twofold; second; duality; double.
二白 {er4 bai2}, 腧穴正名 Two Whites
二寶花 {er4 bao3 hua1}, 中藥異名 lonicera (Lonicerae Flos)
二便 {er4 bian4}, stool and urine; fecal and urinary and urine
二便閉 {er4 bian4 bi4}, fecal and urinary block

二便不禁 {er4 bian4 bu4 jin4}, fecal and urinary incontinence
二便不利 {er4 bian4 bu4 li4}, inhibited urine and stool
二便不通 {er4 bian4 bu4 tong1}, fecal and urinary stoppage
二便不通脹急 {er4 bian4 bu4 tong1 zhang4 ji2}, fecal and urinary stoppage 脹急
二便卒關格 {er4 bian4 cu4 guan1 ge2}, sudden fecal and urinary block and repulsion
二便關格 {er4 bian4 guan1 ge2}, fecal and urinary block and repulsion
二便清利 {er4 bian4 qing1 li4}, uninhibited clear stool and urine
二便失禁 {er4 bian4 shi1 jin4}, fecal and urinary incontinence
二腸 {er4 chang2}, two intestines (large and small intestines)
二陳湯 {er4 chen2 tang1}, 方名 Two Matured Ingredients Decoction
二丑 {er4 chou3}, 中藥異名 morning glory (Pharbitidis Semen)
二冬湯 {er4 dong1 tang1}, 方名 Ophiopogon and Asparagus Decoction
二礬丸 {er4 fan2 wan2}, 方名 Alum and Melanterite Pill
二號癬藥水 {er4 hao4 xian3 yao4 shui3}, 方名 No.~2 Lichen Medicinal Water
二合脈 {er4 he2 mai4}, double combination pulse
二花 {er4 hua1}, 中藥異名 lonicera (Lonicerae Flos)
二加減正氣散 {er4 jia1 jian3 zheng4 qi4 san3}, 方名 Second Variant Qi4-Righting Powder
二甲復脈湯 {er4 jia3 fu4 mai4 tang1}, 方名 Double-Armored Pulse-Restorative Decoction
二間 {er4 jian1}, 腧穴正名 LI-2 (Second Space)
二尖瓣 {er4 jian1 ban4}, 西醫 bicuspid valve
二尖齒 {er4 jian1 chi3}, 西醫 bicuspids
二薑丸 {er4 jiang1 wan2}, 方名 Lesser Galangal and Ginger Pill
二精丸 {er4 jing1 wan2}, 方名 Double Essence Pill
二里半 {er4 li3 ban4}, 腧穴正名 Two Li3 and a Half
二妙散（丸） {er4 miao4 san3 wan2}, 方名 Mysterious Two Powder (Pill)
二母寧嗽湯 {er4 mu3 ning2 sou4 tang1}, 方名 Anemarrhena and Fritillaria Cough-Quieting Decoction
二母散 {er4 mu3 san3}, 方名 Anemarrhena and Fritillaria Powder
二三十年頭風不愈 {er4 san1 shi2 nian2 tou2 feng1 bu4 yu4}, head wind for twenty or thirty years
二色補血草 {er4 se4 bu3 xue4 cao3}, 中藥正名 bicolor limonium (Limonii Bicoloris Herba)
二色內風消 {er4 se4 nei4 feng1 xiao1}, 中藥正名 bicolor schisandra [root, stem, or fruit] (Schisandrae Bicoloris Radix, Caulis, seu Fructus)
二神散 {er4 shen2 san3}, 方名 Two Spirits Powder
二神丸 {er4 shen2 wan2}, 方名 Two Spirits Pill
二聖散 {er4 sheng4 san3}, 方名 Sagacious Two Powder
二十八脈 {er4 shi2 ba1 mai4}, twenty-eight pulses
二十刺 {er4 shi2 ci4}, twenty needling methods

二十三蒸 {er4 shi2 san1 zheng1}, twenty-three steamings
二十四節氣 {er4 shi2 si4 jie2 qi4}, twenty-four solar terms
二味黑錫丹 {er4 wei4 hei1 xi1 dan1}, 方名 Two-Ingredient Galenite Elixir
二仙散 {er4 xian1 san3}, 方名 Two Immortals Powder
二仙湯 {er4 xian1 tang1}, 方名 Two Immortals Decoction
二陽 {er4 yang2}, second yang2 channel (yang2 brightness)
二陽并病 {er4 yang2 bing4 bing4}, yang2 channel dragover disease
二葉舞鶴草 {er4 ye4 wu3 he4 cao3}, 中藥正名 false lily of the valley (Maianthemi Herba)
二陰 {er4 yin1}, two yin1 (anal and genital orifices) (lesser yin); second yin1 channel
二陰不通 {er4 yin1 bu4 tong1}, two yin1 stoppage
二陰煎 {er4 yin1 jian1}, 方名 Two Yin1 Brew
二至丸 {er4 zhi4 wan2}, 方名 Double Supreme Pill
二朮湯 {er4 zhu2 tang1}, 方名 Atractylodes and White Atractylodes Decoction
二椎下 {er4 zhui1 xia4}, 腧穴正名 Below the Second Vertebra
二濁 {er4 zhuo2}, two turbidities (white turbidity and red turbidity)

== F ==

~~ {fa1} ~~
【發】{fa1} [Freq. 2] effuse (v.), effusion (n.); erupt (v.), eruption (n.); emerge (v.), emergence (n.); occur (v.), occurrence (n.).
發斑 {fa1 ban1}, macular eruption
發背 {fa1 bei4}, effusion of the back
發背對口膏 {fa1 bei4 dui4 kou3 gao1}, 方名 Effusion of the Back and Mouth-Level Nape Flat Abscess Paste
發背疽 {fa1 bei4 ju1}, flat-abscess effusion of the back
發背癰 {fa1 bei4 yong1}, welling-abscess effusion of the back
發表 {fa1 biao3}, effuse the exterior; exterior effusion
發表不遠熱 {fa1 biao3 bu4 yuan4 re4}, exterior effusion does not shun heat (hot drugs)
發病期 {fa1 bing4 qi1}, initial stage (of disease)
發紺 {fa1 gan4}, turn blue
發寒熱 {fa1 han2 re4}, heat [effusion] (fever) and [aversion to] cold
發汗 {fa1 han4}, promote sweating; effuse sweat; sweat; sweating; perspire; perspiration
發汗豉粥 {fa1 han4 chi3 zhou1}, 方名 Sweat-Effusing Fermented Soybean Gruel
發汗法 {fa1 han4 fa3}, sweating
發汗禁例 {fa1 han4 jin4 li4}, contraindications for sweating

發黃 {fa1 huang2}, yellowing
發痙 {fa1 jing4}, tetany
發狂 {fa1 kuang2}, mania
發冷 {fa1 leng3}, feel cold
發麻 {fa1 ma2}, numbness (and tingling)
發腦 {fa1 nao3}, effusion of the brain
發泡 {fa1 pao4}, blistering
發泡灸 {fa1 pao4 jiu3}, blister moxibustion
發泡療法 {fa1 pao4 liao2 fa3}, blistering therapy
發青 {fa1 qing1}, green-blue complexion
發熱 {fa1 re4}, 西醫 fever; heat effusion; fever
發熱腹痛 {fa1 re4 fu4 tong4}, heat effusion and abdominal pain
發熱起伏不定 {fa1 re4 qi3 fu2 bu4 ding4}, fluctuating heat [effusion] (fever)
發熱無汗 {fa1 re4 wu2 han4}, heat [effusion] (fever) without sweating
發熱夜重 {fa1 re4 ye4 zhong4}, heat [effusion] (fever) becoming more pronounced at night
發乳 {fa1 ru3}, effusion of the breast
發散 {fa1 san4}, effuse and dissipate
發散風寒 {fa1 san4 feng1 han2}, dissipate wind-cold
發散風寒藥 {fa1 san4 feng1 han2 yao4}, wind-cold-effusing medicinal
發散風熱 {fa1 san4 feng1 re4}, dissipate wind-heat
發散風熱藥 {fa1 san4 feng1 re4 yao4}, wind-heat-effusing medicinal
發痧 {fa1 sha1}, sand
發痧藤 {fa1 sha1 teng2}, 中藥正名 Anderson's vernonia (Vernoniae Andersonii Caulis et Radix)
發燒 {fa1 shao1}, fever
發酵 {fa1 xiao4}, ferment
發芽 {fa1 ya2}, sprouting
發炎 {fa1 yan2}, 西醫 inflammation
發癢 {fa1 yang3}, itch
發頤 {fa1 yi2}, jowl effusion
發音 {fa1 yin1}, quality of voice and enunciation
發音困難 {fa1 yin1 kun4 nan2}, 西醫 dysphonia
發音嘶嗄 {fa1 yin1 si1 sha4}, hoarse voice
發音嘶啞 {fa1 yin1 si1 ya3}, hoarse voice
發育不良 {fa1 yu4 bu4 liang2}, poor development
發育性白內障 {fa1 yu4 xing4 bai2 nei4 zhang4}, 西醫 congenital cataract
發越水氣 {fa1 yue4 shui3 qi4}, bring the water qi4 up and out
發疹 {fa1 zhen3}, eruption of papules

~~ {fa2} ~~
【乏】 {fa2} [Freq. 2] lack (v.), (n.) (倦怠乏力 {juan4 dai4 fa2 li4}, fatigue and lack of strength).
乏力 {fa2 li4}, lack of strength
乏神 {fa2 shen2}, lack of spirit

【伐】 {fa2} [Freq. 4] quell.
伐肝 {fa2 gan1}, quell the liver
伐木丸 {fa2 mu4 wan2}, 方名 Wood-Quelling Pill

~~ {fa3} ~~
【法】 {fa3} [Freq. 2] method (n.) (八法{ba1 fa3}, eight methods).
法半夏 {fa3 ban4 xia4}, 中藥正名 pro formula pinellia (Pinelliae Rhizoma Praeparatum)
法制 {fa3 zhi4}, processing according to method

~~ {fa4} ~~
【髮】 {fa4} [Freq. 3] hair of the head.
髮 {fa4}, 中藥異名 hair (Crinis Crinis)
髮白 {fa4 bai2}, graying of the hair
髮髮 {fa4 bei4}, 中藥異名 hair (Crinis Crinis)
髮菜 {fa4 cai4}, 中藥正名 tufted hairgrass (Deschampsiae Herba)
髮遲 {fa4 chi2}, slowness to grow hair (one of the five slownesses)
髮墮 {fa4 duo4}, hair loss
髮黃 {fa4 huang2}, yellowing of the hair
髮際 {fa4 ji4}, hairline (Hairline); 腧穴異名 GV-24
髮際瘡 {fa4 ji4 chuang1}, hairline sore
髮枯 {fa4 ku1}, dry hair
髮落 {fa4 luo4}, hair loss
髮脫不長 {fa4 tuo1 bu4 zhang3}, hair loss and reduced growth
髮爲血之余 {fa4 wei2 xue4 zhi1 yu2}, hair [of the head] is the surplus of the blood
髮無澤 {fa4 wu2 ze2}, sheenless hair

~~ {fan1} ~~
【番】 {fan1} [Freq. 4] foreign.

番豆 {fan1 dou4}, 中藥異名 peanut (Arachidis Semen)
番瓜 {fan1 gua1}, 中藥異名 pumpkin (Cucurbitae Fructus)
番荷菜 {fan1 he2 cai4}, 中藥異名 mint (Menthae Herba)
番紅花 {fan1 hong2 hua1}, 中藥異名 saffron (Croci Stigma)
番椒 {fan1 jiao1}, 中藥異名 hot pepper (Capsici Fructus)
番木瓜 {fan1 mu4 gua1}, 中藥正名 papaya (Caricae Papayae Fructus)
番木瓜葉 {fan1 mu4 gua1 ye4}, 中藥正名 papaya leaf (Caricae Papayae Folium)
番木香 {fan1 mu4 xiang1}, 中藥正名 non-Chinese saussurea (Saussurea Radix *Non-Chinensis)
番茄 {fan1 qie2}, 中藥正名 tomato (Lycopersicontis Fructus)
番石 {fan1 shi2}, 中藥異名 talcum (Talcum)
番石榴 {fan1 shi2 liu2}, 中藥正名 guava (Guajavae Fructus)
番石榴干 {fan1 shi2 liu2 gan1}, 中藥正名 dried guava (Guajavae Fructus Exsiccatus)
番石榴皮 {fan1 shi2 liu2 pi2}, 中藥正名 dried guava (root) bark (Guajavae Cortex (Radicis))
番石榴葉 {fan1 shi2 liu2 ye4}, 中藥正名 guava leaf (Guajavae Folium)
番柿 {fan1 shi4}, 中藥異名 tomato (Lycopersicontis Fructus)
番薯 {fan1 shu3}, 中藥正名 sweet potato (Ipomoeae Batatas Tuber)
番薯藤 {fan1 shu3 teng2}, 中藥正名 sweet potato stem and leaf (Ipomoeae Batatas Caulis et Folium)
番薯葉 {fan1 shu3 ye4}, 中藥正名 sweet potato leaf (Ipomoeae Batatas Folium)
番瀉葉 {fan1 xie4 ye4}, 中藥正名 senna (Sennae Folium)
番杏 {fan1 xing4}, 中藥正名 New Zealand spinach (Tetragoniae Herba)
番芋 {fan1 yu4}, 中藥異名 sweet potato (Ipomoeae Batatas Tuber)

【蕃】 {fan1} [Freq. 3] borderland (region anterior to the ear and inferolateral to the cheek bone)

【翻】 {fan1} [Freq. 2] evert (v.).
翻白柴 {fan1 bai2 chai2}, 中藥正名 willow-leaf cotoneaster (Cotoneastri Salicifolii Herba)
翻白葉 {fan1 bai2 ye4}, 中藥正名 velvet potentilla (Potentillae Velutinae Folium)
翻車魚 {fan1 che1 yu2}, 中藥正名 ocean sunfish (Molae Caro)
翻花下疳 {fan1 hua1 xia4 gan1}, everted flower lower body gan1
翻花痔 {fan1 hua1 zhi4}, everted flower hemorrhoids
翻胃 {fan1 wei4}, stomach reflux

~~ {fan2} ~~
【凡】 {fan2} [Freq. 4] all.
凡士林 {fan2 shi4 lin2}, 中藥正名 petroleum jelly (Petrolatum)

【煩】 {fan2} [Freq. 2] vex (v.), vexation (n.), vexing heat in the five hearts).
煩驚不安 {fan2 jing1 bu4 an1}, vexation and susceptibility to fright
煩渴 {fan2 ke3}, vexation and thirst
煩亂 {fan2 luan4}, vexation and derangement
煩滿 {fan2 man3}, vexation and fullness
煩悶 {fan2 men4}, vexation and oppression
煩熱 {fan2 re4}, heat vexation
煩熱口渴 {fan2 re4 kou3 ke3}, vexation heat and thirst
煩心 {fan2 xin1}, vexation (of the heart)
煩冤 {fan2 yuan1}, vexation and low spirits
煩躁 {fan2 zao4}, vexation and agitation
煩躁不寧 {fan2 zao4 bu4 ning2}, vexation and agitation
煩燥易怒 {fan2 zao4 yi4 nu4}, vexation, agitation, and irascibility
煩躁易怒 {fan2 zao4 yi4 nu4}, vexation, agitation, and irascibility

【繁】 {fan2} [Freq. 4] complex.
繁縷 {fan2 lu3}, 中藥正名 winterweed stem and leaf (Stellariae Mediae Caulis et Folium)

【礬】 {fan2} [Freq. 4] alum.
礬石 {fan2 shi2}, 中藥異名 alum (Alumen)

【燔】 {fan2} [Freq. 2] blaze (v.), ablaze (adj.) (氣營兩燔 {qi4 ying2 liang3 fan2}, qi4 and construction both ablaze).
燔針 {fan2 zhen1}, red-hot needling

~~ {fan3} ~~
【反】 {fan3} [Freq. 2] reflux (n.) (反胃 {fan3 wei4}, stomach reflux); paradoxical (adj.) (反治 {fan3 zhi4}, paradoxical treatment); opposite (adj.) (陰陽相成相反 {yin1 yang2 xiang1 cheng2 xiang1 fan3}, complementarity and opposition of yin1 and yang2); but (contrary to expectation); everted (same as 翻 {fan1}. 唇反 {chun2 fan3}, eversion of the lip); clash (v.); clashing(n.) (陰陽相成相反 {yin1 yang2 xiang1 cheng2 xiang1 fan3}, complementarity and opposition of yin1 and yang2).
反鼻 {fan3 bi2}, 中藥異名 Pallas pit viper (Agkistrodon Halys)
反唇疔 {fan3 chun2 ding1}, lip-turning clove sore
反覆發作 {fan3 fu4 fa1 zuo4}, recurrent
反關脈 {fan3 guan1 mai4}, pulse on the back of the wrist

反甲 {fan3 jia3}, curled-up nails
反流性食管炎 {fan3 liu2 xing4 shi2 guan3 yan2}, 西醫 reflux esophagitis
反目直視 {fan3 mu4 zhi2 shi4}, rolled-back or forward-staring eyes
反酸 {fan3 suan1}, acid reflux
反胃 {fan3 wei4}, stomach reflux
反胃吐食 {fan3 wei4 tu4 shi2}, stomach reflux vomiting
反應性精神障礙 {fan3 ying4 xing4 jing1 shen2 zhang4 ai4}, 西醫 reactive mental disorder
反張悲哭 {fan3 zhang1 bei1 ku1}, arched-back rigidity with sorrowful crying
反治 {fan3 zhi4}, paradoxical treatment (e.g., treating cold with cold)
反治法 {fan3 zhi4 fa3}, paradoxical treatment (e.g., treating cold with cold)
反佐 {fan3 zuo3}, paradoxical assistant
反佐藥 {fan3 zuo3 yao4}, paradoxical assistant

【返】 {fan3} [Freq. 3] restore.
返魂草根 {fan3 hun2 cao3 gen1}, 中藥異名 aster (Asteris Radix)

~~ {fan4} ~~
【犯】 {fan4} [Freq. 2] invade (v.), invasion (n.) (肝氣犯胃 {gan1 qi4 fan4 wei4}, liver qi invading the stomach)

【泛】{fan4} [Freq. 2] flood (v.) (腎虛水泛 {shen4 xu1 shui3 fan4}, kidney vacuity water flood); upflow (n.).
泛惡 {fan4 e3}, upflow nausea
泛泛欲吐 {fan4 fan4 yu4 tu4}, desire to vomit with upflow
泛紅 {fan4 hong2}, diffuse red
泛紅如妝 {fan4 hong2 ru2 zhuang4}, floating red complexion as if dabbed with rouge
泛酸 {fan4 suan1}, acid upflow
泛吐酸水 {fan4 tu4 suan1 shui3}, upwelling and vomiting of sour water

【范】 {fan4} [Freq. 4] surname.
范志麴 {fan4 zhi4 qu2}, 中藥異名 Fu2jian4 leaven (Massa Medicata Fermentata *Fujianensis)

【梵】 {fan4} [Freq. 4] Sanskrit.
梵天花 {fan4 tian1 hua1}, 中藥正名 procumbent urena (Urenae Procumbentis Herba)

【飯】 {fan4} [Freq. 4] cooked rice; food.
飯瓜 {fan4 gua1}, 中藥異名 pumpkin (Cucurbitae Fructus)

飯后服 {fan4 hou4 fu2}, take after meals
飯后困頓 {fan4 hou4 kun4 dun4}, drowsiness after eating
飯后脹飽遲消 {fan4 hou4 zhang4 bao3 chi2 xiao1}, bloating and distention after eating that are slow in dispersing
飯前服 {fan4 qian2 fu2}, take before meals
飯蕊 {fan4 rui3}, wart
飯團根 {fan4 tuan2 gen1}, 中藥正名 scarlet kadsura root (bark) (Kadsurae Coccineae Cortex (seu Radicis Cortex))
飯團藤 {fan4 tuan2 teng2}, 中藥正名 scarlet kadsura (Kadsurae Coccineae Caulis et Folium)
飯醉 {fan4 zui4}, drowsiness after eating

【範】 {fan4} [Freq. 4] scope.
範誌麴 {fan4 zhi4 qu2}, 中藥異名 Fu2jian4 leaven (Massa Medicata Fermentata *Fujianensis)

~~ {fang1} ~~
【方】 {fang1} [Freq. 2] remedy (n.); formula (n.).
方寸匕 {fang1 cun4 bi3}, square-inch-spoon
方兒茶 {fang1 er2 cha2}, 中藥正名 white cutch (Catechu Album)
方技 {fang1 ji4}, remedy
方劑 {fang1 ji4}, formula
方劑配伍 {fang1 ji4 pei4 wu3}, formula composition
方劑學 {fang1 ji4 xue2}, formula study; formulas
方劑組成 {fang1 ji4 zu3 cheng2}, formula composition
方解石 {fang1 jie3 shi2}, 中藥正名 calcite (Calcitum)
方上 {fang1 shang4}, wing of the nose (equivalent to WM ala nasi)
方書 {fang1 shu1}, remedy books
方義 {fang1 yi4}, explanation of the formula
方有執 {fang1 you3 zhi2}, 人名 Fang1 You3-Zhi2

【芳】 {fang1} [Freq. 4] aromatic.
芳化濕濁 {fang1 hua4 shi1 zhuo2}, transform damp turbidity with aromatics
芳香 {fang1 xiang1}, aromatic (Angelicae Dahuricae Radix); 中藥異名 Dahurian angelica
芳香辟穢 {fang1 xiang1 bi4 hui4}, repel foulness with aromatics
芳香化濕 {fang1 xiang1 hua4 shi1}, transform dampness with aroma
芳香化濁 {fang1 xiang1 hua4 zhuo2}, transform turbidity with aroma
芳香開竅 {fang1 xiang1 kai1 qiao1}, open the orifices with aroma
芳香開竅 {fang1 xiang1 kai1 qiao4}, open the orifices qi4 with aromatics

芳香開竅藥 {fang1 xiang1 kai1 qiao4 yao4}, aromatic orifice-opening medicinal
芳香理氣 {fang1 xiang1 li3 qi4}, rectify qi4 with aromatics
芳香行氣 {fang1 xiang1 xing2 qi4}, move qi4 with aroma
芳香燥濕 {fang1 xiang1 zao4 shi1}, dry dampness with aroma

~~ {fang2} ~~
【妨】 {fang2} [Freq. 4] hinder.
妨礙 {fang2 ai4}, hamper
妨害消化 {fang2 hai4 xiao1 hua4}, impair digestion
妨脾陽 {fang2 pi2 yang2}, harm spleen yang2

【防】 {fang2} [Freq. 4] protect against.
防黨 {fang2 dang3}, 中藥異名 codonopsis (Codonopsis Radix)
防風草 {fang2 feng1 cao3}, 中藥正名 anisomeles (Anisomelis Herba)
防風花 {fang2 feng1 hua1}, 中藥正名 saposhnikovia flower (Saposhnikoviae Flos)
防風湯 {fang2 feng1 tang1}, 方名 Saposhnikovia Decoction
防風通聖散 {fang2 feng1 tong1 sheng4 san3}, 方名 Saposhnikovia Sage-Inspired Powder
防風葉 {fang2 feng1 ye4}, 中藥正名 saposhnikovia leaf (Saposhnikoviae Folium)
防風粥 {fang2 feng1 zhou1}, 方名 Saposhnikovia Gruel
防風 {fang2 feng1, 中藥正名 saposhnikovia (Saposhnikoviae Radix)
防己茯苓湯 {fang2 ji3 fu2 ling2 tang1}, 方名 Fangji and Poria Decoction
防己黃&&82AA.8006‖湯 {fang2 ji3 huang2 qi2 tang1}, 方名 Fangji and Astragalus Decoction
防己散 {fang2 ji3 san3}, 方名 Fangji Powder
防己湯 {fang2 ji3 tang1}, 方名 Fangji Decoction
防己飲 {fang2 ji3 yin3}, 方名 Fangji Beverage
防己 {fang2 ji3, 中藥正名 fangji (Stephaniae Tetrandrae Radix)

【房】 {fang2} [Freq. 3] room; bedroom; sexual activity.
房勞 {fang2 lao2}, sexual taxation
房室不節 {fang2 shi3 bu4 jie2}, sexual intemperance
房室事過多 {fang2 shi3 guo4 duo1}, excessive sexual activity
房室傷 {fang2 shi3 shang1}, sexual intemperanace damage
房室損傷 {fang2 shi3 sun3 shang1}, damage due to sexual intemperance
房事淡漠 {fang2 shi4 dan4 mo4}, weak libido

【肪】 {fang2} [Freq. 4] fat.
肪&&91C3.9ACE|{fang2 liao2}, 腧穴異名 LV-13 (Lard Bone-Hole)

【魴】 {fang2} [Freq. 4] triangular bream.
魴魚 {fang2 yu2}, 中藥正名 triangular bream (Megalobramae Terminalis Caro)

~~ {fang3} ~~
【紡】 {fang3} [Freq. 4] spin (to make yarn. 紡綞 {fang3 chui2}, spindle).
紡綞鰤 {fang3 chui2 shi1}, 中藥正名 yellow-finned runner (Elagatis Bipinnulata)

~~ {fang4} ~~
【放】 {fang4} [Freq. 3] let (out); release.
放屁 {fang4 pi4}, fart (colloquial term)
放痧 {fang4 sha1}, release sand
放鬆功 {fang4 song1 gong1}, relaxation excercise
放血 {fang4 xue4}, bloodletting (therapy); bleed; let blood
放血療法 {fang4 xue4 liao2 fa3}, bloodletting therapy

~~ {fei1} ~~
【非】 {fei1} [Freq. 4] not.
非揮發性 {fei1 hui1 fa1 xing4}, 西醫 non-volatility
非淋菌性尿道炎 {fei1 lin2 jun1 xing4 niao4 dao4 yan2}, 西醫 nongonococcal urethritis (NGU)

【飛】 {fei1} [Freq. 3] water grind (lit. `fly').
飛痘 {fei1 dou4}, flying pox
飛虎 {fei1 hu3}, 腧穴異名 TB-6 (Flying Tiger)
飛金 {fei1 jin1}, 中藥異名 gold leaf (Auri Lamina)
飛來鶴 {fei1 lai2 he4}, 中藥正名 auriculate cynanchum stem and leaf (Cynanchi Auriculati Caulis et Folium)
飛廉 {fei1 lian2}, 中藥正名 carduus (Cardui Herba seu Radix)
飛龍掌血葉 {fei1 long2 zhan3 xue4 ye4}, 中藥正名 Asian toddalia leaf (Toddaliae Folium)
飛龍掌血 {fei1 long2 zhang3 xue4}, 中藥正名 Asian toddalia root (bark) (Toddaliae Radix seu Radicis Cortex)
飛門 {fei1 men2}, flying gates (the lips)
飛尸 {fei1 shi1}, flying corpse
飛騰八法 {fei1 teng2 ba1 fa3}, eightfold soaring method
飛天&&8804‖蟧 {fei1 tian1 qin2 lao2}, 中藥正名 spiny tree fern (Cyatheae Caulis)

飛天蜈蚣 {fei1 tian1 wu2 gong1}, 中藥正名 creeping pothos (Pothoris Repentis Caulis et Folium)
飛燕草 {fei1 yan4 cao3}, 中藥正名 consolida [root and seed] (Consolidae Radix et Semen)
飛揚 {fei1 yang2}, 腧穴正名 BL-58 (Taking Flight)
飛陽 {fei1 yang2}, 腧穴異名 BL-58 (Flying Yang2)
飛揚喉 {fei1 yang2 hou2}, flying throat (roughly equivalent to WM noma)

~~ {fei2} ~~
【肥】 {fei2} [Freq. 2] obese (adj.), obesity (n.); fat (adj.), fatness (n.) (肥瘡 {fei2 chuang1}, fat sore).
肥瘡 {fei2 chuang1}, fat sore
肥兒丸 {fei2 er2 wan2}, 方名 Chubby Child Pill
肥疳 {fei2 gan1}, fat gan1
肥貴人 {fei2 gui4 ren2}, corpulent person
肥胖 {fei2 pang4}, fatness; obesity
肥胖不孕 {fei2 pang4 bu4 yun4}, obesity infertility
肥胖症 {fei2 pang4 zheng4}, 西醫 adiposis
肥氣 {fei2 qi4}, fat qi4
肥氣丸 {fei2 qi4 wan2}, 方名 Fat Qi4 Pill
肥熱疳 {fei2 re4 gan1}, fat heat gan1
肥人多痰 {fei2 ren2 duo1 tan2}, obese people tend to have copious phlegm
肥鸚哥魚 {fei2 ying1 ge1 yu2}, 中藥正名 blue parrot fish (Scarus Ghobban)
肥油膏 {fei2 you2 gao1}, 方名 Fat Oil Paste
肥皂核 {fei2 zao4 he2}, 中藥正名 gymnocladus seed (Gymnocladi Semen)
肥皂莢 {fei2 zao4 jia2}, 中藥正名 gymnocladus fruit (Gymnocladi Fructus)

【腓】 {fei2} [Freq. 4] calf.
腓腸 {fei2 chang2}, calf (of the leg)
腓腸肌 {fei2 chang2 ji1}, 西醫 gastrocnemius muscle; gastrocnemius muscle
腓&&8168|{fei2 chuai3}, calf (of the leg)
腓骨 {fei2 gu3}, 西醫 fibula
腓骨長肌 {fei2 gu3 chang2 ji1}, 西醫 long peroneal muscle
腓骨動脈 {fei2 gu3 dong4 mai4}, 西醫 peroneal artery
腓骨短肌 {fei2 gu3 duan3 ji1}, 西醫 short peroneal muscle

【痱】 {fei2} [Freq. 2] disablement (n.).
痱瘡 {fei2 chuang1}, prickly heat

~~ {fei3} ~~

【榧】 {fei3} [Freq. 4] torreya.

榧根皮 {fei3 gen1 pi2}, 中藥正名 torreya root bark (Torreyae Radicis Cortex)

榧花 {fei3 hua1}, 中藥正名 torreya flower (Torreyae Flos)

榧實 {fei3 shi2}, 中藥異名 torreya (Torreyae Semen)

榧子 {fei3 zi3}, 中藥正名 torreya (Torreyae Semen)

榧子貫眾湯 {fei3 zi3 guan4 zhong4 tang1}, 方名 Torreya and Aspidium Decoction

【蜚】 {fei3} [Freq. 4] insect name.

蜚虻 {fei3 meng2}, 中藥異名 tabanus (Tabanus)

~~ {fei4} ~~

【沸】 {fei4} [Freq. 5] boil; seethe

【肺】 {fei4} [Freq. 3] pulmo-; lung (n.) (心肺氣虛 {xin1 fei4 qi4 xu1}, heart-lung qi4 vacuity); pulmonary (adj.); LU.

肺，其華在毛 {fei4, qi2 hua2 zai4 mao2}, lung, its bloom is in the [body] hair; lung, its bloom is in the [body] hair

肺癌 {fei4 ai2}, 西醫 lung cancer; lung cancer; lung cancer

肺痹 {fei4 bi4}, lung impediment; pulmonary impediment

肺閉喘咳 {fei4 bi4 chuan3 ke2}, lung block panting and cough

肺病 {fei4 bing4}, lung disease

肺藏魄 {fei4 cang2 po4}, lung stores the corporeal soul

肺常不足 {fei4 chang2 bu4 zu2}, lung is often in insufficiency

肺朝百脈 {fei4 chao2 bai3 mai4}, lung faces the hundred vessels

肺蟲 {fei4 chong2}, lung worm

肺的證候 {fei4 de zheng4 hou4}, lung patterns

肺底 {fei4 di3}, 腧穴異名 GV-9 (Bottom of the Lung)

肺風 {fei4 feng1}, lung wind

肺風粉刺 {fei4 feng1 fen3 ci4}, lung wind acne

肺疳 {fei4 gan1}, gan1 of the lung; pulmonary gan1

肺合大腸 {fei4 he2 da4 chang2}, lung is connected with the large intestine

肺合皮毛 {fei4 he2 pi2 mao2}, lung is connected with the skin and [body] hair

肺合皮也，其榮毛也 {fei4 he2 pi2 ye3, qi2 rong2 mao2 ye3}, lung is connected with the skin; its luxuriance is the [body] hair

肺火 {fei4 huo3}, lung fire
肺積 {fei4 ji1}, lung accumulation
肺及大腸辨證 {fei4 ji2 da4 chang2 bian4 zheng4}, lung and large intestine pattern identification
肺降 {fei4 jiang4}, lung downbearing
肺結核 {fei4 jie2 he2}, 西醫 pulmonary tuberculosis
肺結核病 {fei4 jie2 he2 bing4}, 西醫 pulmonary tuberculosis
肺金 {fei4 jin1}, lung-metal
肺津 {fei4 jin1}, liquid of the lung; pulmonary liquid
肺津不布 {fei4 jin1 bu4 bu4}, non-distribution of pulmonary liquid; lung failing to distribute liquid
肺經 {fei4 jing1}, lung channel; LU
肺經咳嗽 {fei4 jing1 ke2 sou4}, lung channel cough
肺經有熱 {fei4 jing1 you3 re4}, heat in the lung channel
肺開竅于鼻 {fei4 kai1 qiao4 yu2 bi2}, lung opens at the nose
肺咳 {fei4 ke2}, lung cough
肺勞 {fei4 lao2}, lung taxation; pulmonary taxation
肺癆 {fei4 lao2}, pulmonary consumption
肺癆干咳 {fei4 lao2 gan1 ke2}, pulmonary consumption with dry cough
肺癆咳嗽 {fei4 lao2 ke2 sou4}, pulmonary consumption with cough
肺癆驗方 {fei4 lao2 yan4 fang1}, 方名 T.B. Tested Formula
肺絡損傷 {fei4 luo4 sun3 shang1}, damage to the network vessels of the lung
肺脈浮 {fei4 mai4 fu2}, lung pulse is floating
肺募 {fei4 mu4}, 腧穴異名 LU-1 (Lung Alarm)
肺囊種 {fei4 nang2 zhong3}, 西醫 lung abscess
肺膿腫 {fei4 nong2 zhong3}, 西醫 pulmonary abscess
肺脾兩虛 {fei4 pi2 liang3 xu1}, dual vacuity of the lung and spleen
肺脾腎陽虛 {fei4 pi2 shen4 yang2 xu1}, lung-spleen-kidney yang2 vacuity
肺脾腎陽虛水泛 {fei4 pi2 shen4 yang2 xu1 shui3 fan4}, lung-spleen-kidney yang2 vacuity water flood
肺脾虛寒 {fei4 pi2 xu1 han2}, lung-spleen vacuity cold
肺脾虛損 {fei4 pi2 xu1 sun3}, lung-spleen vacuity-detriment
肺氣 {fei4 qi4}, lung qi4
肺氣敗絕 {fei4 qi4 bai4 jue2}, vanquished lung qi4
肺氣閉塞 {fei4 qi4 bi4 se4}, lung qi4 blockage
肺氣不得臥 {fei4 qi4 bu4 de2 wo4}, lung congestion sleeplessness
肺氣不降 {fei4 qi4 bu4 jiang4}, lung qi4 failing to downbear
肺氣不利 {fei4 qi4 bu4 li4}, inhibition of lung qi4
肺氣不宣 {fei4 qi4 bu4 xuan1}, lung qi4 failing to diffuse; non-diffusion of lung qi4

肺氣不足 {fei4 qi4 bu4 zu2}, insufficiency of lung qi4
肺氣浮散 {fei4 qi4 fu2 san4}, lung qi4 floats and dissipates
肺氣逆 {fei4 qi4 ni4}, counterflow lung qi4
肺氣上逆 {fei4 qi4 shang4 ni4}, lung qi4 ascending counterflow; counterflow ascent of lung qi4
肺氣衰絕 {fei4 qi4 shuai1 jue2}, expiry of lung qi4
肺氣通于鼻 {fei4 qi4 tong1 yu2 bi2}, lung qi4 flows to the nose
肺氣虛 {fei4 qi4 xu1}, lung qi4 vacuity
肺氣虛證 {fei4 qi4 xu1 zheng4}, lung qi4 vacuity pattern
肺氣虛滯 {fei4 qi4 xu1 zhi4}, lung qi4 vacuity stagnation
肺氣陰兩虛 {fei4 qi4 yin1 liang3 xu1}, dual vacuity of lung qi4 and yin1; lung qi4 and yin1 vacuity
肺氣陰兩虛證 {fei4 qi4 yin1 liang3 xu1 zheng4}, pattern of dual vacuity of lung qi4 and yin1
肺氣郁閉 {fei4 qi4 yu4 bi4}, lung qi4 depression block
肺氣郁痹 {fei4 qi4 yu4 bi4}, impeded lung qi4
肺氣郁閉證 {fei4 qi4 yu4 bi4 zheng4}, pattern of lung qi4 depression block
肺氣腫 {fei4 qi4 zhong3}, 西醫 pulmonary emphysema
肺竅 {fei4 qiao4}, orifices of the lung
肺熱 {fei4 re4}, lung heat
肺熱腸燥 {fei4 re4 chang2 zao4}, lung heat and intestinal dryness
肺熱腸燥證 {fei4 re4 chang2 zao4 zheng4}, pattern of lung heat and intestinal dryness
肺熱熾盛 {fei4 re4 chi4 sheng4}, intense lung heat
肺熱熾盛證 {fei4 re4 chi4 sheng4 zheng4}, intense lung heat pattern
肺熱喘咳 {fei4 re4 chuan3 ke2}, lung heat panting and cough
肺熱咳喘 {fei4 re4 ke2 chuan3}, lung-heat cough and panting
肺熱咳嗽 {fei4 re4 ke2 sou4}, lung heat cough
肺熱身腫 {fei4 re4 shen1 zhong3}, lung heat generalized swelling
肺熱痰結 {fei4 re4 tan2 jie2}, lung heat phlegm bind
肺熱穴 {fei4 re4 xue2}, 腧穴正名 Lung Heat Point
肺熱血瘀 {fei4 re4 xue4 yu1}, lung heat blood stasis
肺熱血瘀證 {fei4 re4 xue4 yu1 zheng4}, lung heat blood stasis pattern
肺熱葉焦 {fei4 re4 ye4 jiao1}, lung heat scorching the lobes
肺熱陰虛 {fei4 re4 yin1 yu1}, yin1 vacuity due to lung heat
肺熱陰虛證 {fei4 re4 yin1 yu1 zheng4}, pattern of yin1 vacuity due to lung heat
肺疝 {fei4 shan4}, lung mounting; pulmonary mounting
肺腎兩虛 {fei4 shen4 liang3 xu1}, dual vacuity of the lung and kidney; lung-kidney vacuity
肺腎氣虛 {fei4 shen4 qi4 xu1}, lung-kidney qi4 vacuity
肺腎氣虛證 {fei4 shen4 qi4 xu1 zheng4}, pattern of lung-kidney qi4 vacuity
肺腎同源 {fei4 shen4 tong2 yuan2}, lung and kidney are of the same source

肺腎同治 {fei4 shen4 tong2 zhi4}, combined treatment of lung and kidney
肺腎相生 {fei4 shen4 xiang1 sheng1}, lung and kidney are mutually engendering
肺腎虛損 {fei4 shen4 xu1 sun3}, lung-kidney vacuity detriment
肺腎陰虧 {fei4 shen4 yin1 kui}, lung-kidney yin1 depletion
肺腎陰虛 {fei4 shen4 yin1 xu1}, lung-kidney yin1 vacuity
肺腎陰虛火炎 {fei4 shen4 yin1 xu1 huo3 yan2}, lung-kidney yin1 vacuity flaming fire
肺腎陰虛證 {fei4 shen4 yin1 xu1 zheng4}, pattern of lung-kidney yin1 vacuity
肺生皮毛 {fei4 sheng1 pi2 mao2}, lung engenders skin and [body] hair
肺失清肅 {fei4 shi1 qing1 su4}, impaired lung depuration
肺失肅降 {fei4 shi1 su4 jiang4}, impaired depurative downbearing of the lung
肺失通調 {fei4 shi1 tong1 tiao2}, lung failing to regulate the waterways
肺失宣降 {fei4 shi1 xuan1 jiang4}, impaired diffusion and downbearing of the lung
肺實 {fei4 shi2}, lung repletion
肺俞 {fei4 shu1}, 腧穴正名 BL-13 (Lung Transport)
肺水 {fei4 shui3}, lung water (a kind of water swelling)
肺司呼吸 {fei4 si1 hu1 xi1}, lung is in charge of breathing
肺素有熱 {fei4 su4 you3 re4}, preexisting lung heat
肺損咳嗽 {fei4 sun3 ke2 sou4}, lung detriment cough
肺爲華蓋 {fei4 wei2 hua2 gai4}, lung is the florid canopy
肺爲嬌臟 {fei4 wei2 jiao1 zang4}, lung is the delicate viscus
肺爲氣之主，腎爲氣之根 {fei4 wei2 qi4 zhi1 zhu3, shen4 wei2 qi4 zhi1 gen1}, lung is the governor of qi4, kidney is the root of qi4
肺爲水之上源 {fei4 wei2 shui3 zhi1 shang4 yuan2}, lung is the upper source of water
肺爲涕 {fei4 wei2 ti4}, lung forms snivel
肺爲貯痰之器 {fei4 wei2 zhu4 tan2 zhi1 qi4}, lung is the receptacle that holds phlegm
肺痿 {fei4 wei3}, lung wilting
肺衛 {fei4 wei4}, lung-defense
肺胃火熾 {fei4 wei4 huo3 chi4}, intense lung-stomach fire
肺胃火炎喘 {fei4 wei4 huo3 yan2 chuan3}, lung-stomach flaming fire panting
肺胃俱寒 {fei4 wei4 ju4 han2}, cold in both the lung and stomach
肺胃熱盛 {fei4 wei4 re4 sheng4}, exuberant lung-stomach heat
肺胃疫熱熾盛 {fei4 wei4 yi4 re4 chi4 sheng4}, lung-stomach intense epidemic heat
肺胃陰虛 {fei4 wei4 yin1 xu1}, lung-stomach yin1 vacuity
肺胃燥熱 {fei4 wei4 zao4 re4}, lung-stomach dryness-heat
肺衛燥熱 {fei4 wei4 zao4 re4}, lung-defense dryness heat
肺惡寒 {fei4 wu4 han2}, lung is averse to cold
肺系 {fei4 xi4}, lung tie
肺纖維變性 {fei4 xian1 wei2 bian4 xing4}, 西醫 pulmonary fibrosis

肺癇 {fei4 xian2}, epilepsy of the lung; pulmonary epilepsy
肺消 {fei4 xiao1}, lung dispersion[-thirst] (upper dispersion-thirst) (upper dispersion-thirst); pulmonary dispersion-thirst
肺邪脅痛 {fei4 xie2 xie2 tong4}, lung evil rib-side pain
肺形草 {fei4 xing2 cao3}, 中藥正名 crawfurdia (Crawfurdiae Herba)
肺性腦病 {fei4 xing4 nao3 bing4}, 西醫 pulmonary encephalopathy
肺虛 {fei4 xu1}, lung vacuity
肺虛喘急 {fei4 xu1 chuan3 ji2}, lung vacuity rapid panting
肺虛咳嗽 {fei4 xu1 ke2 sou4}, lung vacuity cough
肺虛身腫 {fei4 xu1 shen1 zhong3}, lung vacuity generalized swelling
肺虛有熱 {fei4 xu1 you3 re4}, lung vacuity with heat
肺炎 {fei4 yan2}, 西醫 pneumonia; pneumonia
肺炎草 {fei4 yan2 cao3}, 中藥正名 tridax (Tridacis Herba)
肺炎球菌 {fei4 yan2 qiu2 jun1}, 西醫 pneumococcus
肺炎球菌肺炎 {fei4 yan2 qiu2 jun1 fei4 yan2}, 西醫 pneumococcal pneumonia
肺炎雙球菌 {fei4 yan2 shuang1 qiu2 jun1}, 西醫 Diplococcus pneumoniae
肺陽 {fei4 yang2}, lung yang2
肺陽不足 {fei4 yang2 bu4 zu2}, insufficiency of lung yang2
肺陽虛 {fei4 yang2 xu1}, lung yang2 vacuity
肺移寒于腎 {fei4 yi2 han2 yu2 shen4}, lung spreading cold to the kidney
肺陰 {fei4 yin1}, lung yin1
肺陰不足 {fei4 yin1 bu4 zu2}, insufficiency of lung yin1
肺陰虛 {fei4 yin1 xu1}, lung yin1 vacuity
肺陰虛證 {fei4 yin1 xu1 zheng4}, lung yin1 vacuity pattern
肺陰之虛燥 {fei4 yin1 zhi1 xu1 zao4}, lung yin1 vacuity dryness
肺癰 {fei4 yong1}, welling-abscess of the lung; pulmonary welling-abscess
肺有實熱 {fei4 you3 shi2 re4}, repletion heat in the lung
肺與大腸相表里 {fei4 yu3 da4 chang2 xiang1 biao3 li3}, lung and large intestine stand in interior-exterior relationship
肺燥 {fei4 zao4}, lung dryness
肺燥咳嗽 {fei4 zao4 ke2 sou4}, lung dryness cough
肺脹 {fei4 zhang4}, distention of the lung; pulmonary distention
肺者相傅之官也，治節出焉 {fei4 zhe3 xiang1 fu4 zhi1 guan1 ye3, zhi4 jie2 chu1 yan1}, lung holds the office of assistant; it is responsible for management and regulation
肺失宣降 {fei4 zhi1 xuan1 jiang4}, impaired diffusion and downbearing of the lung
肺之液爲涕 {fei4 zhi1 ye4 wei2 ti4}, humor of the lung is snivel
肺中伏火 {fei4 zhong1 fu2 huo3}, latent heat in the lung
肺中虛冷 {fei4 zhong1 xu1 leng3}, vacuity cold in the lung

肺主鼻 {fei4 zhu3 bi2}, lung governs the nose
肺主皮毛 {fei4 zhu3 pi2 mao2}, lung governs the skin and [body] hair
肺主氣 {fei4 zhu3 qi4}, lung governs qi4
肺主聲 {fei4 zhu3 sheng1}, lung governs the voice
肺主輸精于皮毛 {fei4 zhu3 shu1 jing1 yu2 pi2 mao2}, lung governs transportation of essence to the skin and [body] hair
肺主肅降 {fei4 zhu3 su4 jiang4}, lung governs depurative downbearing
肺主通調水道 {fei4 zhu3 tong1 tiao2 shui3 dao4}, lung governs regulation of the waterways
肺主衛表 {fei4 zhu3 wei4 biao3}, lung governs the defensive exterior
肺主行水 {fei4 zhu3 xing2 shui3}, lung governs the movement of water
肺主宣發 {fei4 zhu3 xuan1 fa1}, lung governs diffusion
肺主宣散 {fei4 zhu3 xuan1 san4}, lung governs diffusion
肺主一身之表 {fei4 zhu3 yi1 shen1 zhi1 biao3}, lung governs the exterior of the entire body
肺主治節 {fei4 zhu3 zhi4 jie2}, lung governs management and regulation

【費】 {fei4} [Freq. 4] waste; surname.
費伯雄 {fei4 bo2 xiong2}, Fei4 Bo2-Xiong2

【痱】 {fei4} [Freq. 2] prickly heat (n.) (痱子 {fei4 zi3}, prickly heat).
痱毒 {fei4 du2}, prickly heat toxin [sore]
痱子 {fei4 zi3}, prickly heat (miliaria rubra)

【痱】 {fei4} [Freq. 3] prickly heat.
痱瘡 {fei4 chuang1}, prickly heat

~~ {fen1} ~~
【分】 {fen1} [Freq. 2] separate (equal to 1 tenth of a qian); divide; seam (equal to one tenth of a body inch or qian); fen1; candareen (see also 分 {fen4}).
分別清濁 {fen1 bie2 qing1 zhuo2}, separate the clear and the turbid
分刺 {fen1 ci4}, parting needling (one of the nine needling methods)
分蔥 {fen1 cong1}, 中藥異名 shallot (Allii Ascalonici Bulbus)
分誕 {fen1 dan4}, childbirth; birth; parturition; delivery
分間 {fen1 jian1}, 腧穴異名 GB-38 (Parting Space)
分解 {fen1 jie3}, parturition; delivery
分解代謝 {fen1 jie3 dai4 xie4}, 西醫 catabolism
分利濕熱 {fen1 li4 shi1 re4}, separate and disinhibit damp-heat
分量 {fen1 liang4}, quantity

分泌 {fen1 mi4}, 西醫 secretion
分泌物 {fen1 mi4 wu4}, 西醫 secretion
分泌性中耳炎 {fen1 mi4 xing4 zhong1 er3 yan2}, 西醫 secretory otitis media
分娩 {fen1 mian3}, childbirth; birth; parturition; delivery
分娩胎次過多 {fen1 mian3 tai1 ci4 guo4 duo1}, excessive number of births
分清別濁 {fen1 qing1 bie2 zhuo2}, separate the clear and turbid
分清泌濁 {fen1 qing1 mi4 zhuo2}, separates the clear and turbid
分肉 {fen1 rou4}, seam of the flesh (Parting of the Flesh); 腧穴異名 GB-38
分身 {fen1 shen1}, childbirth; birth; parturition; delivery
分水 {fen1 shui3}, 腧穴異名 CV-9 (Divided Waters)
分水散 {fen1 shui3 san3}, 方名 Water-Separating Powder
分溫三服 {fen1 wen1 san1 fu2},
分溫再服 {fen1 wen1 zai4 fu2},
分消湯 {fen1 xiao1 tang1}, 方名 Separating and Dispersing Decoction
分消走泄 {fen1 xiao1 zou3 xie4}, separating dispersion and mobilizing discharge
分心木 {fen1 xin1 mu4}, 中藥正名 walnut membrane (Juglandis Fructus Membrana)
分心氣飲 {fen1 xin1 qi4 yin3}, 方名 Heart-Qi4-Dividing Beverage
分型論治 {fen1 xing2 lun4 zhi4}, determine treatment on the basis of pattern types
分研 {fen1 yan2}, separate grinding
分中 {fen1 zhong1}, 腧穴異名 GB-30 (Divided Center)

~~ {fen2} ~~
【焚】 {fen2} [Freq. 5] deflagrate (v.), deflagration (n.) (心火內焚 {xin1 huo3 nei4 fen2}, heart fire deflagrating internally)

~~ {fen3} ~~
【粉】 {fen3} [Freq. 3] powder.
粉苞苣 {fen3 bao1 ju4}, 中藥正名 slender ixeris (Ixeris Gracilis Herba)
粉背蕨 {fen3 bei4 jue2}, 中藥正名 mealy aleuritopteris (Aleuritopteridis Farinosae Herba)
粉草 {fen3 cao3}, 中藥異名 licorice (Glycyrrhizae Radix)
粉刺 {fen3 ci4}, acne
粉丹皮 {fen3 dan1 pi2}, 中藥正名 shaved moutan (Moutan Radicis Cortex Rasus)
粉防己 {fen3 fang2 ji3}, 中藥正名 mealy fangji (Stephaniae Tetrandrae Radix)
粉甘草 {fen3 gan1 cao3}, 中藥正名 shaved licorice (Glycyrrhizae Radix Rasa)
粉葛 {fen3 ge2}, 中藥異名 pueraria (Puerariae Radix)
粉葛根 {fen3 ge2 gen1}, 中藥異名 pueraria (Puerariae Radix)

粉劑 {fen3 ji4}, powder preparation
粉薑 {fen3 jiang1}, 中藥正名 mealy ginger (Zingiberis Rhizoma Farinosum)
粉瘤 {fen3 liu2}, mealy tumor
粉霜 {fen3 shuang1}, 中藥正名 refined calomel (Calomelas Praeparata)
粉碎 {fen3 sui4}, crush
粉團花 {fen3 tuan2 hua1}, 中藥正名 paniculate hydrangea flower (Hydrangeae Paniculatae Flos)
粉圓花根 {fen3 tuan2 hua1 gen1}, 中藥正名 paniculate hydrangea root (Hydrangeae Paniculatae Radix)
粉錫 {fen3 xi1}, 中藥異名 processed galenite (Galenitum Praeparatum)

~~ {fen4} ~~
【分】 {fen4} [Freq. 2] aspect (n.) (氣分 {qi4 fen4}, qi4 aspect. See also 分 {fen1}).
奮 {fen4}, rouse

【糞】 {fen4} [Freq. 2] feces (n.), fecal (adj.) (吐糞 {tu4 fen4}, fecal vomiting); feces.
糞便 {fen4 bian4}, stool
糞便干燥 {fen4 bian4 gan1 zao4}, dry stool
糞便穢臭 {fen4 bian4 hui4 chou4}, foul-smelling stool
糞箕篤 {fen4 ji1 du3}, 中藥正名 long-leaved stephania (Stephaniae Longae Herba seu Rhizoma et Radix)
糞&&7618.763B|{fen4 lou4}, fecal fistula
糞清 {fen4 qing1}, 中藥正名 purified feces (Hominis Excrementi Liquidum Extractum)
糞水雜下 {fen4 shui3 za2 xia4}, stool and water descending mixed (i.e., duck slop)

【膹】 {fen4} [Freq. 3] huff.
膹郁 {fen4 yu4}, huffing and depression
膹菀 {fen4 yu4}, huffing and depression

~~ {feng1} ~~
【封】 {feng1} [Freq. 4] seal (v.).
封藏失職 {feng1 cang2 shi1 zhi2}, storage failure (a kidney disorder)
封藏之本 {feng1 cang2 zhi1 ben3}, root of storage
封髓丹 {feng1 sui3 dan1}, 方名 Marrow-Sealing Elixir
封囟散 {feng1 xin4 san3}, 方名 Fontanel-Sealing Powder

【風】 {feng1} [Freq. 2] wind (n.) (外風 {wai4 feng1}, external wind).
風秘 {feng1 bi4}, wind constipation
風痹 {feng1 bi4}, wind impediment
風病 {feng1 bing4}, wind disease
風車 {feng1 che1}, winnower
風車兒 {feng1 che1 er2}, 中藥正名 wild dioscorea fruit (Dioscoreae Japonicae Fructus)
風車藤 {feng1 che1 teng2}, 中藥正名 hiptage (Hiptages Caulis)
風池 {feng1 chi2}, 腧穴正名 GB-20 (Wind Pool)
風齒腫 {feng1 chi3 zhong3}, wind gum swelling
風赤瘡疾 {feng1 chi4 chuang1 ji2}, wind red sore disease
風赤瘡痍 {feng1 chi4 chuang1 yi2}, wind red sore
風搐 {feng1 chu4}, wind convulsion
風瘡 {feng1 chuang1}, wind sore
風丹 {feng1 dan1}, wind cinnabar
風的證候 {feng1 de zheng4 hou4}, wind patterns
風毒 {feng1 du2}, wind toxin
風毒瘡癢 {feng1 du2 chuang1 yang3}, itchy wind-toxin [sore]
風毒流注 {feng1 du2 liu2 zhu4}, wind toxin streaming sore
風毒入絡 {feng1 du2 ru4 luo4}, wind toxin entering the network vessels
風毒入絡證 {feng1 du2 ru4 luo4 zheng4}, pattern of wind toxin entering the network vessels
風毒證 {feng1 du2 zheng4}, wind toxin pattern
風耳 {feng1 er3}, wind ear
風痱 {feng1 fei4}, wind disablement
風府 {feng1 fu3}, 腧穴正名 GV-16 (Wind House) (Wind House); 腧穴異名 BL-12
風疳 {feng1 gan1}, wind gan1
風疙瘩 {feng1 ge1 da2}, wind lumps
風關 {feng1 guan1}, wind bar
風寒 {feng1 han2}, wind-cold
風寒痹阻 {feng1 han2 bi4 zu3}, wind-cold obstruction
風寒痹阻證 {feng1 han2 bi4 zu3 zheng4}, wind-cold obstruction pattern
風寒表證 {feng1 han2 biao3 zheng4}, wind-cold exterior pattern
風寒喘 {feng1 han2 chuan3}, wind-cold panting
風寒喘急 {feng1 han2 chuan3 ji2}, wind-cold rapid panting
風寒耳聾 {feng1 han2 er3 long2}, wind-cold deafness
風寒犯肺 {feng1 han2 fan4 fei4}, wind-cold invading the lung
風寒犯頭 {feng1 han2 fan4 tou2}, wind-cold invading the head
風寒犯頭證 {feng1 han2 fan4 tou2 zheng4}, pattern of wind-cold invading the head
風寒感冒 {feng1 han2 gan3 mao4}, wind-cold common cold

風寒化熱 {feng1 han2 hua4 re4}, wind-cold transforming into heat
風寒化熱證 {feng1 han2 hua4 re4 zheng4}, pattern of wind-cold transforming into heat
風寒咳嗽 {feng1 han2 ke2 sou4}, wind-cold cough
風寒束表證 {feng1 han2 sh4 biao3 zheng4}, pattern of wind-cold fettering the exterior
風寒砂 {feng1 han2 sha1}, 方名 Wind-Cold Granules
風寒身腫 {feng1 han2 shen1 zhong3}, wind-cold generalized swelling
風寒濕 {feng1 han2 shi1}, wind-cold-damp
風寒濕痹 {feng1 han2 shi1 bi4}, wind-cold-damp impediment
風寒濕病 {feng1 han2 shi1 bing4}, wind-cold-damp disease
風寒束表 {feng1 han2 shu4 biao3}, wind-cold fettering the exterior
風寒束表證 {feng1 han2 shu4 biao3 zheng4}, pattern of wind-cold fettering the exterior
風寒束肺 {feng1 han2 shu4 fei4}, wind-cold fettering the lung
風寒束肺證 {feng1 han2 shu4 fei4 zheng4}, pattern of wind-cold fettering the lung
風寒頭痛 {feng1 han2 tou2 tou4}, wind-cold headache
風寒外束 {feng1 han2 wai4 shu4}, wind-cold fettering the exterior
風寒外束喘 {feng1 han2 wai4 shu4 chuan3}, wind-cold fettering the exterior panting
風寒襲鼻 {feng1 han2 xi2 bi2}, wind-cold assailing the nose
風寒襲鼻證 {feng1 han2 xi2 bi2 zheng4}, pattern of wind-cold assailing the nose
風寒襲喉 {feng1 han2 xi2 hou2}, wind-cold assailing the throat
風寒脅痛 {feng1 han2 xie2 tong4}, wind-cold rib-side pain
風寒眩暈 {feng1 han2 xuan4 yun1}, wind-cold dizziness
風寒牙痛 {feng1 han2 ya2 tong4}, wind-cold toothache
風化 {feng1 hua1}, effloresce
風花菜 {feng1 hua1 cai4}, 中藥正名 marsh cress (Rorippae Palustris Herba)
風化硝 {feng1 hua1 xiao1}, 中藥異名 refined mirabilite (Natrii Sulfas Exsiccatus)
風化朴硝 {feng1 hua4 po4 xiao1}, 中藥正名 impure mirabilite efflorescence (Natrii Sulfatis Non-Puri Efflorescentia)
風化石灰 {feng1 hua4 shi2 hui1}, 中藥正名 weathered lime (Calcis Efflorescentia) (Calx Aerata); 中藥正名 air-slaked lime
風化硝 {feng1 hua4 xiao1}, 中藥正名 mirabilite efflorescence (Natrii Sulfatis Efflorescentia)
風黃 {feng1 huang2}, wind yellowing
風火 {feng1 huo3}, wind-fire
風火齒痛 {feng1 huo3 chi3 tong4}, wind-fire toothache
風火赤眼 {feng1 huo3 chi4 yan3}, wind-fire red eye
風火犯齒 {feng1 huo3 fan4 chi3}, wind-fire invading the teeth
風火犯齒證 {feng1 huo3 fan4 chi3 zheng4}, pattern of wind-fire invading the teeth
風火攻目 {feng1 huo3 gong1 mu4}, wind-fire attacking the eyes
風火攻目證 {feng1 huo3 gong1 mu4 zheng4}, pattern of wind-fire attacking the eyes

風火&&75AC.7667|{feng1 huo3 li4}, wind-fire scrofula
風火熱毒 {feng1 huo3 re4 du2}, wind-fire heat toxin
風火熱毒證 {feng1 huo3 re4 du2 zheng4}, wind-fire heat toxin pattern
風火相煽 {feng1 huo3 xiang1 shan1}, wind and fire fanning each other; mutual fanning of wind and fire
風火牙痛 {feng1 huo3 ya2 tong4}, wind-fire toothache
風火眼 {feng1 huo3 yan3}, wind-fire eye
風火眼痛 {feng1 huo3 yan3 tong4}, wind-fire eye pain
風家 {feng1 jia1}, person who suffers from wind diseases
風痙 {feng1 jing4}, wind tetany
風疽 {feng1 ju1}, wind flat-abscess
風科 {feng1 ke1}, wind diseases department (branch of medicine)
風口噤 {feng1 kou3 jin4}, wind clenched jaw
風塊 {feng1 kuai4}, 西醫 wheal
風廓 {feng1 kuo4}, wind belt
風癩 {feng1 lai4}, wind lai4; leprosy
風勞 {feng1 lao2}, wind taxation
風淚出 {feng1 lei4 chu1}, wind tearing
風&&75AC.7667|{feng1 li4}, wind scrofula
風痢 {feng1 li4}, wind dysentery
風聾 {feng1 long2}, wind deafness
風輪 {feng1 lun2}, wind wheel (cornea and iris)
風輪菜 {feng1 lun2 cai4}, 中藥正名 Chinese savory (Clinopodii Chinensis Herba)
風輪赤豆 {feng1 lun2 chi4 dou4}, wind-wheel rice bean
風輪熱毒 {feng1 lun2 re4 du2}, wind wheel heat toxin
風輪濕熱 {feng1 lun2 shi1 re4}, wind wheel damp-heat
風門 {feng1 men2}, 腧穴正名 BL-12 (Wind Gate)
風木之臟 {feng1 mu4 zhi1 zang4}, viscus of wind and wood (the liver)
風能勝濕 {feng1 neng2 sheng4 shi1}, wind can overcome dampness
風瘧 {feng1 nue94}, wind malaria
風起喎偏 {feng1 qi3 kuai1 pian1}, wind-induced deviation
風氣 {feng1 qi4}, wind qi4
風氣草 {feng1 qi4 cao3}, 中藥正名 adenostemma (Adenostemmatis Herba)
風氣內動 {feng1 qi4 nei4 dong4}, wind qi4 stirring internally
風牽出瞼 {feng1 qian1 chu1 jian3}, wind-turned eyelid
風牽喎斜 {feng1 qian1 kuai1 xie2}, wind-induced deviation
風牽偏視 {feng1 qian1 pian1 shi4}, wind-induced squint
風熱 {feng1 re4}, wind-heat

風熱表證 {feng1 re4 biao3 zheng4}, wind-heat exterior pattern
風熱赤眼 {feng1 re4 chi4 yan3}, wind-heat red eye
風熱瘡 {feng1 re4 chuang1}, wind-heat sore (equivalent to pityriasis rosea)
風熱毒火上犯咽喉 {feng1 re4 du2 huo3 shang4 fan4 yan1 hou2}, wind-heat toxin fire invading the throat
風熱毒邪 {feng1 re4 du2 xie2}, wind-heat toxin evil
風熱耳聾 {feng1 re4 er3 long2}, wind-heat deafness
風熱犯鼻 {feng1 re4 fan4 bi2}, wind-cold invading the nose
風熱犯鼻證 {feng1 re4 fan4 bi2 zheng4}, pattern of wind-cold invading the nose
風熱犯耳 {feng1 re4 fan4 er3}, wind-heat invading the ear
風熱犯耳證 {feng1 re4 fan4 er3 zheng4}, pattern of wind-heat invading the ear
風熱犯肺 {feng1 re4 fan4 fei4}, wind-heat invading the lung
風熱犯肺證 {feng1 re4 fan4 fei4 zheng4}, pattern of wind-heat invading the lung
風熱犯喉 {feng1 re4 fan4 hou2}, wind-heat invading the throat
風熱犯目 {feng1 re4 fan4 mu4}, wind-heat invading the eyes
風熱犯目證 {feng1 re4 fan4 mu4 zheng4}, pattern of wind-heat invading the eyes
風熱犯頭 {feng1 re4 fan4 tou2}, wind-heat invading the head
風熱犯頭證 {feng1 re4 fan4 tou2 zheng4}, pattern wind-heat invading the head
風熱感冒 {feng1 re4 gan3 mao4}, wind-heat common cold
風熱喉痹 {feng1 re4 hou2 bi4}, wind-heat throat impediment
風熱驚悸 {feng1 re4 jing1 ji4}, wind-heat fright palpitations
風熱咳嗽 {feng1 re4 ke2 sou4}, wind-heat cough
風熱目赤 {feng1 re4 mu4 chi4}, wind-heat red eye
風熱侵咽喉 {feng1 re4 qin1 fan4 yan1 hou2}, wind-heat invading the throat
風熱侵咽喉證 {feng1 re4 qin1 fan4 yan1 hou2 zheng4}, pattern of wind-heat invading the throat
風熱上攻 {feng1 re4 shang4 gong1}, wind-heat attacking upward
風熱濕毒壅盛 {feng1 re4 shi1 du2 yong1 sheng4}, wind-heat-damp toxin congestion
風熱頭痛 {feng1 re4 tou2 tong4}, wind-heat headache
風熱外襲 {feng1 re4 wai4 xi2}, wind-heat assailing the outer body
風熱外襲證 {feng1 re4 wai4 xi2 zheng4}, pattern of wind-heat assailing the outer body
風熱瘟毒 {feng1 re4 wen1 du2}, wind-heat scourge toxin
風熱襲肺 {feng1 re4 xi2 fei4}, wind-heat assailing the lung
風熱眩暈 {feng1 re4 xuan4 yun1}, wind-heat dizziness
風熱牙疳 {feng1 re4 ya2 gan1}, wind-heat gan1 of the teeth and gums
風熱眼 {feng1 re4 yan3}, wind-heat eye
風熱腰痛 {feng1 re4 yao1 tong4}, wind-heat lumbar pain
風熱阻絡 {feng1 re4 zu3 luo4}, wind-heat obstructing the network vessels
風熱阻絡證 {feng1 re4 zu3 luo4 zheng4}, pattern of wind-heat obstructing the network vessels

風肉 {feng1 rou4}, 中藥異名 saposhnikovia (Saposhnikoviae Radix)
風瘙 {feng1 sao1}, wind itch
風瘙鞅 {feng1 sao1 yang3}, wind itch
風痧 {feng1 sha1}, wind sand
風勝則動 {feng1 sheng4 ze2 dong4}, when wind prevails, there is stirring; prevalence of wind gives rise to stirring
風濕 {feng1 shi1}, 西醫 rheumatism (rheumatism); wind-damp
風濕痹 {feng1 shi1 bi4}, wind-damp impediment
風濕病 {feng1 shi1 bing4}, 西醫 rheumatism
風濕瘡毒 {feng1 shi1 chuang1 du2}, wind-damp sore [toxin]
風濕犯頭 {feng1 shi1 fan4 tou2}, wind-damp invading the head
風濕犯頭證 {feng1 shi1 fan4 tou2 zheng4}, pattern of wind-damp invading the head
風濕關節腫痛 {feng1 shi1 guan1 jie2 zhong3 tong4}, wind-damp (rheumatism) with painful swollen joints
風濕化熱 {feng1 shi1 hua4 re4}, wind-damp transforming into heat
風濕化熱證 {feng1 shi1 hua4 re4 zheng4}, wind-damp transforming into heat pattern
風濕凌目 {feng1 shi1 ling2 mu4}, wind-damp intimidating the eyes
風濕凌目證 {feng1 shi1 ling2 mu4 zheng4}, pattern of wind-damp intimidating the eyes
風濕熱 {feng1 shi1 re4}, 西醫 rheumatic fever
風濕疼痛 {feng1 shi1 teng2 tong4}, wind-damp pain
風濕頭痛 {feng1 shi1 tou2 tong4}, wind-damp headache
風濕豨桐片 {feng1 shi1 xi1 tong2 pian4}, 方名 Siegesbeckia and Clerodendron Wind-Damp Tablet
風濕相搏 {feng1 shi1 xiang1 bo2}, wind and dampness contending with each other; mutual contention of wind and dampness
風濕性關節炎 {feng1 shi1 xing4 guan1 jie2 yan2}, 西醫 rheumatic arthritis
風濕性肌炎 {feng1 shi1 xing4 ji1 yan2}, 西醫 rheumatic myelitis
風濕性心瓣膜病 {feng1 shi1 xing4 xin1 ban4 mo2 bing4}, 西醫 rheumatic valvular heart disease
風濕性心臟病 {feng1 shi1 xing4 xin1 zang4 bing4}, 西醫 rheumatic heart disease
風濕腰痛 {feng1 shi1 yao1 tong4}, wind-damp lumbar pain
風濕證 {feng1 shi1 zheng4}, wind-damp pattern; rheumatism pattern
風市 {feng1 shi4}, 腧穴正名 GB-31 (Wind Market)
風水 {feng1 shui3}, geomancy (a kind of swelling); wind water
風水浮腫 {feng1 shui3 fu2 zhong3}, wind water puffy swelling
風水上漬于肺 {feng1 shui3 shanng4 zi4 yu2 fei4}, wind-water soaking the lung
風水相搏 {feng1 shui3 xiang1 bo2}, wind and water contending with each other
風水相搏證 {feng1 shui3 xiang1 bo2 zheng4}, wind and water contending with each other

風嗽 {feng1 sou4}, wind cough
風苔草 {feng1 tai1 cao3}, 中藥異名 curculigo (Curculiginis Rhizoma)
風痰 {feng1 tan2}, wind phlegm
風痰入絡 {feng1 tan2 ru4 luo4}, wind-phlegm entering the network vessels
風痰入絡證 {feng1 tan2 ru4 luo4 zheng4}, pattern wind-phlegm entering the network vessels
風痰上擾 {feng1 tan2 shang4 rao3}, wind-phlegm harassing the upper body
風痰上擾證 {feng1 tan2 shang4 rao3 zheng4}, pattern of wind-phlegm harassing the upper body
風痰頭痛 {feng1 tan2 tou2 tong4}, wind-phlegm headache
風痰眩暈 {feng1 tan2 xuan4 yun1}, wind-phlegm dizziness
風痰證 {feng1 tan2 zheng4}, wind phlegm pattern
風痰卒中 {feng1 tan2 zu2 zhong1}, sudden wind-phlegm stroke
風藤 {feng1 teng2}, 中藥正名 Martin's fig root and stem (Fici Martini Radix et Caulis)
風藤草根 {feng1 teng2 cao3 gen1}, 中藥正名 gold-wool clematis root (Clematidis Chrysocomae Radix)
風頭眩 {feng1 tou2 xuan4}, wind dizzy head
風團 {feng1 tuan2}, wind wheals
風爲百病之長 {feng1 wei2 bai3 bing4 zhi1 zhang3}, wind is the chief of the hundred diseases
風溫 {feng1 wen1}, wind warmth
風溫痙 {feng1 wen1 jing4}, wind warmth tetany
風溫客表 {feng1 wen1 ke4 biao3}, wind warmth settling in the exterior
風溫傷衛 {feng1 wen1 shan1 wei4}, wind warmth damaging defense
風溫襲肺 {feng1 wen1 xi2 fei4}, wind warmth assailing the lung
風溫邪 {feng1 wen1 xie2}, wind warmth evil
風癇 {feng1 xian2}, wind epilepsy
風弦赤爛 {feng1 xian2 chi4 lan4}, wind ulceration of the eyelid rim
風癬 {feng1 xian3}, wind lichen
風箱樹根 {feng1 xiang1 shu4 gen1}, 中藥正名 buttonbush root (Cephalanthi Radix)
風箱樹花 {feng1 xiang1 shu4 hua1}, 中藥正名 buttonbush flower (Cephalanthi Flos)
風箱樹葉 {feng1 xiang1 shu4 ye4}, 中藥正名 buttonbush leaf (Cephalanthi Folium)
風消 {feng1 xiao1}, wind dispersion-thirst
風邪 {feng1 xie2}, wind evil
風邪犯肺 {feng1 xie2 fan4 fei4}, wind evil invading the lung
風邪侵襲 {feng1 xie2 qin1 xi2}, invasion of the wind evil
風邪熱毒犯耳 {feng1 xie2 re4 du2 fan4 er3}, wind evil and heat toxin invading the ear
風邪入經 {feng1 xie2 ru4 jing1}, wind evil entering the channels
風邪傷於表 {feng1 xie2 shang1 yu2 biao3}, wind evil damaging the exterior
風邪外襲 {feng1 xie2 wai4 xi2}, wind evil assailing the outer body
風邪外襲證 {feng1 xie2 wai4 xi2 zheng4}, pattern of wind evil assailing the outer body

風邪襲表 {feng1 xie2 xi2 biao3}, wind evil assailing the exterior
風邪眩暈 {feng1 xie2 xuan4 yun1}, wind evil dizziness
風瀉 {feng1 xie4}, wind diarrhea
風心痛 {feng1 xin1 tong4}, wind heart pain
風性開泄 {feng1 xing4 kai1 xie4}, wind by nature tends to cause opening and discharge
風性輕揚 {feng1 xing4 qing1 yang2}, wind by nature is light and buoyant
風性主動 {feng1 xing4 zhu3 dong4}, wind by nature moves
風眩 {feng1 xuan4}, wind dizziness
風岩 {feng1 yan2}, 腧穴正名 Wind Rock
風眼 {feng1 yan3}, 腧穴正名 Wind Eye
風眼流淚 {feng1 yan3 liu2 lei4}, wind eye tearing
風陽 {feng1 yang2}, wind yang2
風陽上逆 {feng1 yang2 shang4 ni4}, wind yang2 ascending counterflow
風陽上擾 {feng1 yang2 shang4 rao3}, wind yang2 harassing the upper body
風藥 {feng1 yao4}, wind medicinal
風懿 {feng1 yi4}, wind choke
風易傷陽位 {feng1 yi4 shang1 yang2 wei4}, wind easily damages yang2 positions
風癮 {feng1 yin3}, dormant wind papules
風引喎偏 {feng1 yin3 kuai1 pian1}, wind-induced deviation
風引湯 {feng1 yin3 tang1}, 方名 Wind-Drawing Decoction
風隱疹 {feng1 yin3 zhen3}, wind dormant papules
風燥 {feng1 zao4}, wind-dryness
風者善行而數變 {feng1 zhe3 shan4 xing2 er2 shu4 bian4}, wind is swift and changeable
風疹 {feng1 zhen3}, 西醫 rubella (German measles); wind papules
風疹塊 {feng1 zhen3 kuai4}, wind wheals
風疹瘙癢 {feng1 zhen3 sao4 yang3}, itchy wind papules
風證 {feng1 zheng4}, wind pattern
風濕挾毒 {feng1 zhi1 xie2 du2}, wind-damp with toxin
風濕挾毒證 {feng1 zhi1 xie2 du2 zheng4}, pattern of wind-damp with toxin
風中經絡 {feng1 zhong4 jing1 luo4}, wind striking the channels and network vessels
風中經絡證 {feng1 zhong4 jing1 luo4 zheng4}, pattern of wind striking the channels and network vessels

【楓】 {feng1} [Freq. 4] tree name.
楓果 {feng1 guo3}, 中藥異名 liquidambar fruit (Liquidambaris Fructus)
楓荷梨 {feng1 he2 li2}, 中藥正名 dendropanax (Dendropanacis Radix et Caulis)
楓柳皮 {feng1 liu3 pi2}, 中藥正名 wing nut bark (Pterocaryae Cortex)
楓木上球 {feng1 mu4 shang4 qiu2}, 中藥異名 liquidambar fruit (Liquidambaris Fructus)

楓球子 {feng1 qiu2 zi3}, 中藥異名 liquidambar fruit (Liquidambaris Fructus)
楓實 {feng1 shi2}, 中藥異名 liquidambar fruit (Liquidambaris Fructus)
楓樹球 {feng1 shu4 qiu2}, 中藥異名 liquidambar fruit (Liquidambaris Fructus)
楓香果 {feng1 xiang1 guo3}, 中藥異名 liquidambar fruit (Liquidambaris Fructus)
楓香樹根 {feng1 xiang1 shu4 gen1}, 中藥正名 liquidambar root (Liquidambaris Radix)
楓香樹皮 {feng1 xiang1 shu4 pi2}, 中藥正名 liquidambar bark (Liquidambaris Cortex)
楓香樹葉 {feng1 xiang1 shu4 ye4}, 中藥正名 liquidambar leaf (Liquidambaris Folium)
楓香脂 {feng1 xiang1 zhi1, 中藥正名 liquidambar (Liquidambaris Resina)
楓脂香 {feng1 zhi1 xiang1}, 中藥異名 liquidambar (Liquidambaris Resina)

【蜂】 {feng1} [Freq. 2] bee (n.) (蜂蜜 {feng1 mi4}, bee's honey); hornet (n.) (蜂房 {feng1 fang2}, hornet's nest); wasp.
蜂白蠟 {feng1 bai2 la4}, 中藥異名 white wax (Cera Alba)
蜂斗菜 {feng1 dou3 cai4}, 中藥正名 sweet coltsfoot (Petasitis Rhizoma)
蜂毒 {feng1 du2}, 中藥正名 bee's venom (Apis Venenum)
蜂毒療法 {feng1 du2 liao2 fa3}, bee venom therapy
蜂房 {feng1 fang2, 中藥正名 hornet's nest (Vespae Nidus)
蜂蠟 {feng1 la4, 中藥正名 bee's wax (Cera Flava)
蜂蜜 {feng1 mi4, 中藥正名 honey (Mel)
蜂乳 {feng1 ru3}, 中藥正名 royal jelly (Apis Gelatinum Regium)
蜂螫 {feng1 shi4}, bee (wasp, or hornet) sting; bee (wasp, or hornet) sting
蜂螫傷 {feng1 shi4 shang1}, 西醫 bee sting
蜂糖 {feng1 tang2}, 中藥異名 honey (Mel)
蜂糖罐 {feng1 tang2 guan4}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
蜂窩草 {feng1 wo1 cao3}, 中藥正名 leucas (Leucadis Herba)
蜂窩疽 {feng1 wo1 ju1}, hornet's nest flat-abscess

【瘋】 {feng1} [Freq. 3] insanity; ill-wind; insane (adj.); insanity(n.); epilepsy.
瘋狗 {feng1 gou3}, rabid dog
瘋狗傷 {feng1 gou3 shang1}, rabid dog bite
瘋油膏 {feng1 you2 gao1}, 方名 Ill-Wind Oil Paste

【鋒】 {feng1} [Freq. 4] sharp tip or cutting edge.
鋒針 {feng1 zhen1}, sharp-edged needle (one of the nine needles)

【豐】 {feng1} [Freq. 4] bountiful.
豐隆 {feng1 long2}, 腧穴正名 ST-40 (Bountiful Bulge)

~~ {feng2} ~~

【縫】 {feng2} [Freq. 4] sew.

縫匠肌 {feng2 jiang4 ji1}, 西醫 sartorius muscle

~~ {feng4} ~~

【鳳】 {feng4} [Freq. 3] phoenix.

鳳冠草 {feng4 guan1 cao3}, 中藥正名 sword brake (Pteridis Ensiformis Herba)

鳳凰 {feng4 huang2}, phoenix

鳳凰蛻 {feng4 huang2 tui4}, 中藥異名 eggshell (Galli Ovi Putamen)

鳳凰衣 {feng4 huang2 yi1}, 中藥正名 chicken's egg membrane (Galli Membrana Ovi)

鳳梨 {feng4 li2}, 中藥異名 pineapple (Ananatis Fructus)

鳳梨草 {feng4 li2 cao3}, 中藥異名 lippia (Lippiae Herba)

鳳梨豆豉 {feng4 li2 dou4 chi3}, 中藥異名 pickled pineapple (Ananatis Salsamen)

鳳搜山虎 {feng4 sou1 shan1 hu3}, 中藥正名 arthromeris (Arthromeris Rhizoma)

鳳尾草 {feng4 wei3 cao3}, 中藥正名 phoenix-tail fern (Pteridis Multifidi Herba)

鳳尾貫眾 {feng4 wei3 guan4 zhong4}, 中藥正名 phoenix-tail aspidium (Polystichi Acanthophylli Herba)

鳳尾蕉花 {feng4 wei3 jiao1 hua1}, 中藥正名 cycas flower (Cycadis Flos)

鳳尾參 {feng4 wei3 shen1}, 中藥正名 lousewort root (Pedicularis Radix)

鳳尾豬鬃 {feng4 wei3 zhu1 zong1}, 中藥正名 Yun2nan2 spleenwort (Asplenii Yunnanensis Herba)

鳳尾蕉葉 {feng4 wei4 jiao1 cai4}, 中藥正名 cycas leaf (Cycadis Folium)

鳳仙 {feng4 xian1}, 中藥正名 garden balsam (Impatientis Balsaminae Herba)

鳳仙根 {feng4 xian1 gen1}, 中藥正名 garden balsam root (Impatientis Balsaminae Radix)

鳳仙花 {feng4 xian1 hua1}, 中藥正名 garden balsam flower (Impatientis Balsaminae Flos)

鳳仙透骨草 {feng4 xian1 tou4 gu3 cao3}, 中藥異名 garden balsam (Impatientis Balsaminae Herba)

鳳仙子 {feng4 xian1 zi3}, 中藥異名 garden balsam seed (Impatientis Semen)

鳳眼草 {feng4 yan3 cao3}, 中藥正名 ailanthus fruit (Ailanthi Altissimae Fructus)

鳳眼果 {feng4 yan3 guo3}, 中藥正名 noble bottle tree seed (Sterculiae Nobilis Semen)

鳳眼果殼 {feng4 yan3 guo3 qiao4 (ke2)}, 中藥正名 noble bottle tree husk (Sterculiae Nobilis Pericarpium)

鳳眼子 {feng4 yan3 zi3}, 中藥異名 ailanthus fruit (Ailanthi Altissimae Fructus)

~~ {fo2} ~~

【佛】 {fo2} [Freq. 4] Buddha.
佛豆 {fo2 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)
佛肚花 {fo2 du4 hua1}, 中藥正名 Ching's briggsia (Briggsiae Chingii Herba seu Radix)
佛柑 {fo2 gan1}, 中藥異名 Buddha's hand (Sacrodactylis Fructus)
佛柑花 {fo2 gan1 hua1}, 中藥異名 Buddha's hand flower (Sarcodactylis Flos)
佛柑香櫞 {fo2 gan1 xiang1 yuan2}, 中藥異名 Buddha's hand (Sacrodactylis Fructus)
佛甲草 {fo2 jia3 cao3}, 中藥正名 linear stonecrop (Sedi Linearis Herba)
佛蘭參 {fo2 lan2 shen1}, 中藥異名 American ginseng (Panacis Quinquefolii Radix)
佛手柑 {fo2 shou3 gan1}, 中藥異名 Buddha's hand (Sacrodactylis Fructus)
佛手柑根 {fo2 shou3 gan1 gen1}, 中藥正名 Buddha's hand root (Sacrodactylis Radix)
佛手瓜 {fo2 shou3 gua1}, 中藥異名 chayote (Sechii Edulis Fructus)
佛手花 {fo2 shou3 hua1}, 中藥正名 Buddha's hand flower (Sarcodactylis Flos)
佛手露 {fo2 shou3 lu4}, 中藥正名 Buddha's hand distillate (Sarcodactylis Fructus Distillatus)
佛手散 {fo2 shou3 san3}, 方名 Hand-of-Buddha Powder
佛手 {fo2 shou3, 中藥正名 Buddha's hand (Sacrodactylis Fructus)
佛掌瓜 {fo2 zhang3 gua1}, 中藥正名 chayote (Sechii Edulis Fructus)
佛掌瓜苗 {fo2 zhang3 gua1 miao2}, 中藥正名 chayote shoot (Sechii Edulis Surculus)
佛掌薯 {fo2 zhang3 shu3}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
佛指甲 {fo2 zhi3 jia3}, 中藥異名 ginkgo (Ginkgo Semen)

~~ {fu1} ~~
【夫】 {fu1} [Freq. 4] man (大夫 {dai4 fu1}, doctor); hand (unit of measure equal to three body inches, as in 一夫法 {yi1 fu1 fa3}, hand standard)

【趺】 {fu1} [Freq. 3] dorsum of the foot; upper surface of the foot; instep.
趺侯胃 {fu1 hou2 wei4}, instep is the indicator of the stomach
趺蹶 {fu1 jue2}, hobbled dorsum of the foot
趺陽 {fu1 yang2}, instep yang2
趺陽脈 {fu1 yang2 mai4}, instep yang2 pulse; fu1-yang2 pulse

【敷】 {fu1} [Freq. 3] apply.
敷劑 {fu1 ji4}, dressing
敷臍療法 {fu1 qi2 liao2 fa3}, umbilical compress therapy
敷貼 {fu1 tie1}, dressing
敷貼療法 {fu1 tie1 liao2 fa3}, plaster therapy
敷眼療法 {fu1 yan3 liao2 fa3}, eye compress therapy

【膚】 {fu1} [Freq. 3] skin.
膚冷汗出 {fu1 leng3 han4 chu1}, cold skin and sweating
膚如 {fu1 ru2}, 中藥異名 rhubarb (Rhei Radix et Rhizoma)

【麩】 {fu1} [Freq. 3] bran.
麩炒 {fu1 chao3}, bran-fry

【肤】 {fu1} [Freq. 4] skin (same as 膚 {fu1}. See also 肤 {fu2} and 肤 {fu3}); upper surface of the foot (same as 跗 {fu1}. See also 肤 {fu2} and 肤 {fu3}); instep (same as 跗 {fu1}. See also 肤 {fu2} and 肤 {fu3}).
肤腫 {fu1 zhong3}, skin swelling

【跗】 {fu1} [Freq. 3] dorsum of the foot; upper surface of the foot; instep.
跗骨 {fu1 gu3}, 西醫 tarsal bones
跗陽 {fu1 yang2}, 腧穴正名 BL-59 (Instep Yang2)
跗腫 {fu1 zhong3}, swelling of the instep

~~ {fu2} ~~
【伏】 {fu2} [Freq. 2] latent (adj.) (伏痕 {fu2 jia3}, latent conglomeration); hidden (adj.) (伏脈 {fu2 mai4}, hidden pulse); soaking and standing (n.) (a method of processing medicinal materials); deep-lying (adj.).
伏白 {fu2 bai2}, 腧穴異名 KI-7 (Deep-Lying White)
伏沖 {fu2 chong1}, hidden thoroughfare vessel
伏蟲 {fu2 chong2}, latent worm
伏瓜 {fu2 gua1}, 中藥異名 pumpkin (Cucurbitae Fructus)
伏痕 {fu2 jia3}, latent conglomeration
伏臼 {fu2 jiu4}, 腧穴異名 KI-7 (Deep-Lying Mortar)
伏梁 {fu2 liang2}, deep-lying beam
伏苓 {fu2 ling2}, 中藥異名 poria (Poria)
伏靈 {fu2 ling2}, 中藥異名 poria (Poria)
伏龍肝 {fu2 long2 gan1}, 中藥正名 oven earth (Terra Flava Usta)
伏龍肝煎 {fu2 long2 gan1 jian1}, 方名 Oven Earth Brew
伏脈 {fu2 mai4}, hidden pulse
伏牛花 {fu2 niu2 hua1}, 中藥正名 damnacanthus flower (Damnacanthi Flos)
伏氣 {fu2 qi4}, latent qi4
伏氣溫病 {fu2 qi4 wen1 bing4}, latent qi4 warm disease
伏熱在里 {fu2 re4 zai4 li3}, deep-lying heat in the interior

伏神 {fu2 shen2}, 中藥異名 root poria (Poria cum Pini Radice)
伏蝨 {fu2 shi1}, 中藥異名 carpesium seed (Carpesii Fructus)
伏暑 {fu2 shu3}, latent summerheat
伏痰 {fu2 tan2}, deep-lying phlegm
伏兔 {fu2 tu4}, crouching rabbit (anterior thigh) (Poria); 中藥異名 poria (Crouching Rabbit); 腧穴正名 ST-32
伏臥 {fu2 wo4}, lie prone; prone
伏邪 {fu2 xie2}, deep-lying evil
伏邪溫病 {fu2 xie2 wen1 bing4}, latent-evil warm disease
伏飲 {fu2 yin3}, deep-lying rheum

【扶】 {fu2} [Freq. 2] support (v.) (祛邪扶正 {qu1 xie2 fu2 zheng4}, dispel evil and support right).
扶芳藤 {fu2 fang1 teng2}, 中藥正名 Fortune's euonymus (Euonymi Fortunei Caulis et Folium)
扶蓋 {fu2 gai4}, 中藥異名 cibotium (Cibotii Rhizoma)
扶筋 {fu2 jin1}, 中藥異名 cibotium (Cibotii Rhizoma)
扶桑根 {fu2 sang1 gen1}, 中藥正名 Chinese hibiscus root (Rosa-Sinensis Radix)
扶桑骨 {fu2 sang1 gu3}, fusang bone
扶桑花 {fu2 sang1 hua1}, 中藥正名 Chinese hibiscus flower (Rosa-Sinensis Flos)
扶桑丸 {fu2 sang1 wan2}, 方名 Mulberry Leaf and Sesame Pill
扶桑葉 {fu2 sang1 ye4}, 中藥正名 Chinese hibiscus leaf (Rosa-Sinensis Folium)
扶突 {fu2 tu1}, 腧穴正名 LI-18 (Protuberance Assistant)
扶陽培陰 {fu2 yang2 pei2 yin1}, support yang2 to bank up yin1
扶陽退陰 {fu2 yang2 tui4 yin1}, support yang2 to abate yin1
扶元散 {fu2 yuan2 san3}, 方名 Origin-Supporting Powder
扶正 {fu2 zheng4}, support right
扶正固本 {fu2 zheng4 gu4 ben3}, support right and secure the root
扶正解表 {fu2 zheng4 jie3 biao3}, support right and resolve the exterior
扶正解毒 {fu2 zheng4 jie3 du2}, support right and resolve toxin
扶正培本 {fu2 zheng4 pei2 ben3}, support right and bank up the root
扶正祛邪 {fu2 zheng4 qu1 xie2}, support right and dispel evil
扶助正氣 {fu2 zhu4 zheng4 qi4}, support right qi4

【怫】 {fu2} [Freq. 4] depressed.
怫郁于上之熱 {fu2 yu4 yu2 shang4 zhi1 re4}, depressed upper body heat

【服】 {fu2} [Freq. 2] take (v.) (日服三次 {ri4 fu2 san1 ci4}, take three times a day); dose (n.) (一服散 {yi1 fu2 san3}, One Dose Powder).

服法 {fu2 fa3}, method of administration
服藥宜忌 {fu2 yao4 yi2 ji4}, suitability of medication
服用方便 {fu2 yong4 fang1 bian4}, convenient to take

【芙】 {fu2} [Freq. 4] plant name.
芙蓉花 {fu2 rong2 hua1}, 中藥異名 cotton rose (Hibisci Mutabilis Flos)
芙蓉菊根 {fu2 rong2 ju2 gen1}, 中藥正名 crossostephium root (Crossostephii Radix)
芙蓉葉 {fu2 rong2 ye4}, 中藥異名 cotton rose leaf (Hibisci Mutabilis Folium)

【氟】 {fu2} [Freq. 4] fluorine.
氟骨症 {fu2 gu3 zheng4}, 西醫 fluorosis of the bone

【浮】 {fu2} [Freq. 2] float (v.) (虛陽浮越 {xu1 yang2 fu2 yue4}, vacuous yang2 floating astray); superficial (adj.) (浮絡 {fu2 luo4}, superficial network vessel); puffy (adj.); puffiness(n.) (浮腫 {fu2 zhong3}, puffy swelling).
浮按 {fu2 an4}, feel the superficial level (pulse-taking)
浮白 {fu2 bai2}, 腧穴正名 GB-10 (Floating White)
浮沉、清濁、微甚、散搏、澤夭 {fu2 chen2, qing1 zhuo2, wei1 shen4, san4 tuan2, ze2 yao1}, floating/sunken; clear/turbid; weak/strong; diffuse/dense; moist/perished (tenfold examination of the complexion {\it (wang4 se4 shi2 fa3)})
浮刺 {fu2 ci4}, superficial needling (one of the twelve needling methods)
浮海石 {fu2 hai3 shi2}, 中藥異名 costazia bone/pumice (Costaziae Os/Pumex)
浮椒 {fu2 jiao1}, 中藥異名 pepper (Piperis Fructus)
浮絡 {fu2 luo4}, superficial network vessel
浮脈 {fu2 mai4}, floating pulse
浮麥 {fu2 mai4}, 中藥異名 light wheat (Tritici Fructus Levis)
浮萍 {fu2 ping2}, 中藥正名 duckweed (Spirodelae Herba)
浮萍草 {fu2 ping2 cao3}, 中藥異名 duckweed (Spirodelae Herba)
浮萍黃芩湯 {fu2 ping2 huang2 qin2 tang1}, 方名 Duckweed and Scutellaria Decoction
浮取 {fu2 qu3}, feel the superficial level (pulse-taking)
浮熱 {fu2 re4}, floating heat; floating heat [effusion] (fever)
浮石 {fu2 shi2}, 中藥異名 costazia bone/pumice (Costaziae Os/Pumex)
浮水甘石 {fu2 shui3 gan1 shi2}, 中藥異名 calamine (Calamina)
浮水麥 {fu2 shui3 mai4}, 中藥異名 light wheat (Tritici Fructus Levis)
浮水石 {fu2 shui3 shi2}, 中藥異名 costazia bone/pumice (Costaziae Os/Pumex)
浮&&90C4|{fu2 xi1}, 腧穴正名 BL-38 (Superficial Cleft)
浮小麥 {fu2 xiao3 mai4}, 中藥正名 light wheat (Tritici Fructus Levis)
浮虛 {fu2 xu1}, vacuous puffiness

浮腫 {fu2 zhong3}, puffy swelling

【匐】 {fu2} [Freq. 4] creep.
匐行性角膜潰瘍 {fu2 xing2 xing4 jiao3 mo4 kui4 yang2}, 西醫 serpiginous ulcer

【福】 {fu2} [Freq. 4] happiness; short for 福建 Fu2jian4 Province.
福建胡頹子葉 {fu2 jian4 hu2 tui2 zi3 ye4}, 中藥正名 Fu2jian4 elaeagnus leaf (Elaeagni Oldhamii Folium)
福祿瓜 {fu2 lu4 gua1}, 中藥正名 zucchini (Zucchini Fructus)
福曲 {fu2 qu1}, 中藥異名 red infested rice (Oryzae Semen cum Monasco)
福壽草 {fu2 shou4 cao3}, 中藥正名 Amur adonis (Adonidis Amurensis Herba cum Radice)

【枎】 {fu2} [Freq. 4] tree name.
枎栘木皮 {fu2 yi2 mu4 pi2}, 中藥正名 Chinese Juneberry (Amelanchieris Cortex)

【肧】 {fu2} [Freq. 4] puffy swelling (same as 浮 {fu2}, puffy: 肧腫 {fu2 zhong3}, puffy swelling. See also 肧 {fu1} and 肧 {fu3}).
肧疝 {fu2 shan4}, infraumbilical mounting

【茯】 {fu2} [Freq. 4] plant name.
茯苓杏仁甘草湯 {fu2 ling xing4 ren2 gan1 cao3 tang1}, 方名 Poria, Apricot Kernel, and Licorice Decoction
茯靈 {fu2 ling2}, 中藥異名 poria (Poria)
茯苓導水湯 {fu2 ling2 dao3 shui3 tang1}, 方名 Poria Water-Abducting Decoction
茯苓甘草湯 {fu2 ling2 gan1 cao3 tang1}, 方名 Poria and Licorice Decoction
茯苓桂枝白朮甘草湯 {fu2 ling2 gui4 zhi1 bai2 zhu2 gan1 cao3 tang1}, 方名 Poria, Cinnamon Twig, White Atractylodes, and Licorice Decoction
茯苓桂枝甘草大棗湯 {fu2 ling2 gui4 zhi1 gan1 cao3 da4 zao4 tang1}, 方名 Poria, Cinnamon Twig, Licorice, and Jujube Decoction
茯苓皮 {fu2 ling2 pi2}, 中藥正名 poria skin (Poriae Cutis)
茯苓皮湯 {fu2 ling2 pi2 tang1}, 方名 Poria Skin Decoction
茯苓戎鹽湯 {fu2 ling2 rong2 yan2 tang1}, 方名 Poria and Halite Decoction
茯苓四逆湯 {fu2 ling2 si4 ni4 tang1}, 方名 Poria Counterflow Cold Decoction
茯苓湯 {fu2 ling2 tang1}, 方名 Poria Decoction
茯苓飲 {fu2 ling2 yin3}, 方名 Poria Beverage
茯苓飲合半夏厚朴湯 {fu2 ling2 yin3 he2 han4 xia4 hou4 po4 tang1}, 方名 Poria Beverage Combined with Pinellia and Officinal Magnolia Bark Decoction
茯苓澤瀉湯 {fu2 ling2 ze2 xie4 tang1}, 方名 Poria and Alisma Decoction

茯苓 {fu2 ling2, 中藥正名 poria (Poria)
茯毛 {fu2 mao2}, 中藥異名 areca husk (Arecae Pericarpium)
茯神木 {fu2 shen2 mu4}, 中藥正名 pinewood in poria (Poriae Pini Radix)
茯神散 {fu2 shen2 san3}, 方名 Root Poria Powder
茯神 {fu2 shen2, 中藥正名 root poria (Poria cum Pini Radice)
茯兔 {fu2 tu4}, 中藥異名 poria (Poria)
茯菟 {fu2 tu4}, 中藥異名 poria (Poria)
茯菟丹 {fu2 tu4 dan1}, 方名 Poria and Cuscuta Elixir
茯菟丸 {fu2 tu4 wan2}, 方名 Poria and Cuscuta Pill

【凫】 {fu2} [Freq. 4] wild duck.
凫茈 {fu2 chai2}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)
凫茨 {fu2 ci2}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)
凫公英 {fu2 gong1 ying1}, 中藥異名 dandelion (Taraxaci Herba)
凫骨 {fu2 gu3}, wild duck bones (arch of the ribcage composed of the 7--10th ribs)
凫肉 {fu2 rou4}, 中藥正名 mallard (Anatis Platyrhynchoris Caro)
凫羽 {fu2 yu3}, 中藥正名 mallard's tail feather (Anatis Platyrhynchoris Pluma Caudae)
凫芋 {fu2 yu4}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)

~~ {fu3} ~~
【甫】 {fu3} [Freq. 4] only; courtesy name

【府】 {fu3} [Freq. 2] exchange (place where business is transacted); storehouse; mansion; house.
府舍 {fu3 she4}, 腧穴正名 SP-13 (Bowel Abode)
府中俞 {fu3 zhong1 shu1}, 腧穴異名 LU-1 (Treasury Center Transport)

【斧】 {fu3} [Freq. 5] ax (刀斧傷 {dao1 fu3 shang1}, knife or ax wound)

【俯】 {fu3} [Freq. 2] prone (adj.) (posture); bend forward (adj.).
俯仰 {fu3 yang3}, bend forward and backward
俯仰指法 {fu3 yang3 zhi3 fa3}, pitch-varying finger technique (pulse-taking)

【釜】 {fu3} [Freq. 4] cauldron.
釜底抽薪 {fu3 di3 chou1 xin1}, raking the firewood from beneath the cauldron
釜沸脈 {fu3 fei4 mai4}, seething cauldron pulse
釜臍墨 {fu3 qi2 mo4}, 中藥正名 pot soot (Ollae Herbarum Ustarum Fuligo)
釜下土 {fu3 xia4 tu3}, 中藥異名 oven earth (Terra Flava Usta)

釜月下土 {fu3 yue4 xia4 tu3}, 中藥異名 oven earth (Terra Flava Usta)

【脯】 {fu3} [Freq. 5] dried meat or other foods; preserved fruit

【腑】 {fu3} [Freq. 2] bowel (n.) (六腑 {liu4 fu3}, the six bowels); exchange (府 {fu3}, a place where business is transacted); storehouse (n.) (as 府 {fu3}); house (n.) (as 府 {fu3}).
腑病及臟 {fu3 bing4 ji2 zang4}, disease of the bowels affecting the viscera
腑會 {fu3 hui4}, meeting place of the bowels (CV-12)
腑輸精于臟 {fu3 shu1 jing1 yu2 zang4}, bowels transport essence to the viscera
腑俞七十二穴 {fu3 shu1 qi1 shi2 er4 xue2}, seventy-two points of the bowels
腑證 {fu3 zheng4}, bowel pattern

【腐】 {fu3} [Freq. 2] putrid (adj.), putridity (n.), putrefy (v.), putrefaction (n.); bean curd (n.) (abbreviation of 豆腐 {dou4 fu3}, bean curd. 苔腐 {tai1 fu3}, bean curd tongue fur).
腐巴 {fu3 ba1}, 中藥正名 pot-burnt soy milk (Sojae Lac Usta in Olla)
腐婢 {fu3 bi4}, 中藥正名 small-leaved premna stem (Premnae Microphyllae Caulis)
腐婢根 {fu3 bi4 gen1}, 中藥正名 small-leaved premna root (Premnae Microphyllae Radix)
腐腸 {fu3 chang2}, 中藥異名 scutellaria (Scutellariae Radix)
腐臭 {fu3 chou4}, putrid smelling
腐點 {fu3 dian3}, putrefaction speckles
腐爛 {fu3 lan4}, putrid
腐沫 {fu3 mo4}, 中藥正名 bean curd water foam (Sojae Coagulationis Aquae Spuma)
腐蝕療法 {fu3 shi2 liao2 fa3}, eroding therapy
腐熟 {fu3 shu2}, decomposition
腐苔 {fu3 tai1}, bean curd tongue fur; tofu tongue fur
腐息 {fu3 xi1}, putrid breath

【輔】 {fu3} [Freq. 3] support.
輔骨 {fu3 gu3}, radius; fibula; assisting bone
輔料 {fu3 liao4}, adjuvant

【撫】 {fu3} [Freq. 4] comfort.
撫芎 {fu3 xiong1}, 中藥正名 Fu3zhou1 chuanxiong (Chuanxiong Rhizoma *Fuuzhouense)

【肘】 {fu3} [Freq. 5] putrid (same as 腐 {fu3}. See also 肘 {fu1} and 肘 {fu2})

【&&356E||】 {fu3} [Freq. 4] chew.
&&356E|{fu3}, chew

&&356E||咀 {fu3 ju3}, chewing

~~ {fu4} ~~
【父】 {fu4} [Freq. 4] father.
父子草 {fu4 zi3 cao3}, 中藥異名 agrimony (Agrimoniae Herba)

【付】 {fu4} [Freq. 4] give.
付陽 {fu4 yang2}, 腧穴異名 BL-59 (Give Yang2)

【附】 {fu4} [Freq. 4] attach.
附餅灸 {fu4 bing3 jiu3}, moxibustion on aconite cake
附地菜 {fu4 di4 cai4}, 中藥正名 trigonotis (Trigonotis Herba)
附分 {fu4 fen1}, 腧穴正名 BL-41 (Attached Branch)
附睾結核 {fu4 gao3 jie2 he2}, 西醫 tuburclosis of the epididymis
附睾丸炎 {fu4 gao3 wan2 yan2}, 西醫 epididymitis
附骨疽 {fu4 gu3 ju1}, bone flat-abscess (suppurative oestomyelitis)
附骨痰 {fu4 gu3 tan2}, bone phlegm
附桂理中丸 {fu4 gui4 li3 zhong1 wan2}, 方名 Aconite and Cinnamon Center-Rectifying Pill
附片 {fu4 pian4}, 中藥異名 aconite (Aconiti Radix Lateralis Praeparata)
附陽 {fu4 yang2}, 腧穴異名 BL-59 (Yang2 Attachment)
附蚓 {fu4 yin3}, 中藥異名 earthworm (Pheretima)
附子 {fu4 zi3}, 中藥正名 aconite (Aconiti Radix Lateralis Praeparata)
附子粳米湯 {fu4 zi3 geng1 mi3 tang1}, 方名 Aconite and Rice Decoction
附子理中湯 {fu4 zi3 li3 zhong1 tang1}, 方名 Aconite Center-Rectifying Decoction
附子理中丸 {fu4 zi3 li3 zhong1 wan2}, 方名 Aconite Center-Rectifying Pill
附子湯 {fu4 zi3 tang1}, 方名 Aconite Decoction
附子丸 {fu4 zi3 wan2}, 方名 Aconite Pill
附子瀉心湯 {fu4 zi3 xie4 xin1 tang1}, 方名 Aconite Heart-Draining Decoction
附子粥 {fu4 zi3 zhou1}, 方名 Aconite Gruel
附子 {fu4 zi3, 中藥正名 aconite (Aconiti Radix Lateralis Praeparata)

【負】 {fu4} [Freq. 4] carry.
負重閃腰 {fu4 zhong4 shan3 yao1}, wrenched lumbus due to carrying heavy weights

【副】 {fu4} [Freq. 4] secondary.
副睾 {fu4 gao1}, 西醫 epididymis
副睾炎 {fu4 gao1}, 西醫 epididymitis

副交感神經系統 {fu4 jiao1 gan3 shen2 jing1 xi4 tong3}, 西醫 parasympathetic nervous system
副料 {fu4 liao4}, adjuvant
副料炒 {fu4 liao4 chao3}, stir-fry with adjuvants
副傷寒 {fu4 shang1 han2}, 西醫 paratyphoid fever
副傷寒桿菌 {fu4 shang1 han2 gan3 jun1}, 西醫 Bacillus paratyphosus
副啞門 {fu4 ya3 men2}, 腧穴正名 Mute's Gate Assistant

【婦】 {fu4} [Freq. 4] woman.
婦科疾病 {fu4 ke1 ji2 bing4}, women's diseases
婦科證候 {fu4 ke1 zheng4 hou4}, gynecological patterns
婦人 {fu4 ren2}, woman
婦人大全良方 {fu4 ren2 da4 quan2 liang2 fang1}, 書名 Compendium of Good Remedies for Women (full title {Fu4 Ren2 Liang2 Fang1} 婦人良方)
婦人疾 {fu4 ren2 ji2}, women's diseases
婦人絕產 {fu4 ren2 jue2 chan3}, female infertility
婦人絕子 {fu4 ren2 jue2 zi3}, female infertility
婦人良方 {fu4 ren2 liang2 fang1}, 書名 Good Remedies for Women (1237 (Song4), Chen2 Zi4-Ming2 陳自明)
婦人良方大全 {fu4 ren2 liang2 fang1 da4 quan2}, 書名 Compendium of Good Remedies for Women (full title {Fu4 Ren2 Liang2 Fang1} 婦人良方)
婦人陰寒 {fu4 ren2 yin1 han2}, female yin1 cold; pudendal cold
婦人臟躁 {fu4 ren2 zang4 zao4}, visceral agitation in women

【傅】 {fu4} [Freq. 4] teach.
傅青主女科 {fu4 qing1 zhu3 nu93 ke1}, Fu4 Qing1-Zhu3's Gynecology (1827 (Qing1), Fu4 Shan1 傅山 [Qing1 Zhu3 青主] (1607--1684))
傅仁宇 {fu4 ren2 yu3}, Fu4 Ren2-Yu3
傅山 {fu4 shan1}, Fu4 Shan1

【富】 {fu4} [Freq. 4] wealth.
富貴豆 {fu4 gui4 dou4}, 中藥異名 Yokohama bean (Stizolobii Semen)

【復】 {fu4} [Freq. 3] restore VERB; restorative (adj.); relapse; again.
復白 {fu4 bai2}, 腧穴異名 KI-7 (Returning White)
復發 {fu4 fa1}, recurr
復發性壞死性黏膜腺周圍炎 {fu4 fa1 xing4 huai4 si3 xing4 nian2 mo2 zhou1 wei yan2}, 西醫 periadenitis mucosa necrotica recurrens
復發性口瘡 {fu4 fa1 xing4 kou3 chuang1}, 西醫 recurrent aphthae

復方 {fu4 fang1}, compound formula
復方黃連膏 {fu4 fang1 huang2 lian2 gao1}, 方名 Compound Formula Coptis Paste
復感外邪 {fu4 gan3 wai4 xie2}, further contraction of external evil
復康 {fu4 kang1}, rehabilitation
復溜 {fu4 liu1}, 腧穴正名 KI-7 (Recover Flow)
復脈 {fu4 mai4}, restore the pulse
復脈湯 {fu4 mai4 tang1}, 方名 Pulse-Restorative Decoction
復明散 {fu4 ming2 san3}, 方名 Light-Restoring Powder
復明湯 {fu4 ming2 tang1}, 方名 Light-Restoring Decoction
復氣 {fu4 qi4}, retaliatory qi4; retaliatory qi4
復行 {fu4 xing2}, 腧穴異名 Moving Again
復元活血湯 {fu4 yuan2 huo2 xue4 tang1}, 方名 Origin-Restorative Blood-Quickening Decoction
復元通氣散 {fu4 yuan2 tong1 qi4 san3}, 方名 Origin-Restoring Qi4-Freeing Powder
復中 {fu4 zhong4}, recurrence of strike

【腹】 {fu4} [Freq. 2] abdomen (n.), abdominal (adj.) (少腹 {shao4 fu4}, the lesser abdomen; 腹痛 {fu4 tong4}, abdominal pain).
腹哀 {fu4 ai1}, 腧穴正名 SP-16 (Abdominal Lament)
腹部不暖 {fu4 bu4 bu4 nuan3}, lack of warmth in the abdomen
腹部不適 {fu4 bu4 bu4 shi4}, abdominal discomfort
腹部囊腫 {fu4 bu4 nang2 zhong3}, 西醫 abdominal cyst
腹部器官術後併發症 {fu4 bu4 qi4 guan1 shu4 hou4 bing4 fa1 zheng4}, 西醫 post-operative complications of abdominal organs
腹部疝痛 {fu4 bu4 shan4 tong4}, mounting pain in the abdomen
腹部酸墜 {fu4 bu4 suan1 zhui4}, sagging and aching in the abdomen
腹部喜暖 {fu4 bu4 xi3 nuan3}, liking for warmth in the abdomen
腹部血氣凝滯而刺痛 {fu4 bu4 xue4 qi4 ning2 zhi4 er2 ci4 tong4}, abdominal blood and qi4 stagnation with stabbing apin
腹部硬滿 {fu4 bu4 ying4 man3}, hardness and fullness of the abdomen
腹部脹滿 {fu4 bu4 zhang4 man3}, abdominal distention and fullness
腹部脹痛 {fu4 bu4 zhang4 tong4}, abdominal distention and pain
腹部&&441C‖脹 {fu4 bu4 zhen1 zhang4}, abdominal distention
腹出 {fu4 chu1}, 腧穴異名 SP-14 (Abdominal Exit)
腹大 {fu4 da4}, enlarged abdomen; abdominal enlargement
腹大臍突 {fu4 da4 qi2 tu1}, enlarged abdomen with protuberant navel
腹大脹滿 {fu4 da4 zhang4 man3}, abdominal enlargement, distention, and fullness
腹堅 {fu4 jian1}, abdominal hardness

腹結 {fu4 jie2}, 腧穴正名 SP-14 (Abdominal Bind)
腹筋 {fu4 jin1}, prominent abdominal blood vessels
腹窟 {fu4 ku1}, 腧穴異名 SP-14 (Abdominal Hole)
腹冷 {fu4 leng3}, cold in the abdomen
腹露青筋 {fu4 lu4 qing1 jin1}, prominent [green-blue] abdominal veins
腹滿 {fu4 man3}, abdominal fullness
腹滿便難 {fu4 man3 bian4 nan2}, abdominal pain and difficult defecation
腹滿不喘 {fu4 man3 bu4 chuan3}, abdominal fullness without panting
腹膜 {fu4 mo2}, 西醫 peritoneum
腹膜炎 {fu4 mo2 yan2}, 西醫 peritonitis
腹內虛鳴 {fu4 nei4 xu1 ming2}, vacuity rumbling in the abdomen
腹皮急 {fu4 pi2 ji2}, tense abdominal skin
腹皮拘急 {fu4 pi2 ju1 ji2}, taut abdominal skin
腹皮癰 {fu4 pi2 yong1}, welling-abscess of the abdominal skin
腹腔幹動脈 {fu4 qiang1 gan4 dong4 mai4}, 西醫 celiac trunk
腹屈 {fu4 qu1}, 腧穴異名 SP-14 (Abdominal Bend)
腹上下痛 {fu4 shang4 xia4 tong4}, pain in the upper and lower abdomen
腹水 {fu4 shui3}, 西醫 ascites
腹水草 {fu4 shui3 cao3}, 中藥正名 veronicastrum [stem or leaf or root] (Veronicastri Caulis et Folium seu Radix)
腹疼 {fu4 teng2}, abdominal pain
腹痛 {fu4 tong4}, abdominal pain
腹痛便頻 {fu4 tong4 bian4 pin2}, abdominal pain and frequent defecation
腹痛不適 {fu4 tong4 bu4 shi4}, abdominal pain and discomfort
腹痛拒按 {fu4 tong4 ju4 an4}, abdominal pain that refuses pressure
腹痛喜按 {fu4 tong4 xi3 an4}, abdominal pain that likes pressure
腹痛喜熱 {fu4 tong4 xi3 re4}, abdominal pain that likes heat
腹痛喜溫 {fu4 tong4 xi3 wen1}, abdominal pain that likes warmth
腹痛瀉肚 {fu4 tong4 xie4 du3}, abdominal pain and diarrhea
腹痛泄瀉 {fu4 tong4 xie4 xie4}, abdominal pain and diarrhea
腹痛欲登廁 {fu4 tong4 yu4 deng1 ce4}, abdominal pain with desire to go to the toilet
腹外斜肌 {fu4 wai4 xie2 ji1}, 西醫 external oblique muscle of the abdomen
腹泄 {fu4 xie4}, 西醫 diarrhea
腹瀉 {fu4 xie4}, diarrhea; diarrhea
腹瀉穢臭 {fu4 xie4 hui4 chou4}, foul-smelling diarrhea
腹泄與便結交替出現 {fu4 xie4 yu3 bian4 jie2 jiao1 ti4}, alternating diarrhea and constipation
腹虛鳴 {fu4 xu1 ming2}, vacuity rumbling in the abdomen
腹引咽痛 {fu4 yin3 yan1 tong4}, abdominal pain with pharyngeal pain

腹脹 {fu4 zhang4}, abdominal distention
腹脹滿 {fu4 zhang4 man3}, abdominal fullness and distention
腹脹滿堅硬拒按 {fu4 zhang4 man3 jian1 ying4 ju4 an4}, abdominal distention, fullness, and hardness that refuses pressure
腹脹滿痛 {fu4 zhang4 man3 tong4}, abdominal distention, fullness, and pain
腹脹如鼓 {fu4 zhang4 ru2 gu3}, drumlike abdominal distention
腹診 {fu4 zhen3}, abdominal examination
腹診推拿 {fu4 zhen3 tui2 na2}, abdominal examination tui1na2
腹直肌 {fu4 zhi2 ji1}, 西醫 rectus abdominis muscle
腹中寒 {fu4 zhong1 han2}, cold in the abdomen
腹中寒氣上沖 {fu4 zhong1 han2 qi4 shang4 chong1}, cold qi4 surging upward in the abdomen
腹中積痰瘀血 {fu4 zhong1 ji1 tan2 yu1 xue4}, accumulated phlegm and static blood in the abdomen
腹中絞痛 {fu4 zhong1 jiao3 tong4}, gripping pain in the abdomen
腹中雷鳴 {fu4 zhong1 lei2 ming2}, thunderous rumbling in the abdomen
腹中冷氣攻脹 {fu4 zhong1 leng3 qi4 gong1 zhang4}, cold qi4 in the stomach causing distention
腹中冷痛 {fu4 zhong1 leng3 tong4}, cold pain in the abdomen
腹中漉漉有聲 {fu4 zhong1 lu4 lu4 you3 sheng1}, gurgling in the abdomen
腹中痞塊 {fu4 zhong1 pi3 kuai4}, abdominal lump glomus; glomus lumps in the abdomen
腹中熱若寒 {fu4 zhong1 re4 ruo4 han2}, heat in the abdomen resembling cold
腹中痰積結聚成塊 {fu4 zhong1 tan2 ji1 jie2 ju4 cheng2 kuai4}, phlegm accumulation binding in a lump in the abdomen
腹中痰積結塊 {fu4 zhong1 tan2 ji1 jie2 kuai4}, phlegmm accumulation lump in the abdomen
腹中痛 {fu4 zhong1 tong4}, pain in the abdomen
腹中響鳴 {fu4 zhong1 xiang3 ming2}, rumbling in the abdomen
腹中瘀積結滯 {fu4 zhong1 yu1 ji1 jie2 zhi4}, stasis accumulation in the abdomen
腹中脹悶 {fu4 zhong1 zhang4 men4}, distention and oppression in the abdomen
腹中脹痛 {fu4 zhong1 zhang4 tong4}, distention and fullness in the abdomen; distention and pain in the abdomen
腹主動脈 {fu4 zhu3 dong4 mai4}, 西醫 abdominal aorta

【複】 {fu4} [Freq. 4] complex.
複方大承氣湯 {fu4 fang1 da4 cheng2 qi4 tang1}, 方名 Compound Formula Major Qi4-Infusing Decoction
複方地錦片 {fu4 fang1 di4 jin3 pian4}, 方名 Compound Formula Humifuse Euphorbia Tablet
複方金蕎片 {fu4 fang1 jin1 qiao2 pian4}, 方名 Compound Formula Wild Buckwheat Root Tablet
複因 {fu4 yin1}, new factor

複羽葉欒樹 {fu4 yu3 ye4 cai4 luan2 shu4}, 中藥正名 koelreuteria (Koelreuteriae Radix seu Flos)

【覆】 {fu4} [Freq. 4] cover.
覆菜 {fu4 cai4}, 中藥異名 winter pickle (Brassicae Salsamen)
覆盆 {fu4 pen2}, 中藥異名 rubus (Rubi Fructus)
覆盆子 {fu4 pen2 zi3}, 中藥正名 rubus (Rubi Fructus)
覆盆子根 {fu4 pen2 zi3 gen1}, 中藥正名 rubus root (Rubi Radix)
覆盆子葉 {fu4 pen2 zi3 ye4}, 中藥正名 rubus leaf (Rubi Folium)

【蝮】 {fu4} [Freq. 4] Pallas pit viper.
蝮蛇 {fu4 she2}, 中藥正名 Pallas pit viper (Agkistrodon Halys)
蝮蛇膽 {fu4 she2 dan3}, 中藥正名 Pallas pit viper's gall (Agkistrodonis Halydis Vesica Fellea)
蝮蛇骨 {fu4 she2 gu3}, 中藥正名 Pallas pit viper's bone (Agkistrodonis Halydis Os)
蝮蛇皮 {fu4 she2 pi2}, 中藥正名 Pallas pit viper's skin (Agkistrodonis Halydis Corium)
蝮蛇蜕皮 {fu4 she2 tui4 pi2}, 中藥正名 Pallas pit viper's slough (Agkistrodonis Halydis Exuviae)
蝮蛇脂 {fu4 she2 zhi1}, 中藥正名 Pallas pit viper's fat (Agkistrodonis Halydis Adeps)

【覆】 {fu4} [Freq. 5] cover

【鰒】 {fu4} [Freq. 4] abalone.
鰒魚 {fu4 yu2}, 中藥正名 abalone (Haliotidis Caro)
鰒魚甲 {fu4 yu2 jia3}, 中藥異名 abalone shell (Haliotidis Concha)

== G ==

~~ {ga1} ~~
【伽】 {ga1} [Freq. 4] used in transcriptions (多伽羅香 {duo1 ga1 luo2 xiang1}, frankincense)

【夾】 {ga1} [Freq. 3] armpit (see also 夾 {jia1}).
夾肢癰 {ga1 zhi yong1}, armpit welling-abscess

【嘎】 {ga1} [Freq. 4] grinding sound; cracking sound.
嘎齒 {ga1 chi3}, grinding of teeth

~~ {gai4} ~~

【概】 {gai4} [Freq. 4] general; approximate.

概論 {gai4 lun4}, 西醫 introduction

概用 {gai4 yong4}, indiscriminate use

【蓋】 {gai4} [Freq. 4] cover.

蓋骨 {gai4 gu3}, covering bone (pubic bone)

~~ {gan1} ~~

【干】 {gan1} [Freq. 2] stem (n.) (天甘地支 {tian1 gan1 di4 zhi1}, heavenly stems and earthly branches); dry (adj.) (口干 {kou3 gan1}, dry mouth).

干薄荷 {gan1 bo4 he2}, 中藥正名 dried mint (Menthae Herba Exsiccata)

干蟾 {gan1 chan2}, 中藥異名 dried toad (Bufo Siccus)

干炒 {gan1 chao3}, dry fry

干地黃 {gan1 di4 huang2, 中藥正名 dried rehmannia (Rehmanniae Radix)

干地龍 {gan1 di4 long2}, 中藥正名 dried earthworm (Pheretima Exsiccata*)

干糞塞腸 {gan1 fen4 sai1 chang2}, dry feces stuck in the intestines

干附四逆湯 {gan1 fu4 si4 ni4 tang1}, 方名 Dried Ginger and Aconite Counterflow Cold Decoction

干葛解肌湯 {gan1 ge2 jie3 ji1 tang1}, 方名 Pueraria Flesh-Resolving Decoction

干葛 {gan1 gen1}, 中藥異名 pueraria (Puerariae Radix)

干歸 {gan1 gui1}, 中藥異名 Chinese angelica (Angelicae Sinensis Radix)

干蛤蟆 {gan1 ha2 ma2}, 中藥異名 forest frog (Rana Temporaria seu Amurensis)

干荷葉 {gan1 he2 ye4}, 中藥正名 dried lotus leaf (Nelumbinis Folium Exsiccatum)

干霍亂 {gan1 huo4 luan4}, dry cholera

干霍亂病 {gan1 huo4 luan4 bing4}, dry sudden turmoil (cholera) disease

干薑黃芩黃連人參湯 {gan1 jiang1 huang2 qin2 huang2 lian2 ren2 shen1 tang1}, 方名 Dried Ginger, Scutellaria, Coptis, and Ginseng Decoction

干薑人參半夏丸 {gan1 jiang1 ren2 shen1 ban4 xia4 wan2}, 方名 Dried Ginger, Ginseng, and Pinellia Pill

干薑人參半夏丸 {gan1 jiang1 ren2 shen2 ban4 xia4 wan2}, 方名 Dried Ginger, Ginseng, and Pinellia Pill

干薑炭 {gan1 jiang1 tan4}, 中藥異名 blast-fried ginger (Zingiberis Rhizoma Praeparatum)

干薑粥 {gan1 jiang1 zhou1}, 方名 Dried Ginger Gruel

干薑 {gan1 jiang1, 中藥正名 dried ginger (Zingiberis Rhizoma)

干腳氣 {gan1 jiao3 qi4}, dry leg qi4

干疽 {gan1 ju1}, dry flat-abscess
干咳 {gan1 ke2}, dry cough; dry cough
干咳少痰 {gan1 ke2 shao3 tan2}, dry cough with scant phlegm
干咳無痰 {gan1 ke2 wu2 tan2}, dry cough without phlegm
干咳無痰 {gan1 ke2 無 tan2}, dry cough without phlegm
干酪性鼻炎 {gan1 luo4 xing4 bi2 yan2}, 西醫 rhinitis caseous
干嘔 {gan1 ou3}, dry retching; dry retching
干嘔不息 {gan1 ou3 bu4 xi1}, incenssant dry retching
干嘔不止 {gan1 ou3 bu4 zhi3}, incessant dry retching
干嘔汗出 {gan1 ou3 han4 chu1}, dry retchings and sweating
干嘔厥逆 {gan1 ou3 jue2 ni4}, dry retching and reverse flow
干嘔羸瘦 {gan1 ou3 lei2 shou4}, dry retching and marked emaciation
干嘔頭痛 {gan1 ou3 tou2 tong4}, dry retching and headache
干嘔脅痛 {gan1 ou3 xie2 tong4}, dry retching and rib-side pain
干漆 {gan1 qi1}, 中藥正名 lacquer (Toxicodendri Resina)
干漆炭 {gan1 qi1 tan4}, 中藥正名 charred lacquer (Toxicondendri Resina Carbonisata)
干生地 {gan1 sheng1 di4}, 中藥異名 dried rehmannia (Rehmanniae Radix)
干濕[匿/蟲]諸惡瘡 {gan1 shi1 [?? chong2 ]?挬 c?H}, dry and damp malign sores sores due to invisible worms
干濕二癬 {gan1 shi1 er4 xian3}, dry and damp lichen
干濕霍亂 {gan1 shi1 huo4 luan4}, dry and damp sudden turmoil (cholera)
干濕腳氣 {gan1 shi1 jiao3 qi4}, dry and damp leg qi4; dry and damp leg qi4
干濕頭瘡 {gan1 shi1 tou2 chuang1}, dry and damp head sore
干濕癬瘡 {gan1 shi1 xian3 chuang1}, dry and damp lichen sores
干柿 {gan1 shi4}, 中藥異名 dried persimmon (Kaki Fructus Exsiccatus)
干苔 {gan1 tai2}, 中藥正名 enteromorpha (Enteromorphae Thallus)
干癬 {gan1 xian3}, dry lichen
干陷 {gan1 xian4}, dry inward fall; dry fall
干酵母 {gan1 xiao4 mu3}, 中藥正名 dried yeast (Fermentum Exsiccatum)
干蠍 {gan1 xie2}, 中藥異名 scorpion (Scorpio)
干脅痛 {gan1 xie2 tong4}, dry rib-side pain
干餳糟 {gan1 xing2 zao1}, 中藥正名 malt sugar residue (Maltosi Residuum)
干血 {gan1 xue4}, dry blood
干血勞 {gan1 xue4 lao2}, dry blood taxation
干血勞傷 {gan1 xue4 lao2 shang1}, dry blood taxation damage
干血氣痛 {gan1 xue4 qi4 tong4}, dry blood qi4 pain
干噫食臭 {gan1 yi1 shi2 chou4}, dry belching with food malodor
干棗 {gan1 zao3}, 中藥異名 jujube (Jujubae Fructus)

干燥關節炎綜合症 {gan1 zao4 guan1 jie2 yan2 zong4 he2 zheng4}, 西醫 Sj"ogren's syndrome
干燥如枯骨 {gan1 zao4 ru2 ku1 gu3}, dry as desiccated bones
干燥性角膜結膜炎 {gan1 zao4 xing4 jiao3 mo2 jie2 mo2 yan2}, 西醫 keratoconjunctivitis sicca
干支 {gan1 zhi1}, stems and branches

【甘】 {gan1} [Freq. 2] sweet (adj.), sweetness (n.).
甘草粉蜜湯 {gan1 cao3 fen3 mi4 tang1}, 方名 Licorice, Processed Galenite, and Honey Decoction
甘草附子湯 {gan1 cao3 fu4 zi3 tang1}, 方名 Licorice and Aconite Decoction
甘草干薑茯苓白朮湯 {gan1 cao3 gan1 jiang1 fu2 ling2 bai2 zhu2 tang1}, 方名 Licorice, Dried Ginger, Poria, and White Atractylodes Decoction
甘草干薑苓朮湯 {gan1 cao3 gan1 jiang1 ling2 zhu2 tang1}, 方名 Licorice, Dried Ginger, Poria, and White Atractylodes Decoction
甘草干薑湯 {gan1 cao3 gan1 jiang1 tang1}, 方名 Licorice and Dried Ginger Decoction
甘草節 {gan1 cao3 jie2}, 中藥正名 resinous licorice root (Glycyrrhizae Radix Resinosa)
甘草流浸膏 {gan1 cao3 liu2 jin4 gao1}, 中藥正名 liquid extract of licorice (Glycyrrhizae Radicis Extractum Liquidum)
甘草麻黃湯 {gan1 cao3 ma2 huang2 tang1}, 方名 Licorice and Ephedra Decoction
甘草皮 {gan1 cao3 pi2}, 中藥正名 licorice root skin (Glycyrrhizae Radicis Cortex)
甘草梢 {gan1 cao3 shao1}, 中藥正名 fine licorice root (Glycyrrhizae Radix Tenuis)
甘草湯 {gan1 cao3 tang1}, 方名 Licorice Decoction
甘草頭 {gan1 cao3 tou2}, 中藥正名 licorice root top (Glycyrrhizae Rhizomatis Cervix)
甘草小麥大棗湯 {gan1 cao3 xiao3 mai4 da4 zao3 tang1}, 方名 Licorice, Wheat, and Jujube Decoction
甘草瀉心湯 {gan1 cao3 xie4 xin1 tang1}, 方名 Licorice Heart-Draining Decoction
甘草梔子湯 {gan1 cao3 zhi1 zi3 tang1}, 方名 Licorice and Gardenia Decoction
甘草 {gan1 cao3, 中藥正名 licorice (Glycyrrhizae Radix)
甘茶 {gan1 cha2}, 中藥異名 sweet tea (Hydrangeae Dulcis Folium)
甘□} {gan1 gao3}, 中藥異名 kansui (Kansui Radix)
甘葛 {gan1 ge2}, 中藥異名 pueraria (Puerariae Radix)
甘根 {gan1 gen1}, 中藥異名 bletilla (Bletillae Rhizoma)
甘枸杞 {gan1 gou3 qi3}, 中藥異名 lycium (Lycii Fructus)
甘瓜 {gan1 gua1}, 中藥異名 melon (Melonis Fructus)
甘寒生津 {gan1 han2 sheng1 jin1}, engender liquid with cold and sweetness
甘寒滋潤 {gan1 han2 zi1 run4}, enrich and moisten with cold and sweetness
甘瓠 {gan1 hu4}, 中藥異名 sweet gourd (Lagenariae Clavatae Fructus)
甘蕉根 {gan1 jiao1 gen1}, 中藥正名 banana root (Musae Paradisiacae Rhizoma)

甘桔梗 {gan1 jie2 geng3}, 中藥異名 apricot-leaved adenophora (Adenophorae Trachelioidis Radix)
甘桔湯 {gan1 jie2 tang1}, 方名 Licorice and Platycodon Decoction
甘疽 {gan1 ju1}, sweet flat-abscess
甘菊 {gan1 ju2}, 中藥異名 chrysanthemum (Chrysanthemi Flos)
甘菊花 {gan1 ju2 hua1}, 中藥異名 chrysanthemum (Chrysanthemi Flos)
甘菊花露 {gan1 ju2 hua1 lu4}, 中藥正名 chrysanthemum distillate (Chrysanthemi Floris Distillatum)
甘藍 {gan1 lan2}, 中藥正名 white cabbage (Brassicae Capitatae Caulis et Folium)
甘瀾水 {gan1 lan2 shui3}, worked water (Aqua Manipulata); 中藥異名 worked water (Aqua Manipulata); 中藥異名 worked water
甘藍芽 {gan1 lan2 ya2}, 中藥正名 white cabbage sprout (Brassicae Capitatae Gemma)
甘欖 {gan1 lan3}, 中藥異名 Chinese olive (Canarii Fructus)
甘李根白皮 {gan1 li3 gen1 bai2 pi2}, 中藥異名 plum root bark (Pruni Salicinae Radicis Cortex)
甘李根皮 {gan1 li3 gen1 pi2}, 中藥異名 plum root bark (Pruni Salicinae Radicis Cortex)
甘涼止汗 {gan1 liang2 zhi3 han4}, check sweating with cold and cool medicinals
甘露兒 {gan1 lu4 er2}, 中藥異名 Chinese artichoke (Stachydis Sieboldii Tuber et Herba)
甘露消毒丹 {gan1 lu4 xiao1 du2 dan1}, 方名 Sweet Dew Toxin-Dispersing Elixir
甘露飲 {gan1 lu4 yin3}, 方名 Sweet Dew Beverage
甘露子 {gan1 lu4 zi3}, 中藥異名 Chinese artichoke (Stachydis Sieboldii Tuber et Herba)
甘麥大棗湯 {gan1 mai4 da4 zao3 tang1}, 方名 Licorice, Wheat, and Jujube Decoction
甘入脾 {gan1 ru4 pi2}, sweetness enters the spleen
甘石 {gan1 shi2}, 中藥異名 calamine (Calamina)
甘石榴 {gan1 shi2 liu2}, 中藥異名 sweet pomegranate (Granati Fructus Dulcis)
甘守津還 {gan1 shou3 jin1 huan2}, safeguarding with sweetness to facilitate the restoration of liquid
甘薯 {gan1 shu3}, 中藥正名 sweet dioscorea (Dioscoreae Esculentae Tuber)
甘藷 {gan1 shu3}, 中藥異名 sweet dioscorea (Dioscoreae Esculentae Tuber)
甘松 {gan1 song1}, 中藥正名 nardostachys (Nardostachydis Radix et Rhizoma)
甘松香 {gan1 song1 xiang1}, 中藥異名 nardostachys (Nardostachydis Radix et Rhizoma)
甘松粥 {gan1 song1 zhou1}, 方名 Nardostachys Gruel
甘肅棘豆 {gan1 su4 ji2 dou4}, 中藥正名 Gansu oxytropis (Oxytropis Kansuensis Herba)
甘遂 {gan1 sui4}, 中藥正名 kansui (Kansui Radix)
甘遂末 {gan1 sui4 mo4}, 中藥正名 powdered kansui (Kansui Radix Pulverata)
甘遂散 {gan1 sui4 san3}, 方名 Kansui Powder
甘遂通結湯 {gan1 sui4 tong1 jie2 tang1}, 方名 Kansui Bind-Freeing Decoction
甘棠 {gan1 tang2}, 中藥異名 sweet crabapple (Pyri Betulaefoliae Fructus)

甘土 {gan1 tu3}, 中藥正名 sweet earth (Terra Dulce)
甘溫除大熱 {gan1 wen1 chu2 da4 re4}, eliminate great heat with warmth and sweetness
甘溫除熱 {gan1 wen1 chu2 re4}, eliminate heat with warmth and sweetness
甘油 {gan1 you2}, 中藥正名 glycerine (Glycerina)
甘澤 {gan1 ze2}, 中藥異名 kansui (Kansui Radix)
甘蔗 {gan1 zhe4}, 中藥正名 sugar cane (Sacchari Caulis)
甘蔗皮 {gan1 zhe4 pi2}, 中藥正名 sugar cane skin (Sacchari Cortex Caulis)
甘蔗筍 {gan1 zhe4 sun3}, 中藥正名 sugar cane shoot (Sacchari Surculus)
甘蔗汁 {gan1 zhe4 zhi1}, 中藥正名 sugar cane juice (Sacchari Caulis Succus)
甘蔗粥 {gan1 zhe4 zhou1}, 方名 Sugar Cane Gruel
甘蔗滓 {gan1 zhe4 zi3}, 中藥正名 cane residue (Sacchari Residuum)
甘中黃 {gan1 zhong1 huang2}, 中藥異名 licorice in human feces (Glycyrrhizae Radix cum Excremento Hominis Praeparatum)
甘紫菜 {gan1 zi3 cai4}, 中藥異名 laver (Porphyra)

【肝】 {gan1} [Freq. 2] liver (n.); hepatic; LV.
肝，其華在爪 {gan1, qi2 hua2 zai4 zhao3}, liver, its bloom is in the nails
肝，體陰而用陽 {gan1, ti3 yin1 er2 yong4 yang2}, liver is yin1 in substance and yang2 in function
肝癌 {gan1 ai2}, 西醫 liver cancer; primary carcinoma of the liver
肝痹 {gan1 bi4}, liver impediment
肝病 {gan1 bing4}, liver disease
肝病及腎 {gan1 bing4 ji2 shen4}, liver disease affecting the kidney
肝不藏血 {gan1 bu4 cang2 xue4}, liver failing to store blood
肝藏魂 {gan1 cang2 hun2}, liver stores the ethereal soul
肝藏血 {gan1 cang2 xue4}, liver stores blood
肝常有余 {gan1 chang2 you3 yu2}, liver is often in superabundance
肝膽管結石方 {gan1 dan3 guan3 jie2 shi2 fang1}, 方名 Hepatolith Formula
肝膽火旺 {gan1 dan3 huo3 wang4}, effulgent liver-gallbladder fire
肝膽濕熱 {gan1 dan3 shi1 re4}, liver-gallbladder damp-heat
肝膽濕熱證 {gan1 dan3 shi1 re4 zheng4}, pattern of liver-gallbladder damp-heat
肝膽實火 {gan1 dan3 shi2 huo3}, liver-gallbladder repletion fire
肝膽虛熱 {gan1 dan3 xu1 re4}, liver-gallbladder vacuity heat
肝膽血虛 {gan1 dan3 xue4 xu1}, liver-gallbladder blood vacuity
肝膽郁熱 {gan1 dan3 yu4 re4}, depressed liver-gallbladder heat; liver-gallbladder depressed heat
肝的證候 {gan1 de zheng4 hou4}, liver patterns
肝動脈 {gan1 dong4 mai4}, 西醫 hepatic artery
肝豆狀核變性 {gan1 dou4 zhuang4 he2 bian4 xing4}, 西醫 hepatolenticular degeneration

肝風 {gan1 feng1}, liver wind
肝風草 {gan1 feng1 cao3}, 中藥正名 candid zephyranthes (Zephyranthis Candidae Herba)
肝風夾痰 {gan1 feng1 jia1 tan2}, liver wind with phlegm
肝風內動 {gan1 feng1 nei4 dong4}, liver wind stirring internally
肝風內動證 {gan1 feng1 nei4 dong4 zheng4}, pattern of liver wind stirring internally
肝風煽動 {gan1 feng4 shan1 dong4}, liver fire stirring
肝疳 {gan1 gan1}, gan1 of the liver
肝功能 {gan1 gong1 neng2}, 西醫 liver function
肝寒 {gan1 han2}, liver cold
肝寒橫溢犯胃 {gan1 han2 heng2 yi4 fan4 wei4}, liver cold seeping into the stomach
肝合膽 {gan1 he2 dan3}, liver is connected with the gallbladder
肝合筋 {gan1 he2 jin1}, liver is connected with the sinews
肝火 {gan1 huo3}, liver fire
肝火不得臥 {gan1 huo3 bu4 de2 wo4}, liver fire sleeplessness
肝火熾盛 {gan1 huo3 chi4 sheng4}, intense liver fire
肝火熾盛證 {gan1 huo3 chi4 sheng4 zheng4}, pattern of intense liver fire
肝火燔耳證 {gan1 huo3 fan2 er3 zheng4}, pattern of liver fire blazing the ear
肝火犯耳 {gan1 huo3 fan4 er3}, liver fire invading the ear
肝火犯肺 {gan1 huo3 fan4 fei4}, liver fire invading the lung
肝火犯肺證 {gan1 huo3 fan4 fei4 zheng4}, pattern of liver fire invading the lung
肝火犯胃 {gan1 huo3 fan4 wei4}, liver fire invading the stomach
肝火上沖 {gan1 huo3 shang4 chong1}, liver qi4 surging upward; upsurge of liver qi4
肝火上炎 {gan1 huo3 shang4 yan2}, liver fire flaming upward; upflaming liver fire
肝火上炎證 {gan1 huo3 shang4 yan2 zheng4}, pattern of liver fire flaming upward
肝火妄動 {gan1 huo3 wang4 dong4}, liver fire stirring frenetically
肝火旺盛 {gan1 huo3 wang4 sheng4}, effulgent gallbladder fire
肝火郁血 {gan1 huo3 yu4 xue4}, liver fire and depressed blood
肝積 {gan1 ji1}, liver accumulation
肝及膽辨證 {gan1 ji2 dan3 bian4 zheng4}, liver and gallbladder pattern identification
肝經 {gan1 jing1}, liver channel; LV
肝經毒熱 {gan1 jing1 du2 re4}, liver channel toxic heat
肝經風熱 {gan1 jing1 feng1 re4}, liver channel wind-heat
肝經火盛 {gan1 jing1 huo3 sheng4}, exuberant liver channel fire
肝經厥氣上逆 {gan1 jing1 jue2 qi4 shang4 ni4}, liver channel reverse qi4 ascending counterflow
肝經濕熱 {gan1 jing1 shi1 re4}, liver channel damp-heat
肝經濕熱帶下 {gan1 jing1 shi1 re4 dai4 xia4}, liver channel damp-heat vaginal discharge
肝經濕熱犯耳 {gan1 jing1 shi1 re4 fan4 er3}, liver channel damp-heat invading the ear

肝經濕熱證 {gan1 jing1 shi1 re4 zheng4}, pattern of liver channel damp-heat
肝經實火 {gan1 jing1 shi2 huo3}, liver channel repletion fire
肝經無熱 {gan1 jing1 wu2 re4}, absence of heat in the liver channel
肝經有熱 {gan1 jing1 you3 re4}, fire in the liver channel
肝經郁火 {gan1 jing1 yu4 huo3}, depressed liver channel fire
肝經郁熱 {gan1 jing1 yu4 re4}, liver channel depressed heat
肝經郁熱證 {gan1 jing1 yu4 re4 zheng4}, pattern of liver channel depressed heat
肝靜脈 {gan1 jing4 mai4}, 西醫 hepatic veins
肝厥 {gan1 jue2}, liver reversal
肝厥頭痛 {gan1 jue2 tou2 tong4}, liver reversal headache
肝開竅于目 {gan1 kai1 qiao4 yu2 mu4}, liver opens at the eyes
肝咳 {gan1 ke2}, liver cough
肝勞 {gan1 lao2}, liver taxation
肝脈弦 {gan1 mai4 xian2}, liver pulse is stringlike
肝木 {gan1 mu4}, liver-wood
肝募 {gan1 mu4}, 腧穴異名 LV-14 (Liver Alarm)
肝木乘脾 {gan1 mu4 cheng2 pi2}, liver-wood exploiting the spleen
肝木克土 {gan1 mu4 ke4 tu3}, liver-wood restraining (overcoming) earth
肝逆頭痛 {gan1 ni4 tou2 tong4}, liver counterflow headache
肝脾不和 {gan1 pi2 bu4 he2}, liver-spleen disharmony
肝脾不調 {gan1 pi2 bu4 tiao2}, liver-spleen disharmony
肝脾兩虛 {gan1 pi2 liang3 xu1}, dual vacuity of the liver and spleen; liver-spleen vacuity
肝脾氣滯 {gan1 pi2 qi4 zhi4}, spleen vacuity and qi4 stagnation; liver-spleen qi4 stagnation
肝脾血瘀 {gan1 pi2 xue4 yu1}, liver-spleen blood stasis
肝脾腫大 {gan1 pi2 zhong3 da4}, 西醫 hepatosplenomegaly
肝氣 {gan1 qi4}, liver qi4
肝氣不和 {gan1 qi4 bu4 he2}, disharmony of liver qi4
肝氣不舒 {gan1 qi4 bu4 shu1}, constrained liver qi4
肝氣不足 {gan1 qi4 bu4 zu2}, insufficiency of liver qi4
肝氣乘脾 {gan1 qi4 cheng2 pi2}, liver qi4 exploiting the spleen
肝氣犯脾 {gan1 qi4 fan4 pi2}, liver qi4 invading the spleen; invasion of the spleen by liver qi4
肝氣犯胃 {gan1 qi4 fan4 wei4}, liver qi4 invading the stomach; invasion of the stomach by liver qi4
肝氣橫逆 {gan1 qi4 heng1 ni4}, liver qi4 running cross counterflow
肝氣逆 {gan1 qi4 ni4}, counterflow liver qi4
肝氣上逆 {gan1 qi4 shang4 ni4}, liver qi4 ascending counterflow
肝氣通于目 {gan1 qi4 tong1 yu2 mu4}, liver qi4 flows to the eyes
肝氣痛 {gan1 qi4 tong4}, liver qi4 pain

肝氣脅痛 {gan1 qi4 xie2 tong4}, liver qi4 rib-side pain
肝氣虛 {gan1 qi4 xu1}, liver qi4 vacuity
肝氣虛證 {gan1 qi4 xu1 zheng4}, liver qi4 vacuity pattern
肝氣郁 {gan1 qi4 yu4}, depressed liver qi4; liver qi4 depression; liver qi4 depression
肝氣郁遏 {gan1 qi4 yu4 e4}, liver qi4 depression
肝氣郁結 {gan1 qi4 yu4 jie2}, binding depression of liver qi4
肝氣郁證 {gan1 qi4 yu4 zheng4}, pattern of liver qi4 depression
肝氣郁滯 {gan1 qi4 yu4 zhi4}, liver qi4 depression
肝氣脹 {gan1 qi4 zhang4}, liver qi4 distention
肝熱 {gan1 re4}, liver heat
肝熱惡阻 {gan1 re4 e4 zu3}, liver heat malign obstruction
肝熱犯胃 {gan1 re4 fan4 wei4}, liver heat invading the stomach
肝熱目昏 {gan1 re4 mu4 hun1}, liver heat with clouded vision
肝熱脅痛 {gan1 re4 xie2 tong4}, liver heat rib-side pain
肝熱穴 {gan1 re4 xue2}, 腧穴正名 Liver Heat Point
肝熱自汗 {gan1 re4 zi4 han4}, liver heat spontaneous sweating
肝色蘆薈 {gan1 se4 lu2 hui4}, 中藥正名 liver-colored aloe (Aloe Hepatitis)
肝腎不足 {gan1 shen4 bu4 zu2}, insufficiency of the liver and kidney
肝腎寒氣 {gan1 shen4 han2 qi4}, liver-kidney cold qi4
肝腎虧損 {gan1 shen4 kui1 sun3}, liver-kidney depletion
肝腎虧損痛經 {gan1 shen4 kui1 sun3 tong4 jing1}, liver-kidney depletion menstrual pain
肝腎兩虛 {gan1 shen4 liang3 xu1}, dual vacuity of liver and kidney
肝腎氣逆 {gan1 shen4 qi4 ni4}, liver and kidney counterflow qi4
肝腎同源 {gan1 shen4 tong2 yuan2}, liver and kidney are of the same source
肝腎相生 {gan1 shen4 xiang1 sheng1}, liver and kidney are mutually engendering
肝腎虛虧 {gan1 shen4 xu1}, liver-kidney depletion
肝腎虛寒 {gan1 shen4 xu1 han2}, liver-kidney vacuity cold
肝腎虛弱 {gan1 shen4 xu1 ruo4}, liver-kidney vacuity
肝腎虛陽上擾 {gan1 shen4 xu1 yang2 shang4 rao3}, vacuous yang2 of the liver and kidney harassing the upper body
肝腎陽虛 {gan1 shen4 yang2 x%1}, liver-kidney yang2 vacuity
肝腎陰虧 {gan1 shen4 yin1 kui1}, liver-kidney yin1 depletion
肝腎陰虛 {gan1 shen4 yin1 xu1}, liver-kidney yin1 vacuity
肝腎陰虛崩漏 {gan1 shen4 yin1 xu1 beng1 lou4}, liver-kidney yin1 vacuity flooding and spotting
肝腎陰虛證 {gan1 shen4 yin1 xu1 zheng4}, pattern of liver-kidney yin1 vacuity
肝腎欲絕 {gan1 shen4 yu4 jue2}, liver and kidney verging on expiry
肝腎郁滯 {gan1 shen4 yu4 zhi4}, liver-kidney depression

肝生于左 {gan1 sheng1 yu2 zuo3}, liver lives on the left
肝失疏泄 {gan1 shi1 su1 xie4}, liver failing to course freely; failure of the liver's free coursing
肝實 {gan1 shi2}, liver repletion
肝室 {gan1 shi4}, 腧穴正名 Liver Chamber
肝受血而能視 {gan1 shou4 xue4 er2 neng2 shi4}, liver receives blood and there is vision
肝俞 {gan1 shu1}, 腧穴正名 BL-18 (Liver Transport)
肝水 {gan1 shui3}, liver water (a kind of water swelling)
肝司運動 {gan1 si1 yun4 dong4}, liver is charge of physical movement
肝無所藏 {gan1 su2 suo3 cang2}, liver has nothing to store
肝體陰用陽 {gan1 ti3 yin1 yong4 yang2}, liver's is yin1 and function is yang2
肝旺胃弱 {gan1 wang4 wei4 ruo4}, effulgent liver and weak stomach
肝爲剛臟 {gan1 wei2 gang1 zang4}, liver is the unyielding viscus
肝爲淚 {gan1 wei2 lei4}, liver forms tears
肝胃不和 {gan1 wei4 bu4 he2}, liver-stomach disharmony
肝胃不和證 {gan1 wei4 bu4 he2 zheng4}, pattern of liver-stomach disharmony
肝胃火熾 {gan1 wei4 huo3 chi4}, intense liver-stomach fire
肝胃氣痛 {gan1 wei4 qi4 tong4}, liver-stomach qi4 pain
肝無所藏 {gan1 wu2 suo3 cang2}, liver has nothing to store
肝惡風 {gan1 wu4 feng1}, liver is averse to wind
肝吸蟲二方 {gan1 xi1 chong2 er4 fang1}, 方名 Liver Fluke Formula~2
肝吸蟲一方 {gan1 xi1 chong2 yi1 fang1}, 方名 Liver Fluke Formula~1
肝性腦病 {gan1 xing4 nao3 bing4}, 西醫 hepatic encephalopathy
肝虛 {gan1 xu1}, liver vacuity
肝虛寒熱 {gan1 xu1 han2 re4}, liver vacuity heat [effusion] (fever) and [aversion to] cold
肝血 {gan1 xue4}, liver blood
肝血不足 {gan1 xue4 bu4 zu2}, insufficiency of liver blood
肝血不足脅痛 {gan1 xue4 bu4 zu2 xie2 tong4}, insufficiency of liver blood rib-side pain
肝血虧虛 {gan1 xue4 kui1 xu1}, liver blood depletion
肝血虛 {gan1 xue4 xu1}, liver blood vacuity
肝血虛證 {gan1 xue4 xu1 zheng4}, liver blood vacuity pattern
肝炎 {gan1 yan2}, 西醫 hepatitis
肝炎點 {gan1 yan2 dian3}, 腧穴正名 Hepatitis Point
肝陽 {gan1 yang2}, liver yang2
肝陽化風 {gan1 yang2 hua4 feng1}, liver yang2 transforming into wind
肝陽化風證 {gan1 yang2 hua4 feng1 zheng4}, pattern of liver yang2 transforming into wind
肝陽化火 {gan1 yang2 hua4 huo3}, liver yang2 transforming into fire
肝陽亢盛 {gan1 yang2 kang4 sheng4}, exuberance of liver yang2
肝陽亢躁 {gan1 yang2 kang4 zao4}, agitation of liver yang2

肝陽偏旺 {gan1 yang2 pian1 wang4}, effulgent liver yang2
肝陽上亢 {gan1 yang2 shang4 kang4}, ascendant hyperactivity of liver yang2; ascendant liver yang2
肝陽上亢證 {gan1 yang2 shang4 kang4 zheng4}, pattern of ascendant hyperactivity of liver yang2
肝陽頭痛 {gan1 yang2 tou2 tong4}, liver yang2 headache
肝陽虛 {gan1 yang2 xu1}, liver yang2 vacuity
肝陽虛證 {gan1 yang2 xu1 zheng4}, liver yang2 vacuity pattern
肝陽眩暈 {gan1 yang2 xuan4 yun1}, liver yang2 dizziness
肝陰 {gan1 yin1}, liver yin1
肝陰不足 {gan1 yin1 bu4 zu2}, insufficiency of liver yin1
肝陰虛 {gan1 yin1 xu1}, liver yin1 vacuity
肝陰虛陽亢 {gan1 yin1 xu1 yang2 kang4}, liver yin1 vacuity and hyperactive yang2
肝陰虛證 {gan1 yin1 xu1 zheng4}, liver yin1 vacuity pattern
肝硬化 {gan1 ying4 hua4}, 西醫 cirrhosis of the liver; cirrhosis
肝癰 {gan1 yong1}, welling-absess of the liver
肝有所藏 {gan1 you3 suo3 cang2}, liver has something to store
肝與膽的證候 {gan1 yu3 dan3 de zheng4 hou4}, liver and gallbladder patterns
肝與膽相表里 {gan1 yu3 dan3 xiang1 biao3 li3}, liver and gallbladder stand in interior-exterior relationship
肝郁 {gan1 yu4}, liver depression; depressed liver
肝郁不孕 {gan1 yu4 bu4 yun4}, liver depression infertility
肝郁犯胃 {gan1 yu4 fan4 wei4}, liver depression invading the stomach
肝郁化火 {gan1 yu4 hua4 huo3}, liver depression transforming into fire
肝郁火旺 {gan1 yu4 huo3 wang4}, depressed liver and effulgent fire
肝郁火旺證 {gan1 yu4 huo3 wang4 zheng4}, pattern of depressed liver and effulgent fire
肝郁經行后期 {gan1 yu4 jing1 xing2 hou4 qi1}, liver depression delayed menstruation
肝郁經行先期 {gan1 yu4 jing1 xing2 xian1 qi1}, liver depression advanced menstruation
肝郁脾虛 {gan1 yu4 pi2 xu1}, liver depression and spleen vacuity
肝郁脾虛證 {gan1 yu4 pi2 xu1 zheng4}, pattern of liver depression and spleen vacuity
肝郁氣滯 {gan1 yu4 qi4 zhi4}, liver depression and qi4 stagnation
肝郁脅痛 {gan1 yu4 xie2 tong4}, liver depression rib-side pain
肝郁血虛 {gan1 yu4 xue4 xu1}, liver depression and blood vacuity
肝郁血瘀 {gan1 yu4 xue4 yu1}, liver depression and blood stasis
肝郁血瘀證 {gan1 yu4 xue4 yu1 zheng4}, pattern of liver depression and blood stasis
肝郁血虛證 {gan1 yue4 xue4 xu1 zheng4}, pattern of liver depression and blood vacuity
肝脹 {gan1 zhang4}, liver distention
肝者，將軍之官，謀慮出焉 {gan1 zhe3, jiang1 jun1 zhi1 guan1}, liver holds the office of general;

it is responsible for making strategies
肝者，罷極之本 {gan1 zhe3, pi2 ji2 zhi1 ben3}, liver is the basis of resistance to fatigue
肝之液爲淚 {gan1 zhi1 ye4 wei2 lei4}, humor of the liver is tears
肝腫大 {gan1 zhong3 da4}, 西醫 hepatomegaly
肝主筋 {gan1 zhu3 jin1}, liver governs the sinews
肝主驚 {gan1 zhu3 jing1}, liver governs fright
肝主謀慮 {gan1 zhu3 mou2 lu94}, liver governs the making of strategies
肝主目 {gan1 zhu3 mu4}, liver governs the eyes
肝主升發 {gan1 zhu3 sheng1 fa1}, liver governs upbearing and effusion
肝主疏泄 {gan1 zhu3 shu1 xie4}, liver governs free coursing
肝主血海 {gan1 zhu3 xue4 hai3}, liver governs the sea of blood
肝主運動 {gan1 zhu3 yun4 dong4}, liver governs physical movement
肝&&7740|{gan1 zhuo2}, liver fixity

【坩】 {gan1} [Freq. 4] crucible (坩堝 {gan1 guo1}, crucible).
坩堝 {gan1 guo1}, crucible

【柑】 {gan1} [Freq. 4] mandarin.
柑 {gan1}, 中藥正名 mandarin (Citri Chachiensis seu Suavissimae Fructus)
柑核 {gan1 he2}, 中藥正名 mandarin pip (Citri Chachiensis seu Suavissimae Semen)
柑皮 {gan1 pi2}, 中藥正名 mandarin peel (Citri Chachiensis seu Suavissimae Pericarpium)
柑葉 {gan1 ye4}, 中藥正名 mandarin leaf (Citri Chachiensis seu Suavissimae Folium)

【疳】 {gan1} [Freq. 2] gan1 (n.) (眼疳 {yan3 gan1}, eye gan1).
疳病 {gan1 bing4}, gan1 disease
疳瘡 {gan1 chuang1}, gan1 sore
疳毒眼 {gan1 du2 yan3}, gan1 toxin eye
疳積 {gan1 ji1}, gan1 accumulation
疳積發熱 {gan1 ji1 fa1 re4}, gan1 accumulation with heat effusion
疳積散 {gan1 ji1 san3}, 方名 Gan1 Accumulation Powder
疳積上目 {gan1 ji1 shang4 mu4}, gan1 accumulation ascending to the eye
疳疾 {gan1 ji2}, gan1 disease
疳疾上目 {gan1 ji2 shang4 mu4}, gan1 disease ascending to the eye
疳渴 {gan1 ke3}, gan1 thirst
疳癆 {gan1 lao2}, gan1 consumption
疳痢 {gan1 li4}, gan1 dysentery
疳&&460C|{gan1 ni4}, invisible gan1 worm
疳氣 {gan1 qi4}, gan1 qi4

疳熱 {gan1 re4}, gan1 heat [effusion] (fever)
疳瀉 {gan1 xie4}, gan1 diarrhea
疳翳 {gan1 yi4}, gan1 screen
疳證 {gan1 zheng4}, gan1 pattern
疳腫脹 {gan1 zhong3 zhang4}, gan1 swelling and distention

【泔】 {gan1} [Freq. 4] (water that rice has been washed in); (water that rice has been washed in)

~~ {gan3} ~~
【桿】 {gan3} [Freq. 4] rod (桿菌 {gan3 jun1}, bacillus).
桿菌 {gan3 jun1}, 西醫 bacterium (pl. bacteria)

【感】 {gan3} [Freq. 2] contract (v.), contraction (n.).
感寒 {gan3 han2}, catch cold
感冒 {gan3 mao4}, common cold; cold (common cold)
感冒二方 {gan3 mao4 er4 fang1}, 方名 Common Cold Formula~2
感冒寧 {gan3 mao4 ning2}, 方名 Common Cold Formula
感冒頭痛 {gan3 mao4 tou2 tong4}, common-cold headache
感冒退熱沖劑 {gan3 mao4 tui4 re4 chong1 ji4}, 方名 Common Cold Fever-Abating Granules
感染 {gan3 ran3}, 西醫 infection
感受風溫 {gan3 shou4 feng1 wen1}, contract wind-warmth
感受風邪 {gan3 shou4 feng1 xie2}, contract wind evil
感受寒邪 {gan3 shou4 han2 xie2}, contract cold evil
感受火邪 {gan3 shou4 huo3 xie2}, contract fire evil
感受熱邪 {gan3 shou4 re4 xie2}, contract heat evil
感受濕邪 {gan3 shou4 shi1 xie2}, contract dampness evil
感受外邪 {gan3 shou4 wai4 xie2}, contract external evil
感受燥邪 {gan3 shou4 zao4 xie2}, contraction of external dryness; contract dryness evil
感暑 {gan3 shu3}, summerheat contraction
感音神經性聾 {gan3 yin1 shen2 jing1 xing4 long2}, 西醫 sensorineural deafness (sensorineural hearing loss)

【趕】 {gan3} [Freq. 4] hurry; hurry.
趕風柴 {gan3 feng1 chai2}, 中藥正名 naked-flower beauty-berry (Callicarpae Nudiflorae Folium)

【橄】 {gan3} [Freq. 4] Chinese olive.

橄欖 {gan3 lan3}, 中藥異名 Chinese olive (Canarii Fructus)
橄欖菜 {gan3 lan3 cai4}, 中藥異名 Chinese kale (Brassicae Alboglabrae Caulis et Folium)
橄欖干 {gan3 lan3 gan1}, 中藥正名 dried Chinese olive (Canarii Albi Fructus Exsiccatus)
橄欖核 {gan3 lan3 he2}, 中藥正名 Chinese olive pit (Canarii Albi Endocarpium et Semen)
橄欖露 {gan3 lan3 lu4}, 中藥正名 Chinese olive distillate (Canarii Albi Distillatum Fructus)
橄欖仁 {gan3 lan3 ren2}, 中藥正名 Chinese olive seed (Canarii Albi Semen)

~~ {gan4} ~~
【紺】 {gan4} [Freq. 3] blue (發紺 {fa1 gan4}, turn blue)

【骭】 {gan4} [Freq. 4] lower leg.
骭骨 {gan4 gu3}, lower leg bone; tibia

~~ {gang1} ~~
【扛】 {gang1} [Freq. 4] lift with both hands.
扛板歸 {gang1 ban3 gui1}, 中藥正名 prickly knotweed (Polygoni Perfoliati Herba)
扛板歸根 {gang1 ban3 gui1 gen1}, 中藥正名 prickly knotweed root (Polygoni Perfoliati Radix)
杠木 {gang1 mu4}, 中藥正名 Liaodong oak fruit (Quercus Liaotungensis Fructus)

【肛】 {gang1} [Freq. 2] anus (n.).
肛管直腸脫垂 {gang1 guan3 zhi2 chang2 tuo1 chui2}, 西醫 proctoptoma (proctoptosis, proctoptosia, prolapse of rectum)
肛裂 {gang1 lie4}, anal fissure; anal fissure (fissura in ano)
肛&&7618.763B|{gang1 lou4}, anal fistula
肛漏 {gang1 lou4}, anal fistula
肛門 {gang1 men2}, anus; anal
肛門瘙癢 {gang1 men2 sao1 yang3}, anal itch
肛門生痔 {gang1 men2 sheng1 zhi4}, hemorrhoid
肛門失禁 {gang1 men2 shi1 jin4}, anal retention failure
肛門濕瘍 {gang1 men2 shi1 yang2}, damp sore of the anus
肛門失約 {gang1 men2 shi1 yue1}, anal retention failure
肛門四穴 {gang1 men2 si4 xue2}, 腧穴正名 Four Points of the Anus
肛門癢 {gang1 men2 yang3}, anal itch
肛門癰 {gang1 men2 yong1}, anal welling-abscess
肛門有灼熱感 {gang1 men2 you3 zhuo2 re4 gan3}, burning sensation in the anus

肛門墜重 {gang1 men2 zhui4 zhong4}, heavy sagging sensation in the anus
肛癰 {gang1 yong1}, welling-abscess of the anus
肛周生癰 {gang1 zhou1 sheng1 yong1}, perianal welling-abscess

【岡】 {gang1} [Freq. 4] ridge; spine.
岡下肌 {gang1 xia4 ji1}, 西醫 infraspinatus muscle

【剛】 {gang1} [Freq. 4] hard; unyielding.
剛痙 {gang1 jing4}, hard tetany
剛臟 {gang1 zang4}, unyielding viscus (liver)

【綱】 {gang1} [Freq. 2] headrope; principle (n.) (八綱 {ba1 gang1}, eight principles).
綱領 {gang1 ling3}, principle

【頏】 {gang1} [Freq. 4] throat (also pronounced {hang2}. 頏顙 {gang1 sang3}, nasopharynx).
頏顙 {gang1 sang3}, nasopharynx
頏顙岩 {gang1 sang3 yan2}, nasopharyngeal rock

~~ {gang3} ~~
【崗】 {gang3} [Freq. 4] hillock.
崗梅根 {gang3 mei2 gen1}, 中藥正名 rough-leaved holly root (Ilicis Asprellae Radix)
崗梅葉 {gang3 mei2 ye4}, 中藥正名 rough-leaved holly leaf (Ilicis Asprellae Folium)
崗稔子 {gang3 ren3 zi3}, 中藥異名 rose myrtle seed (Rhodomyrti Fructus)
崗松 {gang3 song1}, 中藥正名 baeckea (Baeckeae Herba seu Radix)

~~ {gang4} ~~
【槓】 {gang4} [Freq. 5] thick stick.
槓板歸 {gang4 ban3 gui1}, 中藥異名 prickly knotweed (Polygoni Perfoliati Herba)

~~ {gao1} ~~
【皋】 {gao1} [Freq. 4] highland by a waterside.
皋蘆 {gao1 lu2}, 中藥正名 large-leaved camellia leaf (Camelliae Macrophyllae Folium)

【高】 {gao1} [Freq. 4] high.
高登而歌 {gao1 deng1 er2 ge1}, climbing to high places to sing

高度近視之眼底變性 {gao1 duo4 jin4 shi4 zhi1 yan3 di3 bian4 xing4}, 西醫 fundus degeneration in high myopia
高風雀目 {gao1 feng1 que4 mu4}, high-altitude wind sparrow's vision
高風雀目內障 {gao1 feng1 que4 mu4 nei4 zhang4}, high-altitude wind sparrow's-vision internal obstruction
高蓋 {gao1 gai4}, 腧穴異名 BL-16 (High Cover) (High Cover); 腧穴異名 BL-23
高骨 {gao1 gu3}, high bone (radial styloid process)
高空耳炎 {gao1 kong1 er3 yan2}, 西醫 aerotitis
高麗菜 {gao1 li4 cai4}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)
高麗參 {gao1 li4 shen1}, 中藥正名 Korean ginseng (Ginseng Radix *Coreensis)
高粱 {gao1 liang2}, 中藥正名 sorghum (Sorghi Semen)
高粱根 {gao1 liang2 gen1}, 中藥正名 sorghum root (Sorghi Radix)
高粱火焰苞 {gao1 liang2 huo3 yan4 bao1}, 中藥正名 infested sorghum spike (Sorghi Spica Infestata)
高良薑 {gao1 liang2 jiang1}, 中藥正名 lesser galangal (Alpiniae Officinarum Rhizoma)
高良薑湯 {gao1 liang2 jiang1 tang1}, 方名 Lesser Galangal Decoction
高粱酒 {gao1 liang2 jiu3}, 中藥正名 sorghum liquor (Sorghi Spiritus)
高嶺土 {gao1 ling3 tu3}, 中藥異名 kaolin (Kaolin)
高年精衰 {gao1 nian2 jing1 shuai1}, debilitation of essence in old age
高曲 {gao1 qu1}, 腧穴異名 KI-17 (High Bend)
高熱 {gao1 re4}, 西醫 high fever
高熱不退 {gao1 re4 bu4 tui4}, 西醫 unabating high fever
高山黃華 {gao1 shan1 huang2 hua2}, 中藥正名 alpine thermopsis [flower and fruit] (Thermopsis Alpinae Flos et Fructus)
高山黃華根 {gao1 shan1 huang2 hua2 gen1}, 中藥正名 alpine thermopsis root (Thermopsis Alpinae Radix)
高燒 {gao1 shao1}, 西醫 high fever
高位俞 {gao1 wei4 shu1}, 腧穴正名 High Position Transport
高武 {gao1 wu3}, Gao1 Wu3
高血壓 {gao1 xue4 ya1}, 西醫 hypertension
高血壓病 {gao1 xue4 ya1 bing4}, 西醫 hypertension
高血脂症 {gao1 xue4 zhi1 zheng4}, 西醫 hyperlipidemia
高藥風 {gao1 yao4 feng1}, plaster wind
高益 {gao1 yi4}, 腧穴異名 BL-16 (High Boost)
高者抑之 {gao1 zhe3 yi4 zhi1}, high rising is treated by repression
高腫局限 {gao1 zhong3 ju2 xian4}, circumscribed elevated swelling

【膏】 {gao1} [Freq. 2] paste (n.) (medical preparation); unctuous (adj.) (膏淋 {gao1 lin2},

unctuous stangury).
膏肓 {gao1 huang1}, gao1-huang2 (Gao Huang); 腧穴異名 BL-43
膏肓俞 {gao1 huang1 shu1}, 腧穴正名 BL-43 (Gao Huang Transport)
膏劑 {gao1 ji4}, paste preparation
膏梁厚味 {gao1 liang2 hou4 wei4}, fat meat, fine grain, and strong flavors (rich food)
膏涼薑 {gao1 liang2 jiang1}, 中藥異名 lesser galangal (Alpiniae Officinarum Rhizoma)
膏淋 {gao1 lin2}, unctuous strangury
膏淋湯 {gao1 lin2 tang1}, 方名 Unctuous Strangury Decoction
膏摩 {gao1 mo2}, rubbing with medicinal paste; medicinal paste rub
膏藥 {gao1 yao4}, plaster (a hard paste applied topically after heating); medicinal paste
膏藥療法 {gao1 yao4 liao2 fa3}, plaster therapy (a hard paste applied topically after heating)
膏滋 {gao1 zi1}, rich paste (taken orally)

【睾】 {gao1} [Freq. 3] testicle.
睾丸 {gao1 wan2}, 西醫 testicle (testicle); testicle
睾丸動脈 {gao1 wan2 dong4 mai4}, 西醫 testicular artery
睾丸固定術 {gao1 wan2 gu4 ding4 shu4}, 西醫 orchiopexy
睾丸靜脈 {gao1 wan2 jing4 mai4}, 西醫 testicular vein
睾丸冷痛墜脹 {gao1 wan2 leng3 tong4 shui4 zhang4}, cold pain and sagging distention of the testicles
睾丸偏大 {gao1 wan2 pian1 da4}, unilateral enlargement of the testicles
睾丸偏墜 {gao1 wan2 pian1 zhui4}, unilateral sagging of the testicles; sagging of one testicle
睾丸偏墜牽掣疼痛 {gao1 wan2 pian1 zhui4 qian1 che4 teng2 tong4}, sagging of one testicle with pulling pain
睾丸墜痛 {gao1 wan2 shui4 tong4}, sagging pain of the testicles; painful sagging of the testicles
睾丸炎 {gao1 wan2 yan2}, 西醫 orchitis
睾丸脹痛 {gao1 wan2 zhang4 tong4}, distention and pain of the testicles; painful distention of the testicles
睾丸腫痛 {gao1 wan2 zhong3 tong4}, painful swollen testicles
睾丸腫脹疼痛 {gao1 wan2 zhong3 zhang4 teng2 tong4}, pain, swelling, and distention of the testicles
睾丸墜痛 {gao1 wan2 zhui4 tong}, painful sagging f the testicles
睾丸墜脹疼痛 {gao1 wan2 zhui4 zhang4 teng2 tong4}, sagging distention and pain of the testicles
睾腫痛 {gao1 zhong3 tong4}, painful swollen testicles

~~ {gao3} ~~

【&&85C1||】 {gao3} [Freq. 4] plant name.
&&85C1||本 {gao3 ben3}, 中藥正名 Chinese lovage (Ligustici Rhizoma)

【槁】 {gao3} [Freq. 5] desiccated (齒槁 {chi3 gao3}, desiccated teeth).
睾丸結核 {gao3 wan2 jie2 he2}, 西醫 tuberculosis of the testis

~~ {ge1} ~~
【&&7611||】 {ge1} [Freq. 4] ge1.
&&7611||瘡 {ge1 chuang1}, ge1 sore

【戈】 {ge1} [Freq. 4] dagger-ax; surname.
戈家半夏 {ge1 jia1 ban4 xia4}, 中藥正名 Ge's pinellia (Pinelliae Rhizoma Ge)

【疙】 {ge1} [Freq. 4] pimple (疙瘩 {ge1 da1}, lump, pimple).
疙瘩 {ge1 da1}, pimple

【割】 {ge1} [Freq. 4] cut; sever.
割人藤 {ge1 ren2 teng2}, 中藥異名 Japanese hop (Humuli Scandentis Herba)
割治法 {ge1 zhi4 fa3}, excision therapy

【歌】 {ge1} [Freq. 3] song (voice of the spleen).
歌括 {ge1 kuo4}, summary verse
歌笑不休 {ge1 xiao4 bu4 xiu1}, incessant singing and laughing

【鴿】 {ge1} [Freq. 4] pigeon.
鴿 {ge1}, 中藥正名 pigeon (Columba)
鴿卵 {ge1 luan3}, 中藥正名 pigeon's egg (Columbae Ovum)

~~ {ge2} ~~
【合】 {ge2} [Freq. 2] ge2 (a unit of measure equal to the tenth of a sheng. See also 合 {he2})

【革】 {ge2} [Freq. 4] leather; transform.
革脈 {ge2 mai4}, drumskin pulse

【格】 {ge2} [Freq. 4] grid; standard.
格陽 {ge2 yang2}, repelled yang2

格陽關陰 {ge2 yang2 guan1 yin1}, repelled yang2 and blocked yin1
格致余論 {ge2 zhi4 yu2 lun4}, 書名 Further Treatises on the Properties of Things

【蛤】 {ge2} [Freq. 4] gecko.
蛤粉 (1) {ge2 fen3}, 中藥正名 clamshell powder (Meretricis seu Cyclinae Concha Pulverata)
蛤粉 (2) {ge2 fen3}, 中藥異名 freshwater mussel shell powder (Unionis Concha Pulverata)
蛤粉 (3) {ge2 fen3}, 中藥異名 mactra clam shell powder (Mactrae Conchae Pulvis)
蛤粉炒 {ge2 fen3 chao3}, stir-fry with clam shell powder
蛤粉燙 {ge2 fen3 tang4}, clam shell powder scorching
蛤蚧 {ge2 jie4}, 中藥正名 gecko (Gecko)
蛤蜊 {ge2 li2}, 中藥正名 mactra clam (Mactrae Caro)
蛤蜊粉 {ge2 li2 fen3}, 中藥正名 mactra clam shell powder (Mactrae Conchae Pulvis)
蛤殼 {ge2 qiao4 (ke2), 中藥正名 clamshell (Meretricis seu Cyclinae Concha)
蛤仔殼 {ge2 zai3 qiao4 (ke2)}, 中藥正名 venerupis shell (Venerupis Concha)

【葛】 {ge2} [Freq. 4] pueraria (see also 葛 {ge2}).
葛粉 {ge2 fen3}, 中藥正名 pueraria starch (Puerariae Amylum)
葛根紅花湯 {ge2 gen1 hong2 hua1 tang1}, 方名 Pueraria and Carthamus Decoction
葛根黃芩黃連湯 {ge2 gen1 huang2 qin2 huang2 lian2 tang1}, 方名 Pueraria, Scutellaria, and Coptis Decoction
葛根加半夏湯 {ge2 gen1 jia1 ban4 xia4 tang1}, 方名 Pueraria Decoction Plus Pinellia
葛根加辛夷川芎湯 {ge2 gen1 jia1 xin1 yi2 chuan1 xiong1}, 方名 Pueraria Decoction Plus Magnolia Flower and Chuan1xiong1
葛根芩連湯 {ge2 gen1 qin2 lian2 tang1}, 方名 Pueraria, Scutellaria, and Coptis Decoction
葛根湯 {ge2 gen1 tang1}, 方名 Pueraria Decoction
葛根湯加川芎辛夷 {ge2 gen1 tang1 jia1 chuan1 xiong1 xin1 yi2}, 方名 Pueraria Decoction Plus Chuan1xiong1 and Magnolia Flower
葛根 {ge2 gen1, 中藥正名 pueraria (Puerariae Radix)
葛穀 {ge2 gu3}, 中藥正名 pueraria seed (Puerariae Semen)
葛花 {ge2 hua1}, 中藥正名 pueraria flower (Puerariae Flos)
葛花解酲湯 {ge2 hua1 jie3 cheng2 tang1}, 方名 Pueraria Flower Liquor-Resolving Decoction
葛花清熱丸 {ge2 hua1 qing1 re4 wan2}, 方名 Pueraria Flower Heat-Clearing Pill
葛黃丸 {ge2 huang2 wan2}, 方名 Pueraria Flower and Coptis Pill
葛麻茹 {ge2 ma2 ru2}, 中藥異名 pueraria (Puerariae Radix)
葛蔓 {ge2 man4}, 中藥正名 pueraria stem (Puerariae Caulis)
葛上亭長 {ge2 shang4 ting2 chang2}, 中藥正名 epicauta (Epicauta)
葛條根 {ge2 tiao2 gen1}, 中藥異名 pueraria (Puerariae Radix) (Puerariae Radix); 中藥異名 pueraria

葛蕈 {ge2 xun4}, 中藥正名 Japanese balanophora (Balanophorae Japonicae Herba)
葛葉 {ge2 ye4}, 中藥正名 pueraria leaf (Puerariae Folium)
葛子根 {ge2 zi3 gen1}, 中藥異名 pueraria (Puerariae Radix)

【隔】 {ge2} [Freq. 3] isolate.
隔餅灸 {ge2 bing3 jiu3}, moxibustion on cake
隔附子灸 {ge2 fu4 zi3 jiu3}, moxibustion on aconite
隔薑灸 {ge2 jiang1 jiu3}, moxibustion on ginger
隔山香 {ge2 shan1 xiang1}, 中藥正名 lemon-scented angelica (Angelicae Citriodorae Radix seu Herba)
隔山消 {ge2 shan1 xiao1}, 中藥正名 auriculate cynanchum tuber (Cynanchi Auriculati Tuber)
隔水燉 {ge2 shui3 dun4}, double-boil
隔蒜灸 {ge2 suan4 jiu3}, moxibustion on garlic
隔鹽灸 {ge2 yan2 jiu3}, moxibustion on salt
隔紙煨 {ge2 zhi3 wei1}, layered paper roasting

【膈】 {ge2} [Freq. 2] diaphragm (n.), diaphragmatic (adj.); occlusion (n.) (噎膈 {ye1 ge2}, dysphagia-occulusion).
膈關 {ge2 guan1}, 腧穴正名 BL-46 (BL-41) (Diaphragm Pass)
膈間多痰 {ge2 jian1 duo1 tan2}, copious phlegm in the diaphragm
膈間雷鳴 {ge2 jian1 lei2 ming2}, thunderous rumbling in the diaphragm
膈間悶熱 {ge2 jian1 men4 re4}, oppresion and heat in the diaphragm
膈氣 {ge2 qi4}, diaphragm qi4
膈俞 {ge2 shu1}, 腧穴正名 BL-17 (Diaphragm Transport)
膈痰 {ge2 tan2}, diaphragm phlegm
膈下逐瘀湯 {ge2 xia4 zhu2 yu1 tang1}, 方名 Infradiaphragmatic Stasis-Expelling Decoction
膈消 {ge2 xiao1}, diaphragm dispersion[-thirst] (upper dispersion)

【頜】 {ge2} [Freq. 3] mouth

~~ {ge3} ~~
【葛】 {ge3} [Freq. 4] surname (see also 葛 {ge2}).
葛洪 {ge3 hong2}, Ge3 Hong2
葛仙米 {ge3 xian1 mi3}, 中藥正名 star jelly (Nostocis Alga)

~~ {ge4} ~~

【各】 {ge4} [Freq. 4] each.
各一旺 {ge4 yi2 wang4}, 中藥異名 bovine bezoar (Bovis Calculus)

【個】 {ge4} [Freq. 4] general measure word.
個青皮 {ge4 qing1 pi2}, 中藥正名 whole unripe tangerine (Citri Reticulatae Fructus Viridis)

~~ {gen1} ~~
【根】 {gen1} [Freq. 2] root (n.) (舌根 {she2 gen1}, root of the tongue).
根結 {gen1 jie2}, root and knot
根辣 {gen1 la4}, 中藥正名 schizomussaenda root and leaf (Schizomussaendae Rhizoma et Folium)
根盤 {gen1 pan2}, base (of a sore)
根芹菜 {gen1 qin2 cai4}, 中藥正名 celeriac (Apii Rapacei Radix)

【跟】 {gen1} [Freq. 3] heel.
跟疔 {gen1 ding1}, clove sore of the heel
跟骨 {gen1 gu3}, heel bone (calcaneus)
跟腱 {gen1 jian4}, 西醫 calcaneal tendon
跟緊 {gen1 jin3}, 腧穴正名 Tight Heel
跟平 {gen1 ping2}, 腧穴正名 Level with the Heel

~~ {geng1} ~~
【更】 {geng1} [Freq. 2] watch (n.) (period of two hours).
更年期綜合症 {geng1 nian2 qi1 zong4 he2 zheng4}, 西醫 climacteric syndrome
更衣 {geng1 yi1}, change one's clothes (euphemism for bowel movement) (euphemism for bowel movement); toilette
更衣丸 {geng1 yi1 wan2}, 方名 Toilette Pill

【庚】 {geng1} [Freq. 3] seventh heavenly stem; S7.
庚金 {geng1 jin1}, S7-metal (the large intestine)

【羹】 {geng1} [Freq. 5] thick soup (雪羹湯 {xue3 geng1 tang1}, Snow Soup Decoction)

~~ {geng3} ~~
【哽】 {geng3} [Freq. 4] get stuck in the throat

【梗】 {geng3} [Freq. 3] stem.
梗通草 {geng3 tong1 cao3}, 中藥正名 sensitive joint vetch wood (Aeschynomenes Caulis Lignum)

【鯁】 {geng3} [Freq. 3] get stuck in the throat; fish bone

~~ {gong1} ~~
【工】 {gong1} [Freq. 5] work; worker; practitioner (上工 {shang4 gong1}, superior practitioner)

【弓】 {gong1} [Freq. 5] bow; arch (角弓反張 {jiao3 gong1 fan3 zhang1}, arched-back rigidity)

【公】 {gong1} [Freq. 4] elderly gentleman.
公丁香 {gong1 ding1 xiang1}, 中藥異名 clove (Caryophylli Flos)
公克 {gong1 ke4}, g; gr; gm; gram
公乳 {gong1 ru3}, 中藥異名 stalactite (Stalactitum)
公孫 {gong1 sun1}, 腧穴正名 SP-4 (Yellow Emperor)
公英 {gong1 ying1}, 中藥異名 dandelion (Taraxaci Herba)
公豬大腸 {gong1 zhu1 da4 chang2}, 中藥正名 boar's large intestine (Suis Masculinae Intestinum Crassum)

【功】 {gong1} [Freq. 3] function; action; qi4gong1; excercise; achievement.
功勞木 {gong1 lao2 mu4}, 中藥正名 mahonia stem (Mahoniae Caulis)
功勞葉 {gong1 lao2 ye4}, 中藥異名 mahonia (Mahoniae Folium)
功勞子 {gong1 lao2 zi3}, 中藥正名 mahonia seed (Mahoniae Fructus)
功能 {gong1 neng2}, function
功能亢進性腺瘤 {gong1 neng2 kang4 jin4 xing4 xian4 liu2}, 西醫 hyperfunctioning cyst
功能失調性子宮出血 {gong1 neng2 shi1 tiao2 xing4 zi3 gong1 chu1 xue4}, 西醫 dysfunctional uterine bleeding
功能性聾 {gong1 neng2 xing4 er3 long2}, 西醫 functional deafness
功能性子宮出血 {gong1 neng2 xing4 zi3 gong1 chu1 xue4}, 西醫 dysfunctional uterine bleeding
功效 {gong1 xiao4}, effect; action
功用 {gong1 yong4}, action

【攻】 {gong1} [Freq. 2] attack (v.), (n.) (先補后攻 {xian1 bu3 hou4 gong1}, supplementation followed by attack); offensive treatment (n.).

攻補兼施 {gong1 bu3 jian1 shi1}, supplement and attack simultaneously; simultaneous supplementation and attack
攻潰 {gong1 kui4}, offensive bursting
攻里不遠寒 {gong1 li3 bu4 yuan4 han2}, interior attack does not shun cold [medicinals]
攻痰 {gong1 tan2}, attack phlegm
攻痛 {gong1 tong4}, pain coming in attacks
攻下 {gong1 xia4}, offensive precipitation
攻下法 {gong1 xia4 fa3}, offensive precipitation
攻下冷積 {gong1 xia4 leng3 ji1}, offensively precipitate cold accumulations
攻下逐瘀 {gong1 xia4 zhu2 yu1}, offensively precipitate to expel stasis
攻消和解軟堅湯 {gong1 xiao1 he2 jie3 ruan3 jian1 tang1}, 方名 Offensive Dispersion Harmonizing and Softening Decoction
攻陣 {gong1 zhen4}, offensive array
攻逐 {gong1 zhu2}, attack and expel

【肱】 {gong1} [Freq. 3] upper arm.
肱動脈 {gong1 dong4 mai4}, 西醫 brachial artery
肱二頭肌 {gong1 er4 tou2 ji1}, 西醫 biceps muscle of the arm
肱骨 {gong1 gu3}, 西醫 humerus
肱骨外上髁炎 {gong1 gu3 wai4 shang4 ke1 yan2}, 西醫 external humeral epicondylitis
肱肌 {gong1 ji1}, 西醫 brachial muscle
肱靜脈 {gong1 jing4 mai4}, 西醫 brachial veins
肱橈肌 {gong1 rao2 ji1}, 西醫 brachioradial muscle
肱三頭肌 {gong1 san1 tou2 ji1}, 西醫 triceps muscle of the arm
肱中 {gong1 zhong1}, 腧穴正名 Middle of the Humerus

【宮】 {gong1} [Freq. 2] gong (note of spleen-earth); palace.
宮寒不孕 {gong1 han2 bu4 yun4}, uterine cold infertility
宮內放置節育器出血 {gong1 nei4 fang4 zhi4 jie2 yu4 qi4 chu1 xue4}, 西醫 bleeding after insertion of intrauterine contraceptive devices
宮外孕二號方 {gong1 wai4 yun4 er4 hao4 fang1}, 方名 Ectopic Pregnancy Formula No.~II

【龔】 {gong1} [Freq. 4] surname.
龔廷賢 {gong1 ting2 xian2}, Gong1 Ting2-Xian2

~~ {gong3} ~~
【汞】 {gong3} [Freq. 4] mercury.

汞 {gong3}, 中藥異名 mercury (Hydrargyrum)
汞粉 {gong3 fen3}, 中藥異名 calomel (Calomelas)
汞沙 {gong3 sha1}, 中藥異名 cinnabar (Cinnabaris)

【鞏】 {gong3} [Freq. 5] strengthen.
鞏隄丸 {gong3 ti2 wan2}, 方名 Dyke-Strengthening Pill

~~ {gong4} ~~
【共】 {gong4} [Freq. 4] togther.
共石 {gong4 shi2}, 中藥異名 talcum (Talcum)

【貢】 {gong4} [Freq. 4] tribute.
貢菇 {gong4 gu1}, 中藥異名 straw mushroom (Volvariella)
貢菊 {gong4 ju2}, 中藥正名 Anhui chrysanthemum (Chrysanthemi Flos *Anhuiensis)

~~ {gou1} ~~
【佝】 {gou1} [Freq. 4] rickets (佝僂 {kou4 lou2}, rickets).
佝僂 {gou1 lou2}, rickets
佝僂病 {gou1 lou2 bing4}, rickets; rickets

【溝】 {gou1} [Freq. 5] canal (蠡溝 {li3 gou1}, Woodworm Canal (LV-5)); ditch (支溝 {zhi1 gou1}, Branch Ditch (TB-6)); trough (水溝 {shui3 gou1}, water Trough (GV-26))

【鉤】 {gou1} [Freq. 4] hook.
鉤蟲病 {gou1 chong2 bing4}, 西醫 ancylostonmiasis
鉤丁 {gou1 ding1}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)
鉤端螺旋體病 {gou1 duan1 lluo2 xian2 li3 bing4}, 西醫 leptospirosis
鉤耳 {gou1 er3}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)
鉤割法 {gou1 ge1 fa3}, hooking and cutting; hooking and cutting therapy
鉤鉤 {gou1 gou1}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)
鉤栗 {gou1 li4}, 中藥正名 Tibetan castanopsis fruit (Castanopsidis Tibetanae Fructus)
鉤藤 {gou1 teng2}, 中藥正名 uncaria (Uncariae Ramulus cum Uncis)
鉤藤根 {gou1 teng2 gen1}, 中藥正名 uncaria root (Uncariae Radix)
鉤藤鉤 {gou1 teng2 gou1}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)
鉤藤鉤子 {gou1 teng2 gou1 zi3}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)
鉤藤散 {gou1 teng2 san3}, 方名 Uncaria Powder

鉤藤湯 {gou1 teng2 tang1}, 方名 Uncaria Decoction
鉤藤飲 {gou1 teng2 yin3}, 方名 Uncaria Beverage
鉤藤飲子 {gou1 teng2 yin3 zi3}, 方名 Uncaria Drink
鉤吻 {gou1 wen3}, 中藥正名 yellow jessamine (Gelsemii Herba)

【&&4D76||】 {gou1} [Freq. 4] name of turtle

~~ {gou3} ~~
【狗】 {gou3} [Freq. 3] dog.
狗寶 {gou3 bao3}, 中藥正名 dog's stomach calculus (Canis Stomachi Calculus)
狗齒 {gou3 chi3}, 中藥正名 dog's teeth (Canis Dens)
狗膽 {gou3 dan3}, 中藥正名 dog's gallbladder (Canis Vesica Fellea)
狗地芽皮 {gou3 di4 ya2 pi2}, 中藥異名 lycium bark (Lycii Cortex)
狗肝 {gou3 gan1}, 中藥正名 dog's liver (Canis Iecur)
狗肝菜 {gou3 gan1 cai4}, 中藥正名 dicliptera (Diclipterae Herba)
狗狗秧 {gou3 gou3 yang1}, 中藥正名 Japanese calystegia (Calystegiae Japonicae Herba et Radix)
狗骨 {gou3 gu3}, 中藥正名 dog's bone (Canis Os)
狗脊 {gou3 ji3}, 中藥正名 cibotium (Cibotii Rhizoma)
狗脊飲 {gou3 ji3 yin3}, 方名 Cibotium Beverage
狗腳草根 {gou3 jiao3 cao3 gen1}, 中藥正名 stellate craibiodendron root (Craibiodendri Stellati Radix)
狗腳跡 {gou3 jiao3 ji1}, 中藥正名 Cochin China phyllanthus (Phyllanthi Cochinchinensis Radix seu Ramulus et Folium)
狗朗頭 {gou3 lang3 tou2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
狗毛 {gou3 mao2}, 中藥正名 dog's hair (Canis Pilus)
狗奶子 {gou3 nai3 zi3}, 中藥異名 lycium (Lycii Fructus)
狗腦 {gou3 nao3}, 中藥正名 dog's brains (Canis Cerebrum)
狗泡草 {gou3 pao4 cao3}, 中藥正名 sericocalyx (Sericocalycis Herba)
狗皮 {gou3 pi2}, 中藥正名 dog skin (Canis Corium)
狗皮膏 {gou3 pi2 gao1}, 方名 Dog Skin Plaster
狗肉 {gou3 rou4}, 中藥正名 dog's flesh (Canis Caro)
狗乳汁 {gou3 ru3 zhi1}, 中藥正名 dog's milk (Canis Lac)
狗舌草 {gou3 she2 cao3}, 中藥正名 dog's tongue grass (Senecionis Integrifolii Herba)
狗腎 {gou3 shen4}, 中藥正名 dog's kidney (Canis Renes)
狗蝨 {gou3 shi1}, 中藥異名 black sesame (Sesami Semen Nigrum)
狗屎花 {gou3 shi3 hua1}, 中藥正名 Chinese forget-me-not (Cynoglossi Amabilis Herba)

狗屎花根 {gou3 shi3 hua1 gen1}, 中藥正名 Chinese forget-me-not root (Cynoglossi Amabilis Radix)
狗蹄 {gou3 ti2}, 中藥正名 dog's feet (Canis Pes)
狗頭骨 {gou3 tou2 gu3}, 中藥正名 dog's skull (Canis Cranium)
狗尾巴參 {gou3 wei3 ba1 shen1}, 中藥正名 spurred disporum (Dispori Calcarati Rhizoma)
狗心 {gou3 xin1}, 中藥正名 dog's heart (Canis Cor)
狗血 {gou3 xue4}, 中藥正名 dog's blood (Canis Sanguis)
狗牙貝 {gou3 ya2 bei4}, 中藥正名 huolirion (Huolirionis Bulbus)
狗爪豆 {gou3 zhao3 dou4, 中藥正名 Cochin China stizolobium (Stizolobii Cochinchinensis Semen seu Folium)

【枸】 {gou3} [Freq. 4] plant name.
枸根 {gou3 gen1}, 中藥異名 lycium bark (Lycii Cortex)
枸骨刺 {gou3 gu3 ci4}, 中藥異名 Chinese holly leaf (Ilicis Cornutae Folium)
枸骨根 {gou3 gu3 gen1}, 中藥正名 Chinese holly root (Ilicis Cornutae Radix)
枸骨樹皮 {gou3 gu3 shu4 pi2}, 中藥正名 Chinese holly bark (Ilicis Cornutae Cortex)
枸骨葉 {gou3 gu3 ye4}, 中藥正名 Chinese holly leaf (Ilicis Cornutae Folium)
枸骨子 {gou3 gu3 zi3}, 中藥正名 Chinese holly fruit (Ilicis Cornutae Fructus)
枸橘 {gou3 ju2}, 中藥正名 poncirus (Ponciri Trifoliatae Fructus)
枸橘刺 {gou3 ju2 ci4}, 中藥正名 poncirus thorn (Ponciri Trifoliatae Spina)
枸橘核 {gou3 ju2 he2}, 中藥正名 poncirus pip (Ponciri Trifoliatae Semen)
枸橘葉 {gou3 ju2 ye4}, 中藥正名 poncirus leaf (Ponciri Trifoliatae Folium)
枸杞豆 {gou3 qi3 dou4}, 中藥異名 lycium (Lycii Fructus)
枸杞果 {gou3 qi3 guo3}, 中藥異名 lycium (Lycii Fructus)
枸杞頭 {gou3 qi3 tou2}, 中藥異名 lycium leaf (Lycii Folium)
枸杞羊腎粥 {gou3 qi3 yang2 shen4 zhou1}, 方名 Lycium and Goat's Kidney Gruel
枸杞葉 {gou3 qi3 ye4}, 中藥正名 lycium leaf (Lycii Folium)
枸杞枝葉 {gou3 qi3 zhi1 ye4}, 中藥正名 lycium twig and leaf (Lycii Ramulus et Folium)
枸杞子 {gou3 qi3 zi3, 中藥正名 lycium (Lycii Fructus)
枸茄茄 {gou3 qie2 qie2}, 中藥異名 lycium (Lycii Fructus)

【苟】 {gou3} [Freq. 4] plant name.
苟脊 {gou3 ji3}, 中藥異名 cibotium (Cibotii Rhizoma)
苟起根 {gou3 qi3 gen1}, 中藥異名 lycium bark (Lycii Cortex)
苟起子 {gou3 qi3 zi3}, 中藥異名 lycium (Lycii Fructus)

~~ {gou4} ~~

【垢】{gou4} [Freq. 2] grime (n.), grimy (adj.) (胎垢 {tai1 gou4}, fetal grime; 苔垢 {tai1 gou4}, grimy tongue fur).
垢苔 {gou4 tai1}, grimy tongue fur

【構】 {gou4} [Freq. 4] plant name.
構皮麻 {gou4 pi2 ma2}, 中藥正名 kazinoki broussonetia (Broussonetiae Kazinoki Folium, Resina, seu Radicis Cortex)

~~ {gu1} ~~
【孤】 {gu1} [Freq. 2] solitary (adj.).
孤腑 {gu1 fu3}, solitary bowel (the triple burner)
孤陽上越 {gu1 yang2 shang4 yue4}, solitary yang2 straying upward
孤臟 {gu1 zang4}, solitary viscus

【沽】 {gu1} [Freq. 4] buy; sell

【蛄】 {gu1} [Freq. 5] insect name (螻蛄 {lou2 gu1}, mole cricket).
菰菜 {gu1 cai4}, 中藥異名 infested ear of wild rice (Zizaniae Spica Infestata)
菰根 {gu1 gen1}, 中藥正名 wild rice root (Zizaniae Rhizoma et Radix)
菰梁 {gu1 liang2}, 中藥異名 wild rice (Zizaniae Fructus)
菰米 {gu1 mi3}, 中藥正名 wild rice (Zizaniae Fructus)
菰首 {gu1 shou3}, 中藥異名 infested ear of wild rice (Zizaniae Spica Infestata)

【箍】 {gu1} [Freq. 4] hoop (v.) (fasten the staves of a cask or other container with bands of metal or bamboo).
箍圍療法 {gu1 wei2 liao2 fa3}, encircling
箍圍藥 {gu1 wei2 yao4}, wreathing; encircling
箍藥 {gu1 yao4}, wreathing

~~ {gu3} ~~
【古】 {gu3} [Freq. 4] ancient.
古賁 {gu3 ben1}, 中藥異名 oyster shell (Ostreae Concha)
古方八證 {gu3 fang1 ba1 zheng4}, 書名 Eight Arrays of Ancient Formulas
古鉤藤 {gu3 gou1 teng2}, 中藥正名 Buchanan's cryptolepis (Cryptolepidis Radix)
古今醫統大全 {gu3 jin1 yi1 tong3 da4 quan2}, 書名 The Complete Compendium of Medical Works, Ancient and Modern (556 (Ming2), Xu2 Chun1-Fu3 徐春甫)

古今醫統正脈全書 {gu3 jin1 yi1 tong3 zheng4 mai4 quan2 shu1}, 書名 A Complete Collection of Orthodox Medical Works, Ancient and Modern (1601 (Ming2), Wang2 Ken3-Tang2 王肯堂 et al.)
古鈕菜 {gu3 niu3 cai4}, 中藥正名 few-flowered black nightshade (Solani Pauciflori Herba)
古山龍 {gu3 shan1 long2}, 中藥正名 mountain dragon (Arcangelisiae Caulis)
古文錢 {gu3 wen2 qian2}, 中藥正名 rusty copper coins (Nummus Vetus)
古羊藤 {gu3 yang2 teng2}, 中藥正名 streptocaulon (Streptocaulonis Radix seu Folium)
古月 {gu3 yue4}, 中藥異名 pepper (Piperis Fructus)

【谷】 {gu3} [Freq. 3] valley; grain (n.) (水谷 {shui3 gu3}, grain and water).
谷不得下 {gu3 bu4 de2 xia4}, inability to get grain down
谷不化 {gu3 bu4 hua4}, non-transformation of food (in the stool)
谷疸 {gu3 dan3}, grain jaundice (jaundice due to dietary irregularities); dietary irregularity jaundice
谷茴香 {gu3 hui2 xiang1}, 中藥異名 fennel (Foeniculi Fructus)
谷勞 {gu3 lao2}, grain taxation
谷門 {gu3 men2}, 腧穴異名 ST-2 (Grain Gate)
谷門 {gu3 men2}, 腧穴異名 ST-25 (Valley Gate)
谷氣 {gu3 qi4}, grain qi4
谷入不化 {gu3 ru4 bu4 hua4}, non-transformation of ingested food (in the stool)
谷神 {gu3 shen2}, grain spirit
谷食不化 {gu3 shi2 bu4 hua4}, non-transformation of food
谷食不消 {gu3 shi2 bu4 xiao1}, non-dispersion of food (in the stool)
谷香 {gu3 xiang1}, 中藥異名 fennel (Foeniculi Fructus)
谷雨 {gu3 yu3}, Grain Rain (6th solar term)
谷脹 {gu3 zhang4}, grain distention

【股】 {gu3} [Freq. 3] thigh.
股 {gu3}, upper leg
股薄肌 {gu3 bo2 ji1}, 西醫 gracilis muscle
股動脈 {gu3 dong4 mai4}, 西醫 femoral artery
股二頭肌 {gu3 er4 tou2 ji1}, 西醫 biceps muscle of the thigh
股溝下 {gu3 gou1 xia4}, 腧穴異名 Below the Groin
股骨 {gu3 gu3}, thigh bone; femur; femur
股脛疽 {gu3 jing4 ju1}, thigh or shin flat-abscess
股靜脈 {gu3 jing4 mai4}, 西醫 femoral vein
股疽 {gu3 ju1}, thigh flat-abscess
股內 {gu3 nei4}, 腧穴異名 Inner Thigh

股內肌 {gu3 nei4 ji1}, 西醫 vastus medialis muscle
股痛 {gu3 tong4}, thigh pain
股外肌 {gu3 wai4 ji1}, 西醫 vastus lateralis muscle
股癬 {gu3 xian3}, 西醫 tinea cruris
股陽疽 {gu3 yang2 ju1}, outer thigh flat-abscess
股陰疽 {gu3 yin1 ju1}, inner thigh flat-abscess
股陰痛 {gu3 yin1 tong4}, inner thigh pain
股直肌 {gu3 zhi2 ji1}, 西醫 rectus femoris muscle

【牯】 {gu3} [Freq. 4] bull.
牯牛卵囊 {gu3 niu2 luan3 nang2}, 中藥正名 bull's testes and scrotum (Bovis Testes et Scrotum)

【骨】 {gu3} [Freq. 2] bone (n.) (筋骨 {jin1 gu3}, sinew and bone).
骨痹 {gu3 bi4}, bone impediment
骨槽風 {gu3 cao2 feng1}, bone trough wind
骨楚 {gu3 chu3}, aching bones
骨刺丸 {gu3 ci4 wan2}, 方名 Bone Spur Pill
骨&&9AB6|{gu3 di3}, 腧穴異名 GV-1 (Sacral Bone)
骨度 {gu3 du4}, bone standard
骨度法 {gu3 du4 fa3}, bone-standard measuring
骨疳 {gu3 gan1}, gan1 of the bone
骨骼 {gu3 ge2}, 西醫 skeleton
骨鯁 {gu3 geng3}, bones stuck in the throat
骨、關節結核 {gu3 guan1 jie2 jie2 he2}, 西醫 tuberculosis of bone and joint
骨會 {gu3 hui4}, meeting point of the bone (BL-11)
骨極 {gu3 ji2}, extreme of the bone
骨節 {gu3 jie2}, joint
骨節草 {gu3 jie2 cao3}, 中藥正名 marsh equisetum (Equiseti Palustris Herba)
骨節煩疼 {gu3 jie2 fan2 teng2}, vexing pain in the joints
骨節拘攣難伸 {gu3 jie2 ju1 luan2 pnan2 shen1}, hypertonicity of the joints with difficulty in stretching
骨節疼痛 {gu3 jie2 teng2 tong4}, joint pain
骨節痛 {gu3 jie2 tong4}, joint pain
骨疽 {gu3 ju1}, bone flat-abscess
骨枯髓減 {gu3 ku1 sui3 jian3}, desiccated bone and reduced marrow
骨枯髓虛 {gu3 ku1 sui3 xu1}, desiccation of the bone and vacuity of marrow
骨癆 {gu3 lao2}, bone consumption

骨裂 {gu3 lie4}, cracked bone
骨瘤 {gu3 liu2}, bone tumor
骨美 {gu3 mei3}, 中藥異名 black swallowwort (Cynanchi Atrati Radix)
骨膜 {gu3 mo2}, 西醫 periosteum
骨內酸疼 {gu3 nei4 suan4 teng2}, aching pain in the bones
骨盆 {gu3 pen2}, 西醫 pelvis
骨傷 {gu3 shang1}, bone damage
骨蝕 {gu3 shi2}, bone erosion
骨瘦如柴 {gu3 shou4 ru2 chai2}, emaciation to the bone like brushwood
骨髓空虛 {gu3 sui3 kong1 xu1}, bone marrow vacuity
骨髓炎 {gu3 sui3 yan2}, 西醫 osteomyelitis; osteomyelitis
骨碎 {gu3 sui4}, shattered bone
骨碎補 {gu3 sui4 bu3}, 中藥正名 drynaria (Drynariae Rhizoma)
骨碎補毛 {gu3 sui4 bu3 mao2}, 中藥正名 drynaria scales (Drynariae Squama)
骨痛 {gu3 tong4}, bone pain
骨痿 {gu3 wei3}, bone wilting
骨性半規管 {gu3 xing4 ban4 gui1 guan3}, 西醫 bony semicircular canals
骨折 {gu3 zhe2}, broken bone; fracture; bone fracture
骨蒸 {gu3 zheng1}, steaming bone
骨蒸潮熱 {gu3 zheng1 chao2 re4}, steaming bone tidal heat [effusion] (fever)
骨蒸盜汗 {gu3 zheng1 dao4 han4}, steaming bones and night sweating
骨蒸發熱 {gu3 zheng1 fa1 re4}, steaming bone heat [effusion] (fever)
骨蒸勞熱 {gu3 zheng1 lao2 re4}, steaming bone taxation heat [effusion] (fever)
骨蒸熱勞 {gu3 zheng1 lao2 re4}, steaming bone heat taxation
骨蒸癆熱 {gu3 zheng1 lao2 re4}, steaming bone consumptive heat [effusion] (fever)
骨蒸內熱 {gu3 zheng1 nei4 re4}, steaming bone internal heat
骨之府 {gu3 zhi1 fu3}, house of marrow
骨質增生丸 {gu3 zhi2 zeng1 sheng1 wan2}, 方名 Hyperosteogeny Pill
骨質疏鬆症 {gu3 zhi4 shu1 song1 zheng4}, 西醫 osteoporosis
骨質增生症 {gu3 zhi4 zeng1 sheng1 zheng4}, 西醫 hyperosteogenesis

【鼓】 {gu3} [Freq. 2] drum (n.) (鼓脹 {gu3 zhang4}, drum distention; 血鼓 {xue4 gu3}, blood drum).
鼓槌風 {gu3 chui2 feng1}, drumstick wind (same as 鶴膝風 {he4 xi1 feng1}, cran's-knee wind)
鼓發胃氣 {gu3 fa1 wei4 qi4}, stimulate stomach qi4
鼓頷 {gu3 han4}, chattering of jaws
鼓花 {gu3 hua1}, drum flower (congenitally narrow or absent vagina)
鼓栗 {gu3 li4}, shuddering and chattering

鼓慄 {gu3 li4}, shuddering and chattering
鼓膜 {gu3 mo2}, 西醫 tympanic membrane
鼓膜成形術 {gu3 mo2 cheng2 xing2 shu4}, 西醫 tympanoplasty
鼓膜切開術 {gu3 mo2 qie1 kai1 shu4}, 西醫 myringotomy
鼓膜炎 {gu3 mo2 yan2}, 西醫 myringitis
鼓室 {gu3 shi4}, 西醫 tympanum
鼓室炎 {gu3 shi4 yan2}, 西醫 tympanitis
鼓桐皮 {gu3 tong2 pi2}, 中藥異名 erythrina (Erythrinae Cortex)
鼓舞 {gu3 wu3}, ra.ly
鼓運 {gu3 yun4}, move
鼓脹 {gu3 zhang4}, drum distention
穀精 {gu3 jing1}, 中藥異名 eriocaulon (Eriocauli Flos)
穀精草 {gu3 jing1 cao3}, 中藥正名 eriocaulon (Eriocauli Flos)
穀蘖 {gu3 nie4}, 中藥異名 millet sprout (Setariae Fructus Germinatus)
穀糵 {gu3 nie4}, 中藥異名 millet sprout (Setariae Fructus Germinatus)
穀芽 {gu3 ya2}, 中藥正名 millet sprout (Setariae Fructus Germinatus)

【蠱】 {gu3} [Freq. 2] gu3 (n.).
蠱毒 {gu3 du2}, gu3 toxin
蠱脹 {gu3 zhang4}, gu3 distention

【羖】 {gu3} [Freq. 4] ram.
羖羊角 {gu3 yang2 jiao3}, 中藥正名 sheep's or goat's horn (Caprae seu Ovis Cornu)

【臌】 {gu3} [Freq. 2] drum distention (n.).
臌脹 {gu3 zhang4}, drum distention

【鶻】 {gu3} [Freq. 4] bird name; dove.
鶻眼凝睛 {gu3 yan3 ning2 jing1}, dove-like fixed eye

~~ {gu4} ~~
【固】 {gu4} [Freq. 2] secure (v.), security (n.) (益氣固表 {yi4 qi4 gu4 biao3}, boost qi4 and secure the exterior; 腎氣不固 {shen4 qi4 bu2 gu4}, insecurity of kidney qi4); stem (澀腸固脫 {se4 chang2 gu4 tuo1}, astringe the intestines and {stem} desertion).
固本丸 {gu4 ben3 wan2}, 方名 Root-Securing Pill
固本止崩湯 {gu4 ben3 zhi3 beng1 tang1}, 方名 Root-Securing Flood-Stanching Decoction
固崩止帶 {gu4 beng1 zhi3 dai4}, stem flooding and check (vaginal) discharge

固表 {gu4 biao3}, secure the exterior
固表止汗 {gu4 biao3 zhi3 han4}, secure the exterior and check sweating
固腸湯 {gu4 chang2 tang1}, 方名 Intestine-Securing Decoction
固腸丸 {gu4 chang2 wan2}, 方名 Intestine-Securing Pill
固齒 {gu4 chi3}, secure the teeth
固沖湯 {gu4 chong1 tang1}, 方名 Thoroughfare-Securing Decoction
固沖止帶 {gu4 chong1 zhi3 dai4}, secure the thoroughfare vessels and staunch vaginal discharge
固定不移的疼痛 {gu4 ding4 bu4 yi2 de teng2 tong4}, pain of fixed location
固定肌 {gu4 ding4 ji1}, 西醫 fixator
固經 {gu4 jing1}, secure the menses
固精 {gu4 jing1}, secure essence
固精氣 {gu4 jing1 qi4}, secure essential qi4
固精縮尿 {gu4 jing1 suo1 niao4}, secure essence and reduce urination
固經丸 {gu4 jing1 wan2}, 方名 Menses-Securing Pill
固精止汗 {gu4 jing1 zhi3 han4}, secure essence and check sweating
固經止血 {gu4 jing1 zhi3 xue4}, secure the channels to staunch bleeding
固脬縮尿 {gu4 pao1 suo1 niao4}, secure the bladder and reduce urine
固脬湯 {gu4 pao1 tang1}, 方名 Bladder-Securing Decoction
固脬丸 {gu4 pao1 wan2}, 方名 Bladder-Securing Pill
固皮表 {gu4 pi2 biao3}, secure the skin and exterior
固澀 {gu4 se4}, securing and astriction
固澀法 {gu4 se4 fa3}, securing and astriction
固澀小便 {gu4 se4 xiao3 bian4}, secure urine
固澀藥 {gu4 se4 yao4}, securing astringent medicinal
固攝 {gu4 she4}, securing and containing
固攝止血 {gu4 she4 zhi3 xue4}, staunching bleeding by astriction
固腎 {gu4 shen4}, secure the kidney
固腎澀精 {gu4 shen4 se4 jing1}, secure the kidney and astringe essence
固胎 {gu4 tai1}, secure the fetus
固脫 {gu4 tuo1}, stem desertion
固下元 {gu4 xia4 yuan2}, secure the lower origin
固陰煎 {gu4 yin1 jian1}, 方名 Yin1-Securing Brew; Yin1-Securing Brew
固真湯 {gu4 zhen1 tang1}, 方名 True-Securing Decoction
固真丸 {gu4 zhen1 wan2}, 方名 True-Securing Pill
固陣 {gu4 zhen4}, securing array

【故】 {gu4} [Freq. 4] former; therefore.
故芷 {gu4 zhi3}, 中藥異名 psoralea (Psoraleae Fructus)

故紙 {gu4 zhi3}, 中藥異名 psoralea (Psoraleae Fructus) (Oroxyli Semen); 中藥異名 oroxylum

【痼】 {gu4} [Freq. 3] intractable (disease).
痼疾 {gu4 ji2}, intractable disease
痼冷 {gu4 leng3}, intractable cold

~~ {gua1} ~~
【瓜】 {gua1} [Freq. 3] gourd.
瓜瓣 {gua1 ban4}, 中藥異名 wax gourd seed (Benincasae Semen) (Trichosanthis Semen); 中藥異名 trichosanthes seed
瓜蒂 {gua1 di4}, 中藥正名 melon stalk (Melonis Pedicellus)
瓜蒂散 {gua1 di4 san3}, 方名 Melon Stalk Powder
瓜蒂神妙散 {gua1 di4 shen2 miao4 san3}, 方名 Melon Stalk Wonder Powder
瓜丁 {gua1 ding1}, 中藥異名 melon stalk (Melonis Pedicellus)
瓜丁散 {gua1 ding1 san3}, 方名 Melon Pedicel Powder
瓜馥木 {gua1 fu4 mu4}, 中藥正名 Oldham's fissistigma root (Fissistigmatis Oldhamii Radix)
瓜蔞根 {gua1 lou2 gen1}, 中藥異名 trichosanthes root (Trichosanthis Radix)
瓜蔞桂枝湯 {gua1 lou2 gui4 zhi1 tang1}, 方名 Trichosanthes and Cinnamon Twig Decoction
瓜蔞莖葉 {gua1 lou2 jing1 ye4}, 中藥正名 trichosanthes stem and leaf (Trichosanthis Caulis et Folium)
瓜蔞牛蒡湯 {gua1 lou2 niu2 bang4 tang1}, 方名 Trichosanthes and Arctium Decoction
瓜蔞皮 {gua1 lou2 pi2, 中藥正名 trichosanthes rind (Trichosanthis Pericarpium)
瓜蔞瞿麥丸 {gua1 lou2 qu2 mai4 wan2}, 方名 Trichosanthes and Dianthus Pill
瓜蔞仁 {gua1 lou2 ren2}, 中藥異名 trichosanthes seed (Trichosanthis Semen)
瓜蔞仁霜 {gua1 lou2 ren2 shuang1}, 中藥正名 trichosanthes seed frost (Trichosanthis Seminis Pulvis)
瓜蔞薤白白酒湯 {gua1 lou2 xie4 bai2 bai2 jiu3 tang1}, 方名 Trichosanthes, Chinese Chive, and White Liquor Decoction
瓜蔞薤白半夏湯 {gua1 lou2 xie4 bai2 ban4 xia4 tang1}, 方名 Trichosanthes, Chinese Chive, and Pinellia Decoction
瓜蔞枳實湯 {gua1 lou2 zhi3 shi2 tang1}, 方名 Trichosanthes and Unripe Bitter Orange Decoction
瓜蔞子 {gua1 lou2 zi3, 中藥正名 trichosanthes seed (Trichosanthis Semen)
瓜蔞 {gua1 lou2, 中藥正名 trichosanthes (Trichosanthis Fructus)
瓜呂根 {gua1 lu93 gen1}, 中藥異名 trichosanthes root (Trichosanthis Radix)
瓜絡 {gua1 luo4}, 中藥異名 loofah (Luffae Fructus Retinervus)

瓜仁 {gua1 ren2}, 中藥異名 trichosanthes seed (Trichosanthis Semen)
瓜藤纏 {gua1 teng2 chan2}, twinding gourd stem
瓜犀 {gua1 xi1}, 中藥異名 wax gourd seed (Benincasae Semen)
瓜香草 {gua1 xiang1 cao3}, 中藥異名 agrimony (Agrimoniae Herba)
瓜仔脯 {gua1 zai3 fu3}, 中藥異名 green pickled melon (Cucumeris Conomonis Salsamen Viride)
瓜子 {gua1 zi3}, 中藥異名 wax gourd seed (Benincasae Semen)
瓜子菜 {gua1 zi3 cai4}, 中藥異名 purslane (Portulacae Herba)
瓜子鯧 {gua1 zi3 chang1}, 中藥正名 Japanese butter fish (Psenopsis Anomale)
瓜子金 {gua1 zi3 jin1}, 中藥正名 Japanese polygala (Polygalae Japonicae Herba seu Radix)

【刮】 {gua1} [Freq. 3] scrape; shave.
刮丹皮 {gua1 dan1 pi2}, 中藥異名 shaved moutan (Moutan Radicis Cortex Rasus)
刮筋板 {gua1 jin1 ban3}, 中藥正名 excoecaria (Excoecariae Arbor)
刮痧 {gua1 sha1}, sand scraping; guasha
刮痧療法 {gua1 sha1 liao3 fa3}, sand scraping therapy; gua1sha1 therapy
刮針 {gua1 shen1}, needle scratching
刮針 {gua1 zhen1}, needle scratching

【栝】 {gua1} [Freq. 4] plant name.
栝樓 {gua1 lou2}, 中藥異名 trichosanthes (Trichosanthis Fructus)
栝樓粉 {gua1 lou2 fen3}, 中藥異名 trichosanthes root (Trichosanthis Radix)
栝樓根 {gua1 lou2 gen1}, 中藥異名 trichosanthes root (Trichosanthis Radix)
栝樓仁 {gua1 lou2 ren2}, 中藥異名 trichosanthes seed (Trichosanthis Semen)
栝蔞仁 {gua1 lou2 ren2}, 中藥異名 trichosanthes seed (Trichosanthis Semen)
栝仁 {gua1 ren2}, 中藥異名 trichosanthes seed (Trichosanthis Semen)

~~ {gua4} ~~
【挂】 {gua4} [Freq. 4] coat.
挂衣 {gua4 yi1}, coating (of a pill)

【掛】 {gua4} [Freq. 4] hang.
掛鉤藤 {gua4 gou1 teng2}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)
掛金燈 {gua4 jin1 deng1}, 中藥異名 lantern plant calyx (Physalis Calyx seu Fructus)
掛線法 {gua4 xian4 fa3}, threaded ligation (method of treatment in external medicine)
掛線療法 {gua4 xian4 liao2 fa3}, threaded ligation (method of treatment in external medicine)
掛衣 {gua4 yi1}, coat (a pill)

~~ {guai1} ~~
【乖】 {guai1} [Freq. 5] disharmonious; perverse (陰陽乖戾 {yin1 yang2 guai1 li4}, perversion of yin1 and yang2)

~~ {guai3} ~~
【&&25C7‖】 {guai3} [Freq. 4] name of reptile

~~ {guai4} ~~
【怪】 {guai4} [Freq. 4] strange.
怪脈 {guai4 mai4}, strange pulse

~~ {guan1} ~~
【官】 {guan1} [Freq. 2] office (n.), official (n.) (脾胃者倉廩之官 {pi2 wei4 zhe3 cang1 lin3 zhi1 guan1}, the spleen and stomach hold the office (are the official of) the granaries); office.
官桂 {guan1 gui4}, 中藥正名 quilled cinnamon (Cinnamomi Cortex Tubiformis)

【冠】 {guan1} [Freq. 4] crown; coronary.
冠狀動脈旁路手術 {guan1 dong4 mai4 pang2 lu4 shou3 shu4}, 西醫 coronary bypass
冠果草 {guan1 guo3 cao3}, 中藥正名 lophocarpus (Lophotocarpi Herba)
冠心病 {guan1 xin1 bing4}, 西醫 coronary heart disease
冠心二號 {guan1 xin1 er4 hao4}, 方名 Coronary No.~2
冠心蘇合丸 {guan1 xin1 su1 he2 wan2}, 方名 Coronary Storax Pill
冠心一號 {guan1 xin1 yi1 hao4}, 方名 Coronary No.~1
冠狀動脈粥樣硬化性心臟病 {guan1 zhong4 dong4 mai4 zhou1 yang4 ying4 hua4 xing4 xin1 zang4 bing4}, 西醫 coronary atherosclerotic heart disease

【關】 {guan1} [Freq. 2] gate (n.) (四關 {si4 guan1}, the four gates); pass (n.) (as in ``mountain pass." 喉關 {hou4 guan1}, throat pass); bar (n.) (寸關尺 {cun4 guan1 chi3}, inch, bar, and cubit; 風關 {feng1 guan1}, wind bar).
關白附 {guan1 bai2 fu4}, 中藥正名 Korean aconite (Aconiti Coreani Radix)
關柏 {guan1 bai3}, 中藥異名 Eastern phellodendron (Phellodendri Cortex *Orientalis)
關沖 {guan1 chong1}, 腧穴正名 TB-1 (Passage Hub)
關刺 {guan1 ci4}, joint needling (one of the five needling methods) (one of the five needling

methods); articular needling
關刀豆 {guan1 dao1 dou4}, 中藥異名 sword bean (Canavaliae Semen)
關防風 {guan1 fang2 feng1}, 中藥異名 eastern saposhnikovia (Saposhnikoviae Radix *Orientalis)
關格 {guan1 ge2}, block and repulsion
關黃柏 {guan1 huang2 bai3}, 中藥異名 Eastern phellodendron (Phellodendri Cortex *Orientalis)
關節 {guan1 jie2}, joint; articular; joint
關節變形 {guan1 jie2 bian4 xing2}, deformed joints; deformed joints
關節紅腫 {guan1 jie2 hong2 zhong3}, redness and swelling of joints
關節強硬 {guan1 jie2 jiang4 ying4}, stiffness of the joints
關節結核 {guan1 jie2 jie2 he2}, 西醫 joint tuberculsosis
關節扭傷 {guan1 jie2 niu3 shang1}, sprain
關節強硬性脊椎炎 {guan1 jie2 qiang2 ying4 xing4 ji3 zhui1 yan2}, 西醫 ankylosing spondylitis
關節疼痛 {guan1 jie2 teng2 tong4}, joint pain
關節炎 {guan1 jie2 yan2}, 西醫 arthritis
關節腫痛 {guan1 jie2 zhong3 tong4}, painful swollen joints
關梁 {guan1 liang2}, 腧穴異名 BL-63 (Gate Beam)
關陵 {guan1 ling2}, 腧穴異名 GB-33 (Joint Mound)
關脈 {guan1 mai4}, bar pulse
關門 {guan1 men2}, 腧穴正名 ST-22 (Pass Gate)
關門不利 {guan1 men2 bu4 li4}, [water] gate failing to open
關木通 {guan1 mu4 tong1}, 中藥正名 Manchurian aristolochia (Aristolochiae Manshurensis Caulis)
關內 {guan1 nei4}, region within the pass
關上 {guan1 shang4}, bar (pulse)
關兔 {guan1 tu4}, 腧穴正名 Pass Rabbit
關外 {guan1 wai4}, region outside the pass
關陽 {guan1 yang2}, 腧穴異名 GB-33 (Joint Yang2)
關陰 {guan1 yin1}, blocked yin1
關元 {guan1 yuan2}, 腧穴正名 CV-4 (Pass Head)
關原 {guan1 yuan2}, 腧穴異名 CV-4 (Source Pass)
關元俞 {guan1 yuan2 shu1}, 腧穴正名 BL-26 (Pass Head Transport)

【觀】 {guan1} [Freq. 4] view.
觀神色 {guan1 shen2 se4}, inspect spirit and complexion
觀音蓮 {guan1 yin1 lian2}, 中藥正名 Hancock's microsorium (Microsorii Dilatati Herba)

觀音柳 {guan1 yin1 liu3}, 中藥異名 tamarisk (Tamaricis Cacumen)
觀音莧 {guan1 yin1 xian4}, 中藥正名 purple gynura (Gynurae Bicoloris Herba)
觀音莧根 {guan1 yin1 xian4 gen1}, 中藥正名 purple gynura root (Gynurae Bicoloris Radix)

~~ {guan3} ~~
【管】 {guan3} [Freq. 4] tube; manage; surname.
管黃 {guan3 huang2}, 中藥正名 duct bezoar (Bovis Ducti Biliferi Bezoar)
管針 {guan3 zhen1}, tube needling
管針進針法 {guan3 zhen1 jin4 zhen1 fa3}, tube insertion
管仲湯 {guan3 zhong4 tang1}, 方名 Aspidium Decoction

【脘】 {guan3} [Freq. 2] stomach duct (n.) (see {wan3} 脘)

~~ {guan4} ~~
【貫】 {guan4} [Freq. 3] pass through.
貫菜連翹 {guan4 cai4 lian2 qiao4}, 中藥正名 klamath weed (Hyperici Perforati Herba (cum Radice))
貫來 {guan4 lai2}, 中藥異名 aspidium (Aspidii Rhizoma)
貫芎 {guan4 xiong1}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)
貫中 {guan4 zhong1}, 中藥異名 aspidium (Aspidii Rhizoma)
貫鍾 {guan4 zhong1}, 中藥異名 aspidium (Aspidii Rhizoma)
貫眾 {guan4 zhong4}, 中藥正名 aspidium (Aspidii Rhizoma)

【灌】 {guan4} [Freq. 4] pour into.
灌腸療法 {guan4 chang2 liao2 fa3}, enema therapy
灌藥 {guan4 yao4}, pour in medicine (as in unconscious patients with clenched jaw)

【罐】 {guan4} [Freq. 5] container; cup (拔火罐 {ba2 huo3 guan4}, cupping)

【鸛】 {guan4} [Freq. 4] stork.
鸛骨 {guan4 gu3}, 中藥正名 stork's bones (Ciconiae Os)
鸛口疽 {guan4 kou3 ju1}, stork's bill flat-abscess
鸛肉 {guan4 rou4}, 中藥正名 stork's flesh (Ciconiae Caro)

~~ {guang1} ~~

【光】 {guang1} [Freq. 2] light (adj.) (惡光羞明 {wu4 guang1 xiu1 ming2}, aversion to light); bare (adj.) (光剝舌 {guang1 bo1 she2}, tongue peeled bare of fur).
光板貓葉草 {guang1 ban3 mao1 ye4 cao3}, 中藥正名 large-leaved stonecrop (Sedi Drymarioidis Folium seu Herba)
光剝舌 {guang1 bo1 she2}, tongue peeled bare of fur; completely peeled tongue fur
光彩 {guang1 cai3}, 腧穴正名 Luster
光慈姑 {guang1 ci2 gu1}, 中藥正名 Chinese tulip bulb (Tulipae Edulis Tuber)
光紅柔嫩舌 {guang1 hong2 rou2 nen4 she2}, tender-soft bare red tongue
光滑舌 {guang1 hua2 she2}, smooth bare tongue
光連 {guang1 lian2}, 中藥異名 Si4chuan1 coptis (Coptidis Rhizoma *Sichuanense)
光明 {guang1 ming2}, 腧穴正名 GB-37 (Bright Light)
光明丹 {guang1 ming2 dan1}, 方名 Bright and Glorious Elixir
光明鹽 {guang1 ming2 yan2}, 中藥正名 crystal salt (Sal Crystallinus)
光明子 {guang1 ming2 zi3}, 中藥異名 basil seed (Basilici Fructus)
光藕節 {guang1 ou3 jie2}, 中藥異名 lotus root node (Nelumbinis Rhizomatis Nodus)
光旁 {guang1 pang2}, 中藥異名 lotus root (Nelumbinis Rhizoma)
光三稜 {guang1 san1 leng2}, 中藥異名 sparganium (Sparganii Rhizoma)
光桃仁 {guang1 tao2 ren2}, 中藥異名 peach kernel (Persicae Semen)
光葉巴豆 {guang1 ye4 ba1 dou4}, 中藥正名 smooth-leaved croton (Crotonis Laevigati Radix seu Folium)
光葉水蘇 {guang1 ye4 shui3 su1}, 中藥正名 hedge nettle (Stachydis Palustris Radix seu Herba)
光瑩舌 {guang1 ying2 she2}, bare lustrous tongue

【胱】 {guang1} [Freq. 5] bladder (n.) (膀胱 {pang2 guang1}, bladder)

【桄】 {guang1} [Freq. 4] gomuti.
桄榔麵 {guang1 lang2 mian4}, 中藥正名 gomuti starch (Arengae Amylum)
桄榔子 {guang1 lang2 zi2}, 中藥正名 gomuti fruit (Arengae Fructus)

~~ {guang3} ~~
【廣】 {guang3} [Freq. 4] broad; short for 廣東 Guang3dong1 (and loosely the south of China).
廣腸 {guang3 chang2}, rectum
廣陳皮 (1) {guang3 chen2 pi2}, 中藥正名 southern tangerine peel (Citri Reticulatae Pericarpium *Australe)
廣陳皮 (2) {guang3 chen2 pi2}, 中藥異名 mandarin peel (Citri Chachiensis seu Suavissimae Pericarpium)

廣東金錢草 {guang3 dong1 jin1 qian2 cao3}, 中藥正名 desmodium (Desmodii Ramulus et Folium)
廣東涼茶 {guang3 dong1 liang2 cha2}, 方名 Cantonese Cool Tea
廣東人參 {guang3 dong1 ren2 shen1}, 中藥異名 American ginseng (Panacis Quinquefolii Radix)
廣東商陸 {guang3 dong1 shang1 lu4}, 中藥異名 crape ginger (Costi Rhizoma)
廣東升麻 {guang3 dong1 sheng1 ma2}, 中藥正名 serratula (Serratulae Radix)
廣東土牛膝 {guang3 dong1 tu3 niu2 xi1}, 中藥正名 Chinese eupatorium (Eupatorii Chinensis Radix)
廣東萵苣 {guang3 dong1 wo1 ju4}, 中藥正名 curled lettuce (Lactucae Crispae Herba)
廣豆根 {guang3 dou4 gen1}, 中藥異名 bushy sophora (Sophorae Tonkinensis Radix)
廣泛抗菌作用 {guang3 fan4 kang4 jun1 zuo4 yong4}, 西醫 broad antibacterial effect
廣防己 {guang3 fang2 ji3}, 中藥正名 southern fangji (Aristolochiae Fangchi Radix)
廣藿香 {guang3 huo4 xiang1}, 中藥正名 patchouli (Pogostemonis Herba)
廣寄生 {guang3 ji4 sheng1}, 中藥異名 southern mistletoe (Loranthi Ramus)
廣口玻璃瓶 {guang3 kou3 bo1 li2 ping2}, glass jar
廣明 {guang3 ming2}, broad and bright (anterosuperior region of the body)
廣木香 {guang3 mu4 xiang1}, 中藥正名 costusroot (Aucklandiae Radix)
廣溫疫論 {guang3 wen1 yi4 lun4}, 書名 On Warm Epidemics Expanded (1722 (Qing1), Dai4 Tian1-Zhang1 戴天章)
廣鬱金 {guang3 yu4 jin1}, 中藥正名 southern curcuma (Curcumae Radix *Australis)
鬼擊 {gui1 ji1}, attack by demons

~~ {gui1} ~~
【龜】 {gui1} [Freq. 2] tortoise (n.) (龜頭 {gui1 tou2}, tortoise's head (glans penis)).
龜柏薑梔丸 {gui1 bai3 jiang1 zhi1 wan2}, 方名 Tortoise Shell, Phellodendron, Ginger, and Gardenia Pill
龜版膠 {gui1 ban3 jiao1}, 中藥正名 tortoise plastron glue (Testudinis Plastri Gelatinum)
龜板湯 {gui1 ban3 tang1}, 方名 Tortoise Shell Decoction
龜版 {gui1 ban3, 中藥正名 tortoise plastron (Testudinis Plastrum)
龜背 {gui1 bei4}, tortoise back; hunchback
龜背痰 {gui1 bei4 tan2}, tortoise-back phlegm (type of sore)
龜鞭 {gui1 bian1}, 中藥正名 tortoise genitals (Testudinis Partes Genitales)
龜膽汁 {gui1 dan3 zhi1}, 中藥正名 tortoise bile (Testudinis Bilis*)
龜底甲 {gui1 di3 jia3}, 中藥異名 tortoise plastron (Testudinis Plastrum)
龜腹甲 {gui1 fu4 jia3}, 中藥異名 tortoise plastron (Testudinis Plastrum)
龜甲 {gui1 jia3}, 中藥異名 tortoise plastron (Testudinis Plastrum) (Testudinis Carapax et

Plastrum); 中藥正名 tortoise shell
龜鹿二仙膏 {gui1 lu4 er4 xian1 gao1}, 方名 Immortal Tortoise Shell and Deerhorn Glue Paste
龜鹿二仙膠 {gui1 lu4 er4 xian1 jiao1}, 方名 Tortoise Shell and Deerhorn Two Immortals Glue
龜鹿參杞膠 {gui1 lu4 shen1 qi3 jiao1}, 方名 Tortoise Shell, Deerhorn, Ginseng, and Lycium Berry Glue
龜殼 {gui1 qiao4 (ke2)}, 中藥異名 tortoise plastron (Testudinis Plastrum)
龜肉 {gui1 rou4}, 中藥正名 tortoise meat (Testudinis Caro*)
龜樗丸 {gui1 shu1 wan2}, 方名 Tortoise Shell and Ailanthus Bark Pill
龜筒 {gui1 tong2}, 中藥異名 tortoise plastron (Testudinis Plastrum)
龜頭 {gui1 tou2}, tortoise's head (glans penis); glans penis; glans penis
龜頭癰 {gui1 tou2 yong1}, tortoise's head welling-abscess
龜尾 {gui1 wei3}, 腧穴異名 GV-1 (Tortoise Tail)
龜尾長疆 {gui1 wei3 chang2 jiang1}, 腧穴異名 GV-1 (Tortoise Tail Long Border)
龜下甲 {gui1 xia1 jia3}, 中藥異名 tortoise plastron (Testudinis Plastrum)
龜胸 {gui1 xiong1}, pigeon chest
龜血 {gui1 xue4}, 中藥正名 tortoise blood (Testudinis Sanguis*)

【歸】 {gui1} [Freq. 2] return (v.) (引火歸原 {yin3 huo3 gui1 yuan2}, return fire to its source).
歸地二陳湯 {gui1 di4 er4 chen2 tang1}, 方名 Chinese Angelica and Rehmannia Two Matured Ingredients Decoction
歸葛湯 {gui1 ge2 tang1}, 方名 Chinese Angelica and Pueraria Decoction
歸擠法 {gui1 ji3 fa3}, total pressing
歸腳 {gui1 jiao3}, 中藥異名 tangkuei tail (Angelicae Sinensis Radicis Extremitas)
歸經 {gui1 jing1}, channel entry
歸來 {gui1 lai2}, 腧穴正名 ST-29 (Return)
歸脾湯 {gui1 pi2 tang1}, 方名 Spleen-Returning Decoction
歸&&82AA.8006‖建中湯 {gui1 qi2 jian4 zhong1 tang1}, 方名 Chinese Angelica and Astragalus Center-Fortifying Decoction
歸芍地黃湯 {gui1 shao2 di4 huang2 tang1}, 方名 Chinese Angelica, Peony, and Rehmannia Decoction
歸芍紅花散 {gui1 shao2 hong2 hua1 san3}, 方名 Chinese Angelica, Peony, and Carthamus Powder
歸芍六君丸 {gui1 shao2 liu4 jun1 wan2}, 方名 Chinese Angelica and Peony Six Gentlemen Pill
歸身 {gui1 shen1}, 中藥異名 tangkuei body (Angelicae Sinensis Radicis Corpus)
歸頭 {gui1 tou2}, 中藥異名 tangkuei head (Angelicae Sinensis Radicis Caput)
歸腿 {gui1 tui3}, 中藥異名 tangkuei tail (Angelicae Sinensis Radicis Extremitas)
歸尾 {gui1 wei3}, 中藥異名 tangkuei tail (Angelicae Sinensis Radicis Extremitas)

~~ {gui3} ~~

【癸】 {gui3} [Freq. 3] tenth heavenly stem; S10.

癸水 {gui3 shui3}, S10-water (the kidney)

【鬼】 {gui3} [Freq. 2] ghost (n.) (十三鬼穴{shi2 san1 gui3 xue2}, the thirteen ghost points).

鬼藏 {gui3 cang2}, 腧穴異名 CV-1 (Ghost Store)

鬼臣 {gui3 chen2}, 腧穴異名 LI-11 (Ghost Minister)

鬼丑 {gui3 chou3}, 中藥異名 kansui (Kansui Radix)

鬼床 {gui3 chuang3}, 腧穴異名 ST-4 (Ghost Bed) (Ghost Bed); 腧穴異名 ST-6

鬼燈籠 {gui3 deng1 long2}, 中藥正名 devil's lantern (Clerodendri Fortunati Ramus)

鬼燈籠根 {gui3 deng1 long2 gen1}, 中藥正名 devil's lantern root (Clerodendri Fortunati Radix seu Radicis Cortex)

鬼點燈 {gui3 dian3 deng1}, 中藥正名 tender bothriospermum (Bothriospermi Tenelli Herba)

鬼督郵 {gui3 du1 you2}, 中藥異名 gastrodia (Gastrodiae Rhizoma)

鬼封 {gui3 feng1}, 腧穴異名 Ghost Seal

鬼蓋 {gui3 gai4}, 中藥正名 coprinus (Coprinus)

鬼宮 {gui3 gong1}, 腧穴異名 GV-26 (Ghost Palace)

鬼擊 {gui3 ji1}, attack by ghosts or demons

鬼箭錦雞兒 {gui3 jian4 jin3 ji1 er2}, 中藥正名 maned pea tree (Caraganae Jubatae Cortex, Caulis et Folium)

鬼箭羽 {gui3 jian4 yu3}, 中藥正名 spindle tree wings (Euonymi Ramulus)

鬼臼 {gui3 jiu4}, 中藥正名 common dysosma (Dysosmae Versipellis Rhizoma)

鬼臼葉 {gui3 jiu4 ye4}, 中藥正名 common dysosma leaf (Dysosmae Versipellis Folium)

鬼客廳 {gui3 ke4 ting1}, 腧穴異名 GV-26 (Ghost Reception Room)

鬼窟 {gui3 ku1}, 腧穴異名 PC-8 (Ghost Cave)

鬼壘 {gui3 lei3}, 腧穴異名 SP-1 (Ghost Pile)

鬼臉升麻 {gui3 lian3 sheng1 ma2}, 中藥異名 cimicifuga (Cimicifugae Rhizoma)

鬼林 {gui3 lin2}, 腧穴異名 GV-16 (Ghost Forest) (Ghost Forest); 腧穴異名 ST-6

鬼路 {gui3 lu4}, 腧穴異名 BL-62 (Ghost Road) (Ghost Road); 腧穴異名 PC-5 (Ghost Road); 腧穴異名 PC-8

鬼饅頭 {gui3 man2 tou2}, 中藥異名 creeping fig fruit (Fici Pumilae Flos)

鬼門 {gui3 men2}, ghost gate (pore) (Ghost Gate); 腧穴異名 GV-22

鬼目 {gui3 mu4}, 中藥正名 climbing nightshade fruit (Solani Lyrati Fructus)

鬼球 {gui3 qiu2}, 中藥異名 creeping fig fruit (Fici Pumilae Flos)

鬼神 {gui3 shen2}, ghost spirit

鬼蝨 {gui3 shi1}, 中藥異名 carpesium seed (Carpesii Fructus)

鬼石狗公 {gui3 shi2 gou3 gong1}, 中藥正名 scorpion fish (Sebasticus Cirrhosa)
鬼市 {gui3 shi4}, 腧穴異名 CV-24 (Ghost Market) (Ghost Market); 腧穴異名 GV-26
鬼舐頭 {gui3 shi4 tou2}, demon-licked head
鬼受 {gui3 shou4}, 腧穴異名 LU-5 (Ghost Endurance)
鬼堂 {gui3 tang2}, 腧穴異名 GV-23 (Ghost Hall) (Ghost Hall); 腧穴異名 LU-5
鬼頭刀 {gui3 tou2 dao1}, 中藥正名 dolphinfish (Coryphaena Hippurus)
鬼腿 {gui3 tui3}, 腧穴異名 LI-11 (Ghost Leg)
鬼邪 {gui3 xie2}, 腧穴異名 LI-10 (Ghost Evil) (Ghost Evil); 腧穴異名 ST-36
鬼心 {gui3 xin1}, 腧穴異名 LU-10 (Ghost Heart) (Ghost Heart); 腧穴異名 PC-7
鬼信 {gui3 xin4}, 腧穴異名 LU-11 (Ghost Sincerity)
鬼穴 {gui3 xue2}, ghost point (Ghost Hole); 腧穴異名 GV-16
鬼眼 {gui3 yan3}, 腧穴異名 SP-1 (Ghost Eye)
鬼語 {gui3 yu3}, ghost talk
鬼羽箭 {gui3 yu3 jian4}, 中藥正名 buchnera (Buchnerae Herba)
鬼針草 {gui3 zhen1 cao3}, 中藥正名 Spanish needles (Bidentis Bipinnatae Herba)
鬼枕 {gui3 zhen3}, 腧穴異名 GV-16 (Ghost Pillow)
鬼注 {gui3 zhu4}, demonic influx

【規】 {gui3} [Freq. 5] compasses (device for drawing circles. 春應中規 {chun1 ying4 zhong4 gui1}, [in] spring [the pulse] responds like compasses)

~~ {gui4} ~~
【桂】 {gui4} [Freq. 4] cinnamon.
桂丁 {gui4 ding1}, 中藥正名 cinnamon fruit (Cinnamomi Fructus)
桂附八味丸 {gui4 fu4 ba1 wei4 wan2}, 方名 Cinnamon Bark and Aconite Eight-Ingredient Pill
桂附理中湯 {gui4 fu4 li3 zhong1 tang1}, 方名 Cinnamon and Aconite Center-Rectifying Decoction
桂花 {gui4 hua1}, 中藥正名 osmanthus flower (Osmanthi Flos)
桂花跌打 {gui4 hua1 die1 da3}, 中藥正名 eriosolena (Eriosolenae Frutex)
桂花露 {gui4 hua1 lu4}, 中藥正名 osmanthus distillate (Osmanthi Floris Distillatum)
桂花子 {gui4 hua1 zi3}, 中藥正名 osmanthus fruit (Osmanthi Fructus)
桂薑棗草黃辛附湯 {gui4 jiang1 zao3 cao3 huang2 xin1 fu4 tang1}, 方名 Cinnamon Twig, Ginger, Jujube, Licorice, Ephedra, Asarum, and Aconite Decoction
桂漿粥 {gui4 jiang1 zhou1}, 方名 Sweet Cinnamon Gruel
桂苓甘露飲 {gui4 ling2 gan1 lu4 yin3}, 方名 Cinnamon and Poria Sweet Dew Beverage
桂麻各半湯 {gui4 ma2 ge4 ban4 tang1}, 方名 Cinnamon Twig and Ephedra Half-and-Half Decoction

桂木干 {gui4 mu4 gan1}, 中藥正名 Lingnan artocarpus (Artocarpi Lingnanensis Fructus)
桂皮 {gui4 pi2}, 中藥正名 thin cinnamon bark (Cinnamomi Cortex Tenuis)
桂麝散 {gui4 she4 san3}, 方名 Cinnamon Twig and Musk Powder
桂樹根 {gui4 shu4 gen1}, 中藥正名 osmanthus root (bark) (Osmanthi Radix seu Radicis Cortex)
桂通 {gui4 tong1}, 中藥異名 quilled cinnamon (Cinnamomi Cortex Tubiformis)
桂心 {gui4 xin1}, 中藥正名 shaved cinnamon bark (Cinnamomi Cortex Rasus)
桂葉素馨 {gui4 ye4 su4 xin1}, 中藥正名 laurel-leaved jessamine (Jasmini Laurifolii Herba)
桂圓 {gui4 yuan2}, 中藥異名 longan flesh (Longan Arillus)
桂圓肉 {gui4 yuan2 rou4}, 中藥異名 longan flesh (Longan Arillus)
桂枝二越婢一湯 {gui4 zhi1 er4 yue4 bi4 yi1 tang1}, 方名 Two Parts Cinnamon Twig and One Part Spleen-Effusing Decoction
桂枝茯苓丸 {gui4 zhi1 fu2 ling2 wan2}, 方名 Cinnamon Twig and Poria Pill
桂枝茯苓丸加薏苡仁 {gui4 zhi1 fu2 ling2 wan2 jia1 yi4 yi3 ren2}, 方名 Cinnamon Twig and Poria Pill Plus Coix
桂枝附子湯 {gui4 zhi1 fu4 zi3 tang1}, 方名 Cinnamon Twig and Aconite Decoction
桂枝甘草龍骨牡蠣湯 {gui4 zhi1 gan1 cao3 long2 gu3 mu3 li4 tang1}, 方名 Cinnamon Twig, Licorice, Dragon Bone, and Oyster Shell Decoction
桂枝甘草湯 {gui4 zhi1 gan1 cao3 tang1}, 方名 Cinnamon Twig and Licorice Decoction
桂枝加大黃湯 {gui4 zhi1 jia1 da4 huang2 tang1}, 方名 Cinnamon Twig Decoction Plus Rhubarb
桂枝加當歸湯 {gui4 zhi1 jia1 dang1 gui1 tang1}, 方名 Cinnamon Twig Decoction Plus Chinese Angelica
桂枝加附子湯 {gui4 zhi1 jia1 fu4 zi3 tang1}, 方名 Cinnamon Twig Decoction Plus Aconite
桂枝加葛根湯 {gui4 zhi1 jia1 ge2 gen1 tang1}, 方名 Cinnamon Twig Decoction Plus Pueraria
桂枝加桂湯 {gui4 zhi1 jia1 gui4 tang1}, 方名 Cinnamon Twig Decoction With Extra Cinnamon
桂枝加厚朴杏仁湯 {gui4 zhi1 jia1 hou4 po4 xing4 ren2 tang1}, 方名 Cinnamon Twig Decoction Plus Officinal Magnolia Bark and Apricot Kernel
桂枝加黃&&82AA.8006‖湯 {gui4 zhi1 jia1 huang2 qi2 tang1}, 方名 Cinnamon Twig Decoction Plus Astragalus
桂枝加苓朮附湯 {gui4 zhi1 jia1 ling2 zhu2 fu4 tang1}, 方名 Cinnamon Twig Decoction Plus Poria, Atractylodes, and Aconite Decoction
桂枝加龍骨牡蠣湯 {gui4 zhi1 jia1 long2 gu3 mu3 li4 tang1}, 方名 Cinnamon Twig Decoction Plus Dragon Bone and Oyster Shell
桂枝加芍藥大黃湯 {gui4 zhi1 jia1 shao2 yao4 da4 huang2 tang1}, 方名 Cinnamon Twig Decoction Plus Peony and Rhubarb; Cinnamon Twig Decoction Plus Peony and Rhubarb
桂枝加芍藥生薑人參湯 {gui4 zhi1 jia1 shao2 yao4 sheng1 jiang1 ren2 shen1 tang1}, 方名

Cinnamon Twig Decoction Plus Peony, Fresh Ginger, and Ginseng Decoction
桂枝加芍藥湯 {gui4 zhi1 jia1 shao2 yao4 tang1}, 方名 Cinnamon Twig Decoction Plus Peony
桂枝加芍藥知母湯 {gui4 zhi1 jia1 shao2 yao4 zhi1 mu3 tang1}, 方名 Cinnamon Twig Decoction Plus Peony and Anemarrhena Decoction
桂枝加朮附湯 {gui4 zhi1 jia1 zhu2 fu4 tang1}, 方名 Cinnamon Twig Decoction Plus White Atractylodes and Aconite
桂枝救逆湯 {gui4 zhi1 jiu4 ni4 tang1}, 方名 Cinnamon Twig Counterflow-Stemming Decoction
桂枝龍骨牡蠣湯 {gui4 zhi1 long2 gu3 mu3 li4 tang1}, 方名 Cinnamon Twig, Dragon Bone, and Oyster Shell Decoction
桂枝麻黃各半湯 {gui4 zhi1 ma2 huang2 ge4 ban4 tang1}, 方名 Cinnamon Twig and Ephedra Half-and-Half Decoction
桂枝去桂加茯苓白朮湯 {gui4 zhi1 qu4 gui4 jia1 fu2 ling2 bai2 zhu2 tang1}, 方名 Cinnamon Twig Decoction Minus Peony Plus Aconite
桂枝去芍藥加附子湯 {gui4 zhi1 qu4 shao2 yao4 jia1 fu4 zi3 tang1}, 方名 Cinnamon Twig Decoction Minus Peony Plus Aconite
桂枝去芍藥加蜀漆龍骨牡蠣救逆湯 {gui4 zhi1 qu4 shao2 yao4 jia1 shu3 qi1 long gu3 mu3 li4 jiu4 ni4 tang1}, 方名 Cinnamon Twig Minus Peony Plus Dichroa Leaf, Dragon Bone, Oyster Shell Counterflow Decoction
桂枝去芍藥湯 {gui4 zhi1 qu4 shao2 yao4 tang1}, 方名 Cinnamon Twig Decoction Minus Peony
桂枝人參湯 {gui4 zhi1 ren2 shen1 tang1}, 方名 Cinnamon Twig and Ginseng Decoction
桂枝芍藥知母湯 {gui4 zhi1 shao2 yao4 zhi1 mu3 tang1}, 方名 Cinnamon Twig, Peony, and Anemarrhena Decoction
桂枝生薑枳實湯 {gui4 zhi1 sheng1 jiang1 zhi3 shi2 tang1}, 方名 Cinnamon Twig, Fresh Ginger, and Unripe Bitter Orange
桂枝湯 {gui4 zhi1 tang1}, 方名 Cinnamon Twig Decoction
桂枝湯證 {gui4 zhi1 tang1 zheng4}, Cinnamon Twig Decoction pattern
桂枝五物湯 {gui4 zhi1 wu3 wu4 tang1}, 方名 Cinnamon Twig Five Agents Decoction
桂枝 {gui4 zhi1, 中藥正名 cinnamon twig (Cinnamomi Ramulus)
桂竹糖芥 {gui4 zhu2 tang2 jie4}, 中藥正名 wormseed mustard (Erysimi Cheiranthoidis Herba)
桂子 {gui4 zi3}, 中藥正名 Japanese cinnamon fruit (Cinnamomi Japonici Fructus)

【貴】 {gui4} [Freq. 4] valuable; noble.
貴老 {gui4 lao3}, 中藥異名 tangerine peel (Citri Reticulatae Pericarpium)
貴要靜脈 {gui4 yao4 jing4 mai4}, 西醫 basilic vein
貴要正中靜脈 {gui4 yao4 zheng4 zhong1 jing4 mai4}, 西醫 median basilic vein
貴重藥 {gui4 zhong4 yao4}, costly medicinal

【檜】 {gui4} [Freq. 4] Chinese juniper.
檜葉 {gui4 ye4}, 中藥正名 Chinese juniper (Sabinae Chinensis Folium)

【鱖】 {gui4} [Freq. 4] mandarin fish.
鱖魚 {gui4 yu2}, 中藥正名 mandarin fish (Sinipercae Caro)
鱖魚膽 {gui4 yu2 dan3}, 中藥正名 mandarin fish gall (Sinipercae Vesica Fellea)

【筀】 {gui4} [Freq. 4] Makino bamboo.
筀筍 {gui4 sun3}, 中藥正名 Makino bamboo shoot (Phyllostachydis Makinoi Surculus)

~~ {gun3} ~~
【滾】 {gun3} [Freq. 4] roll.
滾法 {gun3 fa3}, rolling (manipulation technique)
滾山蟲 {gun3 shan1 chong2}, 中藥正名 glomeris (Glomeris)
滾痰 {gun3 tan2}, roll phlegm
滾痰丸 {gun3 tan2 wan2}, 方名 Phlegm-Rolling Pill

~~ {guo1} ~~
【堝】 {guo1} [Freq. 5] crucible (坩堝 {gan1 guo1}, crucible)

【鍋】 {guo1} [Freq. 4] wok.
鍋巴 (1) {guo1 ba1}, 中藥異名 pot-burnt soy milk (Sojae Lac Usta in Olla)
鍋巴 (2) {guo1 ba1}, 中藥異名 burnt pot rice (Ollae Oryzae Semen Ustum)
鍋粑 {guo1 ba1}, 中藥異名 burnt pot rice (Ollae Oryzae Semen Ustum)
鍋鏟 {guo1 chan3}, spatula
鍋&&7145|{guo1 duan4}, wok calcination
鍋焦 {guo1 jiao1}, 中藥正名 burnt pot rice (Ollae Oryzae Semen Ustum)
鍋焦丸 {guo1 jiao1 wan2}, 方名 Burnt Pot Rice Pill
鍋炙 {guo1 zhi4}, 中藥異名 pot-burnt soy milk (Sojae Lac Usta in Olla)

~~ {guo2} ~~
【國】 {guo2} [Freq. 4] country.
國丹 {guo2 dan1}, 中藥異名 minium (Minium)
國公酒 {guo2 gong1 jiu3}, 方名 Statesman Wine

國家中醫藥管理局 {guo2 jia1 zhong1 yi1 yao4 guan3 li3 ju2}, State Administration of Traditional Chinese Medicine and Pharmacy
國老 {guo2 lao3}, 中藥異名 licorice (Glycyrrhizae Radix)

【膕】 {guo2} [Freq. 5] back of the knee (n.) (popliteal fossa).
膕動脈 {guo2 dong4 mai4}, 西醫 popliteal artery
膕靜脈 {guo2 jing4 mai4}, 西醫 popliteal vein

~~ {guo3} ~~
【果】 {guo3} [Freq. 3] fruit.
果脯 {guo3 fu3}, preserved fruit
果瓜 {guo3 gua1}, 中藥異名 melon (Melonis Fructus)
果宗 {guo3 zong1}, 中藥異名 pear (Pyri Fructus)

【裹】 {guo3} [Freq. 4] wrap; package.
裹簾 {guo3 lian2}, bandage

~~ {guo4} ~~
【過】 {guo4} [Freq. 4] over.
過多 {guo4 duo1}, excessive
過服溫補 {guo4 fu2 wen1 bu3}, excessive consumption of warming and supplementing medicinals
過岡龍 {guo4 gang1 long2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
過崗龍 {guo4 gang3 long2}, 中藥異名 bauhinia stem (Bauhiniae Caulis)
過江龍 (1) {guo4 jiang1 long2}, 中藥正名 flat-leaved ground pine (Lycopodii Complanati Herba)
過江龍 (2) {guo4 jiang1 long2}, 中藥異名 snuffbox bean stem (Entadae Caulis) (Entadae Caulis); 中藥異名 snuffbox bean stem
過江龍子 {guo4 jiang1 long2 zi3}, 中藥正名 bauhinia seed (Bauhiniae Semen)
過經 {guo4 jing1}, channel passage; channel passage delay
過經不解 {guo4 jing1 bu4 jie3}, failing to resolve after channel passage
過路黃 (1) {guo4 lu4 huang2}, 中藥異名 agrimony (Agrimoniae Herba)
過路黃 (2) {guo4 lu4 huang2}, 中藥異名 lysimachia (Lysimachiae Herba (cum Radice))
過羅 {guo4 luo2}, sieve
過敏 {guo4 min3}, 西醫 allergy
過敏性鼻炎 {guo4 min3 xing4 bi2 yan2}, 西醫 allergic rhinitis rhinitis

過敏性鼻炎湯 {guo4 min3 xing4 bi2 yan2 tang1}, 方名 Allergic Rhinitis Decoction
過敏性紫癜 {guo4 min3 xing4 zi3 dian4}, 西醫 allergic purpura
過期飲 {guo4 qi1 yin3}, 方名 Overdue Beverage
過山龍 {guo4 shan1 long2}, 中藥正名 aconite-leaved ampelopsis (Ampelopsis Aconitifoliae Radicis Cortex)
過山青 {guo4 shan1 qing1}, 中藥正名 reinwardtia (Reinwardtiae Ramulus et Folium)
過山消根 {guo4 shan1 xiao1 gen1}, 中藥正名 Blin's embelia (Embeliae Blinii Radix)
過食肥甘 {guo4 shi2 fei2 gan1}, excessive consumption of fatty and sweet foods
過食煎炒 {guo4 shi2 jian1 chao3}, excessive consumption of fried foods
過食生冷 {guo4 shi2 sheng1 leng3}, excessive consumption of raw or cold foods
過食生冷瓜果 {guo4 shi2 sheng1 leng3 gua1 guo3}, excessive consumption of raw or cold foods, gourds, and fruits
過食辛辣 {guo4 shi2 xin1 la4}, excessive consumption of hot-spicy acrid foods
過食辛熱 {guo4 shi2 xin1 re4}, excessive consumption of hot acrid foods
過思傷脾 {guo4 si1 shang1 pi2}, excessive thought damages the spleen
過壇龍 {guo4 tan2 long2}, 中藥正名 fan-leaved maidenhair (Adianti Flabellulati Herba seu Rhizoma)
過塘蛇 {guo4 tang2 she2}, 中藥正名 pond dragon (Jussiaeae Repentis Herba)
過喜傷心 {guo4 xi1 shang1 xin1}, excessive joy damages the heart
過用 {guo4 yong4}, overuse
過早 {guo4 zao3}, prematurely
過早搏動 {guo4 zao3 bo2 dong4}, 西醫 premature beat

== H ==

~~ {ha1} ~~
【哈】 {ha1} [Freq. 4] same as 蛤 {ha2}.
哈蟆油 {ha1 ma2 you2}, 中藥正名 forest frog's uterine tube (Ranae Oviductus)
哈士蟆 {ha1 shi4 ma2}, 中藥正名 forest frog (Rana Temporaria seu Amurensis)

~~ {ha2} ~~
【蛤】 {ha2} [Freq. 4] toad.
蛤蟆漿 {ha2 ma2 jiang1}, 中藥異名 toad venom (Bufonis Venenum)
蛤蟆皮 {ha2 ma2 pi2}, toad skin
蛤蟆酥 {ha2 ma2 su1}, 中藥異名 toad venom (Bufonis Venenum)

【蝦】 {ha2} [Freq. 4] toad (see also 蝦 {xia1}, praw).
蝦蟆瘟 {ha2 ma2 wen1}, toad head scourge
蝦蟆衣子 {ha2 ma2 yi1 zi3}, 中藥異名 plantago seed (Plantaginis Semen)

~~ {hai2} ~~
【孩】 {hai2} [Freq. 4] child.
孩兒草 {hai2 er2 cao3}, 中藥正名 rungia (Rungiae Herba)
孩兒茶 {hai2 er2 cha2}, 中藥異名 cutch (Catechu)
孩兒參 {hai2 er2 shen1}, 中藥異名 pseudostellaria (Pseudostellariae Radix)

【骸】 {hai2} [Freq. 4] bones of the body; bone; skeleton; tibia.
骸關 {hai2 guan1}, knee joint

【還】 {hai2} [Freq. 4] still

~~ {hai3} ~~
【海】 {hai3} [Freq. 2] sea.
海赤芍 {hai3 chi4 shao2}, 中藥異名 sea lavender (Limonii Sinensis Radix seu Herba)
海船果心 {hai3 chuan2 guo3 xin1}, 中藥異名 oroxylum (Oroxyli Semen)
海船皮 {hai3 chuan2 pi2}, 中藥異名 oroxylum (Oroxyli Semen)
海帶 {hai3 dai4}, 中藥正名 eelgrass (Zosterae Marinae Herba)
海帶根 {hai3 dai4 gen1}, 中藥正名 kelp root (Laminariae Japonicae Radix)
海膽 {hai3 dan3}, 中藥正名 sea urchin (Echinoideae Corona)
海底 {hai3 di3}, 腧穴異名 CV-1 (Seabed)
海底癰 {hai3 di3 yong1}, seabed welling-abscess
海粉 {hai3 fen3}, 中藥正名 notarchus filament (Notarchi Filamentum)
海風藤 {hai3 feng1 teng2}, 中藥正名 kadsura pepper stem (Piperis Kadsurae Caulis)
海浮石 {hai3 fu2 shi2}, 中藥正名 costazia bone/pumice (Costaziae Os/Pumex)
海蛤 {hai3 ge2}, 中藥異名 clamshell (Meretricis seu Cyclinae Concha)
海蛤殼 {hai3 ge2 qiao4 (ke2)}, 中藥異名 clamshell (Meretricis seu Cyclinae Concha)
海狗腎 {hai3 gou3 shen4}, 中藥正名 seal's genitals (Callorhini Testes et Penis)
海狗油 {hai3 gou3 you2}, 中藥正名 seal's fat (Phocae Adeps)
海紅 {hai3 hong2}, 中藥正名 flowering crabapple (Mali Micromali Fructus) (Crataegi Fructus); 中藥異名 crataegus
海紅豆 {hai3 hong2 dou4}, 中藥正名 red sandalwood seed (Adenantherae Semen)

海椒 {hai3 jiao1}, 中藥異名 hot pepper (Capsici Fructus)
海金沙 {hai3 jin1 sha1}, 中藥正名 lygodium spore (Lygodii Spora)
海金砂 {hai3 jin1 sha1}, 中藥異名 lygodium spore (Lygodii Spora)
海金沙草 {hai3 jin1 sha1 cao3}, 中藥正名 lygodium (Lygodii Herba)
海金沙根 {hai3 jin1 sha1 gen1}, 中藥正名 lygodium root (Lygodii Rhizoma et Radix)
海金沙散 {hai3 jin1 sha1 san3}, 方名 Lygodium Spore Powder
海金砂藤 {hai3 jin1 sha1 teng2}, 中藥異名 lygodium (Lygodii Herba)
海韭菜 {hai3 jiu3 cai4}, 中藥正名 arrow grass [herb or fruit] (Triglochin Maritimi Herba seu Fructus)
海昆布 {hai3 kun1 bu4}, 中藥異名 kelp (Laminariae/Eckloniae Thallus)
海蠟 {hai3 la4}, 中藥異名 dragon's blood (Daemonoropis Resina)
海蠣子殼 {hai3 li4 zi3 qiao4 (ke2)}, 中藥異名 oyster shell (Ostreae Concha)
海龍 {hai3 long2}, 中藥正名 pipe-fish (Syngnathus)
海螺 {hai3 luo2}, 中藥正名 conch flesh (Rapanae Caro)
海螺殼 {hai3 luo2 qiao4 (ke2)}, 中藥正名 conch shell (Rapanae Concha)
海馬 {hai3 ma3}, 中藥正名 sea horse (Hippocampus)
海馬拔毒散 {hai3 ma3 ba2 du2 san3}, 方名 Sea Horse Toxin-Drawing Powder
海鰻 {hai3 man2}, 中藥正名 conger pike (Muraenesocis Caro)
海米粉 {hai3 mi3 fen3}, 中藥異名 dragon's-whisker seaweed (Gracilaria )
海木 {hai3 mu4}, 中藥正名 heynea (Heyneae Radix)
海南蒟 {hai3 nan2 ju4}, 中藥正名 Hainan pepper (Piperis Hainanensis Caulis et Folium)
海南山竹子 {hai3 nan2 shan1 zhu2 zi3}, 中藥異名 flowery garcinia [root or fruit] (Garciniae Multiflorae Cortex seu Fructus)
海尼豆瓣綠 {hai3 ni2 dou4 ban4 lu94}, 中藥正名 Mengzi? peperomia (Peperomiae Heyneanae Herba)
海牛 {hai3 niu2}, 中藥正名 doris (Doris)
海螵 {hai3 piao1}, 中藥異名 cuttlefish bone (Sepiae Endoconcha)
海螵蛸 {hai3 piao1 xiao1}, 中藥正名 cuttlefish bone (Sepiae Endoconcha)
海泉 {hai3 quan2}, 腧穴正名 Sea Source
海人草 {hai3 ren2 cao3}, 中藥正名 digenea (Digenea)
海沙參 {hai3 sha1 shen1}, 中藥異名 glehnia (Glehniae Radix)
海蛇 {hai3 she2}, 中藥異名 pipe-fish (Syngnathus)
海參 {hai3 shen1}, 中藥正名 sea cucumber (Stichopus Japonicus)
海參腸 {hai3 shen1 chang2}, 中藥正名 sea cucumber's intestine (Stichopi Japonici Intestina)
海參粥 {hai3 shen1 zhou1}, 方名 Sea Cucumber Gruel
海石 {hai3 shi2}, 中藥異名 costazia bone/pumice (Costaziae Os/Pumex)
海鼠 {hai3 shu3}, 中藥異名 sea cucumber (Stichopus Japonicus)
海松子 {hai3 song1 zi3}, 中藥正名 pine nut (Pini Semen)

海通 {hai3 tong1}, 中藥正名 mandarin glory-bower (Clerodendri Mandarinorum Ramulus et Folium)
海桐皮 {hai3 tong2 pi2}, 中藥正名 erythrina (Erythrinae Cortex)
海桐皮酒 {hai3 tong2 pi2 jiu3}, 方名 Erythrina Decoction
海桐皮湯 {hai3 tong2 pi2 tang1}, 方名 Erythrina Decoction
海豚魚 {hai3 tun2 yu2}, 中藥正名 dolphin's flesh and fat (Delphini Caro et Adeps)
海蝦 {hai3 xia1}, 中藥正名 prawn (Penaeus seu Panulirus)
海蝦殼 {hai3 xia1 qiao4 (ke2)}, 中藥正名 sea shrimp shell (Penaei seu Panuliri Testa)
海鰩漁 {hai3 yao2 yu2}, 中藥正名 stingray (Dasyatis Caro)
海鰩魚齒 {hai3 yao2 yu2 chi3}, 中藥正名 stingray tooth (Dasyatis Dens)
海藥本草 {hai3 yao4 ben3 cao3}, 書名 Herbal Foundation of Overseas Medicines
海芋 {hai3 yu4}, 中藥正名 alocasia (Alocasiae Rhizoma)
海月 {hai3 yue4}, 中藥正名 windowpane oyster (Placunae Caro)
海月殼 {hai3 yue4 qiao4 (ke2)}, 中藥正名 windowpane oyster shell (Placunae Concha)
海蘊 {hai3 yun4}, 中藥正名 nemacystus (Nemacysti)
海藻 {hai3 zao3}, 中藥正名 sargassum (Sargassum)
海藻玉壺湯 {hai3 zao3 yu4 hu2 tang1}, 方名 Sargassum Jade Flask Decoction
海蜇 {hai3 zhe2}, 中藥正名 jelly fish (Rhopilemae Tentaculum)
海蜇皮 {hai3 zhe2 pi2}, 中藥正名 jelly fish skin (Rhopilemae Umbrella)

~~ {hai4} ~~
【亥】 {hai4} [Freq. 3] twelfth earthly branch; B12.
亥時 {hai4 shi2}, B12 watch (9--11 p.m.)

【害】 {hai4} [Freq. 5] harm (亢害承制 {kang4 hai4 cheng2 zhi4}, excess causes harm; preventing its development brings order).
害肩 {hai4 jian1}, damage shouldering

【駭】 {hai4} [Freq. 5] fright (驚駭 {jing1 hai4}, fright)

~~ {han1} ~~
【蚶】 {han1} [Freq. 4] ark.
蚶 {han1}, 中藥正名 ark (Arcae Caro)
蚶殼 {han1 ke2}, 中藥異名 ark shell (Arcae Concha)
蚶子殼 {han1 zi3 ke2}, 中藥異名 ark shell (Arcae Concha)

【葻】 {han1} [Freq. 4] plant name.
葻菜 {han1 cai4}, 中藥正名 rorippa (Rorippae Herba seu Flos)

~~ {han2} ~~
【含】 {han2} [Freq. 4] hold in the mouth.
含化丸 {han2 hua4 wan2}, 方名 Sucking Pill
含口 {han2 kou3}, 腧穴異名 LI-4 (Holding Mouth)
含漱 {han2 shu4}, mouthwash; mouth rinse
含桃 {han2 tao2}, 中藥異名 cherry (Pruni Pseudocerasi Fructus)
含羞草 {han2 xiu1 cao3}, 中藥正名 sensitive plant (Mimosae Pudicae Herba)
含羞草根 {han2 xiu1 cao3 gen1}, 中藥正名 senstive plant root (Mimosae Pudicae Radix)

【涵】 {han2} [Freq. 5] moisten (v.) (水不涵木 {shui3 bu4 han2 mu4}, water failing to moisten wood)

【寒】 {han2} [Freq. 2] cold (adj.), (n.) (表寒 {biao3 han2}, exterior cold).
寒包火 {han2 bao1 huo3}, cold enveloping fire
寒包熱 {han2 bao1 re4}, cold enveloping heat
寒秘 {han2 bi4}, cold constipation
寒痹 {han2 bi4}, cold impediment
寒喘 {han2 chuan3}, cold panting
寒從中生 {han2 cong2 zhong1 sheng1}, cold arising from the center
寒的證候 {han2 de zheng4 hou4}, cold patterns
寒豆 (1) {han2 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)
寒豆 (2) {han2 dou4}, 中藥異名 pea (Pisi Semen)
寒呃 {han2 e4}, cold hiccup
寒府 {han2 fu3}, 腧穴異名 GB-33 (Cold House)
寒格 {han2 ge2}, repelling cold
寒膈 {han2 ge2}, cold occlusion
寒瓜 {han2 gua1}, 中藥異名 watermelon (Citrulli Fructus)
寒號蟲糞 {han2 hao2 chong2 fen4}, 中藥異名 squirrel's droppings (Trogopteri Faeces)
寒化 {han2 hua4}, transformation into cold; cold formation
寒霍亂 {han2 huo4 luan4}, cold cholera
寒積 {han2 ji1}, cold accumulation
寒積腹痛 {han2 ji1 fu4 tong4}, cold accumulation abdominal pain; cold accumulation abdominal pain
寒極生熱 {han2 ji2 sheng1 re4}, extreme cold engenders heat

寒極似熱 {han2 ji2 si4 re4}, extreme cold resembling heat
寒劑 {han2 ji4}, cold formula
寒結 {han2 jie2}, cold bind
寒結胸 {han2 jie2 xiong1}, cold chest bind; cold chest bind
寒精 {han2 jing1}, cold semen
寒痙 {han2 jing4}, cold tetany
寒厥 {han2 jue2}, cold reversal
寒厥心痛 {han2 jue2 xin1 tong4}, cold reversal heart pain
寒可去熱 {han2 ke3 qu4 re4}, cold [medicinals] can eliminate heat
寒冷腹痛 {han2 leng3 fu4 tong4}, cold abdominal pain
寒栗 {han2 li4}, cold shudders
寒痢 {han2 li4}, cold dysentery
寒慄 {han2 li4}, cold shudders
寒栗鼓頷 {han2 li4 gu3 han4}, cold shudders and chattering jaws
寒慄鼓頷 {han2 li4 gu3 han4}, cold shudders and chattering jaws
寒露 {han2 lu4}, Cold Dew (17th solar term)
寒能制熱 {han2 neng2 zhi4 re4}, cold can counteract heat
寒凝 {han2 ning2}, congealing cold
寒凝胞宮 {han2 ning2 bao1 gong1}, cold congealing in the uterus
寒凝胞宮證 {han2 ning2 bao1 gong1 zheng4}, pattern of cold congealing in the uterus
寒凝肝脈 {han2 ning2 gan1 mai4}, cold congealing in the liver vessel
寒凝氣滯 {han2 ning2 qi4 zhi4}, congealing cold and stagnating qi4; congealing cold qi4 stagnation
寒凝證 {han2 ning2 zheng4}, congealing cold pattern
寒瘧 {han2 nue94}, cold malaria
寒嘔 {han2 ou3}, cold vomiting
寒癖 {han2 pi3}, cold aggregation
寒澼 {han2 pi4}, cold afflux
寒氣腹痛 {han2 qi4 fu4 tong4}, cold qi4 abdominal pain
寒氣凝滯 {han2 qi4 ning2 zhi4}, congealing cold and stagnant qi4
寒氣嘔吐 {han2 qi4 ou3 tu4}, cold qi4 vomiting
寒雀糞 {han2 que4 fen4}, 中藥異名 squirrel's droppings (Trogopteri Faeces)
寒熱 {han2 re4}, heat [effusion] (fever) and [aversion to] cold; heat [effusion] (fever) and aversion to cold; cold and heat
寒熱辨證 {han2 re4 bian4 zheng4}, cold-heat pattern identification
寒熱錯雜 {han2 re4 cuo4 za2}, cold-heat complex
寒熱錯雜證 {han2 re4 cuo4 za2 zheng4}, cold-heat complex pattern
寒熱大作 {han2 re4 da4 zuo4}, great heat [effusion] (fever) and [aversion to] cold

寒熱互結痞 {han2 re4 hu4 jie2 pi3}, binding cold and heat glomus
寒熱夾雜 {han2 re4 jia1 za2}, cold-heat complex
寒熱間作 {han2 re4 jian1 zuo4}, intermittent heat [effusion] (fever) and [aversion to cold]
寒熱交作 {han2 re4 jiao1 zuo4}, alternating [aversion to] cold and heat [effusion]
寒熱瘧 {han2 re4 nue94}, cold-heat malaria
寒熱起伏 {han2 re4 qi3 fu2}, alternating [aversion to] cold and heat [effusion]
寒熱如瘧 {han2 re4 ru2 nue94}, heat [effusion] (fever) and [aversion to] cold as in malaria
寒熱往來 {han2 re4 wang3 lai2}, alternating heat [effusion] (fever) and [aversion to] cold; alternating heat [effusion] (fever) and aversion to cold; alternating cold and heat
寒熱真假 {han2 re4 zhen1 jia3}, true and false cold and heat
寒疝 {han2 shan4}, cold mounting
寒傷形，熱傷氣 {han2 shang1 xing2, re4 shang1 qi4}, cold damages the physical body; heat damages qi4
寒少熱多 {han2 shao3 re4 duo1}, more heat [effusion] (fever) than [aversion to] cold
寒勝熱 {han2 sheng4 re4}, cold more pronounced than heat
寒勝則浮 {han2 sheng4 ze2 fu2}, when cold prevails, there is swelling
寒濕 {han2 shi1}, cold-damp
寒濕痹 {han2 shi1 bi4}, cold-damp impediment
寒濕腳氣 {han2 shi1 jiao3 qi4}, cold-damp leg qi4
寒濕久痹 {han2 shi1 jiu3 bi4}, cold-damp enduring impediment
寒濕客於中焦 {han2 shi1 ke4 yu2 zhong1 jiao1}, cold damp settling in the center burner
寒濕困脾 {han2 shi1 kun4 pi2}, cold-damp encumbering the spleen
寒濕困脾證 {han2 shi1 kun4 pi2 zheng4}, patternofcold-damp encumbering the spleen
寒濕痢 {han2 shi1 li4}, cold-damp dysentery
寒濕凝滯 {han2 shi1 ning2 zhi4}, congealing cold-damp
寒濕凝滯筋骨 {han2 shi1 ning2 zhi4 jin1 gu3}, cold-damp congealing in the sinews and bones
寒濕凝滯經閉 {han2 shi1 ning2 zhi4 jing1 bi4}, congealing cold-damp menstrual block
寒濕凝滯痛經 {han2 shi1 ning2 zhi4 tong4 jing1}, congealing cold-damp menstrual pain
寒濕侵襲 {han2 shi1 qin1 xi2}, cold-damp invasion
寒濕身腫 {han2 shi1 shen1 zhong3}, cold-damp generalized swelling
寒濕痰 {han2 shi1 tan2}, cold-damp phlegm
寒濕頭痛 {han2 shi1 tou2 tong4}, cold-damp headache
寒濕性黃疸 {han2 shi1 xing4 huang2 dan3}, cold-damp jaundice
寒濕眩暈 {han2 shi1 xuan4 yun1}, cold-damp dizziness
寒濕腰痛 {han2 shi1 yao1 tong4}, cold-damp lumbar pain
寒濕證 {han2 shi1 zheng4}, cold-damp pattern
寒濕滯氣 {han2 shi1 zhi4 qi4}, cold-damp qi4 stagnation
寒濕中阻 {han2 shi1 zhong1 zu3}, cold-damp obstructing the center

寒實 {han2 shi2}, cold repletion
寒實結胸 {han2 shi2 jie2 xiong1}, cold repletion chest bind
寒食散 {han2 shi2 san3}, powder taken cold
寒暑傷形 {han2 shu3 shang1 xing2}, cold and summerheat damage the body
寒水互結 {han2 shui3 hu4 jie2}, cold and water binding together
寒水石 {han2 shui3 shi2}, 中藥正名 glauberite (Gypsum seu Calcitum)
寒嗽 {han2 sou4}, cold cough
寒痰 {han2 tan2}, cold phlegm
寒痰咳喘 {han2 tan2 ke2 chuan3}, cold phlegm cough and panting
寒痰證 {han2 tan2 zheng4}, cold phlegm pattern
寒痰阻肺 {han2 tan2 zu3 fei4}, cold phlegm obstructing the lung; cold phlegm obstructing the lung
寒痰阻肺證 {han2 tan2 zu3 fei4 zheng4}, pattern cold phlegm obstructing the lung
寒痛 {han2 tong4}, cold pain
寒吐 {han2 tu4}, cold vomiting
寒爲陰邪 {han2 wei2 yin1 xie2}, cold is a yin1 evil
寒溫不適 {han2 wen1 bu4 shi4}, excessive cold or warmth (in the environment or due to clothing)
寒無犯寒 {han2 wu2 fan4 han2}, avoid the mistake of using cold against cold
寒無浮，熱無沉 {han2 wu2 fu2, re4 wu2 chen2}, no cold [medicinals] float, no hot [medicinals] sink
寒下 {han2 xia4}, cold precipitation
寒癎 {han2 xian2}, cold epilepsy
寒邪 {han2 xie2}, cold evil
寒邪犯胃 {han2 xie2 fan4 wei4}, cold evil invading the stomach
寒邪犯胃證 {han2 xie2 fan4 wei4 zheng4}, pattern of cold evil invading the stomach
寒邪化熱 {han2 xie2 hua4 re4}, cold evil transforming into heat
寒邪客肺 {han2 xie2 ke4 fei4}, cold evil settling in the lung
寒邪眩暈 {han2 xie2 xuan4 yun1}, cold evil dizziness
寒邪直中 {han2 xie2 zhi2 zhong4}, direct strike by cold evil
寒邪阻滯 {han2 xie2 zu3 zhi4}, cold evil stagnation
寒瀉 {han2 xie4}, cold diarrhea
寒心痛 {han2 xin1 tong4}, cold heart pain
寒性的氣痛 {han2 xing4 de qi4 tong4}, cold-type qi4 pain
寒性凝滯 {han2 xing4 ning2 zhi4}, cold by nature causes congealing and stagnation
寒性收引 {han2 xing4 shou1 yin3}, cold by nature causes contraction and tautness
寒夜啼 {han2 ye4 ti2}, cold night crying
寒因寒用 {han2 yin1 han2 yong4}, treating cold with cold

寒陰上逆 {han2 yin1 shang4 ni4}, yin1 cold ascending counterflow
寒蚓 {han2 yin3}, 中藥異名 earthworm (Pheretima)
寒飲 {han2 yin3}, cold rheum
寒飲伏肺 {han2 yin3 fu2 fei4}, cold rheum lying latent in the lung
寒飲上逆 {han2 yin3 shang4 ni4}, cold rheum ascending counterflow
寒飲停肺 {han2 yin3 ting2 fei4}, cold rheum collecting in the lung
寒飲停肺證 {han2 yin3 ting2 fei4 zheng4}, pattern of cold rheum collecting in the lung
寒瘀 {han2 yu1}, cold stasis
寒則氣收 {han2 ze2 qi4 shou1}, cold causes qi4 to contract
寒則收引 {han2 ze2 shou1 yin3}, cold causes contracture and tautness
寒戰 {han2 zhan4}, shivering
寒顫 {han2 zhan4}, shivering
寒脹 {han2 zhang4}, cold distention
寒者熱之 {han2 zhe3 re4 zhi1}, cold is treated with heat
寒陣 {han2 zhen4}, cold array
寒證 {han2 zheng4}, cold pattern
寒證腹痛 {han2 zheng4 fu4 tong4}, cold-patern abdominal pain
寒滯肝脈 {han2 zhi4 gan1 mai4}, cold stagnating in the liver vessel
寒滯肝脈證 {han2 zhi4 gan1 mai4 zheng4}, pattern of cold stagnating in the liver vessel
寒滯經脈 {han2 zhi4 jing1 mai4}, cold stagnating in the channels; cold stagnating in the channels
寒中 {han2 zhong4}, cold stroke
寒中少氣 {han2 zhong4 shao3 qi4}, cold stroke with shortage of qi4

【韓】 {han2} [Freq. 4] Korea.
韓信草 {han2 xin4 cao3}, 中藥正名 Indian scutellaria (Scutellariae Indicae Herba cum Radice)

~~ {han4} ~~
【汗】 {han4} [Freq. 2] sweat (n.), (v.), sweating (n.) (黃汗 {huang2 han4}, yellow sweat; 汗法 {han4 fa3}, sweating); perspire (n.) perspiration (n.); promote sweating.
汗斑 {han4 ban1}, sweat macule
汗不出 {han4 bu4 chu1}, absence of sweating
汗不止 {han4 bu4 zhi3}, persistent sweating
汗臭 {han4 chou4}, fetid sweat
汗出 {han4 chu1}, sweating
汗出不暢 {han4 chu1 bu4 chang4}, inhibited sweating
汗出不可止 {han4 chu1 bu4 ke3 zhi3}, incessant sweating

汗出當風 {han4 chu1 dang1 feng1}, sweating when exposed to wind
汗出過多 {han4 chu1 guo4 duo1}, excessive sweating
汗出濈濈然 {han4 chu1 ji2 ji2 ran2}, streaming sweat
汗出偏沮 {han4 chu1 pian1 ju1}, hemilateral sweating; half-body sweating
汗出熱不退 {han4 chu1 re4 bu4 tui4}, heat [effusion] (fever) unabated by sweating
汗出如油 {han4 chu1 ru2 you2}, putting forth oily sweat
汗出如珠 {han4 chu1 ru2 zhu1}, putting forth pearly sweat
汗大泄 {han4 da4 xie4}, great discharge of sweat
汗毒 {han4 du2}, inhibited sweating toxin [sore]
汗多 {han4 duo1}, copious sweat
汗法 {han4 fa3}, sweating
汗家 {han4 jia1}, person who suffers from sweating
汗椒 {han4 jiao1}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
汗少 {han4 shao3}, scant sweat
汗脫亡陽 {han4 tuo1 wang2 yang2}, sweating desertion with collapse of yang2
汗爲心液 {han4 wei2 xin1 ye4}, sweat is the humor of the heart
汗爲心之液 {han4 wei2 xin1 zhi1 ye4}, sweat is the humor of the heart
汗腺 {han4 xian4}, 西醫 sweat gland
汗疹 {han4 zhen3}, sweat papules
汗證 {han4 zheng4}, sweating pattern

【旱】 {han4} [Freq. 4] dryland; drought.
旱蓮 {han4 lian2}, 中藥正名 camptotheca (Camptothecae Fructus seu Radix)
旱蓮草 {han4 lian2 cao3}, 中藥異名 eclipta (Ecliptae Herba)
旱蓮草散 {han4 lian2 cao3 san3}, 方名 Eclipta Powder
旱蓮膏 {han4 lian2 gao1}, 方名 Eclipta Paste
旱蓮花 {han4 lian2 hua1}, 中藥正名 nasturtium (Tropaeoli Herba)
旱蓮皮 {han4 lian2 pi2}, 中藥正名 camptotheca bark (Camptothecae Cortex)
旱蓮葉 {han4 lian2 ye4}, 中藥正名 camptotheca leaf (Camptothecae Folium)
旱螺散 {han4 luo2 san3}, 方名 Dried Freshwater Snail Shell Powder
旱芹 {han4 qin2}, 中藥正名 wild celery (Apii (Agrestris) Herba)
旱水仙根 {han4 shui3 xian1 gen1}, 中藥正名 large-leaved zephyranthes root (Zephyranthis Grandiflorae Radix)

【漢】 {han4} [Freq. 3] Han4 (206 B.C.--220 A.D.).
漢方 {han4 fang1}, kampo (Japanese form of Chinese medicine)
漢方醫學 {han4 fang1 yi1 xue2}, kampo medicine
漢防己 {han4 fang2 ji3}, 中藥異名 mealy fangji (Stephaniae Tetrandrae Radix)

漢連子 {han4 lian2 zi3}, 中藥異名 forsythia (Forsythiae Fructus)
漢醫 {han4 yi1}, kampo physician
漢中防己 {han4 zhong1 fang2 ji3}, 中藥正名 northern fangji (Aristolochiae Heterophyllae Radix)

【頷】 {han4} [Freq. 4] chin (do not confuse with 頜 {he2}, {ge2}).
頷下癰 {han4 xia4 yong1}, welling-abscess under the chin
頷厭 {han4 yan4}, 腧穴正名 GB-4 (Forehead Fullness)
頷腫 {han4 zhong3}, swelling under the chin

~~ {hang2} ~~
【杭】 {hang2} [Freq. 4] Hang2zhou1.
杭白菊 {hang2 bai2 ju2}, 中藥正名 white Hang2zhou1 chrysanthemum (Chrysanthemi Flos *Hangzhouensis Albus)
杭白芍 {hang2 bai2 shao2}, 中藥正名 Hang2zhou1 white peony (Paeoniae Radix Alba *Hangzhouensis (Zhejiangensis))
杭黃菊 {hang2 huang2 ju2}, 中藥正名 yellow Hang2zhou1 chrysanthemum (Chrysanthemi Flos *Hangzhouensis Aureus)
杭菊 {hang2 ju2}, 中藥正名 Hang2zhou1 chrysanthemum (Chrysanthemi Flos *Hangzhouensis)
橫結腸 {hang2 jie2 chang2}, 西醫 transverse colon

【頏】 {hang2} [Freq. 4] see 頏 {gang1}

~~ {hao1} ~~
【蒿】 {hao1} [Freq. 4] plant name.
蒿菜 {hao1 cai4}, 中藥異名 garland chrysanthemum leaf (Chrysanthemi Coronarii Caulis et Folium)
蒿芩清膽湯 {hao1 qin2 qing1 dan3 tang1}, 方名 Sweet Wormwood and Scutellaria Gallbladder-Clearing Decoction
蒿雀 {hao1 que4}, 中藥正名 bunting (Emberiza)

【薅】 {hao1} [Freq. 4] pull up (weeds).
薅田薰 {hao1 tian2 biao1}, 中藥正名 Japanese raspberry (Rubi Parvifolii Herba)
薅田薰根 {hao1 tian2 biao1 gen1}, 中藥正名 Japanese raspberry root (Rubi Parvifolii Radix)
薅秧泡 {hao1 yang1 pao4}, 中藥異名 Japanese raspberry (Rubi Parvifolii Herba)

~~ {hao2} ~~

【毫】 {hao2} [Freq. 3] fine.

毫白芍 {hao2 bai2 shao2}, 中藥正名 Anhui white peony (Paeoniae Radix Alba *Anhuiensis)

毫菊 {hao2 ju2}, 中藥正名 Hao chrysanthemum (Chrysanthemi Flos *Hao)

毫毛 {hao2 mao2}, down (fine hairs)

毫針 {hao2 zhen1}, fine needle; filiform needle

豪豬肚 {hao2 zhu1 du3}, 中藥正名 porcupine's stomach (Hystrichis Stomachus)

豪豬毛刺 {hao2 zhu1 mao2 ci4}, 中藥正名 porcupine bristle (Hystrichis Spina)

豪豬肉 {hao2 zhu1 rou4}, 中藥正名 porcupine flesh (Hystrichis Caro)

【蠔】 {hao2} [Freq. 4] oyster.

蠔莆 {hao2 fu3}, 中藥異名 oyster shell (Ostreae Concha)

蠔菇 {hao2 gu1}, 中藥異名 abalone fungus (Pleurotus Cystidiosus)

蠔殼 {hao2 qiao4 (ke2)}, 中藥異名 oyster shell (Ostreae Concha)

~~ {hao3} ~~

【好】 {hao3} [Freq. 4] good.

好轉 {hao3 zhuan3}, improve (v.); improvement(n.)

~~ {hao4} ~~

【好】 {hao4} [Freq. 4] like to (see also 好 {hao3})

好眠 {hao4 mian2}, somnolence

好食易饑 {hao4 shi2 yi4 ji1}, large appetite with rapid hungering

好睡 {hao4 shui4}, somnolence

好嚏 {hao4 ti4}, sneezing

好忘 {hao4 wang4}, forgetfulness

【耗】 {hao4} [Freq. 2] wear (v.) (心營過耗 {xin1 ying2 guo4 hao4}, excessive wearing of heart construction); consume.

耗散正氣 {hao4 san4 zheng4 qi4}, dissipate right qi4

耗傷津液 {hao4 shang1 jin1 ye4}, damage the fluids

耗傷氣血 {hao4 shang1 qi4 xue4}, damage qi4 and the blood

耗子枕頭 {hao4 zi3 zhen3 tou2}, 中藥異名 cucumber gourd root (Trichosanthis Cucumeroidis Radix)

【號】 {hao4} [Freq. 4] number; sign.
號數 {hao4 shu4}, gauge (of needles)

～ {he1} ～
【呵】 {he1} [Freq. 5] yawn.
呵欠 {he1 qian4}, yawning

【喝】 {he1} [Freq. 4] drink.
喝水多 {he1 shui3 duo1}, drink large amounts of water
喝水幾倍於正常人 {he1 shui3 ji3 bei4 yu2 zheng4 chang2 ren2}, drink several times the normal amount of water

【訶】 {he1} [Freq. 4] chebule.
訶黎 {he1 li2}, 中藥異名 chebule (Chebulae Fructus)
訶黎勒 {he1 li2 le4}, 中藥異名 chebule (Chebulae Fructus)
訶子 {he1 zi3}, 中藥正名 chebule (Chebulae Fructus)
訶子核 {he1 zi3 he2}, 中藥正名 chebule pit (Chebulae Endocarpium et Semen)
訶子皮散 {he1 zi3 pi2 san3}, 方名 Chebule Powder
訶子散 {he1 zi3 san3}, 方名 Cheubule Powder
訶子葉 {he1 zi3 ye4}, 中藥正名 chebule leaf (Chebulae Folium)
訶子飲 {he1 zi3 yin3}, 方名 Chebule Beverage

～ {he2} ～
【禾】 {he2} [Freq. 4] grain.
禾蟲 {he2 chong2}, 中藥正名 tylorrhynchus (Tylorrhynchus)
禾&&91C3.9ACE|{he2 liao2}, 腧穴正名 LI-19 (Grain Bone-Hole) (Grain Bone-Hole); 腧穴異名 TB-22
禾葉墨斛 {he2 ye4 mo4 hu2}, 中藥正名 grass-leaved eria (Eriae Graminifoliae Herba)

【合】 {he2} [Freq. 2] unite (v.), uniting (adj.), union (n.) (合穴 {he2 xue2}, uniting point; 合谷 {he2 gu3}, union valley); connect (n.) (肺合皮毛 {fei4 he2 pi2 mao2}, the lung is connected to the skin and [body] hair); combine (v.), combination (n.) (合病 {he2 bing4}, combination disease. See also 合 {ge2}); congruent (運氣相合 {yun4 qi4 xiang1 he2}, congruence between movements (periods) and qi4).
合病 {he2 bing4}, combination disease

合炒 {he2 chao3}, mix-frying
合成竹黃 {he2 cheng2 zhu2 huang2}, 中藥正名 synthetic bamboo sugar (Bambusae Concretio Silicea Synthetica)
合谷 {he2 gu3}, 腧穴正名 LI-4 (Union Valley)
合骨 {he2 gu3}, medial malleolus (Uniting Bones); 腧穴異名 LI-4
合谷刺 {he2 gu3 ci4}, valley union needling (one of the five needling methods)
合歡花 {he2 huan1 hua1}, 中藥正名 silk tree flower (Albizziae Flos)
合歡木皮 {he2 huan1 mu4 pi2}, 中藥異名 silk tree bark (Albizziae Cortex)
合昏皮 {he2 huan1 pi2}, 中藥異名 silk tree bark (Albizziae Cortex)
合歡皮 {he2 huan1 pi2}, 中藥正名 silk tree bark (Albizziae Cortex)
合劑 {he2 ji4}, mixture
合顱 {he2 lu2}, 腧穴異名 GV-17 (Skull Union)
合脈 {he2 mai4}, combined pulse
合萌 {he2 meng2}, 中藥正名 sensitive joint vetch (Aeschynomenes Herba)
合萌根 {he2 meng2 gen1}, 中藥正名 sensitive joint vetch root (Aeschynomenes Radix)
合萌葉 {he2 meng2 ye4}, 中藥正名 sensitive joint vetch leaf (Aeschynomenes Folium)
合邪 {he2 xie2}, combined evil
合穴 {he2 xue2}, uniting point (one of the five transport points)
合研 {he2 yan2}, combined grinding
合陽 {he2 yang2}, 腧穴正名 BL-55 (Yang2 Union)
合掌消 {he2 zhang3 xiao1}, 中藥正名 amplexicaul cynanchum (Cynanchi Amplexicaulis Radix seu Herba)
合子草 {he2 zi3 cao3}, 中藥正名 actinostemma (Actinostemmatis Folium seu Semen)

【何】 {he2} [Freq. 4] what, which, why.
何人飲 {he2 ren2 yin3}, 方名 Flowery Knotweed and Ginseng Beverage
何首烏 {he2 shou3 wu1}, 中藥正名 flowery knotweed (Polygoni Multiflori Radix)
何首烏散 {he2 shou3 wu1 san3}, 方名 Flowery Knotweed Powder
何首烏湯 {he2 shou3 wu1 tang1}, 方名 Flowery Knotweed Decoction
何首烏葉 {he2 shou3 wu1 yao4}, 中藥正名 flowery knotweed leaf (Polygoni Multiflori Folium)

【和】 {he2} [Freq. 2] harmonize (v.), harmonization (n.), harmonious (adj.) (和解少陽 {he2 jie3 shao4 yang2}, harmonize [and resolve] the lesser yang; 和法{he2 fa3}, {harmonization}; 胃氣不和{wei4 qi4 bu4 he2}, disharmony of stomach qi4).
和法 {he2 fa3}, harmonization
和肝 {he2 gan1}, harmonize the liver
和緩 {he2 huan3}, harmonious and moderate

和解 {he2 jie3}, harmonize; harmonization; harmonize and resolve; harmonizing resolution
和解半表半里 {he2 jie3 ban4 biao3 ban4 li3}, harmonize half exterior half interior patterns; harmonize midstage patterns; midstage harmonization
和解表里 {he2 jie3 biao3 li3}, harmonize the exterior and interior
和解法 {he2 jie3 fa3}, harmonization
和解劑 {he2 jie3 ji4}, harmonizing resolution formula
和解少陽 {he2 jie3 shao4 yang2}, harmonize the lesser yang2; lesser yang2 harmonization
和筋草 {he2 jin1 cao3}, 中藥正名 Japanese cucubalus (Cucubali Japonici Herba)
和空 {he2 kong1}, 腧穴異名 TB-22 (Harmony Hollow)
和&&91C3.9ACE|{he2 liao2}, 腧穴正名 TB-22 (Harmony Bone-Hole)
和榮散堅丸 {he2 rong2 san4 jian1 wan2}, 方名 Construction-Harmonizing Hardness-Dissipating Pill
和事草 {he2 shi4 cao3}, 中藥異名 scallion (Allii Fistulosi Herba)
和他草 {he2 ta1 cao3}, 中藥正名 waltheria (Waltheriae Radix et Caulis)
和胃 {he2 wei4}, harmonize the stomach; gastric harmonization
和胃化痰 {he2 wei4 hua4 tan2}, harmonize the stomach and transform phlegm
和胃健脾 {he2 wei4 jian4 pi2}, harmonize the stomach and fortify the spleen
和胃降逆 {he2 wei4 jiang4 ni4}, harmonize the stomach and downbear counterflow
和胃降氣 {he2 wei4 jiang4 qi4}, harmonize the stomach and downbear qi4
和胃解醒 {he2 wei4 jie3 cheng2}, harmonize the stomach and resolve liquor
和胃理氣 {he2 wei4 li3 qi4}, harmonize the stomach and rectify qi4
和胃醒酒 {he2 wei4 xing3 jiu3}, harmonize the stomach and restore soberness
和胃止嘔 {he2 wei4 zhi3 ou3}, harmonize the stomach and check vomiting
和血 {he2 xue4}, harmonized the blood
和血丹 {he2 xue4 dan1}, 中藥正名 David's lespedeza (Lespedezae Davidii Radix seu Herba)
和血絡 {he2 xue4 luo4}, harmonize the blood network vessels
和血熄風 {he2 xue4 xi1 feng1}, harmonize the blood and extinguish wind
和陣 {he2 zhen4}, harmonizing array
和中 {he2 zhong1}, harmonize the center; center harmonization
和中降逆 {he2 zhong1 jiang4 ni4}, harmonize the stomach and downbear qi4
和中益氣 {he2 zhong1 yi4 qi4}, harmonize the center and boost qi4

【河】 {he2} [Freq. 3] river.
河車八味丸 {he2 che1 ba1 wei4 wan2}, 方名 Eight-Ingredient Placenta Pill
河車大造丸 {he2 che1 da4 zao4 wan2}, 方名 Placenta Great Creation Pill
河車路 {he2 che1 lu4}, 腧穴異名 GV-1 (River Cart Road)
河豚 {he2 tun2}, 中藥正名 globefish flesh (Fugu Caro)
河豚毒 {he2 tun2 du2}, globefish poison

河豚目 {he2 tun2 mu4}, 中藥正名 globefish eye (Fugu Oculus)
河豚魚肝油 {he2 tun2 yu2 gan1 you2}, 中藥正名 globefish liver oil (Fugu Oleum Iecoris)
河豚子 {he2 tun2 zi3}, 中藥正名 globefish egg (Fugu Ovulum)

【核】 {he2} [Freq. 2] kernel; node (n.) (乳核 {ru3 he2}, mammary node).
核骨 {he2 gu3}, node bone (lateral malleolus)
核仁 {he2 ren2}, 西醫 nucleolus
核桃 {he2 tao2}, 中藥異名 walnut (Juglandis Semen)
核桃楸果 {he2 tao2 qiu1 guo3}, 中藥正名 Manchurian wallnut (Juglandis Mandshuricae Fructus)
核桃楸皮 {he2 tao2 qiu1 pi2}, 中藥正名 Manchurian wallnut (Juglandis Mandshuricae Cortex)
核桃仁 {he2 tao2 ren2, 中藥正名 walnut (Juglandis Semen)
核桃肉 {he2 tao2 rou4}, 中藥異名 walnut (Juglandis Semen)

【涸】 {he2} [Freq. 2] desiccate (v.), desiccated (adj.), desiccation (n.).
荷苞花 {he2 bao1 hua1}, 中藥正名 Japanese glory-bower flower (Clerodendri Japonici Flos)
荷苞花根 {he2 bao1 hua1 gen1}, 中藥正名 Japanese glory-bower root (Clerodendri Japonici Radix)
荷包牡丹根 {he2 bao1 mu3 dan1 gen1}, 中藥正名 dicentra (Dicentrae Rhizoma)
荷梗 {he2 geng3}, 中藥正名 lotus stalk (Nelumbinis Petiolus seu Pedicellus)
荷花 {he2 hua1}, 中藥異名 lotus flower (Nelumbinis Flos)
荷蘭豆 {he2 lan2 dou4}, 中藥異名 pea (Pisi Semen)
荷蘭薯 {he2 lan2 shu3}, 中藥異名 potato (Solani Tuberosi Tuber)
荷蓮豆菜 {he2 lian2 dou4 cai4}, 中藥正名 drymaria (Drymariae Herba)
荷青花 {he2 qing1 hua1}, 中藥正名 hylomecon (Hylomeconis Radix)
荷葉 {he2 ye4}, 中藥正名 lotus leaf (Nelumbinis Folium)
荷葉蒂 {he2 ye4 di4}, 中藥正名 lotus leaf base (Nelumbinis Basis Folii)
荷葉梗 {he2 ye4 geng3}, 中藥正名 lotus leafstalk (Nelumbinis Petiolus) (Nelumbinis Petiolus seu Pedicellus); 中藥異名 lotus stalk
荷葉炭 {he2 ye4 tan4}, 中藥正名 charred lotus leaf (Nelumbinis Folium Carbonisatum)
荷葉汁 {he2 ye4 zhi1}, 中藥正名 lotus leaf juice (Nelumbinis Folii Succus)

【貉】 {he2} [Freq. 4] racoon-dog.
貉肉 {he2 rou4}, 中藥正名 raccoon dog's flesh (Nyctereutis Caro)

【頜】 {he2} [Freq. 5] jaw (do not confuse with 頷 {han4}); jaw corner; angle of the mandible.
頜下癰 {he2 xia4 yong1}, welling-abscess below the jaw

【闔】 {he2} [Freq. 5] close (腎主開闔 {shen4 zhu3 kai1 he2}, kidney governs opening and closing)

【&&25C7‖】 {he2} [Freq. 4] breastbone.
&&25C7‖骭 {he2 gan1}, 腧穴異名 CV-15 (Breastbone)
&&25C7‖骭 {he2 gan4}, breastbone (xiphoid process)
&&25C7‖&&25C7|{he2 he2}, 腧穴異名 CV-15 (Breast Bone)

~~ {he4} ~~
【鶴】 {he4} [Freq. 4] crane.
鶴頂 {he4 ding3}, 腧穴異名 ST-34 (Crane Top)
鶴骨 {he4 gu3}, 中藥正名 crane's bone (Gruis Os)
鶴節 {he4 jie2}, crane's node (same as 鶴膝風 {he4 xi1 feng1}, crane's-knee wind)
鶴腦 {he4 nao3}, 中藥正名 crane's brain (Gruis Cerebrum)
鶴肉 {he4 rou4}, 中藥正名 crane's flesh (Gruis Caro)
鶴蝨 {he4 shi1}, 中藥正名 carpesium seed (Carpesii Fructus) (Carpesii Fructus); 中藥異名 carpesium seed
鶴蝨風 {he4 shi1 feng1}, 中藥正名 wild carrot [herb] (Carotae Herba)
鶴膝風 {he4 xi1 feng1}, crane's-knee wind
鶴膝風痰 {he4 xi1 feng1 tan2}, crane's-knee wind phlegm
鶴膝痰 {he4 xi1 tan2}, crane's-knee phlegm

~~ {hei1} ~~
【黑】 {hei1} [Freq. 2] black (adj.), (n.) (color associated with kidney-water).
黑白丑 {hei1 bai2 chou3}, 中藥異名 morning glory (Pharbitidis Semen)
黑變病 {hei1 bian4 bing4}, 西醫 melanosis
黑鯧 {hei1 chang1}, 中藥正名 black pomfret (Formionis Nigris Caro)
黑丑 {hei1 chou3}, 中藥正名 black morning glory (Pharbitidis Semen Atrum)
黑醋 {hei1 cu4}, 中藥正名 black vinegar (Acetum Atrum)
黑大豆 {hei1 da4 dou4}, 中藥正名 black soybean (Sojae Semen Atrum)
黑大豆花 {hei1 da4 dou4 hua1}, 中藥正名 black soybean flower (Sojae Flos)
黑大豆皮 {hei1 da4 dou4 pi2}, 中藥正名 black soybean seed-coat (Sojae Testa Atra)
黑大豆葉 {hei1 da4 dou4 ye4}, 中藥正名 black soybean leaf (Sojae Folium)
黑帶 {hei1 dai4}, black vaginal discharge
黑疸 {hei1 dan3}, black jaundice
黑點草 {hei1 dian3 cao3}, 中藥正名 tricyrtis (Tricyrtidis Herba)

黑鯛 {hei1 diao1}, 中藥正名 black sea bream (Mylionis Macrocephalus Caro)
黑兜蟲 {hei1 dou1 chong2}, 中藥異名 stinkbug (Aspongopus)
黑豆 {hei1 dou4}, 中藥異名 black soybean (Sojae Semen Atrum)
黑豆豉 {hei1 dou4 chi3}, 中藥異名 fermented soybean (2) (Sojae Semen Fermentatum)
黑豆豉 {hei1 dou4 shi4}, 中藥異名 fermented soybean (2) (Sojae Semen Fermentatum)
黑兒茶 {hei1 er2 cha2}, 中藥異名 cutch (Catechu)
黑風 {hei1 feng1}, black wind
黑風散 {hei1 feng1 san3}, 中藥正名 pericampylus (Pericampyli Caulis seu Radix)
黑風子 {hei1 feng1 zi3}, 中藥異名 arctium (Arctii Fructus)
黑附片 {hei1 fu4 pian4}, 中藥異名 black sliced aconite (Aconiti Radix Lateralis Denigrata)
黑附子 {hei1 fu4 zi3}, 中藥異名 black sliced aconite (Aconiti Radix Lateralis Denigrata)
黑膏方 {hei1 gao1 fang1}, 方名 Black Paste Formula
黑姑娘 {hei1 gu1 niang2}, 中藥異名 black nightshade (Solani Nigri Herba)
黑故子 {hei1 gu4 zi3}, 中藥異名 psoralea (Psoraleae Fructus)
黑瓜子獵 {hei1 gua1 zi3 lie4}, 中藥正名 black rudder fish (Girella Melanichthys)
黑歸脾丸 {hei1 gui1 pi2 wan2}, 方名 Black Chinese Angelica Spleen-Returning Pill
黑果小檗 {hei1 guo3 xiao3 bo4}, 中藥正名 Turkestan barberry (Berberidis Heteropodae Radix et Cortex)
黑胡椒 {hei1 hu2 jiao1}, 中藥正名 black pepper (Piperis Fructus Immaturus)
黑虎丹 {hei1 hu3 dan1}, 方名 Black Tiger Elixir
黑琥珀 {hei1 hu3 po4}, 中藥正名 black amber (Succinum Atrum)
黑花蛇 {hei1 hua1 she2}, 中藥異名 black-striped snake (Zaocys)
黑薑 {hei1 jiang1}, 中藥異名 blast-fried ginger (Zingiberis Rhizoma Praeparatum)
黑腳威靈仙 {hei1 jiao3 wei1 ling2 xian1}, 中藥異名 clematis (Clematidis Radix)
黑芥穗 {hei1 jie4 sui4}, 中藥異名 charred schizonepeta spike (Schizonepetae Flos Carbonisata)
黑睛 {hei1 jing1}, dark of the eye (cornea and iris)
黑睛病 {hei1 jing1 bing4}, disease of the dark of the eye (disease of cornea and iris)
黑荊芥 {hei1 jing1 jie4}, 中藥異名 charred schizonepeta (Schizonepetae Herba et Flos Carbonisatae)
黑睛破損 {hei1 jing1 po4 sun3}, damage to the dark of the eyes
黑口魚 {hei1 kou3 yu2}, 中藥正名 black-mouthed croaker (Atrobucca Nibe)
黑老虎 {hei1 lao3 hu3}, 中藥異名 scarlet kadsura (Kadsurae Coccineae Caulis et Folium)
黑老頭 {hei1 lao3 tou2}, 中藥正名 gardneria root (Gardneriae Radix)
黑鰱 {hei1 lian2}, 中藥正名 bighead (Hypophthalmichthydis Nobilis Caro)
黑靈仙 {hei1 ling2 xian1}, 中藥異名 clematis (Clematidis Radix)
黑龍串筋 {hei1 long2 chuan4 jin1}, 中藥正名 large-leaved berchemia (Berchemiae Megalophyllae Radix et Caulis)

黑螞蟻 {hei1 ma3 yi3}, 中藥正名 black ant (Formica Fusca)
黑美人菇 {hei1 mei3 ren2 gu1}, 中藥異名 abalone fungus (Pleurotus Cystidiosus)
黑米 {hei1 mi3}, 中藥異名 wild rice (Zizaniae Fructus)
黑面葉 {hei1 mian4 ye4}, 中藥正名 shrubby breynia (Breyniae Fruticosae Ramulus et Folium)
黑面葉根 {hei1 mian4 ye4 gen1}, 中藥正名 shrubby breynia root (Breyniae Fruticosae Radix)
黑木耳 {hei1 mu4 er3}, 中藥異名 wood ear (Auricularia)
黑皮波羅門參 {hei1 pi2 bo1 luo2 men2 shen1}, 中藥正名 black salsify (Scorzonerae Hispanicae Radix)
黑皮根 {hei1 pi2 gen1}, 中藥正名 polyalthia root (Polyalthiae Radix)
黑皮耆 {hei1 pi2 qi2}, 中藥正名 black-skinned astragalus (Astragali Radix Atra)
黑皮青木香 {hei1 pi2 qing1 mu4 xiang1}, 中藥正名 cocculus (2) (Cocculi Radix)
黑牽牛 {hei1 qian1 niu2}, 中藥異名 black morning glory (Pharbitidis Semen Atrum)
黑牽牛子 {hei1 qian1 niu2 zi3}, 中藥異名 black morning glory (Pharbitidis Semen Atrum)
黑茄 {hei1 qie2}, 中藥異名 black nightshade (Solani Nigri Herba)
黑如炱 {hei1 ru2 tai2}, black as soot
黑三稜 {hei1 san1 leng2}, 中藥異名 sparganium (Sparganii Rhizoma)
黑砂星 {hei1 sha1 xing1}, 中藥異名 bat's droppings (Vespertilionis Faeces)
黑參 {hei1 shen1}, 中藥異名 scrophularia (Scrophulariae Radix)
黑神散 {hei1 shen2 san3}, 方名 Black Spirit Powder
黑椹 {hei1 shen4}, 中藥異名 mulberry (Mori Fructus)
黑升麻 {hei1 sheng1 ma2}, 中藥正名 rough vernonia (Vernoniae Asperae Radix)
黑順片 {hei1 shun4 pian4}, 中藥正名 black sliced aconite (Aconiti Radix Lateralis Denigrata)
黑蘇子 {hei1 su1 zi3}, 中藥異名 perilla fruit (Perillae Fructus)
黑塔子根 {hei1 ta3 zi3 gen1}, 中藥正名 Fuzhou diospyros root (Diospyroris Fuchowensis Radix)
黑塔子葉 {hei1 ta3 zi3 ye4}, 中藥正名 Fuzhou diospyros leaf (Diospyroris Fuchowensis Folium)
黑苔 {hei1 tai1}, black tongue fur
黑苔焦糙 {hei1 tai1 jiao1 cao1}, rough parched black tongue fur
黑天天 {hei1 tian1 tian1}, 中藥異名 black nightshade (Solani Nigri Herba)
黑條紋鰤 {hei1 tiao2 wen2 shi1}, 中藥正名 black-banded kirg fish (Seriolinae Nigrofasciatae Caro)
黑頭粉刺 {hei1 tou2 fen3 ci4}, blackhead
黑烏梢 {hei1 wu1 shao1}, 中藥異名 black-striped snake (Zaocys)
黑錫丹 {hei1 xi1 dan1}, 方名 Galenite Elixir
黑瞎子 {hei1 xia1 zi3}, 中藥異名 bear's gall (Ursi Fel)
黑逍遙散 {hei1 xiao1 yao2 san3}, 方名 Black Free Wanderer Powder
黑星星 {hei1 xing1 xing1}, 中藥異名 black nightshade (Solani Nigri Herba)

黑眼 {hei1 yan3}, dark of the eye (cornea and iris)
黑陽參 {hei1 yang2 shen1}, 中藥正名 antiotrema (Antiotrematis Radix)
黑魚 {hei1 yu2}, 中藥異名 snakehead mullet (Ophicephali Caro)
黑棗 {hei1 zao3}, 中藥正名 black jujube (Jujubae Fructus Ater)
黑芝麻 {hei1 zhi1 ma2}, 中藥異名 black sesame (Sesami Semen Nigrum)
黑脂麻 {hei1 zhi1 ma2}, 中藥正名 black sesame (Sesami Semen Nigrum)
黑梔子 {hei1 zhi1 zi3}, 中藥異名 charred gardenia (Gardeniae Fructus Carbonisatus)
黑痣 {hei1 zhi4}, black mole
黑珠 {hei1 zhu1}, dark of the eye

~~ {hen2} ~~
【痕】 {hen2} [Freq. 5] mark (瘢痕灸 {ban1 hen2 jiu3}, scarring moxibustion)

~~ {heng2} ~~
【恆】 {heng2} [Freq. 4] persevere.
恆齒 {heng2 chi3}, 西醫 permanent teeth
恆山 {heng2 shan1}, 中藥異名 dichroa (Dichroae Radix)

【橫】 {heng2} [Freq. 4] transverse.
橫產 {heng2 chan3}, sideways presentation
橫刺 {heng2 ci4}, transverse insertion
橫寸 {heng2 cun4}, horizontal body inch
橫膈 {heng2 ge2}, 西醫 diaphragm
橫骨 {heng2 gu3}, transverse bone; pubic bone; hyoid bone (Pubic Bone); 腧穴正名 KI-11
橫戶 {heng2 hu4}, 腧穴異名 CV-7 (Horizontal Door)
橫經席 {heng2 jing1 xi2}, 中藥正名 beauty-leaf root (Calophylli Radix)
橫經席葉 {heng2 jing1 xi2 ye4}, 中藥正名 beauty-leaf (Calophylli Folium)
橫切 {heng2 qie1}, cut transversely
橫舌 {heng2 she2}, 腧穴異名 GV-15 (Opposite the Tongue)
橫紋 {heng2 wen2}, transverse crease
橫紋肌 {heng2 wen2 ji1}, 西醫 striated muscle
橫紋鱠 {heng2 wen2 kuai4}, 中藥正名 brown-barred rock cod (Cephalopholis Pachycentron)
橫&&75C3|{heng2 xian2}, bubo sore

【衡】 {heng2} [Freq. 5] level line (秋應中衡 {qiu1 ying4 zhong4 heng2}, [in] autumn [the pulse] responds like a level line).

衡州烏藥 {heng2 zhou1 wu1 yao4}, 中藥正名 laurel-leaf cocculus (Cocculi Laurifolii Radix seu Frutex)

【胻】 {heng2} [Freq. 5] lower leg; shin

【&&4BD2||】 {heng2} [Freq. 2] lower leg (n.); shin (n.)

~~ {hong1} ~~

【烘】 {hong1} [Freq. 4] heat/bake in an oven; bake (v.) (烘干 {hong1 gan1}, bake dry).
烘房 {hong1 fang2}, oven; drying chamber
烘干 {hong1 gan1}, oven-dry
烘熱 {hong1 re4}, baking heat [effusion] (fever); steady heat [effusion] (fever)
烘煨 {hong1 wei1}, oven-roast
烘箱 {hong1 xiang1}, drying oven

【轰】 {hong1} [Freq. 4] boom.
轰熱 {hong1 re4}, booming heat [effusion] (fever)

~~ {hong2} ~~

【洪】 {hong2} [Freq. 4] surging.
洪脈 {hong2 mai4}, surging pulse
洪音 {hong2 yin1}, 腧穴正名 Surging Sound

【紅】 {hong2} [Freq. 2] red (adj.) (n.) (color associated with heart-fire. 舌紅 {she2 hong2}, red tongue).
紅白痢 {hong2 bai2 li4}, red and white dysentery
紅白痢疾 {hong2 bai2 li4 ji2}, red and white dysentery
紅斑狼瘡 {hong2 ban2 lang2 chuang1}, 西醫 lupus erythematosus
紅斑性肢痛症 {hong2 ban2 xing4 zhi1 tong4 zheng4}, 西醫 erythromelalgia
紅背酸藤 {hong2 bei4 suan1 teng2}, 中藥正名 sour creeper (Ecdysantherae Radix et Folium)
紅背葉 {hong2 bei4 ye4}, 中藥正名 red-backed Christmas bush (Alchorneae Trewioidis Radix et Folium)
紅崩白帶 {hong2 beng1 bai2 bai2 di4}, red flooding and white discharge
紅鼻子 {hong2 bi2 zi3}, red nose
紅萆薢 {hong2 bi4 xie4}, 中藥正名 smilax tuber (Smilacis Tuber)
紅菜 {hong2 cai4}, 中藥異名 purple gynura (Gynurae Bicoloris Herba)

紅菜豆 {hong2 cai4 dou4}, 中藥正名 purple asparagus bean (Vignae Vexillatae Fructus)
紅菜頭 (1) {hong2 cai4 tou2}, 中藥異名 beet (Betae Vulgaris Radix)
紅菜頭 (2) {hong2 cai4 tou2}, 中藥異名 carrot (Dauci Carotae Sativae Radix)
紅茶 {hong2 cha2}, 中藥正名 black tea (Theae Folium Fermentatum)
紅柴 {hong2 chai2}, 中藥異名 sappan (Sappan Lignum)
紅車軸草 {hong2 che1 zhou3 cao3}, 中藥正名 red clover (Trifolii Pratensis Flos)
紅赤血絲 {hong2 chi4 xue4 si1}, red blood threads
紅椽木子 {hong2 chuan2 mu4 zi3}, 中藥正名 Hickel's castanopsis seed (Castanopsidis Hickelii Semen)
紅慈菇 {hong2 ci2 gu1}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)
紅蔥頭 {hong2 cong1 tou2}, 中藥異名 shallot (Allii Ascalonici Bulbus)
紅大戟 {hong2 da4 ji3}, 中藥正名 knoxia (Knoxiae Radix)
紅丹 {hong2 dan1}, 中藥異名 minium (Minium)
紅釘粑藤 {hong2 ding1 pa2 teng2}, 中藥正名 short-plumed clematis (Clematidis Brevicaudatae Caulis et Folium)
紅豆 (1) {hong2 dou4}, 中藥正名 red-bean necklace tree (Ormosiae Semen)
紅豆 (2) {hong2 dou4}, 中藥異名 rice bean (Phaseoli Semen)
紅豆 (3) {hong2 dou4}, 中藥異名 rosary pea (Abri Precatorii Semen)
紅豆蔻 {hong2 dou4 kou4}, 中藥正名 galangal fruit (Galangae Fructus)
紅對節子 {hong2 dui4 jie2 zi3}, 中藥正名 ovate-leaved viburnum (Viburni Ovatifolii Radix)
紅番苋 {hong2 fan1 xian4}, 中藥異名 purple gynura (Gynurae Bicoloris Herba)
紅礬 {hong2 fan2}, 中藥異名 red arsenic (Arsenicum Rubrum)
紅粉 {hong2 fen3, 中藥正名 red powder (Hydrargyri Oxydum Rubrum)
紅鳳菜 {hong2 feng4 cai4}, 中藥異名 purple gynura (Gynurae Bicoloris Herba)
紅麩楊 {hong2 fu1 yang2}, 中藥正名 Punjab sumac (Rhois Punjabensis Radix)
紅高嶺 {hong2 gao1 ling3}, 中藥異名 halloysite (Halloysitum Rubrum)
紅姑娘 {hong2 gu1 niang2}, 中藥異名 balsam pear (Momordicae Charantiae Fructus)
紅骨蛇 {hong2 gu3 she2}, 中藥正名 Japanese kadsura (Kadsurae Japonicae Radix et Caulis)
紅果楠 {hong2 guo3 nan2}, 中藥正名 red-fruited actinodaphe root and leaf (Actinodaphnes Cupularis Radix et Folium)
紅汗 {hong2 han4}, red sweat
紅旱蓮 {hong2 han4 lian2}, 中藥正名 giant hypericum (Hyperici Ascyronis Herba)
紅蒿枝 {hong2 hao1 zhi1}, 中藥正名 purple cathoclines (Cyathoclines Purpureae Herba)
紅黑二丸 {hong2 hei1 er4 wan2}, 中藥正名 Chinese begonia (Begoniae Sinensis Rhizoma)
紅蝴蝶瘡 {hong2 hu2 die2 chuang1}, red butterfly sore
紅花菜 {hong2 hua1 cai4}, 中藥正名 Chinese astragalus (Astragali Sinici Herba)
紅花菜豆 {hong2 hua1 cai4 dou4}, 中藥正名 scarlet runner bean (Phaseoli Coccinei Semen)
紅花酢漿草 {hong2 hua1 cu4 jiang1 cao3}, 中藥異名 lavender sorrel (Oxalidis Corymbosae

Herba seu Radix)
紅花錦雞兒 {hong2 hua1 jin3 ji1 er2}, 中藥正名 red-flowered pea tree root (Caraganae Roseae Radix)
紅花綠絨蒿 {hong2 hua1 lu94 rong2 hao1}, 中藥正名 crimson meconopsis (Meconopsis Puniceae Pedicellus et Fructus)
紅花苗 {hong2 hua1 miao2}, 中藥正名 carthamus shoot (Carthami Surculus)
紅花散 {hong2 hua1 san3}, 方名 Carthamus Powder
紅花益母草 {hong2 hua1 yi4 mu3 cao3}, 中藥異名 leonurus (Leonuri Herba)
紅花子 {hong2 hua1 zi3}, 中藥正名 carthamus fruit (Carthami Fructus)
紅花 {hong2 hua1, 中藥正名 carthamus (Carthami Flos)
紅黃蒲朴湯 {hong2 huang2 pu2 po4 tang1}, 方名 Sargentadoxa, Rhubarb, Dandelion, and Officinal Magnolia Bark Decoction
紅茴香 {hong2 hui2 xiang1}, 中藥正名 Hubei star anise (Illicii Henryi Fructus)
紅椒 {hong2 jiao1}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
紅鱠 {hong2 kuai4}, 中藥正名 deep-sea bass (Cepholopholis Miniatus)
紅筷子 {hong2 kuai4 zi3}, 中藥正名 chamaenerion (Chamaenerionis Herba)
紅筷子冠毛 {hong2 kuai4 zi3 guan1 mao2}, 中藥正名 chamaenerion pappus (Chamaenerionis Pappus)
紅辣蓼 {hong2 la4 liao3}, 中藥正名 flaccid smartweed (Polygoni Flaccidi Herba)
紅辣樹根 {hong2 la4 shu4 gen1}, 中藥正名 Yun2nan2 alstonia root (Alstoniae Yunnanensis Radix)
紅藍地花 {hong2 lan2 di4 hua1}, 中藥正名 elongated erigeron (Erigerontis Elongati Herba)
紅靈丹 {hong2 ling2 dan1}, 方名 Red Spirit Elixir
紅靈酒 {hong2 ling2 jiu3}, 方名 Red Spirit Wine
紅漏 {hong2 lou4}, red spotting
紅蘆菔 {hong2 lu2 fu2}, 中藥異名 carrot (Dauci Carotae Sativae Radix)
紅縷赤痕 {hong2 lu93 chi4 hen2}, red thread mark
紅蘿蔔 {hong2 luo2 bo2}, 中藥異名 carrot (Dauci Carotae Sativae Radix)
紅絡 {hong2 luo4}, red network vessels
紅馬蹄草 {hong2 ma3 ti2 cao3}, 中藥正名 Nepalese marsh pennywort (Hydrocotyles Nepalensis Herba)
紅馬蹄鳥 {hong2 ma3 ti2 niao3}, 中藥正名 Chinese oxyria (Oxyriae Sinensis Radix)
紅毛草 {hong2 mao2 cao3}, 中藥正名 Malabar murdannia (Murdanniae Malabaricae Herba)
紅毛七 {hong2 mao2 qi1}, 中藥正名 leontice (Leonticis Rhizoma seu Radix)
紅毛薯 {hong2 mao2 shu3}, 中藥異名 greater yam (Dioscoreae Alatae Tuber)
紅毛五加皮 {hong2 mao2 wu3 jia1 pi2}, 中藥正名 Girald's acanthopanax bark (Acanthopanacis Giraldii Cortex)
紅毛走馬胎 {hong2 mao2 zou3 ma3 tai1}, 中藥正名 purple ardisia (Ardisiae Mamillatae

Frutex)
紅帽頂 {hong2 mao4 ding3}, 中藥正名 bearded mallotus leaf (Malloti Barbati Folium)
紅梅花 {hong2 mei2 hua1}, 中藥正名 red mume flower (Mume Flos Rubus)
紅梅消 {hong2 mei2 xiao1}, 中藥異名 Japanese raspberry (Rubi Parvifolii Herba)
紅門蘭 {hong2 men2 lan2}, 中藥正名 saline orchid (Orchidis Salinae Herba)
紅米 {hong2 mi3}, 中藥異名 red infested rice (Oryzae Semen cum Monasco) (Oryzae Semen cum Monasco); 中藥異名 red infested rice
紅綿藤 {hong2 mian2 teng2}, 中藥正名 red-downed rubus (Rubi Rufo-Lanati Folium et Ramulus)
紅目大眼鯛 {hong2 mu4 da4 yan3 diao1}, 中藥正名 bull-eye (Priacanthus Boops)
紅木耳 {hong2 mu4 er3}, 中藥正名 iresine (Iresines Herba)
紅木香 {hong2 mu4 xiang1}, 中藥正名 long-stalked kadsura root (bark) (Kadsurae Longipedunculatae Radix seu Radicis Cortex)
紅木子 {hong2 mu4 zi2}, 中藥正名 carrierea (Carriereae Semen)
紅楠皮 {hong2 nan2 pi2}, 中藥正名 red machilus root (bark) (Machili Thunbergii Cortex seu Radicis Cortex)
紅娘子 {hong2 niang2 zi3}, 中藥正名 red cicada (Huechys)
紅砒 {hong2 pi1}, 中藥正名 red arsenic (Arsenicum Rubrum)
紅皮 {hong2 pi2}, 中藥正名 cork-leaved snowbell (Styracis Suberifoliae Folium seu Radix) (Citri Reticulatae Pericarpium); 中藥異名 tangerine peel
紅蒲根 {hong2 pu2 gen1}, 中藥異名 sparganium (Sparganii Rhizoma)
紅耆 {hong2 qi2, 中藥正名 hedysarum (Hedysari Radix)
紅麴 {hong2 qu1}, 中藥正名 red infested rice (Oryzae Semen cum Monasco)
紅如塗丹 {hong2 ru2 tu2 dan1}, red as if smeared with cinnabar
紅色如塗丹 {hong2 se4 ru2 tu2 dan1}, red in color as though smeared with cinnabar
紅痧 {hong2 sha1}, red sand
紅杉皮 {hong2 shan1 pi2}, 中藥正名 Chinese larch bark (Laricis Cortex)
紅芍藥 {hong2 shao2 yao4}, 中藥異名 red peony (Paeoniae Radix Rubra)
紅苕母子 {hong2 shao4 mu3 zi3}, 中藥正名 sweet potato seed (Ipomoeae Batatas Radix seu Radicis Cortex)
紅舌 {hong2 she2}, red tongue
紅參 {hong2 shen1}, 中藥正名 red ginseng (Gingseng Radix Rubra)
紅升丹 {hong2 sheng1 dan1}, 中藥異名 red powder (Hydrargyri Oxydum Rubrum); Red Upborne Elixir
紅升麻 {hong2 sheng1 ma2}, 中藥正名 heterophyllous eupatorium (Eupatorii Heterophylli Herba)
紅升麻根 {hong2 sheng1 ma2 gen1}, 中藥正名 heterophyllous eupatorium root (Eupatorii Heterophylli Radix)

紅石耳 {hong2 shi2 er3}, 中藥正名 red umbilicaria (Umbilicaria Hypococcina)
紅石膏 {hong2 shi2 gao1}, 中藥正名 red gypsum (Gypsum Rubrum)
紅石頭 {hong2 shi2 tou2}, 中藥異名 hematite (Haematitum)
紅薯 {hong2 shu3}, 中藥異名 sweet potato (Ipomoeae Batatas Tuber)
紅薯粥 {hong2 shu3 zhou1}, 方名 Sweet Potato Gruel
紅絲疔 {hong2 si1 ding1}, red-thread clove sore
紅絲線 {hong2 si1 xian4}, 中藥正名 Roxburgh peristrophe (Peristrophes Roxburghianae Herba)
紅絲走竄 {hong2 si1 zou3 cuan4}, scurrying red thread
紅&&6964‖木 {hong2 song3 mu4}, 中藥正名 prickly aralia (Araliae Echinocaulis Radicis Cortex)
紅瑣梅 {hong2 suo3 mei2}, 中藥異名 Japanese raspberry (Rubi Parvifolii Herba)
紅糖 {hong2 tang2}, 中藥異名 brown sugar (Saccharon Granulatum Rubrum)
紅藤 {hong2 teng2}, 中藥異名 sargentodoxa (Sargentodoxae Caulis)
紅藤煎劑, 方名 Sargentadoxa Brewed Formula
紅天葵 {hong2 tian1 kui2}, 中藥正名 tea begonia (Begoniae Fimbristipulatae Herba)
紅田烏草 {hong2 tian1 wu1 cao3}, 中藥正名 copper alternanthera (Alternantherae Versicoloris Herba)
紅田烏 {hong2 tian2 wu1}, 中藥異名 star-sky alternanthera (Alternantherae Sessilis Herba (cum Radice))
紅苕 {hong2 tiao2}, 中藥異名 sweet potato (Ipomoeae Batatas Tuber)
紅頭草 {hong2 tou2 cao3}, 中藥正名 Malay blumea (Blumeae Lacerae Herba)
紅頭小仙 {hong2 tou2 xiao3 xian1}, 中藥正名 pink blumea (Blumeae Mollis Herba)
紅土 {hong2 tu3}, 中藥異名 halloysite (Halloysitum Rubrum)
紅土子 {hong2 tu3 zi3}, 中藥正名 Si4chuan1 desmodium (Desmodii Szechuenensis Herba)
紅土子皮 {hong2 tu3 zi3 pi2}, 中藥正名 Si4chuan1 desmodium root bark (Desmodii Szechuenensis Radicis Cortex)
紅香樹 {hong2 xiang1 shu4}, 中藥正名 anneslea (Annesleae Cortex seu Folium)
紅香藤 {hong2 xiang1 teng2}, 中藥正名 Hance's Dalbergia (Dalbergiae Hancei Caulis seu Radix)
紅小豆 {hong2 xiao3 dou4}, 中藥異名 rice bean (Phaseoli Semen)
紅楔鯛 {hong2 xie4 diao1}, 中藥正名 broad perch (Iniistii Deae Caro)
紅信石 {hong2 xin4 shi2}, 中藥異名 red arsenic (Arsenicum Rubrum)
紅鬚鯛 {hong2 xu1 xiao1}, 中藥正名 goat fish (Mulloidichthys Auriflamma)
紅血球 {hong2 xue4 qiu2}, 西醫 red blood cells; erythrocyte (red blood cell)
紅羊 {hong2 yang2}, 中藥異名 balsam pear (Momordicae Charantiae Fructus)
紅油膏 {hong2 you2 gao1}, 方名 Red Oil Paste
紅芋 {hong2 yu4}, 中藥正名 remusatia (Remusatiae Tuber)

紅玉菜 {hong2 yu4 cai4}, 中藥異名 purple gynura (Gynurae Bicoloris Herba)
紅糟 {hong2 zao1}, 中藥異名 wine dregs (Vini Residuum)
紅糟魚 {hong2 zao1 yu2}, 中藥正名 surmullet (Parupeneus Chrysopleuron)
紅棗 {hong2 zao3}, 中藥異名 jujube (Jujubae Fructus)
紅澤蘭 {hong2 ze2 lan2}, 中藥正名 strobilanthes (Strobilanthis Herba)
紅疹 {hong2 zhen3}, red papules
紅蛭 {hong2 zhi4}, 中藥異名 leech (Hirudo)
紅腫熱痛 {hong2 zhong3 re4 tong4}, red, swollen, hot, and painful
紅腫痛爛 {hong2 zhong3 tong4 lan4}, red, swollen, painful, and putrefied
紅子根 {hong2 zi3 gen1}, 中藥正名 firethorn root (Pyracanthae Radix)
紅紫珠 {hong2 zi3 zhu1}, 中藥正名 red beauty-berry leaf (Callicarpae Rubellae Folium)

【虹】 {hong2} [Freq. 4] iris.
虹彩 {hong2 cai3}, iris
虹膜切除術 {hong2 mo2 qie1 chu2 shu4}, 西醫 iridectomy
虹膜炎 {hong2 mo2 yan2}, 西醫 iritis
虹霓劍草 {hong2 ni2 jian4 cao3}, 中藥異名 pyrrosia (Pyrrosiae Folium)
虹勝 {hong2 sheng4}, 中藥異名 scutellaria (Scutellariae Radix)
虹鱒 {hong2 zun4}, 中藥正名 rainbow trout (Salmo Mykiss)

【鴻】 {hong2} [Freq. 4] goose feather; featherlight; vast.
鴻頭 {hong2 tou2}, 中藥異名 euryale (Euryales Semen)

【葒】 {hong2} [Freq. 4] plant name.
葒草 {hong2 cao3}, 中藥正名 Oriental smartweed (Polygoni Orientalis Herba (cum Radice))
葒草花 {hong2 cao3 hua1}, 中藥正名 Oriental smartweed flower (Polygoni Orientalis Flos)

~~ {hou2} ~~
【侯】 {hou2} [Freq. 4] surname.
侯氏黑散 {hou2 shi4 hei1 san3}, 方名 Hou2's Black Powder

【喉】 {hou2} [Freq. 2] throat (n.) (喉風 {hou2 feng1}, throat wind); larynx (n.), laryngeal (adj.).
喉閉 {hou2 bi4}, throat block
喉痹 {hou2 bi4}, throat impediment
喉痹不能言 {hou2 bi4 bu4 neng2 yan2}, throat impediment preventing speech
喉痹咽痛 {hou2 bi4 yan1 tong4}, throat impediment and sore throat
喉底 {hou2 di3}, back of the throat

喉疔 {hou2 ding1}, clove sore of the throat
喉蛾 {hou2 e2}, throat moth
喉風 {hou2 feng1}, throat wind
喉疳 {hou2 gan1}, throat gan
喉甘子 {hou2 gan1 zi3}, 中藥異名 emblic (Phyllanthi Fructus)
喉關 {hou2 guan1}, throat pass (isthmus of fauces)
喉關癰 {hou2 guan1 yong1}, throat pass welling-abscess
喉核 {hou2 he2}, throat node (tonsil)
喉間痰聲漉漉 {hou2 jian1 tan2 sheng1 lu4 lu4}, phlegm gurgling in the throat
喉吩 {hou2 jie4}, sensation of something stuck in the throat
喉菌 {hou2 jun4}, throat mushroom; laryngeal mushroom
喉科草 {hou2 ke1 cao3}, 中藥異名 Chinese smartweed (Polygoni Chinensis Herba)
喉科擒療法 {hou2 ke1 qin2 na2 liao2 fa3}, laryngological holding massage
喉科擎拿療法 {hou2 ke1 qing2 na2 liao2 fa3}, laryngological holding massage
喉科指掌 {hou2 ke1 zhi3 zhang3}, 書名 A Guidebook of Laryngology
喉咳 {hou2 ke2}, throat cough
喉瘤 {hou2 liu2}, tumor of the throat
喉嚨 {hou2 long2}, throat
喉嚨草 {hou2 long2 cao3}, 中藥正名 umbellate rock jasmine (Androsaces Umbellatae Herba seu Fructus)
喉龍干毛 {hou2 long2 gan1 mao2}, tickly dry throat
喉嚨痛 {hou2 long2 tong4}, sore throat
喉嚨腫痛 {hou2 long2 zhong3 tong4}, sore swollen throat
喉鳴有聲 {hou2 ming2 you3 sheng1}, throat rale
喉切除術 {hou2 qie1 chu2 shu4}, 西醫 laryngectomy
喉痧 {hou2 sha1}, laryngeal sand
喉痛 {hou2 tong4}, sore throat
喉頭發癢 {hou2 tou2 fa1 yang3}, itchy throat
喉息肉 {hou2 xi1 rou4}, throat polyps
喉癬 {hou2 xian3}, throat lichen
喉咽 {hou2 yan1}, 西醫 laryngopharynx
喉咽干燥 {hou2 yan1 gan1 zao4}, dry throat
喉岩 {hou2 yan2}, throat rock
喉炎 {hou2 yan2}, 西醫 laryngitis; laryngitis
喉癢 {hou2 yang3}, itchy throat
喉喑 {hou2 yin1}, loss of voice
喉癰 {hou2 yong1}, welling-abscess of the throat
喉燥咽干 {hou2 zao4 yan1 gan1}, dry throat

喉中 {hou2 zhong1}, 腧穴異名 CV-23 (Larynx Center)
喉中梗阻 {hou2 zhong1 geng3 zu3}, blockage of the throat
喉中如水雞聲 {hou2 zhong1 ru2 shui3 ji1 sheng1}, frog-like rale in the throat
喉中水雞聲 {hou2 zhong1 shui3 ji1 sheng1}, frog rale in the throat
喉中痰鳴 {hou2 zhong1 tan2 ming2}, phlegm rale in the throat
喉中痰聲 {hou2 zhong1 tan2 sheng1}, phlegm rale in the throat
喉中有水雞聲 {hou2 zhong1 you3 shui3 ji1 sheng1}, frog rale in the throat
喉中有痰聲 {hou2 zhong1 you3 tan2 sheng1}, sound of phlegm in the throat
喉中作聲 {hou2 zhong1 zuo4 sheng1}, throat rale

【猴】 {hou2} [Freq. 4] monkey.
猴丹 {hou2 dan1}, 中藥異名 macaque stone (Macacae Mulattae Calculus)
猴疳 {hou2 gan1}, monkey gan1
猴菇 {hou2 gu1}, 中藥異名 hedgehog fungus (Hydnum Erinaceum)
猴頭 {hou2 tou2}, 中藥正名 hedgehog fungus (Hydnum Erinaceum)
猴頭菌 {hou2 tou2 jun4}, 中藥異名 hedgehog fungus (Hydnum Erinaceum)
猴頭蘑 {hou2 tou2 mo2}, 中藥異名 hedgehog fungus (Hydnum Erinaceum)
猴棗 {hou2 zao3}, 中藥正名 macaque stone (Macacae Mulattae Calculus)
猴棗散 {hou2 zao3 san3}, 方名 Macaque Stone Powder
猴楂 {hou2 zha1}, 中藥異名 crataegus (Crataegi Fructus)
猴子棗 {hou2 zi3 zao3}, 中藥異名 macaque stone (Macacae Mulattae Calculus)

【瘊】 {hou2} [Freq. 4] wart.
瘊子 {hou2 zi3}, wart

~~ {hou4} ~~
【后】 {hou4} [Freq. 3] behind; posterior; after; post-; later.
后聰 {hou4 cong1}, 腧穴正名 Posterior Hearing
后頂 {hou4 ding3}, 腧穴正名 GV-19 (Behind the Vertex)
后髮際 {hou4 fa4 ji4}, posterior hairline
后關 {hou4 guan1}, 腧穴異名 GB-2 (Hind Gate)
后漢 {hou4 han4}, Later Han4 (947--950 A.D.)
后晉 {hou4 jin4}, Later Jin4 (936--946 A.D.)
后梁 {hou4 liang2}, Later Liang2 (907--923 A.D.)
后期 {hou4 qi1}, final stage (of disease) (of disease); advanced stage
后曲 {hou4 qu1}, 腧穴異名 GB-1 (Hind Curve)
后入 {hou4 ru4}, add at end; end addition

后唐 {hou4 tang2}, Later Tang2 (923--936 A.D.)
后天 {hou4 tian1}, later heaven; acquired; acquired constitution
后天之火 {hou4 tian1 zhi1 huo3}, later heaven fire
后天之精 {hou4 tian1 zhi1 jing1}, later heaven essence
后聽宮 {hou4 ting1 gong1}, 腧穴異名 Rear Auditory Palace
后聽會 {hou4 ting1 hui4}, 腧穴異名 Rear Auditory Convergence
后聽穴 {hou4 ting1 xue2}, 腧穴正名 Rear Hearing Point
后頭痛 {hou4 tou2 tong4}, posterior headache
后谿 {hou4 xi1}, 腧穴正名 SI-3 (Back Ravine)
后下 {hou4 xia4}, add at end; end addition
后血海 {hou4 xue4 hai3}, 腧穴正名 Rear Sea of Blood
后陽關 {hou4 yang2 guan1}, 腧穴正名 Back Yang2 Joint
后陰 {hou4 yin1}, posterior yin1 (the anus); anus
后章門 {hou4 zhang1 men2}, 腧穴異名 LV-13 (Rear Camphorwood Gate)
后重 {hou4 zhong4}, rectal heaviness (tenesmus)
后周 {hou4 zhou1}, Later Zhou1 (951--960 A.D.)

【厚】 {hou4} [Freq. 2] thick (adj.) (舌苔厚 {she2 tai1 hou4}, thick tongue fur); rich (n.) (厚味 {hou4 wei4}, rich (in) flavor).
厚腸胃 {hou4 chang2 wei4}, thicken the stomach and intestines
厚皮樹 {hou4 pi2 shu4}, 中藥正名 lannea (Lanneae Cortex)
厚樸 {hou4 po4}, 中藥異名 officinal magnolia bark (Magnoliae Officinalis Cortex)
厚朴花 {hou4 po4 hua1}, 中藥正名 officinal magnolia flower (Magnoliae Officinalis Flos)
厚朴七物湯 {hou4 po4 qi1 wu4 tang1}, 方名 Officinal Magnolia Bark Seven Agents Decoction
厚朴三物湯 {hou4 po4 san1 wu4 tang1}, 方名 Officinal Magnolia Bark Three Agents Decoction
厚朴生薑半夏甘草人參湯 {hou4 po4 sheng1 jiang1 ban4 xia4 gan1 cao3 ren2 shen1 tang1}, 方名 Officinal Magnolia Bark, Fresh Ginger, Pinellia, Licorice, and Ginseng Decoction
厚朴生薑半夏人參甘草湯 {hou4 po4 sheng1 jiang1 ban4 xia4 ren2 shen1 gan1 cao3 tang1}, 方名 Officinal Magnolia Bark, Fresh Ginger, Pinellia, Ginseng, and Licorice Decoction
厚朴溫中湯 {hou4 po4 wen1 zhong1 tang1}, 方名 Officinal Magnolia Bark Center-Warming Decoction
厚朴子 {hou4 po4 zi3}, 中藥正名 magnolia seed (Magnoliae Semen)
厚朴 {hou4 po4, 中藥正名 officinal magnolia bark (Magnoliae Officinalis Cortex)
厚苔 {hou4 tai1}, thick fur

【候】 {hou4} [Freq. 2] symptom (n.); indicate (v.); indicator (n.); reflect; examine.
候脈 {hou4 mai4}, examine the pulse; take the pulse; pulse examination; pulse-taking

【鱟】 {hou4} [Freq. 4] king cram.
鱟膽 {hou4 dan3}, 中藥正名 king crab's gallbladder (Tachyplei Tridentati Vesica Fellea)
鱟殼刺 {hou4 ke2 ci4}, 中藥異名 chinaroot (Smilacis Chinae Rhizoma)
鱟殼藤 {hou4 ke2 teng2}, 中藥異名 chinaroot (Smilacis Chinae Rhizoma)
鱟殼 {hou4 qiao4 (ke2)}, 中藥正名 king crab's shell (Tachyplei Tridentati Testa)
鱟肉 {hou4 rou4}, 中藥正名 king crab (Tachyplei Tridentati Caro)
鱟尾 {hou4 wei3}, 中藥正名 king crab's tail (Tachyplei Tridentati Cauda)

~~ {hu1} ~~
【呼】 {hu1} [Freq. 3] exhale; shouting (voice of the liver).
呼多吸少 {hu1 duo1 xi1 shao3}, exhalation more than inhalation
呼叫打罵 {hu1 jiao4 da3 ma4}, vociferation and violent behavior
呼氣 {hu1 qi4}, exhale
呼欠 {hu1 qian4}, yawn
呼吸 {hu1 xi1}, breathing; respiration; respiration; 腧穴正名 Respiration
呼吸補瀉法 {hu1 xi1 bu3 xie4 fa3}, respiratory method of supplementation and drainage
呼吸補瀉手法 {hu1 xi1 bu3 xie4 shou3 fa3}, respiratory supplementation and drainage
呼吸短促不續 {hu1 xi1 duan3 cu4 bu4 xu4}, short, hasty, discontinuous breathing
呼吸困難 {hu1 xi1 kun4 nan2}, 西醫 dyspnea
呼吸迫急 {hu1 xi1 po4 ji2}, distressed rapid breathing
呼吸衰竭 {hu1 xi1 shuai1 jie2}, 西醫 respiratory failure
呼吸系統 {hu1 xi1 xi4 tong3}, 西醫 respiratory system

【忽】 {hu1} [Freq. 4] sudden (齒忽變黑 {chi3 hu1 bian4 hei1}, sudden blackening of the teeth).
忽布 {hu1 bu4}, 中藥異名 hop flower (Humuli Lupuli Flos Femineus)
忽布筋骨草 {hu1 bu4 jin1 gu3 cao3}, 中藥正名 lupuline bugle (Ajugae Lupulinae Herba)
忽思慧 {hu1 si1 hui4}, Hu1 Si1-Hui4

~~ {hu2} ~~
【狐】 {hu2} [Freq. 2] fox (n.), foxy (adj.); fox-like (adj.) (狐臭 {hu2 chou4}, foxy smell).
狐腸 {hu2 chang2}, 中藥正名 fox's intestines (Vulpis Intestina)
狐臭 {hu2 chou4}, foxy smell; armpit odor
狐膽 {hu2 dan3}, 中藥正名 fox's gallbladder (Vulpis Vesica Fellea)
狐肝 {hu2 gan1}, 中藥正名 fox's liver (Vulpis Iecur)
狐惑 {hu2 huo4}, fox-creeper (roughly equivalent to behcet's syndrome)

狐蝎 {hu2 huo4}, fox-creeper
狐狸 {hu2 li2}, fox; foxy; vulpine
狐狸桃 {hu2 li2 tao2}, 中藥異名 Chinese gooseberry (Actinidiae Chinensis Fructus)
狐肉 {hu2 rou4}, 中藥正名 fox's flesh (Vulpis Caro)
狐疝 {hu2 shan4}, foxy mounting; vulpine mounting
狐疝風 {hu2 shan4 feng1}, foxy mounting wind; vulpine mounting wind
狐四足 {hu2 si4 zu2}, 中藥正名 fox's leg (Vulpis Membrum)
狐頭 {hu2 tou2}, 中藥正名 fox's head (Vulpis Caput)
狐心 {hu2 xin1}, 中藥正名 fox's heart (Vulpis Cor)

【胡】 {hu2} [Freq. 4] foreign.
胡巴 {hu2 ba1}, 中藥異名 fenugreek (Trigonellae Semen)
胡蒼子 {hu2 cang1 zi3}, 中藥異名 xanthium (Xanthii Fructus) (Xanthii Fructus); 中藥異名 xanthium
胡蔥 {hu2 cong1}, 中藥正名 shallot (Allii Ascalonici Bulbus)
胡大海 {hu2 da4 hai3}, 中藥異名 sterculia (Sterculiae Lychnophorae Semen)
胡豆 (1) {hu2 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)
胡豆 (2) {hu2 dou4}, 中藥異名 chick-pea (Ciceris Arietini Semen)
胡粉 {hu2 fen3}, 中藥異名 processed galenite (Galenitum Praeparatum)
胡故子 {hu2 gu4 zi3}, 中藥異名 psoralea (Psoraleae Fructus)
胡瓜 {hu2 gua1}, 中藥異名 cucumber (Cucumeris Sativi Fructus)
胡黃連 {hu2 huang2 lian2}, 中藥正名 picrorhiza (Picrorhizae Rhizoma)
胡椒 {hu2 jiao1}, 中藥正名 pepper (Piperis Fructus)
胡連 {hu2 lian2}, 中藥異名 picrorhiza (Picrorhizae Rhizoma)
胡蓮 {hu2 lian2}, 中藥異名 picrorhiza (Picrorhizae Rhizoma)
胡蘆巴 {hu2 lu2 ba1}, 中藥正名 fenugreek (Trigonellae Semen)
胡蘆巴散 {hu2 lu2 ba1 san3}, 方名 Fenugreek Powder
胡蘆巴丸 {hu2 lu2 ba1 wan2}, 方名 Fenugreek Pill
胡蘿蔔 {hu2 luo2 bo2}, 中藥正名 carrot (Dauci Carotae Sativae Radix)
胡蘿蔔子 {hu2 luo2 bo2 zi3}, 中藥正名 carrot seed (Dauci Carotae Sativae Fructus)
胡麻 {hu2 ma2}, 中藥異名 black sesame (Sesami Semen Nigrum)
胡麻草 {hu2 ma2 cao3}, 中藥正名 Cochin China centranthera (Centrantherae Herba)
胡麻花 {hu2 ma2 hua1}, 中藥正名 sesame flower (Sesami Flos)
胡麻仁 {hu2 ma2 ren2}, 中藥異名 black sesame (Sesami Semen Nigrum)
胡麻葉 {hu2 ma2 ye4}, 中藥正名 sesame leaf (Sesami Folium)
胡麻油 {hu2 ma2 you2}, 中藥異名 sesame oil (Sesami Oleum)
胡寢子 {hu2 qin3 zi3}, 中藥異名 xanthium (Xanthii Fructus)
胡蘑 {hu2 qiong2}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)

胡蔥子 {hu2 song1 zi3}, 中藥正名 shallot seed (Allii Ascalonici Semen)
胡蒜 {hu2 suan4}, 中藥異名 garlic (Allii Sativi Bulbus)
胡荽 {hu2 sui1}, 中藥正名 coriander (Coriandri Herba cum Radice)
胡荽子 {hu2 sui1 zi3}, 中藥正名 coriander seed (Coriandri Fructus)
胡桃根 {hu2 tao2 gen1}, 中藥正名 walnut root (Juglandis Radix)
胡桃花 {hu2 tao2 hua1}, 中藥正名 walnut flower (Juglandis Flos)
胡桃殼 {hu2 tao2 qiao4 (ke2)}, 中藥正名 walnut shell (Juglandis Pericarpium)
胡桃青皮 {hu2 tao2 qing1 pi2}, 中藥正名 unripe walnut shell (Juglandis Pericarpium Immaturum)
胡桃仁 {hu2 tao2 ren2}, 中藥異名 walnut (Juglandis Semen)
胡桃肉 {hu2 tao2 rou4}, 中藥異名 walnut (Juglandis Semen)
胡桃樹皮 {hu2 tao2 shu4 pi2}, 中藥正名 walnut bark (Juglandis Cortex)
胡桃丸 {hu2 tao2 wan2}, 方名 Walnut Pill
胡桃葉 {hu2 tao2 ye4}, 中藥正名 walnut leaf (Juglandis Folium)
胡桃油 {hu2 tao2 you2}, 中藥正名 walnut oil (Juglandis Seminis Oleum)
胡桃枝 {hu2 tao2 zhi1}, 中藥正名 walnut twig (Juglandis Ramulus)
胡桃粥 {hu2 tao2 zhou1}, 方名 Walnut Gruel
胡桐淚 {hu2 tong2 lei4}, 中藥正名 Tartar poplar resin (Populi Diversifoliae Resina)
胡頹子 {hu2 tui2 zi3}, 中藥正名 pungent oleaster fruit (Elaeagni Pungentis Fructus)
胡頹子根 {hu2 tui2 zi3 gen1}, 中藥正名 pungent oleaster root (Elaeagni Pungentis Radix)
胡頹子葉 {hu2 tui2 zi3 ye4}, 中藥正名 pungent oleaster leaf (Elaeagni Pungentis Folium)
胡王使者 {hu2 wang2 shi2 zhe3}, 中藥異名 notopterygium (Notopterygii Rhizoma et Radix)
胡王使者 {hu2 wang2 shi3 zhe3}, 中藥異名 pulsatilla (Pulsatillae Radix)
胡言亂語 {hu2 yan2 luan4 yu3}, nonsensical talk
胡燕卵 {hu2 yan4 luan3}, 中藥正名 swallow's egg (Hirundonis Dauricae Ovum)
胡燕脂 {hu2 yan4 zhi1}, 中藥異名 Malabar spinach (Basellae Rubrae Folium seu Herba)
胡枝子 {hu2 zhi1 zi3}, 中藥正名 bicolor lespedeza stem and leaf (Lespedezae Bicoloris Caulis et Folium)
胡枝子根 {hu2 zhi1 zi3 gen1}, 中藥正名 bicolor lespedeza root (bark) (Lespedezae Bicoloris Radix seu Radicis Cortex)
胡子鯰 {hu2 zi3 nian4}, 中藥異名 catfish (Clarias)

【壺】 {hu2} [Freq. 4] pot.
壺腹 {hu2 fu4}, 西醫 ampulla
壺蘆 {hu2 lu2}, 中藥正名 bottle gourd (Lagenariae Depressae Fructus)
壺瓶草 {hu2 ping2 cao3}, 中藥異名 siphonostegia (Siphonostegiae Herba)

【湖】 {hu2} [Freq. 4] lake.

湖花 {hu2 hua1}，中藥異名 rose (Rosae Rugosae Flos)

【葫】 {hu2} [Freq. 4] plant name.
葫 {hu2}，中藥異名 garlic (Allii Sativi Bulbus)
葫蔥 {hu2 cong1}，中藥異名 shallot (Allii Ascalonici Bulbus)
葫蘆 {hu2 lu2}，中藥異名 bottle gourd (Lagenariae Depressae Fructus)
葫蘆巴 {hu2 lu2 ba1}，中藥異名 fenugreek (Trigonellae Semen)
葫蘆巴丸 {hu2 lu2 ba1 wan2}，方名 Funugreek Pill
葫蘆茶 {hu2 lu2 cha2}，中藥正名 bottle-gourd tea (Desmodii Triquetri Herba)
葫蘆茶根 {hu2 lu2 cha2 gen1}，中藥正名 bottle-gourd tea root (Desmodii Triquetri Radix)
葫蘆菔 {hu2 lu2 fu2}，中藥異名 carrot (Dauci Carotae Sativae Radix)
葫首歸 {hu2 shou3 gui1}，中藥異名 tangkuei head (Angelicae Sinensis Radicis Caput)

【糊】 {hu2} [Freq. 3] paste.
糊丸 {hu2 wan2}, flour and water paste pill

【蝴】 {hu2} [Freq. 4] butterfly.
蝴蝶斑 {hu2 die2 ban1}, butterfly macules
蝴蝶花 {hu2 die2 hua1}，中藥正名 Japanese iris (Iridis Japonicae Herba)
蝴蝶樹 {hu2 die2 ye4 shu4}，中藥正名 Japanese snowball (Viburni Plicati Radix seu Caulis)

【鶘】 {hu2} [Freq. 4] swan.
鶘絨毛 {hu2 rong2 mao2}，中藥正名 swan's feather (Cygni Pluma)
鶘油 {hu2 you2}，中藥正名 swan's fat (Cygni Adeps)

【猢】 {hu2} [Freq. 4] monkey.
猢猻疳 {hu2 sun1 gan1}, monkey gan1

【壺】 {hu2} [Freq. 4] pot.
壺盧子 {hu2 lu2 zi3}，中藥正名 bottle gourd seed (Lagenariae Depressae Semen)

【槲】 {hu2} [Freq. 4] tree name.
槲寄生 {hu2 ji4 sheng1}，中藥正名 red-berried mistletoe (Visci Ramus)
槲皮 {hu2 pi2}，中藥正名 jagged-leaved oak bark (Quercus Dentatae Cortex)
槲實仁 {hu2 shi2 ren2}，中藥正名 jagged-leaved oak seed (Quercus Dentatae Semen)
槲葉 {hu2 ye4}，中藥正名 jagged-leaved oak leaf (Quercus Dentatae Folium)

【&&851B‖】 {hu2} [Freq. 4] plant name.

&&851B‖草 {hu2 cao3}, 中藥正名 few-flowered monochoria (Monochoriae Pauciflorae Herba)

~~ {hu3} ~~

【虎】 {hu3} [Freq. 2] tiger (n.) (白虎湯 {bai2 hu3 tang1}, White Tiger Decoction).

虎鞭 {hu3 bian1}, 中藥正名 tiger's genitals (Tigris Penis et Testis)

虎邊 {hu3 bian1}, 腧穴正名 Beside the Tiger

虎刺 {hu3 ci4}, 中藥正名 damnacanthus (Damnacanthi Herba seu Radix)

虎膽 {hu3 dan3}, 中藥正名 tiger's gallbladder (Tigris Vesica Fellea)

虎肚 {hu3 du3}, 中藥正名 tiger's stomach (Tigris Stomachus)

虎耳草 {hu3 er3 cao3}, 中藥正名 saxifrage (Saxifragae Herba)

虎耳還魂草 {hu3 er3 huan2 hun2 cao3}, 中藥正名 common corallodiscus (Corallodisci Cordatuli Herba)

虎膏 {hu3 gao1}, 中藥正名 tiger's fat (Tigris Adeps)

虎骨 {hu3 gu3}, 中藥正名 tiger bone (Tigris Os)

虎骨膠 {hu3 gu3 jiao1}, 中藥正名 tiger bone glue (Tigris Gelatinum Ossis)

虎骨木瓜酒 {hu3 gu3 mu4 gua1 jiu3}, 方名 Tiger Bone and Chaenomeles Wine

虎骨四斤丸, 方名 Tiger Bone Four Jin Pill

虎薊 {hu3 ji4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)

虎筋 {hu3 jin1}, 中藥正名 tiger's sinew (Tigris Musculus)

虎睛 {hu3 jing1}, 中藥正名 tiger's eye (Tigris Oculus)

虎脛骨 {hu3 jing4 gu3}, 中藥正名 tiger's kneecap (Tigris Patella)

虎口 {hu3 kou3}, tiger's mouth (region between the first and second metacarpal bones) (Tiger's Mouth); 腧穴異名 LI-4

虎口三關 {hu3 kou3 san1 guan1}, three passes at the tiger's mouth

虎蘭 {hu3 lan2}, 中藥異名 lycopus (Lycopi Herba)

虎皮草 {hu3 pi2 cao3}, 中藥正名 large-leaved chrysosplenium (Chrysosplenii Macrophylli Herba)

虎珀 {hu3 po4}, 中藥異名 amber (Succinum)

虎魄 {hu3 po4}, 中藥異名 amber (Succinum)

虎蒲 {hu3 pu2}, 中藥異名 lycopus (Lycopi Herba)

虎潛丸 {hu3 qian2 wan2}, 方名 Hidden Tiger Pill

虎肉 {hu3 rou4}, 中藥正名 tiger's flesh (Tigris Caro)

虎腎 {hu3 shen4}, 中藥正名 tiger's kidney (Tigris Renes)

虎頭蕉 {hu3 tou2 jiao1}, 中藥正名 Taiwan anectochilus (Anectochili Herba)

虎尾蘭 {hu3 wei3 lan2}, 中藥正名 sansevieria (Sansevieriae Folium)

虎膝骨 {hu3 xi1 gu3}, 中藥異名 tiger's kneecap (Tigris Patella)

虎須疔 {hu3 xu1 ding1}, tiger's-whiskers clove sore
虎須毒 {hu3 xu1 du2}, tiger's-whiskers toxin
虎牙 {hu3 ya2}, 中藥正名 tiger tooth (Tigris Dens)
虎眼睛 {hu3 yan3 jing1}, 中藥異名 tiger's eye (Tigris Oculus)
虎咬&&7640|{hu3 yao3 huang2}, 中藥正名 greater ground ivy (Glechomae Grandis Herba)
虎油 {hu3 you2}, 中藥異名 tiger's fat (Tigris Adeps)
虎掌 {hu3 zhang3}, 中藥異名 arisaema (Arisaematis Rhizoma)
虎掌草 {hu3 zhang3 cao3}, 中藥正名 brookside anemone (Anemones Rivularis Radix seu Herba)
虎掌南星 {hu3 zhang3 nan2 xing1}, 中藥異名 arisaema (Arisaematis Rhizoma)
虎杖 {hu3 zhang4}, 中藥正名 bushy knotweed (Polygoni Cuspidati Rhizoma)
虎杖根 {hu3 zhang4 gen1}, 中藥異名 bushy knotweed (Polygoni Cuspidati Rhizoma)
虎杖葉 {hu3 zhang4 ye4}, 中藥正名 bushy knotweed leaf (Polygoni Cuspidati Folium)
虎爪 {hu3 zhao3}, 中藥正名 tiger's claws (Tigris Ungula)
虎爪豆 {hu3 zhao3 dou4}, 中藥異名 Yokohama bean (Stizolobii Semen)
虎脂 {hu3 zhi1}, 中藥異名 tiger's fat (Tigris Adeps)

【琥】 {hu3} [Freq. 4] amber.
琥珀 {hu3 po4}, 中藥正名 amber (Succinum)
琥魄 {hu3 po4}, 中藥異名 amber (Succinum)
琥珀安神湯 {hu3 po4 an1 shen2 tang1}, 方名 Amber Spirit-Quieting Decoction
琥珀抱龍丸 {hu3 po4 bao4 long2 wan2}, 方名 Amber Dragon-Embracing Pill
琥珀粉 {hu3 po4 fen3}, 中藥正名 amber powder (Succini Pulvis)
琥珀末 {hu3 po4 mo4}, 中藥異名 amber powder (Succini Pulvis)
琥珀散 {hu3 po4 san3}, 方名 Amber Powder

~~ {hu4} ~~
【互】 {hu4} [Freq. 5] each other (陰陽互根 {yin1 yang2 hu4 gen1}, yin1 and yang2 are rooted in each other)

【戶】 {hu4} [Freq. 2] door (n.) (陰戶 {yin1 hu4}, the yin1 doors (the opening of the vagina)).
戶門 {hu4 men2}, door gate (the teeth)

【瓠】 {hu4} [Freq. 4] name of a gourd.
瓠 {hu4}, 中藥異名 bottle gourd (Lagenariae Depressae Fructus)
瓠瓜 {hu4 gua1}, 中藥異名 bottle gourd (Lagenariae Depressae Fructus) (Lagenariae Clavatae Fructus); 中藥異名 sweet gourd

瓠子 {hu4 zi3}, 中藥正名 sweet gourd (Lagenariae Clavatae Fructus)
瓠子子 {hu4 zi3 zi3}, 中藥正名 sweet gourd seed (Lagenariae Clavatae Semen)

【樺】 {hu4} [Freq. 4] birch

【護】 {hu4} [Freq. 3] safeguard.
護處必痛 {hu4 chu4 bi4 tong4}, protected spot indicates pain
護生菜 {hu4 sheng1 cai4}, 中藥異名 shepherd's purse (Capsellae Bursa-Pastoris Herba)
護心草 {hu4 xin1 cao3}, 中藥正名 Michel's cyperus (Cyperi Micheliani Herba)
護心膽 {hu4 xin1 dan3}, 中藥正名 sweet-scented corydalis (Corydalis Suaveolentis Tuber)

~~ {hua1} ~~
【花】 {hua1} [Freq. 2] flower.
花斑毛 {hua1 ban1 mao2}, 中藥異名 mylabris (Mylabris)
花倍 {hua1 bei4}, 中藥異名 many-horned sumac gallnut (Galla Chinensis Multicornis)
花菜 {hua1 cai4}, 中藥異名 cauliflower (Brassicae Botrytidis Flos)
花草 {hua1 cao3}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
花豆 {hua1 dou4}, 中藥正名 white Dutch runner bean (Phaseoli Albonani Semen)
花粉 {hua1 fen3}, 中藥異名 trichosanthes root (Trichosanthis Radix)
花腹鯖 {hua1 fu4 qing1}, 中藥正名 chub mackerel (Scomber Australascus)
花瓜 {hua1 gua1}, 中藥異名 gherkin (Cucumeris Anguriae Fructus)
花拐藤根 {hua1 guai3 teng2 gen1}, 中藥正名 pottsia (Pottsiae Radix)
花紅葉 {hua1 hong2 ye4}, 中藥正名 Chinese crabapple leaf (Mali Asiaticae Folium)
花胡瓜 {hua1 hu2 gua1}, 中藥正名 gherkin (Cucumeris Anguriae Fructus)
花椒 {hua1 jiao1}, 中藥正名 zanthoxylum (Zanthoxyli Pericarpium)
花交菜 {hua1 jiao1 cai4}, 中藥異名 celery cabbage (Brassicae Pekinensis Folium)
花椒粉 {hua1 jiao1 fen3}, 中藥正名 zanthoxylum powder (Zanthoxyli Pericarpium Pulveratum)
花椒根 {hua1 jiao1 gen1}, 中藥正名 zanthoxylum root (Zanthoxyli Radix)
花椒炭 {hua1 jiao1 tan4}, 中藥正名 charred zanthoxylum (Zanthoxyli Pericarpium Carbonisatum)
花椒葉 {hua1 jiao1 ye4}, 中藥正名 zanthoxylum leaf (Zanthoxyli Folium)
花莖甘藍 {hua1 jing1 gan1 lan2}, 中藥異名 cauliflower (Brassicae Botrytidis Flos)
花韭菜 {hua1 jiu3 cai4}, 中藥正名 Chinese leek stem (Allii Tuberosi Pedunculus)
花殼蟲 {hua1 ke2 chong2}, 中藥異名 mylabris (Mylabris)
花鱠 {hua1 kuai4}, 中藥正名 flower-like rock cod (Cephalopholis Obtusaurus)
花柳毒淋 {hua1 liu3 du2 lin2}, 西醫 veneral toxic gonorrhea

花龍骨 {hua1 long2 gu3}, 中藥異名 dragon bone (Mastodi Ossis Fossilia) (Mastodi Ossis Fossilia Florida); 中藥異名 flowery dragon bone
花旗參 {hua1 qi2 shen1}, 中藥異名 American ginseng (Panacis Quinquefolii Radix)
花楸 {hua1 qiu1}, 中藥正名 Pohuashan mountain shan [fruit and stem] (Sorbi Pohuashanensis Fructus et Caulis)
花葸 {hua1 ren3}, 中藥正名 polemonium (Polemonii Radix)
花乳石 {hua1 ru3 shi2}, 中藥異名 ophicalcite (Ophicalcitum)
花蕊石 {hua1 rui3 shi2}, 中藥正名 ophicalcite (Ophicalcitum)
花蕊石散 {hua1 rui3 shi2 san3}, 方名 Ophicalcite Powder
花蕊石止血散 {hua1 rui3 shi2 zhi3 xue4 san3}, 方名 Ophicalcite Blood-Stanching Powder
花身雞魚 {hua1 shen1 ji1 yu2}, 中藥正名 jarbua (Therapon Jarbua)
花生 {hua1 sheng1}, 中藥異名 peanut (Arachidis Semen)
花生衣 {hua1 sheng1 yi1}, 中藥正名 peanut sead-coat (Arachidis Testa)
花生油 {hua1 sheng1 you2}, 中藥異名 peanut oil (Arachidis Seminis Oleum)
花酸苔 {hua1 suan1 tai1}, 中藥正名 Cathay begonia (Begoniae Cathayanae Herba)
花尾鷹羽鯛 {hua1 wei3 ying1 yu3 diao1}, 中藥正名 ring-eyed hawk (Paracirrhitus Arcatus)
花蚶殼 {hua1 xian4 qiao4 (ke2)}, 中藥異名 ark shell (Arcae Concha)
花椰菜 {hua1 ye1 cai4}, 中藥異名 cauliflower (Brassicae Botrytidis Flos)
花葉假杜鵑 {hua1 ye4 jia3 du4 juan1}, 中藥正名 barleria (Barleriae Frutex)
花葉矮沱沱 {hua1 ye4 tuo2 tuo2}, 中藥正名 Chinese munronia (Munroniae Sinicae Herba)
花蟻蟲 {hua1 yi3 chong2}, 中藥正名 paederus (Paederus)
花翳白陷 {hua1 yi4 bai2 xian4}, pitted flowery white screen
花蜘蛛 {hua1 zhi1 zhu1}, 中藥異名 agelena (Agelena)

~~ {hua2} ~~
【華】 {hua2} [Freq. 2] luster (n.) (面色無華 {mian4 se4 wu2 hua2}, lusterless complexion); bloom (n.) (肝，其華在爪 {gan1, qi2 hua2 zai4 zhao3}, the liver, its bloom is in the nails).
華風車子 {hua2 feng1 che1 zi3}, 中藥正名 combretum leaf (Combreti Folium)
華鳳仙 {hua2 feng4 xian1}, 中藥正名 Chinese impatiens (Impatientis Chinensis Caulis et Folium)
華蓋 {hua2 gai4}, florid canopy (Florid Canopy); 腧穴正名 CV-20
華蓋散 {hua2 gai4 san3}, 方名 Florid Canopy Powder
華金腰子 {hua2 jin1 yao1 zi3}, 中藥正名 Chinese chrysosplenium (Chrysosplenii Sinici Herba)
華南地丁 {hua2 nan2 di4 ding1}, 中藥異名 southern gentian (Gentianae Lourei Herba cum Radice)
華山礬 {hua2 shan1 fan2}, 中藥正名 Chinese sweetleaf twig and leaf (Symplocoris Chinensis

Ramulus et Folium)
華山鬱果 {hua2 shan1 fan2 guo3}, 中藥正名 Chinese sweetleaf fruit (Symplocoris Chinensis Fructus)
華山鬱根 {hua2 shan1 fen2 gen1}, 中藥正名 Chinese sweetleaf root (Symplocoris Chinensis Radix)
華山參 {hua2 shan1 shen1}, 中藥正名 physochlaina (Physochlainae Radix)
華陀 {hua2 tuo2}, Hua2 Tuo2
華陀夾脊 {hua2 tuo2 jia1 ji2}, 腧穴異名 Hua Tuo's Paravertebrals
華佗夾脊穴 {hua2 tuo2 jia1 ji3 xue2}, Hua Tuo's paravertebral points
華佗累效散 {hua2 tuo2 lei3 xiao4 san3}, 方名 Hua Tuo's Efficacious Powder
華陀愈風散 {hua2 tuo2 yu4 feng1 san3}, 方名 Hua Tuo's Wind-Healing Powder

【滑】{hua2} [Freq. 2] glossy (adj.) (舌苔滑 {she2 tai1 hua2}, glossy tongue fur); slippery (adj.); efflux (n.) (uncontrolled flow from the body. 滑精 {hua2 jing1}, seminal efflux); lubricate (v.) (滑腸 {hua2 chang2}, lubricate the intestines).
滑背草鞋 {hua2 bei4 cao3 xie2}, 中藥正名 launaea (Launaeae Herba)
滑腸 {hua2 chang2}, lubricate the intestines
滑劑 {hua2 ji4}, lubricating formula
滑精 {hua2 jing1}, seminal efflux
滑可去&&7740|{hua2 ke3 qu4 zhuo2}, slippery [medicinals] can eliminate fixity; lubricating [medicinals] can eliminate fixity
滑利關節 {hua2 li4 guan1 jie2}, disinhibit the joints
滑利通竅 {hua2 li4 tong1 qiao4}, lubricate and free the orifices
滑脈 {hua2 mai4}, slippery pulse
滑肉門 {hua2 rou4 men2}, 腧穴正名 ST-24 (Slippery Flesh Gate)
滑石燙 {hua2 shi2 tang4}, talcum scorching
滑石粥 {hua2 shi2 zhou1}, 方名 Talcum Gruel
滑石 {hua2 shi2, 中藥正名 talcum (Talcum)
滑壽 {hua2 shou4}, Hua2 Shou4
滑胎 {hua2 tai1}, habitual miscarriage
滑苔 {hua2 tai1}, glossy tongue fur; slippery tongue fur
滑脫 {hua2 tuo1}, efflux desertion
滑泄 {hua2 xie4}, efflux diarrhea
滑液 {hua2 ye4}, 西醫 synovia
滑液膜 {hua2 ye4 mo2}, 西醫 synovial membrane
滑幽門 {hua2 you1 men2}, 腧穴異名 ST-24 (Slippery Dark Gate)

~~ {hua4} ~~

【化】 {hua4} [Freq. 2] transform (v.), transformation (舌苔不化 {she2 tai1 bu2 hua4}, non-transforming tongue fur; 化痰{hua4 tan2}, {transform} phlegm); form (v.), formation (n.) (濕從寒化 {shi1 cong2 han2 hua4}, dampness forming with cold).

化斑 {hua4 ban1}, transform macules

化斑解毒湯 {hua4 ban1 jie3 du2 tang1}, 方名 Macule-Transforming Toxin-Resolving Decoction

化斑湯 {hua4 ban1 tang1}, 方名 Macule-Transforming Decoction

化裁 {hua4 cai2}, varied; variation

化蟲丸 {hua4 chong2 wan2}, 方名 Worm-Transforming Pill

化風 {hua4 feng1}, wind formation

化腐 {hua4 fu3}, transform putridity

化肝煎 {hua4 gan1 jian1}, 方名 Liver-Transforming Brew

化火 {hua4 huo3}, transform into fire; transformation into fire; fire formation

化金石 {hua4 jin1 shi2}, 中藥異名 niter (Nitrum)

化橘紅 {hua4 ju2 hong2}, 中藥正名 Huazhou pomelo rind (Citri Grandis Exocarpium Rubrum)

化龍骨 {hua4 long2 gu3}, 中藥異名 dragon bone (Mastodi Ossis Fossilia)

化膿 {hua4 nong2}, 西醫 suppuration

化膿灸 {hua4 nong2 jiu3}, suppurative moxibustion

化膿性鼻竇炎 {hua4 nong2 xing4 bi2 dou4 yan2}, 西醫 suppurative sinusitis of nose

化膿性關節炎 {hua4 nong2 xing4 guan1 jei2 yan2}, 西醫 suppurative arthritis

化膿性中耳炎 {hua4 nong2 xing4 zhong1 er3 yan2}, 西醫 suppurative otitis media

化痞 {hua4 pi3}, transform glomus

化氣 {hua4 qi4}, perform qi4 transformation (physiological) (therapeutic); promote qi4 transformation (move qi4 and transform stagnation); transform qi4

化氣蘭 {hua4 qi4 lan2}, 中藥正名 Faber's cymbidium root bark (Cymbidii Faberi Radicis Cortex)

化氣利尿 {hua4 qi4 li4 niao4}, promote qi4 transformation and disinhibit urine

化氣利水 {hua4 qi4 li4 shui3}, promote qi4 transformation and disinhibit water

化氣利小便 {hua4 qi4 li4 xiao3 bian4}, promote qi4 transformation and disinhibit urine; promote qi4 transformation and disinhibit urine

化熱 {hua4 re4}, transform into heat; transformation into heat; heat formation

化濕 {hua4 shi1}, transform dampness (eliminate); dampness formation

化濕和胃 {hua4 shi1 he2 wei4}, transform dampness and harmonize the stomach

化濕和中 {hua4 shi1 he2 zhong1}, transform dampness and harmonize the center

化濕清熱 {hua4 shi1 qing1 re4}, transform dampness and clear heat

化濕濁 {hua4 shi1 zhuo2}, transform damp turbidity

化石散 {hua4 shi2 san3}, 方名 Stone-Transforming Powder

化食養脾湯 {hua4 shi2 yang3 pi2 tang1}, 方名 Food-Transforming Spleen-Nourishing Decoction
化水種子湯 {hua4 shui3 zhong4 zi3 tang1}, 方名 Water-Transforming Seed-Planting Decoction
化痰 {hua4 tan2}, transform phlegm; phlegm transformation
化痰開竅 {hua4 tan2 kai1 qiao4}, transform phlegm and open the orifices
化痰利水 {hua4 tan2 li4 shui3}, transform phlegm and disinhibit water
化痰利水藥 {hua4 tan2 li4 shui3 ji4}, phlegm-transforming water-disinhibiting formula
化痰軟堅 {hua4 tan2 ruan3 jian1}, transform phlegm and soften hardness
化痰散結 {hua4 tan2 san4 jie2}, transform phlegm and dissipate binds
化痰息風 {hua4 tan2 xi1 feng1}, transform phlegm and extinguish wind
化痰消積 {hua4 tan2 xiao1 ji1}, transform phlegm and disperse accumulations
化痰消癭 {hua4 tan2 xiao1 ying3}, transform phlegm and disperse goiter
化痰消瘀 {hua4 tan2 xiao1 yu1}, transform phlegm and disperse stasis
化痰藥 {hua4 tan2 yao4}, phlegm-transforming medicinal
化痰止咳 {hua4 tan2 zhi3 ke2}, transform phlegm and suppress cough
化香樹果 {hua4 xiang1 shu4 guo3}, 中藥正名 platycarya fruit (Platycaryae Fructus)
化香樹葉 {hua4 xiang1 shu4 ye4}, 中藥正名 platycarya leaf (Platycaryae Folium)
化血丹 {hua4 xue4 dan1}, 方名 Blood-Transforming Elixir
化血膽 {hua4 xue4 dan3}, 中藥正名 melasma (Melasmatis Herba)
化陰煎 {hua4 yin1 jian1}, 方名 Yin1-Forming Brew
化飲 {hua4 yin3}, transform rheum
化飲解表 {hua4 yin3 jie3 biao3}, transform rheum and resolve the exterior
化瘀 {hua4 yu1}, transform stasis
化瘀明目 {hua4 yu1 ming2 mu4}, transform stasis and brighten the eyes
化瘀消腫 {hua4 yu1 xiao1 zhong3}, transform stasis and disperse swelling
化瘀行血 {hua4 yu1 xing2 xue4}, transform stasis and move the blood
化源不足 {hua4 yuan2 bu4 zu2}, insufficiency of the source of transformation (inadequate blood and qi production)
化燥 {hua4 zao4}, transform into dryness; transformation into dryness; dryness formation; induce dryness formation
化癥回生丹 {hua4 zheng1 hui2 sheng1 dan1}, 方名 Concretion-Transforming Return-to-Life Elixir
化滯 {hua4 zhi4}, transform stagnation
化州橘紅 {hua4 zhou1 ju2 hong2}, 中藥異名 Huazhou pomelo rind (Citri Grandis Exocarpium Rubrum)

【畫】 {hua4} [Freq. 4] picture.

畫眉草 {hua4 mei2 cao3}, 中藥正名 pilose eragrostis (Eragrostis Pilosae Herba)
畫石 {hua4 shi2}, 中藥異名 talcum (Talcum)

【話】 {hua4} [Freq. 5] speech (words spoken; usually no equivalent in English. 說糊話 {shuo1 hu2 hua4}, talk nonsense); discussion (醫話 {yi1 hua4}, medical discussion).
樺菌芝 {hua4 jun1 zhi1}, 中藥正名 pyropolyporus (Pyropolyporus)
樺木皮 {hua4 mu4 pi2}, 中藥正名 Chinese white birch bark (Betulae Platyphylla Cortex)
樺樹液 {hua4 shu4 ye4}, 中藥正名 Chinese white birch sap (Betulae Platyphyllae Succus)

~~ {huai2} ~~
【淮】 {huai2} [Freq. 4] Huai2 River（淮河）.
淮山 {huai2 shan1}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
淮山藥 {huai2 shan1 yao4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
淮通 {huai2 tong1}, 中藥正名 Moupin aristolochia (Aristolochiae Moupinensis Caulis et Radix)

【槐】 {huai2} [Freq. 4] plant name.
槐白皮 {huai2 bai2 pi2}, 中藥正名 sophora (root) bark (Sophorae Cortex (Radicis))
槐豆 {huai2 dou4}, 中藥異名 sophora fruit (Sophorae Fructus)
槐蛾 {huai2 e2}, 中藥異名 sophora wood ear (Sophorae Auricularia Auricula)
槐鵝 {huai2 e2}, 中藥異名 sophora wood ear (Sophorae Auricularia Auricula)
槐耳 {huai2 er3}, 中藥正名 sophora wood ear (Sophorae Auricularia Auricula)
槐根 {huai2 gen1}, 中藥正名 sophora root (Sophorae Radix)
槐花 {huai2 hua1}, 中藥正名 sophora flower (Sophorae Flos)
槐花米 {huai2 hua1 mi3}, 中藥正名 sophora bud (Sophorae Flos Immaturus)
槐花散 {huai2 hua1 san3}, 方名 Sophora Flower Powder
槐花炭 {huai2 hua1 tan4}, 中藥正名 charred sophora flower (Sophorae Flos Carbonisatus)
槐雞 {huai2 ji1}, 中藥異名 sophora wood ear (Sophorae Auricularia Auricula)
槐膠 {huai2 jiao1}, 中藥正名 sophora resin (Sophorae Resina)
槐角 {huai2 jiao3}, 中藥正名 sophora fruit (Sophorae Fructus)
槐角丸 {huai2 jiao3 wan2}, 方名 Sophora Fruit Pill
槐角子 {huai2 jiao3 zi3}, 中藥異名 sophora bud (Sophorae Flos Immaturus)
槐菌 {huai2 jun4}, 中藥異名 sophora wood ear (Sophorae Auricularia Auricula)
槐連燈 {huai2 lian2 deng1}, 中藥異名 sophora fruit (Sophorae Fructus)
槐連豆 {huai2 lian2 dou4}, 中藥異名 sophora fruit (Sophorae Fructus)
槐米 {huai2 mi3}, 中藥異名 sophora bud (Sophorae Flos Immaturus)
槐米炭 {huai2 mi3 tan4}, 中藥正名 charred sophora bud (Sophorae Flos Immaturus

Carbonisatus)
槐蕊 {huai2 rui3}, 中藥異名 sophora flower (Sophorae Flos)
槐實 {huai2 shi2}, 中藥異名 sophora fruit (Sophorae Fructus)
槐香散 {huai2 xiang1 san3}, 方名 Sophora Flower and Musk Powder
槐耳 {huai2 xu1}, 中藥異名 sophora wood ear (Sophorae Auricularia Auricula)
槐葉 {huai2 ye4}, 中藥正名 sophora leaf (Sophorae Folium)
槐枝 {huai2 zhi1}, 中藥正名 sophora twig (Sophorae Ramulus)
槐子 {huai2 zi3}, 中藥異名 sophora fruit (Sophorae Fructus)

【踝】 {huai2} [Freq. 3] malleolus.
踝三針 {huai2 san1 zhen1}, 腧穴正名 Three Ankle Needles
踝損瘀血 {huai2 sun3 yu1 xue4}, sprained ankle with static blood

【懷】 {huai2} [Freq. 4] bosom; abbreviation for 懷慶 Huai2qing4.
懷菊 {huai2 ju2}, 中藥正名 Huaiqing chrysanthemum (Chrysanthemi Flos *Huaiqingensis)
懷牛膝 {huai2 niu2 xi1}, 中藥異名 achyranthes (Achyranthis Bidentatae Radix)
懷山藥 {huai2 shan1 yao4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
懷娠 {huai2 shen1}, pregnant (adj.), pregnancy (n.)
懷孕 {huai2 yun4}, pregnancy

【蘹】 {huai2} [Freq. 4] plant name.
蘹香 {huai2 xiang1}, 中藥異名 fennel (Foeniculi Fructus)

~~ {huai4} ~~
【壞】 {huai4} [Freq. 4] bad.
壞病 {huai4 bing4}, aggravated disease
壞疽 {huai4 ju1}, 西醫 gangrene
壞死 {huai4 si3}, 西醫 necrosis
壞死性齦口炎 {huai4 si3 xing4 yin2 kou3 yan2}, 西醫 necrotizing gingivostomatitis

~~ {huan1} ~~
【獾】 {huan1} [Freq. 4] badger.
獾肉 {huan1 rou4}, 中藥正名 badger flesh (Melis Caro)
獾油 {huan1 you2}, 中藥正名 badger's fat (Melis Adeps)

~~ {huan2} ~~

【環】 {huan2} [Freq. 4] surround.

環草 {huan2 cao3}, 中藥正名 fine-stemmed dendrobium (Dendrobii Moniliformis Herba)

環谷 {huan2 gu3}, 腧穴異名 GB-30 (Round Valley)

環境養生 {huan2 jing4 yang3 sheng1}, environmental health-care

環臍而痛 {huan2 qi2 er2 tong4}, pain around the navel; periumbilical pain

環跳 {huan2 tiao4}, 腧穴正名 GB-30 (Jumping Round)

環跳疽 {huan2 tiao4 ju1}, Jumping Round flat-abscess (flat-abscess at GB-30)

環跳痰 {huan2 tiao4 tan2}, Jumping-Round phlegm

環躍 {huan2 yue4}, 腧穴正名 Leaping Round

環中 {huan2 zhong1}, 腧穴正名 In the Round

【還】 {huan2} [Freq. 3] restore.

還魂草 {huan2 hun2 cao3}, 中藥正名 whorled stonecrop (Sedi Verticillati Herba)

還亮草 {huan2 liang2 cao3}, 中藥正名 chervil larkspur (Delphinii Anthriscifolii Herba)

還少丹 {huan2 shao4 dan1}, 方名 Rejuvenation Elixir

還陽草 {huan2 yang2 cao3}, 中藥正名 Yun2nan2 rhodiola (Rhodiolae Yunnanensis Radix)

還陽草根 {huan2 yang2 cao3 gen1}, 中藥正名 king pedicularis root (Pedicularis Regis Radix)

還陰救苦湯 {huan2 yin1 jiu4 ku3 tang1}, 方名 Yin1-Returning Bitterness-Relieving Decoction

~~ {huan3} ~~

【緩】 {huan3} [Freq. 2] relax (v.) (緩急 {huan3 ji2}, relax tension); moderate (adj.) (緩脈 {huan3 mai4}, {moderate} pulse); mild (adj.) (緩下 {huan3 xia4}, mild precipitation; 緩補 {huan3 bu3}, mild supplementation); slack (adj.), slacken (v.) (筋緩 {jin1 huan3}, slack sinews; 舌緩 {she2 huan3}, slack tongue; 喜則氣緩 {xi3 ye2 qi4 huan3}, joy causes qi4 to slacken); relieve (v.) (得熱則緩 {de2 re4 ze2 huan3}, relieved by heat).

緩補 {huan3 bu3}, mild supplementation

緩補法 {huan3 bu3 fa3}, mild supplementation

緩方 {huan3 fang1}, gentle formula

緩肝火 {huan3 gan1 huo3}, moderates liver fire

緩肝理脾湯, 方名 Liver-Relaxing Spleen-Rectifying Decoction

緩和 {huan3 he2}, moderate

緩和藥性 {huan3 he2 yao4 xing4}, moderates the nature of medicinals

緩急 {huan3 ji2}, relax tension

緩解痹痛 {huan3 jie3 bi4 tong4}, relieve impediment pain

緩解痙攣 {huan3 jie3 jing4 luan2}, relieve spasm

緩脈 {huan3 mai4}, moderate pulse

緩下 {huan3 xia4}, mild precipitation
緩下陽明積熱 {huan3 xia4 yang2 ming2 ji1 re4}, mildly precipitate yang2 brightness accumulated heat
緩則治本 {huan3 ze2 zhi4 ben3}, in moderate conditions treat the root

~~ {huan4} ~~
【幻】 {huan4} [Freq. 4] illusion.
幻想幻覺 {huan4 xiang3 huan4 jue2}, delusions and illusions

【宦】 {huan4} [Freq. 5] official; eunuch (天宦 {tian1 huan4}, earlier-heaven (i.e., congenital) eunuchism)

【患】 {huan4} [Freq. 3] suffer.
患側 {huan4 ce4}, affected side
患處 {huan4 chu4}, affected area
患兒 {huan4 er2}, child patient
患門 {huan4 men2}, 腧穴正名 Suffering Gate
患人 {huan4 ren2}, patient
患者 {huan4 zhe3}, patient

【換】 {huan4} [Freq. 4] change.
換齒 {huan4 chi3}, change of teeth
換氣過度 {huan4 qi4 guo4 du4}, 西醫 hyperventilation

【渙】 {huan4} dissipate.
渙散 {huan4 san4}, dissipate

【瘓】 {huan4} [Freq. 5] paralysis (癱瘓 {tan1 huan4}, paralysis).
鯇魚 {huan4 yu2}, 中藥正名 grass carp (Ctenopharyngodonis Caro)
鯇魚膽 {huan4 yu2 dan3}, 中藥正名 grass carp's gallbladder (Ctenopharyngodonis Vesica Fellea)

~~ {huang1} ~~
【肓】 {huang1} [Freq. 4] gao1-huang1 (膏肓 {gao1 huang1}, gao1-huang1).
肓門 {huang1 men2}, 腧穴正名 BL-51 (BL-46) (Huang Gate)
肓膜 {huang1 mo2}, huang membrane

肓俞 {huang1 shu1}, 腧穴正名 KI-16 (Huang Transport)
肓之原 {huang1 zhi1 yuan2}, 腧穴異名 CV-4 (Huang Origin) (Huang Origin); 腧穴異名 CV-6

【&&402E||】 {huang1} [Freq. 5] blurred

~~ {huang2} ~~
【皇】 {huang2} [Freq. 4] emperor; part of the surname 皇甫, Huang2-Fu3.
皇帝豆 {huang2 di4 dou4}, 中藥異名 lima bean (Phaseoli Limensis Semen)
皇甫謐 {huang2 fu3 mi4}, Huang2-Fu3 Mi4
皇宮菜 {huang2 gong1 cai4}, 中藥異名 Malabar spinach (Basellae Rubrae Folium seu Herba)

【黃】 {huang2} [Freq. 2] yellow (adj.), (n.) (color associated with spleen-earth. 面色黃 {mian4 se4 huang2}, yellow facial complexion); jaundice (n.) (陰黃 {yin1 huang2}, yin1 jaundice).
黃矮菜 {huang2 ai3 cai4}, 中藥異名 celery cabbage (Brassicae Pekinensis Folium)
黃鵪菜 {huang2 an1 cai4}, 中藥正名 youngia (Youngiae Herba seu Radix)
黃柏炭 {huang2 bai3 tan4}, 中藥正名 charred phellodendron (Phellodendri Cortex Carbonisatus)
黃柏 {huang2 bai3, 中藥正名 phellodendron (Phellodendri Cortex)
黃波羅果 {huang2 bo1 luo2 guo3}, 中藥正名 Amur cork fruit (Phellodendri Amurensis Fructus)
黃柏 {huang2 bo2}, 中藥異名 phellodendron (Phellodendri Cortex)
黃檗 {huang2 bo4}, 中藥異名 phellodendron (Phellodendri Cortex)
黃草 {huang2 cao3}, 中藥異名 dendrobium (Dendrobii Herba)
黃茶瓶 {huang2 cha2 ping2}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
黃刺果 {huang2 ci4 guo3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
黃刺皮 {huang2 ci4 pi2}, 中藥正名 Tangut barberry bark (Berberidis Dasystachyae Cortex Caulis)
黃大豆 {huang2 da4 dou4}, 中藥正名 yellow soybean (Sojae Semen Flavum)
黃帶 {huang2 dai4}, yellow vaginal discharge
黃丹 {huang2 dan1}, 中藥異名 minium (Minium)
黃疸 {huang2 dan3}, jaundice
黃癉 {huang2 dan3}, jaundice
黃疸病 {huang2 dan3 bing4}, jaundice
黃疸樹 {huang2 dan3 shu4}, 中藥正名 Lushan mountain barberry (Berberidis Virgetorum Caulis et Radix)
黃疸型傳染性肝炎 {huang2 dan3 xing2 chuan2 ran3 xing4 gan1 yan2}, 西醫 icteric infectious

hepatitis
黃疸茵陳沖劑 {huang2 dan3 yin1 chen2 chong1 ji4}, 方名 Jaundice Virgate Wormwood Granules
黃帝 {huang2 di4}, 人名 Yellow Emperor
黃帝內經 {huang2 di4 nei4 jing1}, 書名 The Yellow Emperor's Inner Canon (1st century C)
黃帝內經太素 {huang2 di4 nei4 jing1 tai4 su4}, 書名 Grand Simplicity of the Yellow Emperor's Inner Canon (1st century C)
黃鯛 {huang2 diao1}, 中藥正名 yellow-backed sea bream (Taii Tumifrontis Caro)
黃豆 {huang2 dou4}, 中藥異名 soybean (Sojae Semen) (Sojae Semen); 中藥異名 soybean
黃豆芽 {huang2 dou4 ya2}, 中藥正名 soybean sprout (Sojae Semen Germinatum)
黃獨 {huang2 du2}, 中藥異名 air potato (Dioscoreae Bulbiferae Rhizoma)
黃獨零余子 {huang2 du2 ling2 yu2 zi3}, 中藥正名 air potato bulblet (Dioscoreae Bulbiferae Bulbillus)
黃耳傷寒 {huang2 er3 shang1 han2}, yellow ear cold damage; yellow-eared cold damage
黃礬 {huang2 fan2}, 中藥正名 fibroferrite (Fibroferritum)
黃防風 {huang2 fang2 feng1}, 中藥異名 Shandong ledebouriella (Saphoshnikoviae Radix *Shandongensis)
黃風 {huang2 feng1}, yellow wind
黃風內障 {huang2 feng1 nei4 zhang4}, yellow wind internal obstruction
黃風蛇 {huang2 feng1 she2}, 中藥異名 black-striped snake (Zaocys)
黃附片 {huang2 fu4 pian4}, 中藥正名 yellow sliced aconite (Aconiti Radix Lateralis Aurea)
黃葛根 {huang2 ge2 gen1}, 中藥異名 pueraria (Puerariae Radix)
黃狗脊 {huang2 gou3 ji3}, 中藥異名 cibotium (Cibotii Rhizoma)
黃狗腎 {huang2 gou3 shen4}, 中藥異名 dog's penis (Canis Penis)
黃瓜 {huang2 gua1}, 中藥正名 cucumber (Cucumeris Sativi Fructus)
黃瓜根 {huang2 gua1 gen1}, 中藥正名 cucumber root (Cucumeris Sativi Radix)
黃瓜藤 {huang2 gua1 teng2}, 中藥正名 cucumber stem (Cucumeris Sativi Caulis)
黃瓜葉 {huang2 gua1 ye4}, 中藥正名 cucumber leaf (Cucumeris Sativi Folium)
黃瓜魚 {huang2 gua1 yu2}, 中藥異名 yellow croaker (Pseudosciaenae Caro)
黃果茄 {huang2 guo3 qie2}, 中藥正名 yellow-fruited nightshade (Solani Xanthocarpi Radix, Fructus et Semen)
黃汗 {huang2 han4}, yellow sweat
黃汗身腫 {huang2 han4 shen1 zhong3}, yellow-sweat generalized swelling
黃褐斑 {huang2 he2 ban1}, 西醫 chloasma (melasma)
黃褐斑 {huang2 he4 ban1}, yellow-brown macules
黃花 {huang2 hua1}, 中藥異名 day lily (Hemerocallis Flos)
黃花菜 (1) {huang2 hua1 cai4}, 中藥異名 day lily (Hemerocallis Flos)
黃花菜 (2) {huang2 hua1 cai4}, 中藥正名 Yun2nan2 day lily root (Hemerocallis Plicatae

Radix)
黃花草 {huang2 hua1 cao3}, 中藥異名 agrimony (Agrimoniae Herba)
黃花大遠志 {huang2 hua1 da4 yuan3 zhi4}, 中藥異名 yellow-tailed polygala (Polygalae Aureocaudae Radix seu Frutex)
黃花倒水蓮 {huang2 hua1 dao4 shui3 lian2}, 中藥正名 yellow-tailed polygala (Polygalae Aureocaudae Radix seu Frutex)
黃花地丁 {huang2 hua1 di4 ding1}, 中藥正名 pale yellow crotolaria (Crotalariae Albidae Herba) (Taraxaci Herba); 中藥異名 dandelion
黃花地桃花 {huang2 hua1 di4 tao2 hua1}, 中藥正名 triumfetta (Triumfettae Radix)
黃花蒿 {huang2 hua1 hao1}, 中藥正名 annual artemisia (Artemisiae Annuae Herba)
黃花蒿子 {huang2 hua1 hao1 zi3}, 中藥正名 annual artemisia fruit (Artemisiae Annuae Fructus)
黃花夾竹桃 {huang2 hua1 jia1 zhu2 tao2}, 中藥正名 yellow oleander seed (Thevetiae Semen)
黃花夾竹桃葉 {huang2 hua1 jia1 zhu2 tao2 ye4}, 中藥正名 yellow oleander leaf (Thevetiae Folium)
黃花母 {huang2 hua1 mu3}, 中藥正名 sida hemp (Sidae Rhombifoliae Herba)
黃花母根 {huang2 hua1 mu3 gen1}, 中藥正名 sida hemp root (Sidae Rhombifoliae Radix)
黃花木 {huang2 hua1 mu4}, 中藥正名 piptanthus (Piptanthi Semen)
黃花鐵線蓮 {huang2 hua1 tie3 xian4 lian2}, 中藥正名 intricate clematis (Clematidis Intricatae Herba)
黃花茵陳 {huang2 hua1 yin1 chen2}, 中藥異名 siphonostegia (Siphonostegiae Herba)
黃花魚 {huang2 hua1 yu2}, 中藥異名 yellow croaker (Pseudosciaenae Caro)
黃花遠志 {huang2 hua1 yuan3 zhi4}, 中藥正名 arilled polygala (Polygalae Arillatae Radix)
黃花仔 {huang2 hua1 zai3}, 中藥正名 sida seed (Sidae Folium et Radix)
黃鼠狼 {huang2 huang2 shu3 lang2}, 中藥正名 hypodomatium (Hypodomatii Herba)
黃昏 {huang2 hun1}, dusk watch (B11 watch, 7--9 p.m.) (Albizziae Cortex); 中藥異名 silk tree bark
黃昏湯 {huang2 hun1 tang1}, 方名 Silk Tree Bark Decoction
黃家 {huang2 jia1}, person who suffers from yellowing (jaundice)
黃薑 {huang2 jiang1}, 中藥異名 turmeric (Curcumae Longae Rhizoma)
黃腳雞 {huang2 jiao3 ji1}, 中藥正名 disporopsis (Disporopsis Rhizoma)
黃接骨丹 {huang2 jie1 gu3 dan1}, 中藥正名 spiky-leaved baby's breath root (Gypsophilae Acutifoliae Radix)
黃結 {huang2 jie2}, 中藥異名 bushy sophora (Sophorae Tonkinensis Radix)
黃解散 {huang2 jie3 san3}, 方名 Yellow Resolving Powder
黃芥 {huang2 jie4}, 中藥異名 mustard leaf (Sinapis Folium) (Sinapis Folium); 中藥異名 mustard leaf
黃芥子 {huang2 jie4 zi3}, 中藥異名 mustard seed (Brassicae Junceae Semen)

黃金 {huang2 jin1}, 中藥正名 gold (Aurum)
黃金瓜 {huang2 jin1 gua1}, 中藥異名 melon (Melonis Fructus)
黃金菊根 {huang2 jin1 ju2 gen1}, 中藥正名 hypochaeris root (Hypochoeris Radix)
黃金子 {huang2 jin1 zi3}, 中藥異名 negundo vitex fruit (Viticis Negundinis Fructus)
黃堇 {huang2 jin3}, 中藥正名 racemose corydalis (Corydalis Racemosae Herba seu Radix)
黃精 {huang2 jing1}, yellow essence (Polygonati Rhizoma); 中藥正名 polygonatum
黃荊根 {huang2 jing1 gen1}, 中藥正名 negundo vitex root (Viticis Negundinis Radix)
黃荊瀝 {huang2 jing1 li4}, 中藥正名 negundo vitex sap (Viticis Negundinis Succus)
黃荊葉 {huang2 jing1 ye4}, 中藥正名 negundo vitex (Viticis Negundo Folium)
黃荊枝 {huang2 jing1 zhi1}, 中藥正名 negundo vitex twig (Viticis Negundinis Ramulus)
黃精粥 {huang2 jing1 zhou1}, 方名 Polygonatum Gruel
黃荊子 {huang2 jing1 zi3}, 中藥正名 negundo vitex fruit (Viticis Negundinis Fructus)
黃酒送服 {huang2 jiu2 song4 fu2}, take with yellow wine
黃酒 {huang2 jiu3}, 中藥正名 yellow wine (Vinum Aureum)
黃菊 {huang2 ju2}, 中藥正名 yellow chrysanthemum (Chrysanthemi Flos *Aureus)
黃菊花 {huang2 ju2 hua1}, 中藥異名 yellow chrysanthemum (Chrysanthemi Flos *Aureus)
黃菊仔 {huang2 ju2 zai3}, 中藥異名 wild chrysanthemum (Chrysanthemi Indici Flos)
黃卷 {huang2 juan3}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)
黃卷皮 {huang2 juan3 pi2}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)
黃葵 {huang2 kui2}, 中藥正名 abelmosk (Abelmoschi Moschati Radix seu Folium)
黃連阿膠雞子黃湯 {huang2 lian2 e1 jiao1 ji1 zi3 huang2 tang1}, 方名 Coptis, Ass Hide Glue, and Egg Yolk Decoction
黃連阿膠湯 {huang2 lian2 e1 jiao1 tang1}, 方名 Coptis and Ass Hide Glue Decoction
黃連粉 {huang2 lian2 fen3}, 中藥正名 powdered coptis (Coptidis Rhizoma Pulveratum)
黃連膏 {huang2 lian2 gao1}, 方名 Coptis Paste
黃連化痰丸 {huang2 lian2 hua4 tan2 wan2}, 方名 Coptis Phlegm-Transforming Pill
黃連解毒湯 {huang2 lian2 jie3 du2 tang1}, 方名 Coptis Toxin-Resolving Decoction
黃連上清丸 {huang2 lian2 shang4 qing1 wan2}, 方名 Coptis Upper-Body-Clearing Pill
黃連湯 {huang2 lian2 tang1}, 方名 Coptis Decoction
黃連丸 {huang2 lian2 wan2}, 方名 Coptis Pill
黃連溫膽湯 {huang2 lian2 wen1 dan3 tang1}, 方名 Coptis Gallbladder-Warming Decoction
黃連香薷散 {huang2 lian2 xiang1 ru2 san3}, 方名 Coptis and Mosla Powder
黃連羊肝丸 {huang2 lian2 yang2 gan1 wan2}, 方名 Coptis and Goat's Liver Pill
黃連竹茹橘皮半夏湯 {huang2 lian2 zhu2 ru2 ju2 pi2 ban4 xia4 tang1}, 方名 Coptis, Bamboo Shavings, Tangerine Peel, and Poria Decoction
黃連 {huang2 lian2, 中藥正名 coptis (Coptidis Rhizoma)
黃練芽 {huang2 lian4 ya2}, 中藥正名 pistacia shoot (Pistaciae Surculus)
黃良 {huang2 liang2}, 中藥異名 rhubarb (Rhei Radix et Rhizoma)

黃粱米 {huang2 liang2 mi3}, 中藥正名 yellow millet (Setariae *Aureae Semen)
黃零草 {huang2 ling2 cao3}, 中藥異名 fenugreek lysimachia (Lysimachiae Foeni-Graeci Herba cum Radice)
黃龍湯 {huang2 long2 tang1}, 方名 Yellow Dragon Decoction
黃龍尾 {huang2 long2 wei3}, 中藥異名 agrimony (Agrimoniae Herba)
黃龍牙 {huang2 long2 ya2}, 中藥異名 agrimony (Agrimoniae Herba)
黃櫨 {huang2 lu2}, 中藥正名 smoke tree wood (Cotini Coggyriae Lignum)
黃櫨根 {huang2 lu2 gen1}, 中藥正名 smoke tree root (Cotini Coggyriae Pubescentis Radix)
黃櫨枝葉 {huang2 lu2 zhi1 ye4}, 中藥正名 smoke tree twig and leaf (Cotini Coggyriae Ramulus et Folium)
黃蘿蔔 {huang2 luo2 bo2}, 中藥正名 yellow pickled radish (Raphani Salsamen Aureum) (Dauci Carotae Sativae Radix); 中藥異名 carrot
黃麻根 {huang2 ma2 gen1}, 中藥正名 jute root (Corchori Capsularis Radix)
黃麻梗蟲 {huang2 ma2 geng3 chong2}, 中藥正名 jute stalk grub (Corchori Capsularis Vermiculus)
黃麻灰 {huang2 ma2 hui1}, 中藥正名 jute ash (Corchori Capsularis Corticis Caulis Cinis)
黃麻葉 {huang2 ma2 ye4}, 中藥正名 jute leaf (Corchori Capsularis Folium)
黃麻子 {huang2 ma2 zi3}, 中藥正名 jute seed (Corchori Capsularis Semen)
黃毛草 {huang2 mao2 cao3}, 中藥異名 golden hair grass (Pogonatheri Herba)
黃毛耳草 {huang2 mao2 er3 cao3}, 中藥正名 yellow-downed hedyotis (Hedyotis Chrysotrichae Herba)
黃茅參 {huang2 mao2 shen1}, 中藥異名 curculigo (Curculiginis Rhizoma)
黃虻 {huang2 meng2}, 中藥異名 Si4chuan1 fritillaria (Fritillariae Cirrhosae Bulbus)
黃米飯 {huang2 mi3 fan4}, 中藥正名 cooked millet (Setariae Semen Conquitum)
黃緬桂 {huang2 mian4 gui4}, 中藥正名 champac root (Champacae Radix)
黃緬桂果 {huang2 mian4 gui4 guo3}, 中藥正名 champac fruit (Micheliae Champacae Fructus)
黃明膠 {huang2 ming2 jiao1}, 中藥正名 oxhide glue (Bovis Gelatinum Corii)
黃木耳 {huang2 mu4 er3}, 中藥正名 golden tremella (Tremella Mesenterica)
黃牛茶 {huang2 niu2 cha2}, 中藥正名 yokewood (Cratoxylonis Folium, Radix et Cortex)
黃膿涕 {huang2 nong2 ti4}, yellow snivel (nasal mucus) with pus
黃胖 {huang2 pang4}, yellow obesity
黃皮根 {huang2 pi2 gen1}, 中藥正名 wampee root (Clausenae Lansii Radix)
黃皮果 {huang2 pi2 guo3}, 中藥正名 wampee (Clausenae Lansii Fructus)
黃皮果核 {huang2 pi2 guo3 he2}, 中藥正名 wampee seed (Clausenae Lansii Semen)
黃皮核 {huang2 pi2 he2}, 中藥異名 wampee seed (Clausenae Lansii Semen)
黃皮樹皮 {huang2 pi2 shu4 pi2}, 中藥正名 wampee bark (Clausenae Lansii Cortex)
黃皮葉 {huang2 pi2 ye4}, 中藥正名 wampee leaf (Clausenae Lansii Folium)
黃&&82AA.8006|{huang2 qi2}, 中藥異名 astragalus (Astragali Radix)

黃蜞 {huang2 qi2}, 中藥異名 leech (Hirudo)
黃&&82AA.8006||鱉甲散 {huang2 qi2 bie1 jia3 san3}, 方名 Astragalus and Turtle Shell Powder
黃&&82AA.8006||桂枝五物湯 {huang2 qi2 gui4 zhi1 wu3 wu4 tang1}, 方名 Astragalus and Cinnamon Twig Five Agents Decoction
黃&&82AA.8006||建中湯 {huang2 qi2 jian4 zhong1 tang1}, 方名 Astragalus Center-Fortifying Decoction
黃耆莖葉 {huang2 qi2 jing1 ye4}, 中藥正名 astragalus stem and leaf (Astragali Caulis et Folium)
黃&&82AA.8006||湯 {huang2 qi2 tang1}, 方名 Astragalus Decoction; Astragalus Decoction
黃&&82AA.8006||丸 {huang2 qi2 wan2}, 方名 Astragalus Pill
黃&&82AA.8006||五物湯 {huang2 qi2 wu3 wu4 tang1}, 方名 Astragalus Five Agents Decoction
黃耆 {huang2 qi2, 中藥正名 astragalus (Astragali Radix)
黃芩瓣 {huang2 qin2 ban4}, 中藥正名 soft scutellaria (Scutellariae Radix Mollis)
黃芩滑石湯 {huang2 qin2 hua2 shi2 tang1}, 方名 Scutellaria and Talcum Decoction
黃芩湯 {huang2 qin2 tang1}, 方名 Scutellaria Decoction
黃芩湯洗方 {huang2 qin2 tang1 xi3 fang1}, 方名 Scutellaria Decoction Wash Formula
黃芩子 {huang2 qin2 zi3}, 中藥正名 scutellaria fruit (Scutellariae Fructus)
黃芩 {huang2 qin2, 中藥正名 scutellaria (Scutellariae Radix)
黃秋葵 {huang2 qiu1 kui2}, 中藥正名 okra (Hibisci Esculentae Fructus)
黃秋葵根 {huang2 qiu1 kui2 gen1}, 中藥正名 pungent abelmoschus root (Abelmoschi Pungentis Radix)
黃秋葵葉 {huang2 qiu1 kui2 ye4}, 中藥正名 pungent abelmoschus leaf (Abelmoschi Pungentis Folium)
黃仁 {huang2 ren2}, yellow of the eye; iris
黃如枳實 {huang2 ru2 zhi3 shi2}, yellow as the unripe bitter orange
黃三七 {huang2 san1 qi1}, 中藥正名 souliea (Soulieae Rhizoma seu Herba)
黃色臘狀葡萄球菌 {huang2 se4}, 西醫 \ic{Staphylococcus cereus flavus}
黃山鱗毛蕨根 {huang2 shan1 lin2 mao2 jue2 gen1}, 中藥正名 Huangshan dryopteris (Dryopteridis Huangshanensis Rhizoma)
黃鱔藤 {huang2 shan4 teng2}, 中藥正名 flowery berchemia (Berchemiae Floribundae Caulis et Folium)
黃鱔藤根 {huang2 shan4 teng2 gen1}, 中藥正名 flowery berchemia root (Berchemiae Floribundae Radix)
黃參 {huang2 shen1}, 中藥異名 codonopsis (Codonopsis Radix)
黃升 {huang2 sheng1}, 中藥正名 yellow downborne elixir (Hydrogyrum Oxydatum Crudum Aureum)

黃石 {huang2 shi2}, 中藥異名 calcite (Calcitum) (Realgar); 中藥異名 realgar
黃石砂 {huang2 shi2 sha1}, 中藥異名 stalactite (Stalactitum)
黃蜀葵根 {huang2 shu3 kui2 gen1}, 中藥正名 sunset abelmoschus root (Abelmoschi Manihot Radix)
黃蜀葵花 {huang2 shu3 kui2 hua1}, 中藥正名 sunset abelmoschus flower (Abelmoschi Manihot Flos)
黃蜀葵莖 {huang2 shu3 kui2 jing1}, 中藥正名 sunset abelmoschus stem (Abelmoschi Manihot Caulis)
黃蜀葵葉 {huang2 shu3 kui2 ye4}, 中藥正名 sunset abelmoschus leaf (Abelmoschi Manihot Folium)
黃蜀葵子 {huang2 shu3 kui2 zi3}, 中藥正名 sunset abelmoschus seed (Abelmoschi Manihot Semen)
黃鼠肉 {huang2 shu3 rou4}, 中藥正名 ground squirrel (Citelli Caro)
黃水瘡 {huang2 shui3 chuang1}, yellow-water sore (roughly equivalent to impetigo)
黃水瘡驗方 {huang2 shui3 chuang1 yan4 fang1}, 方名 Yellow Water Sore Empirical Formula
黃水膿瘡 {huang2 shui3 nong2 chuang1}, yellow water pus sore
黃水芋 {huang2 shui3 yu4}, 中藥正名 eomecon root (Eomeconis Rhizoma et Radix)
黃水芋草 {huang2 shui3 yu4 cao3}, 中藥正名 eomecon (Eomeconis Herba)
黃水枝 {huang2 shui3 zhi1}, 中藥正名 tiarella (Tiarellae Herba)
黃螄 {huang2 si1}, 中藥異名 freshwater snail (Cipangopaludina)
黃松木節 {huang2 song1 mu4 jie2}, 中藥異名 knotty pine wood (Pini Nodi Lignum)
黃苔 {huang2 tai1}, yellow tongue fur
黃藤 {huang2 teng2}, 中藥正名 fibraurea (Fibraureae Radix seu Caulis)
黃藤葉 {huang2 teng2 ye4}, 中藥正名 fibraurea leaf (Fibraureae Folium)
黃土 {huang2 tu3}, 中藥正名 loess (Loess)
黃土湯 {huang2 tu3 tang1}, 方名 Yellow Earth Decoction
黃文 {huang2 wen2}, 中藥異名 scutellaria (Scutellariae Radix)
黃香薷 {huang2 xiang1 ru2}, 中藥正名 yellow elsholtzia (Elsholtziae Luteolae Herba)
黃芽白菜 {huang2 ya2 bai2 cai4}, 中藥異名 celery cabbage (Brassicae Pekinensis Folium)
黃牙蔔 {huang2 ya2 bo2}, 中藥異名 celery cabbage (Brassicae Pekinensis Folium)
黃芽菜 {huang2 ya2 cai4}, 中藥異名 celery cabbage (Brassicae Pekinensis Folium)
黃牙果 {huang2 ya2 guo3}, 中藥異名 flowery garcinia [root or fruit] (Garciniae Multiflorae Cortex seu Fructus)
黃楊根 {huang2 yang2 gen1}, 中藥正名 box leaf (Buxi Radix)
黃羊角 {huang2 yang2 jiao3}, 中藥正名 Mongolian gazelle's horn (Procaprae Cornu)
黃楊木 {huang2 yang2 mu4}, 中藥正名 box twig (Buxi Ramulus)
黃楊木葉 {huang2 yang2 mu4 ye4}, 中藥正名 box leaf (Buxi Folium)
黃羊肉 {huang2 yang2 rou4}, 中藥正名 Mongolian gazelle (Procaprae Caro)

黃羊油 {huang2 yang2 you2}, 中藥正名 Mongolian gazelle (Procaprae Adeps)
黃楊子 {huang2 yang2 zi3}, 中藥正名 box fruit (Buxi Fructus)
黃藥 {huang2 yao4}, 中藥異名 air potato (Dioscoreae Bulbiferae Rhizoma)
黃藥根 {huang2 yao4 gen1}, 中藥異名 air potato (Dioscoreae Bulbiferae Rhizoma)
黃藥子 {huang2 yao4 zi3}, 中藥正名 air potato (Dioscoreae Bulbiferae Rhizoma)
黃藥子酒 {huang2 yao4 zi3 jiu3}, 方名 Air Potato Wine
黃液上沖 {huang2 ye4 shang4 chong1}, upsurging yellow humor
黃油梨 {huang2 you2 li2}, 中藥異名 avocado (Perseae Fructus)
黃油障 {huang2 you2 zhang4}, yellow fat obstruction
黃油證 {huang2 you2 zheng4}, yellow fat pattern
黃魚 {huang2 yu2}, 中藥異名 yellow croaker (Pseudosciaenae Caro)
黃鬱 {huang2 yu4}, 中藥異名 curcuma (Curcumae Radix)
黃梔子 {huang2 zhi1 zi3}, 中藥異名 gardenia (Gardeniae Fructus)
黃腫 {huang2 zhong3}, yellow swelling

【蝗】 {huang2} [Freq. 5] leech (螞蝗 {ma3 huang2})

~~ {huang3} ~~
【恍】 {huang3} [Freq. 4] abstraction.
恍惚善忘 {huang3 hu1 shan4 wang4}, abstraction and forgetfulness

【&&3FE0||】 {huang3} [Freq. 2] bright (white) (adj.) (面色&&3FE0||白 {mian4 se4 huang3 bai2}, bright white facial complexion).
&&3FE0||白 {huang3 bai2}, bright white

【&&7640||】 {huang3} [Freq. 5] plant name (鴨舌&&7640|{ya1 she2 huang3}, lippia)

~~ {hui1} ~~
【灰】 {hui1} [Freq. 2] ash (n.), ashen (adj.) (灰指甲{hui1 zhi3 jia3}, ashen nail); gray (adj.), (n.) (灰苔 {hui1 tai1}, gray tongue fur).
灰藋 {hui1 diao4}, 中藥正名 small goosefoot (Chenopodii Serotini Herba)
灰沙入眼 {hui1 sha1 ru4 yan3}, dust or sand in the eye
灰苔 {hui1 tai1}, gray tongue fur
灰栒子 {hui1 xun2 zi3}, 中藥正名 Peking cotoneaster (Cotoneastri Acutifolii Herba)
灰葉 {hui1 ye4}, 中藥正名 tephrosia leaf (Tephrosiae Herba)
灰葉根 {hui1 ye4 gen1}, 中藥正名 tephrosia root (Tephrosiae Radix)

灰指甲 {hui1 zhi3 jia3}, ashen nail (equivalent to tinea unquium)
灰趾甲 {hui1 zhi3 jia3}, ashen nail (equivalent to tinea unquium)
灰質 {hui1 zhi4}, 西醫 grey matter

【恢】 {hui1} [Freq. 4] recover.
恢刺 {hui1 ci4}, waggle needling (one of the twelve needling methods)
恢復期 {hui1 fu4 qi1}, recovery stage

【揮】 {hui1} [Freq. 4] activate.
揮發油 {hui1 fa1 you2}, 西醫 volatile oils

【徽】 {hui1} [Freq. 4] short for 安徽, An1hui1 Province.
徽菊 {hui1 ju2}, 中藥異名 Anhui chrysanthemum (Chrysanthemi Flos *Anhuiensis)

~~ {hui2} ~~
【回】 {hui2} [Freq. 2] return (v.).
回春丹 {hui2 chun1 dan1}, 方名 Return-of-Spring Elixir
回骨 {hui2 gu3}, 腧穴異名 CV-2 (Return Bone)
回鶻豆 {hui2 gu3 dou4}, 中藥異名 chick-pea (Ciceris Arietini Semen)
回光反照 {hui2 guang1 fan3 zhao4}, last radiance of the setting sun
回回蔥 {hui2 hui2 cong1}, 中藥異名 shallot (Allii Ascalonici Bulbus)
回回豆 {hui2 hui2 dou4}, 中藥正名 chick-pea (Ciceris Arietini Semen)
回回蒜 {hui2 hui2 suan4}, 中藥正名 Chinese ranunculus (Ranunculi Chinensis Herba)
回回藥方 {hui2 hui2 yao4 fang1}, Hui2-Hui2 Formulas
回乳 {hui2 ru3}, terminate lactation
回蘇 {hui2 su1}, restore consciousness
回心草 {hui2 xin1 cao3}, 中藥正名 red rhodobryum (Rhodobryi Rosei Herba)
回陽 {hui2 yang2}, return yang2
回陽返本湯 {hui2 yang2 fan3 ben3 tang1}, 方名 Yang2-Returning Root-Reviving Decoction
回陽劑 {hui2 yang2 ji4}, yang2-returning formula
回陽九針 {hui2 yang2 jiu3 zhen1}, nine needles for returning yang2
回陽九針歌 {hui2 yang2 jiu3 zhen1 ge1}, 書名 Song of Nine Needles for Returning Yang2
回陽救急湯 {hui2 yang2 jiu4 ji2 tang1}, 方名 Yang2-Returning Emergency Decoction
回陽救逆 {hui2 yang2 jiu4 ni4}, return yang2 and stem counterflow
回陽生肌 {hui2 yang2 sheng1 ji1}, return yang2 and engender flesh
回陽通脈 {hui2 yang2 tong1 mai4}, return yang2 and free the vessels
回陽藥 {hui2 yang2 yao4}, yang2-returning medicinal

回陽玉龍膏 {hui2 yang2 yu4 long2 gao1}, 方名 Yang2-Returning Jade Dragon Paste
回陽逐寒 {hui2 yang2 zhu2 han2}, return yang2 and expel cold

【茴】 {hui2} [Freq. 4] fennel.
茴香 {hui2 xiang1}, 中藥異名 fennel (Foeniculi Fructus)
茴香蟲 {hui2 xiang1 chong2}, 中藥正名 swallowtail caterpillar (Papilionis Machaonis Larva)
茴香根 {hui2 xiang1 gen1}, 中藥正名 fennel root (Foeniculi Radix)
茴香莖葉 {hui2 xiang1 jing1 ye4}, 中藥正名 fennel stem and leaf (Foeniculi Caulis et Folium)
茴香炭 {hui2 xiang1 tan4}, 中藥異名 charred fennel (Foeniculi Fructus Carbonisatus)
茴香丸 {hui2 xiang1 wan2}, 方名 Star Anise Pill
茴香粥 {hui2 xiang1 zhou1}, 方名 Fennel Gruel

【迴】 {hui2} [Freq. 4] turn round.
迴腸 {hui2 chang2}, 西醫 ileum; first part of large intestine
迴旋灸 {hui2 xuan2 jiu3}, circling moxibustion
迴轉插針術 {hui2 zhuan3 cha1 zhen1 shu4}, rotating needle insertion

【蛔】 {hui2} [Freq. 2] roundworm (n.) (蛔蟲 {hui2 chong2}, roundworm).
蛔蟲 {hui2 chong2}, roundworm
蛔蟲病 {hui2 chong2 bing4}, roundworm disease; ascariasis
蛔蟲腹痛 {hui2 chong2 fu4 tong4}, roundworm abdominal pain
蛔蟲見酸則軟 {hui2 chong2 jian4 suan1 ze2 ruan3}, roundworms soften with sourness
蛔蟲作嘈 {hui2 chong2 zuo4 cao2}, roundworm clamor
蛔動胃脘痛 {hui2 dong4 wei4 wan3 tong4}, roundworm stomach duct pain
蛔疳 {hui2 gan1}, roundworm gan1
蛔蒿 {hui2 hao1}, 中藥異名 Levant wormseed flower and leaf (Artemisiae Cinae Flos et Folium)
蛔厥 {hui2 jue2}, roundworm reversal

【蚘】 {hui2} [Freq. 3] roundworm.
蚘虫 {hui2 chong2}, roundworm
蚘蟲 {hui2 chong2}, roundworm

~~ {hui3} ~~
【虺】 {hui3} [Freq. 4] a poisonous snake or insect.
虺床 {hui3 chuang2}, 中藥異名 cnidium seed (Cnidii Fructus)

【毀】 {hui3} [Freq. 4] destroy.
毀物毆人 {hui3 wu4 ou1 ren2}, smashing objects and beating people

~~ {hui4} ~~
【晦】 {hui4} [Freq. 4] dark.
晦暗 {hui4 an4}, dark; somber

【惠】 {hui4} [Freq. 4] benevolent.
匯講 {hui4 jiang3}, essay collection

【會】 {hui4} [Freq. 2] meet (n.).
會額 {hui4 e2}, 腧穴異名 GV-17 (Meeting of the Forehead)
會骨 {hui4 gu3}, 腧穴異名 ST-42 (Meeting Bones)
會及 {hui4 ji2}, 中藥異名 schisandra (Schisandrae Fructus)
會屈 {hui4 qu1}, 腧穴異名 ST-42 (Meeting Bend)
會維 {hui4 wei2}, 腧穴異名 ST-4 (Linking Confluence)
會穴 {hui4 xue2}, meeting point
會厭 {hui4 yan4}, 西醫 epiglottis; epiglottis
會厭逐瘀湯, 方名 Epiglottis Stasis-Expelling Decoction
會陽 {hui4 yang2}, 腧穴正名 BL-35 (Meeting of Yang2)
會陰 {hui4 yin1}, meeting of yin1 (perineum); perineum (Meeting of Yin1); 腧穴正名 CV-1
會陰部墜脹 {hui4 yin1 bu4 shui4 zhang4}, sagging distention in the perineum
會湧 {hui4 yong3}, 腧穴異名 ST-42 (Meeting Gush)
會原 {hui4 yuan2}, 腧穴異名 ST-42 (Meeting Source)
會宗 {hui4 zong1}, 腧穴正名 TB-7 (Convergence and Gathering)

【穢】 {hui4} [Freq. 2] foul (adj.), foulness (n.) (辟穢 {bi4 hui4}, repel foulness).
穢臭 {hui4 chou4}, foul smell
穢濁 {hui4 zhuo2}, foul turbidity

~~ {hun1} ~~
【昏】 {hun1} [Freq. 2] cloud (v.) (神昏 {shen2 hun1}, clouded spirit); twilight; dusk.
昏不知人 {hun1 bu4 zhi1 ren2}, clouding loss of consciousness
昏沉 {hun1 chen2}, daze
昏倒 {hun1 dao3}, clouding collapse
昏厥 {hun1 jue2}, clouding reversal

昏狂 {hun1 kuang2}, clouding and mania
昏狂譫語 {hun1 kuang2 zhan1 yu3}, clouding, mania, and delirious speech
昏憒 {hun1 kui4}, clouding and fretting
昏迷 {hun1 mi2}, stupor
昏迷不醒 {hun1 mi2 bu4 xing3}, coma
昏睡 {hun1 shui4}, clouding sleep
昏夜無所見 {hun1 ye4 wu2 suo3 jian4}, poor vision at twilight and night

~~ {hun2} ~~
【混】 {hun2} [Freq. 4] murky (see also 渾 {hun2}).
混沌皮 {hun2 dun4 pi2}, 中藥異名 placenta (Hominis Placenta)
混睛障 {hun2 jing1 zhang4}, murky eye obstruction

【魂】{hun2} [Freq. 2] ethereal soul (n.) (肝藏魂 {gan1 cang2 hun2}, the liver stores the ethereal soul).
魂不藏 {hun2 bu4 cang2}, ethereal soul failing to be stored
魂門 {hun2 men2}, 腧穴正名 BL-47 (BL-42) (Hun Gate)

【湨】 {hun2} [Freq. 5] murky.
湨睛障 {hun2 jing1 zhang4}, murky eye obstruction

~~ {hun4} ~~
【混】{hun4} [Freq. 4] mix (混沌 {hun4 dun4}, primal chaos. See also 混 {hun2}); chaos (混沌 {hun4 dun4}, primal chaos. See also 混 {hun2}).
混沌皮 {hun4 dun4 pi2}, 中藥異名 eggshell (Galli Ovi Putamen)
混沌衣 {hun4 dun4 yi1}, 中藥異名 placenta (Hominis Placenta)
混合性聾 {hun4 he2 xing4 long2}, 西醫 mixed deafness
混合痔 {hun4 ke2 zhi4}, mixed hemorroids
混元皮 {hun4 yuan2 pi2}, 中藥異名 placenta (Hominis Placenta)

【渾】 {hun4} [Freq. 5] turbid.
渾濁 {hun4 zhuo2}, turbid (小便渾濁 {xiao3 bian4 hun2 zhuo2}, turbid urine)

~~ {huo2} ~~
【活】 {huo2} [Freq. 2] quicken (v.) (活血化瘀 {huo2 xue2 hua4 yu1}, quicken the blood and

transform stasis); live, alive, living, enliven.

活磁石 {huo2 ci2 shi2}, 中藥異名 loadstone (Magnetitum)

活地鱉蟲 {huo2 di4 bie1 chong2}, 中藥正名 live wingless cockroach (Eupolyphaga seu Stelophaga Viva)

活動受限 {huo2 dong4 shou4 xian4}, limited movement

活絡效靈丹 {huo2 luo2 xiao4 ling2 dan1}, 方名 Network-Quickening Miraculous Effect Elixir

活絡 {huo2 luo4}, quicken the network vessels

活絡丹 {huo2 luo4 dan1}, 方名 Network-Quickening Elixir

活絡流氣飲 {huo2 luo4 liu2 qi4 yin3}, 方名 Network-Quickening Qi4 Flow Beverage

活絡效靈丹 {huo2 luo4 xiao4 ling2 dan1}, 方名 Network-Quickening Efficacious Elixir

活氣血 {huo2 qi4 xue4}, quicken qi4 and the blood

活人蔥豉湯 {huo2 ren2 cong1 chi3 tang1}, 方名 Book of Life Scallion and Fermented Soybean Decoction

活人香薷散 {huo2 ren2 xiang1 ru2 yin3}, 方名 Book of Life Renewal Mosla Powder

活田螺 {huo2 tian2 luo2}, 中藥正名 live freshwater snail (Cipangopaludina Viva)

活血 {huo2 xue4}, quicken the blood; blood quickening

活血根 {huo2 xue4 gen1}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)

活血化瘀 {huo2 xue4 hua4 yu1}, quicken the blood and transform stasis

活血化瘀劑 {huo2 xue4 hua4 yu1 ji4}, blood-quickening stasis-transforming formula

活血化瘀藥 {huo2 xue4 hua4 yu1 yao4}, blood-quickening stasis-transforming medicinal

活血解毒 {huo2 xue4 jie3 du2}, quicken the blood and resolve toxin

活血連 {huo2 xue4 lian2}, 中藥正名 sheathed aconite (Aconiti Vaginati Radix)

活血脈 {huo2 xue4 mai4}, quicken the blood vessels

活血祛瘀 {huo2 xue4 qu1 yu1}, quicken the blood and dispel stasis

活血祛瘀補陰藥 {huo2 xue4 qu1 yu1 bu3 yin1 yao4}, blood-quickening, stasis-dispelling, and yin1-supplementing medicinal

活血祛瘀藥 {huo2 xue4 qu1 yu1 yao4}, blood-quickening stasis-dispelling medicinal

活血祛瘀止血藥 {huo2 xue4 qu1 yu1 zhi3 xue4 yao4}, blood-quickening, stasis-dispelling, and blood-stanching medicinal

活血去腐 {huo2 xue4 qu4 fu3}, quicken the blood and eliminate putridity

活血潤腸生津湯 {huo2 xue4 run4 chang2 sheng1 jin1 tang1}, 方名 Blood-Quickening Intestine-Moistening Liquid-Engendering Decoction

活血潤燥生津散 {huo2 xue4 run4 zao4 sheng1 jin1 san3}, 方名 Blood-Quickening Dryness-Moistening Liquid-Engendering Powder

活血散 {huo2 xue4 san3}, 方名 Blood-Quickening Powder

活血散瘀湯 {huo2 xue4 san4 yu1 tang1}, 方名 Blood-Quickening Stasis-Dissipating Decoction

活血生新 {huo2 xue4 sheng1 xin1}, quicken the blood and engender the new

活血湯 {huo2 xue4 tang1}, 方名 Blood-Quickening Decoction

活血調經 {huo2 xue4 tiao2 jing1}, quicken the blood and regulate menstruation
活血通絡 {huo2 xue4 tong1 luo4}, quicken the blood and free the network vessels
活血透疹 {huo2 xue4 tou4 zhen3}, quicken the blood and outthrust papules
活血消癰 {huo2 xue4 xiao1 yong1}, quicken the blood and disperse welling-abscess
活血消腫 {huo2 xue4 xiao1 zhong3}, quicken the blood and disperse swelling
活血行氣 {huo2 xue4 xing2 qi4}, quicken the blood and move qi4
活血藥 {huo2 xue4 yao4}, blood-quickening medicinal
活瘀 {huo2 yu1}, quicken stasis
活瘀血 {huo2 yu1 xue4}, quicken static blood

~~ {huo3} ~~
【火】 {huo3} [Freq. 2] fire (n.) (痰火 {phlegm-fire}, phlegm-fire).
火斑笛鯛 {huo3 ban1 di2 diao1}, 中藥正名 black-spotted sea perch (Lutjanus Fulviflamma)
火斑石鱸 {huo3 ban1 shi2 lu2}, 中藥正名 black-spotted rubberlip (Plectorhynchus Flavomaculatus)
火補火瀉 {huo3 bu3 huo3 xie4}, fire supplementation and fire drainage
火不生土 {huo3 bu4 sheng1 tu3}, fire failing to engender earth
火嘈 {huo3 cao2}, fire clamor
火赤瘡 {huo3 chi4 chuang1}, fire red sore (roughly equivalent to dermatitits herpetiformis)
火沖氣喘 {huo3 chong1 qi4 chuan3}, panting due to surging of fire
火喘 {huo3 chuan3}, fire panting
火瘡 {huo3 chuang1}, burn
火蔥 {huo3 cong1}, 中藥異名 scallion (Allii Fistulosi Herba)
火帶瘡 {huo3 dai4 chuang1}, fire-girdle sore
火丹 {huo3 dan1}, fire cinnabar; erysipelas
火丹腳 {huo3 dan1 jiao3}, fire-cinnabar leg
火毒 {huo3 du2}, fire toxin
火毒癤腫 {huo3 du2 jie2 zhong3}, fire toxin and swollen boils
火毒證 {huo3 du2 zheng4}, fire toxin pattern
火&&7145|{huo3 duan4}, calcination
火風傷 {huo3 feng1 shang1}, fire wind damage
火疳 {huo3 gan1}, fire gan1
火罐 {huo3 guan4}, fire cup
火耗氣傷陰 {huo3 hao4 qi4 shang1 yin1}, fire wears qi4 and damages yin1
火候 {huo3 hou4}, control of time and temperature (drug processing)
火咳 {huo3 ke2}, fire cough
火克金 {huo3 ke4 jin1}, fire restrains metal

火廓 {huo3 kuo4}, fire belt
火烙療法 {huo3 lao4 liao2 fa3}, cauterization therapy
火麻仁 {huo3 ma2 ren2, 中藥正名 cannabis fruit (Cannabis Fructus)
火麻子 {huo3 ma2 zi3}, 中藥異名 cannabis fruit (Cannabis Fructus)
火逆 {huo3 ni4}, fire error; fire counterflow
火氣大 {huo3 qi4 da4}, great fire qi4
火氣太大 {huo3 qi4 tai4 da4}, excessive fire qi4
火熱 {huo3 re4}, fire heat
火熱內結 {huo3 re4 nei4 jie2}, fire-heat binding internally
火熱內生 {huo3 re4 nei4 sheng1}, fire heat arising internally
火熱迫肺 {huo3 re4 po4 fei4}, fire heat distressing the lung
火熱上犯 {huo3 re4 shang4 fan4}, fire-heat invading the upper body
火熱上炎 {huo3 re4 shang4 yan2}, fire-heat flaming upward
火熱頭痛 {huo3 re4 tou2 tong4}, fire heat headache
火山荔 {huo3 shan1 li4}, 中藥異名 litchee (Litchi Fructus)
火傷風 {huo3 shang1 feng1}, fire wind damage
火參 {huo3 shen1}, 中藥異名 rhubarb (Rhei Radix et Rhizoma)
火生土 {huo3 sheng1 tu3}, fire engenders earth
火盛 {huo3 sheng4}, exuberant fire
火盛刑金 {huo3 sheng4 xing2 jin1}, exuberant fire tormenting metal
火水共制 {huo3 shui3 gong4 zhi4}, fire and water treatment
火水制 {huo3 shui3 zhi4}, fire and water treatment
火嗽 {huo3 sou4}, fire cough
火痰 {huo3 tan2}, fire phlegm
火炭母 {huo3 tan4 mu3}, 中藥異名 Chinese smartweed (Polygoni Chinensis Herba)
火炭母草 {huo3 tan4 mu3 cao3}, 中藥正名 Chinese smartweed (Polygoni Chinensis Herba)
火炭母草根 {huo3 tan4 mu3 cao3 gen1}, 中藥正名 Chinese smartweed root (Polygoni Chinensis Radix)
火頭痛 {huo3 tou2 tong4}, fire headache
火腿 {huo3 tui3}, 中藥正名 cured ham (Suis Pierna)
火旺 {huo3 wang4}, effulgent fire
火旺刑金 {huo3 wang4 xing2 jin1}, effulgent fire tormenting metal
火陷 {huo3 xian4}, fire fall
火消 {huo3 xiao1}, 中藥異名 niter (Nitrum)
火硝 {huo3 xiao1}, 中藥異名 niter (Nitrum)
火邪 {huo3 xie2}, fire evil
火瀉 {huo3 xie4}, fire diarrhea
火泄 {huo3 xie4,}, fire diarrhea

火心痛 {huo3 xin1 tong4}, fire heart pain
火性上炎 {huo3 xing4 shang4 yan2}, fire by nature flames upward
火性炎上 {huo3 xing4 yan2 shang4}, fire by nature flames upward
火炎肺胃喘 {huo3 yan2 fei4 wei4 chuan3}, flaming fire lung-stomach panting
火眼 {huo3 yan3}, fire eye
火焰子 {huo3 yan4 zi3}, 中藥正名 Sungpan aconite (Aconiti Sungpanensis Tuber)
火秧竹 {huo3 yang1 le4}, 中藥正名 fleshy spurge stem (Euphorbiae Antiquorum Caulis)
火秧竹蕊 {huo3 yang1 le4 rui3}, 中藥正名 fleshy spurge pistil and stamen (Euphorbiae Antiquorum Pistillum et Stamen)
火秧竹葉 {huo3 yang1 le4 ye4}, 中藥正名 fleshy spurge leaf (Euphorbiae Antiquorum Folium)
火易擾心 {huo3 yi4 rao3 xin}, fire easily harasses the heart
火易生風動血 {huo3 yi4 sheng1 feng1 dong4 xue4}, fire easily engenders wind and stirs the blood
火郁 {huo3 yu4}, fire depression
火郁喘 {huo3 yu4 chuan3}, fire depression panting
火郁發之 {huo3 yu4 fa1 zhi1}, fire depression is treated by effusion
火郁嗽 {huo3 yu4 sou4}, fire depression cough
火郁湯 {huo3 yu4 tang1}, 方名 Fire Depression Decoction
火曰炎上 {huo3 yue1 yan2 shang4}, fire is the flaming upward
火針 {huo3 zhen1}, fire needle; fire needling
火針療法 {huo3 zhen1 liao2 fa3}, fire needling
火證 {huo3 zheng4}, fire pattern
火制 {huo3 zhi4}, fire processing
火中 {huo3 zhong4}, fire stroke

~~ {huo4} ~~

【或】 {huo4} [Freq. 4] possibly.
或中 {huo4 zhong1}, 腧穴異名 KI-26 (Possible Center)

【惑】 {huo4} [Freq. 5] confused (視惑 {shi4 huo4}, confused vision)

【霍】 {huo4} [Freq. 4] sudden.
霍亂 {huo4 luan4}, 西醫 cholera; sudden turmoil; cholera; cholera
霍亂弧菌 {huo4 luan4 hu2 jun1}, 西醫 Vibrio cholerae
霍亂轉筋 {huo4 luan4 zhuan3 jin1}, cholera cramps
霍山石斛 {huo4 shan1 shi2 hu2}, 中藥正名 officinal dendrobium (Dendrobii Officinalis Herba)

【豁】 {huo4} [Freq. 2] sweep (v.); gaping (adj.) (豁豁然空 {huo4 huo4 ran2 kong}, gapingly empty).
豁豁然空 {huo4 huo4 ran2}, gapingly empty
豁痰 {huo4 tan2}, sweep phlegm
豁痰開竅 {huo4 tan2 kai1 qiao4}, sweep phlegm and open the orifices
豁痰熄風 {huo4 tan2 xi1 feng1}, sweep phlegm and extinguish wind
豁痰醒腦 {huo4 tan2 xing3 nao3}, sweep phlegm and arouse the brain

【蠖】 {huo4} [Freq. 5] creeper (狐蠖 {hu2 huo4}, fox-creeper)

【藿】 {huo4} [Freq. 4] agastache.
藿膽丸 {huo4 dan3 wan2}, 方名 Agastache and Pig's Bile Pill
藿朴夏苓丹 {huo4 po4 xia4 ling2 dan1}, 方名 Agastache, Officinal Magnolia Bark, Pinellia, and Poria Elixir
藿朴夏苓湯 {huo4 po4 xia4 ling2 tang1}, 方名 Agastache, Pinellia, and Poria Decoction
藿香 {huo4 xiang1}, 中藥正名 agastache (Agastaches Herba)
藿香半夏散 {huo4 xiang1 ban4 xia4 san3}, 方名 Agastache and Pinellia Powder
藿香根 {huo4 xiang1 gen1}, 中藥正名 agastache root (Agastaches Radix)
藿香梗 {huo4 xiang1 geng3}, 中藥正名 agastache stem (Agastaches Caulis)
藿香露 {huo4 xiang1 lu4}, 中藥正名 agastache distillate (Agastaches Caulis et Folii Distillatum)
藿香葉 {huo4 xiang1 ye4}, 中藥正名 agastache leaf (Agastaches Folium)
藿香正氣片 {huo4 xiang1 zheng4 qi4 pian4}, 方名 Agastache Qi4-Righting Tablet
藿香正氣散 {huo4 xiang1 zheng4 qi4 san3}, 方名 Agastache Qi4-Righting Powder

== J ==

~~ {ji1} ~~
【肌】 {ji1} [Freq. 2] flesh (n.) (肌表 {ji1 biao3}, fleshy exterior).
肌痹 {ji1 bi4}, impediment of the flesh
肌表 {ji1 biao3}, fleshy exterior
肌腠 {ji1 cou4}, interstices of the flesh
肌膚 {ji1 fu1}, skin (and flesh)
肌膚不仁 {ji1 fu1 bu4 ren2}, insensitivity of the skin
肌膚甲錯 {ji1 fu1 jia3 cuo4}, squamous dry skin; encrusted skin

肌膚麻木 {ji1 fu1 ma2 mu4}, numbness of the skin
肌膚起粟 {ji1 fu1 qi3 su4}, millet papules
肌膚粟起 {ji1 fu1 su4 qi3}, goose flesh
肌腱 {ji1 jian4}, tendon
肌緊張 {ji1 jin3 zhang1}, tense flesh
肌營養不良症 {ji1 jing2 yang3 bu4 liang2 zheng4}, 西醫 muscular dystrophy
肌衄 {ji1 nu94}, spontaneous bleeding of the flesh
肌起 {ji1 qi3}, 西醫 origin
肌熱炙手 {ji1 re4 zhi4 shou3}, scorching heat in the flesh
肌肉 {ji1 rou4}, flesh (modern anatomical term); muscle
肌肉不仁 {ji1 rou4 bu4 ren2}, numbness of the flesh
肌肉蠕動 {ji1 rou4 ru2 dong4}, wriggling of the flesh
肌肉瘦削 {ji1 rou4 shou4 xue4}, emaciation
肌肉瘦削 {ji1 rou4 sou4 xiao1}, emaciation
肌肉削 {ji1 rou4 xue4}, whittling of the flesh
肌若魚鱗 {ji1 ruo4 yu2 lin2}, scaly skin
肌瘦 {ji1 shou4}, emaciation
肌痛 {ji1 tong4}, 西醫 myalgia
肌炎 {ji1 yan2}, 西醫 myositis
肌營養不良 {ji1 ying2 liang3 bu4 liang2}, 西醫 muscular dystrophy
肌與骨骼系統 {ji1 yu3 gu3 ge2 xi4 tong3}, 西醫 musculoskeletal system
肌止 {ji1 zhi3}, 西醫 insertion
肌組織 {ji1 zu3 zhi1}, 西醫 muscle tissue

【唧】 {ji1} [Freq. 4] chirp.
唧唧猴皮 {ji1 ji1 hou2 pi2}, 中藥異名 cicada molting (Cicadae Periostracum)
唧唧皮 {ji1 ji1 pi2}, 中藥異名 cicada molting (Cicadae Periostracum)

【畸】 {ji1} [Freq. 4] deformed.
畸形 {ji1 xing2}, 西醫 deformity

【箕】 {ji1} [Freq. 4] winnowing basket.
箕門 {ji1 men2}, 腧穴正名 SP-11 (Winnower Gate)

【機】 {ji1} [Freq. 2] mechanism (n.) (病機 {bing4 ji1}, pathomechanism); dynamic (n.) (氣機 {qi4 ji1}, qi4 dynamic).
機關 {ji1 guan1}, hinge (Hinge); 腧穴異名 GB-2 (Hinge); 腧穴異名 ST-6

【激】 {ji1} [Freq. 4] dash; stimulate.
激素 {ji1 su4}, 西醫 hormones

【積】 {ji1} [Freq. 2] accumulate (v.), accumulation (n.) (積熱 {ji1 re4}, accumulated heat; 癥瘕積聚 {zheng1 jia3 ji1 ju4}, concretions, conglomerations, accumulations gatherings).
積粉苔 {ji1 fen3 tai1}, mealy tongue fur
積聚 {ji1 ju4 c}, accumulations and gatherings
積聚痞塊 {ji1 ju4 pi3 kuai4}, 腧穴異名 Accumulations, Gatherings and Lump Glomus
積塊 {ji1 kuai4}, accumulation lump
積冷 {ji1 leng3}, accumulated cold
積痢 {ji1 li4}, accumulation dysentery
積食 {ji1 shi2}, accumulated food
積水 {ji1 shui3}, water accumulation
積雪草 {ji1 xue3 cao3}, 中藥正名 centella (Centellae Herba)
積飲 {ji1 yin3}, accumulated rheum
積瘀 {ji1 yu1}, accumulated stasis
積滯 {ji1 zhi4}, accumulation and stagnation

【擊】 {ji1} [Freq. 4] strike; attack (鬼擊 {gui3 ji1}, attack by ghosts).
擊打法 {ji1 da3 fa3}, striking

【雞】 {ji1} [Freq. 3] chicken.
雞腸 {ji1 chang2}, 中藥正名 chicken's intestines (Galli Intestina)
雞腸風 {ji1 chang2 feng1}, 中藥異名 morinda (Morindae Officinalis Radix)
雞腸狼毒 {ji1 chang2 lang2 du2}, 中藥正名 leafy spurge (Euphorbiae Esulae Radix)
雞膽 {ji1 dan3}, 中藥正名 chicken's gallbladder (Galli Vesica Fellea)
雞蛋白 {ji1 dan4 bai2}, 中藥異名 egg white (Galli Albumen)
雞蛋花 {ji1 dan4 hua1}, 中藥正名 red jasmine (Plumeriae Rubrae Flos)
雞蛋殼 {ji1 dan4 ke2}, 中藥異名 eggshell (Galli Ovi Putamen) (Galli Ovi Putamen); 中藥異名 eggshell
雞蛋清 {ji1 dan4 qing1}, 中藥異名 egg white (Galli Albumen)
雞蛋參 {ji1 dan4 shen1}, 中藥正名 twining codonopsis (Codonopsis Convolvulaceae Radix)
雞頂 {ji1 ding3}, 腧穴異名 ST-34 (Chicken Top)
雞豆 {ji1 dou4}, 中藥異名 chick-pea (Ciceris Arietini Semen)
雞沌池 {ji1 dun4 chi2}, 中藥異名 eggshell (Galli Ovi Putamen)
雞肝 {ji1 gan1}, 中藥正名 chicken's liver (Galli Iecur)
雞肝丸 {ji1 gan1 wan2}, 方名 Chicken's Liver Pill
雞骨菜 {ji1 gu3 cai4}, 中藥正名 dipelta root (Dipeltae Radix)

雞骨草 {ji1 gu3 cao3}, 中藥正名 prayer-beads (Abri Herba)
雞穀草 {ji1 gu3 cao3}, 中藥正名 chrysopogon (Chrysopogonis Herba seu Radix)
雞骨升麻 {ji1 gu3 sheng1 ma2}, 中藥異名 cimicifuga (Cimicifugae Rhizoma)
雞骨香 {ji1 gu3 xiang1}, 中藥正名 thick-leaved croton root (Crotonis Crassifolii Radix)
雞瓜沙 {ji1 gua1 sha1}, 中藥異名 agrimony (Agrimoniae Herba)
雞冠 {ji1 guan1}, 中藥異名 cockscomb (Celosiae Cristatae Flos)
雞冠花 {ji1 guan1 hua1}, 中藥正名 cockscomb (Celosiae Cristatae Flos)
雞冠苗 {ji1 guan1 miao2}, 中藥正名 cockscomb stem and leaf (Celosiae Cristatae Caulis et Folium)
雞冠散 {ji1 guan1 san3}, 方名 Cockscomb Powder
雞冠石 {ji1 guan1 shi2}, 中藥異名 realgar (Realgar)
雞冠頭 {ji1 guan1 tou2}, 中藥異名 cockscomb (Celosiae Cristatae Flos)
雞冠子 {ji1 guan1 zi3}, 中藥正名 cockscomb seed (Celosiae Cristatae Semen)
雞翮羽 {ji1 he2 yu3}, 中藥正名 chicken's tail feather (Galli Pluma Alae)
雞合子 {ji1 he2 zi3}, 中藥異名 gizzard lining (Galli Gigeriae Endothelium Corneum)
雞黃油 {ji1 huang2 you2}, 方名 Egg Yolk Oil
雞膠骨 {ji1 jiao1 gu3}, 中藥異名 achyranthes (Achyranthis Bidentatae Radix)
雞腳刺 {ji1 jiao3 ci4}, 中藥正名 Ching's barberry (Berberidis Chingii Radix)
雞精 {ji1 jing1}, rooster's ejaculation (premature ejaculation)
雞橘子 {ji1 ju2 zi3}, 中藥異名 honey tree fruit (Hoveniae Fructus seu Semen)
雞距子 {ji1 ju4 zi3}, 中藥異名 honey tree fruit (Hoveniae Fructus seu Semen)
雞咳 {ji1 ke2}, hen cough (whooping cough)
雞連 {ji1 lian2}, 中藥異名 coptis (Coptidis Rhizoma)
雞卵殼 {ji1 luan3 ke2}, 中藥異名 eggshell (Galli Ovi Putamen)
雞麻 {ji1 ma2}, 中藥正名 jetbead (Rhodotyporis Scandentis Fructus et Radix)
雞盲 {ji1 mang2}, chicken blindness; night blindness
雞毛狗 {ji1 mao2 gou3}, 中藥正名 Mongolian jurinea [stem pile] (Jurineae Mongolicae Pilus Caulis)
雞蒙盲 {ji1 meng2 mang2}, chicken blindness; night blindness
雞鳴 {ji1 ming2}, cockcrow (B2 watch, 1--3 a.m.)
雞鳴散 {ji1 ming2 san3}, 方名 Cockcrow Powder
雞鳴散加茯苓 {ji1 ming2 san3 jia1 fu2 ling2}, 方名 Cockcrow Powder Plus Poria
雞姆刺 {ji1 mu3 ci4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
雞腦 {ji1 nao3}, 中藥正名 chicken's brain (Galli Cerebrum)
雞內金 {ji1 nei4 jin1}, 中藥正名 gizzard lining (Galli Gigeriae Endothelium Corneum)
雞肉 {ji1 rou4}, 中藥正名 chicken (Galli Caro)
雞肉參 {ji1 rou4 shen1}, 中藥正名 incarvillea (Incarvilleae Radix)
雞舌香 {ji1 she2 xiang1}, 中藥異名 clove fruit (Caryophylli Fructus)

雞腎參 {ji1 shen4 shen1}, 中藥正名 frog orchid tuber (Habenariae Delavayi Tuber)
雞食皮 {ji1 shi2 pi2}, 中藥異名 gizzard lining (Galli Gigeriae Endothelium Corneum)
雞屎白 {ji1 shi3 bai2}, 中藥正名 white chicken's droppings (Galli Faeces Albae)
雞屎白散 {ji1 shi3 bai2 san3}, 方名 White Chicken's Dropping Powder
雞屎癩 {ji1 shi3 lai4}, chicken's-droppings lai4
雞矢藤 {ji1 shi3 teng2}, 中藥異名 paederia (Paederiae Scandentis Herba et Radix)
雞屎藤 {ji1 shi3 teng2}, 中藥正名 paederia (Paederiae Scandentis Herba et Radix)
雞屎藤果 {ji1 shi3 teng2 guo3}, 中藥正名 chicken-dung creeper fruit (Paedariae Scandentis Fructus)
雞蘇 {ji1 su1}, 中藥異名 Chinese fieldnettle (Stachydis Baicalensis Herba)
雞蘇散 {ji1 su1 san3}, 方名 Mint Powder
雞嗉 {ji1 su4}, 中藥正名 chicken's crop (Galli Ingluvies)
雞嗉子花 {ji1 su4 zi3}, 中藥正名 papillose epipactis (Epipactinis Papillosae Herba)
雞頭 {ji1 tou2}, 中藥正名 chicken's head (Galli Caput) (Euryales Semen); 中藥異名 euryale (Euryales Semen); 中藥異名 euryale
雞頭苞 {ji1 tou2 bao1}, 中藥異名 euryale (Euryales Semen)
雞頭果 {ji1 tou2 guo3}, 中藥異名 euryale (Euryales Semen) (Euryales Semen); 中藥異名 euryale
雞頭黃精 {ji1 tou2 huang2 jin1}, 中藥異名 polygonatum (Polygonati Rhizoma)
雞頭黃精 {ji1 tou2 huang2 jing1}, 中藥異名 polygonatum (Polygonati Rhizoma)
雞頭米 {ji1 tou2 mi3}, 中藥異名 euryale (Euryales Semen)
雞頭實 {ji1 tou2 shi2}, 中藥異名 euryale (Euryales Semen) (Euryales Semen); 中藥異名 euryale
雞腿蘑菇 {ji1 tui3 mo2 gu1}, 中藥異名 meadow mushroom (Agaricus Campestris)
雞娃草 {ji1 wa2 cao3}, 中藥正名 plumbagella (Plumbagellae Herba)
雞項草 {ji1 xiang4 cao3}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
雞心菜 {ji1 xin1 cai4}, 中藥異名 shepherd's purse (Capsellae Bursa-Pastoris Herba)
雞胸 {ji1 xiong1}, chicken breast; pectus gallinatum; pectus carinatum; pigeon chest
雞血 {ji1 xue4}, 中藥正名 chicken's blood (Galli Sanguis)
雞血藤 {ji1 xue4 teng2}, 中藥正名 spatholobus (Spatholobi Caulis)
雞血藤膠 {ji1 xue4 teng2 jiao1}, 中藥正名 millettia paste (Spathilobi Radicis et Caulis Pasta)
雞眼草 {ji1 yan2 cao3}, 中藥正名 kummerowia (Kummerowiae Herba)
雞眼 {ji1 yan3}, corn (clavus)
雞眼膏 {ji1 yan3 gao1}, 方名 Corn Paste
雞爪草 {ji1 zhao3 cao3}, 中藥正名 calathodes (Calathodis Herba)
雞爪風 {ji1 zhao3 feng1}, chicken's-claw wind
雞爪黃連 {ji1 zhao3 huang2 lian2}, 中藥異名 Si4chuan1 coptis (Coptidis Rhizoma *Sichuanense)

雞爪芳 {ji1 zhao3 le4}, 中藥正名 randia (Randiae Frutex)
雞爪連 {ji1 zhao3 lian2}, 中藥異名 Si4chuan1 coptis (Coptidis Rhizoma *Sichuanense)
雞爪枝皮 {ji1 zhao3 zhi1 pi2}, 中藥正名 Cochin China desmos (Desmoris Cortex)
雞中金 {ji1 zhong1 jin1}, 中藥異名 gizzard lining (Galli Gigeriae Endothelium Corneum)
雞肫草 {ji1 zhun1 cao3}, 中藥正名 Wight's parnassia (Parnassiae Wightianae Herba cum Radice)
雞肫內黃皮 {ji1 zhun1 huang2 pi2}, 中藥異名 gizzard lining (Galli Gigeriae Endothelium Corneum)
雞肫皮 {ji1 zhun1 pi2}, 中藥異名 gizzard lining (Galli Gigeriae Endothelium Corneum)
雞啄芥菜 {ji1 zhuo2 jie4 cai4}, 中藥正名 fringed mustard (Brassicae Laciniatae Herba)
雞子 {ji1 zi3}, 中藥正名 chicken's egg (Galli Ovum)
雞子白 {ji1 zi3 bai2}, 中藥正名 egg white (Galli Albumen)
雞子黃 {ji1 zi3 huang2}, 中藥正名 egg yolk (Galli Vitellus)
雞子殼 {ji1 zi3 ke2}, 中藥正名 eggshell (Galli Ovi Putamen)
雞子清 {ji1 zi3 qing1}, 中藥異名 egg white (Galli Albumen)
雞子蛻 {ji1 zi3 tui4}, 中藥異名 eggshell (Galli Ovi Putamen)
雞&&3661|{ji1 zong1}, 中藥正名 collybia (Collybia)
雞足 {ji1 zu2}, 中藥異名 cornus (Corni Fructus)
雞足針 {ji1 zu2 zhen1}, chicken's-claw needling
雞嘴椒 {ji1 zui3 jiao1}, 中藥異名 hot pepper (Capsici Fructus)
雞嘴蓮 {ji1 zui3 lian2}, 中藥異名 euryale (Euryales Semen)

【饑】 {ji1} [Freq. 2] hunger (n.) (善食易饑 {shan4 shi2 yi4 ji1}, large appetite with rapid hungering); hunger.
饑飽不調 {ji1 bao3 bu4 tiao2}, irregular eating
饑飽失常 {ji1 bao3 shi1 chang2}, irregular eating
饑不欲食 {ji1 bu4 yu4 shi2}, hunger with no desire to eat; hunger without desire for food

【齎】 {ji1} [Freq. 5] crushed pickles.
齎汁 {ji1 zhi1}, juice of crushed pickles

~~ {ji2} ~~
【及】 {ji2} [Freq. 4] reach.
及己 {ji2 ji3}, 中藥正名 serrate-leaved chloranthus root (Chloranthi Serrati Radix)
及瀉 {ji2 xie4}, 中藥異名 alisma (Alismatis Rhizoma)

【吉】 {ji2} [Freq. 4] auspicious.

吉故子 {ji2 gu4 zi3}, 中藥異名 psoralea (Psoraleae Fructus)
吉康菜 {ji2 kang4 cai4}, 中藥正名 witloof (Cichorii Intybi Folium Immaturum)
吉祥草 {ji2 xiang2 cao3}, 中藥正名 reineckea (Reineckeae Herba cum Radice)
吉新 {ji2 xin1}, 腧穴異名 Propitious Innovation

【即】 {ji2} [Freq. 5] immediately; namely

【汲】 {ji2} [Freq. 5] sap (v.) (下汲腎陰 {xia4 ji2 shen4 yin1}, sapping of kidney yin1)

【急】 {ji2} [Freq. 2] tense (adj.), tension (n.) (緩急 {huan3 ji2}, relax tension); urgent (adj.), urgency (n.) (尿急 {niao4 ji2}, urinary urgency); emergency (n.) (尿急 {niao4 ji2}, urinary urgency); acute (adj.) (急則治標 {ji2 ze2 zhi4 biao1}, in acute conditions, treat the tip); rapid (adj.) (呼吸急促 {hu1 xi1 ji2 cu4}, hasty rapid breathing).
急方 {ji2 fang1}, urgent formula
急攻 {ji2 gong1}, emergency attack
急喉痹 {ji2 hou2 bi4}, acute throat impediment
急喉風 {ji2 hou2 feng1}, acute throat wind
急喉喑 {ji2 hou2 yin1}, acute loss of voice
急黃 {ji2 huang2}, acute jaundice
急驚風 {ji2 jing1 feng1}, acute fright wind
急驚厥 {ji2 jing1 jue2}, acute fright reversal
急救回陽 {ji2 jiu4 hui2 yang2}, return yang2
急救稀涎散 {ji2 jiu4 xi1 xian2 san3}, 方名 Emergency Drool-Thinning Powder
急流水 {ji2 liu2 shui3}, 中藥正名 torrent water (Aqua Torrentis)
急脈 {ji2 mai4}, urgent pulse (Urgent Pulse); 腧穴正名 LV-12
急迫 {ji2 po4}, distress
急乳蛾 {ji2 ru3 e2}, acute nipple moth
急痛 {ji2 tong4}, acute pain
急下存津 {ji2 xia4 cun2 jin1}, emergency precipitation to preserve liquid
急下存陰 {ji2 xia4 cun2 yin1}, emergency precipitation to preserve yin1
急性 {ji2 xing4}, 西醫 acute
急性白血病 {ji2 xing4 bai2 xue4 bing4}, 西醫 acute leukemia
急性鼻炎 {ji2 xing4 bi2 yan2}, 西醫 acute rhinitis
急性扁桃體炎 {ji2 xing4 bian3 tao2 ti3 yan2}, 西醫 acute tonsillitis
急性扁桃腺炎 {ji2 xing4 bian3 tao2 xian4 yan2}, 西醫 acute tonsillitis
急性腐蝕性食管炎 {ji2 xing4 bing4 fu3 shi2 xing4 shi2 guan3 yan2}, 西醫 acute corrosive esophagitis
急性腸炎 {ji2 xing4 chang2 yan2}, 西醫 acute enteritis

急性出血性壞死性腸炎 {ji2 xing4 chu1 xue4 xing4 huai4 si3 xing4 chang2 yan2}, 西醫 acute hemorrhagic necrotizing enteritis
急性膽囊炎 {ji2 xing4 dan3 nang2 yan2}, 西醫 acute cholecystitis
急性的 {ji2 xing4 de}, 西醫 acute
急性蜂窩組織炎 {ji2 xing4 feng1 wo1 zu3 zhi1 yan2}, 西醫 acute phlegmona cellulitis
急性附骨疽 {ji2 xing4 fu4 gu3 ju1}, acute bone flat-abscess (suppurative oestomyelitis)
急性睾丸炎 {ji2 xing4 gao1 wan2 yan2}, 西醫 acute orchitis
急性喉炎 {ji2 xing4 hou2 yan2}, 西醫 acute laryngitis
急性化膿性骨髓炎 {ji2 xing4 hua4 nong2 xing4 gu3 sui3 yan2}, 西醫 acute pyogenic osteomyelitis
急性化膿性中耳炎 {ji2 xing4 hua4 nong2 xing4 zhong1 er3 yan2}, 西醫 acute pyogenic otitis media
急性黃疸型傳染性肝炎 {ji2 xing4 huang2 dan3 xing2 chuan2 ran3 xing4 gan1 yan2}, 西醫 acute icteric infectious hepatitis
急性脊髓炎 {ji2 xing4 ji3 sui3 yan2}, 西醫 acute myelitis
急性結膜炎 {ji2 xing4 jie2 mo2 yan2}, 西醫 acute conjunctivitis
急性菌痢 {ji2 xing4 jun1 li4}, 西醫 acute bacterial dysentery
急性卡他性結膜炎 {ji2 xing4 ka3 ta1 xing4 jie2 mo2 yan2}, 西醫 acute catarrhal conjuntivitis
急性闌尾炎 {ji2 xing4 lan2 wei3 yan2}, 西醫 acute appendicitis
急性淋巴結炎 {ji2 xing4 lin2 ba1 jie2 yan2}, 西醫 acute lymphadenitis
急性囊腫 {ji2 xing4 nang2 zhong3}, 西醫 acute abscess
急性盆腔炎 {ji2 xing4 pi2 qiang1 yan2}, 西醫 acute pelvic inflammation
急性氣管-支氣管炎 {ji2 xing4 qi4 guan3 zhi1 qi4 guan3 yan2}, 西醫 acute tracheobronchitis
急性前列腺炎 {ji2 xing4 qian2 lie4 xian4 yan2}, 西醫 acute prostatitis
急性乳腺炎 {ji2 xing4 ru3 xian4 yan2}, 西醫 acute mastitis
急性上呼吸道感染 {ji2 xing4 shang4 hu1 xi1 dao4 gan3 ran3}, 西醫 acute upper respiratory infection
急性腎功能衰竭 {ji2 xing4 shen4 gong1 neng2 shuai1 jie2}, 西醫 acute renal failure
急性腎小球腎炎 {ji2 xing4 shen4 xiao3 qiu2 shen4 yan2}, 西醫 acute glomerulonephritis
急性腎盂腎炎 {ji2 xing4 shen4 yu2 shen4 yan2}, 西醫 acute pyelonephritis
急性胃腸炎 {ji2 xing4 wei4 chang2 yan2}, 西醫 acute gastroenteritis
急性胃擴張 {ji2 xing4 wei4 kuo4 zhang1}, 西醫 acute gastric dilatation
急性胃炎 {ji2 xing4 wei4 yan2}, 西醫 acute gastritis
急性咽炎 {ji2 xing4 yan1 yan2}, 西醫 acute pharyngitis
急性腰扭傷 {ji2 xing4 yao1 niu3 shang1}, 西醫 acute lumbar sprain
急性胰腺炎 {ji2 xing4 yi2 xian4 yan2}, 西醫 acute pancreatitis
急性支氣管炎 {ji2 xing4 zhi1 qi4 guan3 yan2}, 西醫 acute bronchitis
急性子 {ji2 xing4 zi3}, 中藥正名 garden balsam seed (Impatientis Semen)

急躁易怒 {ji2 zao4 yi4 nu4}, rashness, impatience, and irascibility
急則治標 {ji2 ze2 zhi4 biao1}, in acute conditions treat tip
急者緩之 {ji2 zhe3 huan3 zhi1}, tension is treated by relaxation
急診室 {ji2 zhen3 shi4}, 西醫 emergency department

【疾】 {ji2} [Freq. 2] disease (n.) (疾病 {ji2 bing4}, disease; 瘧疾 {nue94 ji2}, malaria); quick (疾病 {ji2 bing4}, disease; 瘧疾 {nue94 ji2}, malaria); racing (adj.) (疾脈 {ji2 mai4}, racing pulse).
疾病 {ji2 bing4}, disease
疾患 {ji2 huan4}, disease
疾脈 {ji2 mai4}, racing pulse
疾徐補瀉 {ji2 xu2 bu3 xie4}, quick and slow supplementation and drainage
疾醫 {ji2 yi1}, general medicine; diseases physician

【棘】 {ji2} [Freq. 4] stickly.
棘刺花 {ji2 ci4 hua1}, 中藥正名 spiny jujube flower (Ziziphi Spinosi Flos)
棘葉 {ji2 ye4}, 中藥正名 spiny jujube leaf (Ziziphi Spinosi Folium)
棘針 {ji2 zhen1}, 中藥正名 spiny jujube thorn (Ziziphi Spinosi Spina)

【集】 {ji2} [Freq. 2] gather (v.) (癥瘕積聚 {zheng1 jia3 ji1 ju4}, concretions, conglomerations, accumulations, and gatherings).
集效丸 {ji2 xiao4 wan2}, 方名 Effective Congregation Pill

【極】 {ji2} [Freq. 3] extreme.
極泉 {ji2 quan2}, 腧穴正名 HT-1 (Highest Spring)

【楫】 {ji2} [Freq. 5] oar (舟楫之藥 {zhou1 ji2 zhi1 yao4}, boat medicinal (one that acts as a conductor to the upper burner))

【瘠】 {ji2} [Freq. 5] emaciation and weakness.
芨芨草 {ji2 ji2 cao3}, 中藥正名 splendid achnatherum (Achnatheri Splendentis Caulis, Flos et Semen)

【蒺】 {ji2} [Freq. 4] plant name.
蒺藜根 {ji2 li2 gen1}, 中藥正名 tribulus root (Tribuli Radix)
蒺藜花 {ji2 li2 hua1}, 中藥正名 tribulus flower (Tribuli Flos)
蒺藜苗 {ji2 li2 miao2}, 中藥正名 tribulus shoot (Tribuli Caulis et Folium)
蒺藜子 {ji2 li2 zi3}, 中藥異名 tribulus (Tribuli Fructus)

蒺藜 {ji2 li2, 中藥正名 tribulus (Tribuli Fructus)

【濈】 {ji2} [Freq. 4] streaming.
濈然汗出 {ji2 ran2 han4 chu1}, streaming sweat

【葪】 {ji2} [Freq. 4] plant name.
葪 {ji2}, 中藥異名 houttuynia (Houttuyniae Herba)
葪菜 {ji2 cai4}, 中藥異名 houttuynia (Houttuyniae Herba)

~~ {ji3} ~~
【己】 {ji3} [Freq. 3] sixth heavenly stem; S6; self.
己椒蘗黃丸 {ji3 jiao1 li4 huang2 wan2}, 方名 Fangji, Zanthoxylum, Lepidium/Descurainiae, and Rhubarb Pill
己土 {ji3 tu3}, S6-earth (the spleen)

【脊】 {ji3} [Freq. 2] vertebrae (n.) (夾脊 {jia1 ji2}, paravertebrals); spine (n.).
脊背強痛 {ji3 bei4 jiang4 tong4}, pain and stiffness in the spine and back
脊&&9AB6‖端 {ji3 di3 duan1}, 腧穴異名 GV-1 (End of the Sacral Spine)
脊反折 {ji3 fan3 zhe2}, arched-back rigidity
脊縫 {ji3 feng4}, 腧穴正名 Spine Crevice
脊疳 {ji3 gan1}, gan1 of the spine
脊強 {ji3 jiang4}, stiffness of the spine
脊強反折 {ji3 jiang4 fan3 zhe2}, arched-back rigidity
脊內俞 {ji3 nei4 shu1}, 腧穴異名 BL-29 (Spine Inner Transport)
脊肉粥 {ji3 rou4 zhou1}, 方名 Spine Flesh Gruel
脊三穴 {ji3 san1 xue2}, 腧穴正名 Three Vertebral Holes
脊神經 {ji3 shen2 jing1}, 西醫 spinal nerves
脊俞 {ji3 shu1}, 腧穴異名 GV-6 (Spine Transport)
脊髓 {ji3 sui3}, 西醫 spinal cord
脊髓病 {ji3 sui3 bing4}, 西醫 myelopathy
脊髓空洞症 {ji3 sui3 dong1 dong4 zheng4}, 西醫 syringomyelia
脊髓灰白質炎 {ji3 sui3 huai1 bai2 zhi4 yan2}, 西醫 poliomyelitis
脊髓灰白質炎 {ji3 sui3 hui1 bai2 zhi4 yan2}, 西醫 poliomyelitis
脊髓膜膨出 {ji3 sui3 mo2 peng2 chu1}, 西醫 spinal meningocele
脊中 {ji3 zhong1}, 腧穴正名 GV-6 (Spinal Center)
脊柱 {ji3 zhu4}, 西醫 vertebral column (Spine Pillar); 腧穴異名 GV-6
脊柱結核 {ji3 zhu4 jie2 he2}, 西醫 tuberculosis of the spine

脊柱裂 {ji3 zhu4 lie4}, 西醫 rachischisis
脊椎骨 {ji3 zhui1 gu3}, vertebra; vertebra
脊椎關節炎 {ji3 zhui1 guan1 jie2 yan2}, 西醫 spondylarthritis
脊椎壓縮性骨折 {ji3 zhui1 ya1 suo1 xing4 gu3 zhe2}, 西醫 fractures with spinal compresion
戟葉石葦 {ji3 ye4 shi2 wei3}, 中藥正名 Walton's lepisorus (Lepisori Waltonii Herba)

【麂】 {ji3} [Freq. 4] muntjac.
麂肉 {ji3 rou4}, 中藥正名 muntjac (Muntiaci Caro)

~~ {ji4} ~~
【忌】 {ji4} [Freq. 4] contraindicate.
忌服 {ji4 fu2}, contraindicated
忌口 {ji4 kou3}, dietary contraindication
忌食 {ji4 shi2}, do not eat
忌用 {ji4 yong4}, contraindicated

【季】 {ji4} [Freq. 4] little; season.
季肋 {ji4 lei4}, little ribs (free rib region) (Free Ribs); 腧穴異名 LV-13
季脅 {ji4 xie2}, free rib [region] (Free Ribs); 腧穴異名 LV-13
季肷 {ji4 yang1}, 腧穴異名 CV-6 (Small Navel)

【荠】 {ji4} [Freq. 4] water caltrop.
荠 {ji4}, 中藥異名 water caltrop (Trapae Fructus et Radix)

【既】 {ji4} [Freq. 4] immediate.
既濟湯 {ji4 ji4 tang1}, 方名 Complementarity Decoction
既濟丸 {ji4 ji4 wan2}, 方名 Immediate Salvation Pill

【洎】 {ji4} [Freq. 4] add water to a pot; meat juice; steep.
洎夫藍 {ji4 fu1 lan2}, 中藥異名 saffron (Croci Stigma)

【寄】 {ji4} [Freq. 4] entrust.
寄奴 {ji4 nu2}, 中藥異名 anomalous artemisia (Artemisiae Anomalae Herba)
寄生 {ji4 sheng1}, 中藥異名 mistletoe (Taxilli Herba)
寄生草 {ji4 sheng1 cao3}, 中藥異名 mistletoe (Taxilli Herba)
寄生蟲病 {ji4 sheng1 chong2 bing4}, 西醫 parasitic diseases
寄生黃 {ji4 sheng1 huang2}, 中藥正名 involucrate balanophora (Balanophorae Involucratae

Herba)
寄生樹 {ji4 sheng1 shu4}, 中藥異名 mistletoe (Taxilli Herba)
寄生藤 {ji4 sheng1 teng2}, 中藥正名 henslowia (Henslowiae Frutex)
寄馬椿 {ji4 sheng1 zhuang1}, 中藥正名 desert asparagus (Asparagi Gobici Herba)

【悸】 {ji4} [Freq. 3] palpitations.
悸動 {ji4 dong4}, stirring palpitation
悸心痛 {ji4 xin1 tong4}, palpitations heart pain

【際】 {ji4} [Freq. 5] region (毛際 {mao2 ji4}, pubic hair region); border (赤白肉際 {chi4 bai2 rou4 ji4}, border of the red and white flesh); margin (魚際 {yu2 ji4}, fish's margin).
稷 {ji4}, 中藥異名 non-glutinous broomcorn millet (Panici Non-Glutinosi Semen)
稷米 {ji4 mi3}, 中藥正名 non-glutinous broomcorn millet (Panici Non-Glutinosi Semen)

【劑】 {ji4} [Freq. 3] packet; formula (n.) (寒劑 {han2 ji4}, cold formula); preparation (n.) (丸劑 {wan2 ji4}, pill preparation).
劑型 {ji4 xing2}, preparation

【濟】 {ji4} [Freq. 2] help (v.) (水火相濟 {shui3 huo3 xiang1 ji4}, fire and water helping each other); save; salvation.
濟川煎 {ji4 chuan1 jian1}, 方名 Ferry Brew
濟生菟絲子丸 {ji4 shang1 tu4 si1 zi3 wan2}, 方名 Life Saver Cuscuta Seed Pill
濟生橘核丸 {ji4 sheng1 ju2 he2 wan2}, 方名 Life Saver Tangerine Pip Pill
濟生橘皮竹茹湯 {ji4 sheng1 ju2 pi2 zhu2 ru2 tang1}, 方名 Life Saver Tangerine Peel and Bamboo Shavings Decoction
濟生腎氣丸 {ji4 sheng1 shen4 qi4 wan2}, 方名 Life Saver Kidney Qi4 Pill
濟陰綱目 {ji4 yin1 gang1 mu4}, 書名 Compendium ..... yin11 means female

【薺】 {ji4} [Freq. 4] plant name.
薺菜 {ji4 cai4}, 中藥正名 shepherd's purse (Capsellae Bursa-Pastoris Herba)
薺菜花 {ji4 cai4 hua1}, 中藥正名 shepherd's purse flower (Capsellae Bursa-Pastoris Flos)
薺菜子 {ji4 cai4 zi3}, 中藥正名 shepherd's purse seed (Capsellae Bursa-Pastoris Semen)
薺苨 {ji4 ni2}, 中藥正名 apricot-leaved adenophora (Adenophorae Trachelioidis Radix)
薺苨苗 {ji4 ni2 miao2}, 中藥正名 apricot-leaved adenophora leaf (Adenophorae Trachelioidis Folium)

【鯽】 {ji4} [Freq. 4] golden carp.
鯽魚 {ji4 yu2}, 中藥正名 golden carp (Carassii Aurati Caro)

鯽魚膽 {ji4 yu2 dan3}, 中藥正名 golden carp's gall (Carassii Aurati Vesica Fellea)
鯽魚骨 {ji4 yu2 gu3}, 中藥正名 golden carp's bone (Carassii Aurati Os)
鯽魚腦 {ji4 yu2 nao3}, 中藥正名 golden carp's brain (Carassii Aurati Cerebrum)
鯽魚頭 {ji4 yu2 tou2}, 中藥正名 golden carp's head (Carassii Aurati Caput)
鯽魚子 {ji4 yu4 zi3}, 中藥正名 golden carp's roe (Carassii Aurati Ovulum)

【伎】 {ji4} [Freq. 5] ingenuity (腎主伎巧 {shen4 zhu3 ji4 qiao3}, kidney governs ingenuity)

【瘛】 {ji4} [Freq. 2] tugging (n.) (see 瘛 {chi4})

【跽】 {ji4} [Freq. 5] proximal portion of the inferior aspect of the great toe

【&&6AB5||】 {ji4} [Freq. 4] Chinese witch hazel.
&&6AB5||花 {ji4 hua1}, 中藥正名 Chinese witch hazel flower (Loropetali Flos)
&&6AB5||花根 {ji4 hua1 gen1}, 中藥正名 Chinese witch hazel root (Loropetali Radix)
&&6AB5||花葉 {ji4 hua1 ye4}, 中藥正名 Chinese witch hazel leaf (Loropetali Folium)
&&6AB5||木葉膏 {ji4 mu4 ye4 gao1}, 中藥正名 Chinese witch hazel leaf paste (Loropetali Folii Pasta)

~~ {jia1} ~~
【加】 {jia1} [Freq. 3] add; supplement.
加減 {jia1 jian3}, vary; variant; variation
加減補中益氣湯 {jia1 jian3 bu3 zhong1 yi4 qi4 tang1}, 方名 Center-Supplementing Qi4-Boosting Variant Decoction
加減承氣湯 {jia1 jian3 cheng2 qi4 tang1}, 方名 Qi4-Infusing Variant Decoction
加減法 {jia1 jian3 fa3}, variation
加減復脈湯 {jia1 jian3 fu4 mai4 tang1}, 方名 Pulse-Restorative Variant Decoction
加減麥門冬湯 {jia1 jian3 mai4 men2 dong1 tang1}, 方名 Ophiopogon Variant Decoction
加減木防己湯 {jia1 jian3 mu4 fang2 ji3 tang2}, 方名 Woody Fangji Variant Decoction
加減清經湯 {jia1 jian3 qing1 jing1 tang1}, 方名 Channel-Clearing (Menses-Clearing) Variant Decoction
加減生脈散 {jia1 jian3 sheng1 mai4 san3}, 方名 Pulse-Engendering Variant Powder
加減葳蕤湯 {jia1 jian3 wei1 rui2 tang1}, 方名 Solomon's Seal Variant Decoction
加減益陰煎, 方名 Yin1-Boosting Variant Brew
加減玉女煎 {jia1 jian3 yu4 nu93 jian1}, 方名 Jade Lady Variant Brew
加劇 {jia1 ju4}, get worse
加拿大飛蓬 {jia1 na2 da4 fei1 peng2}, 中藥異名 Canadian erigeron (Erigerontis Canadensis

Herba)
加參生化湯 {jia1 shen1 sheng1 hua4 tang1}, 方名 Ginseng Engendering Transformation Decoction
加味八仙湯 {jia1 wei4 ba1 xian1 tang1}, 方名 Supplemented Eight Immortals Decoction
加味白頭翁湯 {jia1 wei4 bai2 tou2 weng1 tang1}, 方名 Supplemented Pulsatilla Decoction
加味催生芎歸湯 {jia1 wei4 cui1 sheng1 xiong1 gui1 tang1}, 方名 Supplemented Birth-Hastening Chuan1xiong1 and Chinese Angelica Decoction
加味當歸芍藥散 {jia1 wei4 dang1 gui1 shao2 yao4 san3}, 方名 Supplemented Chinese Angelica and Peony Powder
加味顛倒散 {jia1 wei4 dian1 dao3 san3}, 方名 Supplemented Reversal Powder
加味定志丸 {jia1 wei4 ding4 zhi4 wan2}, 方名 Supplemented Mind-Stabilizing Pill
加味二陳湯 {jia1 wei4 er4 chen2 tang1}, 方名 Supplemented Two Matured Ingredients Decoction
加味二妙散 {jia1 wei4 er4 miao4 san3}, 方名 Supplemented Mysterious Two Powder
加味歸脾湯 {jia1 wei4 gui1 pi2 tang1}, 方名 Supplemented Spleen-Returning Decoction
加味黃土湯 {jia1 wei4 huang2 tu3 tang1}, 方名 Supplemented Yellow Earth Decoction
加味解毒湯 {jia1 wei4 jie3 du2 tang1}, 方名 Supplemented Toxin-Resolving Decoction
加味金剛丸 {jia1 wei4 jin1 gang1 wan2}, 方名 Supplemented Metal Strength Pill
加味理中湯 {jia1 wei4 li3 zhong1 tang1}, 方名 Supplemented Center-Rectifying Decoction
加味六味地黃丸 {jia1 wei4 liu4 wei4 di4 huang2 wan2}, 方名 Supplemented Six-Ingredient Rehmannia Pill
加味麻杏石甘湯 {jia1 wei4 ma2 xing4 shi2 gan1 tang1}, 方名 Supplemented Ephedra, Apricot Kernel, Gypsum, and Licorice Decoction
加味麥門冬湯 {jia1 wei4 mai4 men2 dong1 tang1}, 方名 Supplemented Ophiopogon Decoction
加味平胃散 {jia1 wei4 ping2 wei4 san3}, 方名 Supplemented Stomach-Calming Powder
加味三拗湯 {jia1 wei4 san1 ao4 tang1}, 方名 Supplemented Rough and Ready Three Decoction
加味腎氣丸 {jia1 wei4 shen4 qi4 wan2}, 方名 Supplemented Kidney Qi4 Pill
加味四物湯 {jia1 wei4 si4 wu4 tang1}, 方名 Supplemented Four Agents Decoction
加味太乙膏 {jia1 wei4 tai4 yi3 gao1}, 方名 Supplemented Tai Yi Plaster
加味溫膽湯 {jia1 wei4 wen1 dan3 tang1}, 方名 Supplemented Gallbladder-Warming Decoction
加味烏藥湯 {jia1 wei4 wu1 yao4 tang1}, 方名 Supplemented Lindera Decoction
加味五淋散 {jia1 wei4 wu3 lin2 san3}, 方名 Supplemented Five Strangury Powder
加味香蘇散 {jia1 wei4 xiang1 su1 san3}, 方名 Supplemented Cyperus and Perilla Powder
加味逍遙散 {jia1 wei4 xiao1 yao2 san3}, 方名 Supplemented Free Wanderer Powder
加味逍遙散合四逆湯 {jia1 wei4 xiao1 yao2 san3 he2 si4 ni4 tang1}, 方名 Supplemented Free

Wanderer Powder Combined with Counterflow Cold Decoction
加味瀉白散 {jia1 wei4 xie4 bai2 san3}, 方名 Supplemented White-Draining Powder

【夾】 {jia1} [Freq. 3] squeeze; pinch; complicate (v.); complication (n.).
夾白 {jia1 bai2}, 腧穴異名 LU-4 (Pinching White)
夾板固定療法 {jia1 ban3 gu4 ding4 liao2 fa3}, splint-fixing therapy
夾承漿 {jia1 cheng2 jiang1}, 腧穴正名 Pinching Sauce Receptacle
夾錯 {jia1 cuo4}, complex (disease patterns)
夾脊 {jia1 ji2}, 腧穴正名 Paravertebrals
夾腦風 {jia1 nao3 feng1}, brain-squeezing wind
夾蛇龜 {jia1 she2 gui1}, 中藥正名 cyclemys (Cyclemys)
夾蛇龜肉 {jia1 she2 gui1 rou4}, 中藥正名 cyclemys flesh (Cyclemydis Caro)
夾谿 {jia1 xi1}, 腧穴異名 GB-42 (Pinched Ravine)
夾雜 {jia1 za2}, complex (disease patterns)
夾紙膏 {jia1 zhi3 gao1}, 方名 Paper Plaster
夾竹桃 {jia1 zhu2 tao2}, 中藥正名 oleander (Nerii Folium seu Cortex)

【俠】 {jia1} [Freq. 4] stand beside; pinch (same as 挾 {xie2})

【迦】 {jia1} [Freq. 4] used in transcription.
迦拘勒 {jia1 ju1 le4}, 中藥異名 nutmeg (Myristicae Semen)

【家】 {jia1} [Freq. 3] person.
家韭子 {jia1 jiu3 zi3}, 中藥異名 Chinese leek seed (Allii Tuberosi Semen)
家韭子丸 {jia1 jiu3 zi3 wan2}, 方名 Chinese Leek Seed Pill
家菊 {jia1 ju2}, 中藥異名 chrysanthemum (Chrysanthemi Flos)
家秘瀉白散 {jia1 mi4 xie4 bai2 san3}, 方名 Family Secret White-Draining Powder
家秘瀉黃散 {jia1 mi4 xie4 huang2 san3}, 方名 Family Secret Yellow-Draining Powder
家禽 {jia1 qin2}, domestic fowl
家生菇 {jia1 sheng1 gu}, 中藥異名 straw mushroom (Volvariella)
家櫻桃 {jia1 ying1 tao2}, 中藥異名 cherry (Pruni Pseudocerasi Fructus)

【痂】 {jia1} [Freq. 5] scab (結痂 {jie2 jia1}, crust (v.); crusting (n.))

【嘉】 {jia1} [Freq. 4] good.
嘉慶子 {jia1 qing4 zi3}, 中藥異名 plum (Pruni Salicinae Fructus)

【豭】 {jia1} [Freq. 4] boar.

猳豬屎 {jia1 zhu1 shi3}, 中藥異名 polyporus (Polyporus)

~~ {jia2} ~~

【頰】 {jia2} [Freq. 2] cheek (n.) (面頰 {mian4 jia2}, cheek; 頰車 {jia2 che1}, cheek carriage).

頰車 {jia2 che1}, cheek carriage (joint of the lower jaw bone) (Cheek Carriage 穴正名 ST-6

頰車骨 {jia2 che1 gu3}, cheek carriage bone (lower jaw bone, mandible)

頰里 {jia2 li3}, 腧穴異名 Within Cheek

頰內 {jia2 nei4}, 腧穴正名 Inside Cheek

~~ {jia3} ~~

【甲】 {jia3} [Freq. 3] first heavenly stem; S1; carapace.

甲錯 {jia3 cuo4}, encrustation (of skin)

甲溝炎 {jia3 gou4 yan2}, 西醫 paronychia

甲骨 {jia3 gu3}, 西醫 turbinate bones

甲亢 {jia3 kang4}, 西醫 hyperthyroidism

甲木 {jia3 mu4}, S1-wood (the gallbladder)

甲香 {jia3 xiang1}, 中藥正名 cat's-eye (Turbo Operculum)

甲型鏈球菌 {jia3 xing2 lian4 qiu2 jun1}, 西醫 alpha-hemolytic streptococcus

甲乙歸臟湯 {jia3 yi3 gui1 zang4 tang1}, 方名 1st & 2nd Heavenly Stems Viscera-Returning Decoction

甲乙經 {jia3 yi3 jing1}, 書名 The Systematized Canon (full title {Zhen1 Jiu3 Jia3 Yi3 Jing1} 針灸甲乙經)

甲狀旁腺 {jia3 zhuang4 pang2 xian4}, 西醫 parathyroid glands

甲狀腺 {jia3 zhuang4 xian4}, 西醫 thyroid gland

甲狀腺瘤 {jia3 zhuang4 xian4 liu2}, 西醫 thyroma

甲狀腺囊腫 {jia3 zhuang4 xian4 nang2 zhong3}, 西醫 thyroid cyst

甲狀腺炎 {jia3 zhuang4 xian4 yan2}, 西醫 thyroiditis

甲狀腺腫 {jia3 zhuang4 xian4 yan2}, 西醫 thyromegaly (goiter)

甲狀腺腫大 {jia3 zhuang4 xian4 zhong3 da4}, 西醫 thyroid enlargement

甲子 {jia3 zi3}, sixty-year cycle

甲字湯 {jia3 zi4 tang1}, 方名 First Heavenly Branch Decoction

【胛】 {jia3} [Freq. 4] shoulder blade.

胛癰 {jia3 yong1}, shoulder blade welling-abscess

【假】 {jia3} [Freq. 2] false (adj.) (真寒假熱 {zhen1 han2 jia3 re4}, true cold and false heat).

假百合 {jia3 bai3 he2}, 中藥正名 notholirion (Notholirionis Tuber)
假茶辣 {jia3 cha2 la4}, 中藥正名 cipadessa (Cipadessae Radix seu Folium)
假大薯 {jia3 da4 shu3}, 中藥正名 oval-leavef aristolochia root (Aristolochiae Tagalae Radix)
假地豆 {jia3 di4 dou4}, 中藥正名 pycnospora (Pycnosporae Herba)
假寒 {jia3 han2}, false cold
假黃麻 {jia3 huang2 ma2}, 中藥正名 angled jute (Corchori Acutanguli Herba)
假荊芥 {jia3 jing1 jie4}, 中藥正名 catnip (Nepetae Herba)
假蒟 {jia3 ju4}, 中藥正名 wild pepper root (Piperis Sarmentosi Radix)
假蒟果穗 {jia3 ju4 guo3 sui4}, 中藥正名 wild pepper spike (Piperis Sarmentosi Spica)
假苦瓜 {jia3 ku3 gua1}, 中藥正名 balloon vine (Cardiospermi Herba)
假辣蓼 {jia3 la4 liao3}, 中藥正名 sorrel-leaved smartweed (Polygoni Lapathifolii Herba)
假荔枝根 {jia3 li4 zhi1 gen1}, 中藥正名 Chinese stauntonia root (Stauntoniae Chinensis Radix)
假連翹 {jia3 lian2 qiao4}, 中藥正名 duranta fruit (Durantae Fructus)
假連翹葉 {jia3 lian2 qiao4 ye4}, 中藥正名 duranta leaf (Durantae Folium)
假耬斗菜 {jia3 lou2 dou3 cai4}, 中藥正名 paraquilegia (Paraquilegiae Folium)
假鵲腎樹 {jia3 que4 shen4 shu4}, 中藥正名 pseudostreblus (Pseudostrebli Cortex)
假熱 {jia3 re4}, false heat
假人參 {jia3 ren2 shen1}, 中藥異名 talinum root (Talini Paniculati Radix)
假神 {jia3 shen2}, false spiritedness
假酸漿子 {jia3 suan1 jian1 zi3}, 中藥正名 nicandra seed (Nicandrae Semen)
假酸漿 {jia3 suan1 jiang1}, 中藥正名 nicandra (Nicandrae Herba)
假酸漿花 {jia3 suan1 jiang1 hua1}, 中藥正名 nicandra flower (Nicandrae Flos)
假煙葉 {jia3 yan1 ye4}, 中藥異名 mountain tobacco (Solani Verbascifolii Folium)
假芫茜 {jia3 yuan2 qian4}, 中藥正名 eryngo (Eryngii Herba)

【瘕】 {jia3} [Freq. 2] conglomeration (n.) (癥瘕積聚 {zheng1 jia3 ji1 ju4}, concretions, conglomerations, accumulations, and gatherings).
瘕聚 {jia3 ju4}, conglomerations and gatherings
瘕疝 {jia3 shan4}, conglomeration-mounting; conglomerations and mounting

~~ {jia4} ~~
【稼】 {jia4} [Freq. 5] sowing (稼穡 {jia4 se4}, lit. sowing and reaping, i.e., farming)

~~ {jian1} ~~
【尖】 {jian1} [Freq. 4] pointed.

尖齒 {jian1 chi3}, 西醫 cuspids
尖光頭 {jian1 guang1 tou2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
尖頭白姑魚 {jian1 tou2 bai2 gu1 yu2}, 中藥正名 Reeve's croaker (Chrysochir Aureus)
尖尾風根 {jian1 wei3 feng1 gen1}, 中藥正名 long-leaved beauty-berry root (Callicarpae Longissimae Radix)
尖尾鳳 {jian1 wei3 feng4}, 中藥正名 long-leaved beauty-berry leaf (Callicarpae Longissimae Folium)
尖尾芋 {jian1 wei3 yu4}, 中藥正名 hood-shaped alocasia (Alocasiae Cucullatae Rhizoma)

【肩】 {jian1} [Freq. 2] shoulder (n.) (漏肩風 {lou4 jian1 feng1}, leaky shoulder wind).
肩背拘急 {jian1 bei4 ju4 ji2}, hypertonicity of the shoulder and back
肩背生癰 {jian1 bei4 sheng1 yong1}, welling-abscess on the back of the shoulder
肩背酸痛 {jian1 bei4 suan1 tong4}, aching pain in the back and shoulder
肩背痛 {jian1 bei4 tong4}, shoulder and back pain
肩臂痛 {jian1 bi4 tong4}, shoulder and arm pain
肩不舉 {jian1 bu4 ju3}, inability to raise the shoulder
肩端 {jian1 duan1}, end of the shoulder
肩峰 {jian1 feng1}, 西醫 acromion
肩甲 {jian1 jia3}, shoulder blade (scapula)
肩胛 {jian1 jia3}, 西醫 scapula
肩胛帶 {jian1 jia3 dai4}, 西醫 shoulder girdle
肩甲痛 {jian1 jia3 tong4}, shoulder blade pain
肩尖 {jian1 jian1}, 腧穴異名 LI-15 (Shoulder Tip)
肩解 {jian1 jie3}, shoulder joint
肩井 {jian1 jing3}, 腧穴正名 GB-21 (Shoulder Well)
肩&&91C3.9ACE|{jian1 liao2}, 腧穴正名 TB-14 (Shoulder Bone-Hole)
肩內陵 {jian1 nei4 ling2}, 腧穴正名 Inner Mound of Shoulder
肩凝 {jian1 ning2}, frozen shoulder
肩前 {jian1 qian2}, 腧穴異名 Shoulder Front
肩痛 {jian1 tong4}, shoulder pain
肩痛不可舉 {jian1 tong4 bu4 ke3 ju3}, pain in and inability to lift the shoulder
肩痛不可自帶衣 {jian1 tong4 bu4 ke3 zi4 dai4 yi1}, pain in the shoulder with inability to dress oneself
肩痛不能自舉 {jian1 tong4 bu4 neng2 zi4 ju3}, shoulder painful and hard to lift
肩痛點 {jian1 tong4 dian3}, 腧穴正名 Shoulder Pain Point
肩頭 {jian1 tou2}, head of the shoulder
肩外俞 {jian1 wai4 shu1}, 腧穴正名 SI-14 (Outer Shoulder Transport)
肩息 {jian1 xi1}, raised-shoulder breathing

肩下橫骨 {jian1 xia4 heng2 gu3}, transverse bone below the shoulder
肩&&9AC3|{jian1 yu2}, 腧穴正名 LI-15 (Shoulder Bone)
肩&&9AC3‖下 {jian1 yu2 xia4}, 腧穴正名 Below Shoulder Bone
肩真 {jian1 zhen1}, 腧穴正名 SI-9 (True Shoulder)
肩中俞 {jian1 zhong1 shu1}, 腧穴正名 SI-15 (Central Shoulder Transport)
肩重肘臂痛 {jian1 zhong4 zhou3 bi4 tong4}, heavy shoulder and painful elbow and arm

【兼】 {jian1} [Freq. 3] concurrent.
兼變證 {jian1 bian4 zheng4}, concurrrent and transmuted patterns
兼證 {jian1 zheng4}, concurrent pattern
剪夏羅根 {jian1 xia4 luo2 gen1}, 中藥正名 mullein pink root (Lychnidis Coronatae Rhizoma et Radix)

【堅】 {jian1} [Freq. 2] hard (adj.); harden (v.) (軟堅 {ruan3 jian1}, soften hardness).
堅腎 {jian1 shen4}, consolidate the kidney
堅腎清熱 {jian1 shen4 qing1 re4}, consolidate the kidney and clear heat
堅腎益陰 {jian1 shen4 yi4 yin1}, consolidate the kidney and boost yin1
堅陰 {jian1 yin1}, consolidate yin1
堅硬 {jian1 ying4}, hard
堅者削之 {jian1 zhe3 xiao1 zhi1}, hardness is whittled away
堅中湯 {jian1 zhong1 tang1}, 方名 Center-Firming Decoction

【湔】 {jian1} [Freq. 4] wash.
湔湖 {jian1 hu2}, 中藥異名 peucedanum (Peucedani Radix)

【菅】 {jian1} [Freq. 4] themeda.
菅茅根 {jian1 mao2 gen1}, 中藥正名 themeda root (Themedae Rhizoma)

【間】 {jian1} [Freq. 4] space; [in] the region of; intermediary.
間谷 {jian1 gu3}, 腧穴異名 LI-2 (Space Valley)
間接灸 {jian1 jie1 jiu3}, indirect moxibustion
間使 {jian1 shi3}, 腧穴正名 PC-5 (Intermediary Courier)

【煎】 {jian1} [Freq. 2] decoct (v.), decoction (n.) (鱉甲煎丸 {bie1-jia3 jian1 wan2}, Turtle Shell Decocted Pill); brew (n.) (濟川煎 {ji4 chuan1 jian1}, Ferry Brew).
煎熬 {jian1 ao2}, decoct
煎厥 {jian1 jue2}, boiling reversal
煎水外洗 {jian1 shui3 wai4 xi3}, decoct with water as a topical wash

煎湯 {jian1 tang1}, decoct
煎藥法 {jian1 yao4 fa3}, decoction

【監】 {jian1} [Freq. 4] oversee.
監骨 {jian1 gu3}, haunch bone

【鰹】 {jian1} [Freq. 4] oceanic bonito.
鰹 {jian1}, 中藥異名 oceanic bonito (Katsuwonus Pelamis)

~~ {jian3} ~~
【剪】 {jian3} [Freq. 4] cut with scissors.
剪刀草 {jian3 dao1 cao3}, 中藥正名 savory (Clinopodii Herba)
剪金花 {jian3 jin1 hua1}, 中藥異名 vaccaria (Vaccariae Semen)
剪夏羅 {jian3 xia4 luo2}, 中藥正名 mullein pink (Lychnidis Coronatae Herba)

【揀】 {jian3} [Freq. 3] select; pick out.
揀香 {jian3 xiang1}, 中藥異名 top grade frankincense (Olibanum Optimum)

【減】 {jian3} [Freq. 5] reduce; relieve (得溫痛減 {de2 wen1 tong4 jian3}, pain relieved by warmth).
減退 {jian3 tui4}, loss (視力減退 {shi4 li4 jian3 tui4}, loss of visual acuity)

【瞼】 {jian3} [Freq. 2] eyelid (n.) (瞼廢 {jian3 fei4}, drooping eyelid); lower eyelid.
瞼板腺囊腫 {jian3 ban3 xian4 nang2 zhong3}, 西醫 chalazion
瞼發 {jian3 fa1}, eyelid effusion
瞼廢 {jian3 fei4}, drooping eyelid
瞼內結石 {jian3 nei4 jie2 shi2}, stone in the eyelid
瞼下垂 {jian3 xia4 chui2}, 西醫 blepharoptosis
瞼炎 {jian3 yan2}, 西醫 blepharitis
瞼緣炎 {jian3 yuan2 yan2}, 西醫 blepharitis

【繭】 {jian3} [Freq. 4] cocoon.
繭唇 {jian3 chun2}, cocoon lip
繭唇風 {jian3 chun2 feng1}, cocoon lip wind

【鹼】 {jian3} [Freq. 5] (鹵鹼 {lu3 jian3}, alkali).
鹼蓬 {jian3 peng2}, 中藥正名 suaeda (Suaedae Herba)

【謇】 {jian3} [Freq. 5] sluggish (also 蹇 {jian3})

【蹇】 {jian3} [Freq. 2] sluggish (also 謇 {jian3}. 言語蹇澀 {yan2 yu3 jian3 se4}, sluggish speech)

~~ {jian4} ~~

【見】 {jian4} [Freq. 4] see.
見風即痛 {jian4 feng1 ji2 tong4}, pain on exposure to wind
見風流淚 {jian4 feng1 liu2 lei4}, tearing on exposure to wind
見明 {jian4 ming2}, 腧穴正名 See Bright
見色遽泄 {jian4 se4 ju4 xie4}, immediate ejaculation at provocative sights; immediate ejaculation on beholding sexually stimulating sights
見色流精 {jian4 se4 liu2 jing1}, seminal emission at provocative sights
見色思情 {jian4 se4 si1 qing2}, provocative sights and passionate thoughts
見食即吐 {jian4 shi2 ji2 tu4}, vomiting at the sight of food
見晛丸 {jian4 xian4 wan2}, 方名 Sunshine Pill
見血清 {jian4 xue4 qing1}, 中藥正名 veined liparis (Liparis Nervosae Herba)
見陽 {jian4 yang2}, 腧穴異名 See Yang2
見症 {jian4 zheng4}, characterized by; presenting signs

【建】 {jian4} [Freq. 4] establish; abbreviation for 福建 Fu2jian4 Province.
建蘭 {jian4 lan2}, 中藥異名 cymbidium flower (Cymbidii Flos)
建蘭根 {jian4 lan2 gen1}, 中藥正名 cymbidium root (Cymbidii Radix)
建蘭花 {jian4 lan2 hua1}, 中藥正名 cymbidium flower (Cymbidii Flos)
建蘭葉 {jian4 lan2 ye4}, 中藥正名 cymbidium leaf (Cymbidii Folium)
建里 {jian4 li3}, 腧穴正名 CV-11 (Interior Strengthening)
建瓴湯 {jian4 ling2 tang1}, 方名 Sweeping Down Decoction
建曲 {jian4 qu1}, 中藥異名 Fu2jian4 leaven (Massa Medicata Fermentata *Fujianensis)
建神曲 {jian4 shen2 qu1}, 中藥正名 Fu2jian4 leaven (Massa Medicata Fermentata *Fujianensis)
建澤瀉 {jian4 ze2 xie4}, 中藥正名 Fu2jian4 alisma (Alismatis Rhizoma *Fujianense)
建中 {jian4 zhong1}, fortify the center (健中; the character 建 occurs only in formula names)

【健】 {jian4} [Freq. 2] fortify (v.); fortification (健脾 {jian4 pi2}, fortify the spleen).
健步虎潛丸 {jian4 bu4 hu3 qian2 wan2}, 方名 Steady Gait Hidden Tiger Pill
健側 {jian4 ce4}, unaffected side

健固湯 {jian4 gu4 tang1}，方名 Fortifying and Securing Decoction
健胯 {jian4 kua4}，腧穴正名 Fortify Thigh
健明 {jian4 ming2}，腧穴正名 Brightness Fortifier
健明（一） {jian4 ming2 (1)}，腧穴正名 Brightness Fortifier \#1
健明（二） {jian4 ming2 (2)}，腧穴正名 Brightness Fortifier \#2
健明（三） {jian4 ming2 (3)}，腧穴正名 Brightness Fortifier \#3
健明（四） {jian4 ming2 (4)}，腧穴正名 Brightness Fortifier \#4
健明（五） {jian4 ming2 (5)}，腧穴正名 Brightness Fortifier \#5
健脾 {jian4 pi2}, fortify the spleen; splenic fortification
健脾補氣 {jian4 pi2 bu3 qi4}, fortify the spleen and supplement qi4
健脾補血 {jian4 pi2 bu3 xue4}, fortify the spleen and supplement the blood
健脾和胃 {jian4 pi2 he2 wei4}, fortify the spleen and harmonize the stomach
健脾和胃湯 {jian4 pi2 he2 wei4 tang1}，方名 Spleen-Fortifying Stomach-Harmonizing Decoction
健脾化濕 {jian4 pi2 hua4 shi1}, fortify the spleen and transform dampness
健脾化痰 {jian4 pi2 hua4 tan2}, fortify the spleen and transform phlegm
健脾化痰湯 {jian4 pi2 hua4 tan2 tang1}，方名 Spleen-Fortifying Phlegm-Transforming Decoction
健脾利氣 {jian4 pi2 li4 qi4}, fortify the spleen and disinhibit qi4
健脾利濕 {jian4 pi2 li4 shi1}, fortify the spleen and disinhibit dampness
健脾利水 {jian4 pi2 li4 shui3}, fortify the spleen and disinhibit water
健脾驅蟲 {jian4 pi2 qu1 chong2}, fortify the spleen and expel worms
健脾柔肝湯 {jian4 pi2 rou2 gan1 tang1}，方名 Spleen-Fortifying Liver-Emolliating Decoction
健脾滲濕 {jian4 pi2 shen4 shi1}, fortify the spleen and percolate dampness
健脾疏肝 {jian4 pi2 shu1 gan1}, fortify the spleen and course the liver
健脾丸 {jian4 pi2 wan2}，方名 Spleen-Fortifying Pill
健脾胃 {jian4 pi2 wei4}, fortify the spleen and stomach
健脾溫腎化痰 {jian4 pi2 wen1 shen4 hua4 tan2}, fortify the spleen, warm the kidney, and transform phlegm
健脾溫運 {jian4 pi2 wen1 yun4}, fortify and warm splenic movement
健脾養胃 {jian4 pi2 yang3 wei4}, fortify the spleen and nourish the stomach
健脾養胃湯 {jian4 pi2 yang3 wei4 tang1}，方名 Spleen-Fortifying Stomach-Nourishing Decoction
健脾藥 {jian4 pi2 yao4}, spleen-fortifying medicinal
健脾益氣 {jian4 pi2 yi4 qi4}, fortify the spleen and boost qi4
健脾益氣湯 {jian4 pi2 yi4 qi4 tang1}，方名 Spleen-Fortifying Qi4-Boosting Decoction
健脾益胃 {jian4 pi2 yi4 wei4}, fortify the spleen and boost the stomach
健脾燥濕 {jian4 pi2 zao4 shi1}, fortify the spleen and dry dampness

健癱 {jian4 tan1}, 腧穴正名 Paralysis Strengthener
健忘 {jian4 wang4}, forgetfulness
健胃 {jian4 wei4}, fortify the stomach
健胃點 {jian4 wei4 dian3}, 腧穴異名 Stomach-Fortifying Point
健膝 {jian4 xi1}, 腧穴正名 Knee Fortifier
健腰丸 {jian4 yao1 wan2}, 方名 Lumbus-Fortifying Pill
健運化 {jian4 yun4 hua4}, fortify movement and transformation
健中 {jian4 zhong1}, fortify the center

【腱】 {jian4} [Freq. 4] 西醫 tendon.
腱膜 {jian4 mo2}, 西醫 aponeurosis
腱炎 {jian4 yan2}, 西醫 tendinitis

【漸】 {jian4} [Freq. 4] gradual.
漸尖毛蕨 {jian4 jian1 mao2 jue2}, 中藥正名 taper-pointed polipody (Cyclosori Acuminati Rhizoma)
漸進性耳聾 {jian4 jin4 xing4 er3 long2}, gradual hearing loss

【劍】 {jian4} [Freq. 4] sword.
劍花 {jian4 hua1}, 中藥正名 hylocereus (Hylocerei Flos)
劍脊蛇 {jian4 ji3 she2}, 中藥異名 black-striped snake (Zaocys)
劍麻 {jian4 ma2}, 中藥正名 sisal leaf (Agaves Sisalanae Folium)
劍菖 {jian4 pu2}, 中藥異名 acorus (Acori Tatarinowii Rhizoma)
劍突 {jian4 tu2}, 西醫 xiphoid process
劍葉萵苣 {jian4 ye4 wo1 ju4}, 中藥正名 Indian lettuce (Lactucae Indivisae Herba)
劍針 {jian4 zhen1}, sword needle (one of the nine needles)

【箭】 {jian4} [Freq. 5] arrow.
箭桿風 {jian4 gan3 feng1}, 中藥正名 dwarf galangal (Alpiniae Pumilae Rhizoma)
箭筍 {jian4 sun3}, 中藥異名 usawa cane shoot (Pseudosasae Usawai Surculus)
箭竹筍 {jian4 zhu2 sun3}, 中藥正名 usawa cane shoot (Pseudosasae Usawai Surculus)

【鑒】 {jian4} [Freq. 4] mirror; examine.
鑒別 {jian4 bie2}, differentiate
鑒真 {jian4 zhen1}, Jian4 Zhen1

【楗】 {jian4} [Freq. 4] bolt.
楗骨 {jian4 gu3}, bolt bone (ischium)

~~ {jiang1} ~~

【江】 {jiang1} [Freq. 4] river.

江剪刀菜 {jiang1 jian3 dao1 cai4}, 中藥異名 rorippa (Rorippae Herba seu Flos)

江門白菜 {jiang1 men2 bai2 cai4}, 中藥異名 pakchoi (Brassicae Chinensis Herba)

江南柏葉 {jiang1 nan2 bai3 ye4}, 中藥異名 podocarp twig and leaf (Podocarpi Ramulus et Folium)

江南側柏葉 {jiang1 nan2 ce4 bai3 ye4}, 中藥異名 podocarp twig and leaf (Podocarpi Ramulus et Folium)

江西金錢草 {jiang1 xi1 jin1 qian2 cao3}, 中藥正名 hydrocotyle (Hydrocotyles Batrachii Herba)

【將】 {jiang1} [Freq. 4] about to (see also 將 {jiang4}); command (v.) (將軍 {jiang1 jun1}, general).

將軍 {jiang1 jun1}, 中藥異名 rhubarb (Rhei Radix et Rhizoma)

將軍之官 {jiang1 jun1 zhi1 guan1}, office of general (the liver)

【僵】 {jiang1} [Freq. 4] stiff.

僵蠶 {jiang1 can2, 中藥正名 silkworm (Bombyx Batryticatus)

僵仆 {jiang1 pu1}, sudden collapse

【漿】 {jiang1} [Freq. 4] thin fluid.

漿膜 {jiang1 mo2}, 西醫 serous membrane

漿水 {jiang1 shui3}, 中藥正名 sour millet water (Setariae Praeparatum Liquidum)

漿水散 {jiang1 shui3 san3}, 方名 Millet Water Powder

【薑】 {jiang1} [Freq. 4] ginger.

薑 {jiang1}, 中藥正名 ginger (Zingiberis Rhizoma)

薑半夏 {jiang1 ban4 xia4}, 中藥正名 ginger pinellia (Pinelliae Rhizoma cum Zingibere Praeparatum)

薑炒 {jiang1 chao3}, stir-fry with ginger

薑粉 {jiang1 fen3}, 中藥正名 ginger powder (Zingiberis Rhizoma Pulveratum)

薑附四物湯 {jiang1 fu4 si4 wu4 tang1}, 方名 Ginger and Aconite Four Agents Decoction

薑附湯 {jiang1 fu4 tang1}, 方名 Ginger and Aconite Decoction

薑黃 {jiang1 huang2}, 中藥正名 turmeric (Curcumae Longae Rhizoma)

薑黃散 {jiang1 huang2 san3}, 方名 Turmeric Powder

薑露 {jiang1 lu4}, 中藥正名 ginger distillate (Zingiberis Rhizomatis Distillatum)

薑皮 {jiang1 pi2}, 中藥正名 ginger skin (Zingiberis Rhizomatis Cortex)
薑片蟲病 {jiang1 pian4 chong2 bing4}, 西醫 fasciolopsiasis
薑三七 {jiang1 san1 qi1}, 中藥正名 ginger sanchi (Camptandrae Radix)
薑炭 {jiang1 tan4}, 中藥異名 blast-fried ginger (Zingiberis Rhizoma Praeparatum)
薑味草 {jiang1 wei4 cao3}, 中藥正名 micromeria (Micromeriae Herba)
薑夏 {jiang1 xia4}, 中藥異名 ginger pinellia (Pinelliae Rhizoma cum Zingibere Praeparatum)
薑形黃精 {jiang1 xing2 huang2 jing1}, 中藥異名 polygonatum (Polygonati Rhizoma)
薑葉 {jiang1 ye4}, 中藥正名 ginger leaf (Zingiberis Folium)
薑葉三七 {jiang1 ye4 san1 qi1}, 中藥正名 Hainan stahlianthus (Stahlianthi Hainanensis Rhizoma)
薑仔 {jiang1 zai3}, 中藥異名 ginger (Zingiberis Rhizoma)
薑汁 {jiang1 zhi1}, 中藥正名 ginger juice (Zingiberis Rhizomatis Succus)
薑汁炒 {jiang1 zhi1 chao3}, stir-fry with ginger juice
薑炙 {jiang1 zhi4}, mix-fry with ginger; ginger mix-frying

【豇】 {jiang1} [Freq. 4] name of a bean.
豇豆 (1) {jiang1 dou4}, 中藥正名 cowpea (Vignae Sinensis Semen)
豇豆 (2) {jiang1 dou4}, 中藥異名 asparagus bean (Vignae Sesquipedalis Fructus)
豇豆根 {jiang1 dou4 gen1}, 中藥正名 cow pea root (Vignae Sinensis Radix)
豇豆殼 {jiang1 dou4 qiao4 (ke2)}, 中藥正名 cow pea pod (Vignae Sinensis Pericarpium)
豇豆葉 {jiang1 dou4 ye4}, 中藥正名 cow pea leaf (Vignae Sinensis Folium)

【殭】 {jiang1} [Freq. 4] stiff.
殭蠶 {jiang1 can2}, 中藥異名 silkworm (Bombyx Batryticatus)
殭蛹 {jiang1 yong3}, 中藥正名 silkworm preparation (Bombycis Praeparatio)

~~ {jiang4} ~~
【降】{jiang4} [Freq. 2] downbear (v.), downbearing (adj.), (n.) (和胃降逆 {he2 wei4 jiang4 ni4}, harmonized the stomach and downbear counterflow).
降低血糖 {jiang4 di1 xue4 tang2}, 西醫 lower blood sugar
降低血壓 {jiang4 di1 xue4 ya1}, 西醫 lower blood pressure
降肺火 {jiang4 fei4 huo3}, downbear lung fire
降肺氣 {jiang4 fei4 qi4}, downbear lung qi4
降火 {jiang4 huo3}, downbear fire
降火消腫 {jiang4 huo3 xiao1 zhong3}, downbear fire and disperse swelling
降肌 {jiang4 ji1}, 西醫 depressor
降劑 {jiang4 ji4}, downbearing formula

降結腸 {jiang4 jie2 chang2}, 西醫 descending colon
降可去升 {jiang4 ke3 qu4 sheng1}, downbearing [medicinals] can eliminate upbearing
降逆 {jiang4 ni4}, downbear counterflow
降逆氣 {jiang4 ni4 qi4}, downbear counterflow qi4
降逆下氣 {jiang4 ni4 xia4 qi4}, downbear counterflow and precipitate qi4
降逆止嘔 {jiang4 ni4 zhi3 ou3}, downbear counterflow and check vomiting
降氣 {jiang4 qi4}, downbear qi4
降氣除脹 {jiang4 qi4 chu2 zhang4}, downbear qi4 and eliminate phlegm
降氣而行痰 {jiang4 qi4 er2 xing2 tan2}, downbear qi4 and move phlegm
降氣化痰 {jiang4 qi4 hua4 tan2}, downbear qi4 and transform phlegm
降氣降逆 {jiang4 qi4 jiang4 ni4}, downbear qi4 and counterflow
降氣平喘 {jiang4 qi4 ping2 chuan3}, downbear qi4 and calm panting
降氣破滯 {jiang4 qi4 po4 zhi4}, downbear qi4 and break stagnation
降氣消痰 {jiang4 qi4 xiao1 tan2}, downbear qi4 and disperse phlegm
降氣止咳 {jiang4 qi4 zhi3 ke2}, downbear qi4 and suppress cough
降腎火 {jiang4 shen4 huo3}, downbear kidney fire
降腎中邪火 {jiang4 shen4 zhong1 xie2 huo3}, downbear evil fire in the kidney
降痰消脹 {jiang4 tan2 xiao1 zhang4}, downbear phlegm and disperse distention
降痰治喘 {jiang4 tan2 zhi4 chuan2}, downbear phlegm and treat panting
降香 {jiang4 xiang1}, 中藥異名 dalbergia (Dalbergiae Odiferae Lignum)
降香末 {jiang4 xiang1 mo4}, 中藥正名 dalbergia powder (Dalbergiae Lignum Pulveratum)
降心火 {jiang4 xin1 huo3}, downbear heart fire
降血糖 {jiang4 xue4 tang2}, 西醫 lower blood sugar
降血壓 {jiang4 xue4 ya1}, 西醫 lower blood pressure (hypotensive)
降壓 {jiang4 ya1}, 西醫 lower blood pressures
降真香 {jiang4 zhen1 xiang1}, 中藥正名 dalbergia (Dalbergiae Odiferae Lignum)
降中有升 {jiang4 zhong1 you3 sheng1}, upbearing within downbearing
降濁 {jiang4 zhuo2}, downbear turbidity

【將】 {jiang4} [Freq. 4] general (military rank) (see also 將 {jiang1})

【強】 {jiang4} [Freq. 2] stiff (adj.), stiffness (n.) (項強 {xiang4 jiang4}, rigidity of the neck. See also 強 {qiang2}).
強直 {jiang4 zhi2}, rigid; rigidity

【絳】 {jiang4} [Freq. 3] crimson.
絳礬 {jiang4 fan2}, 中藥正名 crimson melanterite (Melanteritum Rubrum)
絳礬丸 {jiang4 fan2 wan2}, 方名 Crimson Melanterite Pill

絳舌 {jiang4 she2}, crimson tongue

【醬】 {jiang4} [Freq. 4] pickle, preserve.
醬冬瓜 {jiang4 dong1 gua1}, 中藥正名 soft pickled wax gourd (Benincasae Fructus)
醬豆薯 {jiang4 dou4 shu3}, 中藥正名 pickled yam bean (Pachyrhizi Tuber)
醬鳳梨 {jiang4 feng4 li2}, 中藥正名 pickled pineapple (Ananatis Salsamen)
醬瓜 {jiang4 gua1}, 中藥正名 soft pickled gourd (Cucumeris Salsamen Molle)
醬蘿蔔 {jiang4 luo2 bo2}, 中藥正名 pickled radish (Raphani Salsamen)
醬筍 {jiang4 sun3}, 中藥正名 soft pickled bamboo shoot (Bambusae Salsamen Molle)
醬油 {jiang4 you2}, 中藥正名 soy sauce (Sojae Salsa)

～ {jiao1} ～
【交】 {jiao1} [Freq. 2] interact (心腎相交 {xin1 shen4 xiang1 jiao1}, the heart and kidney interact); intersect (交會穴 {jiao1 hui4 xue2}, intersection point); confluence (八脈交會穴 {ba1 mai4 jiao1 hui4 xue2}, confluence points of the eight vessels).
交叉取穴 {jiao1 cha1 qu3 xue2}, selection of contralateral points
交腸 {jiao1 chang2}, communicating bowels (a fistula between the rectum and bladder or vagina)
交沖 {jiao1 chong1}, 腧穴異名 GV-19 (Intersection Surge)
交沖 {jiao1 chong1}, 腧穴異名 GV-19 (Intersection Hub)
交感神經系統 {jiao1 gan3 shen2 jing1 xi4 tong3}, 西醫 sympathetic nervous system
交感血出 {jiao1 gan3 xue4 chu1}, bleeding after intercourse
交媾 {jiao1 gou4}, sexual intercourse
交骨 {jiao1 gu3}, interlocking bones (ischium; sacrococcygeal articulation)
交骨不開 {jiao1 gu3 bu4 kai1}, failure of the interlocking bones to open (non-movement of the coccyx in childbirth)
交會穴 {jiao1 hui4 xue2}, intersection point (see also 八脈交會穴 {ba1 mai4 jiao1 hui4 xue4})
交接出血 {jiao1 jie1 chu1 xue4}, coital bleeding
交結出血 {jiao1 jie2 chu1 xue4}, coital bleeding
交泰丸 {jiao1 tai4 wan2}, 方名 Peaceful Interaction Pill
交藤 {jiao1 teng2}, 中藥異名 flowery knotweed (Polygoni Multiflori Radix)
交通心腎 {jiao1 tong1 xin1 shen4}, promote heart-kidney interaction; promote interaction of the heart and kidney
交紋 {jiao1 wen2}, crease
交心腎 {jiao1 xin1 shen4}, promote the interaction of the heart and kidney
交信 {jiao1 xin4}, 腧穴正名 KI-8 (Intersection Reach)
交儀 {jiao1 yi2}, 腧穴正名 Intersection Apparatus (Intersection Apparatus); 腧穴異名 LV-5

【椒】 {jiao1} [Freq. 4] pepper.
椒餅灸 {jiao1 bing3 jiu3}, moxibustion on pepper cake
椒瘡 {jiao1 chuang1}, peppercorn sore
椒紅 {jiao1 hong2}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
椒梅湯 {jiao1 mei2 tang1}, 方名 Zanthoxylum and Mume Decoction
椒面粥 {jiao1 mian4 zhou1}, 方名 Zanthoxylum and Flour Gruel
椒目 {jiao1 mu4}, 中藥正名 zanthoxylum seed (Zanthoxyli Semen)

【焦】 {jiao1} [Freq. 2] parch (v.), parched (adj.) (唇焦 {chun2 jiao1}, parched lips); burn (v.), burner (n.) (苔焦黃 {tai1 jiao1 huang2}, burnt-yellow tongue fur; 三焦{san1 jiao1}, triple{burner); scorch (v.) (肺熱葉焦 {fei4 re4 ye4 jiao}, lung heat scorching the lobes); scorch-fry VERB; ustus (Latin).
焦六曲 {jiao1 liu4 qu1}, 中藥正名 scorch-fried medicated leaven (Massa Medicata Fermentata Usta)

【嬌】 {jiao1} [Freq. 4] delicate (肺爲嬌臟 {fei4 wei2 jiao1 zang4}, the lung is the delicate viscus)

【膠】 {jiao1} [Freq. 2] glue (n.); gluey (adj.) (阿焦 {e1 jiao1}, ass hide glue; 口中如膠 {kou3 zhong1 ru2 jiao1}, gluey sensation in the mouth); gelatinum (Latin).
膠艾四物湯 {jiao1 ai4 si4 wu4 tang1}, 方名 Ass Hide Glue and Mugwort Four Agents Decoction
膠艾湯 {jiao1 ai4 tang1}, 方名 Ass Hide Glue and Mugwort Decoction

【鮫】 {jiao1} [Freq. 4] shark.
鮫鯊白 {jiao1 sha1 bai2}, 中藥正名 shark's swim bladder (Musteli Aeris Vesica)
鮫魚 {jiao1 yu2}, 中藥正名 gummy shark (Musteli Caro)
鮫魚翅 {jiao1 yu2 chi4}, 中藥正名 shark's fin (Musteli Ala)
鮫魚膽 {jiao1 yu2 dan3}, 中藥正名 shark's gallbladder (Musteli Vessica Fellea)
鮫魚皮 {jiao1 yu2 pi2}, 中藥正名 shark's skin (Musteli Corium)

【茭】 {jiao1} [Freq. 4] wild rice3.
茭粑 {jiao1 ba1}, 中藥異名 infested ear of wild rice (Zizaniae Spica Infestata)
茭白 {jiao1 bai2}, 中藥正名 infested ear of wild rice (Zizaniae Spica Infestata)
茭白筍 {jiao1 bai2 sun3}, 中藥異名 infested ear of wild rice (Zizaniae Spica Infestata)
茭白子 {jiao1 bai2 zi3}, 中藥異名 wild rice (Zizaniae Fructus)
茭耳菜 {jiao1 er3 cai4}, 中藥異名 infested ear of wild rice (Zizaniae Spica Infestata)

茭米 {jiao1 mi3}, 中藥異名 wild rice (Zizaniae Fructus)
茭首 {jiao1 shou3}, 中藥異名 infested ear of wild rice (Zizaniae Spica Infestata)
茭筍 {jiao1 sun3}, 中藥異名 infested ear of wild rice (Zizaniae Spica Infestata)

【膲】 {jiao1} [Freq. 5] same as 焦 {jiao1} (三膲 {san1 jiao1}, triple burner)

~~ {jiao2} ~~
【嚼】 {jiao2} [Freq. 5] chew (also pronounced {jue2}. 不得嚼 {bu4 de2 jiao2}, inability to chew).
甲狀腺機能減退症 {jiao3 zhuang4 xian4 ji1 neng2 jian3 tui4 zheng4}, 西醫 hypothyroidism
甲狀腺機能亢進症 {jiao3 zhuang4 xian4 ji1 neng2 kang4 jin4 zheng4}, 西醫 hyperthyroidism
甲狀腺腺瘤 {jiao3 zhuang4 xian4 xian4 liu2}, 西醫 thyroma

~~ {jiao3} ~~
【角】 {jiao3} [Freq. 3] horn (see also 角 {jue2}).
角倍 {jiao3 bei4}, 中藥正名 many-horned sumac gallnut (Galla Chinensis Multicornis)
角菜 (2) {jiao3 cai4}, 中藥異名 spinach (Spinaciae Herba cum Radice)
角刺 {jiao3 ci4}, 中藥異名 gleditsia thorn (Gleditsiae Spina)
角豆 {jiao3 dou4}, 中藥異名 cowpea (Vignae Sinensis Semen)
角法 {jiao3 fa3}, horning (old name for cupping)
角弓反張 {jiao3 gong1 fan3 zhang1}, arched-back rigidity
角蒿 (1) {jiao3 hao1}, 中藥正名 Chinese incarvillea (Incarvilleae Sinensis Herba)
角蒿 (2) {jiao3 hao1}, 中藥正名 Younghusband's incarvillea (Incarvilleae Younghusbandii Semen et Radix)
角胡麻 {jiao3 hu2 ma2}, 中藥正名 unicorn plant (Martynia Fructus)
角花 {jiao3 hua1}, horn flower (penile clitoris)
角茴香 {jiao3 hui2 xiang1}, 中藥正名 hypecoum (Hypecoi Radix seu Herba)
角膜 {jiao3 mo2}, 西醫 cornea
角膜炎 {jiao3 mo2 yan2}, 西醫 keratitis
角孫 {jiao3 sun1}, 腧穴正名 TB-20 (Angle Vertex)

【絞】 {jiao3} [Freq. 4] grip.
絞腸痧 {jiao3 chang2 sha1}, intestine-gripping sand (dry cholera)
絞痛 {jiao3 tong4}, gripping pain

【腳】 {jiao3} [Freq. 2] foot (n.); leg (n.).

腳底按摩 {jiao3 di3 an4 mo2}, foot massage
腳浮腫脹痛 {jiao3 fu2 zhong3 zhang4 tong4}, painfully swollen feet
腳跟痛 {jiao3 gen1 tong4}, heel pain
腳踝 {jiao3 huai2}, ankle
腳攣急 {jiao3 luan2 ji2}, hypertonicity of the foot
腳攣急不伸 {jiao3 luan2 ji2 bu4 shen1}, hypertonicity of the feet preventing stretching
腳氣 {jiao3 qi4}, leg qi4; beriberi
腳氣沖心 {jiao3 qi4 chong1 xin1}, leg qi4 surging into the heart
腳氣瘡 {jiao3 qi4 chuang1}, foot qi4 sore
腳氣浮腫 {jiao3 qi4 fu2 zhong3}, leg qi4 puffy swelling
腳氣攻心 {jiao3 qi4 gong1 xin1}, leg qi4 attacking the heart
腳氣入心 {jiao3 qi4 ru4 xin1}, leg qi4 entering the heart
腳氣水腫 {jiao3 qi4 shei3 zhong3}, leg qi4 with water swelling
腳氣腫 {jiao3 qi4 zhong3}, leg qi4 swelling
腳軟 {jiao3 ruan3}, limp legs
腳濕氣 {jiao3 shi1 qi4}, foot damp qi4 (Hongkong foot, tinea pedis)
腳腕 {jiao3 wan4}, ankle
腳下痛 {jiao3 xia4 tong4}, pain in the underside of the foot
腳癬 {jiao3 xian3}, foot lichen
腳丫 {jiao3 ya1}, foot
腳丫糜爛 {jiao3 ya1 mi2 lan4}, eroding foot
腳趾 {jiao3 zhi3}, toe

【矯】 {jiao3} [Freq. 3] rectify; correct (v.); lithe (矯靈 {jiao3 ling2}, Lithe Spirit).
矯臭 {jiao3 chou4}, eliminate bad odor
矯靈 {jiao3 ling2}, 腧穴正名 Lithe Spirit
矯味 {jiao3 wei4}, correct the flavor

~~ {jiao4} ~~
【校】 {jiao4} [Freq. 4] revise (see also 校 {xiao4}).
校正醫書局 {jiao4 zheng4 yi1 shu1 ju2}, Medical Literature Correction Office

【轎】 {jiao4} [Freq. 4] sedan chair.
轎槓竹筍 {jiao4 gang4 zhu2 sun3}, 中藥正名 thill bamboo (Phyllostachydis Lithophilae Surculus)

【窖】 {jiao4} [Freq. 3] bone-hole

～ {jie1} ～
【皆】 {jie1} [Freq. 4] all

【接】 {jie1} [Freq. 4] join.
接觸性皮炎 {jie1 chu4 xing4 pi2 yan2}, 西醫 contact dermatitis
接骨 {jie1 gu3}, 腧穴正名 Bone Joiner
接骨草 (1) {jie1 gu3 cao3}, 中藥正名 gyrating desmodium (Desmodii Gyrantis Ramulus et Folium)
接骨草 (2) {jie1 gu3 cao3}, 中藥正名 Steward's Elatostema (Elatostematis Stewardii Rhizoma et Herba)
接骨草 (3) {jie1 gu3 cao3}, 中藥異名 elder (Sambuci Herba seu Radix)
接骨草 (4) {jie1 gu3 cao3}, 中藥異名 Formosan elder (Sambuci Formosanae Rhizoma)
接骨丹 {jie1 gu3 dan1}, 方名 Bone-Joining Elixir
接骨丹 (1) {jie1 gu3 dan1}, 中藥正名 eriolaena (Eriolaenae Radicis Cortex)
接骨丹 (2) {jie1 gu3 dan1}, 中藥正名 torricellia (Torricelliae Cortex seu Folium)
接骨木 (1) {jie1 gu3 mu4}, 中藥正名 Asiatic elder twig (Sambuci Williamsii Ramulus)
接骨木 (2) {jie1 gu3 mu4}, 中藥異名 elder (Sambuci Herba seu Radix)
接骨木 (3) {jie1 gu3 mu4}, 中藥異名 sarcandra (Sarcandrae Ramulus et Folium)
接骨木根 {jie1 gu3 mu4 gen1}, 中藥正名 Asiatic elder root (Sambuci Williamsii Radix)
接骨木花 {jie1 gu3 mu4 hua1}, 中藥正名 Asiatic elder flower (Sambuci Williamsii Flos)
接骨木葉 {jie1 gu3 mu4 ye4}, 中藥正名 Asiatic elder leaf (Sambuci Williamsii Folium)
接骨續筋 {jie1 gu3 xu4 jin1}, join sinew and bone
接骨藥 {jie1 gu3 yao4}, 中藥異名 erythrina (Erythrinae Cortex)
接脊 {jie1 ji3}, 腧穴異名 Spine Joiner

【街】 {jie1} [Freq. 3] thoroughfare (氣街 {qi4 jie1}, Qi4 Thoroughfare (ST-30))

【疟】 {jie1} [Freq. 4] malaria.
疟瘧 {jie1 nue94}, malaria

～ {jie2} ～
【杰】 {jie2} [Freq. 4] outstanding.
杰里花 {jie2 li3 hua1}, 中藥異名 agrimony (Agrimoniae Herba)

【桔】 {jie2} [Freq. 4] plant name; platycodon.

桔梗白散 {jie2 geng3 bai2 san3}, 方名 Platycodon White Powder
桔梗流浸膏 {jie2 geng3 liu2 jin4 gao1}, 中藥正名 liquid extract of platycodon (Platycodonis Radicis Extractum Liquidum)
桔梗蘆頭 {jie2 geng3 lu2 tou2}, 中藥正名 platycodon root top (Platycodonis Rhizoma)
桔梗石膏湯 {jie2 geng3 shi2 gao1 tang1}, 方名 Platycodon and Gypsum Decoction
桔梗湯 {jie2 geng3 tang1}, 方名 Platycodon Decoction
桔梗 {jie2 geng3, 中藥正名 platycodon (Platycodonis Radix)

【結】 {jie2} [Freq. 2] bind (v.), (n.), bound \PP, (adj.) (熱結 {re4 jie2}, heat bind; 大便秘結 {da4 bian4 mi4 jie2}, dry {bound} stool; 結脈{jie2 mai4}, bound pulse).
結腸 {jie2 chang2}, 西醫 colon
結腸肝曲 {jie2 chang2 gan1 qu1}, 西醫 hepatic flexure
結腸脾曲 {jie2 chang2 pi2 qu1}, 西醫 splenic flexure
結腸炎 {jie2 chang2 yan2}, 西醫 colitis
結腸造口術 {jie2 chang2 zao4 kou3 shu4}, 西醫 colostomy
結代脈 {jie2 dai4 mai4}, bound and intermittent pulses
結締組織 {jie2 di4 zu3 zhi1}, 西醫 connective tissue
結核性睾丸炎 {jie2 he2 xing4 gao1 wan2 yan2}, 西醫 tuberculious orchitis
結核性腦膜炎 {jie2 he2 xing4 nao3 mo2 yan2}, 西醫 tuberculous meningitis
結核穴 {jie2 he2 xue2}, 腧穴正名 Node Point
結喉 {jie2 hou2}, laryngeal prominence (Adam's apple)
結痂 {jie2 jia1}, crust (v.); crusting (n.)
結塊 {jie2 kuai4}, lump
結連石 {jie2 lian2 shi2}, linking stone
結脈 {jie2 mai4}, bound pulse; slow irregularly interreputed pulse
結膜 {jie2 mo2}, 西醫 conjunctiva
結膜炎 {jie2 mo2 yan2}, 西醫 conjunctivitis
結球白菜 {jie2 qiu2 bai2 cai4}, 中藥異名 celery cabbage (Brassicae Pekinensis Folium)
結胸 {jie2 xiong1}, chest bind
結胸證 {jie2 xiong1 zheng4}, chest bind pattern
結血蒿 {jie2 xue4 hao1}, 中藥正名 hairy artemisia (Artemisiae Vestitae Herba)
結陽 {jie2 yang2}, binding in yang2
結陰 {jie2 yin1}, binding in yin1
結紮法 {jie2 za1 fa3}, ligation therapy
結紮療法 {jie2 za1 liao2 fa3}, ligation therapy
結者散之 {jie2 zhe3 san4 zhi1}, binding is treated by dissipation

【睫】 {jie2} [Freq. 3] eyelash.

睫毛 {jie2 mao2}, eyelash
睫毛倒入 {jie2 mao2 dao4 ru4}, ingrown eyelash
睫狀肌 {jie2 zhuang4 ji1}, 西醫 ciliary muscle
睫狀體 {jie2 zhuang4 ti3}, 西醫 ciliary body

【節】 {jie2} [Freq. 4] node; joint; section.
節弛 {jie2 chi2}, loose joints
節段性迴腸炎 {jie2 duan4 xing4 hui2 chang2 yan2}, 西醫 Crohn's disease
節骨草 {jie2 gu3 cao3}, 中藥異名 equisetum (Equiseti Hiemalis Herba)
節瓜 {jie2 gua1}, 中藥正名 hairy melon (Benincasae Chiehqua Fructus)
節節草 {jie2 jie2 cao3}, 中藥異名 equisetum (Equiseti Hiemalis Herba)
節節花 {jie2 jie2 hua1}, 中藥異名 star-sky alternanthera (Alternantherae Sessilis Herba (cum Radice))
節節結蕊草 {jie2 jie2 jie2 rui3 cao3}, 中藥異名 oldenlandia (Oldenlandiae Diffusae Herba)
節氣 {jie2 qi4}, solar term

【截】 {jie2} [Freq. 2] interrupt (v.).
截根療法 {jie2 gen1 liao2 fa3}, root-severing method
截瘧 {jie2 nue94}, interrupt malaria
截瘧七寶飲 {jie2 nue94 qi1 bao3 yin3}, 方名 Malaria-Interrupting Seven-Jewel Beverage
截癱 {jie2 tan4}, 西醫 paraplegia

【竭】 {jie2} [Freq. 2] exhaust (v.); exhaustion (n.) (陰液爆竭 {yin1 ye4 bao4 jie2}, fulminant exhaustion of yin1 humor)

【潔】 {jie2} [Freq. 2] cleanse (v.).
潔潔 {jie2 jie2}, clean
潔淨腑 {jie2 jing4 fu3}, cleanse the clean bowel (the bladder)

【羯】 {jie2} [Freq. 4] wether.
羯羊肝 {jie2 yang2 gan1}, 中藥正名 castrated ram's liver (Caprae seu Ovis Castratae Iecur)

【櫛】 {jie2} [Freq. 4] plant name

【癤】 {jie2} [Freq. 2] boil (n.) (暑癤 {shu3 jie2}, summerheat boil).
癤病 {jie2 bing4}, boil disease
癤腫 {jie2 zhong3}, swollen boil

~~ {jie3} ~~

【姐】 {jie3} [Freq. 4] elder sister.

姊妹樹 {jie3 mei4 shu4}, 中藥正名 millingtonia (Millingtoniae Cortex seu Folium)

【解】{jie3} [Freq. 2] resolve (v.), resolution (n.) (解表 {jie3 biao3}, resolve the exterior, exterior resolution).

解百毒 {jie3 bai3 du2}, resolve the hundred toxins

解表 {jie3 biao3}, resolve the exterior; exterior resolution

解表法 {jie3 biao3 fa3}, exterior-resolving method

解表劑 {jie3 biao3 ji4}, exterior-resolving formula

解表清熱 {jie3 biao3 qing1 re4}, resolve the exterior and clear heat

解表風濕藥 {jie3 biao3 qu1 feng1 shi1 yao4}, exterior-resolving wind-damp-dispelling medicinal

解表散寒 {jie3 biao3 san4 han2}, resolve the exterior and dissipate cold

解表藥 {jie3 biao3 yao4}, exterior-resolving medicinal

解除煩渴 {jie3 chu2 fan2 ke3}, eliminate vexation and thirst

解瘡毒 {jie3 chuang1 du2}, resolve sore toxin

解大便 {jie3 da4 bian4}, defecate

解毒 {jie3 du2}, resolve toxin

解毒定驚 {jie3 du2 ding4 jing1}, resolve toxin and stabilize fright

解毒護陰 {jie3 du2 hu4 yin1}, resolve toxin and safeguard yin1

解毒化斑 {jie3 du2 hua4 ban1}, resolve toxin and transform macules

解毒活血湯 {jie3 du2 huo2 xue4 tang1}, 方名 Toxin-Resolving Blood-Quickening Decoction

解毒利咽 {jie3 du2 li4 yan1}, resolve toxin and disinhibit the throat

解毒排膿 {jie3 du2 pai2 nong2}, resolve toxin and expel pus

解毒清熱涼血 {jie3 du2 qing1 re4 liang2 xue4}, resolve toxin, clear heat, and cool the blood

解毒散結 {jie3 du2 san4 jie2}, resolve toxin and dissipate binds

解毒熄風 {jie3 du2 xi1 feng1}, resolve toxin and extinguish wind

解毒消癰 {jie3 du2 xiao1 yong1}, resolve toxin and disperse welling-abscesses

解毒消腫 {jie3 du2 xiao1 zhong3}, resolve toxin and disperse swelling

解毒藥 {jie3 du2 yao4}, toxin-resolving medicinal

解毒治瘡 {jie3 du2 zhi4 chuang1}, resolve toxin and treat sores

解肌 {jie3 ji1}, resolve the flesh

解肌表 {jie3 ji1 biao3}, resolve the fleshy exterior

解肌達表 {jie3 ji1 da2 biao3}, resolve the flesh and outthrust the exterior

解肌清熱 {jie3 ji1 qing1 re4}, resolve the flesh and clear heat

解剪 {jie3 jian3}, 腧穴正名 Open Scissors

解痙 {jie3 jing4}, resolve tetany
解痙止痛 {jie3 jing4 zhi3 tong4}, resolve tetany and relieve pain
解渴 {jie3 ke3}, allay thirst
解勞散 {jie3 lao2 san3}, 方名 Taxation-Resolving Powder
解顱 {jie3 lu2}, ununited skull
解熱 {jie3 re4}, resolve heat
解熱散血湯 {jie3 re4 san4 xue4 tang1}, 方名 Heat-Resolving Blood-Dissipating Decoction
解少陽經的實熱 {jie3 shao4 yang2 jing1 de shi2 re4}, resolve lesser yang2 channel repletion heat
解暑片 {jie3 shu3 pian4}, 方名 Summerheat-Resolving Tablet
解暑熱 {jie3 shu3 re4}, resolve summerheat-heat
解索脈 {jie3 suo3 mai4}, untwining rope pulse
解瘟毒 {jie3 wen1 du2}, resolve scourge toxin
解谿 {jie3 xi1}, 腧穴正名 ST-41 (Ravine Divide)
解魚蟹毒 {jie3 yu2 xie4 du2}, resolves the toxin of fish and crabs
解語 {jie3 yu3}, restore the power of speech
解郁 {jie3 yu4}, resolve depression
解郁安神 {jie3 yu4 an1 shen1}, resolve depression and quite the spirit
解郁丹, 方名 Depression-Resolving Elixir
解諸郁 {jie3 zhu1 yu4}, resolve all depression

~~ {jie4} ~~
【芥】 {jie4} [Freq. 4] plant name; mustart plant.
芥 {jie4}, 中藥異名 mustard leaf (Sinapis Folium)
芥菜 {jie4 cai4}, 中藥正名 mustard leaf (Sinapis Folium)
芥菜子 {jie4 cai4 zi3}, 中藥異名 mustard seed (Brassicae Junceae Semen)
芥藍 {jie4 lan2}, 中藥異名 Chinese kale (Brassicae Alboglabrae Caulis et Folium)
芥蘭 {jie4 lan2}, 中藥正名 Chinese kale (Brassicae Alboglabrae Caulis et Folium)
芥藍頭 {jie4 lan2 tou2}, 中藥異名 kohlrabi (Brassicae Caulorapae Cormus)
芥穗 {jie4 sui4}, 中藥異名 schizonepeta spike (Schizonepetae Flos)
芥子 {jie4 zi3}, 中藥正名 mustard seed (Brassicae Junceae Semen)
芥葙 {jie4 zu1}, 中藥異名 Chinese fieldnettle (Stachydis Baicalensis Herba)

【疥】 {jie4} [Freq. 2] scab (n.) (疥癬 {jie4 xian3}, scab and lichen).
疥瘡 {jie4 chuang1}, 西醫 scabies; scab sore
疥疔 {jie4 ding1}, scab and clove sores
疥癩 {jie4 lai4}, scab and lai4

疥癣 {jie4 xian3}, scab and lichen
疥癣濕瘡 {jie4 xian3 shi1 chuang1}, scab, lichen, and damp sores

【吩】 {jie4} [Freq. 5] sensation of something stuck in the throat (喉吩 {hou2 jie4}, sensation of something stuck in the throat)

【蚧】 {jie4} [Freq. 4] gecko.
蚧蛇 {jie4 she2}, 中藥異名 gecko (Gecko)
蚧蟹 {jie4 xie4}, 中藥異名 gecko (Gecko)

【骱】 {jie4} [Freq. 5] joint (脫骱 {tuo1 jie4}, dislocation)

~~ {jin1} ~~
【今】 {jin1} [Freq. 4] present.
今日食明日吐 {jin1 ri4 shi2 ming2 ri4 tu4}, vomiting of food eaten the previous day

【斤】 {jin1} [Freq. 3] jin1 (unit of weight equal to 16 liang (taels)); catty (unit of weight equal to 16 liang (taels))

【金】{jin1} [Freq. 2] metal (n.) (木火刑金 {mu4 huo3 xing2 jin1}, wood fire tormenting metal); Jin1 (Tartar, 1115--1234 A.D.).
金背枇杷 {jin1 bei4 pi2 pa2}, 中藥正名 Przewalski's rhododendron fruit (Rhododendri Przewalskii Fructus)
金背枇杷花 {jin1 bei4 pi2 pa2 hua1}, 中藥正名 Przewalski's rhododendron flower (Rhododendri Przewalskii Flos)
金背枇杷葉 {jin1 bei4 pi2 pa2 ye4}, 中藥正名 Przewalski's rhododendron leaf (Rhododendri Przewalskii Folium)
金邊龍舌蘭 {jin1 bian1 long2 she2 lan2}, 中藥正名 marginated century plant (Agaves Marginatae Folium)
金邊兔耳 {jin1 bian1 tu4 er3}, 中藥正名 fragrant ainsliaea (Ainsliaeae Fragrantis Herba)
金箔 {jin1 bo2}, 中藥正名 gold leaf (Auri Lamina)
金箔鎮心丸 {jin1 bo2 zhen4 xin1 wan2}, 方名 Gold leaf Heart-Settling Pill
金不換 {jin1 bu2 huan4}, 中藥正名 Chinese stephania (Stephaniae Sinicae Tuber)
金釵斛 {jin1 chai1 hu2}, 中藥正名 golden hairpin dendrobium (Dendrobii Nobilis Herba)
金釵花 {jin1 chai1 hua1}, 中藥異名 dendrobium (Dendrobii Herba)
金蟾丸 {jin1 chan2 wan2}, 方名 Golden Toad Pill
金創 {jin1 chuang1}, incised wound

金瘡 {jin1 chuang1}, incised wound
金瘡痙 {jin1 chuang1 jing4}, incised-wound tetany
金瘡受杖 {jin1 chuang1 shou4 zhang4}, incised wounds and club injuries
金瘡腫科 {jin1 chuang1 zhong3 ke1}, sores, wounds, and swellings department (branch of medicine)
金帶花鯖 {jin1 dai4 hua1 qing1}, 中藥正名 striped mackerel (Rastrelliger Kanagurta)
金帶烏尾冬 {jin1 dai4 wu1 wei3 dong1}, 中藥正名 golden-banded caesio (Caesio Chrysozona)
金刀葉 {jin1 dao1 ye4}, 中藥正名 Guangdong beauty-berry (Callicarpae Kwantungensis Caulis et Folium)
金燈 {jin1 deng1}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
金頂龍牙 {jin1 ding3 long2 ya2}, 中藥異名 agrimony (Agrimoniae Herba)
金耳環 (1) {jin1 er3 huan2}, 中藥正名 long-peduncled asarum (Asari Longepedunculati Herba)
金耳環 (2) {jin1 er3 huan2}, 中藥正名 coleus (Colei Herba)
金沸草 {jin1 fei4 cao3}, 中藥正名 inula (Inulae Herba)
金沸草散 {jin1 fei4 cao3 san3}, 方名 Inula Powder
金沸花 {jin1 fei4 hua1}, 中藥異名 inula flower (Inulae Flos)
金鳳花 {jin1 feng1 hua1}, 中藥異名 garden balsam flower (Impatientis Balsaminae Flos)
金鳳花子 {jin1 feng4 hua1 zi3}, 中藥異名 garden balsam seed (Impatientis Semen)
金鳳毛 {jin1 feng4 mao2}, 中藥正名 cypress vine (Quamoclit Herba seu Radix)
金佛草 {jin1 fo2 cao3}, 中藥異名 inula (Inulae Herba)
金疳 {jin1 gan1}, metal gan1
金柑皮 {jin1 gan1 pi2}, 中藥異名 mandarin peel (Citri Chachiensis seu Suavissimae Pericarpium)
金剛散 {jin1 gang1 san3}, 中藥正名 Delavay ampelopsis [root or root bark] (Ampelopsis Delavayanae Radix seu Radicis Cortex)
金剛藤 {jin1 gang1 teng2}, 中藥正名 Bock's greenbrier (Smilacis Bockii Rhizoma)
金鋼藤 {jin1 gang1 teng2}, 中藥異名 chinaroot (Smilacis Chinae Rhizoma)
金剛丸 {jin1 gang1 wan2}, 方名 Metal Strength Pill
金蛤蜊皮 {jin1 ge2 li2 pi2}, 中藥異名 abalone shell (Haliotidis Concha)
金鉤藤 {jin1 gou1 teng2}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)
金狗脊黃毛 {jin1 gou3 ji2 huang2 mao2}, 中藥正名 cibotium hair (Cibotii Pilus)
金狗脊 {jin1 gou3 ji3}, 中藥異名 cibotium (Cibotii Rhizoma)
金狗毛 {jin1 gou3 mao2}, 中藥異名 cibotium hair (Cibotii Pilus)
金菇 {jin1 gu1}, 中藥異名 golden mushroom (Flammulina Velutipes)
金瓜 {jin1 gua1}, 中藥異名 pumpkin (Cucurbitae Fructus)

金瓜核 {jin1 gua1 he2}, 中藥正名 dischidia (Dischidia Herba)
金瓜米 {jin1 gua1 mi3}, 中藥異名 pumpkin seed (Cucurbitae Semen)
金龜蓮 {jin1 gui1 lian2}, 中藥異名 hemsleya (Hemsleyae Tuber)
金匱腎氣丸 {jin1 gui4 shen4 qi4 wan2}, 方名 Golden Coffer Kidney Qi4 Pill
金匱要略 {jin1 gui4 yao4 lue94}, 書名 Essential Prescriptions of the Golden Coffer (full title {Jin1 Gui4 Yao4 Lue94 Fang1 Lun4} 金匱要略方論)
金匱要略方論 {jin1 gui4 yao4 lue94 fang1 lun4}, 書名 On the Essential Prescriptions of the Golden Coffer (Eastern Han4, {Zhang1 Ji1 張機 [Zhong4-Jing3 仲景])
金匱翼 {jin1 gui4 yi4}, 書名 The Wings of the Golden Coffer (1768 (Qing1), Long2 Zai4-Jing1 龍在涇)
金匱玉函經 {jin1 gui4 yu4 han2 jing1}, 書名 The Canon of the Golden Coffer and Jade Sheath (Eastern Han4, Zhang1 Ji1 張機 [Zhong4-Jing3 仲景])
金果欖 {jin1 guo3 lan3}, 中藥正名 tinospora root (Tinosporae Radix)
金蛤蟆 {jin1 ha2 ma2}, 中藥正名 tree toad (Hyla)
金寒水冷 {jin1 han2 shui3 leng3}, cold metal and cold water
金紅小豆 {jin1 hong2 xiao3 dou4}, 中藥異名 rice bean (Phaseoli Semen)
金壺瓶 (1) {jin1 hu2 ping2}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
金壺瓶 (2) {jin1 hu2 ping2}, 中藥異名 siphonostegia (Siphonostegiae Herba)
金花 {jin1 hua1}, 中藥異名 lonicera (Lonicerae Flos)
金花菜 {jin1 hua1 cai4}, 中藥正名 slender lotus (Loti Tenuis Herba)
金花屏 {jin1 hua1 ping2}, 中藥異名 siphonostegia (Siphonostegiae Herba)
金華散 {jin1 hua2 san3}, 方名 Metal Sublimate Powder
金槐 {jin1 huai2}, 中藥正名 paraphlonia (Paraphlomis Herba)
金環蛇 {jin1 huan2 she2}, 中藥正名 gold-banded krait (Bungarus Fasciatus)
金黃膏 {jin1 huang2 gao1}, 方名 Golden Yellow Paste
金黃散 {jin1 huang2 san3}, 方名 Golden Yellow Powder
金黃色葡萄球菌 {jin1 huang2 se4 pu2 tao2 qiu2 jun1}, 西醫 \ic{Staphylococcus aureus}
金黃石 {jin1 huang2 shi2}, 中藥異名 realgar (Realgar)
金雞沖劑 {jin1 ji1 chong1 ji4}, 方名 Cherokee Rose Fruit and Spatholobus Granules
金雞豇豆 {jin1 ji1 jiang1 dou4}, 中藥正名 amphicome (Amphicomes Herba seu Rhizoma)
金雞勒 {jin1 ji1 le4}, 中藥正名 cinchona bark (Cinchonae Cortex)
金雞尾 {jin1 ji1 wei3}, 中藥異名 sphenomeris (Sphenomeris Herba seu Rhizoma)
金寄奴 {jin1 ji4 nu2}, 中藥異名 anomalous artemisia (Artemisiae Anomalae Herba)
金剪刀 {jin1 jian3 dao1}, 中藥正名 Huzhou clematis (Clematidis Huchouensis Herba)
金剪刀草 {jin1 jian3 dao1 cao3}, 中藥異名 vaccaria (Vaccariae Semen)
金鑑 {jin1 jian4}, 書名 The Golden Mirror (full title {Yi1 Zong1 Jin1 Jian4} 醫宗金鑑)
金鑑肥兒丸 {jin1 jian4 fei2 er2 wan2}, 方名 Golden Mirror Chubby Child Pill
金津 {jin1 jin1}, 腧穴正名 Golden Liquid

金精石 {jin1 jing1 shi2}, 中藥正名 vermiculite (Vermiculitum)
金井 {jin1 jing3}, golden well (pupil)
金橘 {jin1 ju2}, 中藥正名 kumquat (Fortunellae Fructus)
金橘根 {jin1 ju2 gen1}, 中藥正名 kumquat root (Fortunellae Radix)
金橘核 {jin1 ju2 he2}, 中藥正名 kumquat pip (Fortunellae Semen)
金橘露 {jin1 ju2 lu4}, 中藥正名 kumquat distillate (Fortunellae Fructus Distillatum)
金橘葉 {jin1 ju2 ye4}, 中藥正名 kumquat leaf (Fortunellae Folium)
金克木 {jin1 ke4 mu4}, metals restrains wood
金老梅花 {jin1 lao3 mei2 hua1}, 中藥正名 bushy dasiphora flower (Dasiphorae Fruticosae Flos)
金蓮花 {jin1 lian2 hua1}, 中藥正名 globeflower (Trollii Flos)
金鈴子 {jin1 ling2 zi3}, 中藥異名 toosendan (Toosendan Fructus)
金鈴子灰 {jin1 ling2 zi3 hui1}, 中藥異名 charred toosendan (Toosendan Fructus Carbonisatus)
金鈴子散 {jin1 ling2 zi3 san3}, 方名 Toosendan Powder
金鈴子炭 {jin1 ling2 zi3 tan4}, 中藥異名 charred toosendan (Toosendan Fructus Carbonisatus)
金毛狗脊 {jin1 mao2 gou3 ji3}, 中藥異名 cibotium (Cibotii Rhizoma)
金毛木通 {jin1 mao2 mu4 tong1}, 中藥正名 gold-wool clematis (Clematidis Chrysocomae Caulis)
金毛七 {jin1 mao2 qi1}, 中藥正名 many-flowered astilbe (Astilbes Myrianthae Rhizoma)
金門 {jin1 men2}, 腧穴正名 BL-63 (Metal Gate) (Metal Gate); 腧穴異名 CV-1
金礞石 {jin1 meng2 shi2}, 中藥正名 mica (Micae Lapis Aureus)
金目鱸 {jin1 mu4 lu2}, 中藥正名 sand bass (Psammoperca Waigiensis)
金納香 {jin1 na4 xiang1}, 中藥正名 hairy triumfetta (Triumfettae Pilosae Radix et Folium)
金牛草 {jin1 niu2 cao3}, 中藥正名 lesser polygala (Polygalae Telephioidis Herba)
金牛兒 {jin1 niu2 er2}, 中藥異名 cicada molting (Cicadae Periostracum)
金牛七 {jin1 niu2 qi1}, 中藥正名 Taipei aconite (Aconiti Taipeici Tuber)
金紐子 {jin1 niu3 zi3}, 中藥正名 three-headed kyllinga (Kyllingae Tricipitis Herba)
金破不鳴 {jin1 po4 bu4 ming2}, broken metal failing to sound
金氣肅降 {jin1 qi4 su4 jiang4}, depurative downbearing of metal qi4
金錢白花蛇 {jin1 qian2 bai2 hua1 she2}, 中藥正名 multi-banded krait (Bungarus Parvus)
金錢草 {jin1 qian2 cao3}, 中藥正名 moneywort (Lysimachiae Herba)
金錢橘餅 {jin1 qian2 ju2 bing3}, 中藥正名 kumquat cake (Fortunellae Fructus Praeparatio)
金錢木根 {jin1 qian2 mu4 gen1}, 中藥正名 Hemsley's paliurus root (Paliuri Hemsleyani Radix)
金錢癬 {jin1 qian2 xian3}, coin lichen
金雀根 {jin1 que4 gen1}, 中藥正名 caragana (Caraganae Sinicae Radix)
金雀花 {jin1 que4 hua1}, 中藥正名 caragana flower (Caraganae Sinicae Flos)
金砂蕨 {jin1 sha1 jue2}, 中藥異名 lygodium (Lygodii Herba)

金沙藤 {jin1 sha1 teng2}, 中藥異名 lygodium (Lygodii Herba)
金砂藤 {jin1 sha1 teng2}, 中藥異名 lygodium (Lygodii Herba)
金山牛黃 {jin1 shan1 niu2 huang2}, 中藥正名 Golden Mountain bovine bezoar (Bovis Bezoar *Non-Chinense)
金芍藥 {jin1 shao2 yao4}, 中藥異名 white peony (Paeoniae Radix Alba)
金生水 {jin1 sheng1 shui3}, metal engenders water
金實不鳴 {jin1 shi2 bu4 ming2}, replete metal failing to sound
金刷把 {jin1 shua1 ba3}, 中藥正名 false cladonia (Cladonia Fallax)
金水六君煎 {jin1 shui3 liu4 jun1 jian1}, 方名 Six Gentlemen Metal and Water Brew
金水相生 {jin1 shui3 xiang1 sheng1}, mutual engendering of metal and water; metal and water engender each other
金絲草 {jin1 si1 cao3}, 中藥正名 melic grass (Melicae Herba) (Pogonatheri Herba); 中藥異名 golden hair grass
金絲杜仲 {jin1 si1 du4 zhong4}, 中藥正名 Yun2nan2 euonymus (Euonymi Yunnanensis Radix et Caulis)
金絲菇 {jin1 si1 gu1}, 中藥異名 golden mushroom (Flammulina Velutipes)
金絲桃 {jin1 si1 tao2}, 中藥正名 Chinese hypericum (Hyperici Chinensis Herba)
金絲桃果實 {jin1 si1 tao2 guo3 shi2}, 中藥正名 Chinese hypericum fruit (Hyperici Chinensis Fructus)
金絲藤仲 {jin1 si1 teng2 zhong4}, 中藥正名 parameria stem (bark) (Parameriae Caulis seu Caulis Cortex)
金筍 {jin1 sun3}, 中藥異名 carrot (Dauci Carotae Sativae Radix)
金鎖匙 {jin1 suo3 chi2}, 中藥異名 Indian aeginetia (Aeginetiae Indicae Herba)
金鎖固精丸 {jin1 suo3 gu4 jing1 wan2}, 方名 Golden Lock Essence-Securing Pill
金鎖銀開 {jin1 suo3 yin1 kai1}, 中藥異名 wild buckwheat root (Fagopyri Cymosi Rhizoma et Radix)
金藤花 {jin1 teng2 hua1}, 中藥異名 lonicera (Lonicerae Flos)
金陀僧 {jin1 tuo2 seng1}, 中藥異名 litharge (Lithargyrum)
金挖耳 {jin1 wa1 er3}, 中藥正名 divaricate carpesium (Carpesii Divaricati Herba)
金挖耳根 {jin1 wa1 er3 gen1}, 中藥正名 divaricate carpesium root and stem (Carpesii Divaricati Radix et Caulis Inferior)
金線草 {jin1 xian4 cao3}, 中藥正名 antenoron (Antenoronis Herba)
金線草根 {jin1 xian4 cao3 gen1}, 中藥正名 antenoron root (Antenoronis Radix)
金線鰱 {jin1 xian4 lian2}, 中藥異名 goldenthread (Nemipteri Virgati Caro)
金線魚 (2) {jin1 xian4 yu2}, 中藥正名 goldenthread (Nemipteri Virgati Caro)
金瘍 {jin1 yang2}, open incised wound
金腰帶 {jin1 yao1 dai4}, 中藥正名 nodding wikstroemia (Wikstroemiae Nutantis Flos, Radix, et Caulis Cortex)

金葉子 {jin1 ye4 zi3}, 中藥正名 Yun2nan2 craibiodendron leaf (Craibiodendri Yunnanensis Folium)
金銀花露 {jin1 yin2 hua1 lu4}, 中藥正名 lonicera distillate (Lonicerae Distillatum Floris)
金銀花 {jin1 yin2 hua1, 中藥正名 lonicera (Lonicerae Flos)
金銀藤 {jin1 yin2 teng2}, 中藥異名 lonicera stem (Lonicerae Caulis)
金櫻根 {jin1 ying1 gen1}, 中藥正名 Cherokee rose root (Rosae Laevigatae Radix)
金櫻花 {jin1 ying1 hua1}, 中藥正名 Cherokee rose (Rosae Laevigatae Flos)
金櫻肉 {jin1 ying1 rou4}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
金櫻葉 {jin1 ying1 ye4}, 中藥正名 Cherokee rose leaf (Rosae Laevigatae Folium)
金罌子 {jin1 ying1 zi3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
金櫻子 {jin1 ying1 zi3}, 中藥正名 Cherokee rose fruit (Rosae Laevigatae Fructus)
金鶯子 {jin1 ying1 zi3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
金櫻子粥 {jin1 ying1 zi3 zhou1}, 方名 Cherokee Rose Fruit Gruel
金魚 {jin1 yu2}, 中藥正名 goldfish (Carassius Auratus)
金郁泄之 {jin1 yu4 xie4 zhi1}, depressed metal is treated by discharge
金元四大家 {jin1 yuan2 si4 da4 jia1}, four great physicians of the Jin and Yuan period; Four Great Masters of the Jin1-Yuan2
金曰從革 {jin1 yue1 cong2 ge2}, metal is the working of change
金盞草 {jin1 zhan3 cao3}, 中藥正名 calendula (Calendulae Arvensis Herba et Flos)
金盞草根 {jin1 zhan3 cao3 gen1}, 中藥正名 calendula root (Calendulae Arvensis Radix)
金盞菊 {jin1 zhan3 ju2}, 中藥正名 pot marigold (Calendulae Officinalis Flos et Radix)
金盞銀盤 {jin1 zhan3 yin2 pan2}, 中藥正名 beggar-ticks (Bidentis Herba)
金盞銀台 {jin1 zhan3 yin2 tai2}, 中藥異名 vaccaria (Vaccariae Semen)
金針拔障療法 {jin1 zhen1 ba2 zhang4 liao2 fa3}, golden needle obstruction-removing therapy (removal of cataracts with needles)
金針菜 {jin1 zhen1 cai4}, 中藥正名 day lily (Hemerocallis Flos)
金針菇 {jin1 zhen1 gu1}, 中藥正名 golden mushroom (Flammulina Velutipes)
金汁 {jin1 zhi1}, 中藥異名 purified feces (Hominis Excrementi Liquidum Extractum)
金鐘茵陳 {jin1 zhong1 yin1 chen2}, 中藥異名 siphonostegia (Siphonostegiae Herba)
金鏃 {jin1 zu2}, metal arrowheads branch

【津】 {jin1} [Freq. 2] liquid (n.) (氣津兩傷 {qi4 jin1 liang3 shang1}, damage to both qi4 and liquid).
津不上承 {jin1 bu4 shang4 cheng2}, liquid failing to bear upward
津不上潤 {jin1 bu4 shang4 run4}, liquid failing to moisten the upper body
津枯血燥 {jin1 ku1 xue4 zao4}, desiccation of liquid and blood dryness
津虧熱結 {jin1 kui1 re4 jie2}, liquid depletion with heat bind
津虧熱結證 {jin1 kui1 re4 jie2 zheng4}, pattern of liquid depletion with heat bind

津氣 {jin1 qi4}, liquid qi4
津氣虧虛 {jin1 qi4 kui1 xu1}, of liquid and qi4 depletion
津氣虧虛證 {jin1 qi4 kui1 xu1 zheng4}, pattern of liquid and qi4 depletion
津脫 {jin1 tuo1}, liquid desertion
津血虧損 {jin1 xie3 kui1 sun3}, liquid-blood depletion
津虛 {jin1 xu1}, vacuity of liquid
津血不足 {jin1 xue4 bu4 zu2}, insufficiency of liquid and blood
津血枯耗 {jin1 xue4 ku1 hao4}, desiccation of liquid and blood
津血同源 {jin1 xue4 tong2 yuan2}, liquid and blood are of the same source
津液 {jin1 ye4}, liquid and humor; fluids
津液病 {jin1 ye4 bing4}, disease of the fluids
津液病證侯 {jin1 ye4 bing4 zheng4}, disease pattern of the fluids
津液不足 {jin1 ye4 bu4 zu2}, insufficiency of the fluids
津液耗傷 {jin1 ye4 hao4 shang1}, damage to fluids
津液虧損 {jin1 ye4 kui1 sun3}, fluid depletion
津液虧虛 {jin1 ye4 kui1 xu1}, fluid depletion
津液虧虛證 {jin1 ye4 kui1 xu1 zheng4}, fluid depletion pattern
津液失調 {jin1 ye4 shi1 tiao2}, fluid disorder
津液損傷 {jin1 ye4 sun3 shang1}, damage to fluids

【浸】 {jin1} [Freq. 4] steep.
浸酒 {jin1 jiu3}, steep in wine (to make a medicinal wine)

【筋】 {jin1} [Freq. 2] sinew (n.) (肝主筋 {gan1 zhu3 jin1}, the liver governs the sinews); vein (n.) (腹露青筋 {fu4 lu4 qing1 jin1}, prominent [green-blue] abdominal veins).
筋痹 {jin1 bi4}, impediment of the sinew
筋病 {jin1 bing4}, diseases of the sinews
筋斷 {jin1 duan4}, ruptured sinew
筋疳 {jin1 gan1}, gan1 of the sinew; sinew gan1
筋骨痹弱 {jin1 gu3 bi4 ruo4}, weakness and impediment of the sinew and bone
筋骨草 (1) {jin1 gu3 cao3}, 中藥正名 ciliate bugle (Ajugae Ciliatae Herba)
筋骨草 (2) {jin1 gu3 cao3}, 中藥異名 bending bugle (Ajugae Decumbentis Herba)
筋骨麻木 {jin1 gu3 ma2 mu4}, numbness of sinews and bones
筋骨軟弱 {jin1 gu3 ruan3 ruo4}, weak sinews and bones
筋骨酸痛 {jin1 gu3 suan1 tong4}, aching sinews and bones
筋骨疼痛 {jin1 gu3 teng2 tong4}, sinew and bone pain
筋骨痿軟 {jin1 gu3 wei3 ruan3}, limp wilting sinews and bones
筋骨折斷 {jin1 gu3 zhe2 duan4}, broken sinews and bones

筋寒 {jin1 han2}, cold sinews
筋緩 {jin1 huan3}, slack sinews
筋會 {jin1 hui4}, meeting place of the sinew (GB-34) (Sinews' Meeting); 腧穴異名 GB-34
筋急 {jin1 ji2}, tension of the sinews
筋極 {jin1 ji2}, extreme of the sinew
筋急拘攣 {jin1 ji2 ju1 luan2}, hypertonicity of the sinews
筋&&75AC.7667|{jin1 li4}, sinew scrofula
筋裂 {jin1 lie4}, split sinew
筋溜 {jin1 liu1}, sinewy tumor
筋瘤 {jin1 liu2}, sinew tumor
筋孿 {jin1 luan2}, hypertonicity of the sinews
筋攣 {jin1 luan2}, hypertonicity of the sinews
筋絡 {jin1 luo4}, sinew network vessels
筋脈 {jin1 mai4}, sinew; sinews and vessels; veins
筋脈活動不利 {jin1 mai4 huo2 dong4 bu4 li4}, inhibited sinew movement
筋脈拘急 {jin1 mai4 ju1 ji2}, tension of the sinews
筋脈拘攣 {jin1 mai4 ju1 luan2}, hypertonicity of the sinews
筋脈麻木 {jin1 mai4 ma2 mu4}, numbness of the sinews
筋脈收縮 {jin1 mai4 shou1 suo1}, contraction of the sinews
筋脈癱瘓 {jin1 mai4 tan1 huan4}, paralysis of the sinews
筋膜 {jin1 mo2}, 西醫 fascia; sinew membrane
筋氣 {jin1 qi4}, sinew qi4
筋肉強直 {jin1 rou4 jiang4 zhi2}, rigidity of the sinews and flesh
筋疝 {jin1 shan4}, sinew mounting
筋傷骨錯 {jin1 shang1 gu3 cuo4}, damage to sinew and bone
筋失濡養 {jin1 shi1 ru2 yang3}, sinews deprived of nourishment (depriving the sinews of nourishment)
筋失所養 {jin1 shi1 suo3 yang3}, sinews deprived of nourishment (depriving the sinews of nourishment)
筋失滋養 {jin1 shi1 zi1 yang3}, sinews deprived of nourishment (depriving the sinews of nourishment)
筋束 {jin1 shu4}, 腧穴異名 GV-8 (Sinew Binder)
筋縮 {jin1 suo1}, 腧穴正名 GV-8 (Sinew Contraction)
筋惕肉□ {jin1 ti4 rou4 run4}, jerking sinews and twitching flesh
筋惕肉&&77A4|{jin1 ti4 rou4 run4}, jerking sinews and twitching flesh
筋痛 {jin1 tong4}, sinew pain
筋痿 {jin1 wei3}, sinew wilting
筋癭 {jin1 ying3}, sinew goiter

筋之府 {jin1 zhi1 fu3}, house of the sinews (the knee)

~~ {jin3} ~~

【緊】 {jin3} [Freq. 2] tight (adj.) (緊脈 {jin3 mai4}, tight pulse).
緊脈 {jin3 mai4}, tight pulse
緊如轉索 {jin3 ru2 zhuan3 suo3}, tight like a turning rope
緊張 {jin3 zhang1}, tense

【錦】 {jin3} [Freq. 4] brocade.
錦帶 {jin3 dai4}, 中藥異名 water shield (Braseniae Caulis et Folium)
錦燈籠 {jin3 deng1 long2, 中藥正名 lantern plant calyx (Physalis Calyx seu Fructus)
錦地羅 {jin3 di4 luo2}, 中藥正名 sundew (Droserae Herba)
錦紅片 {jin3 hong2 pian4}, 方名 Red Brocade Tablet
錦荔枝 {jin3 li4 zhi1}, 中藥異名 balsam pear (Momordicae Charantiae Fructus)
錦鱗蜥魚 {jin3 lin2 xi1 yu2}, 中藥正名 brush-toothed lizard (Saurida Tumbil)
錦紋 {jin3 wen2}, 中藥異名 rhubarb (Rhei Radix et Rhizoma)
錦紋大黃 {jin3 wen2 da4 huang2}, 中藥異名 rhubarb (Rhei Radix et Rhizoma)

【堇】 {jin3} [Freq. 4] violet.
堇菜地丁 {jin3 cai4 di4 ding1}, 中藥異名 violet (Violae Herba)

~~ {jin4} ~~

【近】 {jin4} [Freq. 4] near; proximal.
近部選穴 {jin4 bu4 xuan3 xue2}, selection of local points
近視 {jin4 shi4}, nearsightedness; myopia; myopia
近血 {jin4 xue4}, proximal bleeding (near anus)

【晉】 {jin4} [Freq. 4] Jin4; Jin4, an alternate name for Shan1xi1（山西）Province; Jin4 (265--420 A.D.).
晉耆 {jin4 qi2}, 中藥異名 hedysarum (Hedysari Radix)

【浸】 {jin4} [Freq. 3] steep (in liquid).
浸泡 {jin4 pao4}, steep (in liquid)
浸洗療法 {jin4 xi3 liao2 fa3}, immersion and wash therapy
浸淫瘡 {jin4 yin2 chuang1}, wet spreading sore

【進】 {jin4} [Freq. 4] enter; facilitate entry.
進食 {jin4 shi2}, promote food intake
進食過飽 {jin4 shi2 guo4 bao3}, overeating
進行性的 {jin4 xing2 xing4 de}, 西醫 progressive
進行性色素性紫癜 {jin4 xing2 xing4 se4 su4 xing4 zi3 dian4}, 西醫 purpura pigmentosa progressiva
進針 {jin4 zhen1}, needle insertion

【禁】 {jin4} [Freq. 3] contraindicate.
禁刺 {jin4 ci4}, needling contraindications
禁方 {jin4 fang1}, secret formula
禁宮花 {jin4 gong1 hua1}, 中藥異名 vaccaria (Vaccariae Semen)
禁忌 {jin4 ji4}, contraindicate
禁科 {jin4 ke1}, incantations
禁生 {jin4 sheng1}, 中藥異名 dendrobium (Dendrobii Herba)
禁忌 {jin4 yong4}, contraindication

【盡】 {jin4} [Freq. 5] terminate (經盡 {jing1 jin4}, terminate in channel)

【噤】 {jin4} [Freq. 3] clenched jaw (trismus).
噤風 {jin4 feng1}, clenched jaw wind
噤口 {jin4 kou3}, clenched jaw; trismus; denying intake of food
噤口痢 {jin4 kou3 li4}, food-denying dysentery (dysentery with inability to eat)
噤口痢疾 {jin4 kou3 li4 ji2}, food-denying dysentery (dysentery with inability to eat)

【薑】 {jin4} [Freq. 4] arthraxion.
薑草 {jin4 cao3}, 中藥正名 arthraxion (Arthraxonis Herba)

~~ {jing1} ~~
【京】 {jing1} [Freq. 3] capital.
京大戟 {jing1 da4 ji3}, 中藥正名 euphorbia (Euphorbiae Pekinensis Radix)
京骨 {jing1 gu3}, capital bone (base of the fifth metatarsal bone) (Capital Bone); 腧穴正名 BL-64
京門 {jing1 men2}, 腧穴正名 GB-25 (Capital Gate)
京牛黃 {jing1 niu2 huang2}, 中藥正名 Peking bovine bezoar (Bovis Bezoar *Pekinense)
京三稜 {jing1 san1 leng2}, 中藥異名 sparganium (Sparganii Rhizoma)
京三稜丸 {jing1 san1 leng2 wan2}, 方名 Bur-Reed Pill

京芎 {jing1 xiong1}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)

【涇】 {jing1} [Freq. 4] stream.
涇溲不利 {jing1 sou1 bu4 li4}, inhibitied urination

【荆】 {jing1} [Freq. 5] plant name.
荆防敗毒散 {jing1 fang2 bai4 du2 san3}, 方名 Schizonepeta and Saposhnikovia Toxin-Vanquishing Powder
荆防四物湯 {jing1 fang2 si4 wu4 tang1}, 方名 Schizonepeta and Saposhnikovia Four Agents Decoction
荆防湯 {jing1 fang2 tang1}, 方名 Schizonepeta and Saposhnikovia Decoction
荆芥 {jing1 jie4}, 中藥正名 schizonepeta (Schizonepetae Herba)
荆芥根 {jing1 jie4 gen1}, 中藥正名 schizonepeta root (Schizonepetae Radix)
荆芥花 {jing1 jie4 hua1}, 中藥異名 schizonepeta spike (Schizonepetae Flos)
荆芥連翹湯 {jing1 jie4 lian2 qiao4 tang1}, 方名 Schizonepeta and Forsythia Decoction
荆芥穗 {jing1 jie4 sui4}, 中藥正名 schizonepeta spike (Schizonepetae Flos)
荆芥穗炭 {jing1 jie4 sui4 tan4}, 中藥正名 charred schizonepeta spike (Schizonepetae Flos Carbonisata)
荆芥炭 {jing1 jie4 tan4}, 中藥正名 charred schizonepeta (Schizonepetae Herba et Flos Carbonisatae)
荆芥湯 {jing1 jie4 tang1}, 方名 Schizonepeta Decoction
荆芥油 {jing1 jie4 you2}, 中藥正名 schizonepeta oil (Schizonepetae Oleum)
荆芥粥 {jing1 jie4 zhou1}, 方名 Schizonepeta Gruel
荆瀝 {jing1 li4}, 中藥異名 hemp-leaved vitex sap (Viticis Cannabifolii Caulis Succus)
荆芩四物湯 {jing1 qin2 si4 wu4 tang1}, 方名 Schizonepeta and Scutellaria Four Agents Decoction
荆三稜 {jing1 san1 leng2}, 中藥正名 scirpus (Scirpi Fluviatilis Rhizoma)
荆桃 {jing1 tao2}, 中藥異名 cherry (Pruni Pseudocerasi Fructus)
荆子 {jing1 zi3}, 中藥異名 vitex (Viticis Fructus)

【莖】 {jing1} [Freq. 2] stem; penis (n.) (lit.\ stem. 陰莖 {yin1 jing1}, penis; 莖中痛{jing1 zhong1 tong4}, pain in the penis).
莖長興盛不痿 {jing1 chang2 xing1 sheng4 bu4 wei3}, persistent erection
莖垂 {jing1 chui2}, male genitalia
莖強 {jing1 qiang2}, persistent erection; rigidity of the penis; persistent erection
莖強不痿 {jing1 qiang2 bu4 wei3}, persistent erection
莖中發癢 {jing1 zhong1 fa1 yang3}, itching in the penis
莖中痛 {jing1 zhong1 tong4}, pain in the penis

莖中痛癢 {jing1 zhong1 tong4 yang3}, pain and itching in the penis

【晶】 {jing1} [Freq. 4] crystal.
晶&&3FA6|{jing1 pei1}, miliaria crystallina
晶體 {jing1 ti3}, 西醫 lens
晶體懸韌帶 {jing1 ti3 xuan2 ren4 dai4}, 西醫 suspensory ligament of the lens

【睛】 {jing1} [Freq. 2] eye (n.) (眼睛 {yan3 jing1}, eye).
睛簾 {jing1 lian2}, eye curtain (iris)
睛明 {jing1 ming2}, 腧穴正名 BL-1 (Bright Eyes)
睛生云翳 {jing1 sheng1 yun2 yi4}, nebulous screen in the eye
睛珠 {jing1 zhu1}, eye bead

【粳】 {jing1} [Freq. 4] non-glutinous rice.
粳穀奴 {jing1 gu3 nu2}, 中藥正名 smutted rice (Oryzae Spica Infestata)
粳米泔 {jing1 mi3 gan1}, 中藥正名 rice water (Oryzae Aqua)

【經】 {jing1} [Freq. 3] meridian (pathway of qi4); classic (classical text); channel (n.) (太陽經 {tai4 yang2 jing1}, greater yang2 channel); menstruation (n.) (月經 {yue4 jing1}, menstruation; 經行腰痛{jing1 xing2 yao1 tong4}, menstrual lumbar pain); canon (n.) (黃帝內經 {huang2 di4 nei4 jing1}, The Yellow Emperor's Inner Canon); river (n.) (經穴 {jing1 xue2}, river point).
經崩 {jing1 beng1}, menstrual flooding
經閉 {jing1 bi4}, menstrual block
經閉不通 {jing1 bi4 bu4 tong1}, menstrual block; amenorrhea
經閉不行 {jing1 bi4 bu4 xing2}, menstrual block; amenorrhea
經閉與崩漏交替 {jing1 bi4 yu3 beng1 lou4 jiao1 ti4}, menstrual block alternating with flooding and spotting
經別 {jing1 bie2}, channel divergence
經遲 {jing1 chi2}, late periods; delayed menstruation
經刺 {jing1 ci4}, channel needling (one of nine needling methods)
經帶 {jing1 dai4}, menstrual disorders and vaginal discharge
經帶病 {jing1 dai4 bing4}, menstrual diseases and vaginal discharge
經淡如水 {jing1 dan4 ru2 shui3}, menstrual flow pale as water
經典 {jing1 dian3}, classic
經斷 {jing1 duan4}, menopause
經斷復行 {jing1 duan4 fu4 xing2}, postmenopausal recommencement of periods
經多 {jing1 duo1}, copious menses
經方 {jing1 fang1}, classical remedy

經方派 {jing1 fang1 pai4}, classical remedies school
經后 {jing1 hou4}, postmenstrual
經后吐衄 {jing1 hou4 tu4 nu94}, postmenstrual blood ejection and spontaneous external bleeding
經間期出血 {jing1 jian1 qi1 chu1 xue4}, bleeding between periods
經筋 {jing1 jin1}, channel sinew
經盡 {jing1 jin4}, terminate in channel
經久閉 {jing1 jiu3 bi4}, enduring menstrual block
經絕 {jing1 jue2}, menopause
經來白色 {jing1 lai2 bai2 se4}, white menstrual flow
經來便血 {jing1 lai2 bian4 xue4}, menstrual bloody stool
經來成塊 {jing1 lai2 chen2 kuai4}, clotted menstrual flow
經來淡色 {jing1 lai2 dan4 se4}, pale menstrual flow
經來發狂 {jing1 lai2 fa1 kuang2}, menstrual mania
經來發熱 {jing1 lai2 fa1 re4}, menstrual heat [effusion] (fever)
經來浮腫 {jing1 lai2 fu2 zhong3}, menstrual puffy swelling
經來腹痛 {jing1 lai2 fu4 tong4}, abdominal pain during menstruation
經來黑色 {jing1 lai2 hei1 se4}, black menstrual flow
經來黃色 {jing1 lai2 huang2 se4}, yellow menstrual flow
經來驟止 {jing1 lai2 ju4 zhi3}, sudden cessation of the menstrual period after commencement
經來綠色 {jing1 lai2 lu94 se4}, green menstrual flow
經來嘔吐 {jing1 lai2 ou3 tu4}, menstrual vomiting
經來如腐肉 {jing1 lai2 ru2 fu3 rou4}, menstrual flow like rotten meat
經來如黃泥水 {jing1 lai2 ru2 huang2 ni2 shui3}, menstrual flow like yellow muddy water
經來如銅綠水 {jing1 lai2 ru2 tong2 lu94 shui3}, menstrual flow copper rust water
經來如屋漏水 {jing1 lai2 ru2 wu1 lou4 shui3}, menstrual flow like water from a leaky roof
經來如魚腦髓 {jing1 lai2 ru2 yu2 nao3 sui3}, menstrual flow like fish brain-marrow
經來如豬肝水 {jing1 lai2 ru2 zhu1 gan1 shui3}, menstrual flow like pig's liver juice
經來色淡 {jing1 lai2 se4 dan4}, pale menstrual flow
經來色紫 {jing1 lai2 se4 zi3}, purple menstrual flow
經來下肉胞 {jing1 lai2 xia4 rou4 bao1}, passing of flesh moles in menstruation
經來下血胞 {jing1 lai2 xia4 xue4 bao1}, passing of blood moles in menstruation
經來紫色 {jing1 lai2 zi3 se4}, purple menstrual flow
經漏 {jing1 lou4}, spotting; postmenstrual spotting
經亂 {jing1 luan4}, chaotic menstruation
經絡 {jing1 luo4}, channels and network vessels
經絡辨證 {jing1 luo4 bian4 zheng4}, channel and network pattern identification
經絡測定儀 {jing1 luo4 ce4 ding4 yi2}, meridiometer

經絡感傳現象 {jing1 luo4 gan3 chuan2 xian4 xiang4}, channel sensitivity and conductivity
經絡空虛 {jing1 luo4 kong1 xu1}, emptiness of the channels and network vessels
經絡敏感現象 {jing1 luo4 min3 gan3 xian4 xiang4}, channel sensitivity
經絡學說 {jing1 luo4 xue2 shuo1}, channel theory
經絡之氣 {jing1 luo4 zhi1 qi4}, channel [and network vessel] qi4
經絡阻滯 {jing1 luo4 zu3 zhi4}, obstruction of channels and network vessels
經脈 {jing1 mai4}, channel vessel; channel
經脈之海 {jing1 mai4 zhi1 hai3}, sea of the channels (the thoroughfare vessel)
經逆 {jing1 ni4}, menstrual counterflow
經期 {jing1 qi1}, menstrual period; menstrual cycle; menstrual period
經期超前 {jing1 qi1 chao1 qian2}, delayed menstruation
經期錯后 {jing1 qi1 cuo4 hou4}, delayed menstruation
經期腹痛 {jing1 qi1 fu4 tong4}, abdominal pain during menstruation
經期落后 {jing1 qi1 luo4 hou4}, delayed menstruation
經期延長 {jing1 qi1 yan2 chang2}, prolonged menstruation
經氣 {jing1 qi4}, channel qi4
經前 {jing1 qian2}, premenstrual
經前便血 {jing1 qian2 bian4 xue4}, premenstrual bloody stool
經前不寐 {jing1 qian2 bu4 mei4}, premenstrual sleeplessness
經前腹痛 {jing1 qian2 fu4 tong4}, premenstrual abdominal pain
經前面部粉刺 {jing1 qian2 mian4 bu4 fen3 ci4}, premenstrual facial acne
經前嘔吐 {jing1 qian2 ou3 tu4}, premenstrual vomiting
經前期緊張綜合症 {jing1 qian2 qi1 jin3 zhang1 zong4 he2 zheng4}, 西醫 premenstrual tension syndrome (PMT 英)
經前乳脹 {jing1 qian2 ru3 zhang4}, premenstrual distention of the breasts
經前吐衄 {jing1 qian2 tu4 nu94}, premenstrual blood ejection and spontaneous external bleeding
經前期緊張綜合徵 {jing1 qiang2 qi1 jin3 zhang1 zong4 he2 zheng4}, 西醫 premenstrual syndrome (PMS 美)
經芩 {jing1 qin2}, 中藥異名 scutellaria (Scutellariae Radix)
經渠 {jing1 qu2}, 腧穴正名 LU-8 (Channel Ditch)
經如蝦蟆子 {jing1 ru2 ha2 ma2 zi3}, menses like toad's eggs
經色淺淡 {jing1 se4 qian3 dan4}, light-colored menstrual flow
經色紫黯 {jing1 se4 zi3 an4}, dark purple menstrual flow
經少 {jing1 shao3}, scant menses
經始 {jing1 shi3}, 腧穴異名 HT-9 (Channel Start)
經史證類備急本草 {jing1 shi3 zheng4 lei4 bei4 ji2 ben3 cao3}, 書名 Classified Emergency Herbal Foundation Based on Historical Classics
經事延長 {jing1 shi4 yan2 chang2}, prolonged menstruation

經霜桑葉 {jing1 shuang1 sang1 ye4}, 中藥異名 frostbitten mulberry leaf (Mori Folium Praeustum)
經水 {jing1 shui3}, menstrual flow; menstruation (i.e., a channel); channel water
經水不斷 {jing1 shui3 bu4 duan4}, continuous menstruation
經水不利 {jing1 shui3 bu4 li4}, inhibited menstrual flow
經水斷絕 {jing1 shui3 duan4 jue2}, menopause
經水過多 {jing1 shui3 guo4 duo1}, excessive menstrual flow
經水澀少 {jing1 shui3 se4 shao3}, scant inhibited menstrual flow
經隧 {jing1 sui4}, channel passages
經外奇穴 {jing1 wai4 qi2 xue2}, non-channel point
經下血胞 {jing1 xia4 xue4 bao1}, passing of blood moles in menstruation
經陷 {jing1 xian4}, channel fall
經行便血 {jing1 xing2 bian4 xue4}, menstrual bloody stool
經行不暢 {jing1 xing2 bu4 chang4}, inhibited menstruation
經行不利 {jing1 xing2 bu4 li4}, inhibited menstruation
經行不爽 {jing1 xing2 bu4 shuang3}, ungratifying menstruation
經行抽搐 {jing1 xing2 chou1 chu4}, menstrual convulsion
經行發熱 {jing1 xing2 fa1 re4}, menstrual heat [effusion] (fever)
經行風疹塊 {jing1 xing2 feng1 zhen3 kuai4}, wind wheals during menstruation
經行浮腫 {jing1 xing2 fu2 zhong3}, puffy swelling during menstruation
經行腹痛 {jing1 xing2 fu4 tong4}, abdominal pain during menstruation
經行后期 {jing1 xing2 hou4 qi1}, late periods; delayed menstruation
經行或前或后 {jing1 xing2 huo4 qian2 huo4 hou4}, menstruation sometimes delayed sometimes advanced
經行精神異常 {jing1 xing2 jinga1 shen2 yi4 chang2}, moodiness during menstruation
經行口糜 {jing1 xing2 kou3 mi2}, oral putrescence during menstruation
經行目痛 {jing1 xing2 mu4 tong4}, eye pain during menstruction
經行衄血 {jing1 xing2 nu94 xue4}, spontaneous external bleeding during menstruation
經行嘔衄 {jing1 xing2 ou3 nu94}, retching of blood or spontaneous external bleeding during menstruation
經行嘔吐 {jing1 xing2 ou3 tu4}, vomiting during menstruation
經行乳房脹痛 {jing1 xing2 ru3 fang2 zhang4 tong4}, distending pain in the breasts during menstruation
經行身痛 {jing1 xing2 shen1 tong4}, generalized pain during menstruation
經行頭痛 {jing1 xing2 tou2 tong4}, headache during menstruation
經行吐衄 {jing1 xing2 tu4 nu94}, blood ejection and spontaneous external bleeding during menstruation
經行吐血 {jing1 xing2 tu4 xue4}, blood ejection during menstruation

經行先后無定期 {jing1 xing2 xian1 hou4 wu2 ding4 qi1}, menstruation at irregular intervals
經行先期 {jing1 xing2 xian1 qi1}, advanced menstruation
經行泄瀉 {jing1 xing2 xie4 xie4}, diarrhea during menstruation
經行眩暈 {jing1 xing2 xuan4 yun1}, dizziness during menstruation
經行腰痛 {jing1 xing2 yao1 tong4}, menstrual lumbar pain
經穴 {jing1 xue2}, river point (one of the five transport points); channel point
經血 {jing1 xue4}, menstrual blood
經血不止 {jing1 xue4 bu4 zhi3}, persistent menstruation
經血夾塊 {jing1 xue4 jia1 kuai4}, clotted menstrual flow
經血挾塊 {jing1 xue4 xie2 kuai4}, clotted menstrual discharge
經血中夾有瘀塊 {jing1 xue4 zhong1 jia1 you3 yu1 kuai4}, stasis clots in the menstrual blood
經驗方 {jing1 yan4 fang1}, empirical formula
經驗穴 {jing1 yan4 xue2}, empirical point
經早 {jing1 zao3}, advanced menstruation
經證 {jing1 zheng4}, channel pattern
經質黏稠 {jing1 zhi4 nian2 chou2}, thick sticky menstrual discharge; thick sticky menstrual flow
經質清稀 {jing1 zhi4 qing1 xi1}, thin clear menstrual discharge
經中 {jing1 zhong1}, 腧穴正名 On Channel

【精】 {jing1} [Freq. 2] essence (n.) (腎藏精 {shen4 cang2 jing1}, the kidney stores essence); semen (n.) (遺精 {yi2 jing1}, seminal emission).
精不射出 {jing1 bu4 she4 chu1}, inability to ejaculate
精不足者補之以味 {jing1 bu4 zu2 zhe3 bu3 zhi1 yi3 wei4}, insufficiency of essence is supplemented with flavor
精蟲 {jing1 chong2}, 西醫 sperm
精出 {jing1 chu1}, seminal loss
精房 {jing1 fang2}, essence chamber
精府 {jing1 fu3}, house of essence
精宮 {jing1 gong1}, palace of essence (Palace of Essence); 腧穴異名 BL-52 (Palace of Essence); 腧穴異名 GV-4
精關 {jing1 guan1}, essence gate
精關不固 {jing1 guan1 bu4 gu4}, insecurity of the essence gate
精管 {jing1 guan3}, 西醫 seminal ducts
精寒 {jing1 han2}, seminal cold
精滑不禁 {jing1 hua2 bu4 jin4}, seminal efflux
精化傳染 {jing1 hua4 chuan2 ran3}, transmission by essence transformation
精極 {jing1 ji2}, extreme of essence
精窠 {jing1 ke1}, nest of essence

精冷 {jing1 leng3}, seminal cold
精癃 {jing1 long2}, seminal dribbling block
精露 {jing1 lu4}, 腧穴異名 CV-4 (Essential Dew) (Essential Dew); 腧穴異名 CV-5
精明 {jing1 ming2}, 腧穴異名 BL-1 (Bright Essence)
精明之府 {jing1 ming2 zhi1 fu3}, house of bright essence (the head)
精囊管 {jing1 nang2 guan3}, 西醫 duct of the seminal vesicle
精囊炎 {jing1 nang2 yan2}, 西醫 seminal vesiculitis
精能化氣 {jing1 neng2 hua4 qi4}, essence can transform into qi4
精氣 {jing1 qi4}, essential qi4
精氣不能上榮于面 {jing1 qi4 bu4 neng2 shang4 rong2 yu2 mian4}, essential qi4 cannot ascend to give luxuriance to the face
精氣奪 {jing1 qi4 duo2}, despoliation of essential qi4
精氣奪則虛 {jing1 qi4 duo2 ze2 xu1}, when essential qi4 is despoliated, there is vacuity
精氣虧虛 {jing1 qi4 kui1 xu1}, depletion of essential qi4
精氣虧虛證 {jing1 qi4 kui1 xu1 zheng4}, pattern of depletion of essential qi4
精竅 {jing1 qiao4}, essence orifice
精少 {jing1 shao3}, scant semen
精神 {jing1 shen2}, essence-spirit (modern usage); mind (modern usage); mental
精神不守 {jing1 shen2 bu4 shou3}, essence-spirit failing to keep its composure
精神不振 {jing1 shen2 bu4 zhen4}, devitalized essence-spirit
精神遲鈍 {jing1 shen2 chi2 dun4}, torpor of essence-spirit
精神呆鈍 {jing1 shen2 dai1 dun4}, dullness of essence-spirit
精神呆滯 {jing1 shen2 dai1 zhi4}, dullness of essence-spirit
精神分裂症 {jing1 shen2 fen1 lie4 zheng4}, 西醫 schizophrenia
精神疲憊 {jing1 shen2 pi2 bei4}, exhaustion of essence-spirit
精神疲倦 {jing1 shen2 pi2 juan4}, lassitude of essence-spirit
精神萎靡 {jing1 shen2 wei3 mi2}, listlessness of essence-spirit
精神性善饑癖 {jing1 shen2 xing4 shan4 ji1 pi3}, 西醫 bulimia nervosa
精神性食欲缺乏 {jing1 shen2 xing4 shi4 yu4 que1 fa2}, 西醫 anorexia nervosa
精神修養 {jing1 shen2 xiu1 yang3}, spiritual health care
精室 {jing1 shi4}, essence chamber
精髓虛虧 {jing1 sui3 xu1 kui1}, essence-marrow depletion
精脫 {jing1 tuo1}, desertion of essence
精血 {jing1 xue4}, essence-blood
精血不能上注于目 {jing1 xue4 bu4 neng2 shang4 zhu4 yu2 mu4}, essence-blood failing to pour into the eyes
精血不足 {jing1 xue4 bu4 zu2}, insufficiency of essence blood
精血同源 {jing1 xue4 tong2 yuan2}, essence and blood are of the same source

精液 {jing1 ye4}, semen; semen
精液不液化症 {jing1 ye4 bu4 ye4 hua4 zheng4}, 西醫 nonliquefaction of semen
精液大泄 {jing1 ye4 da4 xie4}, great seminal discharge
精液夾血 {jing1 ye4 jia1 xue4}, blood in the semen
精液清冷 {jing1 ye4 qing1 leng3}, clear cold semen
精濁 {jing1 zhuo2}, essence turbidity
精子 {jing1 zi3}, 西醫 spermatozoon
精子畸形 {jing1 zi3 ji1 xing2}, 西醫 cacospermia
精子減少症 {jing1 zi3 jian3 shao3 zheng4}, 西醫 spermacrasia
精自下 {jing1 zi4 xia4}, spontaneous discharge of semen

【驚】 {jing1} [Freq. 2] fright (n.) (肝主驚 {gan1 zhu3 jing1}, liver governs fright).
驚搐 {jing1 chu4}, fright convulsion
驚風 {jing1 feng1}, fright wind
驚風八候 {jing1 feng1 ba1 hou4}, eight signs of fright wind
驚風四證 {jing1 feng1 si4 zheng4}, four signs of fright wind
驚疳 {jing1 gan1}, fright gan1
驚駭 {jing1 hai4}, fright
驚呼 {jing1 hu1}, cry of shock
驚積 {jing1 ji1}, fright accumulation
驚悸 {jing1 ji4}, fright palpitations
驚厥 {jing1 jue2}, 西醫 convulsion; fright reversal
驚恐傷腎 {jing1 kong3 shang1 shen4}, fright and fear damage the kidney
驚恐失眠 {jing1 kong3 shi1 mian2}, fright, fear, and insomnia
驚狂 {jing1 kuang2}, fright mania
驚痢 {jing1 li4}, fright diarrhea
驚怯 {jing1 qie4}, fright timidity
驚熱 {jing1 re4}, fright heat [effusion] (fever)
驚傷脅痛 {jing1 shang1 xie2 tong4}, fright-damage rib-side pain
驚水 {jing1 shui3}, fright water (a kind of water swelling)
驚癱 {jing1 tan1}, fright paralysis
驚啼 {jing1 ti2}, fright crying
驚癎 {jing1 xian2}, fright epilepsy
驚癎神昏 {jing1 xian2 shen2 hun1}, fright epilepsy with clouded spirit
驚泄 {jing1 xie4}, fright diarrhea
驚則氣亂 {jing1 ze2 qi4 luan4}, fright causes disruption of qi4
驚者平之 {jing1 zhe3 ping2 zhi1}, fright is treated by calming
驚蟄 {jing1 zhi2}, Waking of Insects (3rd solar term)

~~ {jing3} ~~

【井】 {jing3} [Freq. 2] well (n.).

井底泥 {jing3 di3 ni2}, 中藥正名 well-bottom mud (Latum Fundi Putei)

井花水 {jing3 hua1 shui3}, well-flower water

井泉水 {jing3 quan2 shui3}, 中藥正名 well water (Aqua Putei)

井穴 {jing3 xue2}, well point (one of the five transport points)

【景】 {jing3} [Freq. 4] admire.

景天三七 {jing3 tian1 san1 qi1}, 中藥正名 alpine stonecrop (Sedi Aizoon Herba)

景天三七根 {jing3 tian1 san1 qi1 gen1}, 中藥正名 alpine stonecrop root (Sedi Aizoon Radix)

景岳全書 {jing3 yue4 quan2 shu1}, Jing3-Yue4's Complete Compendium (1624 (Ming2), Zhang1 Jie4-Bin1 張介賓 [Jing3-Yue4 景岳])

【頸】 {jing3} [Freq. 3] neck.

頸臂 {jing3 bi4}, 腧穴正名 Neck and Upper Arm

頸部急性軟組織損傷 {jing3 bu4 ji2 xing4 ruan3 zu3 zhi1 sun3 shang1}, 西醫 acute soft tissue injury of the neck

頸沖 {jing3 chong1}, 腧穴異名 LI-14 (Neck Surge)

頸沖 {jing3 chong1}, 腧穴異名 LI-14 (Neck Thoroughfare)

頸粗 {jing3 cu1}, fat neck

頸骨 {jing3 gu3}, neck bone

頸后生癰 {jing3 hou4 sheng1 yong1}, welling-abscess on the back of the neck

頸肩部肌筋炎 {jing3 jian1 bu4 ji1 jin1 yan2}, 西醫 myofascitis of the shoulder and neck

頸間生瘡 {jing3 jian1 sheng1 chuang1}, neck sore

頸闊肌 {jing3 kuo4 ji1}, 西醫 platysma muscle

頸&&75AC.7667|{jing3 li4}, scrofula of the neck

頸淋巴結腫大 {jing3 lin2 ba1 jie2 zhong3 da4}, 西醫 lymphadenectasis of the neck

頸淋巴肉芽腫 {jing3 lin2 ba1 rou4 ya2 zhong3}, 西醫 lymphogranuloma

頸脈 {jing3 mai4}, neck vessel

頸內動脈 {jing3 nei4 dong4 mai4}, 西醫 internal carotid artery

頸內靜脈 {jing3 nei4 jing4 mai4}, 西醫 internal jugular vein

頸外動脈 {jing3 wai4 dong4 mai4}, 西醫 external carotid artery

頸外靜脈 {jing3 wai4 jing4 mai4}, 西醫 external jugular vein

頸項 {jing3 xiang3}, neck

頸項反張 {jing3 xiang3 fan3 zhang4}, arched rigidity of the neck

頸項 {jing3 xiang4}, neck and nape

頸項強 {jing3 xiang4 jiang4}, stiffness in the neck and nape
頸項強不得回顧 {jing3 xiang4 jiang4 bu4 de2 hui2 gu4}, stiffness in the neck and nape that prevents the head from turning
頸項強急 {jing3 xiang4 jiang4 ji2}, stiffness of the neck and nape
頸項強直 {jing3 xiang4 jiang4 zhi2}, rigidity of the neck and nape
頸項滿 {jing3 xiang4 man3}, fullness in the neck and nape
頸項疼痛 {jing3 xiang4 teng2 tong4}, pain in neck and nape
頸項痛 {jing3 xiang4 tong4}, neck and nape pain
頸癰 {jing3 yong1}, welling-abscess of the neck
頸中 {jing3 zhong1}, 腧穴正名 Neck Center
頸椎病 {jing3 zhui1 bing4}, 西醫 cervical spondylosis
頸椎骨 {jing3 zhui1 gu3}, 西醫 cervical vertebrae
頸總動脈 {jing3 zong3 dong4 mai4}, 西醫 common carotid artery

~~ {jing4} ~~
【淨】 {jing4} [Freq. 4] cleanse.
淨腸菜 {jing4 chang2 cai4}, 中藥異名 shepherd's purse (Capsellae Bursa-Pastoris Herba)
淨腑 {jing4 fu3}, clean bowel (the bladder)
淨府湯 {jing4 fu3 tang1}, 方名 Bowel-Cleansing Decoction
淨苔 {jing4 tai1}, clean tongue fur

【痙】 {jing4} [Freq. 2] tetany (n.).
痙病 {jing4 bing4}, tetany
痙厥 {jing4 jue2}, tetanic reversal
痙攣 {jing4 luan2}, spasm; spasm
痙攣性疼痛 {jing4 luan4 xing4 teng2 tong4}, 西醫 spasmodic pain
靖言了 {jing4 yan2 liao3}, clear calm speech

【靜】 {jing4} [Freq. 3] tranquil.
靜脈 {jing4 mai4}, 西醫 vein
靜脈滴注 {jing4 mai4 di1 zhu4}, 西醫 intravenous drip
靜脈炎 {jing4 mai4 yan2}, 西醫 phlebitis

【鏡】 {jing4} [Freq. 4] mirror.
鏡面舌 {jing4 mian4 she2}, mirror tongue

【脛】 {jing4} [Freq. 2] lower leg (n.); lower leg bone (n.); tibia; lower leg bone (tibia).

脛骨 {jing4 gu3}, 西醫 tibia
脛骨後動脈 {jing4 gu3 hou4 dong4 mai4}, 西醫 posterior tibial artery
脛骨後靜脈 {jing4 gu3 hou4 jing4 mai4}, 西醫 posterior tibial vein
脛骨前動脈 {jing4 gu3 qian2 dong4 mai4}, 西醫 anterior tibial artery
脛骨前靜脈 {jing4 gu3 qian2 jing4 mai4}, 西醫 anterior tibial vein
脛骨前肌 {jing4 gu3 qin2 ji1}, 西醫 anterior tibial muscle
脛疽 {jing4 ju1}, lower leg flat-abscess
脛酸 {jing4 suan1}, lower leg ache; aching of the lower legs
脛腫 {jing4 zhong3}, swelling of the shins

【&&ci4‖】 {jing4} [Freq. 2] tetany.
粳米 {jing mi3}, 中藥正名 non-glutinous rice (Oryzae Semen)

~~ {jiong3} ~~
【炅】 {jiong3} [Freq. 4] intense heat.
炅則氣泄 {jiong3 ze2 qi4 xie4}, excessive heat causes discharge of qi4

~~ {jiu1} ~~
【糾】 {jiu1} [Freq. 4] correct.
糾內翻 {jiu1 nei4 fan1}, 腧穴正名 Correct Inward Turning
糾外翻（一） {jiu1 wai4 fan1 (1)}, 腧穴正名 Correct Outward Turning \#1
糾外翻（二） {jiu1 wai4 fan1 (2)}, 腧穴正名 Correct Outward Turning \#2

【鳩】 {jiu1} [Freq. 4] turtledove.
鳩杞 {jiu1 qi3}, 腧穴正名 Wild Pigeon Willow
鳩尾 {jiu1 wei3}, turtledove's tail (xiphoid process) (Turtledove Tail); 腧穴正名 CV-15

~~ {jiu3} ~~
【九】 {jiu3} [Freq. 1] nine, ninth, ninefold.
九變刺 {jiu3 bian4 ci4}, nine needling methods
九檳吳茱湯 {jiu3 bin1 wu2 fu2 tang1}, 方名 Areca Nine Evodia and Poria Decoction
九層塔 {jiu3 ceng2 ta3}, 中藥異名 basil (Basilici Herba)
九蟲病 {jiu3 chong2 bing4}, nine worm diseases
九刺 {jiu3 ci4}, nine needling methods
九黃薑 {jiu3 huang2 jiang1}, 中藥異名 dioscorea (Dioscoreae Rhizoma)

九節茶 {jiu3 jie2 cha2}, 中藥正名 sarcandra (Sarcandrae Ramulus et Folium)
九節菖蒲 {jiu3 jie2 chang1 pu2}, 中藥正名 Altai anemone root (Anemones Altaicae Rhizoma)
九節風 {jiu3 jie2 feng1}, 中藥異名 sarcandra (Sarcandrae Ramulus et Folium)
九節蘭 {jiu3 jie2 lan2}, 中藥異名 sarcandra (Sarcandrae Ramulus et Folium)
九孔決明 {jiu3 kong3 jue2 ming2}, 中藥異名 abalone shell (Haliotidis Concha)
九孔螺 {jiu3 kong3 luo2}, 中藥異名 abalone shell (Haliotidis Concha)
九里光 {jiu3 li3 guang1}, 中藥異名 climbing groundsel (Senecionis Scandentis Herba)
九里明 {jiu3 li3 ming2}, 中藥異名 climbing groundsel (Senecionis Scandentis Herba)
九里香 {jiu3 li3 xiang1}, 中藥正名 orange jessamine (Murrayae Folium et Cacumen)
九里香根 {jiu3 li3 xiang1 gen1}, 中藥正名 orange jessamine root (Murrayae Radix)
九連燈 {jiu3 lian2 deng1}, 中藥異名 sophora fruit (Sophorae Fructus)
九六補瀉 {jiu3 liu4 bu3 xie4}, nine and six supplementation and drainage
九龍根 {jiu3 long2 gen1}, 中藥正名 bauhinia root (Bauhiniae Radix)
九龍藤 {jiu3 long2 teng2}, 中藥正名 bauhinia stem (Bauhiniae Caulis)
九龍藤葉 {jiu3 long2 teng2 ye4}, 中藥正名 bauhinia leaf (Bauhiniae Folium)
九龍吐珠 {jiu3 long2 tu3 zhu1}, 中藥正名 umbrella sedge (Cyperi Alternifolii Caulis et Folium)
九牛薯 {jiu3 niu2 shu3}, 中藥正名 corniculate cayratia (Cayratiae Corniculatae Tuber)
九氣 {jiu3 qi4}, nine qi4
九竅 {jiu3 qiao4}, nine orifices (2 eyes, 2 ears, 2 nostrils, mouth, and either 2 yin or tongue and throat)
九竅不通 {jiu3 qiao4 bu4 tong1}, stoppage of nine orifices
九竅出血 {jiu3 qiao4 chu1 xue4}, bleeding from the nine orifices
九竅四肢指歧間血出 {jiu3 qiao4 si4 zhi1 zhi3 qi2 jian1 xue4 chu1}, bleeding from nine orifices, four limbs, and from between the fingers
九痛丸 {jiu3 tong4 wan2}, 方名 Nine Pains Pill
九頭草 {jiu3 tou2 cao3}, 中藥正名 slender silene (Silenes Tenuis Radix)
九頭獅子草 {jiu3 tou2 shi1 zi3 cao3}, 中藥正名 Japanese peristrophe (Peristrophes Japonicae Herba)
九味檳榔湯 {jiu3 wei4 bing1 lang2 tang1}, 方名 Nine-Ingredient Areca Decoction
九味理中湯 {jiu3 wei4 li3 zhong1 tang1}, 方名 Nine-Ingredient Center-Rectifying Decoction
九味羌活湯 {jiu3 wei4 qiang1 huo2 tang1}, 方名 Nine-Ingredient Notopterygium Decoction
九味散 {jiu3 wei4 san3}, 方名 Nine-Ingredient Powder
九仙草 {jiu3 xian1 cao3}, 中藥正名 thesium (Thesii Herba)
九仙丹 {jiu3 xian1 dan1}, 方名 Nine Immortals Elixir
九仙散 {jiu3 xian1 san3}, 方名 Nine Immortals Powder
九香蟲 {jiu3 xiang1 chong2}, 中藥正名 stinkbug (Aspongopus)
九一丹 {jiu3 yi1 dan1}, 方名 Nine-To-One Elixir

九英菘 {jiu3 ying1 song1}, 中藥異名 turnip (Brassicae Rapae Tuber et Folium)
九臟 {jiu3 zang4}, nine viscera
九針 {jiu3 zhen1}, nine needles
九制大黃丸 {jiu3 zhi4 da4 huang2 wan2}, 方名 Ninefold Processed Rhubarb Pill
九種喉痹 {jiu3 zhong3 hou2 bi4}, nine kinds of throat impediment
九種心疼 {jiu3 zhong3 xin1 teng2}, nine kinds of heart pain
九種心痛 {jiu3 zhong3 xin1 tong4}, nine kinds of heart pain
九子連環草 {jiu3 zi3 lian2 huan2 cao3}, 中藥正名 calanthe (Calanthes Herba seu Rhizoma)
九子萍 {jiu3 zi3 ping2}, 中藥異名 duckweed (Spirodelae Herba)

【久】 {jiu3} [Freq. 2] enduring (adj.) (久病 {jiu3 bing4}, enduring disease).
久按 {jiu3 an4}, extended palpation
久病 {jiu3 bing4}, enduring illness
久病體弱 {jiu3 bing4 ti3 ruo4}, weak health due to enduring sickness
久不生育 {jiu3 bu4 sheng1 yu4}, persistent infertility
久不收口 {jiu3 bu4 shou1 kou3}, failing to close
久不受孕 {jiu3 bu4 shou4 yun4}, persistent failure to conceive
久持 {jiu3 chi2}, extended palpation (pulse-taking technique)
久持索然 {jiu3 chi2 suo3 ran2}, becoming indistinct on extended palpation (pulse)
久服 {jiu3 fu2}, taken over a long period of time
久積陰寒 {jiu3 ji1 yin1 han2}, enduring accumulated yin1 cold
久久不入睡 {jiu3 jiu3 bu4 ru4 shui4}, taking a long to get to sleep; initial insomnia
久咳 {jiu3 ke2}, enduring cough
久咳傷肺 {jiu3 ke2 shang1 fei4}, enduring cough damaging the lung
久咳失音 {jiu3 ke2 shi1 yin1}, loss of voice from enduring cough
久咳嗽 {jiu3 ke2 sou4}, enduring cough
久咳無痰 {jiu3 ke2 wu2 tan2}, enduring cough without phlegm
久老薯 {jiu3 lao3 shu3}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
久痢 {jiu3 li4}, enduring dysentery
久痢不止 {jiu3 li4 bu4 zhi3}, incessant dystentery
久利滑脫 {jiu3 li4 hua2 tuo1}, enduring diarrhea efflux desertion
久聾 {jiu3 long2}, enduring deafness
久年胃脘痛 {jiu3 nian3 wei4 wan3 tong4}, stomach duct pain persisting for years
久瘧 {jiu3 nue94}, enduring malaria
久熱傷陰 {jiu3 re4 shang1 yin1}, damage to yin1 by enduring heat
久嗽 {jiu3 sou4}, enduring cough
久嗽失音 {jiu3 sou4 shi1 yin1}, enduring cough and loss of voice
久痛入絡 {jiu3 tong4 ru4 luo4}, enduring pain entering the network vessels

久頭痛 {jiu3 tou2 tong4}, enduring headache
久泄 {jiu3 xie4}, enduring diarrhea
久瀉 {jiu3 xie4}, enduring diarrhea
久泄滑脫 {jiu3 xie4 hua2 tuo1}, enduring diarrhea efflux desertion
久喑 {jiu3 yin1}, enduring loss of voice
久瘖 {jiu3 yin1}, enduring loss of voice
久郁 {jiu3 yu4}, enduring depression; long-depressed

【灸】 {jiu3} [Freq. 2] moxibustion (also moxabustion) (n.), moxa (v.) (針灸 {zhen1 jiu3}, acupuncture and moxibustion).
灸法 {jiu3 fa3}, moxibustion; moxabustion
灸禁 {jiu3 jin4}, moxibustion contraindications

【韭】 {jiu3} [Freq. 4] Chinese chive; Chinese leek.
韭菜 {jiu3 cai4}, 中藥正名 Chinese leek (Allii Tuberosi Folium)
韭菜根 {jiu3 cai4 gen1}, 中藥正名 Chinese leek root (Allii Tuberosi Radix)
韭菜黃 {jiu3 cai4 huang2}, 中藥正名 blanched Chinese leek (Allii Odori Folium)
韭菜仁 {jiu3 cai4 ren2}, 中藥異名 Chinese leek seed (Allii Tuberosi Semen)
韭菜粥 {jiu3 cai4 zhou1}, 方名 Chinese Leek Gruel
韭菜子 {jiu3 cai4 zi3}, 中藥正名 Chinese leek seed (Allii Tuberosi Semen)
韭蔥 {jiu3 cong1}, 中藥正名 leek (Allii Porri Herba)
韭根 {jiu3 gen1}, 中藥異名 Chinese leek root (Allii Tuberosi Radix)
韭黃 {jiu3 huang2}, 中藥異名 blanched Chinese leek (Allii Odori Folium)
韭葉芸香草 {jiu3 ye4 yun2 xiang1 cao3}, 中藥正名 cymbopogon (Cymbopogonis Tortilis Herba)
韭子 {jiu3 zi3}, 中藥異名 Chinese leek seed (Allii Tuberosi Semen)

【酒】 {jiu3} [Freq. 2] liquor (n.) (酒疸 {jiu3 dan3}, liquor jaundice); wine (n.) (藥酒 {yao4 jiu3}, medicinal wine).
酒 {jiu3}, 中藥正名 liquor (Vinum seu Spiritus)
酒悖 {jiu3 bei4}, drunken stupor
酒餅葉 {jiu3 bing3 ye4}, 中藥正名 desmos leaf (Desmoris Folium)
酒餅葉根 {jiu3 bing3 ye4 gen1}, 中藥正名 desmos root (Desmoris Radix)
酒炒 {jiu3 chao3}, stir-fry with wine
酒刺 {jiu3 ci4}, liquor pimples
酒疸 {jiu3 dan3}, liquor jaundice
酒風鼻 {jiu3 feng1 bi2}, liquor wind nose
酒服 {jiu3 fu2}, take with wine

酒黃疸 {jiu3 huang2 dan3}, liquor jaundice
酒積 {jiu3 ji1}, liquor accumulation
酒積癖塊 {jiu3 ji1 pi3 kuai4}, liquor accumulation aggregation lump
酒劑 {jiu3 ji4}, wine preparation
酒精 {jiu3 jing1}, 中藥正名 alcohol (Alcohol)
酒厥 {jiu3 jue2}, liquor reversal
酒客 {jiu3 ke4}, drinker
酒磨 {jiu3 mo2}, grind with wine
酒釀 {jiu3 niang4}, 中藥正名 wine-fermented glutinous rice (Oryzae Glutinosae Semen cum Vino Fermentatum)
酒癖 {jiu3 pi3}, drinker's aggregation; liquor addiction
酒瓶婆 {jiu3 ping2 po2}, 中藥正名 uvaria [leaf or root] (Uvariae Folium seu Radix)
酒熱內蘊 {jiu3 re4 nei4 yun4}, liquor heat brewing internally
酒色過度 {jiu3 se4 guo4 du4}, excesses of drink and sex
酒色無度 {jiu3 se4 wu2 du4}, intemperant drinking and sex
酒食所傷 {jiu3 shi2 suo3 shang1}, damage by food and liquor
酒送服 {jiu3 song4 fu2}, take with wine
酒洗 {jiu3 xi3}, washing with wine
酒藥花 {jiu3 yao4 hua1}, 中藥正名 David's buddleia (Buddlejae Davidii Ramulus et Folium, seu Radicis Cortex)
酒糟 {jiu3 zao1}, 中藥正名 wine dregs (Vini Residuum)
酒渣鼻 {jiu3 zha1 bi2}, 西醫 rosacea
酒齄鼻 {jiu3 zha1 bi2}, drinker's nose (equivalent to WM rosacea)
酒脹 {jiu3 zhang4}, drinker's distention
酒蒸 {jiu3 zheng1}, steaming with wine
酒癥 {jiu3 zheng1}, drinker's concretion
酒炙 {jiu3 zhi4}, mix-fry with wine

~~ {jiu4} ~~
【臼】 {jiu4} [Freq. 3] mortar.
臼齒 {jiu4 chi3}, 西醫 premolars
臼杵 {jiu4 chu3}, pestle and mortar

【救】 {jiu4} [Freq. 2] stem (v.) (回陽救逆 {hui2 yang2 jiu4 ni4}, return yang2 and stem counterflow); rescue (v.) (清燥救肺 {qing1 zao4 jiu4 fei4}, clear dryness and rescue the lung).
救必應 {jiu4 bi4 ying4}, 中藥正名 iron holly (Ilicis Rotundae Cortex)
救荒本草 {jiu4 huang1 ben3 cao3}, 書名 Herbal Foundation for Famines

救急藥 {jiu4 ji2 yao4}, emergency medicinals
救捐安胎湯 {jiu4 juan1 an1 tai1 tang1}, 方名 Fetus-Rescuing Decoction
救厥 {jiu4 jue2}, stem reversal
救軍糧葉 {jiu4 jun1 liang2 ye4}, 中藥正名 firethorn leaf (Pyracanthae Folium)
救母丹 {jiu4 mu3 dan1}, 方名 Mother's Rescue Elixir
救逆 {jiu4 ni4}, stem counterflow
救脫 {jiu4 tuo1}, stem desertion
救脫活母湯 {jiu4 tuo1 huo2 mu3 tang1}, 方名 Desertion-Stemming Mother-Reviving Decoction
救陽 {jiu4 yang2}, rescue yang2
救陽中之陽 {jiu4 yang2 zhong1 zhi1 yang2}, rescue the yang2 in yang2
救陰中之陽 {jiu4 yin1 zhong1 zhi1 yang2}, rescue the yang2 in yin1

【舊】 {jiu4} [Freq. 4] old.
舊病 {jiu4 bing4}, old illness (long-standing or previous illness)

~~ {ju1} ~~
【居】 {ju1} [Freq. 4] live.
居處潮濕 {ju1 chu3 chao2 shi1}, living in damp places
居&&91C3.9ACE|{ju1 liao2}, 膕穴正名 GB-29 (Squatting Bone-Hole)
居住潮濕 {ju1 zhu4 chao2 shi1}, living in damp places

【拘】 {ju1} [Freq. 3] hypertonicity.
拘急 {ju1 ji2}, hypertonicity
拘攣 {ju1 luan2}, hypertonicity
拘那花 {ju1 na3 hua1}, 中藥正名 southern crape myrtle (Lagerstroemiae Subcostatae Folium seu Radix)

【疽】 {ju1} [Freq. 5] flat-abscess (n.) (癰疽 {yong1 ju1}, welling-abscesses and flat-abscesses)

【駒】 {ju1} [Freq. 4] fine horse.
駒胞衣 {ju1 bao1 yi1}, 中藥正名 horse's placenta (Equi Placenta)

~~ {ju2} ~~
【局】 {ju2} [Freq. 3] office.
局部 {ju2 bu4}, local

局部取穴 {ju2 bu4 qu3 xue2}, selection of local points
局部取穴 {ju2 bu4 qu3 xue4}, selection of local points
局部性迴腸炎 {ju2 bu4 xing4 hui2 chang2 yan2}, 西醫 regional ileitis
局部穴位 {ju2 bu4 xue2 wei4}, local point
局方發揮 {ju2 fang1 fa1 hui1}, 書名 Elaboration of Dispensary Formulas
局方犀角地黃丸 {ju2 fang1 xi1 jiao3 di4 huang2 wan2}, 方名 Imperial Grace Rhinoceros Horn and Rehmannia Pill
局方至寶丹 {ju2 fang1 zhi4 bao3 dan1}, 方名 Imperial Grace Supreme Jewel Elixir

【菊】 {ju2} [Freq. 4] crysanthemum.
菊 {ju2}, 中藥異名 chrysanthemum (Chrysanthemi Flos)
菊花菜 {ju2 hua1 cai4}, 中藥異名 garland chrysanthemum leaf (Chrysanthemi Coronarii Caulis et Folium)
菊花茶調散 {ju2 hua1 cha2 tiao2 san3}, 方名 Tea-Blended Chrysanthemum Powder
菊花甘草湯 {ju2 hua1 gan1 cao3 tang1}, 方名 Chrysanthemum and Licorice Decoction
菊花黃連 {ju2 hua1 huang2 lian2}, 中藥正名 yellow corydalis (Corydalis Pallidae Radix)
菊花苗 {ju2 hua1 miao2}, 中藥正名 chrysanthemum shoot (Chrysanthemi Caulis et Folium)
菊花葉 {ju2 hua1 ye4}, 中藥正名 chrysanthemum leaf (Chrysanthemi Folium)
菊花 {ju2 hua1, 中藥正名 chrysanthemum (Chrysanthemi Flos)
菊苣 {ju2 ju4}, 中藥正名 endive (Cichorii Herba)
菊三七 {ju2 san1 qi1}, 中藥正名 gynura root (Gynurae Radix)
菊芋 {ju2 yu4}, 中藥正名 Jerusalem artichoke (Helianthi Tuberosi Tuber)

【橘】 {ju2} [Freq. 4] tangerine.
橘 {ju2}, 中藥正名 tangerine (Citri Reticulatae Fructus)
橘白 {ju2 bai2}, 中藥正名 white tangerine peel (Citri Reticulatae Periocarpium Album)
橘半枳朮丸 {ju2 ban4 zhi3 zhu2 wan2}, 方名 Tangerine Peel, Pinellia, Unripe Bitter Orange, and White Atractylodes Pill
橘餅 {ju2 bing3}, 中藥正名 candied tangerine (Citri Reticulatae Dulcia)
橘根 {ju2 gen1}, 中藥正名 tangerine root (Citri Reticulatae Radix)
橘核 {ju2 he2}, 中藥正名 tangerine pip (Citri Reticulatae Semen)
橘核丸 {ju2 he2 wan2}, 方名 Tangerine Pip Pill
橘紅 {ju2 hong2}, 中藥正名 red tangerine peel (Citri Reticulatae Pericarpium Rubrum)
橘紅吞劑 {ju2 hong2 tun1 ji4}, 方名 Red Tangerine Peel Pill
橘紅珠 {ju2 hong2 zhu1}, 中藥正名 unripe tomentosa pommelo (Citri Tomentosa Fructus Immaturus)
橘絡 {ju2 luo4}, 中藥正名 tangerine pith (Citri Reticulatae Fructus Fasciculus Vascularis)
橘皮 {ju2 pi2}, 中藥異名 tangerine peel (Citri Reticulatae Pericarpium)

橘皮半夏湯 {ju2 pi2 ban4 xia4 tang1}, 方名 Tangerine Peel and Pinellia Decoction
橘皮煎丸 {ju2 pi2 jian1 wan2}, 方名 Tangerine Peel Decocted Pill
橘皮湯 {ju2 pi2 tang1}, 方名 Tangerine Peel Decoction
橘皮油 {ju2 pi2 you2}, 中藥正名 tangerine peel oil (Citri Reticulatae Pericarpii Oleum)
橘皮枳實生薑湯 {ju2 pi2 zhi3 shi2 sheng1 jiang1 tang1}, 方名 Tangerine Peel, Unripe Bitter Orange, and Fresh Ginger Decoction
橘皮粥 {ju2 pi2 zhou1}, 方名 Tangerine Peel Gruel
橘皮竹茹湯 {ju2 pi2 zhu2 ru2 tang1}, 方名 Tangerine Peel and Bamboo Shavings Decoction
橘香散 {ju2 xiang1 san3}, 方名 Tangerine Peel and Costusroot Powder
橘杏丸 {ju2 xing4 wan2}, 方名 Tangerine Peel and Apricot Kernel Pill
橘葉 {ju2 ye4}, 中藥正名 tangerine leaf (Citri Reticulatae Folium)
橘枳薑湯 {ju2 zhi3 jiang1 tang1}, 方名 Tangerine Peel, Unripe Bitter Orange, and Ginger Decoction

~~ {ju3} ~~
【咀】 {ju3} [Freq. 3] chew.
咀嚼 {ju3 jue2}, chew
咀嚼困難 {ju3 jue2 kun4 nan2}, difficulty in chewing

【矩】 {ju3} [Freq. 5] square (夏應中矩 {xia4 ying4 zhong4 ju3}, [in] summer [the pulse] responds like a square).
矩形葉鼠刺 {ju3 xing2 ye4 shu3 ci4}, 中藥正名 itea (Iteae Radix et Flos)

【舉】 {ju3} [Freq. 4] lift.
舉按尋 {ju3 an4 xun2}, lifting, pressing, and searching
舉按，推尋 {ju3 an4, tui1 xun2}, applying and releasing pressure, pushing and searching
舉臂 {ju3 bi4}, 腧穴正名 Arm Lift
舉肩困難 {ju3 jian1 kun4 nan2}, difficulty in raising the shoulder
舉元煎 {ju3 yuan2 jian1}, 方名 Origin-Lifting Brew
舉重 {ju3 zhong4}, lift heavy weights

【蒟】 {ju3} [Freq. 4] plant name.
蒟醬 {ju3 jiang4}, 中藥正名 betel pepper (Piperis Betle Fructus)
蒟醬葉 {ju3 jiang4 ye4}, 中藥正名 betel leaf (Piperis Betle Folium)
蒟青 {ju3 qing1}, 中藥異名 betel pepper (Piperis Betle Fructus)
蒟蒻 {ju3 ruo4}, 中藥正名 devil's tongue (Amorphophalli Tuber)
蒟葉 {ju3 ye4}, 中藥異名 betel leaf (Piperis Betle Folium)

蒟子 {ju3 zi3}, 中藥異名 betel pepper (Piperis Betle Fructus)

【櫸】 {ju3} [Freq. 4] beech; zelkova.
櫸樹皮 {ju3 shu4 pi2}, 中藥正名 zelkova bark (Zelkovae Cortex)
櫸樹葉 {ju3 shu4 ye4}, 中藥正名 zelkova leaf (Zelkovae Folium)

~~ {ju4} ~~
【巨】 {ju4} [Freq. 4] great.
巨處 {ju4 chu4}, 腧穴異名 BL-5 (Great Place)
巨刺 {ju4 ci4}, grande piqu!re (one of the nine needling methods); great needling
巨大畸形 {ju4 da4 ji1 xing2}, 西醫 gigantism
巨分 {ju4 fen1}, grand cleft (nasolabial groove)
巨骨 {ju4 gu3}, huge bone (clavicle, collar bone) (Great Bone); 腧穴正名 LI-16
巨骨下 {ju4 gu3 xia4}, 腧穴正名 Below the Great Bone
巨&&91C3.9ACE|{ju4 liao2}, 腧穴正名 ST-3 (Great Bone-Hole) (Giant Bone-Hole); 腧穴異名 TB-23
巨闕 {ju4 que4}, 腧穴正名 CV-14 (Great Tower Gate)
巨闕俞 {ju4 que4 shu1}, 腧穴正名 Great Tower Gate Point
巨勝 {ju4 sheng4}, 中藥異名 black sesame (Sesami Semen Nigrum)
巨勝子 {ju4 sheng4 zi3}, 中藥異名 black sesame (Sesami Semen Nigrum)
巨虛 {ju4 xu1}, 腧穴異名 ST-37 (Great Hollow)
巨虛上廉 {ju4 xu1 shang4 lian2}, 腧穴異名 ST-37 (Upper Ridge of Great Hollow)
巨虛下廉 {ju4 xu1 xia4 lian2}, 腧穴異名 ST-39 (Lower Ridge of Great Hollow)

【具】 {ju4} [Freq. 5] tool (工具 {gong1 ju4}, tool)

【拒】 {ju4} [Freq. 2] refuse (v.) (痛拒按 {fu4 tong4 ju4 an4}, abdominal pain that refuses pressure).
拒按 {ju4 an4}, refuse pressure (because it exacerbates discomfort)

【沮】 {ju4} [Freq. 2] marsh (n.) (偏沮 {pian1 ju4}, hemilateral sweating); sweating (n.) (偏沮 {pian1 ju4}, hemilateral sweating).
沮洳 {ju4 ru2}, low-ground damp

【苣】 {ju4} [Freq. 4] plant name.
苣&&836C.8552||菜 {ju4 mai3 cai4}, 中藥正名 sow thistle (Sonchi Brachyoti Herba)
苣&&836C.8552||菜花 {ju4 mai3 cai4 hua1}, 中藥正名 sow thistle flower (Sonchi Brachyoti

Flos)
苣勝子 {ju4 sheng4 zi3}, 中藥異名 black sesame (Sesami Semen Nigrum)

【俱】 {ju4} [Freq. 5] all; both (身目俱黃 {shen1 mu4 ju4 huang2}, yellowing of both body and eyes)

【聚】 {ju4} [Freq. 2] gather (v.), gathering (n.) (脈所聚 {zong1 mai4 suo3 ju4}, gathering place of the ancestral sinews; 積聚{ji1 ju4}, accumulations and gatherings).
聚而爲飲 {ju4 er2 wei2 yin3}, gather to form rheum
聚毛 {ju4 mao2}, tuft of hair (region just proximal to the first metatarsophalangeal articulation)
聚星障 {ju4 xing1 zhang4}, clustered stars obstruction
聚英 {ju4 ying1}, 書名 Gathered Blooms (full title {Zhen1 Jiu3 Ju4 Ying1} 針灸聚英)

【劇】 {ju4} [Freq. 3] severe.
劇烈 {ju4 lie4}, severe
劇痛 {ju4 tong4}, severe pain

【鋸】 {ju4} [Freq. 4] saw (聲如拽鋸 {sheng1 ru2 zhuai4 ju4}, sound like the rasping of a saw).
鋸葉竹節樹 {ju4 ye4 zhu2 jie2 shu4}, 中藥正名 carallia (Caralliae Frutex)

【秬】 {ju4} [Freq. 4] plant name.
秬豆 {ju4 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)

~~ {juan1} ~~
【蠲】 {juan1} [Freq. 3] alleviate; eliminate.
蠲痹四物湯 {juan1 bi4 si4 wu4 tang1}, 方名 Impediment-Alleviating Four Agents Decoction
蠲痺湯 {juan1 bi4 tang1}, 方名 Impediment-Alleviating Decoction
蠲飲 {juan1 yin3}, eliminate rheum

~~ {juan3} ~~
【卷】 {juan3} [Freq. 4] curled.
卷柏 {juan3 bai3}, 中藥正名 selaginella (Selaginellae Herba) (Selaginellae Herba); 中藥異名 selaginella
卷蘗 {juan3 bo4}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)
卷舌癰 {juan3 she2 yong1}, tongue-curling welling-abscess
卷絲苦苣苔 {juan3 si1 ku3 ju4 tai2}, 中藥正名 King's corallodiscus (Corallodisci Kingini

Herba)
卷心萵苣 {juan3 xin1 wo1 ju4}, 中藥正名 head lettuce (Lactucae Capitatae Caulis et Folium)

【捲】 {juan3} [Freq. 4] curl (v.); roll (v.).
捲柏 {juan3 bai3}, 中藥異名 selaginella (Selaginellae Herba)
捲絲苦苣苔 {juan3 si1 ku3 ju4 tai1}, 中藥異名 King's corallodiscus (Corallodisci Kingini Herba)
捲心菜 {juan3 xin1 cai4}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)

~~ {juan4} ~~
【倦】 {juan4} [Freq. 2] fatigue (n.); lassitude (n.) (神倦 {shen2 juan4}, lassitude of spirit).
倦怠 {juan4 dai4}, fatigue
倦怠乏力
倦言 {juan4 yan2}, tiredness to speak; no energy to speak

【絹】 {juan4} [Freq. 4] thin tough silk fabric.
絹毛苣 {juan4 mao2 ju4}, 中藥正名 soroseris (Soroseris Herba)

~~ {jue2} ~~
【决】 {jue2} [Freq. 4] decisive.
決瀆 {jue2 du2}, keep the sluices clear
決明子 {jue2 ming2 zi3}, 中藥正名 fetid cassia (Cassiae Semen)
決明子散 {jue2 ming2 zi3 san3}, 方名 Fetid Cassia Powder
決明子湯 {jue2 ming2 zi3 tang1}, 方名 Fetid Cassia Decoction
決明丸 {jue2 ming2 zi3 wan2}, 方名 Fetid Cassia Pill
決明子粥 {jue2 ming2 zi3 zhou1}, 方名 Fetid Cassia Gruel

【角】 {jue2} [Freq. 5] jue2} (note of heart-fire. See also 角 {jiao3})

【掘】 {jue2} [Freq. 4] dig.
掘進（一） {jue2 jin4 (1)}, 腧穴正名 Dig Forward \#1
掘進（二） {jue2 jin4 (2)}, 腧穴正名 Dig Forward \#2
掘進（三） {jue2 jin4 (3)}, 腧穴正名 Dig Forward \#3
掘進（四） {jue2 jin4 (4)}, 腧穴正名 Dig Forward \#4

【厥】 {jue2} [Freq. 2] reversal (n.) (熱厥 {re4 jue2}, heat reversal); reverting (adj.) (足厥陰肝經

{zu2 jue2 yin1 gan1 jing1}, foot reverting yin1 liver channel).
厥骨 {jue2 gu3}, 腧穴異名 GV-1 (Jue2 Bone)
厥厥 {jue2 jue2}, bobbing
厥冷 {jue2 leng3}, reversal cold
厥聾 {jue2 long2}, reversal deafness
厥逆 {jue2 ni4}, reverse flow
厥逆頭痛 {jue2 ni4 tou2 tong4}, reverse-flow headache
厥逆無脈 {jue2 ni4 wu2 mai4}, reverse flow with no pulse
厥氣 {jue2 qi4}, reverse qi4
厥熱 {jue2 re4}, reversalheat
厥熱勝復 {jue2 re4 sheng4 fu4}, overcoming and retaliation of reversal and heat
厥疝 {jue2 shan4}, reversal mounting
厥俞 {jue2 shu1}, 腧穴異名 BL-14 (Reverting Transport)
厥頭痛 {jue2 tou2 tong4}, reversal headache
厥脫 {jue2 tuo1}, reversal desertion
厥心痛 {jue2 xin1 tong4}, reversal heart pain
厥陽 {jue2 yang2}, 腧穴異名 BL-58 (Reverting Yang2)
厥楊 {jue2 yang2}, 腧穴異名 BL-58 (Reverting Poplar)
厥陰 {jue2 yin1}, reverting yin1
厥陰病 {jue2 yin1 bing4}, reverting yin1 disease
厥陰病證 {jue2 yin1 bing4 zheng4}, reverting yin1 disease pattern
厥陰多血少氣 {jue2 yin1 duo1 xue4 shao3 qi4}, reverting yin1 has copious blood and scant qi4
厥陰肝火 {jue2 yin1 gan1 huo3}, reverting yin1 liver fire
厥陰寒厥 {jue2 yin1 han2 jue2}, reverting yin1 cold reversal
厥陰寒厥證 {jue2 yin1 han2 jue2 zheng4}, reverting yin1 cold reversal pattern
厥陰化風 {jue2 yin1 hua4 feng1}, reverting yin1 transforming into wind
厥陰蛔厥 {jue2 yin1 hui2 jue2}, reverting yin1 roundworm reversal
厥陰蛔厥證 {jue2 yin1 hui2 jue2 zheng4}, reverting yin1 roundworm reversal pattern
厥陰熱厥 {jue2 yin1 re4 jue2}, reverting yin1 heat reversal
厥陰熱厥證 {jue2 yin1 re4 jue2 zheng4}, reverting yin1 heat reversal pattern
厥陰俞 {jue2 yin1 shu1}, 腧穴正名 BL-14 (Reverting Yin1 Transport)
厥陰頭痛 {jue2 yin1 tou2 tong4}, reverting yin1 headache
厥陰爲合 {jue2 yin1 wei2 he2}, reverting yin1 is the closing
厥證 {jue2 zheng4}, reversal pattern

【絕】 {jue2} [Freq. 2] expire (v.), expiry (n.) (絕汗 {jue2 han4}, expiry sweating; 上厥下竭 {shang4 jue2 xia4 jie2}, upper body reversal and lower body expiry).
絕骨 {jue2 gu3}, severed bone (region just superior to the lateral malleolus of the fibula)

(Severed Bone); 腧穴正名 GB-39 (Severed Bone); 腧穴異名 GB-38
絕汗 {jue2 han4}, expiry sweating
絕汗如油 {jue2 han4 ru2 you2}, oily expiration sweating
絕經前后諸證 {jue2 jing1 qian2 hou4 zhu1 zheng4}, menopausal syndrome
絕陽 {jue2 yang2}, expiration of yang2; cut-off yang2 (Yang2 Extremity); 腧穴異名 LI-1
絕孕 {jue2 yun4}, 腧穴正名 Infertility (Infertility); 腧穴異名 CV-5
絕子 {jue2 zi3}, childlessness (infertility)

【蕨】 {jue2} [Freq. 4] fern.
蕨 {jue2}, 中藥正名 bracken (Pteridii Aquilini Folium)
蕨菜 {jue2 cai4}, 中藥正名 edible fern (Anisogonii Folium Immaturus)
蕨麻 {jue2 ma2}, 中藥正名 silverweed (Potentillae Anserinae Tuber)

【爵】 {jue2} [Freq. 4] the rank of nobility.
爵床 {jue2 chuang2}, 中藥正名 rostellularia (Rostellulariae Herba)

【蹶】 {jue2} [Freq. 4] stumble; hobble.
蹶心 {jue2 xin1}, 腧穴異名 KI-1 (Stumbling Heart)

【嚼】 {jue2} [Freq. 3] chew (also pronounced {jiao3}. 咀嚼困難 {ju3 jue2 kun4 nan2}, difficulty in chewing)

【橛】 {jue2} [Freq. 4] peg.
橛骨 {jue2 gu3}, peg bone (sacrum and coccyx) (Peg Bone); 腧穴異名 GV-1
橛肋 {jue2 lei4}, peg ribs (free rib region)

~~ {jun1} ~~
【君】 {jun1} [Freq. 2] sovereign (n.) (君火 {jun1 huo3}, sovereign fire).
君臣佐使 {jun1 chen2 zuo3 shi3}, sovereign, minister, assistant, and envoy; medicinal roles
君火 {jun1 huo3}, sovereign fire
君遷子 {jun1 qian1 zi3}, 中藥正名 wild persimmon fruit (Diospyroris Loti Fructus)
君相火旺 {jun1 xiang1 huo3 wang4}, effulgent sovereign and ministerial fire
君主之官 {jun1 zhu3 zhi1 guan1}, office of monarch (the heart)
君子 {jun1 zi3}, noble (Quisqualis Fructus); 中藥異名 quisqualis

【均】 {jun1} [Freq. 4] equal

【軍】 {jun1} [Freq. 5] military (將軍 {jiang4 jun1}, (military) general); troops (行軍散 {xing2 jun1 san3}, Troop-Marching Powder)

【菌】 {jun1} [Freq. 2] bacterium (n.); bacillus (n.).
菌痢草藥方 {jun1 li4 cao3 yao4 fang1}, 方名 Bacillary Dysentery Herbal Formula

【菅】 {jun1} [Freq. 4] spinach beet.
菅蓬菜 {jun1 da2 cai4}, 中藥正名 spinach beet (Betae Ciclae Caulis et Folium)
菅蓬子 {jun1 da2 zi3}, 中藥正名 spinach beet seed (Betae Ciclae Semen)

【皲】 {jun1} [Freq. 4] crack.
皲裂 {jun1 lie4}, cracking
皲裂瘡 {jun1 lie4 chuang1}, chapping sore

~~ {jun4} ~~
【峻】 {jun4} [Freq. 2] drastic (adj.) (峻補 {jun4 bu3}, drastic supplementation).
峻 {jun4}, 中藥異名 rhubarb (Rhei Radix et Rhizoma)
峻補 {jun4 bu3}, drastic supplementation
峻補法 {jun4 bu3 fa3}, drastic supplementation
峻下 {jun4 xia4}, drastic precipitation
峻下逐水藥 {jun4 xia4 zhu2 shui3 yao4}, drastic precipitant water-expelling medicinal

【菌】 {jun4} [Freq. 2] mushroom (n.) (耳菌 {er3 jun4}, ear mushroom)

【&&4403||】{jun4} [Freq. 4] bulk flesh (脫肉破&&4403|{tuo1 rou4 po4 jun4}, shedding of flesh and loss of bulk)

== K ==

~~ {ka1} ~~
【喀】 {ka1} [Freq. 3] hack.
喀出 {ka1 chu1}, expectorate
喀血 {ka1 xue4}, hacking of blood

~~ {ka3} ~~

【卡】 {ka3} [Freq. 4] used in transcriptions.

卡密 {ka3 mi4}, 中藥正名 Siberian nitraria (Nitrariae Fructus)

卡他 {ka3 ta1}, 西醫 catarrh

【咯】 {ka3} [Freq. 2] expectorate (v.), expectoration (n.) (痰稠不易咯出 {tan2 chou2 bu2 yi4 luo4 chu1}, thick phlegm that is difficult to expectorate).

咯痰 {ka3 tan2}, expectoration of phlegm

咯痰不爽 {ka3 tan2 bu4 shuang3}, ungratifying expectoration of phlegm

咯血 {ka3 xue4}, 西醫 hemoptysis; expectoration of blood

~~ {kai1} ~~

【開】 {kai1} [Freq. 2] open (v.), (adj.), opening (n.) (開竅 {kai1 qiao4}, open the orifices; 涼開 {liang2 kai1}, cool opening).

開，合，樞 {kai1, he2, shu1}, opening, closing, and pivot

開閉 {kai1 bi4}, open block

開腠 {kai1 cou4}, open the interstices

開達膜原 {kai1 da2 mo2 yuan2}, open the membrane source

開大肌 {kai1 da4 ji1}, 西醫 dilator

開發腠里 {kai1 fa1 cou4 li3}, open the interstices

開骨散 {kai1 gu1 san3}, 方名 Bone-Opening Powder

開關散 {kai1 guan1 san3}, 方名 Gate-Opening Powder

開鬼門 {kai1 gui3 men2}, open the ghost gates (to cause sweating)

開闔補瀉 {kai1 he2 bu3 xie4}, open and closed supplementation and drainage

開角型青光眼 {kai1 jiao3 xing2 qing1 guang1 yan3}, 西醫 open-angle glaucoma

開金鎖 {kai1 jin1 suo3}, 中藥異名 wild buckwheat root (Fagopyri Cymosi Rhizoma et Radix)

開噤散 {kai1 jin4 san3}, 方名 Food Denial Powder

開噤通關 {kai1 jin4 tong1 guan1}, open the jaws

開盲明目 {kai1 mang2 ming2 mu4}, eliminate blindness and brighten the eyes

開痞 {kai1 pi3}, relieve glomus

開竅 {kai1 qiao4}, open the orifices; orifice opening

開竅法 {kai1 qiao4 fa3}, orifice-opening method

開竅解毒 {kai1 qiao4 jie3 du2}, open the orifices and resolve toxin

開竅通神 {kai1 qiao4 tong1 shen2}, open the orifices and free the spirit

開竅藥 {kai1 qiao4 yao4}, orifice-opening medicinal

開水 {kai1 shui3}, boiled water

開提 {kai1 ti2}, opening and raising

開胃 {kai1 wei4}, open the stomach; increase the appetite
開胃進食 {kai1 wei4 jin4 shi2}, open the stomach and increase food intake
開胃醒脾 {kai1 wei4 xing3 pi2}, open the stomach and aroused the spleen
開泄 {kai1 xie4}, opening and discharging
開心湯 {kai1 xin1 tang1}, 方名 Heart-Opening Decoction
開心外科手術 {kai1 xin1 wai4 ke1 shou3 shu4}, 西醫 open heart surgery
開宣肺氣 {kai1 xuan1 fei4 qi4}, diffuse lung qi4
開音 {kai1 yin1}, restore the voice
開郁 {kai1 yu4}, open depression
開郁二陳湯
開郁溫中 {kai1 yu4 wen1 zhong1}, open depression and warm the center
開郁種玉湯 {kai1 yu4 zhong4 yu4 tang1}, 方名 Depression-Opening Jade-Planting Decoction

~~ {kan3} ~~
【坎】 {kan3} [Freq. 4] ridge.
坎版 {kan3 ban3}, 中藥異名 tortoise plastron (Testudinis Plastrum)
坎離砂 {kan3 li2 sha1}, 方名 Fire and Water Hexagram Granules
坎離丸 {kan3 li2 wan2}, 方名 Fire and Water Hexagram Pill
坎氣 {kan3 qi4}, 中藥異名 human umbilical cord (Hominis Chorda Umbilicalis)

【&&9851||】 {kan3} [Freq. 4] cheek

~~ {kan4} ~~
【看】 {kan4} [Freq. 4] see.
看燈花 {kan4 deng1 hua1}, 中藥異名 coltsfoot (Farfarae Flos)

~~ {kang1} ~~
【康】 {kang1} [Freq. 4] healthy.
康福力 {kang1 fu2 li4}, 中藥異名 comfrey (Symphyti Herba)
康復 {kang1 fu4}, recovery
康復力 {kang1 fu4 li4}, 中藥正名 comfrey (Symphyti Herba)

【糠】 {kang1} [Freq. 4] bran (釘耙 iron toothed rake); bran.
糠油 {kang1 you2}, 中藥正名 rice husk oil (Oryzae Testae Oleum)

~~ {kang4} ~~

【亢】 {kang4} [Freq. 2] hyperactive (adj.), hyperactivity (n.) (肝陽上亢 {gan1 yang2 shang4 kang4}, ascendant hyperactivity of liver yang2).

亢盛 {kang4 sheng4}, exuberance

【抗】 {kang4} [Freq. 4] fight.

抗白喉合劑 {kang4 bai2 hou2 he2 ji4}, 方名 Diphtheria Mixture

抗菌作用 {kang4 jun1 zuo4 yong4}, 西醫 antibacterial effect

抗癆藥 {kang4 lao2 yao4}, medicinals that fight consumption

抗真菌 {kang4 zhen1 jun1}, 西醫 antimycotic

~~ {kao1} ~~

【尻】 {kao1} [Freq. 3] sacrum and coccyx.

尻骨 {kao1 gu3}, sacrum and coccyx

尻臀 {kao1 tun2}, buttock

~~ {kao4} ~~

【靠】 {kao4} [Freq. 4] lean on; close to.

靠山紅 {kao4 shan1 hong2}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)

【&&4BCF||】 {kao4} [Freq. 4] collar bone.

&&4BCF||骨 {kao4 gu3}, collar bone

~~ {ke1} ~~

【柯】 {ke1} [Freq. 4] chebule.

柯蒲木 {ke1 pu2 mu4}, 中藥正名 kopsia (Kopsiae Fructus)

柯樹皮 {ke1 shu4 pi2}, 中藥正名 smooth lithocarpus (Lithocarpi Glabri Cortex)

柯子 {ke1 zi3}, 中藥異名 chebule (Chebulae Fructus)

【科】 {ke1} [Freq. 5] branch of medicine.

科蔥 {ke1 cong1}, 中藥異名 shallot (Allii Ascalonici Bulbus)

【苛】 {ke1} [Freq. 5] severe (大風苛毒 {da4 feng1 ke1 du2}, great wind and severe toxin)

【蚵】 {ke1} [Freq. 4] oyster (蚵仔 {ke1 zai3}, oyster).
蚵仔白菜 {ke1 zai3 bai2 cai4}, 中藥正名 curled pakchoi (Brassicae Chinensis Crispifolii Herba)

【稞】 {ke1} [Freq. 4] highland barley 33.
稞麥 {ke1 mai4}, 中藥異名 naked oat (Avenae Nudae Semen)

【窠】 {ke1} [Freq. 5] nest (目窠 {mu4 ke1}, eye nest (flesh surrounding the eyes; eyelids)).
蝌蚪 {ke1 dou3}, 中藥正名 frog tadpole (Ranae Larva)

【顆】 {ke1} [Freq. 4] grain.
顆粒型皮內針 {ke1 li4 xing2 pi2 nei4 zhen1}, grain-shaped intradermal needle

【髁】 {ke1} [Freq. 4] hip.
髁骨 {ke1 gu3}, hip bone (ilium)

【榼】 {ke1} [Freq. 4] ancient wine vessel.
榼藤 {ke1 teng2}, 中藥正名 snuffbox bean stem (Entadae Caulis)
榼藤子 {ke1 teng2 zi3}, 中藥正名 snuffbox bean (Entadae Semen)

【頦】 {ke1} [Freq. 3] chin.
頦&&91C3.9ACE|{ke1 liao2}, 腧穴異名 Chin Bone-Hole

【&&754B‖】 {ke1} [Freq. 4] disease (also pronounced {e1})

~~ {ke2} ~~
【咳】 {ke2} [Freq. 2] cough (v.), (n.) (sound without matter. 干咳 {gan1 ke2}, dry cough); non-productive cough (n.).
咳喘 {ke2 chuan3}, cough and panting
咳逆 {ke2 ni4}, cough and counterflow
咳逆上氣 {ke2 ni4 shang4 qi4}, cough and counterflow qi4 ascent; counterflow qi4 ascent cough
咳逆倚息 {ke2 ni4 yi3 xi1}, cough and counterflow with propped breathing
咳氣上逆 {ke2 qi4 shang4 ni4}, cough and counterflow qi4 ascent
咳嗆 {ke2 qiang4}, dry cough
咳聲低弱 {ke2 sheng1 di1 ruo4}, weak low coughing sound
咳聲重濁 {ke2 sheng1 zhong4 zhuo2}, heavy turbid voice
咳嗽連聲不已 {ke2 shou4 lian2 sheng1 bu4 yi3}, bouts of continuous coughing

咳嗽 {ke2 sou4}, 西醫 cough; cough
咳嗽喘逆 {ke2 sou4 chuan3 ni4}, cough and panting counterflow
咳嗽多痰 {ke2 sou4 duo1 tan2}, cough with copious phlegm
咳嗽兼喘 {ke2 sou4 jian1 chuan3}, cough with panting
咳嗽籧重 {ke2 sou4 jiao4 zhong4}, pronounced cough
咳嗽氣喘 {ke2 sou4 qi4 chuan3}, panting and cough
咳嗽痰中帶血 {ke2 sou4 tan2 zhong1 dai4 xue4}, cough with blood in the phlegm
咳嗽胸悶 {ke2 sou4 xiong1 men4}, cough and oppression in the chest
咳嗽血 {ke2 sou4 xue4}, coughing of blood
咳嗽咽干 {ke2 sou4 yan1 gan1}, cough and dry throat
咳嗽陣作 {ke2 sou4 zhen4 zuo4}, paroxysmal cough
咳痰 {ke2 tan2}, coughing of phlegm; cough with phlegm
咳痰不爽 {ke2 tan2 bu4 shuang3}, ungratifying coughing of phlegm
咳痰帶血 {ke2 tan2 dai4 xue4}, cough with blood-flecked phlegm
咳痰黃稠 {ke2 tan2 huang2 chou2}, cough with thick yellow phlegm
咳痰清稀 {ke2 tan2 qing1 xi1}, coughing of clear phlegm
咳嚏 {ke2 ti4}, cough and sneezing
咳吐 {ke2 tu3}, coughing and spitting
咳唾引痛 {ke2 tuo4 yin3 tong4}, cough and spitting that induces pain
咳血 {ke2 xue4}, coughing of blood
咳血方 {ke2 xue4 fang1}, 方名 Blood Cough Formula

【殼】 {ke2} [Freq. 5] shell (see also 殼 {qiao4}).
殼蔻 {ke2 kou4}, 中藥異名 cardamom (Amomi Fructus Rotundus)
殼蓮子 {ke2 lian2 zi3}, 中藥異名 lotus fruit (Nelumbinis Fructus) (Nelumbinis Fructus); 中藥異名 lotus fruit
殼木鱉 {ke2 mu4 bie1}, 中藥異名 momordica (Momordicae Semen)

~~ {ke3} ~~
【渴】 {ke3} [Freq. 3] thirst.
渴不多飲 {ke3 bu4 duo1 yin3}, thirst without large fluid intake
渴不欲飲 {ke3 bu4 yu4 yin3}, thirst with no desire to drink
渴多飲 {ke3 duo1 yin3}, thirst with increased fluid intake
渴喜涼飲 {ke3 xi3 liang2 yin3}, thirst with a liking for cool drinks
渴喜熱飲 {ke3 xi3 re4 yin3}, thirst with a liking for hot drinks
渴飲 {ke3 yin3}, thirst with intake of fluid
渴欲飲水 {ke3 yu4 yin3 shui3}, thirst with desire to drink water

~~ {ke4} ~~

【克】 {ke4} [Freq. 2] restrain (v.) (木克土 {mu4 ke4 tu3}, wood restrains earth).

克雷白桿菌肺炎 {ke4 lei2 bai2 gan3 jun4 fei4 yan2}, 西醫 klebsiella pneumonia

克羅恩氏病 {ke4 luo2 en1 shi4 zing4}, 西醫 Crohn's disease

【客】 {ke4} [Freq. 3] intrude (v.), intrusion (n.) (客者除之 {ke4 zhe3 chu2 zhi1}, what intrudes is eliminated); visit (v.), visiting (adj.) (小兒客忤 {xiao3 er2 ke4 wu3}, child visiting hostility; 客色{ke4 se4}, {visiting} complexion); settle (v.) (of evils in the body. 風溫客表 {feng1 wen1 ke4 biao3}, wind-warmth settling in the exterior); guest (n.) (客主 {ke4 zhu3}, Guest-Host).

客氣 {ke4 qi4}, guest qi4

客色 {ke4 se4}, visiting complexion

客王 {ke4 wang2}, 膽穴異名 GB-3 (Guest King)

客忤 {ke4 wu3}, visiting hostility

客邪 {ke4 xie2}, visiting evil

客運 {ke4 yun4}, visitor movement (or period)

客者除之 {ke4 zhe3 chu2 zhi1}, what intrudes is eliminated

客主 {ke4 zhu3}, 膽穴異名 GB-3 (Guest-Host)

客主加臨 {ke4 zhu3 jia1 lin2},

客主人 {ke4 zhu3 ren2}, 膽穴異名 GB-3 (Guest-Host-Person)

~~ {ken3} ~~

【掯】 {ken3} [Freq. 4] oppress.

掯苔 {ken3 tai1}, generalized slimy tongue fur

~~ {kong1} ~~

【空】 {kong1} [Freq. 3] empty.

空腸 {kong1 chang2}, 西醫 jejunum (Scutellariae Radix); 中藥異名 scutellaria

空腹服 {kong1 fu4 fu2}, take on an empty stomach

空涵竹 {kong1 han2 zhu2}, 中藥異名 pachilan bamboo (Bambusae Pachinensis Surculus)

空殼 {kong1 ke2}, 中藥異名 forsythia (Forsythiae Fructus)

空竅 {kong1 qiao4}, orifice

空青 {kong1 qing1}, 中藥正名 hollow azurite (Azuritum Vacuum)

空筒菜 {kong1 tong3 cai4}, 中藥異名 water spinach (Ipomoeae Aquaticae Caulis et Folium)

空痛 {kong1 tong4}, empty pain

空心菜 {kong1 xin1 cai4}, 中藥異名 water spinach (Ipomoeae Aquaticae Caulis et Folium)
空心服 {kong1 xin1 fu2}, take on an empty stomach
空心花 {kong1 xin1 hua1}, 中藥正名 pearly maesa (Maesae Perlarii Frutex)
空心柳 {kong1 xin1 liu3}, 中藥正名 willow-leaved meadowsweet (Spiraeae Salicifoliae Herba et Radix)
空心莧 {kong1 xin1 xian4}, 中藥正名 alligator alternanthera (Alternantherae Philoxeroidis Radix seu Caulis et Folium)

~~ {kong3} ~~
【孔】 {kong3} [Freq. 4] hole.
孔雀尾 {kong3 que4 wei3}, 中藥正名 Sarel's spleenwort (Asplenii Sarelii Herba et Radix) (Sphenomeris Herba seu Rhizoma); 中藥異名 sphenomeris
孔聖枕中丹 {kong3 sheng4 zhen3 zhong1 dan1}, 方名 Sagacious Confucius' Pillow Elixir
孔子大聖知枕中方 {kong3 zi3 da4 sheng4 zhi1 zhen3 zhong1 fang1}, 方名 Confucius' Sagacious Wisdom Pillow Formula
孔子枕中散 {kong3 zi3 zhen3 zhong1 san3}, 方名 Confucius' Pillow Powder
孔最 {kong3 zui4}, 腧穴正名 LU-6 (Collection Hole)

【恐】 {kong3} [Freq. 2] fear (n.) (mind associated with kidney; also one of the seven affects. 腎主恐{shen4 zhu3 kong4}, the kidney governs {fear}).
恐水 {kong3 shui3}, fear of water
恐則氣下 {kong3 ze2 qi4 xia4}, fear causes qi4 to precipitate

~~ {kong4} ~~
【控】 {kong4} [Freq. 4] control.
控腦痧 {kong4 nao3 sha1}, brain-gripping sand
控涎丹 {kong4 xian2 dan1}, 方名 Drool-Controlling Elixir

~~ {kou1} ~~
【芤】 {kou1} [Freq. 2] scallion-stalk (n.) (芤脈{kou1 mai4}, scallion-stalk pulse).
芤 {kou1}, 中藥異名 scallion (Allii Fistulosi Herba)
芤脈 {kou1 mai4}, scallion-stalk pulse

~~ {kou3} ~~

【口】 {kou3} [Freq. 2] mouth (n.) (口干 {kou3 gan1}, dry mouth; 口腐 {kou3 fu3}, oral putrefaction); oral (adj.) (口干 {kou3 gan1}, dry mouth; 口腐 {kou3 fu3}, oral putrefaction).

口鼻干燥 {kou3 bi2 gan1 zao4}, dry nose and mouth

口鼻氣熱 {kou3 bi2 qi4 re4}, hot breath from the nose and mouth

口鼻氣微 {kou3 bi2 qi4 wei1}, faint nose and mouth breath

口不渴 {kou3 bu4 ke3}, absence of thirst

口不仁 {kou3 bu4 ren2}, insensitivity of the mouth; numbness of the mouth

口不知味 {kou3 bu4 zhi1 wei4}, inability to taste food

口吃 {kou3 chi1}, stuttering

口齒病 {kou3 chi3 bing4}, disease of mouth and teeth

口齒科 {kou3 chi3 ke1}, tooth and mouth diseases department (branch of medicine)

口臭 {kou3 chou4}, 西醫 bad breath; bad breath; halitosis

口唇顫動 {kou3 chuan2 chan4 dong4}, tremor of the lips

口唇淡白 {kou3 chuan2 dan4 bai2}, pale lips

口唇紅腫 {kou3 chuan2 hong2 zhong3}, red swollen lips

口瘡 {kou3 chuang1}, mouth sore

口瘡糜爛 {kou3 chuang1 mi2 lan4}, eroding mouth sore

口唇淡白 {kou3 chun2 dan4 bai2}, pale lips

口唇干焦 {kou3 chun2 gan1 jiao1}, parched lips

口唇焦裂 {kou3 chun2 jiao1 lie4}, cracked parched lips

口唇緊縮 {kou3 chun2 jin3 suo1}, tightly contracted lips

口唇青紫 {kou3 chun2 qing1 zi3}, green-blue or purple lips

口唇濕爛 {kou3 chun2 shi1 lan4

口唇腫硬

口大渴 {kou3 da4 ke3}, great thirst

口淡 {kou3 dan4}, bland taste in the mouth

口淡無味 {kou3 dan4 wu2 wei4}, bland taste in the mouth

口防風 {kou3 fang2 feng1}, 中藥正名 Zhangjiakou ledebouriella (Saphoshnikoviae Radix *Zhangjiakouensis)

口服液 {kou3 fu2 ye4}, oral liquid

口腐 {kou3 fu3}, oral putrefaction

口干 {kou3 gan1}, dry mouth

口疳 {kou3 gan1}, gan1 of the mouth; oral gan1

口疳風 {kou3 gan1 feng1}, wind gan1 of the mouth

口干少飲 {kou3 gan1 shao3 yin3}, dry mouth with small fluid intake

口干舌紅 {kou3 gan1 she2 hong2}, dry mouth and red tongue

口干作渴 {kou3 gan1 zuo4 ke3}, dry mouth and thirst

口緩涎出 {kou3 huan3 xian2 chu1}, limp drooling mouth

口頰潰爛 {kou3 jia2 kui4 lan4}, ulceration of the inside of the cheek
口角 {kou3 jiao3}, corner of the mouth
口角不閉 {kou3 jiao3 bu4 bi4}, gaping corners of the mouth
口角瘡 {kou3 jiao3 chuang1}, sore of the corner of the mouth
口角流涎 {kou3 jiao3 liu2 xian2}, drooling from the corners of the mouth
口角歪斜 {kou3 jiao3 wai1 xie2}, deviated mouth
口角一側流涎 {kou3 jiao3 yi1 ce4 liu2 xian2}, drooling from one corner of the mouth
口緊 {kou3 jin3}, tight mouth
口噤 {kou3 jin4}, clenched jaw
口噤不開 {kou3 jin4 bu4 kai1}, clenched jaw
口噤不語 {kou3 jin4 bu4 yu3}, clenched jaw preventing speech
口噤如鎖 {kou3 jin4 ru2 suo3}, jaw clenched tight as a lock
口開目合 {kou3 kai1 mu4 he2}, open mouth and closed eyes; open mouth and closed eyes
口渴 {kou3 ke3}, thirst
口渴不多飲 {kou3 ke3 bu4 duo1 yin3}, thirst without large fluid intake
口渴不欲飲 {kou3 ke3 bu4 yu4 yin3}, thirst with no desire for fluids
口渴煩熱 {kou3 ke3 fan2 re4}, thirst and vexation heat
口渴舌燥 {kou3 ke3 she2 zao4}, thirst with dry tongue
口渴喜冷 {kou3 ke3 xi3 leng3}, thirst with liking for cold things
口渴喜涼飲 {kou3 ke3 xi3 liang2 yin3}, thirst with liking for cool drinks
口渴喜飲 {kou3 ke3 xi3 yin3}, thirst with liking for fluids
口渴引飲 {kou3 ke3 yin3 yin3}, thirst with taking of fluids
口渴有汗 {kou3 ke3 you3 han4}, thirst and sweating
口苦 {kou3 ku3}, bitter taste in the mouth; bitterness of mouth
口苦黏膩 {kou3 ku3 nian2 ni4}, bitter taste and sticky slimy sensation in the mouth; bitterness and sliminess in the mouth
口苦咽干 {kou3 ku3 yan1 gan1}, bitter mouth and dry pharynx
口喎 {kou3 kuai1}, deviated mouth
口喎目合 {kou3 kuai1 mu4 he2}, deviated mouth and closed eyes
口輪匝肌 {kou3 lun2 za1 ji1}, 西醫 orbicular muscle of the mouth
口痲 {kou3 ma2}, numbness in the mouth
口糜 {kou3 mi2}, oral putrescence
口膩 {kou3 ni4}, sliminess in the mouth; slimy sensation in the mouth
口黏膩 {kou3 nian2 ni4}, slimy slimy sensation in the mouth
口僻 {kou3 pi4}, deviated mouth
口破 {kou3 po4}, mouth sores
口氣 {kou3 qi4}, smell of the breath
口氣臭穢 {kou3 qi4 chou4 hui4}, foul breath

口氣穢惡 {kou3 qi4 hui4 e4}, foul breath
口氣酸臭 {kou3 qi4 suan1 chou4}, putrid sour breath
口腔 {kou3 qiang1}, 西醫 oral cavity
口腔扁平苔癬 {kou3 qiang1 bian3 ping2 tai1 xuan3}, 西醫 oral lichen planus
口腔潰瘍 {kou3 qiang1 kui4 yang2}, 西醫 mouth ulcers
口腔炎 {kou3 qiang1 yan2}, 西醫 stomatitis
口熱 {kou3 re4}, heat in the mouth
口舌干燥 {kou3 she2 gan1 zao4}, dry mouth and tongue
口舌糜爛 {kou3 she2 mi2 lan4}, ulceration of the mouth
口舌生瘡 {kou3 she2 sheng1 chuang1}, mouth and tongue sores
口舌碎裂 {kou3 she2 sui4 lie4}, cracking of the mouth and tongue
口舌痰包 {kou3 she2 tan2 bao1}, plegm pouch of the mouth and tongue
口酸 {kou3 suan1}, sour taste in the mouth; sourness of mouth
口甜 {kou3 tian2}, sweet taste in the mouth; sweetness of mouth; sweet taste in the mouth
口吐白沫 {kou3 tu3 bai2 mo4}, foaming at the mouth
口吐痰沫 {kou3 tu3 tan2 mo4}, phlegm foaming at the mouth
口吐涎 {kou3 tu3 xian2}, drooling from the mouth
口吐涎沫 {kou3 tu3 xian2 mo4}, drool foaming at the mouth
口喎 {kou3 wai1}, deviated mouth
口味 {kou3 wei4}, taste in the mouth; taste
口吻瘡 {kou3 wen3 chuang1}, sore at the corner of the mouth
口咸 {kou3 xian2}, salty taste in the mouth; saltiness of mouth
口丫瘡 {kou3 ya1 chuang1}, sore at the corner of the mouth
口咽 {kou3 yan1}, 西醫 oropharynx
口眼僻斜 {kou3 yan3 pi4 xie2}, deviated eyes and mouth
口眼偏斜 {kou3 yan3 pian1 xie2}, deviated eyes and mouth
口眼歪斜 {kou3 yan3 wai1 xie2}, deviated eyes and mouth
口眼喎斜 {kou3 yan3 wai1 xie2}, deviated eyes and mouth
口眼相牽 {kou3 yan3 xiang1 qian1}, drawing together of eye and mouth
口瘍 {kou3 yang2}, mouth sore
口有尿味 {kou3 you3 niao4 wei4}, taste of urine in the mouth
口燥 {kou3 zao4}, dry mouth
口燥咽干 {kou3 zao4 yan1 gan1}, dry mouth and throat
口中疳瘡 {kou3 zhong1 gan1 chuang1}, gan1 sore of the mouth
口中和 {kou3 zhong1 he2}, harmony of mouth
口中黏膩 {kou3 zhong1 nian2 ni4}, sticky slimy sensation in the mouth
口中熱 {kou3 zhong1 re4}, heat in the mouth
口中如膠 {kou3 zhong1 ru2 jiao1}, gluey sensation in the mouth

口中生瘡 {kou3 zhong1 sheng1 chuang1}, mouth sore
口中吐沫 {kou3 zhong1 tu3 mo4}, foaming at the mouth
口中有酸腐味 {kou3 zhong1 you3 suan1 fu3 wei4}, putrid sour taste in the mouth

~~ {kou4} ~~
【叩】 {kou4} [Freq. 4] tap.
叩頭蟲 {kou4 tou2 chong2}, 中藥正名 click beetle (Pleonomus)
叩之有空聲 {kou4 zhi1 you3 kong1 sheng1}, produces an empty sound on tapping

【寇】 {kou4} [Freq. 4] surname.
寇宗奭 {kou4 zong1 shi4}, Kou4 Zong1-Shi4
蔻仁 {kou4 ren2}, 中藥異名 nutmeg (Myristicae Semen)

~~ {ku1} ~~
【枯】 {ku1} [Freq. 2] desiccate (v.), desiccated \PP, (adj.), desiccation (n.) (牙齒干燥如枯骨 {ya2 chi3 gan1 zao4 ru2 ku1 gu3}, teeth dry as {desiccated} bones; 腎陰枯涸{shen4 yin1 ku1 he2}, desiccation of kidney yin1); dry (枯&&3FA6|{ku1 pei1}, dry miliaria).
枯草熱 {ku1 cao3 re4}, 西醫 hay fever
枯草穗 {ku1 cao3 sui4}, 中藥異名 prunella (Prunellae Spica)
枯蟬 {ku1 chan2}, 中藥異名 cicada molting (Cicadae Periostracum)
枯礬 {ku1 fan2}, 中藥正名 calcined alum (Alumen Dehydratum)
枯竭 {ku1 jie2}, desiccated; desiccation
枯筋箭 {ku1 jin1 jian4}, wart
枯梅肉 {ku1 mei2 rou4}, 中藥異名 mume (Mume Fructus)
枯&&3FA6|{ku1 pei1}, dry miliaria
枯芩 {ku1 qin2}, 中藥正名 old scutellaria (Scutellariae Radix Veta)
枯痔釘療法 {ku1 zhi4 ding4 liao2 fa3}, hemorrhoid desiccation therapy
枯痔法 {ku1 zhi4 fa3}, hemorrhoid desiccation
枯痔療法 {ku1 zhi4 liao2 fa3}, hemorrhoid desiccation therapy
枯痔散 {ku1 zhi4 san3}, 方名 Alum Hemorrhoid-Desiccating Powder

【哭】 {ku1} [Freq. 3] wailing (voice of the lung).
哭啼無類 {ku1 ti2 wu2 lei4}, weeping without tearing
哭笑無常 {ku1 xiao4 wu2 chang2}, abnormal laughing and weeping

~~ {ku3} ~~

【苦】 {ku3} [Freq. 2] bitter (adj.), bitterness (n.) (苦寒藥 {ku3 han2 yao4}, cold bitter medicinals; 苦入心{ku3 ru4 xin1}, {bitterness} enters the heart).

苦芙 {ku3 ao3}, 中藥正名 Chinese thistle (Cirsii Chinensis Herba)

苦菜 {ku3 cai4}, 中藥正名 bitter sow thistle (Sonchi Oleracei Herba)

苦菜根 {ku3 cai4 gen1}, 中藥正名 bitter sow thistle root (Sonchi Oleracei Radix)

苦菜花子 {ku3 cai4 hua1 zi3}, 中藥正名 bitter sow thistle flower and seed (Sonchi Oleracei Flos et Semen)

苦草 (1) {ku3 cao3}, 中藥正名 synedrella (Synedrellae Herba)

苦草 (2) {ku3 cao3}, 中藥正名 vallisneria (Vallisneriae Herba)

苦茶油 {ku3 cha2 you2}, 中藥異名 tea oil (Camelliae Oleum)

苦椿菜 {ku3 chun1 cai4}, 中藥異名 ephedra root (Ephedrae Radix)

苦地膽 {ku3 di4 dan3}, 中藥正名 elephantopus (Elephantopi Herba)

苦地膽根 {ku3 di4 dan3 gen1}, 中藥正名 elephantopus root (Elephantopi Radix)

苦地丁 {ku3 di4 ding1}, 中藥正名 Bunge's corydalis (Corydalis Bungeanae Herba)

苦丁 {ku3 ding1}, 中藥正名 Taiwan lettuce (Lactucae Taiwanianae Herba)

苦丁茶 {ku3 ding1 cha2}, 中藥正名 ilex (Ilicis Folium)

苦豆根 {ku3 dou4 gen1}, 中藥正名 sweet-clover astragalus (Astragali Melilotoidis Herba)

苦葛根 {ku3 ge2 gen1}, 中藥正名 Emei pueraria (Puerariae Omeiensis Radix)

苦葛花 {ku3 ge2 hua1}, 中藥正名 Emei pueraria flower (Puerariae Omeiensis Flos)

苦梗 {ku3 geng3}, 中藥異名 platycodon (Platycodonis Radix)

苦骨 {ku3 gu3}, 中藥異名 flavescent sophora (Sophorae Flavescentis Radix)

苦瓜 {ku3 gua1}, 中藥正名 balsam pear (Momordicae Charantiae Fructus)

苦瓜根 {ku3 gua1 gen1}, 中藥正名 balsam pear root (Momordicae Charantiae Radix)

苦瓜花 {ku3 gua1 hua1}, 中藥正名 balsam pear flower (Momordicae Charantiae Flos)

苦瓜藤 {ku3 gua1 teng2}, 中藥正名 balsam pear stem (Momordicae Charantiae Caulis)

苦瓜葉 {ku3 gua1 ye4}, 中藥正名 balsam pear leaf (Momordicae Charantiae Folium)

苦瓜子 {ku3 gua1 zi3}, 中藥正名 balsam pear seed (Momordicae Charantiae Semen)

苦寒清氣 {ku3 han2 qing1 qi4}, clear qi4 with cold and bitterness

苦寒清熱 {ku3 han2 qing1 re4}, clear heat with cold and bitterness

苦寒泄熱 {ku3 han2 xie4 re4}, discharge heat with cold and bitterness

苦寒燥濕 {ku3 han2 zao4 shi1}, dry dampness with cold and bitterness

苦蒿 {ku3 hao1}, 中藥正名 centaurea (Centaureae Herba)

苦壺盧 {ku3 hu2 lu2}, 中藥正名 bitter calabash (Lagenariae Gourdae Fructus)

苦壼盧花 {ku3 hu2 lu2 hua1}, 中藥正名 bitter calabash flower (Lagenariae Gourdae Flos)

苦壼盧蔓 {ku3 hu2 lu2 man4}, 中藥正名 bitter calabash stem (Lagenariae Gourdae Caulis)

苦壼盧子 {ku3 hu2 lu2 zi3}, 中藥正名 bitter calabash seed (Lagenariae Gourdae Semen)

苦瓠葉 {ku3 hu4 ye4}, 中藥正名 bitter calabash leaf (Lagenariae Gourdae Folium)

苦降 {ku3 jiang4}, bitter downbearing
苦桔梗 {ku3 jie2 geng3}, 中藥異名 platycodon (Platycodonis Radix)
苦酒 {ku3 jiu3}, 中藥異名 vinegar (Acetum)
苦苣 {ku3 ju4}, 中藥正名 bitter lettuce (Lactucae Versicoloris Herba)
苦苣根 {ku3 ju4 gen1}, 中藥正名 bitter lettuce root (Lactucae Versicoloris Radix)
苦蚵仔 {ku3 ke1 zai3}, 中藥異名 Japanese anchovy (Engraulis Japonica)
苦口 {ku3 kou3}, bitter taste in the mouth
苦楝膏 {ku3 lian4 gao1}, 方名 Chinaberry Root Bark Paste
苦楝根 {ku3 lian4 gen1}, 中藥正名 chinaberry root (Meliae Radix)
苦楝根皮 {ku3 lian4 gen1 pi2}, 中藥正名 chinaberry root bark (Meliae Radicis Cortex)
苦楝根粥 {ku3 lian4 gen1 zhou1}, 方名 Chinaberry Root Bark Gruel
苦楝寄生 {ku3 lian4 ji4 sheng1}, 中藥正名 Chinese loranthus (Loranthi Chinensis Ramulus et Folium)
苦楝皮 {ku3 lian4 pi2}, 中藥正名 chinaberry bark (Meliae Cortex)
苦楝丸 {ku3 lian4 wan2}, 方名 Chinaberry Root Pill
苦榴皮 {ku3 liu2 pi2}, 中藥異名 ash (Fraxini Cortex)
苦龍膽草 {ku3 long2 dan3 cao3}, 中藥異名 gentian (Gentianae Radix)
苦&&836C.8552‖菜 {ku3 mai3 cai4}, 中藥正名 denticulate ixeris (Ixeris Denticulatae Herba)
苦滿 {ku3 man3}, bitter fullness
苦能燥能瀉 {ku3 neng2 zao4 neng2 xie4}, bitterness can dry and drain
苦蕎麥根 {ku3 qiao2 mai4 gen1}, 中藥異名 wild buckwheat root (Fagopyri Cymosi Rhizoma et Radix)
苦蕎頭 {ku3 qiao2 tou2}, 中藥正名 Tartarian buckwheat (Fagopyri Tatarici Radix et Rhizoma) (Fagopyri Cymosi Rhizoma et Radix); 中藥異名 wild buckwheat root
苦茄 {ku3 qie2}, 中藥正名 bittersweet fruit (Solani Dulcamarae Fructus)
苦入心 {ku3 ru4 xin1}, bitterness enters the heart
苦參根 {ku3 shen1 gen1}, 中藥異名 flavescent sophora (Sophorae Flavescentis Radix)
苦參實 {ku3 shen1 shi2}, 中藥正名 flavescent sophora seed (Sophorae Flavescentis Semen)
苦參湯 {ku3 shen1 tang1}, 方名 Flavescent Sophora Decoction
苦參子 {ku3 shen1 zi3}, 中藥異名 flavescent sophora seed (Sophorae Flavescentis Semen)
苦參 {ku3 shen1, 中藥正名 flavescent sophora (Sophorae Flavescentis Radix)
苦石蓮 {ku3 shi2 lian2}, 中藥正名 snake bramble seed (Caesalpiniae Minacis Semen)
苦樹皮 {ku3 shu4 pi2}, 中藥正名 Indian quassia (Picrasmatis Radicis Cortex)
苦檀葉 {ku3 tan2 ye4}, 中藥正名 thick-fruited millettia leaf (Millettiae Pachycarpae Folium)
苦檀子 {ku3 tan2 zi3}, 中藥正名 thick-fruited millettia seed (Millettiae Pachycarpae Semen seu Fructus)
苦葶藶 {ku3 ting2 li4}, 中藥異名 lepidium (Lepidii Semen)
苦溫平燥 {ku3 wen1 ping2 zao4}, calm dryness with warmth and bitterness

苦溫燥濕 {ku3 wen1 zao4 shi1}, dry dampness with warmth and bitterness
苦杏仁 {ku3 xing4 ren2}, 中藥正名 bitter apricot kernel (Armeniacae Semen Amarum)
苦薏 {ku3 yi4}, 中藥異名 lotus plumule (Nelumbinis Plumula)
苦遠志 {ku3 yuan3 zhi4}, 中藥異名 polygala (Polygalae Radix) (Polygalae Radix); 中藥異名 polygala
苦澤 {ku3 ze2}, 中藥異名 kansui (Kansui Radix)
苦竹根 {ku3 zhu2 gen1}, 中藥正名 bitter bamboo root (Pleioblasti Rhizoma)
苦竹瀝 {ku3 zhu2 li4}, 中藥正名 bitter bamboo sap (Pleioblasti Succus)
苦竹茹 {ku3 zhu2 ru2}, 中藥正名 bitter bamboo shavings (Pleioblasti Caulis in Taenis)
苦竹筍 {ku3 zhu2 sun3}, 中藥正名 bitter bamboo shoot (Pleioblasti Caulis)
苦竹葉 {ku3 zhu2 ye4}, 中藥正名 bitter bamboo leaf (Pleioblasti Folium)

~~ {ku4} ~~
【庫】 {ku4} [Freq. 4] storeroom.
庫房 {ku4 fang2}, 腧穴正名 ST-14 (Storeroom)
庫倫耆 {ku4 lun2 qi2}, 中藥正名 Ulanbator astragalus (Astragali Radix *Ulanbatorensis)
庫頁懸鉤子 {ku4 ye4 xuan2 gou1 zi3}, 中藥正名 Sakhalin raspberry stem or leaf (Rubi Sachalinensis Caulis et Folium)
庫頁懸鉤子根 {ku4 ye4 xuan2 gou1 zi3 gen1}, 中藥正名 Sakhalin raspberry root (Rubi Sachalinensis Radix)

【酷】 {ku4} [Freq. 5] harsh

【褲】 {ku4} [Freq. 4] trousers.
褲口瘡 {ku4 kou3 chuang1}, trouser-bottom sore
褲口毒 {ku4 kou3 du2}, trouser-bottom toxin [sore]

~~ {kua4} ~~
【胯】 {kua4} [Freq. 4] hip.
胯腹癰 {kua4 fu4 yong1}, inguinal welling-abscess
胯骨 {kua4 gu3}, hip bone (ilium)

【跨】 {kua4} [Freq. 5] stradle.
跨骨 {kua4 gu3}, hip bone (ilium)

【髂】 {kua4} [Freq. 4] hip bone.

髂骨 {kua4 gu3}, hip bone (ilium) (Hip Bone); 腧穴異名 ST-34

~~ {kuai4} ~~

【快】 {kuai4} [Freq. 4] uninhibited; disinhibit.

快果 {kuai4 guo3}, 中藥異名 pear (Pyri Fructus)

快利胸膈 {kuai4 li4 xiong1 ge2}, disinhibit the chest and diaphragm

快速進針 {kuai4 su4 jin4 zhen1}, rapid needle insertion

【塊】 {kuai4} [Freq. 2] lump (n.) (痞塊 {pi3 kuai4}, lump glomus); clot (n.), (v.) (經血夾塊 {jing1 xue4 jia1 kuai4}, clotted menstrual flow).

塊莖糙蘇 {kuai4 jing1 cao1 su1}, 中藥正名 Jerusalem sage (Phlomidis Tuberosae Herba seu Radix)

【鱠】 {kuai4} [Freq. 4] fish name

~~ {kuan1} ~~

【寬】 {kuan1} [Freq. 2] loosen (v.) (lit. widen. 寬胸 {kuan1 xiong1}, loosen the chest; 寬中 {kuan1 zhong1}, loosen the center).

寬筋藤 {kuan1 jin1 teng2}, 中藥異名 Chinese tinospora (Tinosporae Sinensis Caulis)

寬筋壯骨 {kuan1 jin1 zhuang4 gu3}, loosen the sinews and strengthen the bones

寬胸 {kuan1 xiong1}, loosen the chest

寬胸散結 {kuan1 xiong1 san4 jie2}, loosen the chest and dissipate binds

寬胸消脹 {kuan1 xiong1 xiao1 zhang4}, loosen the chest and disperse distention

寬葉獨行菜 {kuan1 ye4 du2 xing2 cai4}, 中藥正名 broad-leaved cress (Lepidii Latifolii Herba)

寬中 {kuan1 zhong1}, loosen the center

寬中湯 {kuan1 zhong1 tang1}, 方名 Center-Loosening Decoction

【髖】 {kuan1} [Freq. 4] hip.

髖骨 {kuan1 gu3}, 西醫 hipbone; os coxae (ilium); hip bone; 腧穴正名 Thigh Bone (Hip Bone); 腧穴異名 GB-30

髖關節結核 {kuan1 guang1 jie2 jie2 he2}, 西醫 tuberculosis of hip joint

髖臼 {kuan1 jiu4}, 西醫 acetabulum; 腧穴正名 Hip Socket

~~ {kuan3} ~~

【款】 {kuan3} [Freq. 4] receive cordially.
款冬花散 {kuan3 dong1 hua1 san3}, 方名 Coltsfoot Powder
款冬花湯 {kuan3 dong1 hua1 tang1}, 方名 Coltsfoot Decoction
款冬花 {kuan3 dong1 hua1, 中藥正名 coltsfoot (Farfarae Flos)
款花 {kuan3 hua1}, 中藥異名 coltsfoot (Farfarae Flos)

~~ {kuang2} ~~
【狂】 {kuang2} [Freq. 2] mania (n.), manic (adj.) (癲狂 {dian1 kuang2}, mania and withdrawal).
狂病 {kuang2 bing4}, manic disease
狂亂 {kuang2 luan4}, manic derangement
狂亂譫妄 {kuang2 luan4 zhan1 wang4}, manic derangement and delirious raving
狂犬 {kuang2 quan3}, rabid dog
狂犬病 {kuang2 quan3 bing4}, rabies; rabies hydrophobia
狂犬傷 {kuang2 quan3 shang1}, rabid dog bite
狂熱煩亂 {kuang2 re4 fan2 luan4}, manic heat with vexation and derangement
狂熱譫語 {kuang2 re4 zhan1 yu3}, manic heat with delirous speech
狂邪 {kuang2 xie2}, mania evil
狂言 {kuang2 yan2}, manic raving
狂易 {kuang2 yi4}, mania
狂欲登高而歌 {kuang2 yu4 deng1 gao1 er2 ge1}, mania with desire to ascend to high places and sing
狂躁 {kuang2 zao4}, manic agitation
狂躁不安 {kuang2 zao4 bu4 an1}, manic agitation

~~ {kuang4} ~~
【眶】 {kuang4} [Freq. 2] eye socket (n.) (目眶 {mu4 kuang4}, eye socket)

【&&7A6C||】 {kuang4} [Freq. 4] naked barley.
&&7A6C||麥蘗 {kuang4 mai4 nie4}, 中藥正名 naked barley tiller (Hordei Nudi Fructus Germinatus)

~~ {kui1} ~~
【虧】 {kui1} [Freq. 2] deplete (v.), depleted \PP, (adj.), depletion (n.) (肝腎虧損 {gan1 shen4 kui1 sun3}, liver-kidney depletion).
虧損 {kui1 sun3}, depletion

虧虛 {kui1 xu1}, depletion

~~ {kui2} ~~

【揆】 {kui2} [Freq. 4] assess.

揆度奇恆 {kui2 duo4 qi2 heng2}, assessment of the normal and abnormal

【葵】 {kui2} [Freq. 4] plant name.

葵子 {kui2 zi3}, 中藥異名 mallow seed (Malvae Semen) (Helianthi Semen); 中藥異名 sunflower seed

葵子散 {kui2 zi3 san3}, 方名 Mallow Seed Powder

【魁】 {kui2} [Freq. 4] eminent.

魁蛤殼 {kui2 ge2 qiao4 (ke2)}, 中藥異名 ark shell (Arcae Concha)

~~ {kui4} ~~

【潰】 {kui4} [Freq. 2] open (adj.) (瘡瘍潰爛 {chuang1 yang2 kui4 lan4}, open ulcerated sores); rupture (n.) (潰后 {kui1 hou4}, after rupture).

潰爛 {kui4 lan4}, ulceration

潰瘍 {kui4 yang2}, ulcerating sore; ulcer

潰瘍病 {kui4 yang2 bing4}, 西醫 ulcers

潰瘍散 {kui4 yang2 san3}, 方名 Ulcer Powder

潰瘍性結腸炎 {kui4 yang2 xing4 jie2 chang2 yan2}, 西醫 ulcerative colitis

潰瘍穴 {kui4 yang2 xue2}, 腧穴正名 Ulcer Point

【憒】 {kui4} [Freq. 3] fret

~~ {kun1} ~~

【昆】 {kun1} [Freq. 4] elder brother; offspring.

昆布 {kun1 bu4}, 中藥正名 kelp (Laminariae/Eckloniae Thallus)

昆布丸 {kun1 bu4 wan2}, 方名 Kelp Pill

昆侖 {kun1 lun2}, 腧穴正名 BL-60 (Kunlun Mountains) (Kunlun Mountains); 腧穴異名 CV-4

昆明堵喇 {kun1 ming2 du3 la3}, 中藥正名 Vilmorin aconite (Aconiti Vilmoriniani Tuber)

昆明雞腳黃連 {kun1 ming2 ji1 jiao3 huang2 lian2}, 中藥正名 Kunming barberry (Berberidis Kunmingensis Radix)

昆明雞血藤 {kun1 ming2 ji1 xue4 teng2}, 中藥正名 reticulate millettia stem (Millettiae Reticulatae Caulis)
昆明雞血藤根 {kun1 ming2 ji1 xue4 teng2 gen1}, 中藥正名 reticulate millettia root (Millettiae Reticulatae Radix)
崑崙瓜 {kun1 lun2 gua1}, 中藥異名 eggplant (Solani Melongenae Fructus)
崑崙黃 {kun1 lun2 huang2}, 中藥異名 orpiment (Auripigmentum)
崑崙紫瓜 {kun1 lun2 zi3 gua1}, 中藥異名 eggplant (Solani Melongenae Fructus)

~~ {kun3} ~~
【捆】 {kun3} [Freq. 4] tie in a bundle.
捆仙絲 {kun3 xian1 si1}, 中藥正名 biondia (Biondiae Herba cum Radice)

~~ {kun4} ~~
【困】 {kun4} [Freq. 2] cumbersome (adj.), encumber (v.), encumbrance (n.) (肢體困重 {zhi1 ti3 kun4 zhong4}, heavy cumbersome} limbs; 脾爲濕困{pi2 wei2 shi1 kun4}, the spleen {encumbered} by dampness; 脾虛濕困{pi2 xu1 shi1 kun4}, spleen vacuity damp encumbrance); encumber (v.), encumbrance (n.), cumbersome (adj.)

~~ {kuo4} ~~
【括】 {kuo4} tie in a bundle.
括約肌 {kuo4 yue1 ji1}, 西醫 sphincter

【蛞】 {kuo4} [Freq. 4] slug.
蛞蝓 {kuo4 yu2}, 中藥正名 slug (Limax)

【廓】 {kuo4} [Freq. 4] extensive; belt (八廓 {ba1 kuo4}, eight belts).
廓清飲 {kuo4 qing1 yin3}, 方名 Thorough Clearing Beverage

【闊】 {kuo4} vast.
闊肌 {kuo4 ji1}, 西醫 platysma muscle

【擴】 {kuo4} [Freq. 4] spread out.
擴張 {kuo4 zhang1}, 西醫 dilatation

== L ==

~~ {la1} ~~
【拉】 {la1} [Freq. 4] pull.
拉肚子 {la1 du4 zi3}, diarrhea (colloquial term)
拉汗果 {la1 han4 guo3}, 中藥異名 momordica (Momordicae Fructus)
拉屎 {la1 shi3}, shit (v.) (colloquial term)

~~ {la4} ~~
【辣】 {la4} [Freq. 3] acrid; spicy-hot.
辣菜子 {la4 cai4 zi3}, 中藥異名 white mustard (Sinapis Albae Semen)
辣豆瓣醬 {la4 dou4 ban4 jiang4}, 中藥正名 hot bean paste (Leguminosae Pasta Piperata)
辣桂 {la4 gui4}, 中藥異名 cinnamon bark (Cinnamomi Cortex)
辣虎 {la4 hu3}, 中藥異名 hot pepper (Capsici Fructus)
辣椒 {la4 jiao1}, 中藥正名 hot pepper (Capsici Fructus)
辣椒莖 {la4 jiao1 jing1}, 中藥正名 hot pepper stem (Capsici Caulis)
辣椒頭 {la4 jiao1 shi2}, 中藥正名 hot pepper root (Capsici Radix)
辣角 {la4 jiao3}, 中藥異名 hot pepper (Capsici Fructus)
辣蓼 (2) {la4 liao3}, 中藥異名 willow-leaved smartweed (Polygoni Salicifolii Herba)
辣蓼 (3) {la4 liao3}, 中藥異名 Oriental smartweed (Polygoni Orientalis Herba (cum Radice))
辣蓼草 {la4 liao3 cao3}, 中藥正名 willow-leaved smartweed (Polygoni Salicifolii Herba)
辣米菜 {la4 mi3 cai4}, 中藥異名 rorippa (Rorippae Herba seu Flos)
辣茄 {la4 qie2}, 中藥異名 hot pepper (Capsici Fructus)
辣子 {la4 zi3}, 中藥異名 hot pepper (Capsici Fructus)
辣子草 {la4 zi3 cao3}, 中藥正名 galinsoga (Galinsogae Herba)

【臘】 {la4} [Freq. 4] cured (meat, fish, etc).
臘茶 {la4 cha2}, 中藥異名 tea (Theae Folium)
臘茄 {la4 qie2}, 中藥異名 hot pepper (Capsici Fructus)
臘雪 {la4 xue3}, 中藥正名 twelfth month snow (Nix Mensis Duodecimis)
臘雪水 {la4 xue3 shui3}, 中藥正名 melted twelfth month snow (Aqua Nivis Mensis Duodecimi)

【蠟】 {la4} [Freq. 4] wax.
蠟瓣花 {la4 ban4 hua1}, 中藥正名 corylopsis (Corylopsis Radicis Cortex)
蠟礬丸 {la4 fan2 wan2}, 方名 Wax and Alum Pill

蠟梨 {la4 li2}, perverse crop
蠟療法 {la4 liao2 fa3}, wax therapy
蠟梅花 {la4 mei2 hua1}, 中藥正名 Japan allspice flower (Chimonanthi Flos Immaturus)
蠟樹皮 {la4 shu4 pi2}, 中藥異名 ash (Fraxini Cortex)

【痢】 {la4} [Freq. 4] scar (疤痢 {ba1 la}, scar); perverse crop (痢痢 {la4 li4}, perverse crop (favus of the scalp)).
痢痢 {la4 li4}, perverse crop

【鬁】 {la4} [Freq. 4] perverse crop.
鬁鬁 {la4 li4}, perverse crop
鬁鬁頭 {la4 li4 tou2}, perverse cropped head

~~ {lai2} ~~
【來】 {lai2} [Freq. 4] come.
來復丹 {lai2 fu4 dan1}, 方名 Return Again Elixir
來去 {lai2 qu4}, arrival and departure (pulse)
來盛去衰 {lai2 sheng4 qu4 shuai1}, strong in rising and weak in falling (pulse) (pulse); strong onset and weak recession

【萊】 {lai2} [Freq. 4] plant name.
萊豆 {lai2 dou4}, 中藥正名 lima bean (Phaseoli Limensis Semen)
萊菔 {lai2 fu2}, 中藥正名 radish (Raphani Radix)
萊菔葉 {lai2 fu2 ye4}, 中藥正名 radish leaf (Raphani Folium)
萊菔子 {lai2 fu2 zi3}, 中藥正名 radish seed (Raphani Semen)
萊朴通結湯 {lai2 po4 tong1 jie2 tang1}, 方名 Radish Seed and Officinal Magnolia Bark Bind-Freeing Decoction
萊陽參 {lai2 yang2 shen1}, 中藥異名 glehnia (Glehniae Radix)

~~ {lai4} ~~
【癩】 {lai4} [Freq. 2] lai4 (n.) (denotes various diseases marked by loss of hair; graph composition (賴) suggests ``repudiation.'' 雞屎癩{ji1 shi3 lai4}, chicken's-droppings {lai}; 癩大風{lai4 da4 feng1}, lai great wind (leprosy)).
癩病 {lai4 bing4}, lai4 disease
癩瘡 {lai4 chuang1}, lai4 sore
癩大風 {lai4 da4 feng1}, lai4 great wind; leprosy

癩風 {lai4 feng1}, lai4 wind; leprosy
癩瓜 {lai4 gua1}, 中藥異名 balsam pear (Momordicae Charantiae Fructus)
癩蛤蟆 {lai4 ha2 ma2}, 中藥異名 dried toad (Bufo Siccus)
癩蛤蟆漿 {lai4 ha2 ma3 jiang1}, 中藥異名 toad venom (Bufonis Venenum)
癩疾 {lai4 ji2}, lai4 disease
癩葡萄 {lai4 pu2 tao2}, 中藥異名 balsam pear (Momordicae Charantiae Fructus)
癩頭瘡 {lai4 tou2 chuang1}, lai4 scalp sore
癩蝦蟆 {lai4 xia1 ma2}, 中藥異名 dried toad (Bufo Siccus)
癩子 {lai4 zi3}, lai4

~~ {lan2} ~~
【嵐】{lan2} [Freq. 5] mountain forest vapor (qi4) (山嵐瘴氣 {shan1 lan2 zhang4 qi4}, mountain forest miasmic qi4)

【闌】 {lan2} [Freq. 4] screen.
闌門 {lan2 men2}, screen gate (the ileocecal valve)
闌尾 {lan2 wei3}, 西醫 appendix
闌尾化瘀湯 {lan2 wei3 hua4 yu1 tang1}, 方名 Appendix Stasis-Transforming Decoction
闌尾切除術 {lan2 wei3 qie1 chu2 shu4}, 西醫 appendectomy
闌尾清化湯 {lan2 wei3 qing1 hua4 tang1}, 方名 Appendix Clearing and Transforming Decoction
闌尾清解湯 {lan2 wei3 qing1 jie3 tang1}, 方名 Appendix-Clearing and Resolving Decoction
闌尾穴 {lan2 wei3 xue2}, 腧穴正名 Appendix Point
闌尾炎 {lan2 wei3 yan2}, 西醫 appendicitis
闌尾周圍膿腫 {lan2 wei3 zhou1 wei2 nong2 zhong1}, 西醫 periappendicular abscess

【藍】 {lan2} [Freq. 3] blue.
藍桉根皮 {lan2 an1 gen1 pi2}, 中藥正名 eucalyptus root bark (Eucalypti Radicis Cortex)
藍菜 {lan2 cai4}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)
藍靛 {lan2 dian4}, 中藥正名 indigo residue (Indigonis Residuum)
藍靛根 {lan2 dian4 gen1}, 中藥異名 isatis root (Isatidis Radix)
藍露 {lan2 lu4}, 中藥異名 indigo (Indigo Naturalis)
藍蕎頭 {lan2 qiao2 tou2}, 中藥異名 wild buckwheat root (Fagopyri Cymosi Rhizoma et Radix)
藍實 {lan2 shi2}, 中藥正名 indigo plant seed (Polygoni Tinctorii Fructus)
藍錫莎菊 {lan2 xi1 sha1 ju2}, 中藥正名 cicerbita (Cicerbitae Radix)

【攔】 {lan2} [Freq. 4] block.
攔路虎 {lan2 lu4 hu3}, 中藥正名 Clark's clematis root (Clematidis Clarkeanae Radix)

【瀾】 {lan2} [Freq. 4] wave.
瀾滄扁擔桿 {lan2 cang1 bian3 dan4 gan3}, 中藥正名 Lancang grewia (Grewiae Lantsangensis Radicis Cortex)
瀾江百合 {lan2 jiang1 bai3 he2}, 中藥正名 Lanjiang lily bulb (Lilii Lankongensis Bulbus)

【蘭】 {lan2} [Freq. 4] orchid.
蘭勃鮀魚 {lan2 bo2 tuo2 yu2}, 中藥正名 large-tailed drummer (Kyphosus Lembus)
蘭根 {lan2 gen1}, 中藥異名 imperata (Imperatae Rhizoma)
蘭花菇 {lan2 hua1 gu1}, 中藥異名 straw mushroom (Volvariella)
蘭花參 {lan2 hua1 shen1}, 中藥正名 wahlenbergia (Wahlenbergiae Herba)
蘭花雙葉草 {lan2 hua1 ye4 cao3}, 中藥正名 variegated lady's slipper (Cypripedii Margaritacei Herba)
蘭江賦 {lan2 jiang1 fu4}, 書名 Ode of the Orchid River
蘭石草 {lan2 shi2 cao3}, 中藥正名 lancea (Lanceae Herba)
蘭石草果 {lan2 shi2 cao3 guo3}, 中藥正名 lancea fruit (Lanceae Fructus)
蘭室秘藏 {lan2 shi4 mi4 cang2}, 書名 Secret Treasure of the Orchid Chamber (1276, Li3 Gao3 李杲 [Dong1-Yuan2 東垣])
蘭香 {lan2 xiang1}, 中藥異名 basil (Basilici Herba)
蘭香草 {lan2 xiang1 cao3}, 中藥正名 bluebeard (Caryopteridis Incanae Herba (cum Radice))
蘭香飲子 {lan2 xiang1 yin3 zi3}, 方名 Basil Drink; Basil Drink

~~ {lan3} ~~
【懶】 {lan3} [Freq. 4] lazy (adj.); laziness (n.).
懶倦 {lan3 ijuan4}, laziness and fatigue
懶人菜 {lan3 ren2 cai4}, 中藥異名 Chinese leek (Allii Tuberosi Folium)
懶食 {lan3 shi2}, laziness to eat
懶言 {lan3 yan2}, laziness to speak; no strength to speak
懶于言語 {lan3 yu2 yan2 yu3}, laziness to speak

【欖】 {lan3} [Freq. 4] Chinese olive (橄欖 {gan3 lan3}, Chinese olive).
欖核蓮 {lan3 he2 lian2}, 中藥異名 andrographis (Andrographis Herba)
濫用 {lan4 yong4}, use indiscriminately

~~ {lan4} ~~

【爛】 {lan4} [Freq. 2] putrefy (v.), putrefaction (n.) (爛喉沙 {lan4 hou2 sha1}, putrefying throat sand); pulp (搗爛 {dao3 lan4}, pound to a pulp); erode (v.), erosion (n.) (糜爛 {mi2 lan4}, erosion); rot.

爛茶葉 {lan4 cha2 ye4}, 中藥正名 used tea leaf (Theae Folium Conquitum)

爛疔 {lan4 ding1}, putrefying clove sore

爛喉丹痧 {lan4 hou2 dan1 sha1}, putrefying throat cinnabar sand

爛喉風 {lan4 hou2 feng1}, putrefying throat wind

爛喉痧 {lan4 hou2 sha1}, putrefying throat sand

爛腳 {lan4 jiao3}, foot rot

爛腳丫 {lan4 jiao3 ya1}, foot rot

爛弦風眼 {lan4 xian2 feng1 yan3}, wind eye with ulceration of the eyelid rim

~~ {lang2} ~~

【郎】 {lang2} [Freq. 4] young man; physician.

郎中 {lang2 zhong1}, lang2-zhong1 (physician)

【狼】 {lang2} [Freq. 4] wolf.

狼把草 {lang2 ba3 cao3}, 中藥正名 bur beggar-ticks (Bidentis Tripartitae Herba)

狼把草根 {lang2 ba3 cao3 gen1}, 中藥正名 bur beggar-ticks root (Bidentis Tripartitae Radix)

狼毒 {lang2 du2}, 中藥正名 Chinese wolfsbane (Stellerae seu Euphorbiae Radix)

狼毒膏 {lang2 du2 gao1}, 方名 Chinese Wolfsbane Paste

狼膏 {lang2 gao1}, 中藥正名 wolf's fat (Lupi Adeps)

狼喉靨 {lang2 hou4 ye4}, 中藥正名 wolf's thyroid gland (Lupi Glandula Thyroidea)

狼肉 {lang2 rou4}, 中藥正名 wolf's flesh (Lupi Caro)

狼尾巴蒿 {lang2 wei3 ba1 hao1}, 中藥正名 biebersteinia fruit (Biebersteiniae Fructus)

狼尾巴花 {lang2 wei3 ba1 hua1}, 中藥正名 wolf-tail lysimachia (Lysimachiae Barystachydis Herba cum Radice)

狼尾草 {lang2 wei3 cao3}, 中藥正名 pennisetum (Penniseti Herba)

狼尾草根 {lang2 wei3 cao3 gen1}, 中藥正名 pennisetum root (Penniseti Radix et Rhizoma)

狼尾草嫩莖 {lang2 wei3 cao3 nen4 jing1}, 中藥正名 pennisetum shoot (Penniseti Surculus)

狼牙草 {lang2 ya2 cao3}, 中藥異名 agrimony (Agrimoniae Herba)

【廊】 {lang2} [Freq. 4] corridor.

廊茵 {lang2 yin1}, 中藥正名 thorny knotweed (Polygoni Senticosi Herba)

【榔】 {lang2} [Freq. 4] areca (檳榔 {bing1 lang2}).

榔榆莖葉 {lang2 yu2 jing1 ye4}, 中藥正名 Chinese elm stem and leaf (Ulmi Parvifoliae Caulis et Folium)
榔榆皮 {lang2 yu2 pi2}, 中藥正名 Chinese elm (root) bark (Ulmi Parvifoliae Cortex (Radicis))
榔玉 {lang2 yu4}, 中藥異名 areca (Arecae Semen)

【螂】 {lang2} [Freq. 4] insect name (螳螂 {tang2 lang2})

~~ {lang4} ~~
【莨】 {lang4} [Freq. 4] henbane.
莨菪根 {lang4 dang4 gen1}, 中藥正名 henbane root (Hyoscyami Radix)
莨菪葉 {lang4 dang4 ye4}, 中藥正名 henbane leaf (Hyoscyami Folium)
莨蕩子 {lang4 dang4 zi3}, 中藥異名 henbane seed (Hyoscyami Semen)
莨菪子 {lang4 dang4 zi3}, 中藥異名 henbane seed (Hyoscyami Semen)
莨菪子散 {lang4 dang4 zi3 san3}, 方名 Henbane Seed Powder
莨菪子 {lang4 tang2 zi3}, 中藥異名 henbane seed (Hyoscyami Semen)

~~ {lao2} ~~
【牢】 {lao2} [Freq. 2] firm (adj.) (牢脈 {lao2 mai4}, firm pulse).
牢脈 {lao2 mai4}, firm pulse

【勞】 {lao2} [Freq. 2] taxation (n.) (虛勞 {xu1 lao2}, vacuity-taxation).
勞復 {lao2 fu4}, taxation relapse
勞宮 {lao2 gong1}, 腧穴正名 PC-8 (Palace of Toil)
勞倦 {lao2 juan4}, taxation fatigue
勞倦過多 {lao2 juan4 guo4 duo1}, excessive taxation
勞咳 {lao2 ke2}, taxation cough
勞累 {lao2 lei4}, fatigue
勞累過多 {lao2 lei4 guo4 duo1}, overwork
勞淋 {lao2 lin2}, taxation strangury
勞聾 {lao2 long2}, taxation deafness
勞瘧 {lao2 nue94}, taxation malaria
勞怯 {lao2 qie4}, taxation timidity
勞熱 {lao2 re4}, taxation heat [effusion] (fever)
勞熱骨蒸 {lao2 re4 gu3 zheng1}, taxation heat [effusion] (fever) steaming bone
勞傷 {lao2 shang1}, taxation damage
勞傷咳嗽 {lao2 shang1 ke2 sou4}, taxation damage cough

勞傷月經過多 {lao2 shang1 yue4 jing1 guo4 duo1}, taxation damage profuse menstruation
勞水 {lao2 shui3}, worked water (Aqua Manipulata); 中藥正名 worked water
勞嗽 {lao2 sou4}, taxation cough
勞損 {lao2 sun3}, taxation detriment
勞損證 {lao2 sun3 zheng4}, taxation detriment pattern
勞堂骨 {lao2 tang2 gu3}, fibula
勞逸不當 {lao2 yi4 bu4 dang4}, imbalance of activity and rest
勞則氣耗 {lao2 ze2 qi4 hao4}, taxation causes wearing of qi4
勞者溫之 {lao2 zhe3 wen1 zhi1}, taxation is treated by warming
勞蒸 {lao2 zheng1}, taxation steaming
勞注 {lao2 zhu4}, taxation influx
勞葙 {lao2 zu1}, 中藥異名 Chinese fieldnettle (Stachydis Baicalensis Herba)

【癆】 {lao2} [Freq. 2] consumption (n.) (肺癆 {fei4 lao2}, pulmonary {consumption}; 傳尸癆 {chuan2 shi1 lao2}, corpse-transmitted consumption).
癆瘡 {lao2 chuang1}, consumption sores
癆咳 {lao2 ke2}, consumption cough
癆熱 {lao2 re4}, consumption heat [effusion] (fever)
癆傷 {lao2 shang1}, consumption damage
癆瘵 {lao2 zhai4}, consumption
癆瘵骨蒸 {lao2 zhai4 gu3 zheng1}, consumptive steaming bone
癆疰 {lao2 zhu4}, consumptive infixation

【蟧】 {lao2} [Freq. 4] insect/worm/reptile name (飛天&&8804||蟧 {fei1 tian1 qin2 lao2}, spiny tree fern)

~~ {lao3} ~~
【老】 {lao3} [Freq. 2] old (adj.) (舌苔老黃 {she2 tai1 lao3 huang2}, old yellow tongue fur; 老年{lao3 nian2}, {old} age; 老痰{lao3 tan2}, {old} phlegm); tough (n.) (老嫩 {lao3 nen4}, [degree of] toughness or tenderness).
老白花 {lao3 bai2 hua1}, 中藥正名 mountain ebony flower (Bauhiniae Variegatae Flos)
老白花樹皮 {lao3 bai2 hua1 shu4 pi2}, 中藥正名 mountain ebony bark (Bauhiniae Variegatae Cortex)
老鸛草 {lao3 guan4 cao3}, 中藥正名 heron's-bill/cranesbill (Erodii seu Geranii Herba)
老鶴嘴 {lao3 he4 zui3}, 中藥異名 agrimony (Agrimoniae Herba)
老虎斑毛 {lao3 hu3 ban1 mao2}, 中藥異名 mylabris (Mylabris)
老虎刺 {lao3 hu3 ci4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix) (Ilicis

Cornutae Folium); 中藥異名 Chinese holly leaf

老花眼 {lao3 hua1 yan3}, presbyopia (colloquial term)

老黃苔 {lao3 huang2 tai1}, old yellow tongue fur

老薑 {lao3 jiang1}, 中藥正名 old ginger (Zingiberis Rhizoma Vetum)

老爛腳 {lao3 lan4 jiao3}, old foot rot

老龍皮 {lao3 long2 pi2}, 中藥正名 lungwort (Lobariae )

老蒙花 {lao3 meng2 hua1}, 中藥異名 buddleia (Buddleja Flos)

老米 {lao3 mi3}, 中藥異名 old rice (Oryzae Semen Vetum)

老緬瓜 {lao3 mian3 gua1}, 中藥異名 pumpkin (Cucurbitae Fructus)

老木香 {lao3 mu4 xiang1}, 中藥異名 costusroot (Aucklandiae Radix)

老年癡呆症 {lao3 nian2 chi1 dai1 zheng4}, 西醫 senile dementia

老年性白內障 {lao3 nian2 xing4 bai2 nei4 zhang1}, 西醫 senile cataract

老年性癡呆症 {lao3 nian2 xing4 chi1 dai1 zheng4}, 西醫 senile dementia

老年性黃斑病變 {lao3 nian2 xing4 haung2 ban1 bing4 bian4}, 西醫 senile macular degeneration

老年性陰道炎 {lao3 nian2 xing4 yin1 dao4 yan2}, 西醫 senile vaginitis

老婆子針線 {lao3 po2 zi3 zhen1 xian4}, 中藥正名 lopseed (Phrymae Leptostachyae Herba seu Radix)

老鎗穀根 {lao3 qiang1 gu3 gen1}, 中藥正名 love-lies-bleeding root (Amaranthi Caudati Radix)

老人虛秘 {lao3 ren2 xu1 mi4}, vacuity constipation in the elderly

老桑枝 {lao3 sang1 zhi1}, 中藥正名 old mulberry twig (Mori Ramulus Vetus)

老傷后發 {lao3 shang1 hou4 fa1}, recurrence of discomfort from an old injury

老蛇頭 {lao3 she2 tou2}, 中藥正名 warty thladiantha (Thladianthae Verrucosa Herba)

老視 {lao3 shi4}, presbyopia; presbyopia

老鼠瘡 {lao3 shu3 chuang1}, mouse sores

老鼠吹蕭 {lao3 shu3 chui1 xiao1}, 中藥正名 Yun2nan2 sabia (Sabiae Yunnanensis Caulis et Folium, seu Radix)

老鼠刺 {lao3 shu3 ci4}, 中藥異名 Chinese holly leaf (Ilicis Cornutae Folium)

老鼠耳 {lao3 shu3 er3}, 中藥正名 lesser berchemia stem and leaf (Berchemiae Lineatae Caulis et Folium)

老鼠爪 {lao3 shu3 gua1}, 中藥正名 caper (Capparis Spinosae Radicis Cortex, Folium et Fructus)

老鼠腳跡 {lao3 shu3 jiao3 ji1}, 中藥正名 epaltis (Epaltis Herba)

老鼠芴 {lao3 shu3 le4}, 中藥正名 acanthus (Acanthi Radix et Caulis)

老松香 {lao3 song1 xiang1}, 中藥正名 old rosin (Pini Resina Veta)

老痰 {lao3 tan2}, old phlegm

老鴉膽 {lao3 ya1 dan3}, 中藥異名 brucea (Bruceae Fructus)

老鴉膽根 {lao3 ya1 dan3 gen1}, 中藥正名 brucea root (Bruceae Radix)
老鴉膽葉 {lao3 ya1 dan3 ye4}, 中藥正名 brucea leaf (Bruceae Folium)
老鴉糊 {lao3 ya1 hu4}, 中藥正名 Girald beauty-berry (Callicarpae Giraldii Radix, Caulis, Folium et Fructus)
老鴉花藤 {lao3 ya1 hua1 teng2}, 中藥正名 mucuna (Mucunae Caulis)
老煙油 {lao3 yan1 you2}, 中藥正名 old pipe tar (Pipae Depositum Vetum)

~~ {lao4} ~~
【烙】 {lao4} [Freq. 3] cauterize (v.); cauterization (n.).
烙法 {lao4 fa3}, cauterization

【落】 {lao4} [Freq. 4] fall.
落枕 {lao4 zhen3}, crick in the neck

~~ {le4} ~~
【勒】 {le4} [Freq. 4] coerce.
勒泡 {le4 pao4}, 中藥異名 China tea rose (Rosae Chinensis Flos)
勒魚 {le4 yu2}, 中藥正名 Chinese herring (Ilishae Caro)
勒枝 {le4 zhi1}, 中藥異名 litchee (Litchi Fructus)

【樂】 {le4} [Freq. 4] happy.
樂適舒 {le4 shi4 shu1}, 方名 W.T.T.C.

【竻】 {le4} [Freq. 4] plant name.
竻薰子 {le4 biao1 zi3}, 中藥異名 rubus (Rubi Fructus)
竻慈姑 {le4 ci2 gu1}, 中藥正名 lasia (Lasiae Rhizoma)
竻莧菜 {le4 xian4 cai4}, 中藥正名 spiny amaranth (Amaranthi Spinosi Radix seu Herba)

~~ {lei2} ~~
【雷】 {lei2} [Freq. 2] thunder (n.) (雷頭風 {lei2 tou2 feng1}, thunder head wind; 龍雷之火 {long2 lei2 zhi1 huo3}, dragon and thunder wind; 雷火神針{lei2 huo3 shen2 zhen1}, {thunder} and fire spirit needle).
雷公根 {lei2 gong1 gen1}, 中藥異名 centella (Centellae Herba)
雷公炮炙論 {lei2 gong1 pao4 zhi4 lun4}, Master Lei2's Treatise on Drug Processing
雷公七 {lei2 gong1 qi1}, 中藥正名 alpine clintonia (Clintoniae Alpinae Herba)

雷公藤 {lei2 gong1 teng2}, 中藥正名 thunder god vine (Tripterygii Wilfordii Radix)
雷公藤中毒 {lei2 gong1 teng2 zhong4 du2}, thunder god vine poisoning
雷火灸 {lei2 huo3 jiu3}, thunder-fire moxibustion
雷火神針 {lei2 huo3 shen2 zhen1}, thunder and fire spirit needle
雷廓 {lei2 kuo4}, thunder belt
雷諾氏病 {lei2 nuo4 shi4 bing4}, 西醫 Raynaud's disease
雷實 {lei2 shi2}, 中藥異名 omphalia (Omphalia)
雷矢 {lei2 shi3}, 中藥異名 omphalia (Omphalia)
雷氏芳香化濁法 {lei2 shi4 fang1 xiang1 hua4 zhuo2 fa3}, 方名 Lei's Aromatic Turbidity-Transforming Method
雷氏清涼滌暑湯 {lei2 shi4 qing1 liang2 di2 shu3 tang1}, 方名 Lei's Cool Clearing Summerheat-Flushing Decoction
雷氏宣透募原法 {lei2 shi4 xuan1 tou4 mu4 yuan2 fa3}, 方名 Lei's Membrane Source Diffusion Method
雷頭風 {lei2 tou2 feng1}, thunder head wind
雷丸 {lei2 wan2}, 中藥正名 omphalia (Omphalia)
雷丸散 {lei2 wan2 san3}, 方名 Omphalia Powder
雷&&6585|{lei2 xue4}, Lei2 Xue4

【擂】 {lei2} [Freq. 3] pound (as with a pestle)

【羸】 {lei2} [Freq. 3] marked emaciation and weakness.
羸弱 {lei2 ruo4}, emaciation and weakness
羸瘦 {lei2 shou4}, marked emaciation

~~ {lei3} ~~
【累】 {lei3} [Freq. 4] accumulate.
累累如貫珠 {lei3 lei3 ru2 guan4 zhu1}, one beat after the other like threaded pearls

【癗】 {lei3} [Freq. 5] small swelling (&&3FA6||癗 {pei1 lei3}, dormant papules).
&&|863D|鼠 {lei3 shu3}, 中藥正名 flying squirrel (Petaurista)

~~ {lei4} ~~
【肋】 {lei4} [Freq. 3] rib.
肋骨 {lei4 gu3}, 西醫 rib
肋間肌 {lei4 jian1 ji1}, 西醫 intercostal muscles

肋間神經痛 {lei4 jian1 ji1 shen2 jing1 tong4}, 西醫 intercostal neuralgia
肋間神經痛 {lei4 jian1 shen2 jing1 tong4}, 西醫 intercostals neuralgia
肋&&91C3.9ACE|{lei4 liao2}, 腧穴異名 GB-13 (Rib Bone-Hole)

【淚】 {lei4} [Freq. 2] tears (n.) (淚爲肝液 {lei4 wei2 gan1 ye4}, tears are the humor of the liver).
淚出 {lei4 chu1}, tearing; lacrimation
淚點 {lei4 dian3}, tear spot
淚骨 {lei4 gu3}, 西醫 lacrimal bone
淚空 {lei4 kong1}, 腧穴異名 BL-2 (Tear Hole)
淚孔 {lei4 kong3}, 腧穴異名 BL-1 (Tear Hole)
淚囊 {lei4 nang2}, 西醫 lacrimal sac
淚囊切開術 {lei4 nang2 qie1 kai1 shu4}, 西醫 dacryocystotomy
淚囊炎 {lei4 nang2 yan2}, 西醫 dacryocystitis
淚腔 {lei4 qiang1}, 腧穴異名 BL-1 (Tear Cavity)
淚竅 {lei4 qiao4}, tear orifice (equivalent to WM lacrimal punctum)
淚泉 {lei4 quan2}, tear spring
淚熱 {lei4 re4}, hot tears
淚堂 {lei4 tang2}, tear hall (punctum lacrimale, outlet of lacrimal gland)
淚爲肝液 {lei4 wei2 gan1 ye4}, tears are the humor of the liver
淚腺 {lei4 xian4}, 西醫 lacrimal gland

【累】 {lei4} [Freq. 4] tired

【類】 {lei4} [Freq. 4] kind; similar.
類風濕性關節炎 {lei4 feng1 shi1 xing4 guan1 jie2 yan2}, 西醫 rheumatoid arthritis
類固醇停藥綜合症 {lei4 gu4 chuan2 ting2 yao4 zong4 he2 zheng4}, 西醫 steroid withdrawal syndrome
類經 {lei4 jing1}, 書名 The Classified Canon (1604 (Ming2}), Zhang1 Jie4-Bin1 張介賓 [Jing3-Yue4 景岳])
類經附翼 {lei4 jing1 fu4 yi4}, 書名 Wings to the Classified Canon (1624 (Ming2), Zhang1 Jie4-Bin1 張介賓 [Jing3-Yue4 景岳])
類經圖翼 {lei4 jing1 tu2 yi4}, 書名 The Illustrated Wings of the Classified Canon (1624 (Ming2), Zhang1 Jie4-Bin1 張介賓} [{Jing3-Yue4 景岳])
類梧桐 {lei4 wu2 tong2}, 中藥正名 Simao premna (Premnae Szemaoensis Cortex)
類形同效論 {lei4 xing2 tong2 xiao4 lun4}, doctrine of signatures
類虛類實 {lei4 xu1 lei4 shi2}, resembly both vacuity and repletion
類證治裁 {lei4 zheng4 zhi4 cai2}, 書名 Systematized Patterns with Clear-Cut Treatments

(1839 (Qing1), Lin2 Pei4-Qin2 林佩琴)
類中風 {lei4 zhong1 feng1}, wind-like stroke

~~ {leng2} ~~
【稜】 {leng2} [Freq. 5] edge (三稜針 {san1 leng2 zhen1}, three-edged needle)

~~ {leng3} ~~
【冷】 {leng3} [Freq. 2] cold (adj.), (n.) (四肢厥冷 {si4 zhi1 jue2 leng3}, reversal cold of the limbs).
冷秘 {leng3 bi4}, cold constipation; cold constipation
冷飯果 {leng3 fan4 guo3}, 中藥正名 foetid viburnum [leaf and fruit] (Viburni Foetidi Folium et Fructus)
冷飯藤 {leng3 fan4 teng2}, 中藥正名 tournefortia (Tournefortiae Sarmentosae Herba seu Radix)
冷飯團 {leng3 fan4 tuan2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
冷風濕痹 {leng3 feng1 shi1 bi4}, cold-wind-damp impediment
冷服 {leng3 fu2}, take cold
冷疳 {leng3 gan1}, cold gan1
冷汗 {leng3 han4}, cold sweating
冷汗不止 {leng3 han4 bu4 zhi3}, incessant cold sweating
冷汗淋漓 {leng3 han4 lin2 li2}, dripping cold sweat
冷灸 {leng3 jiu3}, cold moxibustion
冷勞 {leng3 lao2}, cold taxation
冷淚 {leng3 lei4}, cold tearing
冷痢 {leng3 li4}, cold dysentery
冷淋 {leng3 lin2}, cold strangury
冷廬醫話 {leng3 lu2 yi1 hua4}, 書名 Medical Discussions of the Cold Shack (1897 (Qing1), Lu4 Yi3-Tian2 陸以湉)
冷凝集素綜合症 {leng3 ning2 ji2 su4 zong4 he2 zheng4}, 西醫 syndrome of high-titer cold hemagglutination
冷暖適度 {leng3 nuan3 shi4 du4}, appropriate coolness and warmth
冷熱疳 {leng3 re4 gan1}, cold-heat gan1
冷杉果 {leng3 shan1 guo3}, 中藥正名 Delavay fir seed (Abietis Delavayi Semen)
冷水丹 {leng3 shui3 dan1}, 中藥正名 saruma root (Sarumae Rhizoma et Radix)
冷水丹葉 {leng3 shui3 dan1 ye4}, 中藥正名 saruma leaf (Sarumae Folium)
冷痰 {leng3 tan2}, cold phlegm

冷痛 {leng3 tong4}, cold pain; cold pain
冷哮 {leng3 xiao1}, cold wheezing
冷哮丸 {leng3 xiao1 wan2}, 方名 Cold Wheezing Pill
冷心痛 {leng3 xin1 tong4}, cold heart pain

~~ {li2} ~~
【狸】 {li2} [Freq. 4] leopard cat.
狸骨 {li2 gu3}, 中藥正名 leopard cat's bone (Felis Bengalensis Os)
狸肉 {li2 rou4}, 中藥正名 leopard cat (Felis Bengalensis Caro)

【梨】 {li2} [Freq. 4] pear.
梨 {li2}, 中藥正名 pear (Pyri Fructus)
梨木灰 {li2 mu4 hui1}, 中藥正名 pear bark ash (Pyri Lignum Carbonisatum)
梨木皮 {li2 mu4 pi2}, 中藥正名 pear bark (Pyri Cortex)
梨皮 {li2 pi2}, 中藥正名 pear peel (Pyri Exocarpium)
梨樹根 {li2 shu4 gen1}, 中藥正名 pear root (Pyri Radix)
梨葉 {li2 ye4}, 中藥正名 pear leaf (Pyri Folium)
梨汁 {li2 zhi1}, 中藥正名 pear juice (Pyri Fructus Succus)
梨枝 {li2 zhi1}, 中藥正名 pear twig (Pyri Ramus)
梨狀肌綜合症 {li2 zhuang4 ji1 zong4 he2 zheng4}, 西醫 piriformis syndrome

【犁】 {li2} [Freq. 4] plough.
犁骨 {li2 gu3}, 西醫 vomer
犁頭草 {li2 tou2 cao3}, 中藥正名 Japanese violet (Violae Japonicae Herba seu Radix)
犁頭尖 {li2 tou2 jian1}, 中藥正名 lesser typhonium (Typhonii Divaricati Herba seu Tuber)

【璃】 {li2} [Freq. 4] glass (玻璃 {bo1 li})

【黎】 {li2} [Freq. 4] multitude; surname.
黎豆 {li2 dou4}, 中藥正名 Yokohama bean (Stizolobii Semen)
黎峒丸 {li2 tong2 wan2}, 方名 Li2 Tong2 Pill

【釐】 {li2} [Freq. 3] li2 (unit of weight equal to one tenth of a fen (candareen))

【離】 {li2} [Freq. 4] depart.
離經脈 {li2 jing1 mai4}, anomalous pulse
離經之脈 {li2 jing1 zhi1 mai4}, anomalous pulse

離經之血 {li2 jing1 zhi1 xue4}, blood that has left the channels
離支 {li2 zhi1}, 中藥異名 litchee (Litchi Fructus)

【籬】 {li2} [Freq. 4] matting (杉籬 {shan1 li2}, firwood matting); fence.
籬欄子 {li2 lan2 zi3}, 中藥正名 merremia (Merremiae Semen seu Caulis)

【藜】 {li2} [Freq. 4] plant name.
藜 {li2}, 中藥正名 pigweed (Chenopodii Albi Herba)
藜莖 {li2 jing1}, 中藥正名 pigweed stem (Chenopodii Albi Caulis)
藜蘆 {li2 lu2}, 中藥正名 veratrum (Veratri Nigri Radix et Rhizoma)

【黧】 {li2} [Freq. 4] yellowish black.
黧黑 {li2 hei1}, soot black (complexion)
黧黑斑 {li2 hei1 ban1}, soot black macules (equivalent to cloasma)

~~ {li3} ~~
【李】 {li3} [Freq. 4] plum.
李杲 {li3 gao3}, Li3 Gao3
李根 {li3 gen1}, 中藥正名 plum root (Pruni Salicinae Radix)
李根皮 {li3 gen1 pi2}, 中藥正名 plum root bark (Pruni Salicinae Radicis Cortex)
李核仁 {li3 he2 ren2}, 中藥正名 plum kernel (Pruni Salicinae Semen)
李仁肉 {li3 ren2 rou4}, 中藥異名 bush cherry kernel (Pruni Semen)
李實 {li3 shi2}, 中藥異名 plum (Pruni Salicinae Fructus)
李時珍 {li3 shi2 zhen1}, Li3 Shi2-Zhen1
李氏清暑益氣湯 {li3 shi4 qing1 shu3 yi4 qi4 tang1}, 方名 Li3}'s Summerheat-Clearing Qi4-Boosting Decoction
李樹膠 {li3 shu4 jiao1}, 中藥正名 plum resin (Pruni Salicinae Resina)
李樹葉 {li3 shu4 ye4}, 中藥正名 plum leaf (Pruni Salicinae Folium)
李迅 {li3 xun4}, Li3 Xun4
李子 {li3 zi3}, 中藥正名 plum (Pruni Salicinae Fructus)

【里】 {li3} [Freq. 3] li (unit of distance equivalent to 0.31 mile); li (unit of population); interior (adj.), (n.) (表裡 {biao3 li3}, interior and exterior).
里病出表 {li3 bing4 chu1 biao3}, interior disease moving out to the exterior
里寒 {li3 han2}, interior cold
里寒格熱 {li3 han2 ge2 re4}, interior cold repelling heat
里寒證 {li3 han2 zheng4}, interior cold pattern

里喉癰 {li3 hou2 yong1}, retropharyngeal welling-abscess
里急 {li3 ji2}, abdominal urgency
里急后重 {li3 ji2 hou4 zhong4}, tenesmus; abdominal urgency and rectal heaviness
里結 {li3 jie2}, interior bind
里內庭 {li3 nei4 ting2}, 腧穴正名 Li3 Inner Court
里氣通表氣亦通 {li3 qi4 gong1 biao3 qi4 yi4 tong1}, when interior qi4 is freed, exterior qi4 is also freed
里熱 {li3 re4}, interior heat
里熱實證 {li3 re4 shi2 zheng4}, interior heat repletion pattern
里熱證 {li3 re4 zheng4}, interior heat pattern
里上 {li3 shang4}, 腧穴正名 Above Li
里濕 {li3 shi1}, internal dampness
里實 {li3 shi2}, interior repletion
里實熱 {li3 shi2 re4}, interior repletion heat
里實證 {li3 shi2 zheng4}, interior repletion pattern
里外 {li3 wai4}, 腧穴正名 Outer Li
里虛 {li3 xu1}, interior vacuity
里虛證 {li3 xu1 zheng4}, interior vacuity pattern
里證 {li3 zheng4}, interior pattern

【理】 {li3} [Freq. 2] rectify (v.), rectification (n.) (理氣 {li3 qi4}, rectify qi4).
理便 {li3 bian4}, 腧穴正名 Rectified Convenience
理法方藥 {li3 fa3 fang1 yao4}, principles, methods, formulas, and medicinals; principles, methods, formulas, and medicinals
理肺散 {li3 fei4 san3}, 中藥正名 climbing oldenlandia (Hedyotis Scandentis Liana)
理肝氣 {li3 gan1 qi4}, rectify liver qi4
理苓湯 {li3 ling2 tang1}, 方名 Rectifying Poria Decoction
理脾 {li3 pi2}, rectify the spleen
理脾和胃 {li3 pi2 he2 wei4}, rectify the spleen and harmonize the stomach
理氣 {li3 qi4}, rectify qi4
理氣法 {li3 qi4}, qi4-rectifying method
理氣除脹 {li3 qi4 chu2 zhang4}, rectify qi4 and eliminate distention
理氣和胃 {li3 qi4 he2 wei4}, rectify qi4 and harmonize the stomach
理氣和營 {li3 qi4 he2 ying2}, rectify qi4 and harmonize construction
理氣和中 {li3 qi4 he2 zhong1}, rectify qi4 and harmonize the center
理氣化濕 {li3 qi4 hua4 shi1}, rectify qi4 and transform dampness
理氣化濕藥 {li3 qi4 hua4 shi1 yao4}, qi4-rectifying dampness-transforming medicinal
理氣化痰 {li3 qi4 hua4 tan2}, rectify qi4 and transform phlegm

理氣活結 {li3 qi4 huo2 jie2}, rectify qi4 and quicken binds
理氣逆 {li3 qi4 ji4}, rectify qi4 counterflow
理氣健脾 {li3 qi4 jian4 pi2}, rectify qi4 and fortify the spleen
理氣降逆 {li3 qi4 jiang4 ni4}, rectify qi4 and downbear counterflow
理氣開胃 {li3 qi4 kai1 wei4}, rectify qi4 and open the stomach
理氣開郁 {li3 qi4 kai1 yu4}, rectify qi4 and open depression
理氣寬胸 {li3 qi4 kuan1 xiong1}, rectify qi4 and loosen the chest
理氣利水 {li3 qi4 li4 shui3 yao4}, rectify qi4 and disinhibit water
理氣利水藥 {li3 qi4 li4 shui3 yao4}, qi4-rectifying water-disinhibiting medicinal
理氣驅蟲藥 {li3 qi4 qu1 chong2 yao4}, qi4-rectifying worm-expelling medicinal
理氣調經 {li3 qi4 tiao2 jing1}, rectify qi4 and regulate menstruation
理氣消脹 {li3 qi4 xiao1 zhang4}, rectify qi4 and disperse distention
理氣行滯 {li3 qi4 xing2 zhi4}, rectify qi4 and move stagnation
理氣藥 {li3 qi4 yao4}, qi4-rectifying medicinal
理氣止嘔 {li3 qi4 zhi3 ou3}, rectify qi4 and check vomiting
理氣止痛 {li3 qi4 zhi3 tong4}, rectify qi4 and relieve pain
理傷續斷 {li3 shang1 xu4 duan4}, treat injuries and mend breakages
理石 {li3 shi2}, 中藥正名 fibrous gypsum (Gypsum Fibrosum)
理血 {li3 xue4}, rectify the blood
理血法 {li3 xue4 fa3}, blood-rectifying method
理陰煎 {li3 yin1 jian1}, 方名 Yin1-Rectifying Brew
理淪駢文 {li3 yue4 pian2 wen2}, 書名 Topical Remedies in Rhyme
理中 {li3 zhong1}, rectify the center
理中安蛔散 {li3 zhong1 an1 hui2 san3}, 方名 Center-Rectifying Roundworm-Quieting Powder
理中化痰丸 {li3 zhong1 hua4 tan2 wan2}, 方名 Center-Rectifying Phlegm-Transforming Pill
理中湯 {li3 zhong1 tang1}, 方名 Center-Rectifying Decoction
理中丸 {li3 zhong1 wan2}, 方名 Center-Rectifying Pill

【鯉】 {li3} [Freq. 4] carp.
鯉魚 {li3 yu2}, 中藥正名 carp (Carpionis Caro)
鯉魚腸 {li3 yu2 chang2}, 中藥正名 carp's intestines (Carpionis Intestina)
鯉魚齒 {li3 yu2 chi3}, 中藥正名 carp's teeth (Carpionis Dens)
鯉魚膽 {li3 yu2 dan3}, 中藥正名 carp's gallbladder (Carpionis Vesica Fellea)
鯉魚鱗 {li3 yu2 lin2}, 中藥正名 carp's scales (Carpionis Squama)
鯉魚目 {li3 yu2 mu4}, 中藥正名 carp's eye (Carpionis Oculus)
鯉魚腦 {li3 yu2 nao3}, 中藥正名 carp's brain (Carpionis Cerebrum)
鯉魚皮 {li3 yu2 pi2}, 中藥正名 carp's skin (Carpionis Cutis)
鯉魚湯 {li3 yu2 tang1}, 方名 Carp Soup

鯉魚血 {li3 yu2 xue4}, 中藥正名 carp's blood (Carpionis Sanguis)
鯉魚脂 {li3 yu2 zhi1}, 中藥正名 carp fat (Carpionis Adeps)

【蠡】 {li3} [Freq. 4] woodworm.
蠡溝 {li3 gou1}, 腧穴正名 LV-5 (Woodworm Canal)

【鱧】 {li3} [Freq. 4] fish name.
鱧腸草 {li3 chang2 cao3}, 中藥異名 eclipta (Ecliptae Herba)
鱧魚 {li3 yu2}, 中藥正名 snakehead mullet (Ophicephali Caro)
鱧魚腸 {li3 yu2 chang2}, 中藥正名 snakehead mullet's intestines (Ophicephali Intestina)
鱧魚膽 {li3 yu2 dan3}, 中藥正名 snakehead mullet's gallbladder (Ophicephali Vesica Fellea)
鱧魚湯 {li3 yu2 tang1}, 方名 Snakehead Mullet Soup
鱧魚血 {li3 yu2 xue4}, 中藥正名 snakehead mullet's blood (Ophicephali Sanguis)

~~ {li4} ~~
【&&75AC.7667||】 {li4} [Freq. 2] scrofula (large) (n.) (瘰&&75AC.7667|{luo3 li4}, scrofula).
&&75AC.7667||子頸 {li4 zi3 jing3}, scrofulous neck

【力】 {li4} [Freq. 2] force (n.) (脈滑數有力 {mai4 hua2 shuo4 you3 li4}, the pulse is slippery, rapid, and forceful).
力大倍常 {li4 da4 bei4 chang2}, extraordinary strength

【立】 {li4} [Freq. 4] stand.
立遲 {li4 chi2}, slowness to stand (one of the five slownesses)
立春 {li4 chun1}, Beginning of Spring (1st solar term)
立冬 {li4 dong1}, Beginning of Winter (19th solar term)
立肌 {li4 ji1}, 西醫 arrector
立毛肌 {li4 mao2 ji1}, 西醫 arrector pili muscle
立秋 {li4 qiu1}, Beginning of Autumn (13th solar term)
立夏 {li4 xia4}, Beginning of Summer (7th solar term)
立效散 {li4 xiao4 san3}, 方名 Immediate Effect Powder
立中 {li4 zhong1}, 腧穴異名 Stand Center

【利】 {li4} [Freq. 2] disinhibit (v.), uninhibited (adj.) (利水 {li4 shui3}, disinhibit water; 利咽 {li4 yan1}, {disinhibit} the throat; 小便自利{xiao3 bian4 zi4 li4}, uninhibited urination); uninhibited (小便自利 {xiao3 bian4 zi4 li4}, uninhibited urination); benefit.
利膽排石片 {li4 dan3 pai2 shi2 pian4}, 方名 Gallbladder-Disinhibiting Stone-Expelling Tablet

利膽退黃湯 {li4 dan3 tui4 huang2 tang1}, 方名 Gallbladder-Disinhibiting Jaundice-Abating Decoction
利肺 {li4 fei4}, disinhibit the lung
利肺滌飲 {li4 fei4 di2 yin3}, disinhibit the lung and flush rheum
利膈開郁 {li4 ge2 kai1 yu4}, disinhibit the diaphragm and open depression
利膈湯加味 {li4 ge2 tang1 jia1 wei4}, 方名 Supplemented Diaphragm-Disinhibiting Decoction
利關節 {li4 guan1 jie2}, disinhibit the joints
利機 {li4 ji1}, 腧穴異名 BL-35 (Crux Disinhibitor) (Crux Disinhibitor); 腧穴異名 CV-4 (Crux Disinhibitor); 腧穴異名 CV-5
利驚丸 {li4 jing1 wan2}, 方名 Fright-Disinhibiting Pill
利尿 {li4 niao4}, disinhibit urine; diuresis; 腧穴異名 Urine Disinhibitor
利尿滲濕 {li4 niao4 shen4 shi1}, disinhibit urine and percolate dampness
利尿通淋 {li4 niao4 tong1 lin2}, disinhibit urine and free strangury
利氣 {li4 qi4}, disinhibit qi4
利氣豁痰 {li4 qi4 huo4 tan2}, disinhibit qi4 and sweep phlegm
利竅 {li4 qiao4}, disinhibit the orifices
利竅 {li4 qio4}, disinhibits the orifices
利濕 {li4 shi1}, disinhibit dampness
利濕健脾 {li4 shi1 jian4 pi2}, disinhibit dampness and fortify the spleen
利濕清熱 {li4 shi1 qing1 re4}, disinhibit dampness and clear heat
利濕藥 {li4 shi1 yao4}, dampness-disinhibiting medicinal
利什曼病 {li4 shi2 man4 bing4}, 西醫 leishmaniasis
利水 {li4 shui3}, disinhibit water
利水破癥 {li4 shui3 po4 zheng1}, disinhibit water and break concretions
利水滲濕 {li4 shui3 shen4 shi1}, disinhibit water and percolate dampness
利水滲濕藥 {li4 shui3 shen4 shi1 yao4}, water-disinhibiting damp-percolating medicinal
利水通淋 {li4 shui3 tong1 lin4}, disihibit water and free strangury
利水消食 {li4 shui3 xiao1 shi2}, disinhibit water and disperse food
利水消腫 {li4 shui3 xiao1 zhong3}, disinhibit water and disperse swelling
利小便 {li4 xiao3 bian4}, disinhibit urine; disinhibit urine
利小便，實大便 {li4 xiao3 bian4, shi2 da4 bian4}, disinhibit urine and harden the stool
利小腸 {li4 xiao3 chang2}, disinhibit the small intestine
利咽 {li4 yan1}, disinhibit the throat
利咽喉 {li4 yan1 hou2}, disinhibit the throat
利腰足 {li4 yao1 zu2}, disinhibit the lumbs and feet

【例】 {li4} [Freq. 4] example (發汗禁例 {fa1 han4 jin4 li4}, [examples of] contraindications for sweating)

【戾】 {li4} [Freq. 2] perverse (adj.) (乖戾之氣 {guai1 li4 zhi1 qi4}, perverse qi4; 戾氣 {li4 qi4}, perverse qi4).
戾氣 {li4 qi4}, perverse qi4

【栗】 {li4} [Freq. 3] shudder; shiver (戰栗 {zhan4 li4}, shiver).
栗瘡 {li4 chuang1}, chestnut sore
栗萸 {li4 fu2}, 中藥正名 chestnut endocarp (Castaneae Endocarpium)
栗果 {li4 guo3}, 中藥異名 chestnut (Castaneae Semen)
栗花 {li4 hua1}, 中藥正名 chestnut flower (Castaneae Flos)
栗毛球 {li4 mao2 qiu2}, 中藥正名 chestnut involucre (Castaneae Involucrum)
栗殼 {li4 qiao4 (ke2)}, 中藥正名 chestnut pericarp (Castaneae Pericarpium)
栗樹根 {li4 shu4 gen1}, 中藥正名 chestnut tree root (Castaneae Radix)
栗樹皮 {li4 shu4 pi2}, 中藥正名 chestnut tree bark (Castaneae Cortex)
栗葉 {li4 ye4}, 中藥正名 chestnut leaf (Castaneae Folium)
栗子 {li4 zi3}, 中藥正名 chestnut (Castaneae Semen)

【荔】 {li4} [Freq. 4] litchee.
荔核 {li4 he2}, 中藥異名 litchee pit (Litchi Semen)
荔仁 {li4 ren2}, 中藥異名 litchee pit (Litchi Semen)
荔香散 {li4 xiang1 san3}, 方名 Litchee Pit and Fennel Powder
荔支 {li4 zhi1}, 中藥異名 litchee (Litchi Fructus)
荔枝 {li4 zhi1}, 中藥正名 litchee (Litchi Fructus)
荔枝草 {li4 zhi1 cao3}, 中藥正名 plebeian sage (Salviae Plebeiae Herba)
荔枝根 {li4 zhi1 gen1}, 中藥正名 litchee root (Litchi Radix)
荔枝核 {li4 zhi1 he2}, 中藥正名 litchee pit (Litchi Semen)
荔枝殼 {li4 zhi1 qiao4 (ke2)}, 中藥正名 litchee peel (Litchi Exocarpium)
荔枝藤 {li4 zhi1 teng2}, 中藥正名 rourea (Roureae Caulis et Folium)
荔枝葉 {li4 zhi1 ye4}, 中藥正名 litchee leaf (Litchi Folium)

【粒】 {li4} [Freq. 4] measure word for small round.
粒細胞缺乏症 {li4 xi4 bao1 que1 fa2 zheng4}, 西醫 agranulocytosis

【痢】 {li4} [Freq. 2] dysentery; disease of the scalp.
痢疾 {li4 ji2}, dysentery
痢疾桿菌 {li4 ji2 gan3 jun1}, 西醫 \ic{Bacillus dysenteriae}
痢疾后重 {li4 ji2 hou4 zhong4}, dysentery with rectal heaviness
痢疾敏感點 {li4 ji2 min3 gan3 dian3}, 腧穴正名 Dysentery Sensor Point

痢止蒿 {li4 zhi3 hao1}, 中藥正名 Forrest's bugle (Ajugae Forrestii Herba)

【慄】 {li4} [Freq. 2] shudder (寒慄 {han2 li4}, cold shudders)

【厲】 {li4} [Freq. 4] severe.
厲兌 {li4 dui4}, 腧穴正名 ST-45 (Severe Mouth)

【歷】 {li4} [Freq. 4] go through.
歷代醫家 {li4 dai4 yi1 jia1}, physicians over the ages
歷代註家 {li4 dai4 zhu4 jia1}, commentators over the ages
歷節 {li4 jie2}, joint running
歷節風 {li4 jie2 feng1}, joint-running wind
歷節痛 {li4 jie2 tong4}, joint-running pain

【癘】 {li4} [Freq. 2] pestilence (n.), pestilential (adj.) (天行疫癘 {tian1 xing2 yi4 li4}, heaven-current epidemic pestilence); leprosy (n.) (癘風{li4 feng1}, pestilential wind, leprosy).
癘風 {li4 feng1}, pestilential wind; leprosy
癘氣 {li4 qi4}, pestilential qi4

【瀝】 {li4} [Freq. 4] drip; trickle; gurgle.
瀝瀝有聲 {li4 li4 you3 sheng1},
瀝青 {li4 qing1}, 中藥異名 rosin (Pini Resina)

【麗】 {li4} [Freq. 4] pretty.
麗枝 {li4 zhi1}, 中藥異名 litchee (Litchi Fructus)

【蠣】 {li4} [Freq. 4] oyster.
蠣房 {li4 fang2}, 中藥異名 oyster shell (Ostreae Concha)
蠣蛤 {li4 ge2}, 中藥異名 oyster shell (Ostreae Concha)

【詈】 {li4} [Freq. 4] curse.
詈罵不避親疏 {li4 ma4 bu4 bi4 qin1 shu1}, chiding and cursing regardless of who is present

【綟】 {li4} [Freq. 4] lyonia.
綟木 {li4 mu4}, 中藥正名 lyonia twig and fruit (Lyoniae Ramulus et Fructus)

【鬁】 {li4} [Freq. 5] perverse crop (鬁鬁 {la4 li4}, perverse crop (favus of the scalp))

【&&8137||】 {li4} [Freq. 5] tongue

~~ {lian2} ~~

【連】 {lian2} [Freq. 3] link.

連飯 {lian2 fan4}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)

連附六一湯 {lian2 fu4 liu4 yi1 tang1}, 方名 Coptis and Aconite Six-To-One Decoction

連根蔥 {lian2 gen1 cong1}, 中藥正名 scallion with roots (Allii Fistulosi Herba cum Radice)

連骸 {lian2 hai2}, lateral and medial epicondyles of the femur

連理湯 {lian2 li3 tang1}, 方名 Coptis Rectifying Decoction

連梅安蛔湯 {lian2 mei2 an1 hui2 tang1}, 方名 Picrorhiza and Mume Roundworm-Quieting Decoction

連梅湯 {lian2 mei2 tang1}, 方名 Coptis and Mume Decoction

連綿不斷 {lian2 mian2 bu4 duan4}, continuous

連綿不絕 {lian2 mian2 bu4 jue2}, continuous

連綿不休 {lian2 mian2 bu4 xiu1}, continuous

連綿不已 {lian2 mian2 bu4 yi3}, continuous

連母 {lian2 mu3}, 中藥異名 anemarrhena (Anemarrhenae Rhizoma)

連朴飲 {lian2 po4 yin3}, 方名 Coptis and Officinal Magnolia Bark Beverage

連錢草 (1) {lian2 qian2 cao3}, 中藥正名 glechoma (Glechomae Herba)

連錢草 (2) {lian2 qian2 cao3}, 中藥異名 moneywort (Lysimachiae Herba)

連錢草 (3) {lian2 qian2 cao3}, 中藥異名 centella (Centellae Herba)

連翹敗毒散 {lian2 qiao4 bai4 du2 san3}, 方名 Forsythia Toxin-Vanquishing Powder

連翹根 {lian2 qiao4 gen1}, 中藥正名 forsythia root (Forsythiae Radix)

連翹金貝煎 {lian2 qiao4 jin1 bei4 jian1}, 方名 Forsythia, Lonicera, and Bolbostemma Brew

連翹莖葉 {lian2 qiao4 jing1 ye4}, 中藥正名 forsythia stem and leaf (Forsythiae Caulis et Folium)

連翹殼 {lian2 qiao4 ke2}, 中藥異名 forsythia (Forsythiae Fructus)

連翹散 {lian2 qiao4 san3}, 方名 Forsythia Powder

連翹心 {lian2 qiao4 xin1}, 中藥正名 forsythia seed (Forsythiae Semen)

連翹飲子 {lian2 qiao4 yin3 zi3}, 方名 Forsythia Drink

連翹 {lian2 qiao4, 中藥正名 forsythia (Forsythiae Fructus)

連香樹 {lian2 xiang1 shu4}, 中藥正名 cercidiphyllum fruit (Cercidiphylli Fructus)

連鬚蔥白 {lian2 xu1 cong1 bai2}, 中藥正名 scallion white with root (Allii Fistulosi Bulbus cum Radice)

連須蔥白湯 {lian2 xu1 cong1 bai2 tang1}, 方名 Scallion with Root Decoction

【廉】{lian2} [Freq. 3] ridge (下廉 {xia4 lian2}, Lower Ridge (LI-8)); corner (陰廉 {yin1 lian2},

Yin1 Corner (LV-11)); face (surface of apect. 內廉 {nei4 lian2}, inner face).
廉薑 {lian2 jiang1}, 中藥正名 Chinese galangal (Alpiniae Chinensis Rhizoma)
廉泉 {lian2 quan2}, 腧穴正名 CV-23 (Ridge Spring)

【蓮】 {lian2} [Freq. 4] lotus.
蓮房 {lian2 fang2}, 中藥正名 lotus receptacle (Nelumbinis Receptaculum)
蓮房炭 {lian2 fang2 tan4}, 中藥正名 charred lotus receptacle (Nelumbinis Receptaculum Carbonisatum)
蓮梗 {lian2 geng3}, 中藥異名 lotus stalk (Nelumbinis Petiolus seu Pedicellus)
蓮花 {lian2 hua1}, 中藥正名 lotus flower (Nelumbinis Flos)
蓮花白 {lian2 hua1 bai2}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)
蓮花蕊 {lian2 hua1 rui3}, 中藥異名 lotus stamen (Nelumbinis Stamen)
蓮花鬚 {lian2 hua1 xu1}, 中藥異名 lotus stamen (Nelumbinis Stamen)
蓮殼 {lian2 ke2}, 中藥異名 lotus receptacle (Nelumbinis Receptaculum)
蓮藕 {lian2 ou3}, 中藥異名 lotus root (Nelumbinis Rhizoma)
蓮蓬草 {lian2 peng2 cao3}, 中藥正名 farfugium (Farfugii Herba)
蓮蓬發 {lian2 peng2 fa1}, lotus pod effusion
蓮蓬殼 {lian2 peng2 ke2}, 中藥異名 lotus receptacle (Nelumbinis Receptaculum)
蓮蓬子 {lian2 peng2 zi3}, 中藥異名 lotus fruit/seed (Nelumbinis Semen)
蓮子肉 {lian2 rou4}, 中藥異名 lotus seed (Nelumbinis Semen)
蓮肉 {lian2 rou4}, 中藥正名 lotus seed (Nelumbinis Semen)
蓮蕊鬚 {lian2 rui3 xu1}, 中藥異名 lotus stamen (Nelumbinis Stamen)
蓮生桂子草根 {lian2 sheng1 gui4 zi3 gen1}, 中藥正名 bloodflower root (Asclepiatis Radix)
蓮生桂子花 {lian2 sheng1 gui4 zi3 hua1}, 中藥正名 bloodflower (Asclepiatis Herba)
蓮實 {lian2 shi2}, 中藥異名 lotus fruit/seed (Nelumbinis Semen)
蓮心 {lian2 xin1}, 中藥異名 lotus plumule (Nelumbinis Plumula)
蓮鬚 {lian2 xu1}, 中藥正名 lotus stamen (Nelumbinis Stamen)
蓮衣 {lian2 yi1}, 中藥正名 lotus seed-coat (Nelumbinis Testa)
蓮芋 {lian2 yu4}, 中藥正名 giant taro (Colocasiae Giganteae Tuber)
蓮子草 {lian2 zi3 cao3}, 中藥異名 eclipta (Ecliptae Herba)
蓮子心 {lian2 zi3 xin1}, 中藥正名 lotus plumule (Nelumbinis Plumula)
蓮子 {lian2 zi3, 中藥正名 lotus fruit/seed (Nelumbinis Semen)
蓮座薊 {lian2 zuo4 ji4}, 中藥正名 edible thistle (Cirsii Esculenti Herba)

【濂】 {lian2} [Freq. 4] short for 濂江 {lian2 jiang1}, River Lian2 in Jiang1xi1.
濂珠 {lian2 zhu1}, 中藥異名 pearl (Margarita)

【聯】 {lian2} [Freq. 4] unite.

聯合 {lian2 he2}, 西醫 symphysis

【簾】 {lian2} [Freq. 5] curtain (垂簾翳 {chui2 lian2 yi4}, falling curtain screen)

【&&81C1||】 {lian2} [Freq. 3] shank (of leg).
&&81C1||瘡 {lian2 chuang1}, shank sore

~~ {lian3} ~~
【斂】 {lian3} [Freq. 2] constrain (v.); close (v.) (斂瘡 {lian3 chuang1}, close sores).
斂瘡 {lian3 chuang1}, close sores
斂瘡收口 {lian3 chuang1 shou1 kou3}, close sores
斂瘡止痛 {lian3 chuang1 zhi3 tong4}, close sores and relieve pain
斂肺 {lian3 fei4}, constrain the lung
斂肺定喘 {lian3 fei4 ding4 chuan3}, constrain the lung and stabilize panting
斂肺澀腸 {lian3 fei4 se4 chang2}, constrain the lung and astringe the intestines
斂肺止咳 {lian3 fei4 zhi3 ke2}, constrain the lung and suppress cough
斂肺止嗽 {lian3 fei4 zhi3 sou4}, constrain the lung and suppress cough
斂汗 {lian3 han4}, constrain sweat
斂汗固表 {lian3 han4 gu4 biao3}, constrain sweat and secure the exterior
斂汗益陰 {lian3 han4 yi4 yin1}, constrain sweat and boost yin1; constrain sweat and boost yin1
斂氣 {lian3 qi4}, constrain qi4
斂陰 {lian3 yin1}, constrain yin1
斂陰陽欲絕 {lian3 yin1 yang2 yu4 jue2}, constrain yin1 and yang2 on the verge of expiration

【臉】 {lian3} [Freq. 3] face

~~ {lian4} ~~
【楝】 {lian4} [Freq. 4] toosendan.
楝花 {lian4 hua1}, 中藥正名 toosendan flower (Toosendan Flos)
楝實 {lian4 shi2}, 中藥異名 toosendan (Toosendan Fructus)
楝葉 {lian4 ye4}, 中藥正名 toosendan leaf (Toosendan Folium)
楝子 {lian4 zi3}, 中藥異名 toosendan (Toosendan Fructus)

【煉】 {lian4} [Freq. 3] condense.
煉丹術 {lian4 dan1 shu4}, cinnabar sublimation; alchemy
煉功偏差 {lian4 gong1 pian1 cha1}, deviation during qi4gong1

煉功雜念 {lian4 gong1 za2 nian4}, distracting thoughts during qi4gong1
煉蜜 {lian4 mi4}, 中藥正名 processed honey (Mel Praeparatum)
煉液成痰 {lian4 ye4 cheng2 tan2}, condense humor into phlegm
煉液爲痰 {lian4 ye4 wei2 tan2}, condense fluids to phlegm
煉意 {lian4 yi4}, training of mental powers

【練】 {lian4} [Freq. 4] process (v.); practice (v.).
練實 {lian4 shi2}, 中藥異名 toosendan (Toosendan Fructus)

【鏈】 {lian4} [Freq. 4] chain.
鏈球菌感染 {lian4 qiu2 jun1 gan3 ran3}, 西醫 streptococcal infection

【戀】 {lian4} [Freq. 5] lodged (lit. attached, not wishing to part. 邪戀心包 {xie2 lian4 xin1 bao1}, evil lodged in the pericardium)

【楝】 {lian4} [Freq. 4] tree name

~~ {liang2} ~~
【良】 {liang2} [Freq. 4] good.
良附散 {liang2 fu4 san3}, 方名 Lesser Galangal and Cyperus Powder
良附丸 {liang2 fu4 wan2}, 方名 Lesser Galangal and Cyperus Pill
良工 {liang2 gong1}, proficient practitioner
良薑 {liang2 jiang1}, 中藥異名 lesser galangal (Alpiniae Officinarum Rhizoma)
良薑 (1) {liang2 jiang1}, 中藥異名 galangal (Alpiniae Galangae Rhizoma)
良薑 (2) {liang2 jiang1}, 中藥異名 lesser galangal (Alpiniae Officinarum Rhizoma)
良棗 {liang2 zao3}, 中藥異名 jujube (Jujubae Fructus)

【梁】 {liang2} [Freq. 4] beam; Liang2 (502--557 A.D.).
梁關 {liang2 guan1}, 腧穴異名 BL-63 (Beam Gate)
梁門 {liang2 men2}, 腧穴正名 ST-21 (Beam Gate)
梁丘 {liang2 qiu1}, 腧穴正名 ST-34 (Beam Hill)

【涼】 {liang2} [Freq. 2] cool (v.) (涼血 {liang2 xue4}, cool the blood).
涼菜 {liang2 cai4}, 中藥異名 watercress (Nasturtii Herba)
涼茶藤 {liang2 cha2 teng2}, 中藥異名 hairy mussaenda (Mussaendae Pubescentis Caulis et Folium)
涼粉草 {liang2 fen3 cao3}, 中藥異名 jellywort (Mesonae Herba)

涼粉果 {liang2 fen3 guo3}, 中藥異名 creeping fig fruit (Fici Pumilae Flos)
涼肝 {liang2 gan1}, cool the liver
涼肝膽 {liang2 gan1 dan3}, cool the liver and gallbladder
涼肝明目 {liang2 gan1 ming2 ri4}, clear the liver and brighten the eyes
涼肝熄風 {liang2 gan1 xi1 feng1}, cool the liver and extinguish wind
涼膈連翹散 {liang2 ge2 lian2 qiao4 san3}, 方名 Diaphragm-Cooling Forsythia Powder
涼膈散 {liang2 ge2 san3}, 方名 Diaphragm-Cooling Powder
涼瓜 {liang2 gua1}, 中藥異名 balsam pear (Momordicae Charantiae Fructus)
涼汗淋漓 {liang2 han4 lin2 li2}, cold dripping sweat
涼驚丸 {liang2 jing1 wan2}, 方名 Fright-Cooling Pill
涼開 {liang2 kai1}, cool opening
涼開法 {liang2 kai1 fa3}, cool opening method
涼藤 {liang2 teng2}, 中藥異名 hairy mussaenda (Mussaendae Pubescentis Caulis et Folium)
涼血 {liang2 xue4}, cool the blood
涼血安胎 {liang2 xue4 an1 tai1}, cool the blood and quiet the fetus
涼血除蒸 {liang2 xue4 chu2 zheng1}, cool the blood and eliminate steaming [bones]
涼血地黃湯 {liang2 xue4 di4 huang2 tang1}, 方名 Blood-Cooling Rehmannia Decoction
涼血而清熱 {liang2 xue4 er2 qing1 re4}, cool the blood and clear heat
涼血化斑 {liang2 xue4 hua4 ban1}, cool the blood and transform macules
涼血活血 {liang2 xue4 huo2 xue4}, clear and quicken the blood
涼血解毒 {liang2 xue4 jie3 du2}, cool the blood and resolve toxin
涼血明目 {liang2 xue4 ming2 mu4}, cool the blood and brighten the eyes
涼血清熱 {liang2 xue4 qing1 re4}, cool the blood and clear heat
涼血散血 {liang2 xue4 san4 xue4}, cool and dissipate the blood
涼血四物湯 {liang2 xue4 si4 wu4 tang1}, 方名 Blood-Cooling Four Agents Decoction
涼血通便 {liang2 xue4 tong1 bian4}, cool the blood and free the stool
涼血退虛 {liang2 xue4 tui4 xu1}, cool the blood and abate vacuity
涼血熄風 {liang2 xue4 xi1 feng1}, cool the blood and extinguish wind
涼血消瘀 {liang2 xue4 xiao1 yu1}, cool the blood and disperse stasis
涼血消腫 {liang2 xue4 xiao1 zhong3}, cool the blood and disperse swelling
涼血藥 {liang2 xue4 yao4}, blood-cooling medicinal
涼血止血 {liang2 xue4 zhi3 xue4}, cool the blood and stanch bleeding
涼衍豆 {liang2 yan3 dou4}, 中藥異名 lablab (Lablab Semen Album)
涼營開竅 {liang2 ying2 kai1 qiao4}, cool construction and open the orifices
涼營清氣湯 {liang2 ying2 qing1 qi4 tang1}, 方名 Construction-Cooling Qi4-Clearing Decoction
涼燥 {liang2 zao4}, cool dryness
涼燥證 {liang2 zao4 zheng4}, cool dryness pattern

【椋】 {liang2} [Freq. 4] tree name.
椋子木 {liang2 zi3 mu4}, 中藥正名 large-leaved cornel wood (Corni Macrophyllae Lignum)

~~ {liang3} ~~
【兩】 {liang3} [Freq. 3] two; dual; liang3 (now roughly 30g); tael (now roughly 30g); both.
兩臂頑痲 {liang3 bi4 wan2 ma2}, stubborn numbness of the arms
兩側扁桃腺紅腫 {liang3 ce4 bian3 tao2 xian4 hong2 zhong3}, 西醫 bilateral swelling of the tonsils
兩側頭痛 {liang3 ce4 tou2 tong4}, bilateral headache
兩地湯 {liang3 di4 tang1}, 方名 Rehmannia and Lycium Root Bark Decoction
兩感 {liang3 gan3}, double contraction
兩脛冷 {liang3 jing4 leng3}, cold of the two lower legs
兩面青 {liang3 mian4 qing1}, 中藥正名 Indian maesa (Maesae Indicae Frutex)
兩面針 {liang3 mian4 zhen1, 中藥正名 shiny bramble (Zanthoxyli Radix)
兩目暗黑 {liang3 mu4 an4 hei1}, dark eyes
兩目昏痛 {liang3 mu4 hun1 tong4}, clouded and painful eyes
兩目流淚 {liang3 mu4 liu2 lei4},
兩目上視 {liang3 mu4 shang4 shi4}, upward staring eyes
兩栖蓼 {liang3 qi1 liao3}, 中藥正名 amphibious polygonum (Polygoni Amphibii Herba)
兩顴潮紅 {liang3 quan2 chao2 hong2}, tidal reddening of the cheeks
兩顴發赤 {liang3 quan2 fa1 chi4}, reddening of the cheeks
兩顴發紅 {liang3 quan2 fa1 hong2}, reddening of both cheeks
兩顴泛紅如妝 {liang3 quan2 fan4 hong2 ru2 zhuang1}, cheeks a floating red color as if dabbed with rouge
兩顴緋紅 {liang3 quan2 fei1 hong2}, bright red cheeks
兩顴紅色如塗油彩 {liang3 quan2 hong2 se4 ru2 tu2 you2 cai3}, cheeks red as if smeared with oil paint
兩手緊握 {liang3 shou3 jin3 wo4}, clenched hands
兩手握固 {liang3 shou3 wo4 gu4}, clenched hands
兩頭尖 {liang3 tou2 jian1, 中藥正名 Radde's anemone (Anemones Raddeanae Rhizoma)
兩腿交替作痛 {liang3 tui3 jiao1 ti4 zuo4 tong4}, pain alternating between the legs
兩脅拘急 {liang3 xie2 ju1 ji2}, hypertonicity of both rib-sides; tension in both rib-sides
兩脅&&441C‖脹 {liang3 xie2 zhen1 zhang4}, distention in both rib-sides
兩脅灼痛 {liang3 xie2 zhuo2 tong4}, scorching pain in both rib-sides
兩陽合明 {liang3 yang2 he2 ming2}, united brightness of two yang2 (yang2 brightness channel)
兩儀膏 {liang3 yi2 gao4}, 方名 Dual Principle Paste

兩足痿弱 {liang3 zu2 wei3 ruo4}, limp wilting legs

~~ {liang4} ~~

【亮】 {liang4} [Freq. 4] bright.

亮葉樺根 {liang4 ye4 hua4 gen1}, 中藥正名 shiny-leaved birch root (Betulae Luminiferae Radix)

亮葉樺皮 {liang4 ye4 hua4 pi2}, 中藥正名 shiny-leaved birch bark (Betulae Luminiferae Cortex)

【量】 {liang4} [Freq. 4] quantity (用量 {yong4 liang4}, dosage)

~~ {liao2} ~~

【寮】 {liao2} [Freq. 4] small house.

寮刁竹 {liao2 diao1 zhu2}, 中藥異名 paniculate cynanchum (Cynanchi Paniculati Radix)

【遼】 {liao2} [Freq. 4] distant; short for 遼寧, Liao2ning2 Province; Liao2 (916 -1125 A.D.).

遼東櫟皮 {liao2 dong1 li4 pi2}, 中藥正名 Liaodong oak bark (Quercus Liaotungensis Cortex (Radicis))

遼東櫟殼斗 {liao2 dong1 li4 qiao4 (ke2)}, 中藥正名 Liaodong oak involucre (Quercus Liaotungensis Involucrum)

遼沙參 {liao2 sha1 shen1}, 中藥異名 glehnia (Glehniae Radix)

【療】 {liao2} [Freq. 4] treat.

療兒散 {liao2 er2 san3}, 方名 Child-Curing Powder

療法 {liao2 fa3}, method of treatment

療腹痛 {liao2 fu4 tong4}, treat abdominal pain

療效 {liao2 xiao4}, effect (of treatment)

【窌】 {liao2} [Freq. 5] bone-hole

【簝】 {liao2} [Freq. 4] plant name.

簝葉竹根 {liao2 ye4 zhu2 gen1}, 中藥正名 sasa (Sasae Radix)

【&&91C3.9ACE||】 {liao2} [Freq. 3] bone-hole (次&&91C3.9ACE|{ci4 liao2}, Bone-Hole (BL-32))

~~ {liao3} ~~
【了】 {liao3} [Freq. 4] finished.
了哥王 {liao3 ge1 wang2}, 中藥正名 wikstroemia (Wikstroemiae Caulis et Folium)
了哥王根 {liao3 ge1 wang2 gen1}, 中藥正名 wikstroemia root (Wikstroemiae Radix)
了哥王子 {liao3 ge1 wang2 zi3}, 中藥正名 wikstroemia fruit (Wikstroemiae Fructus)
了了 {liao3 liao3}, clear

【蓼】 {liao3} [Freq. 4] plant name.
蓼實 {liao3 shi2}, 中藥正名 water pepper fruit (Polygoni Hydropiperis Fructus)
蓼子草 {liao3 zi3 cao3}, 中藥正名 slender bearded smartweed (Polygoni Gracilis Herba et Radix)

~~ {liao4} ~~
【料】 {liao4} [Freq. 4] material.
料豆 {liao4 dou4}, 中藥異名 wild soybean (Glycines Sojae Semen)
料豆衣 {liao4 dou4 yi1}, 中藥異名 black soybean seed-coat (Sojae Testa Atra)

~~ {lie4} ~~
【列】 {lie4} [Freq. 4] line up; sequence (列缺 {lie4 que1}, Borken Sequence (LU-7)).
列當 {lie4 dang1}, 中藥正名 broomrape (Orobanches Herba et Radix)
列缺 {lie4 que1}, 腧穴正名 LU-7 (Broken Sequence)

【烈】 {lie4} [Freq. 3] harsh; fiery; strong.
烈朴 {lie4 po4}, 中藥異名 officinal magnolia bark (Magnoliae Officinalis Cortex)

【裂】 {lie4} [Freq. 4] fissured.
裂脊柱 {lie4 ji3 zhu4}, 西醫 spina bifida
裂傷 {lie4 shang1}, 西醫 fissure; laceration
裂紋舌 {lie4 wen2 she2}, fissured tongue
裂脊柱 {lieu4 ji3 zhu4}, 西醫 schistorachis

~~ {lin2} ~~
【林】 {lin2} [Freq. 5] forest (醫林 {yi1 lin2}, medical circles).
林背子 {lin2 bei4 zi3}, 中藥正名 Japanese wax tree root (bark) (Rhois Succedaneae Radix seu

Radicis Cortex)
林檎 {lin2 qin2}, 中藥正名 Chinese crabapple (Mali Asiaticae Fructus)
林檎根 {lin2 qin2 gen1}, 中藥正名 Chinese crabapple root (Mali Asiaticae Radix)

【淋】 {lin2} [Freq. 2] strangury (n.) (血淋 {xue4 lin2}, blood strangury); dribble (v.) (小便淋灕不禁 {xiao3 bian4 lin2 li2 bu2 jin4}, dribbling urinary incontinence).
淋巴管 {lin2 ba1 guan3}, 西醫 lymph(atic) vessel
淋巴結 {lin2 ba1 jie2}, 西醫 lymph node
淋巴結核 {lin2 ba1 jie2 he2}, 西醫 tuberculosis of the lymph nodes
淋巴細胞 {lin2 ba1 xi4 bao1}, 西醫 lymphocyte
淋巴腺 {lin2 ba1 xian4}, 西醫 lymph gland
淋閟 {lin2 bi4}, strangury stoppage
淋病 {lin2 bing4}, 西醫 gonorrhea; strangury disease
淋病澀痛 {lin2 bing4 se4 tong4}, strangury disease with inhibited painful urination
淋家 {lin2 jia1}, person who suffers from strangury
淋灕 {lin2 li2}, dribbling; dripping
淋雨涉水 {lin2 yu3 she4 shui3}, getting soaked in the rain or wading through water
淋證 {lin2 zheng4}, strangury patterns
淋濁 {lin2 zhuo2}, strangury-turbidity

【鄰】 {lin2} [Freq. 4] neighboring.
鄰近部位選穴 {lin2 jin4 bu4 wei4 xuan3 xue2}, selection of adjacent points

【臨】 {lin2} [Freq. 4] close to.
臨床 {lin2 chuang2}, clinical
臨床見聞 {lin2 chuang2 jian4 wen2}, clinical observations
臨床應用 {lin2 chuang2 ying4 yong4}, clinical application
臨泣 (頭) {lin2 qi4 (tou2)}, 腧穴異名 GB-15 (Overlooking Tears (head))
臨泣(足) {lin2 qi4 (zu2)}, 腧穴異名 GB-41 (Overlooking Tears (Leg))
臨蓐 {lin2 ru4}, antepartum
臨時救 {lin2 shi2 jiu4}, 中藥正名 Hu's lysimachia (Lysimachiae Hui Herba)
臨睡前服 {lin2 shui4 qian2 fu2}, take before sleeping
臨證指南醫案 {lin2 zheng4 zhi3 nan2 yi1 an4}, 書名 A Clinical Guide with Case Histories (1766 (Qing1), Ye4 Gui4 葉桂 [Tian1-Shi4 天士])

【鱗】 {lin2} [Freq. 3] scale (魚鱗癬 {yu2 lin2 xian3}, fish scale lichen).
鱗屑 {lin2 xie4}, 西醫 scales

【麟】 {lin2} [Freq. 4] unicorn (of fish and reptiles).
麟片 {lin2 pian4}, 中藥異名 pangolin scales (Manis Squama)

~~ {lin3} ~~
【廩】 {lin3} [Freq. 5] granary (倉廩之官 {can1 lin3 zhi1 guan1}, the office of the granaries)

~~ {lin4} ~~
【橉】 {lin4} [Freq. 4] tree name.
橉寄生 {lin4 ji4 sheng1}, 中藥正名 pseudixus (Pseudixi Ramulus et Folium)
橉木 {lin4 mu4}, 中藥正名 Japanese eurya (Euryae Japonicae Ramulus et Folium seu Fructus)

~~ {ling2} ~~
【苓】 {ling2} [Freq. 4] plant name.
苓甘薑味辛夏仁湯 {ling2 gan1 jiang1 wei4 xin1 xia4 ren2 tang1}, 方名 Poria, Licorice, Ginger, Schisandra, Pinellia, and Apricot Kernel Decoction
苓甘五味薑辛湯 {ling2 gan1 wu3 wei4 jiang1 xin1 tang1}, 方名 Poria, Licorice, Schisandra, Ginger, and Asarum Decoction
苓桂甘棗湯 {ling2 gui4 gan1 zao3 tang1}, 方名 Poria, Cinnamon Twig, Jujube, and Licorice Decoction
苓桂朮甘湯 {ling2 gui4 zhu2 gan1 tang1}, 方名 Poria, Cinnamon Twig, White Atractylodes, and Licorice Decoction
苓薑朮甘湯 {ling2 jiang1 zhu2 gan1 tang1}, 方名 Poria, Ginger, White Atractylodes, and Licorice Decoction
苓皮 {ling2 pi2}, 中藥異名 poria skin (Poriae Cutis)

【凌】 {ling2} [Freq. 3] intimidate (v.) (水氣凌心 {shui3 qi4 ling2 xin1}, water-qi4 intimidating the heart).
凌霄花 {ling2 xiao1 hua1}, 中藥正名 campsis flower (Campsis Flos)

【羚】 {ling2} [Freq. 4] antelope.
羚角鉤藤湯 {ling2 jiao3 gou1 teng2 tang1}, 方名 Antelope Horn and Uncaria Decoction
羚翹解毒丸 {ling2 qiao4 jie3 du2 wan2}, 方名 Antelope Horn and Forsythia Toxin-Resolving Tablet
羚犀白虎湯 {ling2 xi1 bai2 hu3 tang1}, 方名 Antelope and Rhinoceros Horn White Tiger Decoction

羚羊角 {ling2 yang2 jiao3}, 中藥正名 antelope horn (Saigae Tataricae Cornu)
羚羊角散 {ling2 yang2 jiao3 san3}, 方名 Antelope Horn Powder
羚羊角湯 {ling2 yang2 jiao3 tang1}, 方名 Antelope Horn Decoction
羚羊角丸 {ling2 yang2 jiao3 wan2}, 方名 Antelope Horn Pill
羚羊角屑 {ling2 yang2 jiao3 xie4}, 中藥異名 antelope horn (Saigae Tataricae Cornu)
羚羊肉 {ling2 yang2 rou4}, 中藥正名 antelope's flesh (Saigae Tataricae Caro*)

【陵】 {ling2} [Freq. 3] mound.
陵草 {ling2 cao3}, 中藥異名 fenugreek lysimachia (Lysimachiae Foeni-Graeci Herba cum Radice)
陵□} {ling2 gao3}, 中藥異名 kansui (Kansui Radix)
陵后 {ling2 hou4}, 腧穴正名 Behind the Mound
陵后下 {ling2 hou4 xia4}, 腧穴正名 Below Behind the Mound
陵烏 {ling2 xi4}, 中藥異名 plantago (Plantaginis Herba)
陵下 {ling2 xia4}, 腧穴正名 Below the Mound
陵澤 {ling2 ze2}, 中藥異名 kansui (Kansui Radix)

【菱】 {ling2} [Freq. 4] water caltrop.
菱 {ling2}, 中藥正名 water caltrop (Trapae Fructus et Radix)
菱倍 {ling2 bei4}, 中藥異名 many-horned sumac gallnut (Galla Chinensis Multicornis)
菱蒂 {ling2 di4}, 中藥正名 water caltrop pedicle (Trapae Pedicellus)
菱粉 {ling2 fen3}, 中藥正名 water caltrop starch (Trapae Amylum)
菱莖 {ling2 jing1}, 中藥正名 water caltrop stem (Trapae Caulis)
菱殼 {ling2 qiao4 (ke2)}, 中藥正名 water caltrop shell (Trapae Exocarpium)
菱葉 {ling2 ye4}, 中藥正名 water caltrop leaf (Trapae Folium)

【鈴】 {ling2} [Freq. 4] bell.
鈴當子 {ling2 dang1 zi3}, 中藥正名 Siberian morning glory (Ipomoeae Sibiricae Semen)
鈴蘭 {ling2 lan2}, 中藥正名 convalliaria (Convallariae Herba cum Radice)
鈴鈴香 {ling2 ling2 xiang1}, 中藥異名 fenugreek lysimachia (Lysimachiae Foeni-Graeci Herba cum Radice)
鈴醫 {ling2 yi1}, bell healer
鈴茵陳 {ling2 yin1 chen2}, 中藥正名 siphonostegia (Siphonostegiae Herba)

【零】 {ling2} [Freq. 3] zero; fragmentary.
零陵香 {ling2 ling2 xiang1}, 中藥正名 fenugreek lysimachia (Lysimachiae Foeni-Graeci Herba cum Radice)
零烏豆 {ling2 wu1 dou4}, 中藥異名 wild soybean (Glycines Sojae Semen)

零星敗骨 {ling2 xing1 bai4 gu3}, splintered bone
零余子 {ling2 yu2 zi3}, 中藥正名 dioscorea bulblet (Dioscoreae Bulbillus)

【靈】 {ling2} [Freq. 3] spirit (n.) (靈台{ling2 tai2}, Spirit Tower (GB-10)); sacred (adj.) (靈龜八法 {ling2 gui1 ba1 fa3}, eightfold method of the sacred tortoise); magic (adj.) (靈藥 {ling2 yao4}, magic medicine; 靈樞 {ling2 shu1}, Magic Pivot).
靈寶 {ling2 bao3}, 腧穴正名 Spirit Gem
靈道 {ling2 dao4}, 腧穴正名 HT-4 (Spirit Pathway)
靈根 {ling2 gen1}, magic root (tongue)
靈光賦 {ling2 guang1 fu4}, 書名 Ode of Spiritual Light
靈龜八法 {ling2 gui1 ba1 fa3}, eightfold method of the sacred tortoise; sacred tortoise method
靈龜飛騰 {ling2 gui1 fei1 teng2}, sacred turtle soaring
靈貓肉 {ling2 mao1 rou4}, 中藥正名 zibet (Viverrae Caro)
靈貓香 {ling2 mao1 xiang1}, 中藥正名 zibet scent [gland secretion] (Viverrae Secretio)
靈&&5899.58BB|{ling2 qiang2}, 腧穴異名 KI-24 (Spirit Wall)
靈壽茨 {ling2 shou4 ci2}, 中藥正名 cuneate meliosma (Meliosmae Cuneifoliae Radicis Cortex)
靈樞 {ling2 shu1}, 書名 The Magic Pivot (1st century C)
靈樞經 {ling2 shu1 jing1}, 書名 The Magic Pivot (1st century C)
靈樞・百病始生第六十六 {ling2 shu1, bai3 bing4 shi3 sheng1 di4 liu4 shi2 liu4}, Magic Pivot, The Beginnings of the Hundred Diseases
靈樞·背腧第五十一 {ling2 shu1, bei4 shu1 di4 wu3 shi2 yi1}, Magic Pivot, The Back Transport Points
靈樞・本神第八 {ling2 shu1, ben3 shen2 di4 ba1}, Magic Pivot, The Spirit
靈樞・本輸第二 {ling2 shu1, ben3 shu1 di4 er}, Magic Pivot 2, Transport [Points]
靈樞・本藏第四十七 {ling2 shu1, ben3 zang4 di4 si4 shi2 qi1}, Magic Pivot, The Viscera
靈樞・病本第二十五 {ling2 shu1, bing4 ben3 di4 er4 shi2 wu3}, Magic Pivot, Root of Disease
靈樞・病傳第四十二 {ling2 shu1, bing4 chuan2 di4 si4 shi2 er4}, Magic Pivot, Passage of Disease
靈樞・腸胃第三十一 {ling2 shu1, chang2 wei4 di4 san1 shi2 yi1}, Magic Pivot, The Intestines and Stomach
靈樞・刺節真邪第七十五 {ling2 shu1, ci4 jie2 zhen1 xie2 di4 qi1 shi2 wu3}, Magic Pivot, Needling Divisions, True [Qi4] and Evil [Qi4]
靈樞・大惑論第八十 {ling2 shu1, da4 huo4 lun4 di4 ba1 shi2}, Magic Pivot, On Great Confusion
靈樞・癲狂第二十二 {ling2 shu1, dian1 kuang2 di4 er4 shi2 er4}, Magic Pivot, Mania and Withdrawal
靈樞・動輸第六十二 {ling2 shu1, dong4 shu1 di4 liu4 shi2 er4}, Magic Pivot,

靈樞・根結第五 {ling2 shu1, gen1 jie2 di4 wu3}, Magic Pivot, Root and End
靈樞・骨度第十四 {ling2 shu1, gu3 du4 di4 shi2 si4}, Magic Pivot, Bone Measurement Standards
靈樞・官能第七十三 {ling2 shu1, guan1 neng2 di4 qi1 shi2 san1}, Magic Pivot,
靈樞・官針第七 {ling2 shu1, guan1 zhen1 di4 qi1}, Magic Pivot, Using Needles
靈樞・海論第三十三 {ling2 shu1, hai3 lun4 di4 san1 shi2 san1}, Magic Pivot, On Seas
靈樞・寒熱第七十 {ling2 shu1, han2 re4 di4 qi1 shi2}, Magic Pivot, Cold and Heat
靈樞・寒熱病第二十一 {ling2 shu1, han4 re4 bing4 di4 er4 shi2 yi1}, Magic Pivot, Cold and Heat Diseases
靈樞・禁服第四十八 {ling2 shu1, jin4 fu2 di4 si4 shi2 ba1}, Magic Pivot, Memorizing Contraindications
靈樞・經別第十一 {ling2 shu1, jing1 bie2 di4 shi2 yi1}, Magic Pivot, Channel Divergences
靈樞・經筋第十三 {ling2 shu1, jing1 jin1 di4 shi2 san1}, Magic Pivot, The Channel Sinews
靈樞・經脈第十 {ling2 shu1, jing1 mai4 di4 shi2}, Magic Pivot, Channel Vessels
靈樞・經水第十二 {ling2 shu1, jing1 shui3 di4 shi2 er4}, Magic Pivot, The Channel Rivers
靈樞・九宮八風第七十七 {ling2 shu1, jiu3 gong1 ba1 feng1 di4 qi1 shi2 qi1}, Magic Pivot, Nine Palances and Eight Winds
靈樞·九針十二原第一 {ling2 shu1, jiu3 zhen1 er2 shi2 yuan2 di4 yi1}, Magic Pivot 1, The Nine Needles and Twelve Sources
靈樞·九針論第七十八 {ling2 shu1, jiu3 zhen1 lun4 di4 qi1 shi2 ba1}, Magic Pivot, On the Nine Needles
靈樞・厥病第二十四 {ling2 shu1, jue2 bing4 di4 er4 shi2 si4}, Magic Pivot, Reversal Disease
靈樞・決氣第三十 {ling2 shu1, jue2 qi4 di4 san1 shi2}, Magic Pivot, Understanding the Qi4
靈樞・口問第二十八 {ling2 shu1, kou3 wen4 di4 er4 shi2 ba1}, Magic Pivot, Inquiry About Statements
靈樞・論疾診尺第七十四 {ling2 shu1, lun4 ji2 zhen3 chi3 di4 qi1 shi2 si4}, Magic Pivot, Understnading Sickness by Examination of the Cubit Skin
靈樞・論痛第五十三 {ling2 shu1, lun4 tong4 di4 wu3 shi2 san1}, Magic Pivot, On Pain
靈樞・論勇第五十 {ling2 shu1, lun4 yong3 di4 wu3 shi2}, Magic Pivot, On Mettle
靈樞・脈度第十七 {ling2 shu1, mai4 du4 di4 shi2 qi1}, Magic Pivot, Vessel Measurement Standards
靈樞·逆順肥瘦第三十八 {ling2 shu1, ni4 shun2 fei2 shou4 di4 shi1 ba1}, Magic Pivot, Treating the Fat and Thin According to Circumstance
靈樞・逆順第五十五 {ling2 shu1, ni4 shun4 di4 wu3 shi2 wu3}, Magic Pivot, Flow and Counterflow
靈樞・平人絕穀第三十二 {ling2 shu1, ping2 ren2 jue2 gu3 di4 san1 shi1 er4}, Magic Pivot, When Healthy People Stop Eating
靈樞・熱病第二十三 {ling2 shu1, re4 bing4 di4 er4 shi2 san1}, Magic Pivot, Heat Disease

靈樞・上膈第六十八 {ling2 shu1, shang4 ge2 di4 liu4 shi2 ba1}, Magic Pivot, Above the Diaphragm
靈樞・師傳第二十九 {ling2 shu1, shi1 chuan2 di4 er4 shi2 jiu3}, Magic Pivot, Transmitting [the Knowledge of] the Masters
靈樞・壽夭剛柔第六 {ling2 shu1, shou4 yao1 gang1 rou2 di4 liu4}, Magic Pivot, Length of Life and Toughness and Softness
靈樞・水脹第五十七 {ling2 shu1, shui3 zhang4 di4 wu3 shi2 qi1}, Magic Pivot, Water Distension
靈樞・順氣一日分爲四時第四十四 {ling2 shu1, shun4 qi4 yi1 ri4 feng1 wei2 si4 shi2 di4 si4 shi2 si4}, Magic Pivot, Going With Qi4 and a Day Divided into Four Seasons
靈樞・四時氣第十九 {ling2 shu1, si4 shi2 qi4 di4 shi2 jiu3}, Magic Pivot, Qi4 of the Four Seasons
靈樞・歲露論第七十九 {ling2 shu1, sui4 lu4 lun4 di4 qi1 shi2 jiu3}, Magic Pivot, Dew of the Year
靈樞・天年第五十四 {ling2 shu1, tian1 nian2 di4 wu3 shi2 si4}, Magic Pivot, Natural Life-Span
靈樞・通天第七十二 {ling2 shu1, tong1 tian1 di4 qi1 shi2 er4}, Magic Pivot,
靈樞・外揣第四十五 {ling2 shu1, wai4 chuai3 di4 si4 shi2 wu3}, Magic Pivot, Judging from the Outside
靈樞・衛氣第五十二 {ling2 shu1, wei4 qi4 di4 wu3 shi2 er4}, Magic Pivot, Defense Qi4
靈樞・衛氣失常第五十九 {ling2 shu1, wei4 qi4 shi1 chang2 di4 wu3 shi2 jiu3}, Magic Pivot, Abnormality of Defense Qi4
靈樞・衛氣行第七十六 {ling2 shu1, wei4 qi4 xing2 di4 qi1 shi2 liu4}, Magic Pivot, Movement of Defense Qi4
靈樞・五音五味第六十五 {ling2 shu1, weu3 yin1 wu3 wei4 di4 liu4 shi2 wu3}, Magic Pivot, The Found Sound and Five Flavors
靈樞・五變第四十六 {ling2 shu1, wu3 bian4 di4 si4 shi2 liu4}, Magic Pivot, The Five Transmutations
靈樞・五禁第六十一 {ling2 shu1, wu3 jin4 di4 liu4 shi2 yi1}, Magic Pivot, The Five Contraindications
靈樞・五癃津液別第三十六 {ling2 shu1, wu3 long2 jin1 ye4 p;ie2 di4 san1 shi2 liu4}, Magic Pivot, The Five Dribbling Urinary Stoppages and the Differences Between Liquid and Humor
靈樞・五亂第三十四 {ling2 shu1, wu3 luan4 di4 san1 shi2 si4}, Magic Pivot, Five Derangements
靈樞・五色第四十九 {ling2 shu1, wu3 se4 di4 si4 shi2 jiu3}, Magic Pivot, The Five Colors
靈樞・五十營第十五 {ling2 shu1, wu3 shi2 ying2 di4 shi2 wu3}, Magic Pivot, Fifty Cycles
靈樞・五味第五十六 {ling2 shu1, wu3 wei4 di4 wu3 shi2 liu4}, Magic Pivot, The Five Foods
靈樞・五味論第六十三 {ling2 shu1, wu3 wei4 lun4 di4 liu4 shi2 san1}, Magic Pivot, On the Five Flavors

靈樞・五邪第二十 {ling2 shu1, wu3 xie2 di4 er4 shi2}, Magic Pivot, The Five Evils
靈樞·五閱五使第三十七 {ling2 shu1, wu3 yue4 wu3 shi3 di4 sang1 shi2 qi1}, Magic Pivot, The Outward Manifestations and Diseases Caused by the Five Viscera
靈樞·小針解第三 {ling2 shu1, xiao3 zhen1 jie3 di4 san1}, Magic Pivot, Explanation [of the Use of] Small Needles
靈樞・邪客第七十一 {ling2 shu1, xie2 ke4 di4 qi1 shi2 yi1}, Magic Pivot, Visiting of Evil
靈樞・邪氣藏府病形第四 {ling2 shu1, xie2 qi4 cang2 zj3 bing4 xing2 di4 si4}, Magic Pivot, Forms of Disease from Evil Qi4 in the Bowels and Viscera
靈樞・行針第六十七 {ling2 shu1, xing2 zhen1 di4 liu4 shi2 qi1}, Magic Pivot, Using Needles
靈樞・血絡論第三十九 {ling2 shu1, xue4 luo4 lun4 di4 san1 shi2 jiu3}, Magic Pivot, On Blood Network Vessels
靈樞・陰陽二十五人第六十四 {ling2 shu1, yin1 yang2 er4 shi2 wu3 ren2 di4 liu4 shi2 si4}, Magic Pivot,
靈樞・陰陽清濁第四十 {ling2 shu1, yin1 yang2 qing1 zhuo2 di4 si4 shi2}, Magic Pivot, Yin1-Yang2 and Clear-Turbid
靈樞·陰陽系日月第四十一 {ling2 shu1, yin1 yang2 xi4 ri4 yue4 di4 si4 shi2 yi1}, Magic Pivot, Yin1-Yang2 Bound to the Sun and Moon
靈樞・淫邪發夢第四十三 {ling2 shu1, yin2 xie2 fa1 meng4 di4 si4 shi2 san1}, Magic Pivot, Dreams Caused by Excesses and Evils
靈樞・營氣第十六 {ling2 shu1, ying2 qi4 di4 shi2 liu4}, Magic Pivot, Construction Qi4
靈樞・營衛生會第十八 {ling2 shu1, ying2 wei4 sheng1 hui4 di4 shi2 ba1}, Magic Pivot, Engenderment and Interaction of Construction and Defense
靈樞・癰疽第八十一 {ling2 shu1, yong1 ju1 di4 ba1 shi2 yi1}, Magic Pivot, Welling-Abscess and Flat-Abscesses
靈樞・憂恚無言第六十九 {ling2 shu1, you hui4 wu2 yan2 di4 liu4 shi2 jiu3}, Magic Pivot,
靈樞・玉版第六十 {ling2 shu1, yu4 ban3 di4 liu4 shi2}, Magic Pivot, The Jade Slip
靈樞・雜病第二十六 {ling2 shu1, za2 bing4 di4 er4 shi2 liu4}, Magic Pivot, Miscellaneous Disease
靈樞・賊風第五十八 {ling2 shu1, zei2 feng1 di4 wu3 shi2 ba1}, Magic Pivot, Bandit Wind
靈樞・脹論第三十五 {ling2 shu1, zhang4 lun4 di4 san1 shi2 wu3}, Magic Pivot, On Distention
靈樞・終始第九 {ling2 shu1, zhong1 shi3 di4 jiu3}, Magic Pivot, End and Beginning
靈樞・周痺第二十七 {ling2 shu1, zhou1 bi4 di4 er4 shi2 qi1}, Magic Pivot, Generalized Impediment
靈台 {ling2 tai2}, 腧穴正名 GV-10 (Spirit Tower)
靈仙 {ling2 xian1}, 中藥異名 clematis (Clematidis Radix)
靈仙藤 {ling2 xian1 teng2}, 中藥異名 clematis (Clematidis Radix)
靈霄花 {ling2 xiao1 hua1}, 中藥異名 campsis flower (Campsis Flos)
靈墟 {ling2 xu1}, 腧穴正名 KI-24 (Spirit Ruins)

靈眼 {ling2 yan3}, 中藥異名 ginkgo (Ginkgo Semen)
靈藥 {ling2 yao4}, magic medicine
靈茵陳 {ling2 yin1 chen2}, 中藥異名 siphonostegia (Siphonostegiae Herba)
靈芝 (1) {ling2 zhi1}, 中藥正名 ganoderma (Ganoderma)
靈芝 (2) {ling2 zhi1}, 中藥異名 umbilicaria (Umbilicaria)
靈脂 {ling2 zhi1, 中藥異名 squirrel's droppings (Trogopteri Faeces)

【凌】 {ling2} [Freq. 3] intimidate (水氣凌心 {shui3 1i4 ling2 xin1}, water qi4 intimidating the heart); ice.
凌水石 {ling2 shui3 shi2}, 中藥異名 glauberite (Gypsum seu Calcitum)

【鯪】 {ling2} [Freq. 4] dace.
鯪鯉 {ling2 li3}, 中藥正名 pangolin flesh (Manitis Caro)
鯪鯉甲 {ling2 li3 jia3}, 中藥異名 pangolin scales (Manis Squama)
鯪鯉角 {ling2 li3 jiao3}, 中藥異名 pangolin scales (Manis Squama)
鯪魚 {ling2 yu2}, 中藥正名 mud carp (Cirrhinae Molitorellae Caro)

~~ {ling3} ~~
【嶺】 {ling3} [Freq. 4] ridge.
嶺南白連茶 {ling3 nan2 bai2 lian2 cha2}, 中藥正名 Taiwan ehretia (Ehretiae Thyrsiflorae Ramulus et Folium)
嶺南白連茶根 {ling3 nan2 bai2 lian2 cha2 gen1}, 中藥正名 Taiwan ehretia (Ehretiae Thyrsiflorae Radix)
嶺南倒捻子 {ling3 nan2 dao4 nian3 zi3}, 中藥異名 flowery garcinia [root or fruit] (Garciniae Multiflorae Cortex seu Fructus)
嶺南山竹子 {ling3 nan2 shan1 zhu2 zi3}, 中藥異名 flowery garcinia [root or fruit] (Garciniae Multiflorae Cortex seu Fructus)
嶺上 {ling3 shang4}, 腧穴異名 GV-20 (Ridge Top)
嶺上天滿 {ling3 shang4 tian1 man3}, 腧穴異名 GV-20 (Ridge Top Celestial Fullness)

~~ {ling4} ~~
【令】 {ling4} [Freq. 5] command; season (時令 {shi2 ling4}, season); an ancient official title (太醫令 {tai4 yi1 ling4}, Director of the Imperial Medical Bureau); make (cause to be) (母能令子虛 {mu3 neng2 ling4 zi3 xu1}, the mother can make the child vacuous)

【另】 {ling4} [Freq. 4] separately.

另燉服 {ling4 dun4 fu2}, take double-boiled separately
另服 {ling4 fu2}, take separately
另煎 {ling4 jian1}, decoct separately

~~ {liu1} ~~
【溜】 {liu1} [Freq. 5] flow (復溜 {fu4 liu1}, Recover Flow (KI-7))

~~ {liu2} ~~
【流】 {liu2} [Freq. 2] flow (v.), (n.) (下肢流火 {xia4 zhi1 liu2 huo3}, lower limb fire flow).
流鼻涕 {liu2 bi2 ti4}, runny nose
流產 {liu2 chan3}, miscarriage; abortion; abortion
流產后閉經 {liu2 chan3 hou4 bi4 jing1}, post-miscarriage menstrual block
流竄 {liu2 cuan4}, scurry
流火 {liu2 huo3}, fire flow
流精不止 {liu2 jing1 bu4 zhi3}, persistent discharge of semen
流口水 {liu2 kou3 shui3}, dribbling
流淚 {liu2 lei4}, tearing; lacrimation
流淚汪汪 {liu2 lei4 wang1 wang1}, copious tearing
流腦湯 {liu2 nao3 tang1}, 方名 Encephalitis Decoction
流皮漏 {liu2 pi2 lou4}, fistula running through the skin
流氣飲子 {liu2 qi4 yin3 zi3}, 方名 Qi4 Flow Drink
流痰 {liu2 tan2}, flowing phlegm
流痰結瓜 {liu2 tan2 jie2 gua1}, gourd-bearing flowing phlegm
流涎 {liu2 xian2}, drooling
流行性出血性結膜炎 {liu2 xing2 xing4 chu1 xue4 bing4 jie2 mo2 yan2}, 西醫 epidemic haemorrhagic conjunctivitis
流行性出血熱 {liu2 xing2 xing4 chu1 xue4 re4}, 西醫 epidemic hemorrhagic fever (EHF)
流行性感冒 {liu2 xing2 xing4 gan3 mao4}, 西醫 influenza
流行性腦脊膜炎 {liu2 xing2 xing4 nao3 ji3 sui3 mo2 yan}, 西醫 epidemic cerebrospinal meningitis
流行性腦脊髓膜炎 {liu2 xing2 xing4 nao3 ji3 sui3 mo2 yan2}, 西醫 epidemic encephalomyelitis
流行性熱性傳染病 {liu2 xing2 xing4 re4 xing4 chuan2 ran3 bing4}, 西醫 epidemic febrile infectious diseases
流行性腮腺炎 {liu2 xing2 xing4 sai1 xian4 yan2}, 西醫 mumps (epidemic parotitis)
流行性乙型腦炎 {liu2 xing2 xing4 yi3 xing2 nao3 yan2}, 西醫 epidemic encephalitis B

流血 {liu2 xue4}, bleeding
流飲 {liu2 yin3}, flowing rheum
流注 {liu2 zhu4}, streaming sore (gravitation abscess)
流滋 {liu2 zi1}, exudation

【琉】 {liu2} [Freq. 4] colored glaze.
琉璃草根 {liu2 li2 cao3 gen1}, 中藥正名 north China hound's-tongue root (Cynoglossi Divaricati Radix)
琉璃草果實 {liu2 li2 cao3 guo3 shi2}, 中藥正名 north China hound's-tongue fruit (Cynoglossi Divaricati Fructus)

【留】 {liu2} [Freq. 2] abide, retain the needles for twenty minutes).
留豆 {liu2 dou4}, 中藥異名 pea (Pisi Semen)
留公乳 {liu2 gong1 ru3}, 中藥異名 stalactite (Stalactitum)
留罐法 {liu2 guan4 fa3}, retained cupping
留戀 {liu2 lian4}, lodge
留求子 {liu2 qiu2 zi3}, 中藥異名 quisqualis (Quisqualis Fructus)
留師蜜 {liu2 shi1 mi4}, 中藥正名 carpenter bee's honey (Xylocopae Mel)
留石 {liu2 shi2}, 中藥異名 talcum (Talcum)
留飲 {liu2 yin3}, lodged rheum
留者攻之 {liu2 zhe3 gong1 zhi1}, lodging is treated by attack
留針 {liu2 zhen1}, needle retention
留滯 {liu2 zhi4}, stagnate

【硫】 {liu2} [Freq. 4] sulfur.
硫蔥敷劑 {liu2 cong1 fu1 ji4}, 方名 Sulfur and Scallion Topical Application
硫黃 {liu2 huang2, 中藥正名 sulfur (Sulphur)

【榴】 {liu2} [Freq. 4] tree name.
榴槤 {liu2 lian2}, 中藥正名 durian (Durionis Zibethini Fructus)

【劉】 {liu2} [Freq. 4] surname.
劉昉 {liu2 fang3}, Liu2 Fang3
劉寄奴 {liu2 ji4 nu2}, 中藥正名 anomalous artemisia (Artemisiae Anomalae Herba)
劉寄奴草 {liu2 ji4 nu2 cao3}, 中藥異名 anomalous artemisia (Artemisiae Anomalae Herba)
劉涓子鬼遺方 {liu2 juan1 zi3 gui3 yi2 fang1}, Liu2 Juan1-Zi3's Ghost-Bequeathed Remedies
劉完素 {liu2 wan2 su4}, Liu2 Wan2-Su4

【瘤】 {liu2} [Freq. 5] tumor (n.) (肉瘤 {rou4 liu2}, flesh tumor)

【&&4D89‖】 {liu2} [Freq. 5] bamboo rat (竹&&4D89|{zhu2 liu2}, bamboo rat)

~~ {liu3} ~~

【柳】 {liu3} [Freq. 4] willow.

柳白皮 {liu3 bai2 pi2}, 中藥正名 willow (root) bark (Salicis Cortex (Radicis))

柳穿魚 {liu3 chuan1 yu2}, 中藥正名 linaria (Linariae Herba)

柳根 {liu3 gen1}, 中藥正名 willow root (Salicis Radix)

柳桂 {liu3 gui4}, 中藥異名 cinnamon twig (Cinnamomi Ramulus)

柳花 {liu3 hua1}, 中藥正名 willow flower (Salicis Flos)

柳花散 {liu3 hua1 san3}, 方名 Willow Flower Powder

柳杉 {liu3 shan1}, 中藥正名 Japanese cedar (Cryptomeriae Radicis Cortex)

柳絲藻 {liu3 si1 zao3}, 中藥異名 dragon's-whisker seaweed (Gracilaria )

柳屑 {liu3 xie4}, 中藥正名 willow nibblings (Salicis Pulvis)

柳絮 {liu3 xu4}, 中藥正名 downy willow seed (Salicis Semen Pilifer)

柳葉 {liu3 ye4}, 中藥正名 willow leaf (Salicis Folium)

柳枝 {liu3 zhi1}, 中藥正名 willow twig (Salicis Ramulus)

~~ {liu4} ~~

【六】 {liu4} [Freq. 1] six, sixth, sixfold.

六安煎 {liu4 an1 jian1}, 方名 Six Quietings Brew

六變 {liu4 bian4}, six transmutations

六腑 {liu4 fu3}, six bowels (stomach, small and large intestines, gallbladder, bladder, and triple burner)

六腑以通爲用 {liu4 fu3 yi3 tong1 wei2 yong4}, six bowels fulfill their purposes when there is free flow

六谷子 {liu4 gu3 zi3}, 中藥異名 coix (Coicis Semen)

六汗 {liu4 han4}, 中藥異名 dipsacus (Dipsaci Radix)

六合 {liu4 he2}, six ways

六合定中丸, 方名 Sixfold Combination Center-Stabilizing Pill

六和湯 {liu4 he2 tang1}, 方名 Six Harmonizations Decoction

六華 {liu4 hua2}, 腧穴正名 Florid Six

六極 {liu4 ji2}, six extremes

六經 {liu4 jing1}, six channels

六經辨證 {liu4 jing1 bian4 zheng4}, six-channel pattern identification; six-channel pattern

identification

六經病 {liu4 jing1 bing4}, six-channel disease

六經形診 {liu4 jing1 xing2 zhen3}, six-channel patterns

六頸椎旁 {liu4 jing3 zhui2 pang2}, 腧穴正名 Beside the Sixth Cervical Vertebra

六君子湯 {liu4 jun1 zi3 tang1}, 方名 Six Gentlemen Decoction

六脈 {liu4 mai4}, six pulses

六脈垂絕 {liu4 mai4 chui2 jue2}, six pulses verging on expiration

六磨湯 {liu4 mo4 tang1}, 方名 Six Milled Ingredients Decoction

六磨飲 {liu4 mo4 yin3}, 方名 Six Milled Ingredients Beverage

六氣 {liu4 qi4}, six qi4 (wind, cold, fire, summerheat, dryness, and dampness)

六神散 {liu4 shen2 san3}, 方名 Wondrous Six Powder

六神湯 {liu4 shen2 tang1}, 方名 Six Spirits Decoction

六神丸 {liu4 shen2 wan2}, 方名 Six Spirits Pill

六味地黃湯 {liu4 wei4 di4 huang2 tang1}, 方名 Six-Ingredient Rehmannia Decoction

六味地黃丸 {liu4 wei4 di4 huang2 wan2}, 方名 Six-Ingredient Rehmannia Pill

六味回陽飲 {liu4 wei4 hui2 yang2 yin3}, 方名 Six-Ingredient Yang2-Returning Beverage

六味湯 {liu4 wei4 tang1}, 方名 Six-Ingredient Decoction

六味丸 {liu4 wei4 wan2}, 方名 Six-Ingredient Pill

六味香薷飲 {liu4 wei4 xiang1 ru2 yin3}, 方名 Six-Ingredient Mosla Beverage

六線笛鯛 {liu4 xian4 di2 diao1}, 中藥正名 blue-striped snapper (Lutjanus Spilurus)

六陽脈 {liu4 yang2 mai4}, six yang2 pulses

六一散 {liu4 yi1 san3}, 中藥正名 Six-to-One Powder (Six-to-One Powder); Six-To-One Powder

六陰脈 {liu4 yin1 mai4}, six yin1 pulses

六淫 {liu4 yin2}, six excesses (wind, cold, fire, summerheat, dampness, and dryness as environmental phenomena)

六郁 {liu4 yu4}, six depressions (depressed qi4, blood, dampness, fire, phlegm, and food)

六欲 {liu4 yu4}, six desires

六月寒 {liu4 yue4 han2}, 中藥正名 three-flowered bluebeard (Caryopteridis Terniflorae Herba)

六月霜 {liu4 yue4 shuang1}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)

六月鮮 {liu4 yue4 xian1}, 中藥異名 kidney bean (Phaseoli Vulgaris Semen)

六月雪葉 {liu4 yue4 xue3 ye4}, 中藥正名 Chinese eupatorium leaf (Eupatorii Chinensis Folium)

六臟 {liu4 zang4}, six viscera (heart, liver, spleen, lung, kidney, and either pericardium or life gate)

六軸子 {liu4 zhou2 zi3}, 中藥正名 yellow azalea seed (Rhododendri Mollis Fructus)

六柱湯 {liu4 zhu4 tang1}, 方名 Six Pillars Decoction

六柱飲 {liu4 zhu4 yin3}, 方名 Six Pillars Beverage

~~ {long2} ~~

【隆】 {long2} [Freq. 4] hump; bulge.

隆背 {long2 bei4}, hunchback

隆背笛鯛 {long2 bei4 di2 diao1}, 中藥正名 humpback snapper (Lutjanus Gibbus)

隆凸 {long2 tu2}, 西醫 prominence

【龍】 {long2} [Freq. 2] dragon (n.) (龍泉疔 {long2 quan2 ding1}, dragon-spring clove sore).

龍齒 {long2 chi3}, 中藥正名 dragon tooth (Mastodi Dentis Fossilia)

龍齒散 {long2 chi3 san3}, 方名 Dragon Tooth Powder

龍船薦 {long2 chuan2 biao1}, 中藥異名 Japanese raspberry (Rubi Parvifolii Herba)

龍船花 {long2 chuan2 hua1}, 中藥正名 ixora flower (Ixorae Flos)

龍船花根 {long2 chuan2 hua1 gen1}, 中藥正名 ixora root (Ixorae Radix)

龍船花莖葉 {long2 chuan2 hua1 jing1 ye4}, 中藥正名 ixora stem and leaf (Ixorae Caulis et Folium)

龍船馬泡 {long2 chuan2 ma3 pao4}, 中藥正名 Hunan raspberry (Rubi Sieboldi Frutex)

龍單衣 {long2 dan1 pi2}, 中藥異名 snake slough (Serpentis Periostracum)

龍膽白薇 {long2 dan3 bai2 wei1}, 中藥異名 black swallowwort (Cynanchi Atrati Radix)

龍膽草 {long2 dan3 cao3}, 中藥異名 gentian (Gentianae Radix)

龍膽地丁 {long2 dan3 di4 ding1}, 中藥正名 southern gentian (Gentianae Lourei Herba cum Radice)

龍膽瀉肝湯 {long2 dan3 xie4 gan1 tang1}, 方名 Gentian Liver-Draining Decoction

龍膽 {long2 dan3, 中藥正名 gentian (Gentianae Radix)

龍腹香 {long2 fu4 xiang1}, 中藥異名 ambergris (Ambra Grisea)

龍骨兒茶散 {long2 gu3 er2 cha2 san3}, 方名 Dragon Bone and Cutch Powder

龍骨粉 {long2 gu3 fen3}, 中藥正名 dragon bone powder (Mastodi Ossis Fossilia Pulverata)

龍骨牡蠣湯 {long2 gu3 mu3 li4 tang1}, 方名 Dragon Bone and Oyster Shell Decoction

龍骨 {long2 gu3, 中藥正名 dragon bone (Mastodi Ossis Fossilia)

龍頷 {long2 han4}, 腧穴正名 Dragon's Chin

龍虎 {long2 hu3}, 腧穴異名 GV-1 (Dragon Tiger)

龍虎草 {long2 hu3 cao3}, 中藥異名 euphorbia (Euphorbiae Pekinensis Radix)

龍虎三膽散 {long2 hu3 san1 dan3 san3}, 方名 Earthworm, House Lizard, and Three Gallbladders Powder

龍虎穴 {long2 hu3 xue2}, 腧穴異名 GV-1 (Dragon and Tiger Point)

龍火內燔 {long2 huo3 nei4 fan2}, dragon fire blazing internally

龍角 {long2 jiao3}, 中藥正名 dragon horn (Mastodi Cornus Fossilia) (Trapae Fructus et Radix); 中藥異名 water caltrop

龍葵 {long2 kui2}, 中藥正名 black nightshade (Solani Nigri Herba)
龍葵根 {long2 kui2 gen1}, 中藥正名 black nightshade root (Solani Nigri Radix)
龍葵子 {long2 kui2 zi3}, 中藥正名 black nightshade seed (Solani Nigri Semen)
龍雷之火 {long2 lei2 zhi1 huo3}, dragon and thunder fire
龍&&8137||葉 {long2 li4 ye4}, 中藥正名 dragon's tongue leaf (Sauropi Folium)
龍利葉花 {long2 li4 ye4 hua1}, 中藥正名 dragon's tongue flower (Sauropi Flos)
龍門 {long2 men2}, dragon gate (the external opening of the vagina of married women who has not yet given birth); 腧穴正名 Dragon Gate
龍牡 {long2 mu3}, 中藥正名 dragon bone and oyster shell (Mastodi Ossis Fossilia et Ostreae Concha)
龍腦 {long2 nao3}, 中藥異名 borneol (Borneolum)
龍腦薄荷 {long2 nao3 bo4 he2}, 中藥異名 Chinese fieldnettle (Stachydis Baicalensis Herba)
龍腦甘露丸 {long2 nao3 gan1 lu4 wan2}, 方名 Borneol Sweet Dew Pill
龍腦膏 {long2 nao3 gao1}, 方名 Borneol Paste
龍腦膏香 {long2 nao3 gao1 xiang1}, 中藥正名 borneo camphor (Dryobalanopsis Resina)
龍腦香子 {long2 nao3 xiang1 zi3}, 中藥正名 dryobalanops (Dryobalanopsis Semen)
龍皮 {long2 pi2}, 中藥異名 snake slough (Serpentis Periostracum)
龍泉 {long2 quan2}, 腧穴異名 KI-2 (Dragon in the Spring)
龍泉疔 {long2 quan2 ding1}, dragon spring clove sore
龍沙 {long2 sha1}, 中藥異名 ephedra (Ephedrae Herba)
龍舌草 {long2 she2 cao3}, 中藥正名 ottelia (Otteliae Herba)
龍蝨 {long2 shi1}, 中藥正名 cybister (Cybister)
龍頭 {long2 tou2}, 腧穴異名 Dragon's Head
龍頭草 {long2 tou2 cao3}, 中藥異名 agrimony (Agrimoniae Herba)
龍尾 {long2 wei3}, 中藥異名 mylabris (Mylabris)
龍蝦 {long2 xia1}, 中藥正名 spiny lobster (Panulirus)
龍涎香 {long2 xian2 xiang1}, 中藥正名 ambergris (Ambra Grisea)
龍鬚菜 {long2 xu1 cai4}, 中藥正名 dragon's-whisker seaweed (Gracilaria )
龍鬚草 {long2 xu1 cao3}, 中藥異名 dragon's-whisker seaweed (Gracilaria )
龍鬚草 (1) {long2 xu1 cao3}, 中藥正名 Si4chuan1 juncus (Junci Sutchuensis Herba)
龍鬚草 (2) {long2 xu1 cao3}, 中藥正名 poa (Poae Caulis et Folium)
龍鬚眼子菜 {long2 xu1 yan3 zi3 cai4}, 中藥正名 dragon's-whiskers pondweed (Potamogetonis Pectinati Herba)
龍鬚子 {long2 xu1 zi3}, 中藥異名 cuscuta (Cuscutae Semen)
龍牙草根 {long2 ya2 cao3 gen1}, 中藥正名 agrimony root (Agrimoniae Radix)
龍眼肉粥 {long2 yan2 rou4 zhou1}, 方名 Longan Flesh Gruel
龍眼 (1) {long2 yan3}, 中藥正名 longan (Longan Arillus Recens)
龍眼 (2) {long2 yan3}, 中藥異名 longan flesh (Longan Arillus)

龍眼干 {long2 yan3 gan1}, 中藥異名 longan flesh (Longan Arillus)
龍眼根 {long2 yan3 gen1}, 中藥正名 longan root (Longan Radix)
龍眼菰 {long2 yan3 gu1}, 中藥正名 longan fungus (Longan Fungus)
龍眼核 {long2 yan3 he2}, 中藥正名 longan pit (Longan Semen)
龍眼花 {long2 yan3 hua1}, 中藥正名 longan flower (Longan Flos)
龍眼殼 {long2 yan3 qiao4 (ke2)}, 中藥正名 longan shell (Longan Exocarpium)
龍眼肉 {long2 yan3 rou4, 中藥正名 longan flesh (Longan Arillus)
龍眼樹皮 {long2 yan3 shu4 pi2}, 中藥正名 longan bark (Longan Cortex)
龍眼葉 {long2 yan3 ye4}, 中藥正名 longan leaf (Longan Folium)
龍衣 {long2 yi1}, 中藥異名 snake slough (Serpentis Periostracum)
龍淵 {long2 yuan1}, 腧穴異名 KI-2 (Dragon in the Abyss)
龍占 {long2 zhan4}, 中藥正名 common lenjan (Lethrini Naematopteri Caro)
龍珠 {long2 zhu1}, 中藥正名 tubocapsicum (Tubocapsici Herba)
龍珠果 {long2 zhu1 guo3}, 中藥正名 love-in-a-mist [stem or fruit] (Passiflorae Foetidae Caulis seu Fructus)
龍珠子 {long2 zhu1 zi3}, 中藥正名 tubocapsicum fruit (Tubocapsici Fructus)
龍珠根 {long2 zhu2 gen1}, 中藥正名 tubocapsicum root (Tubocapsici Radix)
龍子單衣 {long2 zi3 dan1 yi1}, 中藥異名 snake slough (Serpentis Periostracum)
龍子皮 {long2 zi3 pi2}, 中藥異名 snake slough (Serpentis Periostracum)
龍子衣 {long2 zi3 yi1}, 中藥異名 snake slough (Serpentis Periostracum)

【嚨】 {long2} [Freq. 5] throat (喉嚨 {hou2 long2}, throat)

【籠】 {long2} [Freq. 4] steaming basket.
籠屜 {long2 ti4}, steamer
籠蒸 {long2 zheng1}, basket-steam (to steam in steaming-baskets)

【聾】 {long2} [Freq. 2] deaf (adj.), deafness (n.) (耳聾 {er3 long2}, deafness).
聾穴 {long2 xue2}, 腧穴異名 Deafness Point
聾啞 {long2 ya3}, deaf-mutism
聾中 {long2 zhong1}, 腧穴異名 In Deafness

【癃】 {long2} [Freq. 2] dribbling block (n.) (癃閉 {long2 bi4}, dribbling urinary block).
癃閉 {long2 bi4}, dribbling urinary block
癃閉而尿失禁 {long2 bi4 er2 niao4 shi1 jin4}, dribbling urinary block with overflow incontinence
癃閉而失禁 {long2 bi4 er2 shi1 jin4}, dribbling urinary block with overflow incontinence

~~ {lou2} ~~

【螻】 {lou2} [Freq. 4] mole cricket.

螻蛄 {lou2 gu1}, 中藥正名 mole cricket (Gryllotalpa)

螻蛄癤 {lou2 gu1 jie2}, mole cricket boil

【僂】 {lou2} [Freq. 4] stoop (傴僂 {yu3 lou2}, stoop)

【蒌】 {lou2} [Freq. 4] plant name.

蒌粉 {lou2 fen3}, 中藥異名 trichosanthes root (Trichosanthis Radix)

蒌根 {lou2 gen1}, 中藥異名 trichosanthes root (Trichosanthis Radix)

蒌蒿 {lou2 hao1}, 中藥正名 common mugwort (Artemisiae Vulgaris Herba)

蒌葉 {lou2 ye4}, 中藥異名 betel leaf (Piperis Betle Folium)

蒌油 {lou2 you2}, 中藥正名 betel leaf oil (Piperis Betle Oleum Folii)

~~ {lou4} ~~

【&&7618.763B||】 {lou4} [Freq. 2] fistula (n.).

&&7618.763B||瘡 {lou4 chuang1}, fistula

&&7618.763B||管 {lou4 guan3}, 西醫 fistula

&&7618.763B||腫 {lou4 zhong3}, swollen fistula

【漏】 {lou4} [Freq. 2] spotting (n.) (崩漏 {beng1 lou4}, flooding and spotting); leak (v.); (n.) (same as &&7618.763B|{lou4}. 漏瘡 {lou4 chuang1}, fistula); fistula (n.) (same as &&7618.763B|{lou4}. 漏瘡 {lou4 chuang1}, fistula).

漏瘡 {lou4 chuang1}, fistula

漏斗菜 {lou4 dou3 cai4}, 中藥正名 columbine (Aquilegiae Herba cum Radice)

漏谷 {lou4 gu3}, 腧穴正名 SP-7 (Leaking Valley)

漏汗 {lou4 han4}, leaking sweat

漏紅 {lou4 hong2}, red spotting

漏肩風 {lou4 jian1 feng1}, leaky shoulder wind

漏睛 {lou4 jing1}, weeping canthus

漏籃子 {lou4 lan2 zi3}, 中藥正名 aconite fine roots (Aconiti Radix Tenuis)

漏鈴子 {lou4 ling2 zi3}, 中藥異名 momordica (Momordicae Semen)

漏蘆 {lou4 lu2}, 中藥正名 rhaponticum (Rhapontici Radix)

漏蘆散 {lou4 lu2 san3}, 方名 Rhaponticum Powder

漏奶 {lou4 nai3}, leaking of milk

漏下 {lou4 xia4}, spotting

漏陰 {lou4 yin1}, 腧穴異名 KI-6 (Leaky Yin1)

~~ {lu1} ~~
【嚕】 {lu1} [Freq. 5] lu1 (嘟嚕 {du1 lu1}, du1-lu1)

~~ {lu2} ~~
【盧】 {lu2} [Freq. 4] surname.
盧布 {lu2 bu4}, 中藥異名 stalactite (Stalactitum)
盧甘石 {lu2 gan1 shi2}, 中藥異名 calamine (Calamina)
盧會 {lu2 hui4}, 中藥異名 aloe (Aloe)

【爐】 {lu2} [Freq. 4] oven.
爐甘石 {lu2 gan1 shi2}, 中藥正名 calamine (Calamina)
蘆巴 {lu2 ba1}, 中藥異名 fenugreek (Trigonellae Semen)
蘆柴根 {lu2 chai2 gen1}, 中藥異名 phragmites (Phragmitis Rhizoma)
蘆根 {lu2 gen1}, 中藥正名 phragmites (Phragmitis Rhizoma)
蘆菇根 {lu2 gu1 gen1}, 中藥異名 phragmites (Phragmitis Rhizoma)
蘆花 {lu2 hua1}, 中藥正名 phragmites flower (Phragmititis Flos)
蘆薈 {lu2 hui4}, 中藥正名 aloe (Aloe)
蘆莉草葉 {lu2 hui4 cao3 ye4}, 中藥正名 creeping ruellia leaf (Ruelliae Repentis Folium)
蘆薈根 {lu2 hui4 gen1}, 中藥正名 aloe root (Aloes Radix)
蘆薈花 {lu2 hui4 hua1}, 中藥正名 aloe flower (Aloes Flos)
蘆薈丸 {lu2 hui4 wan2}, 方名 Aloe Pill
蘆薈葉 {lu2 hui4 ye4}, 中藥正名 aloe leaf (Aloes Folium)
蘆莖 {lu2 jing1}, 中藥正名 phragmites stem (Phragmititis Caulis)
蘆橘 {lu2 ju2}, 中藥異名 loquat (Eriobotryae Fructus)
蘆芽根 {lu2 mao2 gen1}, 中藥異名 phragmites (Phragmitis Rhizoma)
蘆茅根 {lu2 mao2 gen1}, 中藥異名 phragmites (Phragmitis Rhizoma)
蘆石 {lu2 shi2}, 中藥異名 stalactite (Stalactitum)
蘆筍 (1) {lu2 sun3}, 中藥正名 phragmites shoot (Phragmititis Surculus)
蘆筍 (2) {lu2 sun3}, 中藥正名 garden asparagus (Asparagi Officinalis Surculus)
蘆筍花 {lu2 sun3 hua1}, 中藥正名 garden asparagus flower (Asparagi Officinalis Flos)
蘆通 {lu2 tong1}, 中藥異名 phragmites (Phragmitis Rhizoma)
蘆葉 {lu2 ye4}, 中藥正名 phragmites leaf (Phragmititis Folium)
蘆枝 {lu2 zhi1}, 中藥異名 loquat (Eriobotryae Fructus)
蘆竹根 {lu2 zhu2 gen1}, 中藥正名 giant reed root (Arundonis Donacis Rhizoma)

蘆竹瀝 {lu2 zhu2 li4}, 中藥正名 giant reed sap (Arundonis Donacis Succus)
蘆竹筍 {lu2 zhu2 su3}, 中藥正名 giant reed shoot (Arundonis Donacis Surculus)
蘆竹鐸 {lu2 zhu2 tuo4}, 中藥正名 phragmites sheath (Phragmititis Vagina)
蘆子 {lu2 zi3}, 中藥異名 betel pepper (Piperis Betle Fructus)

【顱】 {lu2} [Freq. 4] skull.
顱頂痛 {lu2 ding3 tong4}, pain in the vertex of the head
顱骨 {lu2 gu3}, 西醫 cranium
顱息 {lu2 xi1}, 腧穴正名 TB-19 (Skull Rest)
顱囟 {lu2 xin4}, 腧穴異名 TB-19 (Skull)

【鱸】 {lu2} [Freq. 4] perch.
鱸魚 {lu2 yu2}, 中藥正名 sea perch (Lateolabracis Caro)

【轤】 {lu2} [Freq. 4] see 轆轤 {lu4 lu}

【鸕】 {lu2} [Freq. 4] cormorant.
鸕鷀翅羽 {lu2 si1 chi4 yu3}, 中藥正名 cormorant's wing feather (Phalacrocoracis Pluma Alae)
鸕鷀骨 {lu2 si1 gu3}, 中藥正名 cormorant's bone (Phalacrocoracis Os)
鸕鷀肉 {lu2 si1 rou4}, 中藥正名 cormorant's flesh (Phalacrocoracis Caro)
鸕鷀涎 {lu2 si1 xian2}, 中藥正名 cormorant's saliva (Phalacrocoracis Saliva)
鸕鷀涎丸 {lu2 si1 xian2 wan2}, 方名 Cormorant Drool Pill

~~ {lu3} ~~
【鹵】 {lu3} [Freq. 4] bittern.
鹵地菊 {lu3 di4 ju2}, 中藥正名 prostrate wedelia (Wedeliae Prostratae Herba)
鹵鹼 {lu3 jian3}, 中藥正名 alkali (Alkali)

【櫓】 {lu3} [Freq. 4] plant name.
櫓罟子 {lu3 gu3 zi3}, 中藥正名 textile screw pine seed (Pandani Semen)
櫓葉 {lu3 ye4}, 中藥異名 betel leaf (Piperis Betle Folium)

【碌】 {lu3} [Freq. 4] name of a mineral

~~ {lu4} ~~
【陸】 {lu4} [Freq. 4] land; successive; six (same as 六 {liu4}).

陸續配研 {lu4 xue4 pei4 yan2}, successive addition grinding
陸英 {lu4 ying1}, 中藥正名 Java elder fruit (Sambuci Fructus)

【鹿】 {lu4} [Freq. 4] deer.
鹿鞭 {lu4 bian1}, 中藥異名 deer's testis and penis (Cervi Testis et Penis)
鹿鞭粥 {lu4 bian1 zhou1}, 方名 Deer's Penis Gruel
鹿齒 {lu4 chi3}, 中藥正名 deer's tooth (Cervi Dens)
鹿沖 {lu4 chong1}, 中藥異名 deer's testis and penis (Cervi Testis et Penis)
鹿膽 {lu4 dan3}, 中藥正名 deer's gallbladder (Cervi Vesica Fellea)
鹿耳翎 {lu4 er3 ling2}, 中藥正名 laggera (Laggerae Herba)
鹿骨 {lu4 gu3}, 中藥正名 deer's bones (Cervi Os)
鹿含草 {lu4 han2 cao3}, 中藥異名 evolvulus (Evolvuli Herba)
鹿膠 {lu4 jiao1}, 中藥異名 deerhorn glue (Cervi Cornus Gelatinum)
鹿角 {lu4 jiao3}, 中藥正名 deerhorn (Cervi Cornu)
鹿角菜 {lu4 jiao3 cai4}, 中藥正名 glue plant (Gloiopeltis)
鹿角草 {lu4 jiao3 cao3}, 中藥正名 small-flowered beggar's-ticks (Bidentis Parviflorae Herba)
鹿角膠 {lu4 jiao3 jiao1}, 中藥正名 deerhorn glue (Cervi Cornus Gelatinum)
鹿角膠丸 {lu4 jiao3 jiao1 wan2}, 方名 Deerhorn Glue Pill
鹿角膠粥 {lu4 jiao3 jiao1 zhou1}, 方名 Deerhorn Glue Gruel
鹿角霜 {lu4 jiao3 shuang1}, 中藥正名 degelatinated deer antler (Cervi Cornu Degelatinatum)
鹿角菟絲丸 {lu4 jiao3 tu4 si1 wan2}, 方名 Deerhorn and Cuscuta Pill
鹿角屑 {lu4 jiao3 xie4}, 中藥正名 deer antler flakes (Cervi Cornu in Frustis)
鹿筋 {lu4 jin1}, 中藥正名 deer's sinew (Cervi Musculus)
鹿梨 {lu4 li2}, 中藥正名 wild pear (Pyri Calleryane Fructus)
鹿梨根皮 {lu4 li2 gen1 pi2}, 中藥正名 wild pear root bark (Pyri Calleryanae Radicis Cortex)
鹿皮 {lu4 pi2}, 中藥正名 deer's skin (Cervi Corium)
鹿茸 {lu4 rong2}, 中藥正名 velvet deerhorn (Cervi Cornu Pantotrichum)
鹿茸補澀丸 {lu4 rong2 bu3 se4 wan2}, 方名 Velvet Deerhorn Supplementing and Astringing Pill
鹿茸草 {lu4 rong2 cao3}, 中藥正名 monochasma (Monochasmatis Herba)
鹿茸大補湯 {lu4 rong2 da4 bu3 tang1}, 方名 Velvet Deerhorn Major Supplementation Decoction
鹿茸片 {lu4 rong2 pian4}, 中藥正名 velvet deer antler slices (Cervi Cornu Parvum)
鹿茸散 {lu4 rong2 san3}, 方名 Velvet Deerhorn Powder
鹿茸四斤丸, 方名 Velvet Deerhorn Four Jin Pill
鹿肉 {lu4 rou4}, 中藥正名 venison (Cervi Caro)
鹿腎 {lu4 shen4}, 中藥正名 deer's testis and penis (Cervi Testis et Penis)
鹿壽草 {lu4 shou4 cao3}, 中藥正名 Japanese pyrola (Pyrolae Japonicae Herba)

鹿髓 {lu4 sui3}, 中藥正名 deer's marrow (Cervi Medulla)
鹿胎 {lu4 tai1}, 中藥正名 deer's fetus (Cervi Foetus)
鹿蹄草 (1) {lu4 ti2 cao3}, 中藥異名 pyrola (Pyrolae Herba)
鹿蹄草 (2) {lu4 ti2 cao3}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
鹿蹄肉 {lu4 ti2 rou4}, 中藥正名 deer's feet (Cervi Pes)
鹿頭肉 {lu4 tou2 rou4}, 中藥正名 flesh of deer's head (Cervi Caro Capitis)
鹿尾 {lu4 wei3}, 中藥正名 deer's tail (Cervi Cauda)
鹿銜草 {lu4 xian2 cao3}, 中藥正名 pyrola (Pyrolae Herba)
鹿血 {lu4 xue4}, 中藥正名 deer's blood (Cervi Sanguis)
鹿藥 {lu4 yao4}, 中藥正名 Japanese smilacina (Smilacinae Rhizoma et Radix)
鹿靨 {lu4 ye4}, 中藥正名 deer's thyroid gland (Cervi Glandula Thyroidea)
鹿脂 {lu4 zhi1}, 中藥正名 deer's fat (Cervi Adeps)

【路】 {lu4} [Freq. 4] road.
路邊黃 {lu4 bian1 huang2}, 中藥異名 agrimony (Agrimoniae Herba)
路邊雞 {lu4 bian1 ji1}, 中藥異名 agrimony (Agrimoniae Herba)
路邊菊 {lu4 bian1 ju2}, 中藥異名 kalimeris (Kalimeridis Herba et Radix)
路路通 {lu4 lu4 tong1}, 中藥正名 liquidambar fruit (Liquidambaris Fructus)
路旁菊 {lu4 pang2 ju2}, 中藥正名 crenate-leaved heteropappus (Heteropappi Crenatifolii Herba)

【露】 {lu4} [Freq. 3] dew (n.); distillate (n.).
露兜笀□ {lu4 dou1 le4 qiang2}, 中藥正名 textile screw pine root (Pandani Radix)
露兜笀心 {lu4 dou1 le4 xin1}, 中藥正名 textile screw pine shoot (Pandani Surculus)
露兜笀花 {lu4 dou4 le4 hua1}, 中藥正名 textile screw pine flower (Pandani Flos)
露劑 {lu4 ji4}, distillate
露睛 {lu4 jing1}, exposure of the eyeballs; exposed eyeballs
露蕊烏頭 {lu4 rui3 wu1 tou2}, 中藥正名 naked-stamen aconite (Aconiti Gymnandri Radix, Folium et Flos)
露水 {lu4 shui3}, 中藥正名 dew (Ros)
露水草 (1) {lu4 shui3 cao3}, 中藥正名 black eragrostis (Eragrostis Nigrae Herba)
露水草 (2) {lu4 shui3 cao3}, 中藥正名 vague cyanotis (Cyanotis Vagae Herba)

【鷺】 {lu4} [Freq. 4] heron.
鷺鷥咳 {lu4 ci2 ke2}, cormorant cough (whooping cough)
鷺肉 {lu4 rou4}, 中藥正名 egret (Egrettae Caro)
鷺鷥咳 {lu4 si1 ke2}, heron cough (whooping cough; ``heron'' (鷺鷥 {lu4 si1}) is probably

confused with ``cormorant'' (鸕鷀 {lu2 ci2}))
鷺鷥蘭 {lu4 si1 lan2}, 中藥正名 greater diuranthera (Diurantherae Majoris Radix)

【漉】 {lu4} [Freq. 3] gurgle (痰聲漉漉 {tan2 sheng1 lu4 lu4}, gurgling sound of phlegm)

【潞】 {lu4} [Freq. 4] River Lu4, 潞水, now called 濁漳河, River Zhuo2zhang1.
潞黨 {lu4 dang3}, 中藥正名 Lu'an codonospsis (Codonopsis Radix *Lu'anensis)
潞黨參 {lu4 dang3 shen1}, 中藥異名 Lu'an codonospsis (Codonopsis Radix *Lu'anensis)

【蕗】 {lu4} [Freq. 4] plant name.
蕗蕎蔥 {lu4 qiao2 cong1}, 中藥異名 shallot (Allii Ascalonici Bulbus)

【轆】 {lu4} [Freq. 4] well pulley, winch (轆轤 {lu4 lu}, well pulley, winch).
轆轤轉關 {lu4 lu2 zhuan3 guan1}, spinning pulley (constant movement of the eyes due to wind-heat)

~~ {lu92} ~~
【櫚】 {lu92} [Freq. 4] trachycarpus (棕櫚 {zong1 lu92}, trachycarpus).
櫚木 {lu92 mu4}, 中藥正名 Henry's necklace tree [wood and root] (Ormosiae Henryi Lignum et Radix)

【驢】 {lu92} [Freq. 3] donkey.
驢打滾兒草 {lu92 da3 gun3 er2 cao3}, 中藥正名 Turczaninow's hawksbeard (Crepidis Turczaninowii Herba)
驢骨 {lu92 gu3}, 中藥正名 donkey's bones (Asini Os)
驢毛 {lu92 mao2}, 中藥正名 donkey hair (Asini Pili)
驢溺 {lu92 niao4}, 中藥正名 donkey's urine (Asini Urina)
驢肉 {lu92 rou4}, 中藥正名 donkey's flesh (Asini Caro)
驢乳 {lu92 ru3}, 中藥正名 donkey's milk (Asini Lac)
驢蹄 {lu92 ti2}, 中藥正名 donkey's hoof (Asini Ungula)
驢頭 {lu92 tou2}, 中藥正名 donkey's head (Asini Caput)
驢陰莖 {lu92 yin1 jing1}, 中藥正名 donkey's penis (Asini Penis)
驢扎嘴 {lu92 zha1 zui3}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
驢脂 {lu92 zhi1}, 中藥正名 donkey's fat (Asini Adeps)
驢嘴風 {lu92 zui3 feng1}, donkey's-mouth wind

【&&4561||】 {lu92} [Freq. 4] plant name

~~ {lu93} ~~

【呂】 {lu93} [Freq. 4] any of the six yin1 notes in the ancient Chinese musical scale.

呂宮 {lu93 gong1}, 腧穴異名 KI-3 (Lu Palace)

呂宋東 {lu93 song4 dong1}, 中藥正名 St.-Ignatius's-bean (Strychnotis Ignatii Semen)

呂宋楸毛 {lu93 song4 qiu1 mao2}, 中藥正名 kamala seed hair (Malloti Philippinensis Fructus Pilus)

呂細 {lu93 xi4}, 腧穴異名 KI-3 (Small Lu); 腧穴異名 Small Lu

【膂】 {lu93} [Freq. 3] paravertebral sinews.

膂骨 {lu93 gu3}, spine (spinous process of the first thoracic vertebra); spine bone

膂筋 {lu93 jin1}, paravertebral sinews

【穞】 {lu93} [Freq. 4] self-sown.

穞豆 {lu93 dou4}, 中藥異名 wild soybean (Glycines Sojae Semen)

穞豆衣 {lu93 dou4 yi1}, 中藥正名 bean seed-coat (Sojae Testa)

~~ {lu94} ~~

【綠】 {lu94} [Freq. 3] green.

綠茶 {lu94 cha2}, 中藥正名 green tea (Theae Folium Non Fermentatum)

綠豆 {lu94 dou4}, 中藥正名 mung bean (Phaseoli Radiati Semen)

綠豆粉 {lu94 dou4 fen3}, 中藥正名 mung bean flour (Phaseoli Radiati Amylum)

綠豆花 {lu94 dou4 hua1}, 中藥正名 mung bean flower (Phaseoli Radiati Flos)

綠豆皮 {lu94 dou4 pi2}, 中藥正名 mung bean seed-coat (Phaseoli Radiati Testa)

綠豆升麻 {lu94 dou4 sheng1 ma2}, 中藥正名 actaea (Actaeae Rhizoma)

綠豆芽 {lu94 dou4 ya2}, 中藥正名 mung bean sprout (Phaseoli Radiati Plantula)

綠豆葉 {lu94 dou4 ye4}, 中藥正名 mung bean leaf (Phaseoli Radiati Folium)

綠豆衣 {lu94 dou4 yi1}, 中藥異名 mung bean seed-coat (Phaseoli Radiati Testa)

綠萼梅 {lu94 e4 mei2}, 中藥異名 mume flower (Mume Flos)

綠礬 {lu94 fan2}, 中藥正名 melanterite (Melanteritum)

綠風 {lu94 feng1}, green wind

綠風羚羊飲 {lu94 feng1 ling2 yang2 yin3}, 方名 Green Wind Antelope Horn Beverage

綠風內障 {lu94 feng1 nei4 zhang4}, green wind internal obstruction

綠膿桿菌 {lu94 hong2 gan3 jun1}, 西醫 \ic{Pseudomonas pyocyanea}

綠蘭花 {lu94 lan2 hua1}, 中藥正名 Japanese mazus (Mazi Japonici Herba)

綠梅花 {lu94 mei2 hua1}, 中藥異名 mume flower (Mume Flos)

綠內障 {lu94 nei4 zhang1}, 西醫 glaucoma
綠青 {lu94 qing1}, 中藥正名 malachite (Malachitum)
綠升麻 {lu94 sheng1 ma2}, 中藥異名 cimicifuga (Cimicifugae Rhizoma)
綠水灌珠 {lu94 shui3 guan4 zhu1}, green water pouring into the eye
綠筍片 {lu94 sun3 pian4}, 中藥正名 dried green bamboo shoot (Sinocalami Oldhami Surculus Exsiccatus)
綠苔 {lu94 tai1}, green fur
綠莧 {lu94 xian4}, 中藥正名 green amaranth (Amaranthi Viridis Herba seu Radix)
綠鹽 {lu94 yan2}, 中藥正名 atacamite (Atacamitum)
綠葉甘藍 {lu94 ye4 gan1 lan2}, 中藥正名 kale (Brassicae Acephalae Caulis et Folium)
綠竹筍 {lu94 zhu2 sun3}, 中藥正名 green bamboo shoot (Bambusae Oldhami Surculus)

【慮】 {lu94} [Freq. 5] preoccupation (思慮過度 {si1 lu94 guo4 du4}, excessive thought and preoccupation)

【葎】 {lu94} [Freq. 4] Japanese hop.
葎草 {lu94 cao3}, 中藥正名 Japanese hop (Humuli Scandentis Herba)
葎草根 {lu94 cao3 gen1}, 中藥正名 Japanese hop root (Humuli Scandentis Radix)
葎草果穗 {lu94 cao3 guo3 sui4}, 中藥正名 Japanese hop spike (Humuli Scandentis Spica)
葎草花 {lu94 cao3 hua1}, 中藥正名 Japanese hop flower (Humuli Scandentis Flos)

~~ {luan2} ~~
【孿】 {luan2} [Freq. 3] hypertonicity.
孿痹 {luan2 bi4}, hypertonic impediment
孿急 {luan2 ji2}, hypertonicity; tension
孿縮 {luan2 suo1}, contracture
孿縮難伸 {luan2 suo1 nan2 shen1}, contracture preventing stretching
欒華 {luan2 hua2}, 中藥正名 goldenrain tree flower (Koelreuteriae Paniculatae Flos)
欒樨 {luan2 xi1}, 中藥正名 marsh fleabane (Plucheae Caulis et Folium)

~~ {luan3} ~~
【卵】 {luan3} [Freq. 3] egg; testicle; testicle; testis.
卵巢 {luan3 chao2}, 西醫 ovaries
卵巢動脈 {luan3 chao2 dong4 mai4}, 西醫 ovarian artery
卵巢囊腫 {luan3 chao2 nang2 zhong3}, 西醫 ovarian cyst
卵巢切除術 {luan3 chao2 qie1 chu2 shu4}, 西醫 oophorectomy

卵巢性閉經 {luan3 chao2 xing4 bi4 jing1}, 西醫 ovarian amenorrhea
卵菱 {luan3 ling2}, 中藥異名 euryale (Euryales Semen)
卵縮 {luan3 suo1}, retracted testicles
卵脹 {luan3 zhang4}, distended testicles

~~ {luan4} ~~
【亂】 {luan4} [Freq. 3] deranged (語言錯亂 {yu3 yan2 cuo4 luan4}, deranged speech); chaotic (亂經 {luan4 jing1}, chaotic menstruation).
亂髮 {luan4 fa4}, 中藥異名 hair (Crinis Crinis)
亂髮炭 {luan4 fa4 tan4}, 中藥異名 charred hair (Crinis Carbonisatus Crinis Carbonisatus)
亂角蓮 {luan4 jiao3 lian2}, 中藥正名 Yun2nan2 pholidota (Pholidotae Yunnanensis Tuber)
亂經 {luan4 jing1}, chaotic menstruation

~~ {lun2} ~~
【綸】 {lun2} [Freq. 4] fishing line.
綸布 {lun2 bu4}, 中藥異名 kelp (Laminariae/Eckloniae Thallus)

【輪】 {lun2} [Freq. 5] wheel (五輪 {wu3 lun2}, five wheels).
輪上赤豆 {lun2 shang4 chi4 dou4}, red bean on the wheels

~~ {lun4} ~~
【論】 {lun4} [Freq. 5] discuss; determine; treatise

~~ {luo2} ~~
【螺】 {luo2} [Freq. 4] snail with a spiral shell (especially water snail).
螺疔 {luo2 ding1}, snail clove sore
螺螄 {luo2 si1}, 中藥正名 bellamya (Bellamya )
螺厴草 {luo2 yan3 cao3}, 中藥正名 small-leaved lemmaphyllum (Lemmaphylli Herba (cum Radice))

【羅】 {luo2} [Freq. 4] net; surname.
羅布麻葉 {luo2 bu4 ma2 ye4, 中藥正名 dogbane (Apocyni Veneti Folium)
羅泛豆 {luo2 fan4 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)
羅服 {luo2 fu2}, 中藥異名 radish (Raphani Radix)

羅鍋底 {luo2 guo1 di3}, 中藥正名 hemsleya (Hemsleyae Tuber)
羅漢豆 {luo2 han4 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)
羅漢果 {luo2 han4 guo3}, 中藥正名 momordica (Momordicae Fructus)
羅漢果葉 {luo2 han4 guo3 ye4}, 中藥正名 Grosvenor's momordica leaf (Momordicae Grosvenori Folium)
羅漢松根皮 {luo2 han4 song1 gen1 pi2}, 中藥正名 podocarp root bark (Podocarpi Radicis Cortex)
羅漢松實 {luo2 han4 song1 shi2}, 中藥正名 podocarp fruit (Podocarpi Semen et Receptaculum)
羅漢松葉 {luo2 han4 song1 ye4}, 中藥正名 podocarp twig and leaf (Podocarpi Ramulus et Folium)
羅河石斛 {luo2 he2 shi2 hu2}, 中藥正名 Lo2he2 dendrobium (Dendrobii Lohohense Herba)
羅勒 {luo2 le4}, 中藥正名 basil (Basilici Herba)
羅勒根 {luo2 le4 gen1}, 中藥正名 basil root (Basilici Radix)
羅勒子 {luo2 le4 zi3}, 中藥正名 basil seed (Basilici Fructus)
羅裙帶 {luo2 qun2 dai4}, 中藥正名 crinum leaf (Crini Folium)
羅裙帶根 {luo2 qun2 dai4 gen1}, 中藥正名 crinum bulb and root (Crini Bulbus et Radix)
羅天益 {luo2 tian1 yi4}, Luo2 Tian1-Yi4

【騾】 {luo2} [Freq. 4] mule.
騾寶 {luo2 bao3}, 中藥正名 mule's stomach calculous (Muli Stomachi Calculus)

【囉】 {luo2} [Freq. 4] rale.
囉音 {luo2 yin1}, 西醫 rale

【蘿】 {luo2} [Freq. 4] radish.
蘿白 {luo2 bai2}, 中藥異名 radish (Raphani Radix)
蘿蔔 {luo2 bo2}, 中藥異名 radish (Raphani Radix)
蘿蔔地丁 {luo2 bo2 di4 ding1}, 中藥異名 gueldenstaedtia (Gueldenstaedtiae Herba cum Radice)
蘿蔔干 {luo2 bo2 gan1}, 中藥正名 dried radish (Raphani Radix Salsa)
蘿蔔芽 {luo2 bo2 ya2}, 中藥正名 radish sprout (Raphani Semen Germinatum)
蘿蔔子 {luo2 bo2 zi3}, 中藥異名 radish seed (Raphani Semen)
蘿菔 {luo2 fu2}, 中藥異名 radish (Raphani Radix)
蘿芙木 {luo2 fu2 mu4}, 中藥正名 rauwolfia root (Rauvolfiae Radix)
蘿芙木莖葉 {luo2 fu2 mu4 jing1 ye4}, 中藥正名 rauwolfia twig and leaf (Rauvolfiae Ramulus et Folium)
蘿摩 {luo2 mo2}, 中藥正名 metaplexis (Metaplexis Herba seu Radix)

蘿藦子 {luo2 mo2 zi3}, 中藥正名 metaplexis fruit (Metaplexis Fructus)

~~ {luo3} ~~

【瘰】 {luo3} [Freq. 2] scrofula (small) (瘰&&75AC.7667|{luo3 li4}, scrofula).

瘰&&75AC.7667|{luo3 li4}, scrofula

~~ {luo4} ~~

【洛】 {luo4} [Freq. 4] name of a river in Shaanxi and Henan.

洛神葵 {luo4 shen2 kui2}, 中藥正名 hibiscus (Hibisci Flos)

洛陽花 {luo4 yang2 hua1}, 中藥異名 dianthus (Dianthi Herba)

【絡】 {luo4} [Freq. 2] network (vessel) (n.) (經絡 {jing1 luo4}, channels and network vessels; 十五絡{shi2 wu3 luo4}, the fifteen network vessels); net (v.) (心經絡于小腸 {xin1 jing1 luo4 yu2 xiao3 chang2}, the heart channel nets the small intestine).

絡刺 {luo4 ci4}, network vessel pricking (one of the nine needling methods)

絡脈 {luo4 mai4}, network vessel

絡卻 {luo4 que4}, 腧穴正名 BL-8 (Declining Connection)

絡傷出血 {luo4 shang1 chu1 xue4}, bleeding due to damage to the network vessels

絡傷出血證 {luo4 shang1 chu1 xue4 zheng4}, pattern bleeding due to damage to the network vessels

絡上 {luo4 shang4}, 腧穴正名 Above Connection

絡石 {luo4 shi2}, 中藥異名 star jasmine stem (Trachelospermi Caulis)

絡石果 {luo4 shi2 guo3}, 中藥正名 star jasmine fruit (Trachelospermi Fructus)

絡石藤 {luo4 shi2 teng2}, 中藥正名 star jasmine stem (Trachelospermi Caulis)

絡屬 {luo4 shu3}, netting and homing

絡&&90C4|{luo4 xi1}, 腧穴異名 BL-8 (Connecting Cleft)

絡穴 {luo4 xue2}, network point

【落】 {luo4} [Freq. 4] fall.

落得打 {luo4 de2 da3}, 中藥異名 centella (Centellae Herba)

落地 {luo4 di4}, 腧穴正名 Fall to Earth

落地荷花 {luo4 di4 he2 hua1}, 中藥正名 David's gentian (Gentianae Davidii Herba)

落地生根 {luo4 di4 sheng1 gen1}, 中藥正名 bryophyllum (Bryophylli Herba seu Radix)

落地生枝葉 {luo4 di4 sheng1 zhi1 ye4}, 中藥正名 peanut twig and leaf (Arachidis Ramulus et Folium)

落地蜈蚣 {luo4 di4 wu2 gong1}, 中藥異名 yellow-downed hedyotis (Hedyotis Chrysotrichae

Herba)
落花參 {luo4 hua1 shen1}, 中藥異名 peanut (Arachidis Semen)
落花生 {luo4 hua1 sheng1}, 中藥正名 peanut (Arachidis Semen)
落花生油 {luo4 hua1 sheng1 you2}, 中藥正名 peanut oil (Arachidis Seminis Oleum)
落花生粥 {luo4 hua1 sheng1 zhou1}, 方名 Peanut Gruel
落頸 {luo4 jing3}, 腧穴正名 Crick in the Neck
落葵 {luo4 kui2}, 中藥正名 Malabar spinach (Basellae Rubrae Folium seu Herba)
落葵花 {luo4 kui2 hua1}, 中藥正名 Malabar spinach flower (Basellae Rubrae Flos)
落零五 {luo4 ling2 wu3}, 腧穴正名 Crick Half
落蘇 {luo4 su1}, 中藥異名 eggplant (Solani Melongenae Fructus)
落新婦 {luo4 xin1 fu4}, 中藥正名 Chinese astilbe (Astilbes Chinensis Herba)
落新婦根 {luo4 xin1 fu4 gen1}, 中藥正名 Chinese astilbe (Astilbes Chinensis Rhizoma)
落枕 {luo4 zhen3}, 腧穴正名 Crick in the Neck

【酪】 {luo4} [Freq. 4] koumiss.
酪 {luo4}, 中藥正名 koumiss (Koumiss)
酪梨 {luo4 li2}, 中藥正名 avocado (Perseae Fructus)
酪酥 {luo4 su1}, 中藥異名 eggplant (Solani Melongenae Fructus)

【駱】 {luo4} [Freq. 4] camel.
駱駝刺糖 {luo4 tuo2 ci4 tang2}, 中藥異名 manna (Alhagi Succus Condensatus)
駱駝黃 {luo4 tuo2 huang2}, 中藥正名 camel's bezoar (Cameli Secretio)
駱駝毛 {luo4 tuo2 mao2}, 中藥正名 camel's hair (Cameli Pili)
駱駝蓬 {luo4 tuo2 peng2}, 中藥正名 African rue (Pegani Herba)
駱駝蓬子 {luo4 tuo2 peng2 zi3}, 中藥正名 African rue seed (Pegani Semen)
駱駝肉 {luo4 tuo2 rou4}, 中藥正名 camel's flesh (Cameli Caro)
駱駝脂 {luo4 tuo2 zhi1}, 中藥正名 camel's fat (Cameli Adeps)

== M ==

~~ {ma2} ~~
【麻】 {ma2} [Freq. 3] hemp; tingling (adj.), (n.); numbness (n.) (麻木 {ma2 mu4}, [tingling] and numbness).
麻痺 {ma2 bi4}, 西醫 paralysis
麻痹 {ma2 bi4}, paralysis
麻布七 {ma2 bu4 qi1}, 中藥正名 tall aconite (Aconiti Sinomontani Radix)

麻促脈 {ma2 cu4 mai4}, frenzied sesame seed pulse
麻毒 {ma2 du2}, measles toxin
麻毒入營 {ma2 du2 ru4 ying2}, measles toxin entering construction
麻毒陷肺 {ma2 du2 xian4 fei4}, measles toxin falling into the lung
麻沸散 {ma2 fei4 san3}, anesthetic powder
麻蕡 {ma2 fen2}, 中藥正名 hemp spike (Cannabis Spica)
麻風 {ma2 feng1}, numbing wind; leprosy; leprosy
麻瘋 {ma2 feng1}, numbing wind; leprosy
麻瘋樹 {ma2 feng4 shu4}, 中藥正名 jatropha [leaf and bark] (Jatrophatis Folium et Cortex)
麻腐 {ma2 fu3}, 中藥正名 sesame curd (Sesami Praeparatum)
麻根 {ma2 gen1}, 中藥正名 hemp root (Cannabis Radix)
麻菇 {ma2 gu1}, 中藥異名 straw mushroom (Volvariella)
麻桂石膏湯 {ma2 gui4 shi2 gao1 tang1}, 方名 Ephedra, Cinnamon Twig, and Gypsum Decoction
麻花 {ma2 hua1}, 中藥正名 hemp flower (Cannabis Flos)
麻花艽 {ma2 hua1 jiao1}, 中藥正名 mahuajiao gentian (Gentianae Mahuajiao Radix)
麻黃附子甘草湯 {ma2 huang2 fu4 zi3 gan1 cao3 tang1}, 方名 Ephedra, Aconite, and Licorice Decoction
麻黃附子細辛湯 {ma2 huang2 fu4 zi3 xi4 xin1 tang1}, 方名 Ephedra, Aconite, and Asarum Decoction
麻黃根 {ma2 huang2 gen1}, 中藥正名 ephedra root (Ephedrae Radix)
麻黃加朮湯 {ma2 huang2 jia1 zhu2 tang1}, 方名 Ephedra Decoction Plus White Atractylodes
麻黃連翹赤小豆湯 {ma2 huang2 lian2 qiao4 chi4 xiao3 dou4 tang1}, 方名 Ephedra, Forsythia, and Rice Bean Decoction
麻黃湯 {ma2 huang2 tang1}, 方名 Ephedra Decoction
麻黃細辛附子湯 {ma2 huang2 xi4 xin1 fu4 zi3 tang1}, 方名 Ephedra, Asarum, and Aconite Decoction
麻黃杏仁石膏甘草湯 {ma2 huang2 xing4 ren2 shi2 gao1 gan1 cao3 tang1}, 方名 Ephedra, Apricot Kernel, Gypsum, and Licorice Decoction
麻黃杏仁薏苡甘草湯 {ma2 huang2 xing4 ren2 yi4 yi3 ren2 gan1 cao3 tang1}, 方名 Ephedra, Apricot Kernel, Coix, and Licorice Decoction
麻黃 {ma2 huang2, 中藥正名 ephedra (Ephedrae Herba)
麻秸 {ma2 jie2}, 中藥正名 sesame stem (Sesami Caulis)
麻剌利亞 {ma2 la4 li4 ya3}, malaria
麻柳果 {ma2 liu3 guo3}, 中藥正名 wing nut fruit (Pterocaryae Fructus)
麻柳樹根 {ma2 liu3 shu4 gen1}, 中藥正名 wing nut root (Pterocaryae Radix)
麻柳葉 {ma2 liu3 ye4}, 中藥正名 wing nut leaf (Pterocaryae Folium)
麻木 {ma2 mu4}, numbness (and tingling)

麻皮 {ma2 pi2}, 中藥正名 hemp fiber (Cannabis Fibra)
麻前散 {ma2 qian2 san3}, 方名 Nux-Vomica Powder
麻雀 {ma2 que4}, 中藥異名 sparrow (Passer)
麻仁 {ma2 ren2}, 中藥異名 cannabis fruit (Cannabis Fructus)
麻仁丸 {ma2 ren2 wan2}, 方名 Cannabis Fruit Pill
麻杏甘石湯 {ma2 xing4 gan1 shi2 tang1}, 方名 Ephedra, Apricot Kernel, Licorice, and Gypsum Decoction
麻杏石甘湯 {ma2 xing4 shi2 gan1 tang1}, 方名 Ephedra, Apricot Kernel, Gypsum, and Licorice Decoction
麻杏薏甘湯 {ma2 xing4 yi4 gan1 tang1}, 方名 Ephedra, Apricot Kernel, Coix, and Licorice Decoction; Ephedra, Apricot Kernel, Coix, and Licorice Decoction
麻葉 {ma2 ye4}, 中藥正名 hemp leaf (Cannabis Folium)
麻苡 {ma2 yi3}, 中藥異名 jute leaf (Corchori Capsularis Folium)
麻油 {ma2 you2}, 中藥正名 sesame oil (Sesami Oleum)
麻油調敷 {ma2 you2 tiao2 fu1}, apply mixed with sesame oil
麻疹 {ma2 zhen3}, measles papules; measles; measles
麻疹閉證 {ma2 zhen3 bi4 zheng4}, measles block pattern
麻疹不透 {ma2 zhen3 bu4 tou4}, non-eruption of measles
麻疹發不暢 {ma2 zhen3 fa1 bu4 chang4}, inhibited eruption of measles papules
麻疹喉痛 {ma2 zhen3 hou2 tong4}, sore throat in measles
麻疹難透 {ma2 zhen3 nan2 tou4}, difficult outthrust of measles
麻疹逆證 {ma2 zhen3 ni4 zheng4}, unfavorable measles pattern
麻疹失音 {ma2 zhen3 shi1 yin1}, loss of voice in measles
麻疹順證 {ma2 zhen3 shun4 zheng4}, favorable measles pattern
麻疹透發不出 {ma2 zhen3 tou4 fa1 bu4 chu1}, non-eruption of measles; non-outthrust of measles
麻疹險證 {ma2 zhen3 xian3 zheng4}, critical measles pattern
麻芝糊 {ma2 zhi1 hu2}, 中藥異名 adenostemma (Adenostemmatis Herba)
麻竹筍 {ma2 zhu2 sun3}, 中藥正名 ma bamboo shoot (Bambusae Latiflorae Surculus)
麻子 {ma2 zi3}, 中藥異名 cannabis fruit (Cannabis Fructus)
麻滓 {ma2 zi3}, 中藥正名 sesame seed residue (Sesami Seminis Residuum)
麻子仁 {ma2 zi3 ren2}, 中藥異名 cannabis fruit (Cannabis Fructus)
麻子仁丸 {ma2 zi3 ren2 wan2}, 方名 Cannabis Fruit Pill

【蟆】 {ma2} [Freq. 5] toad (蛤蟆 {ha1 ma2}, toad)

~~ {ma3} ~~

【馬】 {ma3} [Freq. 3] horse.
馬鞍藤 {ma3 an1 teng2}, 中藥正名 beach morning glory (Ipomoeae Pes-Caprae Herba)
馬鞍藤根 {ma3 an1 teng2 gen1}, 中藥正名 beach morning glory root (Ipomoeae Pes-Caprae Radix)
馬寶 {ma3 bao3}, 中藥正名 horse bezoar (Equi Calculus)
馬比木 {ma3 bi3 mu4}, 中藥正名 nothapodytes (Nothapodytis Radicis Cortex)
馬鞭草 {ma3 bian1 cao3}, 中藥正名 verbena (Verbenae Herba)
馬邊繡球 {ma3 bian1 xiu4 qiu2}, 中藥正名 David's hydrangea pith (Hydrangeae Davidii Medulla)
馬鞭魚 {ma3 bian1 yu2}, 中藥正名 smooth flutemouth (Fistularia Petimba)
馬鱉 {ma3 bie1}, 中藥異名 leech (Hirudo)
馬檳榔 {ma3 bin1 lang2}, 中藥正名 capparis (Capparis Semen)
馬勃 {ma3 bo2}, 中藥正名 puffball (Lasiosphaera seu Calvatia)
馬&&3F0E‖兒 {ma3 bo2 er2}, 中藥正名 Indian melothria (Melothriae Indicae Herba)
馬齒 {ma3 chi3}, 中藥正名 horse tooth (Equi Dens)
馬齒菜 {ma3 chi3 cai4}, 中藥異名 purslane (Portulacae Herba)
馬齒豆 {ma3 chi3 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)
馬齒莧 {ma3 chi3 xian4}, 中藥正名 purslane (Portulacae Herba)
馬齒莧湯 {ma3 chi3 xian4 tang1}, 方名 Purslane Decoction
馬齒莧子 {ma3 chi3 xian4 zi3}, 中藥正名 purslane seed (Portulacae Semen)
馬刺草 {ma3 ci4 cao3}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
馬刺刺 {ma3 ci4 ci4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
馬丹陽天星十二穴 {ma3 dan1 yang2 tian1 xing1 shi2 er4 xue2}, Ma Dan-Yang2's twelve heavenly star points
馬丹陽天星十二穴歌 {ma3 dan1 yang2 tian1 xing1 shi2 er4 xue2 ge1}, Song of Ma3 Dan1-Yang2's Twelve Heavenly Star Points
馬刀 {ma3 dao1}, saber lumps (Solen Gouldii Concha); 中藥正名 bamboo razor clam shell
馬刀瘡 {ma3 dao1 chuang1}, saber lumps
馬刀豆 {ma3 dao1 dou4}, 中藥異名 sword bean (Canavaliae Semen)
馬刀俠癭 {ma3 dao1 jia1 ying3}, saber and pearl-string lumps
馬刀肉 {ma3 dao1 rou4}, 中藥正名 bamboo razor clam (Solen Gouldii Caro)
馬蹬草 {ma3 deng1 cao3}, 中藥正名 Siberian walking fern (Camptosori Sibirici Herba)
馬兜苓 {ma3 dou1 ling2}, 中藥異名 aristolochia fruit (Aristolochiae Fructus)
馬兜鈴 {ma3 dou1 ling2}, 中藥正名 aristolochia fruit (Aristolochiae Fructus)
馬兜鈴散 {ma3 dou1 ling2 san3}, 方名 Aristolochia Fruit Powder
馬豆 {ma3 dou4}, 中藥異名 wild soybean (Glycines Sojae Semen)
馬肝 {ma3 gan1}, 中藥正名 horse liver (Equi Iecur)
馬骨 {ma3 gu3}, 中藥正名 horse's bone (Equi Os)

馬蟥 {ma3 huang2}, 中藥異名 leech (Hirudo)
馬蝗積 {ma3 huang2 ji1}, leech accumulation
馬薊 {ma3 ji4}, 中藥異名 atractylodes (Atractylodis Rhizoma) (Cirsii Japonici Herba seu Radix); 中藥異名 Japanese thistle
馬甲子根 {ma3 jia3 zi3 gen1}, 中藥正名 paliurus root (Paliuri Radix)
馬甲子葉 {ma3 jia3 zi3 ye4}, 中藥正名 paliurus leaf (Paliuri Folium)
馬口 {ma3 kou3}, horse's mouth (mouth of the urethra)
馬蘭 {ma3 lan2}, 中藥正名 kalimeris (Kalimeridis Herba et Radix)
馬蘭菜 {ma3 lan2 cai4}, 中藥異名 kalimeris (Kalimeridis Herba et Radix)
馬料豆 {ma3 liao4 dou4}, 中藥異名 wild soybean (Glycines Sojae Semen)
馬藺根 {ma3 lin4 gen1}, 中藥正名 north China iris root (Iridis Radix)
馬藺花 {ma3 lin4 hua1}, 中藥正名 north China iris flower (Iridis Flos)
馬藺葉 {ma3 lin4 ye4}, 中藥正名 north China iris leaf (Iridis Folium)
馬藺子 {ma3 lin4 zi3}, 中藥正名 sweet iris seed (Iridis Pallasii Semen)
馬鈴薯 {ma3 ling2 shu3}, 中藥異名 potato (Solani Tuberosi Tuber)
馬騮卵 {ma3 liu2 luan3}, 中藥正名 sword fern tuber (Nephrolepis Tuber)
馬鹿花 {ma3 lu4 hua1}, 中藥正名 butea (Buteae Radix)
馬面單棘魨 {ma3 mian4 dan1 ji2 tun2}, 中藥正名 black scraper (Navodon Modestus)
馬明退 {ma3 ming2 tui4}, 中藥異名 silkworm moth exuviae (Bombycis Exuviae)
馬尿花 {ma3 niao4 hua1}, 中藥正名 hydrocharis (Hydrocharitis Herba)
馬尿燒 {ma3 niao4 shao1}, 中藥正名 Buerger's elder (Sambuci Buergerianae Radix, Ramulus et Folium)
馬皮 {ma3 pi2}, 中藥正名 horse hide (Equi Cutis)
馬薺 {ma3 qi2}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)
馬蜞 {ma3 qi2}, 中藥異名 leech (Hirudo)
馬鬐膏 {ma3 qi2 gao1}, 中藥正名 horse's neck fat (Equi Adeps Colli)
馬錢子 {ma3 qian2 zi3}, 中藥正名 nux vomica (Strychni Semen)
馬肉 {ma3 rou4}, 中藥正名 horse meat (Equi Caro)
馬乳 {ma3 ru3}, 中藥正名 horse's milk (Equi Lac)
馬桑根 {ma3 sang1 gen1}, 中藥正名 tutu root (Coriariae Sinicae Radix)
馬桑樹皮 {ma3 sang1 shu4 pi2}, 中藥正名 tutu bark (Coriariae Sinicae Cortex)
馬桑葉 {ma3 sang1 ye4}, 中藥正名 tutu leaf (Coriariae Sinicae Folium)
馬蛇子 {ma3 she2 zi3}, 中藥正名 sand lizard (Eremias)
馬蛇子菜 {ma3 she2 zi3 cai4}, 中藥異名 purslane (Portulacae Herba)
馬粟草 {ma3 su4 cao3}, 中藥異名 water shield (Braseniae Caulis et Folium)
馬唐 {ma3 tang2}, 中藥正名 crabgrass (Digitariae Sanguinalis Herba)
馬蹄 {ma3 ti2}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)
馬蹄草 (1) {ma3 ti2 cao3}, 中藥正名 membranaceous marsh marigold (Calthae Membranaceae

Herba seu Radix)
馬蹄草 (2) {ma3 ti2 cao3}, 中藥異名 water shield (Braseniae Caulis et Folium)
馬蹄根 {ma3 ti2 gen1}, 中藥正名 agiopteris (Agiopteridis Rhizoma)
馬蹄甲 {ma3 ti2 jia3}, 中藥正名 horse's hoof (Equi Ungula)
馬蹄金 {ma3 ti2 jin1}, 中藥異名 dichondra (Dichondrae Herba)
馬蹄蕨 {ma3 ti2 jue2}, 中藥正名 Fu2jian4 angiopteris (Angiopteridis Fokiensis Rhizoma)
馬蹄決明 {ma3 ti2 jue2 ming2}, 中藥異名 fetid cassia (Cassiae Semen)
馬蹄葉 {ma3 ti2 ye4}, 中藥正名 marsh marigold (Calthae Herba)
馬蹄子 {ma3 ti2 zi3}, 中藥異名 fetid cassia (Cassiae Semen)
馬桶癬 {ma3 tong3 xian3}, chamber-pot lichen
馬尾連 {ma3 wei3 lian2}, 中藥正名 meadow rue (Thalictri Rhizoma et Radix)
馬尾千金草 {ma3 wei3 qian1 jin1 cao3}, 中藥正名 horse-tail club moss (Lycopodii Sieboldii Herba)
馬尾篩 {ma3 wei3 shai1}, horse-tail sieve
馬尾伸筋 {ma3 wei3 shen1 jin1}, 中藥正名 Japanese greenbrier (Smilacis Nipponicae Rhizoma et Radix)
馬尾香 {ma3 wei3 xiang1}, 中藥異名 frankincense (Olibanum)
馬舄 {ma3 xi4}, 中藥異名 plantago (Plantaginis Herba)
馬銜芎藭 {ma3 xian2 xiong1 qiong2}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)
馬莧 {ma3 xian4}, 中藥異名 purslane (Portulacae Herba)
馬心 {ma3 xin1}, 中藥正名 horse's heart (Equi Cor)
馬牙 {ma3 ya2}, horse teeth
馬牙硝 (1) {ma3 ya2 xiao1}, 中藥正名 horse-tooth mirabilite (Natrii Sulfas Equidens)
馬牙硝 (2) {ma3 ya2 xiao1}, 中藥正名 horse-tooth niter (Nitrum Equidens)
馬纓丹 {ma3 ying1 dan1}, 中藥異名 red sage flower (Lantanae Flos)
馬蛭 {ma3 zhi4}, 中藥異名 leech (Hirudo)
馬&&8481|{ma3 zhu2}, 中藥異名 curcuma (Curcumae Radix)
馬鬃 {ma3 zong1}, 中藥正名 horse's mane (Equi Iuba)

【瑪】 {ma3} [Freq. 4] agate 瑪瑙.
瑪瑙 {ma3 nao3}, 中藥正名 agate (Achates)

【螞】 {ma3} [Freq. 4] leech (螞蝗 {ma3 huang2}).
螞蝗蜞 {ma3 huang2 qi2}, 中藥異名 leech (Hirudo)

~~ {mai2} ~~
【埋】 {mai2} [Freq. 4] bury; implant.

埋線療法 {mai2 xian4 liao2 fa3}, catgut embedding
埋針 {mai2 zhen1}, needle implantation; needle embedding

~~ {mai3} ~~
【買】 {mai3} [Freq. 4] buy.
買麻藤 {mai3 ma2 teng2}, 中藥正名 joint fir (Gneti Parvifolii Caulis et Folium seu Radix)

~~ {mai4} ~~
【脈】 {mai4} [Freq. 2] pulse (n.) (脈浮數 {mai4 fu2 shuo4}, the pulse is floating and rapid); vessel (n.) (任脈 {ren4 mai4}, controlling vessel.).
脈暴出 {mai4 bao4 chu1}, fulminating pulse
脈痹 {mai4 bi4}, vessel impediment
脈長 {mai4 chang2}, long pulse
脈沉 {mai4 chen2}, deep pulse; sunken pulse
脈遲 {mai4 chi2}, slow pulse
脈出 {mai4 chu1}, pulse [burstling] out
脈促 {mai4 cu4}, skipping pulse; rapid irregularly interrupted pulse
脈大 {mai4 da4}, large pulse
脈代 {mai4 dai4}, regularly interrupted pulse
脈動 {mai4 dong4}, stirred pulse
脈度 {mai4 du4}, vessel measurement
脈短 {mai4 duan3}, short pulse
脈伏 {mai4 fu2}, hidden pulse
脈浮 {mai4 fu2}, floating pulse
脈浮數 {mai4 fu2 shu4}, rapid floating pulse
脈跟 {mai4 gen1}, 腧穴正名 Vessel's Root
脈合四時 {mai4 he2 si4 shi2}, congruence of the pulse with the four seasons
脈洪 {mai4 hong2}, surging pulse
脈滑 {mai4 hua2}, slippery pulse
脈緩 {mai4 huan3}, moderate pulse
脈會 {mai4 hui4}, meeting point of the vessels (LU-9)
脈豁大無力 {mai4 huo4 da4 wu2 li4}, forceless large gaping pulse
脈急 {mai4 ji2}, urgent pulse
脈疾 {mai4 ji2}, racing pulse
脈緊 {mai4 jin3}, tight pulse
脈經 {mai4 jing1}, 書名 The Pulse Canon (3rd century, Western Jin4, Wang2 Shu1-He2 王叔

和)

脈靜 {mai4 jing4}, tranquil pulse
脈口 {mai4 kou3}, vessel opening; wrist pulse
脈絡 {mai4 luo4}, vessels and networks
脈絡膜 {mai4 luo4 mo2}, 西醫 choroid
脈逆四時 {mai4 ni4 si4 shi2}, incongruence of the pulse with the four seasons
脈氣 {mai4 qi4}, vessel qi4
脈強 {mai4 qiang2}, strong pulse
脈濡 {mai4 ru2}, soggy pulse
脈弱 {mai4 ruo4}, weak pulse
脈散 {mai4 san4}, dissipated pulse; scattered pulse
脈澀 {mai4 se4}, rough pulse
脈實 {mai4 shi2}, replete pulse
脈數 {mai4 shuo4}, rapid pulse
脈體之獨 {mai4 ti3 zhi1 du2}, single quality of the pulse
脈微 {mai4 wei1}, faint pulse
脈微欲絕 {mai4 wei1 yu4 jue2}, faint pulse verging on expiry
脈痿 {mai4 wei3}, vessel wilting
脈無胃氣 {mai4 wu2 wei4 qi4}, pulse bereft of stomach qi4
脈細 {mai4 xi4}, fine pulse
脈細尺弱 {mai4 xi4 chi3 ruo4}, fine pulse weak at the cubit
脈細數 {mai4 xi4 shu4}, fine rapid pulse
脈弦 {mai4 xian2}, stringlike pulse
脈弦細數 {mai4 xian2 xi4 shu4}, fine rapid stringlike pulse
脈象 {mai4 xiang4}, pulse; pulse manifestation
脈象遲緩 {mai4 xiang4 chi2 huan3}, slow or moderate pulse
脈象洪大而數 {mai4 xiang4 hong2 da4 er2 shu4}, rapid large surging pulse
脈象滑 {mai4 xiang4 hua2}, slippery pulse
脈象滑數 {mai4 xiang4 hua2 shu4}, slippery rapid pulse
脈象濡滑緩 {mai4 xiang4 ru2 hua2 huan3}, soggy, slippery, moderate pulse
脈象數 {mai4 xiang4 shu4}, rapid pulse
脈象細數 {mai4 xiang4 xi4 shu4}, fine rapid pulse
脈象主病 {mai4 xiang4 zhu3 bing4}, disease correspondences of the pulse
脈小 {mai4 xiao3}, small pulse
脈虛 {mai4 xu1}, vacuous pulse
脈虛無根 {mai4 xu1 wu2 gen1}, vacuous pulse pulse without root
脈懸絕 {mai4 xuan2 jue2}, critical expiration pulses
脈學 {mai4 xue2}, pulse theory; sphygmology

脈陰陽俱浮 {mai4 yin1 yang2 ju4 fu2}, floating yin1 and yang2 pulses
脈陰陽俱緊 {mai4 yin1 yang2 ju4 jin3}, tight yin1 and yang2 pulses
脈應四時 {mai4 ying4 si4 shi2}, congruence of the pulse with the four seasons
脈躁 {mai4 zao4}, agitated pulse
脈躁疾 {mai4 zao4 ji2}, agitated racing pulse
脈診 {mai4 zhen3}, pulse examination
脈蒸 {mai4 zheng1}, steaming vessels
脈症合參 {mai4 zheng4 he2 can1}, correlation of the pulse and pathoconditions
脈證合參 {mai4 zheng4 he2 can1}, correlate pulse and signs; correlation of the pulse and signs
脈痔 {mai4 zhi4}, anal fissure

【麥】 {mai4} [Freq. 4] grains (other than rice).
麥撇花藤 {mai4 ci4 pie3 hua1 teng2}, 中藥正名 mappianthus (Mappianthi Caulis)
麥冬汁 {mai4 dong1 zhi1}, 中藥異名 fresh ophiopogon juice (Ophiopogonis Tuberis Recentis Succus)
麥冬 {mai4 dong1, 中藥正名 ophiopogon (Ophiopogonis Radix)
麥麩草 {mai4 fu1 cao3}, 中藥正名 slender false nettle (Boehmeriae Gracilis Herba)
麥瓜 {mai4 gua1}, 中藥異名 pumpkin (Cucurbitae Fructus)
麥角 {mai4 jiao3}, 中藥正名 ergot (Ergota)
麥藍子 {mai4 lan2 zi3}, 中藥異名 vaccaria (Vaccariae Semen)
麥粒型皮內針 {mai4 li4 xing2 pi2 nei4 zhen1}, wheat-grain intradermal needle
麥粒腫 {mai4 li4 zhong3}, 西醫 hordeolum
麥門冬 {mai4 men2 dong1}, 中藥異名 ophiopogon (Ophiopogonis Radix)
麥蘡冬 {mai4 men2 dong1}, 中藥異名 ophiopogon (Ophiopogonis Radix)
麥門冬莖葉 {mai4 men2 dong1 jing1 ye4}, 中藥正名 ophiopogon stem and leaf (Ophiopogonis Caulis et Folium)
麥門冬湯 {mai4 men2 dong1 tang1}, 方名 Ophiopogon Decoction
麥門冬飲子 {mai4 men2 dong1 yin3 zi3}, 方名 Ophiopogon Drink
麥蘖 {mai4 nie4}, 中藥異名 barley sprout (Hordei Fructus Germinatus)
麥蘖麵 {mai4 nie4 mian4}, 中藥正名 malt flour (Hordei Farina Fructus Germinati)
麥奴 {mai4 nu2}, 中藥正名 infested wheat (Tritici Spica Infestata)
麥穗夏枯草 {mai4 sui4 xia4 ku1 cao3}, 中藥異名 prunella (Prunellae Spica)
麥味地黃丸 {mai4 wei4 di4 huang2 wan2}, 方名 Ophiopogon and Rehmannia Pill
麥夏枯 {mai4 xia4 ku1}, 中藥異名 prunella (Prunellae Spica)
麥芽曲 {mai4 ya2 qu1}, 中藥正名 barley leaven (Hordei Massa Fermentata)
麥芽 {mai4 ya2, 中藥正名 barley sprout (Hordei Fructus Germinatus)

【賣】 {mai4} [Freq. 4] sell.

賣藥所 {mai4 yao4 suo3}, medicine store

【邁】 {mai4} [Freq. 5] stride (邁步 {mai4 bu4}, Stride); advance (年邁 {nian2 mai4}, advancing years).
邁步 {mai4 bu4}, 腧穴正名 Stride

~~ {man2} ~~
【鰻】 {man2} [Freq. 4] eel.
鰻鱺 {man2 li2}, 中藥異名 eel (Anguillae)
鰻鱺魚 {man2 li2 yu2}, 中藥正名 eel (Anguillae)
鰻鱺魚膏 {man2 li2 yu2 gao1}, 中藥正名 eel's fat (Anguillae Adeps)
鰻鱺魚骨 {man2 li2 yu2 gu3}, 中藥正名 eel's bone (Anguillae Os)
鰻鱺魚血 {man2 li2 yu2 xue4}, 中藥正名 eel's blood (Anguillae Sanguis)
鰻魚 {man2 yu2}, 中藥異名 eel (Anguillae)

【蠻】 {man2} [Freq. 4] barbarian.
蠻刀背 {man2 dao1 bei4}, 中藥正名 Java lysimachia (Lysimachiae Javanicae Herba)
蠻瓜 {man2 gua1}, 中藥異名 luffa gourd (Luffae Fructus)
蠻楂 {man2 zha1}, 中藥異名 Chinese quince fruit (Chaenomelis Sinensis Fructus)

【悗】 {man2} [Freq. 5] oppression (四肢煩悗 {si4 zhi1 fan2 man2}, vexation in the limbs)

~~ {man3} ~~
【滿】 {man3} [Freq. 2] fullness (n.) (腹滿 {fu4 man3}, abdominal fullness).
滿江紅 {man3 jiang1 hong2}, 中藥正名 floating fern (Azollae Herba)
滿江紅根 {man3 jiang1 hong2 gen1}, 中藥正名 floating fern root (Azollae Radix)
滿面通紅 {man3 mian4 tong1 hong2}, redness of the whole face
滿山紅 {man3 shan1 hong2}, 中藥正名 Daurian rhododendron (Rhododendri Daurici Folium)
滿山紅根 {man3 shan1 hong2 gen1}, 中藥正名 Daurian rhododendron root (Rhododendri Daurici Radix)
滿天星 (1) {man3 tian1 xing1}, 中藥正名 sphagnum (Sphagni Herba)
滿天星 (2) {man3 tian1 xing1}, 中藥正名 star-sky alternanthera (Alternantherae Sessilis Herba (cum Radice))

~~ {man4} ~~

【曼】 {man4} [Freq. 4] prolong.
曼陀羅 {man4 tuo2 luo2}, 中藥正名 datura (Daturae Flos seu Folium)
曼陀羅根 {man4 tuo2 luo2 gen1}, 中藥正名 datura root (Daturae Radix)
曼陀羅花 {man4 tuo2 luo2 hua1}, 中藥異名 datura flower (Daturae Flos)
曼陀羅葉 {man4 tuo2 luo2 ye4}, 中藥正名 datura leaf (Daturae Folium)
曼陀羅子 {man4 tuo2 luo2 zi3}, 中藥正名 datura fruit (Daturae Fructus)
曼陀茄根 {man4 tuo2 qie2 gen1}, 中藥正名 mandragora (Mandragorae Radix)

【慢】 {man4} [Freq. 4] slow; chronic.
慢喉痹 {man4 hou2 bi4}, chronic throat impediment
慢喉喑 {man4 hou2 yin1}, chronic loss of voice
慢火 {man4 huo3}, slow flame
慢驚 {man4 jing1}, chronic fright
慢驚風 {man4 jing1 feng1}, chronic fright wind
慢脾風 {man4 pi2 feng1}, chronic spleen wind
慢乳蛾 {man4 ru3 e2}, chronic nipple most
慢性 {man4 xing4}, 西醫 chronic
慢性白血病 {man4 xing4 bai2 xue4 bing4}, 西醫 chronic leukemia
慢性鼻炎 {man4 xing4 bi2 yan2}, 西醫 chronic rhinitis; chronic rhinitis
慢性扁桃體炎 {man4 xing4 bian3 tao2 ti3 yan2}, 西醫 chronic tonsillitis
慢性腸炎 {man4 xing4 chang2 yan2}, 西醫 chronic enteritis
慢性膽囊炎 {man4 xing4 dan3 nang2 yan2}, 西醫 chronic cholecystitis
慢性的 {man4 xing4 de}, 西醫 chronic
慢性非特異性潰瘍性結腸炎 {man4 xing4 fei1 te4 yi4 xing4 kui4 yang2 xing4 jie2 chang2 yan2}, 西醫 chronic nonspecific ulcerative colitis
慢性非特異性食管炎 {man4 xing4 fei1 te4 yi4 xing4 shi2 guan3 yan2}, 西醫 chronic nonspecific esophagitis
慢性肺原性心臟病 {man4 xing4 fei4 yuan2 xing4 xin1 zang4 bing4}, 西醫 chronic cor pulmonale
慢性附骨疽 {man4 xing4 fu4 gu3 ju1}, chronic bone flat-abscess (suppurative oestomyelitis)
慢性睾丸炎 {man4 xing4 gao3 wan2 yan2}, 西醫 chronic orchitis
慢性喉炎 {man4 xing4 hou2 yan2}, 西醫 chronic laryngitis
慢性化膿性骨髓炎 {man4 xing4 hua4 nong2 xing4 gu3 sui3 yan2}, 西醫 chronic pyogenic osteomyelitis
慢性脊髓炎 {man4 xing4 ji3 sui3 yan2}, 西醫 chronic myelitis
慢性闌尾炎 {man4 xing4 lan2 wei3 yan2}, 西醫 chronic appendicitis
慢性盆腔炎 {man4 xing4 pen2 qiang1 yan2}, 西醫 chronic pelvic inflammation
慢性前列腺炎 {man4 xing4 qian2 lie4 xian4 yan2}, 西醫 chronic prostatitis

慢性淺表性胃炎 {man4 xing4 qian3 biao3 xing4 wei4 yan2}, 西醫 chronic superficial gastritis
慢性腎功能衰竭 {man4 xing4 shen4 gong1 neng2 shuai1 jie2}, 西醫 chronic renal failure
慢性腎小球腎炎 {man4 xing4 shen4 xiao3 qiu2 shen4 yan2}, 西醫 chronic glomerulonephritis
慢性腎盂腎炎 {man4 xing4 shen4 yu2 shen4 yan2}, 西醫 chronic pyelonephritis
慢性腎上腺皮質功能減退症 {man4 xing4 sheng4 shang4 xian4 pi2 shi2 gong1 neng2 jian3 tui4 zheng4}, 西醫 chronic adrenocortical hypofunction
慢性萎縮性胃炎 {man4 xing4 wei3 suo1 xing4 wei4 yan2}, 西醫 chronic atrophic gastritis
慢性胃炎 {man4 xing4 wei4 yan2}, 西醫 chronic gastritis
慢性心功能不全 {man4 xing4 xin1 gong1 neng2 bu4 quan2}, 西醫 chronic cardiac insufficiency
慢性咽炎 {man4 xing4 yan1 yan2}, 西醫 chronic pharyngitis
慢性支氣管炎 {man4 xing4 zhi1 qi4 guan3 yan2}, 西醫 chronic bronchitis
慢性阻塞性肺氣腫 {man4 xing4 zu3 se4 xing4 fei4 qi4 zhong3}, 西醫 pulmonary emphysema

【漫】 {man4} [Freq. 4] diffuse.
漫腫 {man4 zhong3}, diffuse swelling

【蔓】 {man4} [Freq. 4] trailing plant.
蔓胡頹子 {man4 hu2 tui2 zi3}, 中藥正名 smooth oleaster fruit (Elaeagni Glabrae Fructus)
蔓胡頹子根 {man4 hu2 tui2 zi3 gen1}, 中藥正名 smooth oleaster root (Elaeagni Glabrae Radix)
蔓胡頹子葉 {man4 hu2 tui2 zi3 ye4}, 中藥正名 smooth oleaster leaf (Elaeagni Glabrae Folium)
蔓椒 {man4 jiao1}, 中藥異名 shiny bramble (Zanthoxyli Radix)
蔓菁 {man4 jing1}, 中藥異名 turnip (Brassicae Rapae Tuber et Folium)
蔓荊實 {man4 jing1 shi2}, 中藥異名 vitex (Viticis Fructus)
蔓荊子 {man4 jing1 zi3}, 中藥正名 vitex (Viticis Fructus)
蔓菁子 {man4 jing1 zi3}, 中藥異名 turnip seed (Brassicae Rapae Semen)
蔓菁子散 {man4 jing1 zi3 san3}, 方名 Vitex Fruit Powder
蔓荊子湯 {man4 jing1 zi3 tang1}, 方名 Vitex Fruit Decoction
蔓荊子葉 {man4 jing1 zi3 ye4}, 中藥正名 vitex leaf (Viticis Folium)
蔓青子 {man4 qing1 zi3}, 中藥異名 vitex (Viticis Fructus)
蔓烏頭 {man4 wu1 tou2}, 中藥正名 twining aconite (Aconiti Volubilis Tuber)

~~ {mang2} ~~
【芒】 {mang2} [Freq. 2] prickle (on the tongue).
芒草 {mang2 cao3}, 中藥異名 black swallowwort (Cynanchi Atrati Radix)

芒刺 {mang2 ci4}, prickles
芒刺舌 {mang2 ci4 she2}, prickly tongue
芒根 {mang2 gen1}, 中藥正名 Chinese miscanthus root (Miscanthi Sinensis Radix)
芒果 {mang2 guo3}, 中藥正名 mango (Mangiferae Fructus)
芒果核 {mang2 guo3 he2}, 中藥正名 mango stone (Mangiferae Endocarpium et Semen)
芒果樹皮 {mang2 guo3 shu4 pi4}, 中藥正名 mango bark (Mangiferae Radicis Cortex)
芒果葉 {mang2 guo3 ye4}, 中藥正名 mango leaf (Mangiferae Folium)
芒莖 {mang2 jing1}, 中藥正名 Chinese miscanthus stem (Miscanthi Sinensis Caulis)
芒萁骨 {mang2 qi2 gu3}, 中藥正名 dicranopteris leaf (Dicranopteridis Folium seu Petiolus)
芒萁骨根 {mang2 qi2 gu3 gen1}, 中藥正名 dicranopteris root (Dicranopteridis Rhizoma)
芒硝 {mang2 xiao1, 中藥正名 mirabilite (Natrii Sulfas)
芒小米草 {mang2 xiao3 mi3 cao3}, 中藥正名 Maximowicz's euphrasia (Euphrasiae Maximowiczii Herba)
芒針 {mang2 zhen1}, awn needle
芒種 {mang2 zhong4}, Grain in Ear (9th solar term)
芒種花 {mang2 zhong4 hua1}, 中藥正名 goldencup hypericum (Hyperici Patuli Frutex)

【盲】 {mang2} [Freq. 5] blindness (n.) (雀盲 {que4 mang2}, night blindness).
盲腸 {mang2 chang2}, 西醫 caecum

~~ {mao1} ~~
【貓】 {mao1} [Freq. 4] cat.
貓胞衣 {mao1 bao1 yi1}, 中藥正名 cat's placenta (Felis Placenta)
貓兒薄荷 {mao1 er2 bo4 he2}, 中藥異名 mint (Menthae Herba)
貓兒刺 {mao1 er2 ci4}, 中藥異名 Chinese holly leaf (Ilicis Cornutae Folium)
貓兒屎 {mao1 er2 shi3}, 中藥正名 decaisnea root (Decaisneae Radix)
貓兒屎果 {mao1 er2 shi3 guo3}, 中藥正名 decaisnea fruit (Decaisneae Fructus)
貓兒眼睛 {mao1 er2 yan3 jing1}, 中藥正名 Nepalese polygonum (Polygoni Nepalensis Herba)
貓耳朵草 {mao1 er3 duo1 cao3}, 中藥正名 gymnopteris (Gymnopteridis Herba et Rhizoma)
貓肝 {mao1 gan1}, 中藥正名 cat's liver (Felis Iecur)
貓胡子花 {mao1 hu2 zi3 hua1}, 中藥正名 Bodinier caper (Capparis Bodinieri Radicis Cortex seu Folium, Flos, et Fructus)
貓花 {mao1 hua1}, 中藥正名 brandisia (Brandisiae Herba)
貓薊 {mao1 ji4}, 中藥異名 field thistle (Cirsii Herba)
貓腳印 {mao1 jiao3 yin4}, 中藥正名 Robert's cranesbill (Geranii Robertiani Herba)
貓毛草 {mao1 mao2 cao3}, 中藥異名 golden hair grass (Pogonatheri Herba)
貓皮毛 {mao1 pi2 mao2}, 中藥正名 cat's pelt (Felis Pellis)

貓人參 {mao1 ren2 shen1}, 中藥正名 valvate actinidia root (Actinidiae Valvatae Radix)
貓肉 {mao1 rou4}, 中藥正名 cat's flesh (Felis Caro)
貓頭 {mao1 tou2}, 中藥正名 cat's head (Felis Caput)
貓鬚草 {mao1 xu1 cao3}, 中藥正名 orthosiphon (Orthosiphonis Herba)
貓眼草 {mao1 yan3 cao3}, 中藥正名 cat's-eye spurge (Euphorbiae Lunulatae Herba)
貓眼瘡 {mao1 yan3 chuang1}, cat's-eye sore (equivalent to WM erythema multiforme)
貓眼睛 {mao1 yan3 jing1}, 中藥正名 monkey flower (Mimuli Herba)
貓油 {mao1 you2}, 中藥正名 cat's fat (Felis Adeps)
貓爪草 {mao1 zhao3 cao3}, 中藥正名 cat's claw buttercup (Ranunculi Ternati Radix)

~~ {mao2} ~~
【毛】 {mao2} [Freq. 2] [body] hair.
毛八角蓮 {mao2 ba1 jiao3 lian2}, 中藥正名 bristly dysosma (Dysosmae Hispidae Tuber)
毛蟲藥 {mao2 chong2 yao4}, 中藥異名 emilia (Emiliae Herba (cum Radice))
毛慈姑 {mao2 ci2 gu1}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
毛刺 {mao2 ci4}, hair needling (one of the nine needling methods)
毛悴色夭 {mao2 cui4 se4 yao1}, withered skin and body hair and perished complexion
毛大丁草 {mao2 da4 ding1 cao3}, 中藥正名 gerbera (Gerberae Herba)
毛大丁草根 {mao2 da4 ding1 cao3 gen1}, 中藥正名 gerbera root (Gerberae Radix et Rhizoma)
毛滴蟲 {mao2 di1 chong2}, 西醫 trichomonas
毛滴蟲病 {mao2 di1 chong2 bing4}, 西醫 trichomoniasis
毛冬瓜 {mao2 dong1 gua1}, 中藥正名 hairy-flowered actinidia root and leaf (Actinidiae Erianthae Radix et Folium)
毛冬青 {mao2 dong1 qing1}, 中藥正名 hairy holly root (Ilicis Pubescentis Radix)
毛冬青葉 {mao2 dong1 qing1 ye4}, 中藥正名 hairy holly leaf (Ilicis Pubescentis Folium)
毛豆 {mao2 dou4}, 中藥異名 soybean (Sojae Semen)
毛髮憔悴 {mao2 fa3 qiao2 cui4}, withered hair
毛髮 {mao2 fa4}, hair (of head and body)
毛發變異 {mao2 fa4 bian4 yi4}, abnormalities of the hair
毛髮變異 {mao2 fa4 bian4 yi4}, abnormalities of hair (of head and body)
毛髮不榮 {mao2 fa4 bu4 rong2}, lusterless hair
毛髮焦穗 {mao2 fa4 jiao1 sui4}, parched tangled hair
毛髮脫落 {mao2 fa4 tuo1 luo4}, hair loss (of head and body)
毛茛 {mao2 gen4}, 中藥正名 Japanese ranunculus (Ranunculi Japonici Herba et Radix)
毛姑 {mao2 gu1}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)

毛瓜 {mao2 gua1}, 中藥異名 hairy melon (Benincasae Chiehqua Fructus)
毛貫衆 {mao2 guan4 zhong4}, 中藥正名 Champion's dryopteris (Dryopteridis Championii Rhizoma)
毛花點草 {mao2 hua1 dian3 cao3}, 中藥正名 hairy nanocnide (Nanocnides Pilosae Herba)
毛黃連 {mao2 huang2 lian2}, 中藥正名 Si4chuan1 adonis (Adonidis Szechuanensis Flos)
毛雞草 {mao2 ji1 cao3}, 中藥異名 agrimony (Agrimoniae Herba)
毛際 {mao2 ji4}, pubic hair region
毛薑 {mao2 jiang1}, 中藥異名 drynaria (Drynariae Rhizoma)
毛將君 {mao2 jiang1 jun1}, 中藥異名 agrimony (Agrimoniae Herba)
毛焦 {mao2 jiao1}, parched body hair
毛腳雞 {mao2 jiao3 ji1}, 中藥異名 agrimony (Agrimoniae Herba)
毛腳茵 {mao2 jiao3 yin1}, 中藥異名 agrimony (Agrimoniae Herba)
毛楝枝葉 {mao2 lai2 zhi1 ye4}, 中藥正名 Walter's dogwood (Corni Walteri Ramulus et Folium)
毛梨 {mao2 li2}, 中藥異名 Chinese gooseberry (Actinidiae Chinensis Fructus)
毛蓼 {mao2 liao3}, 中藥正名 bearded smartweed (Polygoni Barbati Herba seu Radix)
毛脈 {mao2 mai4}, downy pulse; body hair and vessels
毛脈合精 {mao2 mai4 he2 jing1}, body and vessels are connected with essence
毛囊 {mao2 nang2}, 西醫 hair follicle
毛鳥瓜 {mao2 niao3 gua1}, 中藥正名 snake gourd (2) (Trichosanthis Anguinae Fructus)
毛排錢草 {mao2 pai2 qian2 cao3}, 中藥正名 elegant desmodium (Desmodii Elegantis Radix et Caulis)
毛青杠 {mao2 qing1 gang4}, 中藥正名 tiny ardisia (Ardisiae Pusillae Frutex)
毛然然子 {mao2 ran2 ran2 zi3}, 中藥異名 arctium (Arctii Fructus)
毛蕊花 {mao2 rui3 hua1}, 中藥正名 mullein (Verbasci Herba)
毛蕊老鸛草 {mao2 rui3 lao3 guan4 cao3}, 中藥正名 woolly-stamened cranesbill (Geranii Eriostemonis Herba)
毛色不澤 {mao2 se4 bu4 ze2}, lusterless hair
毛麝香 {mao2 she4 xiang1}, 中藥正名 glutinous adenosma (Adenosmatis Glutinosi Herba)
毛薯 {mao2 shu3}, 中藥正名 greater yam (Dioscoreae Alatae Tuber)
毛刷 {mao2 shua1}, bristle brush
毛荀 {mao2 sun3}, 中藥正名 moso bamboo shoot (Phyllostachydis Pubescentis Surculus)
毛尾薯 {mao2 wei3 shu3}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
毛辛夷 {mao2 xin1 yi2}, 中藥異名 magnolia flower (1) (Magnoliae Flos)
毛野丁香葉 {mao2 ye3 ding1 xiang1 ye4}, 中藥正名 leptodermis (Leptodermis Folium)
毛葉巴豆 {mao2 ye4 ba1 dou4}, 中藥正名 hairy-leaved croton (Crotonis Caudati Frutex)
毛葉石楠根 {mao2 ye4 shi2 nan2 gen1}, 中藥正名 hairy photinia (Photiniae Villosae Radix)
毛芋 {mao2 yu4}, 中藥異名 taro (Colocasiae Tuber)

毛折 {mao2 zhe2}, brittle hair
毛錐子 {mao2 zhui1 zi3}, 中藥異名 arctium (Arctii Fructus)

【茅】 {mao2} [Freq. 4] cogongrass.
茅草根 {mao2 cao3 gen1}, 中藥異名 imperata (Imperatae Rhizoma)
茅草箭 {mao2 cao3 jian4}, 中藥正名 roegneria (Roegneriae Herba)
茅草葉 {mao2 cao3 ye4}, 中藥正名 imperata leaf (Imperatae Folium)
茅膏菜 {mao2 gao1 cai4}, 中藥正名 peltate sundew (Droserae Peltatae Herba)
茅膏菜根 {mao2 gao1 gen1}, 中藥正名 peltate sundew tuber (Droserae Peltatae Tuber)
茅葛湯 {mao2 ge2 tang1}, 方名 Imperata and Pueraria Decoction
茅根 {mao2 gen1}, 中藥異名 imperata (Imperatae Rhizoma)
茅根炭 {mao2 gen1 tan4}, 中藥正名 charred imperata (Imperatae Rhizoma)
茅根湯 {mao2 gen1 tang1}, 方名 Imperata Decoction
茅根赭石湯 {mao2 gen1 zhe3 shi2 tang1}, 方名 Imperata and Hematite Decoction
茅盔花 {mao2 kui1 hua1}, 中藥異名 imperata flower (Imperatae Flos)
茅栗 {mao2 li4}, 中藥正名 Seguin chinquapin (Castaneae Seguinii Involucrum, Radicis Cortex, seu Radix)
茅栗仁 {mao2 li4 ren2}, 中藥正名 Seguin chinquapin seed (Castaneae Seguinii Semen)
茅香花 {mao2 xiang1 hua1}, 中藥正名 hierochloe5 (Hierochlo\"es Flos)
茅楂 {mao2 zha1}, 中藥異名 crataegus (Crataegi Fructus)
茅針花 {mao2 zhen1 hua1}, 中藥異名 imperata flower (Imperatae Flos)
茅朮 {mao2 zhu2}, 中藥正名 Maoshan atractylodes (Atractylodis Rhizoma *Maoshanense)

【&&7266.729B||】 {mao2} [Freq. 4] yak.
&&7266.729B||牛角 {mao2 niu2 jiao3}, 中藥正名 yak's horn (Bovis Grunnientis Cornu)

~~ {mao3} ~~
【卯】 {mao3} [Freq. 5] fourth earthly branch; B4.
卯時 {mao3 shi2}, B4 watch (5--7 a.m.)

~~ {mao4} ~~
【冒】 {mao4} [Freq. 3] encroach (v.); veiled.
冒犯 {mao4 fan4}, encroached by; contract
冒家 {mao4 jia1}, patient suffering from veiling
冒暑 {mao4 shu3}, summerheat veiling

【帽】 {mao4} [Freq. 4] hat.
帽蘭 {mao4 lan2}, 中藥正名 stewartia (root) bark (Stewartiae Cortex seu Radicis Cortex)

【瑁】 {mao4} [Freq. 4] hawksbill turtle (玳瑁 {dai4 mao4}, hawksbill turtle)

【瞀】 {mao4} [Freq. 4] visual distortion.
瞀瘛 {mao4 qi4}, visual distortion and tugging

~~ {mei2} ~~
【玫】 {mei2} [Freq. 4] rose (玫瑰 {mei2 gui}, rose).
玫瑰 {mei2 gui1}, 中藥異名 rose (Rosae Rugosae Flos)
玫瑰花 {mei2 gui1 hua1}, 中藥正名 rose (Rosae Rugosae Flos)
玫瑰露 {mei2 gui1 lu4}, 中藥正名 rose distillate (Rosae Floris Distillatum)

【眉】 {mei2} [Freq. 3] eyebrow.
眉本 {mei2 ben3}, 腧穴異名 BL-2 (Root of the Eyebrow)
眉沖 {mei2 chong1}, 腧穴正名 BL-3 (Eyebrow Ascension)
眉疔 {mei2 ding1}, clove sore of the eyebrow
眉稜骨 {mei2 leng2 gu3}, eyebrow bone
眉稜骨痛 {mei2 leng2 gu3 tong4}, eyebrow bone pain
眉頭 {mei2 tou2}, eyebrow (Eyebrow); 腧穴異名 BL-2
眉頭腫脹 {mei2 tou2 zhong3 zhang4}, distention in the brow
眉中 {mei2 zhong1}, 腧穴異名 BL-2 (At the Eyebrow); 腧穴異名 At the Eyebrow

【梅】 {mei2} [Freq. 4] plum.
梅冰 {mei2 bing1}, 中藥異名 borneol (Borneolum)
梅毒 {mei2 du2}, syphilis; syphilis
梅毒惡瘡 {mei2 du2 wu4 chuang1}, syphillis with malign sores
梅干菜 {mei2 gan1 cai4}, 中藥正名 dry-pickled mustard (Sinapis Salsamen)
梅根 {mei2 gen1}, 中藥正名 mume root (Mume Radix)
梅梗 {mei2 geng3}, 中藥正名 mume stem (Mume Ramulus et Folium)
梅核氣 {mei2 he2 qi4}, plum-pit qi4
梅核仁 {mei2 he2 ren2}, 中藥正名 mume kernel (Mume Semen)
梅花 {mei2 hua1}, 中藥正名 mume flower (Mume Flos) (Mume Flos Albus); 中藥異名 white mume flower; 腧穴正名 Plum Blossom
梅花草 {mei2 hua1 cao3}, 中藥正名 marsh parnassia (Parnassiae Palustris Herba)
梅花刺根 {mei2 hua1 ci4 gen1}, 中藥正名 Himalayan prinsepia root (Prinsepiae Utilis Radix)

梅花刺果 {mei2 hua1 ci4 guo3}, 中藥正名 Himalayan prinsepia fruit (Prinsepiae Utilis Fructus)
梅花點舌丹 {mei2 hua1 dian3 she2 dan1}, 方名 Plum Blossom Tongue Elixir
梅花腦 {mei2 hua1 nao3}, 中藥異名 borneol (Borneolum)
梅花腦子 {mei2 hua1 nao3 zi3}, 中藥異名 borneol (Borneolum)
梅花片腦 {mei2 hua1 pian4 nao3}, 中藥異名 borneol (Borneolum)
梅花針 {mei2 hua1 zhen1}, plum-blossom needle
梅花粥 {mei2 hua1 zhou1}, 方名 Plum Blossom Gruel
梅露 {mei2 lu4}, 中藥正名 mume distillate (Mume Fructus Distillatum)
梅尼爾氏病 {mei2 ni2 er3 shi4 bing4}, 西醫 Meniere's disease
梅片 {mei2 pian4}, 中藥異名 borneol (Borneolum)
梅實 {mei2 shi2}, 中藥異名 mume (Mume Fructus)
梅葉 {mei2 ye4}, 中藥正名 mume leaf (Mume Folium)

【莓】 {mei2} [Freq. 4] berry.
莓醬苔 {mei2 jiang4 tai1}, berry-sauce fur

【霉】 {mei2} [Freq. 4] mildew.
霉瘡秘錄 {mei2 chuang1 mi4 lu4}, 書名 Secret Record for Syphilis
霉滴淨丸 {mei2 di1 jing1 wan2}, 方名 Trichomonas Cleansing Pill

~~ {mei3} ~~
【美】 {mei3} [Freq. 4] beautiful.
美草 {mei3 cao3}, 中藥異名 licorice (Glycyrrhizae Radix)
美國防己 {mei3 guo2 fang2 ji3}, 中藥正名 parsnip (Pastinacae Radix)
美國南瓜 {mei3 guo2 nan2 gua1}, 中藥正名 field pumpkin (Cucurbitae Peponis Fructus)
美麗胡枝子花 {mei3 li1 hu2 zhi1 zi3 hua1}, 中藥正名 Taiwan lespedeza flower (Lespedezae Formosae Flos)
美麗胡枝子 {mei3 li4 hu2 zhi1 zi3}, 中藥正名 Taiwan lespedeza stem and leaf (Lespedezae Formosae Caulis et Folium)
美尼爾氏綜合症 {mei3 ni2 er3 shi4 zong4 he2 zheng4}, 西醫 Meniere's syndome
美人蕉根 {mei3 ren2 jiao1 gen1}, 中藥正名 Indian shot (Cannae Indicae Caulis et Folium)
美人蕉花 {mei3 ren2 jiao1 hua1}, 中藥正名 Indian shot flower (Cannae Indicae Flos)
美商陸 {mei3 shan1 lu4}, 中藥正名 American phytolacca (Phytolaccae Americanae Radix, Folium et Semen)
美味抱腳菇 {mei3 wei4 bao4 jiao3 gu1}, 中藥異名 straw mushroom (Volvariella)
美棗 {mei3 zao3}, 中藥異名 jujube (Jujubae Fructus)

~~ {mei4} ~~
【妹】 {mei4} [Freq. 4] younger sister

【寐】 {mei4} [Freq. 2] sleep (v.), (n.) (不寐 {bu2 mei4}, sleeplessness)

~~ {men2} ~~
【門】 {men2} [Freq. 2] gate (n.) (產們 {chan3 men2}, birth gate).
門爾哥螞里 {men2 er3 ge1 ma3 li3}, 中藥異名 leech (Hirudo)
門靜脈 {men2 jing4 mai4}, 西醫 portal vein

【捫】 {men2} [Freq. 5] feel; palpate

~~ {men4} ~~
【悶】 {men4} [Freq. 2] oppression (n.) (胸悶 {xiong1 men4}, oppression in the chest).
悶潤 {men4 run4}, covered moistening
悶痛 {men4 tong4}, oppressive pain
悶頭花 {men4 tou2 hua1}, 中藥異名 genkwa (Genkwa Flos)

【燜】 {men4} [Freq. 4] cook in a covered pot over a low heat.
燜&&7145|{men4 duan4}, sealed pot calcination

~~ {meng2} ~~
【虻】 {meng2} [Freq. 4] tabanus.
虻 {meng2}, 中藥異名 Si4chuan1 fritillaria (Fritillariae Cirrhosae Bulbus)
虻蟲 {meng2 chong2}, 中藥正名 tabanus (Tabanus)

【蒙】 {meng2} [Freq. 2] cloud (v.) (痰濁蒙蔽心包 {tan2 zhuo2 meng2 bi4 xin1 bao1}, phlegm turbidity clouding the pericardium).
蒙蔽 {meng2 bi4}, clouding (as of mind or spirit)
蒙古扁桃 {meng2 gu3 bian3 tao2}, 中藥正名 Mongolia almond (Amygdali Mongolici Semen)
蒙古山蘿蔔 {meng2 gu3 shan1 luo2 bo2}, 中藥正名 scabious (Scabiosae Flos)
蒙花 {meng2 hua1}, 中藥異名 buddleia (Buddleja Flos)
蒙花皮 {meng2 hua1 pi2}, 中藥正名 black-stemmed daphne (Daphnes Atrocaulis Caulis et

Rhizoma)
蒙自赤楊 {meng2 zi4 chi4 yang2}, 中藥正名 Nepal alder (Alni Nepalensis Cortex)

【檬】 {meng2} [Freq. 4] used in transcription of for.
檬果 {meng2 guo3}, 中藥異名 mango (Mangiferae Fructus)

【礞】 {meng2} [Freq. 4] chlorite/mica.
礞石 {meng2 shi2}, 中藥正名 chlorite/mica (Chloriti seu Micae Lapis)
礞石滾痰丸 {meng2 shi2 gun3 tan2 wan2}, 方名 Chlorite/Mica Phlegm-Rolling Pill

~~ {meng3} ~~
【猛】 {meng3} [Freq. 5] fierce (of agents)

~~ {meng4} ~~
【孟】 {meng4} [Freq. 4] surname.
孟宗竹筍 {meng4 zong1 zhu2 sun3}, 中藥正名 moso bamboo shoot (Phyllostachydis Pubescentis Surculus)

【夢】 {meng4} [Freq. 3] dream.
夢而遺精 {meng4 er2 yi2 jing1}, dream emission
夢花 {meng4 hua1}, 中藥正名 edgeworthia (Edgeworthiae Flos)
夢花根 {meng4 hua1 gen1}, 中藥正名 edgeworthia root (Edgeworthiae Radix)
夢交 {meng4 jiao1}, dreaming of intercourse
夢交失精 {meng4 jiao1 shi1 jing1}, seminal loss while dreaming of intercourse
夢失精 {meng4 shi1 jing1}, seminal loss while dreaming
夢泄 {meng4 xie4}, dream ejaculation
夢泄精 {meng4 xie4 jing1}, dream ejaculation
夢行 {meng4 xing2}, dream walking
夢魘 {meng4 yan3}, oppressive ghost dreams
夢魘不寧 {meng4 yan3 bu4 ning2}, oppressive ghost dreams
夢遺 {meng4 yi2}, dream emission
夢遺失精 {meng4 yi2 shi1 jing1}, dream emission
夢囈 {meng4 yi4}, sleep talking
夢游 {meng4 you2}, dream walking; sleep walking
夢中遺精 {meng4 zhong1 yi2 jing1}, seminal emission while dreaming
夢中囈語 {meng4 zhong1 yi4 yu3}, dream talking

～～ {mi2} ～～

【迷】 {mi2} [Freq. 5] confound (v.) (痰迷心竅 tan2 mi2 xin1 qiao4}, phlegm confounding the orifices of the heart).

迷迭香 {mi2 die2 xiang1}, 中藥正名 rosemary (Rosmarini Herba)

迷路 {mi2 lu4}, 西醫 labyrinth

迷路炎 {mi2 lu4 yan2}, 西醫 labyrinthitis

【糜】 {mi2} [Freq. 2] erode (v.), erosion (n.) (糜爛 {mi2 lan4}, erosion; 糜點 {mi2 dian3}, erosion speckles).

糜點 {mi2 dian3}, erosion speckles

糜爛 {mi2 lan4}, erode; erosion; erosion

糜穰 {mi2 rang2}, 中藥正名 broomcorn millet stalk (Panici Miliacei Caulis)

【麋】 {mi2} [Freq. 4] elaphure.

麋骨 {mi2 gu3}, 中藥正名 elaphure's bone (Elaphuri Davidiani Os)

麋角 {mi2 jiao3}, 中藥正名 elaphure's horn (Elaphuri Davidiani Cornu)

麋茸 {mi2 rong2}, 中藥正名 velvet elaphure horn (Elaphuri Davidiani Parvi Cornu Parvi)

麋肉 {mi2 rou4}, 中藥正名 elaphure's flesh (Elaphuri Davidiani Caro)

麋脂 {mi2 zhi1}, 中藥正名 elaphure's fat (Elaphuri Davidiani Adeps)

【獼】 {mi2} [Freq. 4] macaque.

獼猴梨 {mi2 hou2 li2}, 中藥正名 bower actinidia root and leaf (Actinidiae Argutae Radix et Folium)

獼猴肉 {mi2 hou2 rou4}, 中藥正名 macaque flesh (Macacae Caro)

獼猴桃 {mi2 hou2 tao2}, 中藥正名 Chinese gooseberry (Actinidiae Chinensis Fructus)

獼猴桃根 {mi2 hou2 tao2 gen1}, 中藥正名 Chinese gooseberry root (Actinidiae Chinensis Radix)

獼猴桃藤中汁 {mi2 hou2 tao2 teng2 zhong1 zhi1}, 中藥正名 Chinese gooseberry stem sap (Actinidiae Chinensis Caulis Succus)

獼猴桃枝葉 {mi2 hou2 tao2 zhi1 ye4}, 中藥正名 Chinese gooseberry twig and leaf (Actinidiae Chinensis Ramulus et Folium)

獼猴骨 {mi2 hou4 gu3}, 中藥正名 macaque bone (Macacae Os)

【蘼】 {mi2} [Freq. 4] plant name.

蘼蕪 {mi2 wu2}, 中藥正名 chuanxiong leaf (Chuanxiong Folium)

~~ {mi3} ~~

【米】 {mi3} [Freq. 4] rice.

米炒 {mi3 chao3}, stir-fry with rice

米沉 {mi3 chen2}, 中藥異名 rice water (Oryzae Aqua)

米醋 {mi3 cu4}, 中藥正名 rice vinegar (Oryzae Acetum)

米泔水 {mi3 gan1 shui3}, 中藥異名 rice water (Oryzae Aqua)

米泔水炒 {mi3 gan1 shui3 chao3}, stir-fry with rice water

米穀芽 {mi3 gu3 ya2}, 中藥異名 millet sprout (Setariae Fructus Germinatus)

米酒 {mi3 jiu3}, 中藥正名 rice wine (Oryzae Vinum)

米疽 {mi3 ju1}, flat-abscess of the armpit

米口帶地丁 {mi3 kou3 dai4 di4 ding1}, 中藥異名 gueldenstaedtia (Gueldenstaedtiae Herba cum Radice)

米籃草 {mi3 lan2 cao3}, 中藥異名 Indian abutilon (Abutili Indici Herba)

米露 {mi3 lu4}, 中藥正名 rice distillate (Oryzae Seminis seu Testae Distillatum)

米麥&&9EA8|{mi3 mai4 chao3}, 中藥正名 cooked grain flour (Granorum Conquitorum Farina*)

米嚙 {mi3 nie4}, 腧穴異名 GB-5 (Rice Bite)

米囓 {mi3 nie4}, 腧穴異名 GB-5 (Rice Bite)

米皮糠 {mi3 pi2 kang1}, 中藥正名 rice husk (Oryzae Testa)

米仁 {mi3 ren2}, 中藥異名 coix (Coicis Semen)

米碎花 {mi3 sui4 hua1}, 中藥正名 Chinese eurya (Euryae Chinensis Radix)

米湯 {mi3 tang1}, 中藥正名 rice decoction (Oryzae Decoctio)

米油 {mi3 you2}, 中藥正名 thick rice water (Oryzae Liquidum Pultis)

米仔蘭 {mi3 zai3 lan2}, 中藥正名 aglaia (Aglaiae Receptaculum seu Ramulus et Folium)

【眯】 {mi3} [Freq. 5] squinch the eyes (due to the presence of dust or sand)

~~ {mi4} ~~

【泌】 {mi4} [Freq. 4] put forth water or fluid (分清泌濁 {fen1 qing1 mi4 zhuo2}, separate the clear and turbid).

泌別清濁 {mi4 bie2 qing1 zhuo2}, separate the clear and turbid; separation of the clear and turbid

泌尿系感染 {mi4 niao4 xi4 gan3 ran3}, 西醫 urinary infection

泌尿系結石 {mi4 niao4 xi4 jie2 shi2}, 西醫 urinary calculus

泌乳 {mi4 ru3}, 西醫 lactation

【秘】 {mi4} [Freq. 5] closed; tight.
秘傳眼科龍木論 {mi4 chang2 yan3 ke1 long2 mu4 lun4}, 書名 Nagajuna's Secret Ophthalmology
秘方 {mi4 fang1}, secret formula
秘結 {mi4 jie2}, constipation
秘精丸 {mi4 jing1 wan2}, 方名 Essence-Containing Pill
秘元煎 {mi4 yuan2 jian1}, 方名 Origin-Securing Brew

【密】 {mi4} [Freq. 4] dense.
密蒙花 {mi4 meng2 hua1}, 中藥正名 buddleia (Buddleja Flos)
密蒙花散 {mi4 meng2 hua1 san3}, 方名 Buddleia Powder
密陀僧 {mi4 tuo2 seng1}, 中藥正名 litharge (Lithargyrum)
密陀僧散 {mi4 tuo2 seng1 san3}, 方名 Litharge Powder
蜜 {mi4}, 中藥異名 honey (Mel)
蜜草 {mi4 cao3}, 中藥異名 licorice (Glycyrrhizae Radix)
蜜蜂子 {mi4 feng1 zi3}, 中藥正名 bee's larva (Apis Larva)
蜜父 {mi4 fu4}, 中藥異名 pear (Pyri Fructus)
蜜甘 {mi4 gan1}, 中藥異名 licorice (Glycyrrhizae Radix)
蜜煎導法 {mi4 jian1 dao3 fa3}, thickened honey enema; Honey Enema
蜜漿 {mi4 jiang1}, syrup
蜜蠟 {mi4 la4}, 中藥正名 bee's wax (Cera)
蜜脾 {mi4 pi2}, 中藥異名 longan flesh (Longan Arillus)
蜜糖 {mi4 tang2}, 中藥異名 honey (Mel)
蜜陀僧 {mi4 tuo2 seng1}, 中藥異名 litharge (Lithargyrum)
蜜丸 {mi4 wan2}, honey pill
蜜銀花 {mi4 yin2 hua1}, 中藥正名 top grade lonicera flower (Lonicerae Flos Optimus)
蜜炙 {mi4 zhi4}, mix-fry with honey

【謐】 {mi4} [Freq. 4] tranquil (皇甫謐 {huang2 fu3 mi4}, Huang2-Fu3 Mi4 (a famous physician))

【蘚】 {mi4} [Freq. 4] plant name.
蘚 {mi4}, 中藥異名 thin lotus root (Nelumbinis Rhizoma Tenue)

~~ {mian2} ~~
【眠】 {mian2} [Freq. 5] sleep (失眠 {shi1 mian2}, insomnia)

【棉】 {mian2} [Freq. 4] cotton.
棉花 {mian2 hua1}, 中藥正名 cotton wool (Gossypii Pilus Seminis)
棉花根 {mian2 hua1 gen1}, 中藥正名 cotton root (Gossypii Radix seu Radicis Cortex)
棉花殼 {mian2 hua1 qiao4 (ke2)}, 中藥正名 cotton hull (Gossypii Exocarpium)
棉花子 {mian2 hua1 zi3}, 中藥正名 cotton seed (Gossypii Semen)
棉螳螂 {mian2 tang2 lang2}, 中藥異名 xanthium (Xanthii Fructus)
棉茵陳 {mian2 yin1 chen2}, 中藥異名 virgate wormwood (Artemisiae Scopariae Herba)
棉子油 {mian2 zi3 you2}, 中藥正名 cottonseed oil (Gossypii Seminis Oleum)

【綿】 {mian2} [Freq. 4] silk floss; continuous.
綿瓜 {mian2 gua1}, 中藥異名 luffa gourd (Luffae Fructus)
綿裹 {mian2 guo3}, cotton-wrapped
綿黃耆 {mian2 huang2 qi2}, 中藥異名 astragalus (Astragali Radix)
綿綿 {mian2 mian2}, perpetual
綿綿不斷 {mian2 mian2 bu4 duan4}, continuous
綿綿不絕 {mian2 mian2 bu4 jue2}, continuous
綿綿不休 {mian2 mian2 bu4 xiu1}, continuous
綿綿不已 {mian2 mian2 bu4 yi3}, continuous
綿三七 {mian2 san1 qi1}, 中藥正名 Himalayan eriosema (Eriosematis Himalaici Tuber)
綿茵陳 {mian2 yin1 chen2}, 中藥異名 virgate wormwood (Artemisiae Scopariae Herba)
綿棗兒 {mian2 zao3 er2}, 中藥正名 scilla (Scillae Bulbus seu Herba)

【&&6AB0||】 {mian2} [Freq. 4] eucommia; eucommia.
&&6AB0|{mian2, 中藥異名 eucommia (Eucommiae Cortex)
&&6AB0||芽 {mian2 ya2}, 中藥正名 eucommia leaf (Eucommiae Folium)

~~ {mian3} ~~
【免】 {mian3} [Freq. 4] avoid; same as 娩 {mian3}.
免懷湯 {mian3 huai2 tang1}, 方名 Bosom-Relieving Powder
免乳 {mian3 ru3}, childbirth
免身 {mian3 shen1}, childbirth; birth; childbirth; parturition; delivery;
免疫 {mian3 yi4}, 西醫 immune
免于害胃 {mian3 yu2 hai4 wei4}, prevent damage to the stomach

【緬】 {mian3} [Freq. 4] roll up; distant.
緬茄 {mian3 qie2}, 中藥正名 pahudia (Pahudiae Semen)
緬棗 {mian3 zao3}, 中藥正名 Indian ziziphus bark (Ziziphi Mauritianae Cortex)

~~ {mian4} ~~
【面】 {mian4} [Freq. 2] face (n.), facial (adj.); flour.
面白 {mian4 bai2}, white face
面白顴紅 {mian4 bai2 quan2 hong2}, white face and red cheeks
面部疼痛 {mian4 bu4 teng2 tong4}, facial pain
面側面 {mian4 ce4}, 西醫 facial surface
面塵 {mian4 chen2}, dusty facial complexion
面赤 {mian4 chi4}, red face
面悴 {mian4 cui4}, haggard or drawn facial complexion
面疔 {mian4 ding1}, clove sore of the face
面浮 {mian4 fu2}, puffy face
面浮虛腫 {mian4 fu2 xu1 zhong3}, vacuity puffy swelling of the face
面浮肢腫 {mian4 fu2 zhi1 zhong3}, puffy face and swollen limbs
面根藤 {mian4 gen1 teng2}, 中藥正名 calystegia (Calystegiae Herba)
面垢 {mian4 gou4}, grimy facial complexion
面裹煨 {mian4 guo3 wei1}, flour paste roasting
面合赤色 {mian4 he2 chi4 se4}, uniform redness of the face
面紅 {mian4 hong2}, red facial complexion
面紅耳赤 {mian4 hong2 er3 chi4}, red face and ears
面紅目赤 {mian4 hong2 mu4 chi4}, red face and eyes
面紅如脂 {mian4 hong2 ru2 zhi1}, face red as if dabbed with rouge
面紅升火 {mian4 hong2 sheng1 huo3}, upbearing fire flush
面紅壯熱 {mian4 hong2 zhuang4 re4}, red face and vigorous heat [effusion] (fever)
面糊 {mian4 hu2}, flour and water paste
面黃 {mian4 huang2}, yellow face
面黃白 {mian4 huang2 bai2}, yellow-white face
面黃肌瘦 {mian4 huang2 ji1 sou4}, yellow face and emaciated flesh
面&&3FE0|{mian4 huang3}, bright white face
面頰 {mian4 jia2}, cheek
面頰潮紅 {mian4 jia2 chao2 hong2}, tidal reddening of the cheeks
面頰浮紅 {mian4 jia2 fu2 hong2}, floating redness of the cheeks
面筋 {mian4 jin1}, 中藥正名 wheat gluten (Tritici Gluten Praeparatum)
面窌 {mian4 liao2}, 腧穴異名 ST-1 (Face Bone-Hole)
面&&91C3.9ACE|{mian4 liao2}, 腧穴異名 ST-1 (Face Bone-Hole)
面目赤腫 {mian4 mu4 chi4 zhong3}, red swollen face and eyes
面目浮腫 {mian4 mu4 fu2 zhong3}, puffy swollen face and eyes; puffy swelling of the face and

eyes
面目黧黑 {mian4 mu4 li2 hei1}, soot-black face and eyes
面色 {mian4 se4}, facial complexion
面色暗滯 {mian4 se4 an4 zhi4}, dull stagnant facial complexion
面色白 {mian4 se4 bai2}, white facial complexion
面色不華 {mian4 se4 bu4 hua2}, lusterless facial complexion
面色蒼白 {mian4 se4 cang1 bai2}, somber white facial complexion
面色蒼白暗滯 {mian4 se4 cang1 bai2 an4 zhi4}, dull somber white facial complexion
面色蒼白而帶青 {mian4 se4 cang1 bai2 er2 dai4 qing1}, somber white facial complexion with a green-blue tinge
面色潮紅 {mian4 se4 chao2 hong2}, tidal reddening of the face
面色淡白 {mian4 se4 dan4 bai2}, pale white facial complexion
面色淡黃 {mian4 se4 dan4 huang2}, pale yellow facial complexion
面色發黑 {mian4 se4 fa1 hei1}, black face
面色浮紅 {mian4 se4 fu2 hong2}, floating-red facial complexion
面色黑 {mian4 se4 hei1}, black facial complexion
面色紅 {mian4 se4 hong2}, red facial complexion
面色黃 {mian4 se4 huang2}, yellow facial complexion
面色&&3FE0|{mian4 se4 huang3}, bright white facial complexion
面色恍白 {mian4 se4 huang3 bai2}, bright white complexion
面色&&3FE0||白 {mian4 se4 huang3 bai2}, bright white facial complexion
面色灰暗 {mian4 se4 hui1 an4}, somber gray (or ashen) facial complexion
面色灰滯 {mian4 se4 hui1 zhi4}, stagnant gray (or ashen) complexion
面色晦暗 {mian4 se4 hui4 an4}, somber facial complexion
面色黧黑 {mian4 se4 li2 hei1}, soot-black facial complexion
面色嫩紅 {mian4 se4 nen4 hong2}, tender-red complexion
面色青 {mian4 se4 qing1}, green-blue facial complexion
面色青而灰 {mian4 se4 qing1 er2 hui1}, green-blue facial complexion with gray tinge
面色青而晦暗 {mian4 se4 qing1 er2 hui4 an4}, somber green-blue facial complexion
面色青紫 {mian4 se4 qing1 zi3}, green-blue or purple facial complexion
面色青紫晦暗 {mian4 se4 qing1 zi3 hui4 an4}, somber green-blue or purple complexion
面色如妝 {mian4 se4 ru2 zhuang1}, facial complexion as if dabbed with rouge
面色萎黃 {mian4 se4 wei3 huang2}, withered-yellow facial complexion; sallow yellow facial complexion
面色緣緣正赤 {mian4 se4 yuan2 yuan2 zheng4 chi4}, continuously full red facial complexion
面色脹紅 {mian4 se4 zhang4 hong2}, red flushed facial complexion
面色紫黑 {mian4 se4 zi3 hei1}, purple-black facial complexion
面神經炎 {mian4 shen2 jing1 yan2}, 西醫 facial neuritis

面食積滯 {mian4 shi2 ji1 zhi4}, wheat-type food accumulation
面癱 {mian4 tan1}, facial paralysis; facial paralysis
面癱口歪 {mian4 tan1 kou3 wai1}, paralyzed face with deviated mouth
面痛 {mian4 tong4}, facial pain
面痛二號方 {mian4 tong4 er4 hao4 fang1}, 方名 Facial Pain No.~2 Formula
面痛三號方 {mian4 tong4 san1 hao4 fang1}, 方名 Facial Pain No.~3 Formula
面痛四號方 {mian4 tong4 si4 hao4 fang1}, 方名 Facial Pain No.~4 Formula
面痛一號方 {mian4 tong4 yi1 hao4 fang1}, 方名 Facial Pain No.~1 Formula
面王 {mian4 wang2}, king of face (tip of the nose) (King of Face); 腧穴異名 GV-25
面萎黃 {mian4 wei3 huang2}, withered-yellow complexion
面癢 {mian4 yang3}, itchy face
面游風 {mian4 you2 feng1}, wandering wind of the face (equivalent to seborrheic dermatitis)
面正 {mian4 zheng4}, 腧穴異名 GV-25 (Face Center)
面腫 {mian4 zhong3}, swollen face

~~ {miao2} ~~
【苗】 {miao2} [Freq. 3] sprout.
苗竅 {miao2 qiao4}, sprout and orifices

~~ {miao3} ~~
【渺】 {miao3} [Freq. 5] indistinct (視物昏渺 {shi4 wu4 hun1 miao3}, indistinct vision)

【&&43DA||】 {miao3} [Freq. 5] lateral abdomen

~~ {miao4} ~~
【妙】 {miao4} [Freq. 3] wondrous; mysterious.
妙香散 {miao4 xiang1 san3}, 方名 Mysterious Fragrance Powder

~~ {mie4} ~~
【滅】 {mie4} [Freq. 4] extinguish; eliminate.
滅瘢 {mie4 ban1}, eliminate scars
滅瘢痕 {mie4 ban1 hen2}, eliminate scars

~~ {min2} ~~
【民】 {min2} [Freq. 4] folk.
民間藥 {min2 jian1 yao4}, folk medicinal

~~ {min3} ~~
【敏】 {min3} [Freq. 4] sensitive.
敏豆 {min3 dou4}, 中藥異名 kidney bean (Phaseoli Vulgaris Semen) (Phaseoli Vulgaris Fructus Immaturus); 中藥異名 snap bean

~~ {ming2} ~~
【名】 {ming2} [Freq. 4] name; fame.
名堂 {ming2 tang2}, 腧穴異名 GV-23 (Hall of Fame)
名醫類案 {ming2 yi1 lei4 an4}, 書名 Classified Case Histories of Famous Physicians

【明】 {ming2} [Freq. 2] bright (n.); brightness (n.); brighten (陽明經 {yang2 ming2 jing1}, yang2 brightness channels; 明目 {ming2 mu4}, brighten the eyes); Ming2 (1368--1644 A.D.).
明黨參 {ming2 dang3 shen1}, 中藥正名 changium root (Changii Radix)
明&&7145|{ming2 duan4}, open calcination
明礬 {ming2 fan2}, 中藥異名 alum (Alumen)
明附片 {ming2 fu4 pian4}, 中藥異名 blast-fried aconite (Aconiti Radix Lateralis Tosta)
明光 {ming2 guang1}, 腧穴異名 BL-2 (Bright Light)
明目 {ming2 mu4}, brighten the eyes
明目地黃丸 {ming2 mu4 di4 huang2 wan2}, 方名 Eye Brightener Rehmannia Pill
明目槐子丸 {ming2 mu4 huai2 zi3 wan2}, 方名 Eye Brightener Sophora Fruit Pill
明目上清丸 {ming2 mu4 shang4 qing1 wan2}, 方名 Eye Brightener Clear-Raising Pill
明乳 {ming2 ru3}, 中藥異名 top grade frankincense (Olibanum Optimum)
明石 {ming2 shi2}, 中藥異名 chlorite (Chloriti Lapis)
明堂 {ming2 tang2}, bright hall; nose (Bright Hall); 腧穴異名 GV-23
明堂圖 {ming2 tang2 tu2}, bright hall chart (acumoxatherapy chart)
明天麻 {ming2 tian1 ma2}, 中藥異名 gastrodia (Gastrodiae Rhizoma)
明雄 {ming2 xiong2}, 中藥正名 lucid realgar (Realgar Lucidum)
明雄黃 {ming2 xiong2 huang2}, 中藥異名 lucid realgar (Realgar Lucidum)
明眼 {ming2 yan3}, Brighter Eyes; 腧穴正名 Bright Eyes
明玉竹 {ming2 yu4 zhu2}, 中藥異名 Solomon's seal (Polygonati Odorati Rhizoma)
明月砂 {ming2 yue4 sha1}, 中藥異名 hare's droppings (Lepi Faeces)
明中 {ming2 zhong1}, 腧穴正名 Bright Center

明珠母 {ming2 zhu1 mu3}, 中藥異名 mother-of-pearl (Concha Margaritifera )

【茗】 {ming2} [Freq. 4] tea.
茗 {ming2}, 中藥異名 tea (Theae Folium)
茗實 {ming2 shi2}, 中藥異名 tea seed (Theae Fructus)

【鳴】 {ming2} [Freq. 5] ringing (n.) (耳鳴 {er3 ming2}, ringing in the ears); tinnitus (n.) (耳鳴 {er3 ming2}, tinnitus); rale (n.) (痰鳴 {tan2 ming2}, phlegm rale); rumbling (n.) (腸鳴 {chang2 ming2}, rumbling intestines)

【暝】 {ming2} [Freq. 3] dimness of vision; heavy eye.
榠楂 {ming2 zha1}, 中藥正名 Chinese quince fruit (Chaenomelis Sinensis Fructus)

~~ {ming4} ~~
【命】 {ming4} [Freq. 2] life (n.) (命門 {ming4 men2}, life gate); destiny.
命蒂 {ming4 di4}, 腧穴異名 CV-8 (Life Stem)
命關 {ming4 guan1}, life bar (Life Pass); 腧穴異名 SP-17
命火 {ming4 huo3}, life fire
命火不足 {ming4 huo3 bu4 zu2}, insufficiency of the life fire
命門 {ming4 men2}, life gate (Life Gate); 腧穴正名 GV-4 (Life Gate); 腧穴異名 CV-4 (Life Gate); 腧穴異名 CV-5
命門火衰 {ming4 men2 huo3 shuai1}, debilitation of the life gate fire
命門火衰證 {ming4 men2 huo3 shuai1 zheng4}, pattern of debilitation of the life gate fire
命門火旺 {ming4 men2 huo3 wang4}, effulgent life gate fire
命門夾脊 {ming4 men2 jia1 ji3}, 腧穴異名 Life Gate Paravertebral
命門真火不足 {ming4 men2 zhen1 huo3 bu4 zu2}, insufficiency of the true fire of the triple burner
命門之火 {ming4 men2 zhi1 huo3}, life gate fire

~~ {miu4} ~~
【繆】 {miu4} [Freq. 3] crossed; mistaken.
繆刺 {miu4 ci4}, cross needling method

【謬】 {miu4} [Freq. 4] absurd.
謬語 {miu4 yu3}, delirious speech

~~ {mo1} ~~
【摸】 {mo1} [Freq. 5] feel (循衣摸床 {xun2 yi1 mo1 chuang2}, lit. touching clothes and feeling the bed, i.e., picking at bedclothes)

~~ {mo2} ~~
【摩】 {mo2} [Freq. 4] rub.
摩法 {mo2 fa3}, friction (manipulation technique)
摩風 {mo2 feng1}, abrasive wind; leprosy
摩勒香 {mo2 le4 xiang1}, 中藥異名 frankincense (Olibanum)
摩腰丹 {mo2 yao1 dan1}, 方名 Lumbar Rub Elixir

【膜】 {mo2} [Freq. 3] membrane.
膜原 {mo2 yuan2}, membrane source

【磨】 {mo2} [Freq. 3] rub; grind.
磨盤草 {mo2 pan2 cao3}, 中藥正名 Indian abutilon (Abutili Indici Herba)
磨盤草子 {mo2 pan2 cao3 zi3}, 中藥正名 Indian abutilon seed (Abutili Indici Semen)
磨盤根 {mo2 pan2 gen1}, 中藥正名 Indian abutilon root (Abutili Indici Radix)
磨牙 {mo2 ya2}, 西醫 bruxism
磨障靈光高 {mo2 zhang4 ling2 guang1 gao1}, 方名 Obstruction-Abrading Spirit Light Paste
磨汁 {mo2 zhi1}, wet grind to obtain juice
磨汁塗 {mo2 zhi1 tu2}, apply juice obtained by wet-grinding
蘑菰 {mo2 gu1}, 中藥異名 meadow mushroom (Agaricus Campestris)
蘑菇 {mo2 gu1}, 中藥正名 meadow mushroom (Agaricus Campestris)
蘑菇蕈 {mo2 gu1 xun4}, 中藥異名 meadow mushroom (Agaricus Campestris)

~~ {mo4} ~~
【末】 {mo4} [Freq. 3] end; powder.
末藥 {mo4 yao4}, 中藥異名 myrrh (Myrrha)

【沒】 {mo4} [Freq. 4] sink; disappear; remove.
沒多僧 {mo4 duo1 seng1}, 中藥異名 litharge (Lithargyrum)
沒石子 {mo4 shi2 zi3}, 中藥異名 Aleppo gall (Galla Halepensis*)
沒食子 {mo4 shi2 zi3}, 中藥正名 Aleppo gall (Galla Halepensis*)
沒食子丸 {mo4 shi2 zi3 wan2}, 方名 Aleppo Gall Pill

沒藥 {mo4 yao4}, 中藥正名 myrrh (Myrrha)

【沫】 {mo4} [Freq. 5] foam (痰沫 {tan2 mo4}, foamy phlegm)

【茉】 {mo4} [Freq. 4] plant name.
茉莉根 {mo4 li4 gen1}, 中藥正名 jasmine root (Jasmini Radix)
茉莉花 {mo4 li4 hua1}, 中藥正名 jasmine (Jasmini Flos)
茉莉花露 {mo4 li4 hua1 lu4}, 中藥正名 jasmine distillate (Jasmini Floris Distillatum)
茉莉葉 {mo4 li4 ye4}, 中藥正名 jasmine leaf (Jasmini Folium)

【脈】 {mo4} [Freq. 3] pulse; vessel (usually pronounced {mai4}.)

【墨】 {mo4} [Freq. 4] ink.
墨 {mo4}, 中藥正名 ink (Atramentum)
墨菜 {mo4 cai4}, 中藥異名 eclipta (Ecliptae Herba)
墨地 {mo4 di4}, 中藥正名 podophyllum fruit (Podophylli Fructus)
墨斗草 {mo4 dou3 cao3}, 中藥異名 eclipta (Ecliptae Herba)
墨旱蓮 {mo4 han4 lian2}, 中藥正名 eclipta (Ecliptae Herba)
墨記菜 {mo4 ji4 cai4}, 中藥異名 eclipta (Ecliptae Herba)
墨石子 {mo4 shi2 zi3}, 中藥異名 Aleppo gall (Galla Halepensis*)
墨煙草 {mo4 yan1 cao3}, 中藥異名 eclipta (Ecliptae Herba)
墨魚 {mo4 yu2}, 中藥異名 cuttlefish (Sepiae Caro)
墨魚骨 {mo4 yu2 gu3}, 中藥異名 cuttlefish bone (Sepiae Endoconcha)
墨汁菜 {mo4 zhi1 cai4}, 中藥異名 eclipta (Ecliptae Herba)
墨汁草 {mo4 zhi1 cao3}, 中藥異名 eclipta (Ecliptae Herba)

【磨】 {mo4} [Freq. 3] grind

【冇】 {mo4} [Freq. 4] have not.
冇骨消 {mo4 gu3 xiao1}, 中藥正名 Formosan elder (Sambuci Formosanae Rhizoma)

~~ {mou3} ~~
【謀】{mou3} [Freq. 5] make strategies (肝主謀慮 {gan1 zhu3 mou2 lu94}, the liver governs the making of strategies)

【冇】 {mou3} [Freq. 4] not (dialect)
冇涵竹筍 {mou3 han2 zhu2 sun3}, 中藥異名 pachilan bamboo (Bambusae Pachinensis

Surculus)
有筒竹 {mou3 tong3 zhu2}, 中藥異名 pachilan bamboo (Bambusae Pachinensis Surculus)
有咸 {mou3 xian2}, 中藥異名 pachilan bamboo (Bambusae Pachinensis Surculus)

~~ {mu3} ~~
【母】 {mu3} [Freq. 2] mother; maternal.
母病及子 {mu3 bing4 ji2 zi3}, disease of the mother affects the child
母草 {mu3 cao3}, 中藥正名 crustacean lindernia (Linderniae Crustaceae Herba)
母丁香 {mu3 ding1 xiang1}, 中藥正名 clove fruit (Caryophylli Fructus)
母菊 {mu3 ju2}, 中藥正名 chamomile (Matricariae Chamomillae Flos seu Herba)
母能令子虛 {mu3 neng2 ling4 zi3 xu1}, mother can make the child vacuous
母氣 {mu3 qi4}, maternal qi4
母指 {mu3 zhi3}, thumb
母趾里橫紋 {mu3 zhi3 li3 heng2 wen2}, 腧穴正名 Transverse Crease of the Big Toe
母豬藤 {mu3 zhu1 teng2}, 中藥正名 fleshy cayratia stem and leaf (Cayratiae Carnosae Caulis et Folium)
母豬藤根 {mu3 zhu1 teng2 gen1}, 中藥正名 fleshy cayratia root (Cayratiae Carnosae Radix)

【牡】 {mu3} [Freq. 4] male.
牡丹根皮 {mu3 dan1 gen1 pi2}, 中藥異名 moutan (Moutan Cortex)
牡丹花 {mu3 dan1 hua1}, 中藥正名 moutan flower (Moutan Flos)
牡丹皮散 {mu3 dan1 pi2 san3}, 方名 Moutan Powder
牡丹皮 {mu3 dan1 pi2, 中藥正名 moutan (Moutan Cortex)
牡丹三七 {mu3 dan1 san1 qi1}, 中藥正名 Chinese laportea (Laporteae Sinensis Radix)
牡蛤 {mu3 ge2}, 中藥異名 oyster shell (Ostreae Concha)
牡狗陰莖 {mu3 gou3 yin1 jing1}, 中藥正名 dog's penis (Canis Penis)
牡蒿 {mu3 hao1}, 中藥正名 Japanese artemisia (Artemisiae Japonicae Herba)
牡蒿根 {mu3 hao1 gen1}, 中藥正名 Japanese artemisia root (Artemisiae Japonicae Radix)
牡荊根 {mu3 jing1 gen1}, 中藥正名 hemp-leaved vitex root (Viticis Cannabifolii Radix)
牡荊莖 {mu3 jing1 jing1}, 中藥正名 hemp-leaved vitex stem (Viticis Cannabifolii Caulis)
牡荊瀝 {mu3 jing1 li4}, 中藥正名 hemp-leaved vitex sap (Viticis Cannabifolii Caulis Succus)
牡荊葉 {mu3 jing1 ye4}, 中藥正名 hemp-leaved vitex leaf (Viticis Cannabifolii Folium)
牡荊子 {mu3 jing1 zi3}, 中藥正名 hemp-leaved vitex seed (Viticis Cannabifolii Fructus)
牡蠣粉 {mu3 li4 fen3}, 中藥正名 oyster shell powder (Ostreae Concha Pulverata)
牡蠣殼 {mu3 li4 qial4 (ke2)}, 中藥異名 oyster shell (Ostreae Concha)
牡蠣肉 {mu3 li4 rou4}, 中藥正名 oyster (Ostreae Caro)
牡蠣散 {mu3 li4 san3}, 方名 Oyster Shell Powder

牡蠣澤瀉散 {mu3 li4 ze2 xie4 san3}, 方名 Oyster Shell and Alisma Powder
牡蠣 {mu3 li4, 中藥正名 oyster shell (Ostreae Concha)
牡瘧 {mu3 nue94}, male malaria
牡臟 {mu3 zang4}, male viscus

【拇】 {mu3} [Freq. 4] thumb.
拇指節橫紋 {mu3 zhi3 jie2 heng2 wen2}, 腧穴正名 Crease at the Base of the Thumb
拇指同身寸 {mu3 zhi3 tong2 shen1 cun4}, thumb body inch

~~ {mu4} ~~
【木】 {mu4} [Freq. 2] wood (n.) (肝木 {gan1 mu4}, liver-wood); numbness (n.) (痲木 {ma2 mu4}, numbness and tingling).
木本胡枝子皮 {mu4 ben3 hu2 zhi1 zi3 pi2}, 中藥正名 Buerger's lespedeza stem bark (Lespedezae Buergeri Caulis Cortex)
木本胡枝子葉 {mu4 ben3 hu2 zhi1 zi3 ye4}, 中藥正名 Buerger's lespedeza leaf (Lespedezae Buergeri Folium)
木筆 {mu4 bi3}, 中藥異名 magnolia flower (1) (Magnoliae Flos)
木筆花 {mu4 bi3 hua1}, 中藥異名 magnolia flower (1) (Magnoliae Flos)
木鱉根 {mu4 bie1 gen1, 中藥正名 momordica root (Momordicae Rhizoma)
木鱉瓜 {mu4 bie1 gua1}, 中藥異名 momordica (Momordicae Semen)
木□}子 {mu4 bie1 zi3}, 中藥異名 momordica (Momordicae Semen)
木鱉子 {mu4 bie1 zi3}, 中藥正名 momordica (Momordicae Semen)
木鱉子丸 {mu4 bie1 zi3 wan2}, 方名 Momordica Pill
木波羅 {mu4 bo2 luo2}, 中藥異名 jackfruit (Artocarpi Heterophylli Fructus)
木刺艾 {mu4 ci4 ai4}, 中藥異名 field thistle (Cirsii Herba)
木豆 {mu4 dou4}, 中藥正名 pigeon pea (Cajani Semen)
木豆葉 {mu4 dou4 ye4}, 中藥正名 pigeon pea leaf (Cajani Folium)
木蛾 {mu4 e2}, 中藥異名 wood ear (Auricularia)
木耳 {mu4 er3}, 中藥正名 wood ear (Auricularia)
木耳菜 {mu4 er3 cai4}, 中藥異名 Malabar spinach (Basellae Rubrae Folium seu Herba)
木防己 {mu4 fang2 ji3}, 中藥正名 woody fangji (Cocculi Radix)
木防己湯 {mu4 fang2 ji3 tang1}, 方名 Woody Fangji Decoction
木風舌 {mu4 feng1 she2}, wood wind tongue
木芙蓉根 {mu4 fu2 rong2 gen1}, 中藥正名 cotton rose root (Hibisci Mutabilis Radix)
木芙蓉花 {mu4 fu2 rong2 hua1}, 中藥正名 cotton rose (Hibisci Mutabilis Flos)
木芙蓉葉 {mu4 fu2 rong2 ye4}, 中藥正名 cotton rose leaf (Hibisci Mutabilis Folium)
木附子 {mu4 fu4 zi3}, 中藥異名 sumac gallnut (Galla Chinensis Galla)

木瓜 {mu4 gua1}, 中藥正名 chaenomeles (Chaenomelis Fructus)
木瓜根 {mu4 gua1 gen1}, 中藥正名 chaenomeles root (Chaenomelis Radix)
木瓜核 {mu4 gua1 he2}, 中藥正名 chaenomeles pip (Chaenomelis Semen)
木瓜酒 {mu4 gua1 jiu3}, 中藥正名 chaenomeles wine (Chaenomelis Fructus Vinum); Chaenomeles Wine
木瓜牛膝丸 {mu4 gua1 niu2 xi1 wan2}, 方名 Chaenomeles and Achyranthes Pill
木瓜實 {mu4 gua1 shi2}, 中藥異名 chaenomeles (Chaenomelis Fructus)
木瓜湯 {mu4 gua1 tang1}, 方名 Chaenomeles Decoction
木瓜丸 {mu4 gua1 wan2}, 方名 Chaenomeles Pill
木瓜枝 {mu4 gua1 zhi1}, 中藥正名 chaenomeles twig and leaf (Chaenomelis Ramulus et Folium)
木荷 {mu4 he2}, 中藥正名 schima (Schimae Radicis Cortex)
木蝴蝶 {mu4 hu2 die2}, 中藥正名 oroxylum (Oroxyli Semen)
木蝴蝶樹皮 {mu4 hu2 die2 shu4 pi2}, 中藥正名 oroxylum bark (Oroxyli Cortex)
木蝴蝶湯 {mu4 hu2 die2 tang1}, 方名 Oroxylum Decoction
木黃連 {mu4 huang2 lian2}, 中藥正名 Shen's mahonia (Mahoniae Shenii Radix et Caulis)
木火刑金 {mu4 huo3 xing2 jin1}, wood fire tormenting metal
木薑子 {mu4 jiang1 zi3}, 中藥正名 pungent litsea fruit (Litseae Pungentis Fructus)
木薑子莖 {mu4 jiang1 zi3 jing1}, 中藥正名 pungent litsea root (Litseae Pungentis Ramulus)
木薑子葉 {mu4 jiang1 zi3 ye4}, 中藥正名 pungent litsea leaf (Litseae Pungentis Folium)
木椒根 {mu4 jiao1 gen1}, 中藥正名 pungent litsea root (Litseae Pungentis Radix)
木槿 {mu4 jin3}, 中藥異名 rose-of-Sharon root bark (Hibisci Syriaci Radicis Cortex)
木槿根 {mu4 jin3 gen1}, 中藥正名 rose-of-Sharon root (Hibisci Syriaci Radix)
木槿花 {mu4 jin3 hua1}, 中藥正名 rose-of-Sharon (Hibisci Syriaci Flos)
木槿皮 {mu4 jin3 pi2}, 中藥正名 rose-of-Sharon root bark (Hibisci Syriaci Radicis Cortex)
木槿葉 {mu4 jin3 ye4}, 中藥正名 rose-of-Sharon leaf (Hibisci Syriaci Folium)
木槿子 {mu4 jin3 zi3}, 中藥正名 rose-of-Sharon seed (Hibisci Syriaci Fructus)
木克土 {mu4 ke4 tu3}, wood restrains earth; wood overwhelming earth
木藍 {mu4 lan2}, 中藥正名 tinctorial indigo (Indigoferae Tinctoriae Caulis et Folium)
木蘭花 {mu4 lan2 hua1}, 中藥正名 lily-flowered magnolia flower (Magnoliae Liliflorae Flos)
木蘭皮 {mu4 lan2 pi2}, 中藥正名 lily-flowered magnolia bark (Magnoliae Liliflorae Cortex)
木梨 {mu4 li2}, 中藥異名 Chinese quince fruit (Chaenomelis Sinensis Fructus)
木蓮 {mu4 lian2}, 中藥異名 creeping fig fruit (Fici Pumilae Flos)
木蓮果 {mu4 lian2 guo3}, 中藥正名 manglietia (Manglietiae Fructus)
木落子 {mu4 luo4 zi3}, 中藥異名 apricot kernel (Armeniacae Semen)
木饅頭 {mu4 man2 tou2}, 中藥正名 creeping fig fruit (Fici Pumilae Flos)
木饅頭散 {mu4 man2 tou2 san3}, 方名 Creeping Fig Fruit Powder
木棉根 {mu4 mian2 gen1}, 中藥正名 cotton tree root (bark) (Bombacis Radix seu Radicis

Cortex)
木棉花 {mu4 mian2 hua1}, 中藥正名 cotton tree flower (Bombacis Flos)
木棉皮 {mu4 mian2 pi2}, 中藥正名 cotton tree bark (Bombacis Cortex)
木芍藥 {mu4 shao2 yao4}, 中藥異名 red peony (Paeoniae Radix Rubra) (Moutan Cortex); 中藥異名 moutan
木舌 {mu4 she2}, wooden tongue
木生火 {mu4 sheng1 huo3}, wood engenders fire
木薯 {mu4 shu3}, 中藥正名 cassava (Manihot Esculenta Radix)
木天蓼 {mu4 tian1 liao3}, 中藥正名 silvervine twig and leaf (Actinidiae Polygamae Ramulus et Folium)
木天蓼根 {mu4 tian1 liao3 gen1}, 中藥正名 silvervine root (Actinidiae Polygamae Radix)
木天蓼子 {mu4 tian1 liao3 zi3}, 中藥正名 silvervine nut (Actinidiae Polygamae Fructus cum Galla)
木通根 {mu4 tong1 gen1}, 中藥正名 mutong root (Akebiae Trifoliatae Radix)
木通散 {mu4 tong1 san3}, 方名 Trifoliate Akebia Powder
木通 {mu4 tong1, 中藥正名 trifoliate akebia (Akebiae Trifoliatae Caulis)
木旺生火 {mu4 wang4 sheng1 huo3}, effulgent wood engenders fire
木喜條達 {mu4 xi3 tiao2 da2}, wood likes orderly reaching
木香檳榔丸 {mu4 xiang1 bing1 lang2 wan2}, 方名 Costusroot and Areca Pill
木香導滯丸 {mu4 xiang1 dao3 zhi4 wan2}, 方名 Costusroot Stagnation-Abducting Pill
木香流氣飲 {mu4 xiang1 liu2 qi4 yin3}, 方名 Costusroot Qi4 Flow Beverage
木香&&7847‖砂煎丸 {mu4 xiang1 nao2 sha1 jian1 wan2}, 方名 Costusroot and Sal Ammoniac Decocted Pill
木香破氣散 {mu4 xiang1 po4 qi4 san3}, 方名 Costusroot Qi4-Breaking Powder
木香順氣散 {mu4 xiang1 shun4 qi4 san3}, 方名 Costusroot Qi4-Normalizing Powder
木香順氣湯 {mu4 xiang1 shun4 qi4 tang1}, 方名 Costusroot Qi4-Normalizing Decoction
木香順氣丸 {mu4 xiang1 shun4 qi4 wan2}, 方名 Costusroot Qi4-Normalizing Pill
木香湯 {mu4 xiang1 tang1}, 方名 Costusroot Decoction
木香調氣散 {mu4 xiang1 tiao2 qi4 san3}, 方名 Costusroot Qi4-Regulating Powder
木香丸 {mu4 xiang1 wan2}, 方名 Costusroot Pill
木香匀氣散 {mu4 xiang1 yun2 qi4 san3}, 方名 Costusroot Qi4-Evening Powder
木香 {mu4 xiang1, 中藥正名 costusroot (Aucklandiae Radix)
木蟹 {mu4 xie4}, 中藥異名 momordica (Momordicae Semen)
木須 {mu4 xu1}, 中藥異名 wood ear (Auricularia)
木檽 {mu4 xu1}, 中藥異名 wood ear (Auricularia)
木血竭 {mu4 xue4 jie2}, 中藥異名 dragon's blood (Daemonoropis Resina)
木羊乳 {mu4 yang2 ru3}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)
木藥子 {mu4 yao4 zi3}, 中藥異名 air potato (Dioscoreae Bulbiferae Rhizoma)

木郁達之 {mu4 yu4 da2 zhi1}, depressed wood is treated by outthrust
木郁化風 {mu4 yu4 hu4 feng1}, depressed wood transforming into wind; depressed wood forming wind
木郁化火 {mu4 yu4 hua4 huo3}, depressed wood transforming into fire
木曰曲直 {mu4 yue1 qu1 zhi2}, wood is the bending and straightening
木賊 {mu4 zei2}, 中藥正名 equisetum (Equiseti Hiemalis Herba)
木賊草 {mu4 zei2 cao3}, 中藥異名 equisetum (Equiseti Hiemalis Herba)
木脹舌 {mu4 zhang4 she2}, distended wooden tongue
木竹子 {mu4 zhu2 zi3}, 中藥正名 Lingnan garcinia (Garciniae Oblongifoliae Fructus, Semen et Cortex)
木竹子油 {mu4 zhu2 zi3 you2}, 中藥正名 Lingnan garcinia oil (Garciniae Oblongifoliae Seminis Oleum)
木錐花 {mu4 zhui1 hua1}, 中藥正名 gomphostemma root (Gomphostemmatis Radix)

【目】 {mu4} [Freq. 2] eye (n.) (肝開竅于目 {gan1 kai1 qiao4 yu2 mu4}, the liver opens at the eye); vision (n.) (目暗 {mu4 an4}, dim vision).
目暗 {mu4 an4}, dim vision
目胞 {mu4 bao1}, eyelid
目不得閉 {mu4 bu4 de2 bi4}, inability to close the eyes
目不能眴 {mu4 bu4 neng2 xuan4}, inability to roll the eyes
目眵 {mu4 chi1}, eye discharge
目赤 {mu4 chi4}, red eyes
目赤流淚 {mu4 chi4 liu2 lei4}, red eyes and tearing
目赤目痛 {mu4 chi4 mu4 tong4}, red eyes and eye pain
目赤痛內眥始 {mu4 chi4 tong4 nei4 zi4 shi3}, painful redness of the eyes spreading from the inner canthus
目赤牙痛 {mu4 chi4 ya2 tong4}, red eyes and toothache
目赤腫痛 {mu4 chi4 zhong3 tong4}, sore red swollen eyes
目窗 {mu4 chuang1}, 腧穴正名 GB-16 (Eye Window)
目吊 {mu4 diao4}, hanging eyes
目定神呆 {mu4 ding4 shen2 dai1}, fixed eyes and torpid spirit
目翻上視 {mu4 fan1 shang4 shi4}, upturned eyes
目飛血 {mu4 fei1 xue4}, blood flying to the eye
目干澀 {mu4 gan1 se4}, dry eyes
目綱 {mu4 gang1}, eyelid rim; palpebral margin
目裹 {mu4 guo3}, eyelid
目合 {mu4 he2}, closed eyes
目合口開 {mu4 he2 kou3 kai1}, closed eyes and open mouth

目橫寸 {mu4 heng2 cun4}, intercanthal body inch
目糊 {mu4 hu2}, blurred vision
目花 {mu4 hua1}, flowery vision
目黃 {mu4 huang2}, yellowing of the eyes
目昏 {mu4 hun1}, clouded vision
目昏昧 {mu4 hun1 mei4}, clouded vision
目睛不合 {mu4 jing1 bu4 he2}, inability to close the eyes
目睛正圓 {mu4 jing1 zheng4 yuan2}, gaping eyes
目睛直視 {mu4 jing1 zhi2 shi4}, forward-staring eyes
目窠 {mu4 ke1}, eye nest (eye socket; eyelid)
目窠內陷 {mu4 ke1 nei4 xian4}, sunken eyes
目窠上微腫 {mu4 ke1 shang4 wei1 zhong3}, slight swelling of the eye nest (eyelids)
目窠微腫 {mu4 ke1 wei1 zhong3}, slight swelling of the eye nest (eyelids)
目枯澀 {mu4 ku1 se4}, dry eyes
目眶 {mu4 kuang4}, eye socket
目眶骨 {mu4 kuang4 gu3}, eye socket bone
目連眨 {mu4 lian2 zha3}, continual blinking
目&&91C3.9ACE|{mu4 liao2}, 臁穴異名 TB-23 (Eye Bone-Hole)
目瞀 {mu4 mao4}, distorted vision
目眇失明 {mu4 miao3 shi1 ming2}, hazy, failing vision
目明 {mu4 ming2}, 臁穴正名 Eye Bright
目暝 {mu4 ming2}, heavy eye; caligo
目目生珠草 {mu4 mu4 sheng1 zhu1 cao3}, 中藥異名 oldenlandia (Oldenlandiae Diffusae Herba)
目內眥 {mu4 nei4 zi4}, 臁穴異名 BL-1 (Inner Canthus)
目偏視 {mu4 pian1 shi4}, squint
目偏視風引 {mu4 pian1 shi4 feng1 yin3}, wind-induced squint
目泣出 {mu4 qi4 chu1}, tearing; lacrimation
目泣自出 {mu4 qi4 zi4 chu1}, spontaneous tearing
目如脫 {mu4 ru2 tuo1}, eyes fit to burst from their sockets
目入暮不能視物 {mu4 ru4 mu4 bu4 neng2 shi4 wu4}, night blindness
目&&77A4|{mu4 run4}, twitching of the eyes
目澀 {mu4 se4}, dry eyes
目澀少淚 {mu4 se4 shao3 lei4}, dry eyes and scant tear fluid
目上胞 {mu4 shang4 bao1}, upper eyelid
目上反 {mu4 shang4 fan3}, upturned eyes
目上綱 {mu4 shang4 gang1}, upper eyelid rim
目上視 {mu4 shang4 shi4}, upward gazing eyes

目上弦 {mu4 shang4 xian2}, upper eyelid rim
目生椒粟 {mu4 sheng1 jiao1 su4}, peppercorn or millet sore of the eye
目生內障 {mu4 sheng1 nei4 zhang4}, cataract
目生星翳 {mu4 sheng1 xing1 yi4}, starry eye screen
目生云翳 {mu4 sheng1 yun2 yi4}, nebulous eye screen
目生障翳 {mu4 sheng1 zhang4 yi1}, eye screen
目視不明 {mu4 shi4 bu4 ming2}, dim vision
目視&&402E|{mu4 shi4 huang1}, blurred vision
目視&&402E||&&402E|{mu4 shi4 huang1 huang1}, blurred vision
目視&&402E||&&402E||無所見 {mu4 shi4 huang1 huang1 wu2 suo3 jian4}, blurred vision
目視模糊 {mu4 shi4 mo2 hu2}, blurred vision
目視無神 {mu4 shi4 wu2 shen2}, spiritless eyes
目瞳癢痛 {mu4 tong2 yang3 tong4}, painful itching pupils
目痛 {mu4 tong4}, eye pain
目痛如脫 {mu4 tong4 ru2 tuo1}, eyes painful as if fit to burst from their sockets
目外眥 {mu4 wai4 zi4}, outer canthus of the eye
目無光彩 {mu4 wu2 guang1 cai3}, dull eyes
目無所見 {mu4 wu2 suo3 jian4}, loss of vision
目系 {mu4 xi4}, eye tie
目下胞 {mu4 xia4 bao1}, lower eyelid
目下綱 {mu4 xia4 gang1}, lower eyelid rim
目下弦 {mu4 xia4 xian2}, lower eyelid rim
目下陷 {mu4 xia4 xian4}, sunken eyes
目下有臥蠶 {mu4 xia4 you3 wo4 can2}, sleeping silkworms below the eyes; bags under the eyes
目弦 {mu4 xian2}, eyelid rim; palpebral margin
目眩 {mu4 xuan4}, dizzy vision
目癢 {mu4 yang3}, itchy eyes
目仰視 {mu4 yang3 shi4}, upward-looking eye (a kind of squint)
目翳 {mu4 yi4}, eye screen
目有光彩 {mu4 you3 guang1 cai3}, bright eyes
目眨 {mu4 zha3}, blinking
目者五臟六腑之精華 {mu4 zhe3 wu3 zang4 liu4 fu3 zhi1 jing1 hua2}, eyes are the essence of the five viscera and six bowels
目中翳障 {mu4 zhong1 yi4 zhang4}, eye screen
目珠 {mu4 zhu1}, eyeball
目珠偏斜 {mu4 zhu1 pian1 shi4}, squint
目珠夜痛 {mu4 zhu1 ye4 tong4}, eyeball pain at night
目珠自脹 {mu4 zhu1 zi4 zhang4}, feeling of distention in the eyes

目眥痛 {mu4 zi4 tong4}, pain in the canthus

【牧】 {mu4} [Freq. 4] tend sheep, cattle.
牧草嫩莖 {mu4 cao3 nen4 jing1}, 中藥異名 pennisetum shoot (Penniseti Surculus)

【苜】 {mu4} [Freq. 4] alfalfa.
苜蓿 {mu4 xu4}, 中藥正名 alfalfa (Medicaginis Herba)
苜蓿根 {mu4 xu4 gen1}, 中藥正名 alfalfa root (Medicaginis Radix)
苜蓿芽 {mu4 xu4 ya2}, 中藥正名 alfalfa sprout (Medicaginis Semen Germinatum)

【募】 {mu4} [Freq. 2] alarm (n.) (lit. muster. 募穴 {mu4 xue2}, alarm point).
募穴 {mu4 xue2}, alarm point; mustering point
募原 {mu4 yuan2}, membrane source

【墓】 {mu4} [Freq. 4] grave.
墓頭灰 {mu4 tou2 hui1}, 中藥異名 heterophyllous patrinia (Patriniae Heterophyllae Radix)
墓頭回 {mu4 tou2 hui2}, 中藥正名 heterophyllous patrinia (Patriniae Heterophyllae Radix)

【暮】 {mu4} [Freq. 4] evening; night.
暮熱早涼 {mu4 re4 zao3 liang2}, heat [effusion] (fever) in the evening that abates by the morning
暮食朝吐 {mu4 shi2 zhao1 tu4}, vomiting in the morning of food eaten in the evening

== N ==

~~ {na2} ~~
【拿】 {na2} [Freq. 4] grasp.
拿法 {na2 fa3}, grasping (manipulation technique)

~~ {na4} ~~
【內】 {na4} [Freq. 4] insert (see also {nei4}).
內針 {na4 zhen1}, needle insertion

【那】 {na4} [Freq. 4] that, those.
那合豆 {na4 he2 dou4}, 中藥異名 chick-pea (Ciceris Arietini Semen)

【納】 {na4} [Freq. 2] intake (n.) (胃主受納 {wei4 zhu3 shou4 na4}, the stomach governs intake; 納呆 {na4 dai1}, torpid intake); absorption (n.) (腎虛不納氣 {shen4 xu1 bu2 na4 qi4}, a vacuous kidney failing to absorb qi4).
納呆 {na4 dai1}, torpid intake
納谷不香 {na4 gu3 bu4 xiang1}, no pleasure in eating
納谷不馨 {na4 gu3 bu4 xin1}, no pleasure in eating
納谷減退 {na4 gu3 jian3 tui4}, reduced food intake
納減 {na4 jian3}, reduced food intake
納氣 {na4 qi4}, qi4 absorption; promote qi4 absorption
納氣歸腎 {na4 qi4 gui1 shen4}, promote qi4 absorption to the kidney
納氣以歸腎 {na4 qi4 yi3 gui1 shen4}, promote qi4 absorption to the kidney
納少 {na4 shao3}, reduced food intake
納腎氣 {na4 shen4 qi4}, promote absorption of qi4 by the kidney
納食 {na4 shi2}, food intake; increase food intake
納食減少 {na4 shi2 jian3 shao3}, reduced food intake

【訥】 {na4} [Freq. 4] slow in speaking.
訥會 {na4 hui4}, 中藥異名 aloe (Aloe)

【肭】 {na4} [Freq. 5] seal

~~ {nai3} ~~
【乃】 {nai3} [Freq. 5] grammatical particle

【奶】 {nai3} [Freq. 2] breast (n.); mammary (n.) (奶吹 {nai3 chui1}, mammary blowing); breast milk (n.) (奶少 {nai3 shao3}, scant breast milk); milk (n.).
奶漿胡柴 {nai3 jiang1 hu2 chai2}, 中藥正名 phoenix hawksbeard (Crepidis Phoenicis Herba)
奶漿參 {nai3 jiang1 shen1}, 中藥正名 phoenix hawksbeard root (Crepidis Phoenicis Radix)
奶麻 {nai3 ma2}, roseola infantum
奶奶頭 {nai3 nai3 tou2}, 中藥異名 lanceolate codonopsis (Codonopsis Lanceolatae Radix)
奶參 {nai3 shen1}, 中藥異名 lanceolate codonopsis (Codonopsis Lanceolatae Radix)
奶癬 {nai3 xian3}, suckling lichen
奶椎 {nai3 zhui1}, 中藥正名 pale-flowered licorice fruit (Glycyrrhizae Pallidiflorae Fructus)

~~ {nai4} ~~

【耐】 {nai4} [Freq. 4] withstand.
耐冬果 {nai4 dong1 guo3}, 中藥正名 small-leaved cotoneaster leaf (Cotoneastri Microphyli Folium)
耐攻 {nai4 gong1}, withstand attack

【柰】 {nai4} [Freq. 4] apple; crab apple.
柰 {nai4}, 中藥異名 apple (Mali Pumulae Fructus)
柰子 {nai4 zi3}, 中藥異名 apple (Mali Pumulae Fructus)

~~ {nan2} ~~
【男】 {nan2} [Freq. 3] male; man.
男科疾病 {nan2 ke1 ji2 bing4}, men's diseases
男性乳房肥大症 {nan2 xing4 ru3 fang2 fei2 da4 zheng4}, 西醫 hyperplasia of the male breast
男子 {nan2 zi3}, male

【南】 {nan2} [Freq. 3] south (position associated with fire).
南北朝 {nan2 bei3 chao2}, Northern and Southern Dynasties (420--581 A.D.)
南扁豆 {nan2 bian3 dou4}, 中藥異名 lablab (Lablab Semen Album)
南薄荷 {nan2 bo4 he2}, 中藥異名 mint (Menthae Herba)
南朝 {nan2 chao2}, Southern Dynasties (420--589 A.D.)
南豆 {nan2 dou4}, 中藥異名 lablab (Lablab Semen Album) (Viciae Fabae Semen); 中藥異名 broad bean
南瓜 {nan2 gua1}, 中藥正名 pumpkin (Cucurbitae Fructus)
南瓜蒂 {nan2 gua1 di4}, 中藥正名 pumpkin stalk (Cucurbitae Pedicellus)
南瓜根 {nan2 gua1 gen1}, 中藥正名 pumpkin root (Cucurbitae Radix)
南瓜花 {nan2 gua1 hua1}, 中藥正名 pumpkin flower (Cucurbitae Flos)
南瓜七 {nan2 gua1 qi1}, 中藥正名 Si4chuan1 ligularia (Ligulariae Hodgsoni Radix)
南瓜瓤 {nan2 gua1 rang2}, 中藥正名 pumpkin flesh (Cucurbitae Mesocarpium)
南瓜仁 {nan2 gua1 ren2}, 中藥異名 pumpkin seed (Cucurbitae Semen)
南瓜藤 {nan2 gua1 teng2}, 中藥正名 pumpkin stem (Cucurbitae Caulis)
南瓜鬚 {nan2 gua1 xu1}, 中藥正名 pumpkin stem hair (Cucurbitae Pilus Caulis)
南瓜葉 {nan2 gua1 ye4}, 中藥正名 pumpkin leaf (Cucurbitae Folium)
南瓜子 {nan2 gua1 zi3}, 中藥正名 pumpkin seed (Cucurbitae Semen)
南鶴蝨 {nan2 he4 shi1}, 中藥正名 wild carrot fruit (Carotae Fructus)
南薑 {nan2 jiang1}, 中藥異名 galangal (Alpiniae Galangae Rhizoma)
南椒 {nan2 jiao1}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
南木香 {nan2 mu4 xiang1}, 中藥正名 Yun2nan2 aristolochia (Aristolochiae Yunnanensis

Radix)
南耆 {nan2 qi2}, 中藥異名 five-finger fig root (Fici Simplicissimae Radix)
南沙參 {nan2 sha1 shen1}, 中藥正名 adenophora (Adenophorae Radix)
南山楂 {nan2 shan1 zha1}, 中藥正名 southern crataegus (Crataegi Fructus *Australis)
南蛇竻根 {nan2 she2 le4 gen1}, 中藥正名 snake bramble root (Caesalpiniae Minacis Radix)
南蛇竻苗 {nan2 she2 le4 miao2}, 中藥正名 snake bramble shoot (Caesalpiniae Minacis Surculus)
南宋 {nan2 song4}, Southern Song4 (1127--1279 A.D.)
南酸棗 {nan2 suan1 zao3}, 中藥正名 hog plum (Choerospondiatis Fructus seu Semen)
南藤 {nan2 teng2}, 中藥正名 nanteng (Piperis Wallichii seu Puberuli Caulis et Folium)
南天 {nan2 tian1}, 中藥異名 nandina leaf (Nandinae Folium)
南竺 {nan2 tian1}, 中藥異名 nandina leaf (Nandinae Folium)
南天竹梗 {nan2 tian1 geng3}, 中藥正名 nandina stem (Nandinae Caulis)
南天竹 {nan2 tian1 zhu2}, 中藥異名 nandina leaf (Nandinae Folium)
南天竺 {nan2 tian1 zhu2}, 中藥異名 nandina leaf (Nandinae Folium)
南天竹根 {nan2 tian1 zhu2 gen1}, 中藥正名 nandina root (Nandinae Radix)
南天竹葉 {nan2 tian1 zhu2 ye4}, 中藥正名 nandina leaf (Nandinae Folium)
南天竹子 {nan2 tian1 zhu2 zi3}, 中藥正名 nandina fruit (Nandinae Fructus)
南葶藶 {nan2 ting2 li4}, 中藥正名 descurainia (Descurainiae Semen)
南五加皮 {nan2 wu3 jia1 pi2}, 中藥異名 acanthopanax (Acanthopanacis Cortex)
南五味子 {nan2 wu3 wei4 zi3}, 中藥正名 southern schisandra (Schisandrae Sphenantherae Fructus)
南五味子葉 {nan2 wu3 wei4 zi3 ye4}, 中藥正名 long-stalked kadsura leaf (Kadsurae Longipedunculatae Folium)
南細辛 {nan2 xi4 xin1}, 中藥異名 Forbes' asarum (Asari Forbesii Herba)
南星 {nan2 xing1}, 中藥異名 arisaema (Arisaematis Rhizoma)
南杏仁 {nan2 xing4 ren2}, 中藥正名 southern apricot kernel (Armeniacae Semen *Australis)
南洋午魚 {nan2 yang2 wu3 yu2}, 中藥正名 giant threadfin (Eleutheronematis Tetradactyli Caro)
南竹 {nan2 zhu2}, 中藥異名 nandina leaf (Nandinae Folium)
南燭 {nan2 zhu2}, 中藥異名 nandina leaf (Nandinae Folium)
南燭根 {nan2 zhu2 gen1}, 中藥正名 Asiatic bilberry root (Vaccinii Bracteati Radix)
南燭葉 {nan2 zhu2 ye4}, 中藥正名 Asiatic bilberry leaf (Vaccinii Bracteati Folium)
南燭子 {nan2 zhu2 zi3}, 中藥正名 Asiatic bilberry (Vaccinii Bracteati Fructus)

【喃】 {nan2} [Freq. 4] mutter.
喃喃獨語 {nan2 nan2 du2 yu2}, muttering to oneself
喃喃自語 {nan2 nan2 zi4 yu3}, muttering to oneself

【楠】 {nan2} [Freq. 4] nanmu.
楠木 {nan2 mu4}, 中藥正名 nanmu [wood, twig, and leaf] (Phoebes Nanmu Lignum, Ramulus et Folium)
楠木皮 {nan2 mu4 pi2}, 中藥正名 nanmu bark (Phoebes Nanmu Cortex)

【難】 {nan2} [Freq. 3] difficult (see also 難 {nan4}).
難產 {nan2 chan3}, difficult delivery
難產方 {nan2 chan3 fang1}, 方名 Difficult Delivery Formula
難出 {nan2 chu1}, difficult to expectorate
難寐 {nan2 mei4}, difficulty in sleeping
難以忍受 {nan2 yi3 ren3 shou4'}, hard to bear
難以入睡 {nan2 yi3 ru4 shui4}, difficulty in getting to sleep
難治 {nan2 zhi4}, difficult to cure

~~ {nan4} ~~
【難】 {nan4} [Freq. 3] calamity; difficult question (see 難 {nan2})
難經 {nan4 jing1}, 書名 The Classic of Difficult Issues (1st century, Eastern Han4)

~~ {nang2} ~~
【囊】 {nang2} [Freq. 2] sac (n.) (腎囊 {shen4 nang2}, kidney sac, i.e., the scrotum); scrotum (n.).
囊蟲病 {nang2 chong2 bing4}, 西醫 cysticercosis
囊縮 {nang2 suo1}, retracted scrotum
囊縮舌卷 {nang2 suo1 she2 juan3}, retracted scrotum and curled tongue
囊脫 {nang2 tuo1}, sloughing scrotum
囊癰 {nang2 yong1}, scrotal welling-abscess

~~ {nao2} ~~
【蟯】 {nao2} [Freq. 4] pinworm.
蟯蟲 {nao2 chong2}, pinworm
蟯蟲病 {nao2 chong2 bing4}, pinworm disease; oxyuriasis (pinworm infestation, enterobiasis)

【&&7847||】 {nao2} [Freq. 4] sal amoniac.
&&7847||砂 {nao2 sha1}, 中藥正名 sal ammoniac (Sal Ammoniacum)

&&7847||砂散 {nao2 sha1 san3}, 方名 Sal Ammoniac Powder
&&7847||砂丸 {nao2 sha1 wan2}, 方名 Sal Ammoniac Pill

~~ {nao3} ~~
【瑙】 {nao3} [Freq. 4] agate 瑪瑙 (瑪瑙 {ma3 nao3}, agate)

【腦】 {nao3} [Freq. 2] brain (n.).
腦出血 {nao3 chu1 xue4}, 西醫 cerebral hemorrhage
腦垂後葉素 {nao3 chui2 hou4 ye4 su4}, 西醫 posterior pituitary hormone
腦垂體性閉經 {nao3 chui2 ti3 xing4 bi4 jing1}, 西醫 putuitary amenorrhea
腦動脈硬化症 {nao3 dong4 mai4 ying4 hua4 zheng4}, 西醫 cerebral arterioscelosis
腦風 {nao3 feng1}, brain wind
腦蓋 {nao3 gai4}, 腧穴異名 BL-8 (Brain Cover)
腦疳 {nao3 gan1}, gan1 of the brain
腦幹 {nao3 gan4}, 西醫 brain stem
腦功能輕微失調綜合症 {nao3 gong1 neng2 qing1 wei1 shi1 tiao2 zong4 he2 zheng4}, 西醫 minimal brain dysfunction syndrome
腦戶 {nao3 hu4}, 腧穴正名 GV-17 (Brain's Door)
腦脊髓膜膨出 {nao3 ji3 sui3 mo2 peng2 chu1}, 西醫 meningocele
腦脊髓液 {nao3 ji3 sui3 ye4}, 西醫 cerebrospinal fluid
腦脊液 {nao3 ji3 ye4}, 西醫 cerebrospinal fluid
腦疽 {nao3 ju1}, flat-abscess of the brain
腦空 {nao3 kong1}, 腧穴正名 GB-19 (Brain Hollow)
腦瘤 {nao3 liu2}, 西醫 cerebroma
腦漏 {nao3 lou4}, brain leak
腦鳴 {nao3 ming2}, ringing in the brain
腦膜 {nao3 mo2}, 西醫 meninges
腦膜炎 {nao3 mo2 yan2}, 西醫 meningitis
腦膜炎球菌 {nao3 mo2 yan2 qiu2 jun1}, 西醫 meningococcus
腦清 {nao3 qing1}, 腧穴正名 Clear Brain
腦神經 {nao3 shen2 jing1}, 西醫 cranial nerves
腦神經系統疾病 {nao3 shen2 jing1 xi4 tong3 ji2 bing4}, 西醫 diseases of the brain and nervous system
腦髓 {nao3 sui3}, brain marrow
腦髓失養 {nao3 sui3 shi1 yang3}, brain marrow deprived of nourishment
腦髓失養證 {nao3 sui3 shi1 yang3 zheng4}, pattern of brain marrow deprived of nourishment
腦髓受傷 {nao3 sui3 shou4 shang1}, damage to brain marrow

腦痛 {nao3 tong4}, brain pain
腦爲髓之海 {nao3 wei2 sui3 zhi1 hai3}, brain is the sea of marrow
腦爲元神之府 {nao3 wei2 yuan2 shen2 zhi1 fu3}, brain is the house of the original spirit
腦血管意外 {nao3 xue4 guan3 yi4 wai4}, 西醫 cerebrovascular accident
腦血栓 {nao3 xue4 shuan1}, 西醫 cerebral embolism
腦血栓形成 {nao3 xue4 shuan1 xing2 cheng2}, 西醫 cerebral thrombosis
腦炎 {nao3 yan2}, 西醫 encephalitis
腦溢血 {nao3 yi4 xue4}, 西醫 cerebral hemorrhage
腦震盪 {nao3 zhen4 dang4}, 西醫 concussion of the brain
腦轉耳鳴 {nao3 zhuan3 er3 ming2}, spinning brain and ringing ears
腦子 {nao3 zi3}, 中藥異名 borneol (Borneolum)

~~ {nao4} ~~
【鬧】 {nao4} [Freq. 4] harass.
鬧狗藥 {nao4 gou3 yao4}, 中藥正名 Maire's alstonia (Alstoniae Mairei Folium)
鬧羊花 {nao4 yang2 hua1}, 中藥正名 yellow azalea (Rhododendri Mollis Flos)
鬧羊花子 {nao4 yang2 hua1 zi3}, 中藥異名 yellow azalea seed (Rhododendri Mollis Fructus)
鬧魚花 {nao4 yu2 hua1}, 中藥異名 genkwa (Genkwa Flos)

【臑】 {nao4} [Freq. 3] upper arm.
臑骨 {nao4 gu3}, upper arm bone; humerus
臑會 {nao4 hui4}, 腧穴正名 TB-13 (Upper Arm Convergence)
臑交 {nao4 jiao1}, 腧穴異名 TB-13 (Upper Arm Intersection)
臑&&91C3.9ACE|{nao4 liao2}, 腧穴異名 TB-13 (Upper Arm Bone-Hole)
臑上 {nao4 shang4}, 腧穴正名 Above Upper Arm
臑俞 {nao4 shu1}, 腧穴正名 SI-10 (Upper Arm Transport) (Upper Arm Transport); 腧穴異名 TB-13

~~ {nei4} ~~
【內】 {nei4} [Freq. 2] inner (body) (n.) (邪氣在內 {xie2 qi2 zai4 nei4}, the evil qi4 is in the inner body); internal (adj.) (內風 {nei4 feng1}, internal wind; 肝風內動 {gan1 feng1 nei4 dong4}, liver wind stirring internally); inward (adj.), (adv.) (內陷 {nei4 xian4}, inward fall).
內閉 {nei4 bi4}, internal block
內閉昏厥 {nei4 bi4 hun1 jue2}, internal block clouding reversal; clouding reversal due to internal block
內閉外脫 {nei4 bi4 wai4 tuo1}, internal block and outward desertion

內補丸 {nei4 bu3 wan2}, 方名 Internal Supplementation Pill
內吹 {nei4 chui1}, internal blowing
內吹乳癰 {nei4 chui1 ru3 yong1}, internal blowing mammary welling-abscess
內毒 {nei4 du2}, internal toxin
內耳 {nei4 er3}, 西醫 internal ear
內耳眩暈病 {nei4 er3 xuan4 yun1 zheng4}, 西醫 Meniere's disease
內耳炎 {nei4 er3 yan2}, 西醫 otitis interna
內翻肌 {nei4 fan1 ji1}, 西醫 invertor
內煩 {nei4 fan2}, internal vexation
內分泌系統 {nei4 fen1 mi4 xi4 tong3}, 西醫 endocrine system
內風 {nei4 feng1}, internal wind
內風消 {nei4 feng1 xiao1}, 中藥異名 long-stalked kadsura root (bark) (Kadsurae Longipedunculatae Radix seu Radicis Cortex)
內服 {nei4 fu2}, take internally; take orally
內服膏劑 {nei4 fu2 gao1 ji4}, orally taken paste
內關 {nei4 guan1}, 腧穴正名 PC-6 (Inner Pass)
內觀 {nei4 guan1}, inner scene
內寒 {nei4 han2}, internal cold
內合谷 {nei4 he2 gu3}, 腧穴正名 Inner Union Valley
內紅消 {nei4 hong2 xiao1}, 中藥異名 long-stalked kadsura root (bark) (Kadsurae Longipedunculatae Radix seu Radicis Cortex)
內踝 {nei4 huai2}, inner ankle bone (medial malleolus)
內踝尖 {nei4 huai2 jian1}, 腧穴正名 Tip of the Inner Ankle Bone
內火 {nei4 huo3}, internal fire
內經 {nei4 jing1}, 書名 The Inner Canon (1st century C)
內睛明 {nei4 jing1 ming2}, 腧穴正名 Inner Bright Eyes
內科疾病 {nei4 ke1 ji2 bing4}, internal medical diseases
內昆侖 {nei4 kun1 lun2}, 腧穴異名 Inner Kunlun Mountains
內廉 {nei4 lian2}, inner face
內&&81C1‖瘡 {nei4 lian2 chuang1}, inner shank sore
內明 {nei4 ming2}, 腧穴異名 Inner Brightness
內熱 {nei4 re4}, internal heat
內熱熾盛 {nei4 re4 chi4 sheng4}, intense internal heat
內熱消渴 {nei4 re4 xiao1 ke3}, internal heat dispersion-thirst
內熱耗灼津液 {nei4 re43 hao4 zhuo2 jin1 ye4}, internal heat scorching liquid and humor
內傷 {nei4 shang1}, internal injury; internal damage
內傷不得臥 {nei4 shang1 bu4 de2 wo4}, internal damage sleeplessness
內傷發熱 {nei4 shang1 fa1 re4}, internal damage heat [effusion] (fever)

內傷咳嗽 {nei4 shang1 ke2 sou4}, internal damage cough
內傷七情 {nei4 shang1 qi1 qing2}, internal damage by the seven affects; affect damage
內傷頭痛 {nei4 shang1 tou4 tong4}, internal damage headache
內傷胃脘痛 {nei4 shang1 wei4 wan3 guan3 tong4}, internal damage stomach duct pain
內傷腰痛 {nei4 shang1 yao4 tong4}, internal damage lumbar pain
內傷飲食痙 {nei4 shang1 yin3 shi2 jing4}, internal food damage tetany
內傷雜病 {nei4 shang1 za2 bing4}, miscellaneous internal damage diseases
內濕 {nei4 shi1}, internal dampness
內實 {nei4 shi2}, internal repletion
內收肌 {nei4 shou1 ji1}, 西醫 adductor
內疏黃連湯 {nei4 shu1 huang2 lian2 tang1}, 方名 Internal Coursing Coptis Decoction
內庭 {nei4 ting2}, 腧穴正名 ST-44 (Inner Court)
內推 {nei4 tui1}, inward pushing
內托 {nei4 tuo1}, internal drawing
內膝眼 {nei4 xi1 yan3}, 腧穴異名 Inner Eye of the Knee
內陷 {nei4 xian4}, inward fall
內消 {nei4 xiao1}, internal dispersion-thirst
內消瘰&&75AC.7667‖丸 {nei4 xiao1 luo3 li4 wan2}, 方名 Scrofula Internal Dispersion Pill
內消散 {nei4 xiao1 san3}, 方名 Internal Dispersion Powder
內斜視 {nei4 xie2 shi1}, inward squint
內虛 {nei4 xu1}, 中藥異名 scutellaria (Scutellariae Radix)
內陽池 {nei4 yang2 chi3}, 腧穴正名 Inner Yang2 Pool
內養功 {nei4 yang3 gong1}, inner health-cultivation qi4gong1
內因 {nei4 yin1}, internal cause (of disease)
內飲 {nei4 yin3}, internal rheum
內迎香 {nei4 ying2 xiang1}, 腧穴正名 Inner Welcome Fragrance
內癰 {nei4 yong1}, internal welling-abscess
內有久寒 {nei4 you3 jiu3 han2}, enduring internal cold
內有熱邪 {nei4 you3 re4 xie2}, heat evil in the interior
內有邪熱 {nei4 you3 xie2 re4}, evil heat in the inner body
內在性子宮內膜異位症 {nei4 zai4 xing4 zi3 gong1 nei4 mo2 yi4 wei4 zheng4}, 西醫 internal endomeriosis
內燥 {nei4 zao4}, internal dryness
內障 {nei4 zhang4}, internal obstruction (of the eye)
內真寒 {nei4 zhen1 han2}, true internal cold
內真熱 {nei4 zhen1 re4}, true internal heat
內蒸 {nei4 zheng1}, internal steaming
內痔 {nei4 zhi4}, internal hemorrhoid

內治法 {nei4 zhi4 fa3}, internal method of treatment
內眥 {nei4 zi4}, inner canthus
內眥外 {nei4 zi4 wai4}, 臆穴異名 BL-1 (Outside the Inner Canthus)

~~ {nen4} ~~
【嫩】 {nen4} [Freq. 3] tender; tender-soft (tender as a baby's flesh, not painful on palpation).
嫩鉤鉤 {nen4 gou1 gou1}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)
嫩紅 {nen4 hong2}, tender-red (a pale fresh red)
嫩薑 {nen4 jiang1}, 中藥正名 young ginger (Zingiberis Rhizoma Maturum)
嫩桑葉 {nen4 sang1 ye4}, 中藥正名 tender mulberry leaf (Mori Folium Tener)
嫩桑枝 {nen4 sang1 zhi1}, 中藥正名 tender mulberry twig (Mori Ramulus Tener)
嫩舌 {nen4 she2}, tender-soft tongue
嫩松香 {nen4 song1 xiang1}, 中藥正名 fresh rosin (Pini Resina Recens)

~~ {neng2} ~~
【能】 {neng2} [Freq. 4] able to.
能吃 {neng2 chi1}, ability to eat
能近怯遠 {neng2 jin4 qie4 yuan3}, nearsightedness
能食善饑 {neng2 shi2 shan4 ji1}, rapid hungering despite ability to eat; ability to eat and rapid hungering
能遠怯近 {neng2 yuan3 qie4 jin4}, farsightedness

~~ {ne} ~~
【呢】 {ne} [Freq. 5] final particle meaning ``as for'' or ``how about''.
尼羅口孵魚 {ni2 luo2 kou3 fu1 yu2}, 中藥異名 niloticus mouthbreeder (Tilapia Nilotica)

~~ {ni2} ~~
【呢】 {ni2} [Freq. 5] murmur (睡中呢喃 {shui4 zhong1 ni2 nan2}, murmuring in sleep)

【泥】 {ni2} [Freq. 4] mud.
泥冰子 {ni2 bing1 zi3}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
泥胡菜 {ni2 hu2 cai4}, 中藥正名 hemistepta (Hemisteptae Herba)
泥療法 {ni2 liao2 fa3}, mud therapy

泥鰍 {ni2 qiu1}, 中藥正名 loach (Misgurnus)
泥鰍疔 {ni2 qiu1 ding1}, loach clove sore
泥鰍滑液 {ni2 qiu1 hua2 ye4}, 中藥正名 loach slime (Misgurni Secretio Cutis)
泥丸宮 {ni2 wan2 gong1}, 腧穴異名 GV-20 (Mud Ball Palace)

【倪】 {ni2} [Freq. 4] surname.
倪維德 {ni2 wei2 de2}, Ni2 Wei2-De2

【霓】 {ni2} [Freq. 4] secondary rainbow.
霓鱠 {ni2 kuai4}, 中藥正名 flag-tailed rock cod (Cephalopholis Urodelus)

【坭】 {ni2} [Freq. 4] mud (same as 泥 {ni2}.).
坭瓜 {ni3 gua1}, 中藥異名 luffa gourd (Luffae Fructus)

~~ {ni4} ~~
【逆】 {ni4} [Freq. 2] counterflow (n.), (adj.) (氣逆 {qi4 ni4}, qi4 counterflow; 胃氣逆 {wei4 qi4 ni4}, {counterflow} stomach qi; 肺氣逆{fei4 qi4 ni4}, {counterflow} lung qi; 四肢逆冷{si4 zhi1 ni4 leng3}, counterflow cold of the limbs); abnormal (adj.) (逆傳心包 {ni4 chuan2 xin1 bao1}, abnormal passage to the pericardium); unfavorable (n.) (逆證 {ni4 zheng4}, unfavorable pattern); adverse treatment.
逆傳 {ni4 chuan2}, abnormal passage
逆傳心包 {ni4 chuan2 xin1 bao1}, abnormal passage to the pericardium
逆從 {ni4 cong2}, coaction and counteraction
逆經 {ni4 jing1}, counterflow menstruation
逆流洄瀾水 {ni4 liu2 hui2 lan2 shui3}, 中藥正名 counter-current water (Aqua Contracurrentis)
逆流挽舟 {ni4 liu2 wan3 zhou1}, hauling the boat upstream
逆氣 {ni4 qi4}, counterflow qi4
逆調 {ni4 tiao4}, disharmony
逆者正治 {ni4 zhe3 zheng4 zhi4}, counter-action is straight treatment (using, for example, cold to treat heat is called straight treatment)
逆證 {ni4 zheng4}, unfavorable pattern; unfavorable sign
逆治 {ni4 zhi4}, counteracting treatment (e.g., treating cold with heat)
逆注 {ni4 zhu4}, 腧穴異名 LI-7 (Counterflow Pouring)

【膩】 {ni4} [Freq. 2] slimy (adj.), sliminess (n.) (苔膩 {tai1 ni4}, slimy [tongue] fur); sickly.
膩粉 {ni4 fen3}, 中藥異名 calomel (Calomelas)
膩苔 {ni4 tai1}, slimy tongue fur

膩苔不化 {ni4 tai1 bu4 hua4}, non-transforming slimy tongue fur

【&&460C||】 {ni4} [Freq. 3] invisible worm (n.) (鼻&&460C||瘡 {bi2 ni4 chuang1}, invisible worm sore of the nose).
&&460C||鼻 {ni4 bi2}, invisible worms of the nose; invisible worm sore of the nose
&&460C||瘡 {ni4 chuang1}, invisible worm sores

~~ {nian2} ~~
【年】 {nian2} [Freq. 3] year.
年老經水復行 {nian2 lao3 jing1 shui3 fu4 xing2}, recommencement of menstruation in old age
年老體衰 {nian2 lao3 ti3 shuai1}, debility in old age
年邁 {nian2 mai4}, advancing years

【黏】 {nian2} [Freq. 2] sticky (adj.) (痰黃黏稠 {tan2 huang2 nan2}, thick sticky yellow phlegm).
黏蒼子 {nian2 cang1 zi3}, 中藥異名 arctium (Arctii Fructus)
黏汗 {nian2 han4}, sticky sweat
黏膜 {nian2 mo2}, 西醫 mucous membrane (mucosa)
黏膩苔 {nian2 ni4 tai1}, dry cracked fur
黏膿涕 {nian2 nong2 ti4}, sticky purulent snivel
黏身草 {nian2 shen1 cao3}, 中藥異名 Spanish needles (Bidentis Bipinnatae Herba)
黏牙果 {nian2 ya2 guo3}, 中藥異名 flowery garcinia [root or fruit] (Garciniae Multiflorae Cortex seu Fructus)
黏液囊 {nian2 ye4 nang2}, 西醫 bursa
黏液囊炎 {nian2 ye4 nang2 yan2}, 西醫 bursitis
黏液水腫 {nian2 ye4 shui3 zhong3}, 西醫 myxedema
黏魚 {nian2 yu2}, 中藥異名 Chinese catfish (Parasilurus)
黏仔 {nian2 zai3}, 中藥異名 Chinese catfish (Parasilurus)

【粘】 {nian2} [Freq. 5] sticky (adj.) (same as 黏 {nian2}.)

~~ {nian3} ~~
【捻】{nian3} [Freq. 2] rotate (v.), rotation (n.) (捻針 {nian3 zhen1}, rotate the needle); twirl (v.), twirling (n.) (捻針 {nian2 zhen1}, twirl the needle); feel.
捻衣摸床 {nian3 yi1 mo1 chuang2}, picking at bedclothes; carphology; carphologia
捻針 {nian3 zhen1}, needle twirling

捻轉 {nian3 zhuan3}, rotation (needle manipulation technique) (needle manipulation); twirling
捻轉補瀉 {nian3 zhuan3 bu3 xie4}, twirling supplementation and drainage

【碾】 {nian3} [Freq. 3] mill; grind

~~ {nian4} ~~
【念】 {nian4} [Freq. 5] think; concept (概念 {gai4 nian4}, concept).
念珠菌性陰道炎 {nian4 zhu1 jun1 xing4 yin1 dao4 yan2}, 西醫 monilial vaginitis

~~ {niang4} ~~
【釀】 {niang4} brew (liquor).
釀膿 {niang4 nong2}, form pus

~~ {niao3} ~~
【鳥】 {niao3} [Freq. 4] bird.
鳥不宿 {niao3 bu2 su4}, 中藥異名 prickly ash root (Zanthoxyli Avicennae Radix)
鳥不撲 {niao3 bu4 pu1}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
鳥芋 {niao3 yu4}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)

~~ {niao4} ~~
【尿】 {niao4} [Freq. 2] urine (n.) (尿血 {niao4 xue4}, bloody urine).
尿白 {niao4 bai2}, white urine
尿胞 {niao4 bao1}, 腧穴異名 CV-2 (Urinary Bladder)
尿崩症 {niao4 beng1 zheng4}, 西醫 diabetes insipidus
尿閉 {niao4 bi4}, urinary block
尿不通 {niao4 bu4 tong1}, urinary stoppage
尿赤 {niao4 chi4}, reddish urine
尿赤便秘 {niao4 chi4 bian4 mi4}, reddish urine and constiption
尿赤澀 {niao4 chi4 se4}, inhibited voidings of reddish urine
尿臭 {niao4 chou4}, fetid urine
尿出無力 {niao4 chu1 wu2 li4}, forceless discharge of urine
尿床 {niao4 chuang2}, bedwetting
尿次數 {niao4 ci4 shu4}, 西醫 urinary frequency
尿道 {niao4 dao4}, 西醫 urethra

尿道口 {niao4 dao4 kou3}, 西醫 urinary meatus
尿道澀痛 {niao4 dao4 se4 tong4}, roughness and pain in the urethra
尿道疼痛 {niao4 dao4 teng2 tong4}, pain in the urethra; urethral pain
尿道無疼痛 {niao4 dao4 wu2 teng2 tong4}, no pain in the urethra
尿道炎 {niao4 dao4 yan2}, 西醫 urethritis
尿毒症 {niao4 du2 zheng4}, 西醫 uremia
尿多 {niao4 duo1}, copious urine
尿后余瀝 {niao4 hou4 yu2 li4}, dribble after voiding; post-voiding dribble
尿黃 {niao4 huang2}, yellow urine
尿黃脈數 {niao4 huang2 mai4 shu4}, yellow urine and rapid pulse
尿急 {niao4 ji2}, urinary urgency
尿浸石膏 {niao4 jin4 shi2 gao1}, 中藥正名 urine-soaked gypsum (Gypsum Urina Madidum)
尿精 {niao4 jing1}, semen in the urine; seminuria; spermaturia
尿量 {niao4 liang4}, volume of urine
尿&&7618.763B|{niao4 lou4}, urinary fistula
尿膿 {niao4 nong2}, purulent urine
尿泡草 {niao4 pao4 cao3}, 中藥正名 swainsonia (Swainsoniae Fructus)
尿頻 {niao4 pin2}, frequent urination; urinary frequency
尿頻數 {niao4 pin2 shu4}, urinary frequency
尿清便溏 {niao4 qing1 bian4 tang2}, clear urine and thin stool
尿熱 {niao4 re4}, hot urine
尿色黃赤 {niao4 se4 huang2 chi4}, urine yellow or reddish in color
尿色正常 {niao4 se4 zheng4 chang2}, normal urine color
尿少 {niao4 shao3}, scant urine; oliguria
尿少症 {niao4 shao3 zheng4}, 西醫 oliguria
尿失禁 {niao4 shi1 jin4}, urinary incontinence; urinary in cotinence
尿石 {niao4 shi2}, 西醫 urinary calculus
尿時覺熱 {niao4 shi2 jue2 re4}, hot sensation during urination
尿數 {niao4 shuo4}, frequent urination; urinary frequency
尿酸 {niao4 suan1}, 西醫 uric acid
尿桶弓 {niao4 tong3 gong1}, 中藥正名 pithecellobium (Pithecellobii Ramulus et Folium)
尿痛 {niao4 tong4}, painful urination
尿血 {niao4 xue4}, bloody urine
尿有余瀝 {niao4 you3 yu2 li4}, dribble after voiding; post-voiding dribble
尿中砂石 {niao4 zhong1 sha1 shi2}, sandy urine
尿瀦留 {niao4 zhu1 liu2}, 西醫 retention of urine
尿濁 {niao4 zhuo2}, urinary turbidity

【溺】 {niao4} [Freq. 2] same as 尿 {niao4}; drown (same as 尿 {niao4}.).
溺水 {niao4 shui3}, 腧穴異名 CV-4 (Urine)
溺血 {niao4 xue4}, bloody urine
溺濁 {niao4 zhuo2}, urinary turbidity

~~ {nie1} ~~
【捏】 {nie1} [Freq. 3] pinch.
捏積 {nie1 ji1}, spine pinching
捏脊 {nie1 ji3}, spine pinching
捏皮術 {nie1 pi2 shu4}, skin-pinching technique (of needle insertion)

~~ {nie4} ~~
【涅】 {nie4} [Freq. 4] alum, alunite.
涅石 {nie4 shi2}, 中藥異名 alum (Alumen)

【蘖】 {nie4} [Freq. 4] shoot growing out of a plant after being cut; tiller (a shoot growing from the base of the stem of grains such as rice or wheat) (also written as 糱 {nie4}.).
蘖米 {nie4 mi3}, 中藥異名 millet sprout (Setariae Fructus Germinatus)

【齧】 {nie4} [Freq. 4] same as 嚙 {nie4} (the teeth)

【嚙】 {nie4} [Freq. 4] gnaw; bite; grind the teeth.
嚙齒 {nie4 chi3}, grinding of the teeth; bruxism
嚙處 {nie4 chu4}, site of the bite
嚙舌 {nie4 she2}, tongue biting

【糱】 {nie4} [Freq. 4] same as 蘖 {nie4}.
糱米 {nie4 mi3}, 中藥異名 millet sprout (Setariae Fructus Germinatus)

【囓】 {nie4} [Freq. 2] same as 嚙 {nie4}.
囓舌 {nie4 she2}, tongue biting

【顳】 {nie4} [Freq. 4] temple.
顳骨 {nie4 gu3}, 西醫 temporal bone
顳肌 {nie4 ji1}, 西醫 temporal muscle
顳顴部 {nie4 quan2 bu4}, 西醫 temporal and zygomatic region

顳&&98A5.83CD|{nie4 ru2}, temple (of the head) (Temple Region); 腧穴異名 GB-19
顳下頜關節紊亂綜合症 {nie4 xia4 he2 guan1 jie2 wen3 luan4 zong4 he2 zheng4}, 西醫 temporomandibular joint syndrome

~~ {ning2} ~~
【寧】 {ning2} [Freq. 2] quiet (v.) (寧心 {ning2 xin1}, quiet the heart).
寧波菜 {ning2 bo1 cai4}, 中藥正名 Ningbo cabbage (Brassicae Vulgarishot Herba)
寧波溲疏 {ning2 bo1 sou1 shu1}, 中藥正名 Ningpo deutzia leaf and root (Deutziae Ningpoensis Folium et Radix)
寧嗽湯 {ning2 sou4 tang1}, 方名 Cough-Quieting Soup
寧心 {ning2 xin1}, quiet the heart
寧心開竅 {ning2 xin1 kai1 qiao4}, quiet the heart and open the orifices
寧心神 {ning2 xin1 shen2}, quiet the heart spirit
寧血湯 {ning2 xue4 tang1}, 方名 Blood-Quieting Decoction

【凝】 {ning2} [Freq. 2] congeal (v.) (寒凝肝脈 {han2 ning2 gan1 mai4}, cold congealing in the liver vessel).
凝血細胞 {ning2 xue4 xi4 bao1}, 西醫 thrombocyte
凝脂翳 {ning2 zhi1 yi4}, congealed-fat screen

【檸】 {ning2} [Freq. 4] tree name.
檸雞兒果 {ning2 ji1 er2 guo3}, 中藥正名 small-leaved pea treat fruit (Caraganae Microphyllae Fructus)
檸檬 {ning2 meng2}, 中藥正名 lime/lemon (Citri Limoniae seu Limonis Fructus)
檸檬桉葉 {ning2 meng2 an1 ye4}, 中藥正名 lemon-scented gum leaf (Eucalypti Citriodorae Folium)
檸檬根 {ning2 meng2 gen1}, 中藥正名 lime/lemon root (Citri Limoniae seu Limonis Radix)
檸檬皮 {ning2 meng2 pi2}, 中藥正名 lime/lemon peel (Citri Limoniae seu Limonis Exocarpium)
檸檬葉 {ning2 meng2 ye4}, 中藥正名 lime/lemon leaf (Citri Limoniae seu Limonis Folium)
檸條 {ning2 tiao2}, 中藥正名 intermediate caragana (Caraganae Intermediae Herba)
檸條根 {ning2 tiao2 gen1}, 中藥正名 intermediate caragana root (Caraganae Intermediae Radix)
檸條花 {ning2 tiao2 hua1}, 中藥正名 intermediate caragana flower (Caraganae Intermediae Flos)
檸條籽 {ning2 tiao2 zi3}, 中藥正名 intermediate caragana seed (Caraganae Intermediae Semen)

【聹】 {ning2} [Freq. 4] earwax (耵聹 {ding1 ning2}, earwax); cerumen (耵聹 {ding1 ning2}, earwax)

~~ {niu2} ~~

【牛】 {niu2} [Freq. 4] ox.

牛蒡 {niu2 bang4}, 中藥異名 arctium (Arctii Fructus)

牛蒡根 {niu2 bang4 gen1}, 中藥正名 arctium root (Arctii Radix)

牛蒡旁解肌湯 {niu2 bang4 jie3 ji1 tang1}, 方名 Arctium Flesh-Resolving Decoction

牛蒡莖葉 {niu2 bang4 jing1 ye4}, 中藥正名 arctium stem and leaf (Arctii Caulis et Folium)

牛蒡子 {niu2 bang4 zi3}, 中藥正名 arctium (Arctii Fructus)

牛蒡子散 {niu2 bang4 zi3 san3}, 方名 Arctium Seed Powder

牛蒡子湯 {niu2 bang4 zi3 tang1}, 方名 Arctium Seed Decoction

牛胞衣 {niu2 bao1 yi1}, 中藥正名 cow's placenta (Bovis Placenta)

牛鼻 {niu2 bi2}, 中藥正名 ox's nose (Bovis Nasus)

牛鼻栓 {niu2 bi2 shuan1}, 中藥正名 fortunearia (Fortunearíae Ramulus et Folium seu Radix)

牛不嗅 {niu2 bu2 xiu4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)

牛蒼蠅 {niu2 cang1 ying2}, 中藥異名 tabanus (Tabanus)

牛腸 {niu2 chang2}, 中藥正名 ox's intestines (Bovis Intestina)

牛抄藤 {niu2 chao1 teng2}, 中藥正名 flexuose climbing fern (Lygodii Flexuosi Herba)

牛車腎氣丸 {niu2 che1 shen4 qi4 wan2}, 方名 Achyranthes and Plantago Kidney Qi4 Pill

牛程蹇 {niu2 cheng2 jian3}, reluctant ox (painful calluses inhibiting physical movement)

牛齒 {niu2 chi3}, 中藥正名 ox's teeth (Bovis Dens)

牛觸嘴 {niu2 chu4 zui3}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)

牛大力 {niu2 da4 li4}, 中藥異名 specious millettia (Millettiae Speciosae Radix)

牛膽 {niu2 dan3}, 中藥正名 ox's gallbladder (Bovis Vesica Fellea)

牛肚 {niu2 du3}, 中藥正名 ox's stomach (Bovis Stomachus)

牛耳草 {niu2 er3 cao3}, 中藥正名 hygrometric boea (Boeae Hygrometricae Herba)

牛耳大黃 {niu2 er3 da4 huang2}, 中藥正名 curled dock root (Rumicis Crispi Radix)

牛耳大黃葉 {niu2 er3 da4 huang2 ye4}, 中藥正名 curled dock leaf (Rumicis Crispi Folium)

牛耳楓根 {niu2 er3 feng1 gen1}, 中藥正名 daphniphyllum root (Daphniphylli Radix)

牛耳楓枝葉 {niu2 er3 feng1 zhi1 ye4}, 中藥正名 daphniphyllum twig and leaf (Daphniphylli Ramulus et Folium)

牛耳楓子 {niu2 er3 feng1 zi3}, 中藥正名 daphniphyllum fruit (Daphniphylli Fructus)

牛繁縷 {niu2 fan2 lu93}, 中藥異名 malachium (Stellariae Herba)

牛肺 {niu2 fei4}, 中藥正名 ox's lung (Bovis Pulmo)

牛肝 {niu2 gan1}, 中藥正名 beef liver (Bovis Iecur)

牛甘子 {niu2 gan1 zi3}, 中藥異名 emblic (Phyllanthi Fructus)
牛骨 {niu2 gu3}, 中藥正名 ox bone (Bovis Os)
牛含水 {niu2 han2 shui3}, 中藥正名 dodartia (Dodartiae Herba)
牛喉嚨 {niu2 hou2 long2}, 中藥正名 beef throat (Bovis Guttur)
牛黃 {niu2 huang2}, 中藥正名 bovine bezoar (Bovis Calculus)
牛黃抱龍丸 {niu2 huang2 bao4 long2 wan2}, 方名 Bovine Bezoar Dragon-Embracing Pill
牛黃承氣湯 {niu2 huang2 cheng2 qi4 tang1}, 方名 Bovine Bezoar Qi4-Infusing Decoction
牛黃清心丸 {niu2 huang2 qing1 xin1 wan2}, 方名 Bovine Bezoar Heart-Clearing Pill
牛黃上清丸 {niu2 huang2 shang4 qing1 wan2}, 方名 Bovine Bezoar Upper-Body-Clearing Pill
牛黃丸 {niu2 huang2 wan2}, 方名 Morning Glory and Rhubarb Pill
牛黃醒消丸 {niu2 huang2 xing3 xiao1 wan2}, 方名 Bovine Bezoar Awake to Relief Pill
牛黃鎮驚丸 {niu2 huang2 zhen4 jing1 wan2}, 方名 Bovine Bezoar Fright-Settling Pill
牛角腮 {niu2 jiao3 sai1}, 中藥正名 ox horn bone (Bovis Cornus Os)
牛筋 {niu2 jin1}, 中藥正名 ox's cartilage (Bovis Cartilago)
牛筋草 {niu2 jin1 cao3}, 中藥正名 yardgrass (Eleusines Indicae Herba et Radix)
牛口刺 {niu2 kou3 ci4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
牛口舌 {niu2 kou3 she2}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
牛口涎 {niu2 kou3 xian2}, 中藥正名 ox's saliva (Bovis Saliva)
牛唎生菜 {niu2 li4 sheng1 cai4}, 中藥異名 asparagus lettuce (Lactucae Asparaginae Caulis et Folium)
牛瀧草 {niu2 long2 cao3}, 中藥正名 circaea (Circaeae Herba)
牛毛七 {niu2 mao2 qi1}, 中藥正名 oreas (Oreatis Herba)
牛虻 {niu2 meng2}, 中藥異名 tabanus (Tabanus)
牛奶子 {niu2 nai3 zi3}, 中藥異名 lanceolate codonopsis (Codonopsis Lanceolatae Radix)
牛腦 {niu2 nao3}, 中藥正名 ox's brain (Bovis Cerebrum)
牛脾 {niu2 pi2}, 中藥正名 ox's spleen (Bovis Lien)
牛皮癬 {niu2 pi2 xian3}, 西醫 psoriasis (equivalent to WM neurodermatitis of the neck); oxhide lichen
牛皮癬藥膏 {niu2 pi2 xian3 yao4 gao1}, 方名 Oxhide Lichen Medicinal Paste
牛七 {niu2 qi1}, 中藥異名 achyranthes (Achyranthis Bidentatae Radix)
牛肉 {niu2 rou4}, 中藥正名 beef (Bovis Caro)
牛乳 {niu2 ru3}, 中藥正名 cow's milk (Bovis Lac)
牛嗓管樹 {niu2 san3 guan3 shu1}, 中藥正名 Lancang saurauia bark (Saurauiae Lantsangensis Cortex)
牛嗓管樹根 {niu2 sang3 guan3 shu4 gen1}, 中藥正名 Lancang saurauia root (Saurauiae Lantsangensis Radix)
牛舌頭 {niu2 she2 tou2}, 中藥正名 field sow thistle (Sonchi Arvensis Herba)
牛腎 {niu2 shen4}, 中藥正名 beef kidney (Bovis Renes)

牛蝨子 {niu2 shi1 zi3}, 中藥異名 xanthium (Xanthii Fructus)
牛屎樹 {niu2 shi3 shu4}, 中藥正名 woolly-leaved alder (Alni Lanatae Folium et Cortex)
牛酥 {niu2 su1}, 中藥正名 cow's milk butter (Bovis Butyrum)
牛髓 {niu2 sui3}, 中藥正名 beef marrow (Bovis Medulla)
牛蹄 {niu2 ti2}, 中藥正名 ox's trotter (Bovis Pes)
牛蹄甲 {niu2 ti2 jia3}, 中藥正名 ox's hoof (Bovis Ungula)
牛甜菜 {niu2 tian2 cai4}, 中藥異名 plantago (Plantaginis Herba)
牛頭草 {niu2 tou2 cao3}, 中藥異名 agrimony (Agrimoniae Herba)
牛尾泡 {niu2 wei3 pao4}, 中藥正名 Yichang raspberry (Rubi Ichangensis Folium et Radix)
牛蚊子 {niu2 wen2 zi3}, 中藥異名 tabanus (Tabanus)
牛膝莖葉 {niu2 xi1 jing1 ye4}, 中藥正名 achyranthes stem and leaf (Achyranthis Bidentatae Caulis et Folium)
牛膝散 {niu2 xi1 san3}, 方名 Achyranthes Powder
牛西西 {niu2 xi1 xi1}, 中藥正名 patient dock (Rumicis Patientiae Radix)
牛膝 {niu2 xi1, 中藥正名 achyranthes (Achyranthis Bidentatae Radix)
牛舄 {niu2 xi4}, 中藥異名 plantago (Plantaginis Herba)
牛血 {niu2 xue4}, 中藥正名 ox blood (Bovis Sanguis)
牛羊草結 {niu2 yang2 cao3 jie2}, 中藥正名 grass from stomach of ox or goat (Bovis seu Caprae Stomachi Herba)
牛靨 {niu2 ye4}, 中藥正名 ox's thyroid gland (Bovis Glandula Thyroidea)
牛脂 {niu2 zhi1}, 中藥正名 beef fat (Bovis Adeps)
牛子 {niu2 zi3}, 中藥異名 arctium (Arctii Fructus)

~~ {niu3} ~~
【扭】 {niu3} [Freq. 4] twist.
扭肚藤 {niu3 du3 teng2}, 中藥正名 hairy jasmine (Jasmini Amplexicaulis Caulis et Folium)
扭傷 {niu3 shang1}, 西醫 sprain; sprain
扭傷穴 {niu3 shang1 xue2}, 腧穴正名 Sprain Point
扭子菜 {niu3 zi3 cai4}, 中藥正名 heterocodon (Heterocodonis Herba)

【鈕】 {niu3} [Freq. 4] button.
鈕口風 {niu3 kou3 feng1}, button-hole wind

~~ {niu4} ~~
【拗】 {niu4} [Freq. 4] stubborn (三拗湯 {san1 ao4 tang1}, Rough and Ready Three Decoction).
拗哭 {niu4 ku1}, stubborn crying

~~ {nong2} ~~

【農】 {nong2} [Freq. 4] agriculture (神農 {shen2 nong2}, the Divine Husbandman).

農吉利 {nong2 ji2 li4}, 中藥異名 narrow-leaved rattlebox (Crotolariae Sessiliflorae Herba)

【濃】 {nong2} [Freq. 4] concentrated.

濃縮丸 {nong2 suo1 wan2}, concentrated pills

【膿】 {nong2} [Freq. 2] pus (n.) (大便膿血 {da4 bian4 nong2 xue4}, pus and blood in the stool).

膿耳 {nong2 er3}, puruluent ear (equivalent to WM supperative otitis media)

膿耳口眼喎斜 {nong2 er3 kou3 yan3 wai1 xie2}, deviation of the eyes and mouth due to purulent ear

膿窠瘡 {nong2 ke1 chuang1}, purulent nest sore

膿漏 {nong2 lou4}, 西醫 pyorrhea

膿尿 {nong2 niao4}, 西醫 pyuria

膿 A&&75B1‖瘡 {nong2 pao4 chuang1}, 西醫 impetigo

膿痰 {nong2 tan2}, purulent phlegm

膿窩瘡 {nong2 wo1 chuang1}, purulent nest sore

膿窩疥 {nong2 wo1 jie4}, purulent nest scab

膿胸 {nong2 xiong1}, 西醫 pyothorax; thoracic empyema

膿血涕 {nong2 xue4 ti4}, snivel (nasal mucus) with pus and blood

膿腫 {nong2 zhong3}, 西醫 abscess

【&&61B9‖】 {nong2} [Freq. 4] anguish (懊&&61B9|{ao4 nong2}, anguish)

~~ {nong4} ~~

【弄】 {nong4} [Freq. 4] hyperactive; worrying.

弄舌 {nong4 she2}, hyperactive tongue; worrying tongue

弄舌喉風 {nong4 she2 hou2 feng1}, throat wind with hyperactive tongue

~~ {nu2} ~~

【奴】 {nu2} [Freq. 4] slave.

奴柘刺 {nu2 zhe4 ci4}, 中藥正名 vanieria thorn (Vanieriae Spina)

~~ {nu3} ~~

【努】 {nu3} [Freq. 4] strain (v.).

努肉攀睛 {nu3 rou4 pan1 jing1}, outcrop creeping over the eye

努挣 {nu3 zheng1}, straining

【&&80EC||】 {nu3} [Freq. 2] excrescence (n.).

&&80EC||肉 {nu3 rou4}, outcrop

&&80EC||肉攀睛 {nu3 rou4 pan1 jing1}, excrescence creeping over the eye

~~ {nu4} ~~

【怒】 {nu4} [Freq. 2] anger (n.) (mind associated with liver; also one of the seven affects. 努傷肝{nu3 shang1 gan1}, anger damages liver).

怒動肝氣 {nu4 dong4 gan1 qi4}, anger stirring liver qi4

怒氣 {nu4 qi4}, anger

怒氣傷肝 {nu4 qi4 shang1 gan1}, damage to the liver by anger; anger damaging the liver

怒傷肝 {nu4 shang1 gan1}, anger damages the liver

怒則氣上 {nu4 ze2 qi4 shang4}, anger causes qi4 to rise

~~ {nu93} ~~

【女】 {nu93} [Freq. 3] female; woman.

女兒紅根 {nu93 er2 hong2 gen1}, 中藥正名 Yun2nan2 berchemia root (Berchemiae Yunnanensis Radix)

女兒紅葉 {nu93 er2 hong2 ye4}, 中藥正名 Yun2nan2 berchemia leaf (Berchemiae Yunnanensis Folium)

女科 {nu93 ke1}, women's medicine

女勞 {nu93 lao2}, sexual taxation

女勞疸 {nu93 lao2 dan3}, sexual taxation jaundice

女勞復 {nu93 lao2 fu4}, sexual taxation relapse

女神湯（散） {nu93 shen2 tang1 san3}, 方名 Goddess Decoction (Powder)

女萎 {nu93 wei3}, 中藥正名 October clematis (Clematidis Apiifoliae Caulis)

女膝 {nu93 xi1}, 腧穴正名 Lady's Knee

女性不孕症 {nu93 xing4 bu4 yun4 zheng4}, 西醫 infertility

女性生殖器 {nu93 xing4 sheng1 zhi2 qi4}, 西醫 female genitals

女陰 {nu93 yin1}, 西醫 vulva

女陰白斑 {nu93 yin1 bai2 ban1}, leukoplakia

女陰濕疹 {nu93 yin1 shi1 zhen3}, pundendal eczema

女貞根 {nu93 zhen1 gen1}, 中藥正名 ligustrum root (Ligustri Radix)
女貞皮 {nu93 zhen1 pi2}, 中藥正名 ligustrum bark (Ligustri Cortex)
女貞湯 {nu93 zhen1 tang1}, 方名 Ligustrum Decoction
女貞葉 {nu93 zhen1 ye4}, 中藥正名 ligustrum leaf (Ligustri Folium)
女貞子 {nu93 zhen1 zi3}, 中藥正名 ligustrum (Ligustri Lucidi Fructus)
女子胞 {nu93 zi3 bao1}, uterus; womb
女子胞中痛 {nu93 zi3 bao1 zhong1 tong4}, uterine pain
女子絕子 {nu93 zi3 jue2 zi3}, female infertility
女子血瘕 {nu93 zi3 xue4 jia3}, female blood conglomeration

~~ {nu94} ~~
【衄】 {nu94} [Freq. 2] spontaneous (external) bleeding (n.) (舌衄 {she2 nu94}, spontaneous bleeding of the tongue).
衄家 {nu94 jia1}, person who suffers from spontaneous external bleeding
衄血 {nu94 xue4}, spontaneous external bleeding; nosebleed

~~ {nuan3} ~~
【暖】 {nuan3} [Freq. 2] warm (v.) (暖胃{nuan3 wei4}, {warm} the stomach).
暖肝 {nuan3 gan1}, warm the liver
暖肝煎 {nuan3 gan1 jian1}, 方名 Liver-Warming Brew
暖肝散寒 {nuan3 gan1 san4 han2}, warm the liver and dissipate cold
暖宮散寒 {nuan3 gong1 san4 han2}, warm the uterus and dissipate cold
暖脾胃 {nuan3 pi2 wei4}, warm the stomach and spleen
暖臍膏 {nuan3 qi2 gao1}, 方名 Navel-Warming Paste
暖腎 {nuan3 shen4}, warm the kidney
暖腎治疝 {nuan3 shen4 zhi4 sjam4}, warm the kidney and treat mounting
暖水臟 {nuan3 shui3 zang4}, warm the water viscus
暖胃 {nuan3 wei4}, warm the stomach; warm the stomach
暖子宮 {nuan3 zi3 gong1}, warm the uterus

~~ {nue94} ~~
【瘧】 {nue94} [Freq. 5] malaria (n.) (瘧疾 {nue94 ji2}, malaria).
瘧疾 {nue94 ji2}, 西醫 malaria; malaria
瘧疾草 {nue94 ji2 cao3}, 中藥異名 short-leaved kyllinga (Kyllingae Brevifoliae Herba seu Radix)

瘧疾定時寒熱 {nue94 ji2 ding4 shi2 han2 re4}, malaria with [aversion to] cold and heat [effusion] occuring at set periods
瘧疾發作 {nue94 ji2 fa1 zuo4}, episodes of malaria
瘧疾寒熱 {nue94 ji2 han2 re4}, malarial heat [effusion] (fever) and [aversion to] cold
瘧勞 {nue94 lao2}, malarial taxation
瘧門 {nue94 men2}, 腧穴正名 Malaria Gate
瘧母 {nue94 mu3}, mother-of-malaria (lump glomus occurring in malaria)
瘧邪 {nue94 xie2}, malarial evil
瘧原蟲 {nue94 yuan2 chong2}, 西醫 plasmodium

~~ {nuo4} ~~
【糯】 {nuo4} [Freq. 4] glutinous rice.
糯稻根 {nuo4 dao4 gen1}, 中藥異名 glutinous rice root (Oryzae Glutinosae Radix)
糯稻根鬚 {nuo4 dao4 gen1 xu1}, 中藥正名 glutinous rice root (Oryzae Glutinosae Radix)
糯米 {nuo4 mi3}, 中藥正名 glutinous rice (Oryzae Glutinosae Semen)
糯米阿膠粥 {nuo4 mi3 e1 jiao1 zhou1}, 方名 Glutinous Rice and Ass Hide Glue Gruel
糯米粉 {nuo4 mi3 fen3}, 中藥正名 glutinous rice flour (Oryzae Glutinosae Farina)
糯米泔 {nuo4 mi3 gan1}, 中藥正名 glutinous rice water (Oryzae Glutinosae Aqua)
糯米藤 {nuo4 mi3 teng2}, 中藥正名 memorialis (Memorialis Herba cum Radice)
糯芋 {nuo4 yu4}, 中藥正名 chamaenerion root (Chamaenerionis Radix)

【搦】 {nuo4} [Freq. 3] grabbing (type of spasm)

== O ==

~~ {ou1} ~~
【鷗】 {ou1} [Freq. 4] gull.
鷗 {ou1}, 中藥正名 gull (Lari Caro)

【漚】 {ou1} [Freq. 5] foam (中焦如漚 {zhong1 jiao1 ru2 ou1}, the center burner is like foam)

~~ {ou3} ~~
【偶】 {ou3} [Freq. 4] idol; even number.
偶刺 {ou3 ci4}, paired needling (one of the twelve needling methods)

偶方 {ou3 fang1}, even-number formula

【嘔】 {ou3} [Freq. 2] retching (n.) (干嘔 {gan1 ou3}, dry retching).
嘔不能食 {ou3 bu4 neng2 shi2}, retching with inability to eat
嘔蟲 {ou3 chong2}, retching of worms
嘔膽 {ou3 dan3}, vomiting of bile
嘔惡 {ou3 e3}, nausea and vomiting; nausea and retching
嘔惡多痰 {ou3 e3 duo1 tan2}, retching and nausea and copious phlegm
嘔干 {ou3 gan1}, dry retching
嘔家 {ou3 jia1}, person who suffers from retching (and vomiting)
嘔苦 {ou3 ku3}, bitter vomiting
嘔逆 {ou3 ni4}, retching counterflow; retching
嘔逆上氣 {ou3 ni4 shang4 qi4}, retching qi4 counterflow ascent
嘔吐 {ou3 tu4}, vomiting; vomiting and retching; vomiting
嘔吐不能食 {ou3 tu4 bu4 neng2 shi2}, retching, vomiting, and inability to eat
嘔吐苦水 {ou3 tu4 ku3 shui3}, vomiting of bitter water
嘔吐清水 {ou3 tu4 qing1 shui3}, vomiting of clear water
嘔吐痰涎 {ou3 tu4 tan2 xian2}, vomiting of phlegm-drool
嘔吐痰飲 {ou3 tu4 tan2 yin3}, vomiting of phlegm-rheum
嘔吐物 {ou3 tu4 wu4}, vomitus
嘔血 {ou3 xue4}, 西醫 hematemesis; retching of blood
嘔噦 {ou3 yue1}, retching

【藕】 {ou3} [Freq. 4] lotus.
藕 {ou3}, 中藥正名 lotus root (Nelumbinis Rhizoma)
藕房 {ou3 fang2}, 中藥異名 lotus receptacle (Nelumbinis Receptaculum)
藕粉 {ou3 fen3}, 中藥正名 lotus root starch (Nelumbinis Rhizomatis Amylum)
藕節 {ou3 jie2}, 中藥正名 lotus root node (Nelumbinis Rhizomatis Nodus)
藕節疤 {ou3 jie2 ba1}, 中藥異名 lotus root node (Nelumbinis Rhizomatis Nodus)
藕節炭 {ou3 jie2 tan4}, 中藥正名 charred lotus root node (Nelumbinis Rhizomatis Nodus Carbonisatus)
藕蔂 {ou3 mi4}, 中藥正名 thin lotus root (Nelumbinis Rhizoma Tenue)
藕絲菜 {ou3 si1 cai4}, 中藥異名 thin lotus root (Nelumbinis Rhizoma Tenue)
藕汁 {ou3 zhi1}, 中藥異名 lotus root juice (Nelumbinis Rhizomatis Recentis Succus) (Nelumbinis Rhizomatis Recentis Succus); 中藥異名 lotus root juice
藕汁飲子 {ou3 zhi1 yin3 zi3}, 方名 Lotus Root Juice Drink

== P ==

~~ {pa2} ~~
【杷】 {pa2} [Freq. 4] plant name.
杷葉 {pa2 ye4}, 中藥異名 loquat leaf (Eriobotryae Folium)

【爬】 {pa2} [Freq. 4] clime.
爬山豆根 {pa2 shan1 dou4 gen1}, 中藥正名 compylotropis (Compylotropis Radix)

【耙】 {pa2} [Freq. 4] rake (釘耙 iron toothed rake)

~~ {pa4} ~~
【怕】 {pa4} [Freq. 4] fear.
怕風 {pa4 feng1}, fear of wind
怕冷 {pa4 leng3}, fear of cold

~~ {pai2} ~~
【徘】 {pai2} [Freq. 4] pace up and down (徘徊 {pai2 huai2}).
徘徊花 {pai2 huai2 hua1}, 中藥異名 rose (Rosae Rugosae Flos)

【排】 {pai2} [Freq. 2] expel (v.) (排膿 {pai2 nong2}, expel pus).
排便 {pai2 bian4}, 西醫 defecate
排便不爽 {pai2 bian4 bu4 shuang3}, ungratifying defecation
排便感 {pai2 bian4 gan3}, sensation accompanying defecation
排便困難 {pai2 bian4 kun4 nan2}, difficult defecation
排出 {pai2 chu1}, 西醫 elimination
排除結石 {pai2 chu2 jie2 shi2}, expel stones
排除消化道積氣 {pai2 chu2 xiao1 hua4 dao4 ji1 qi4}, expel accumulated qi4 (gas) in the a digestive tract
排糞 {pai2 fen4}, 西醫 defecation
排風散 {pai2 feng1 san3}, 方名 Wind-Expelling Powder
排骨靈 {pai2 ling2 gu3}, 中藥正名 bracteolate fissistigma (Fissistigmatis Bracteolati Radicis Cortex)
排尿 {pai2 niao4}, 西醫 urinate
排尿困難 {pai2 niao4 kun4 nan2}, 西醫 dysuria

排膿 {pai2 nong2}, expel pus
排膿散 {pai2 nong2 san3}, 方名 Pus-Expelling Powder
排膿散及湯 {pai2 nong2 san3 ji2 tang1}, 方名 Pus-Expelling Powder Plus Decoction
排膿湯 {pai2 nong2 tang1}, 方名 Pus-Expelling Decoction
排膿托毒 {pai2 nong2 tuo1 du2}, expel pus and draw toxin
排膿消腫 {pai2 nong2 xiao1 zhong3}, expel pus and disperse swelling
排氣覺舒 {pai2 qi4 jue2 shu1}, discomfort relieved by the passing of flatus
排氣飲 {pai2 qi4 yin3}, 方名 Qi4-Discharging Beverage
排錢草 {pai2 qian2 cao3}, 中藥正名 string-of-cash (Phyllodii Pulchelli Caulis et Folium)
排錢草根 {pai2 qian2 cao3 gen1}, 中藥正名 string-of-cash root (Desmodii Pulchelli Radix)
排錢樹 {pai2 qian2 shu4}, 中藥異名 string-of-cash (Phyllodii Pulchelli Caulis et Folium)
排石 {pai2 shi2}, expel stones
排石湯 {pai2 shi2 tang1}, 方名 Stone-Expelling Decoction
排托 {pai2 tuo1}, expel and draw; expulsion and drawing
排針 {pai2 zhen1}, needle removal

~~ {pai4} ~~
【派】 {pai4} [Freq. 5] school of thought (溫病派 {wen1 bing4 pai4}, warm disease school)

~~ {pan1} ~~
【攀】 {pan1} [Freq. 4] climb.
攀睛 {pan1 jing1}, creeping over the eye
攀索 {pan1 suo3}, climb the rope
攀索疊磚 {pan1 suo3 die2 zhuan1}, rope climbing on a pile of bricks (old spine adjustment method)

~~ {pan2} ~~
【盤】 {pan2} [Freq. 4] platter.
盤腸草 {pan2 chang2 cao3}, 中藥正名 pumpkin shoot (Cucurbitae Plantula)
盤腸氣 {pan2 chang2 qi4}, coiled intestine qi4
盤龍七 {pan2 long2 qi1}, 中藥正名 crag bergenia (Bergeniae Scopulosae Rhizoma)
盤龍參 {pan2 long2 shen1}, 中藥正名 spiranthes (Spiranthis Radix seu Herba)
盤棕 {pan2 zong1}, 中藥異名 curculigo (Curculiginis Rhizoma)

~~ {pang2} ~~

【旁】 {pang2} [Freq. 4] beside.

旁谷 {pang2 gu3}, 腧穴正名 Neighboring Valley

旁勞宮 {pang2 lao2 gong1}, 腧穴正名 Side Palace of Toil

旁廉泉 {pang2 lian2 quan2}, 腧穴正名 Side Ridge Spring

旁流 {pang2 liu2}, circumfluence

旁強 {pang2 qiang2}, 腧穴正名 Side Strong

【膀】 {pang2} [Freq. 2] bladder (n.) (膀胱 {pang2 guang1}, bladder).

膀胱 {pang2 guang1}, bladder; urinary bladder; BL; bladder

膀胱癌 {pang2 guang1 ai2}, carcinoma of the urinary bladder

膀胱痹 {pang2 guang1 bi4}, bladder impediment

膀胱病 {pang2 guang1 bing4}, bladder disease

膀胱不約 {pang2 guang1 bu4 yue1}, failure of the bladder's retentive power

膀胱結石 {pang2 guang1 jie2 shi2}, 西醫 urethral calculi

膀胱經 {pang2 guang1 jing1}, bladder channel; BL

膀胱咳 {pang2 guang1 ke2}, bladder cough

膀胱麻痺 {pang2 guang1 ma2 bi4}, 西醫 cystoparalysis

膀胱募 {pang2 guang1 mu4}, 腧穴異名 CV-3 (Bladder Alarm)

膀胱尿道損傷綜合症 {pang2 guang1 niao4 dao4 sun3 shang1 zong4 he2 zheng4}, 西醫 cystourethral injury syndrome

膀胱氣閉 {pang2 guang1 qi4 bi4}, bladder qi4 block

膀胱氣化 {pang2 guang1 qi4 hua4}, bladder qi4 transformation

膀胱氣化不利 {pang2 guang1 qi4 hua4 bu4 li4}, inhibited bladder qi4 transformation

膀胱氣化不行 {pang2 guang1 qi4 hua4 bu4 xing2}, breakdown of bladder qi4 transformation

膀胱氣化失司 {pang2 guang1 qi4 hua4 shi1 si1}, breakdown of bladder qi4 transformation

膀胱濕熱 {pang2 guang1 shi1 re4}, bladder damp-heat

膀胱濕熱尿血 {pang2 guang1 shi1 re4 niao4 xue4}, bladder damp-heat bloody urine

膀胱濕熱證 {pang2 guang1 shi1 re4 zheng4}, bladder damp-heat pattern

膀胱石病 {pang2 guang1 shi2 bing4}, 西醫 cystolithiasis

膀胱俞 {pang2 guang1 shu1}, 腧穴正名 BL-28 (Bladder Transport)

膀胱突出 {pang2 guang1 tu2 chu1}, 西醫 cystocele

膀胱爲津液之府 {pang2 guang1 wei2 jin1 ye4 zhi1 fu3}, bladder is the house of liquid and humor

膀胱虛寒 {pang2 guang1 xu1 han2}, bladder vacuity cold

膀胱虛寒證 {pang2 guang1 xu1 han2 zheng4}, bladder vacuity cold pattern

膀胱虛冷 {pang2 guang1 xu1 leng3}, bladder vacuity cold

膀胱蓄熱 {pang2 guang1 xu4 re4}, bladder heat amassment

膀胱炎 {pang2 guang1 yan2}, 西醫 cystitis
膀胱陰道&&7618.763B||管 {pang2 guang1 yin1 dao4 lou4 guan3}, 西醫 vesicovaginal fistula
膀胱有熱 {pang2 guang1 you3 re4}, heat in the bladder
膀胱脹 {pang2 guang1 zhang4}, bladder distention
膀胱者，州都之官，津液藏焉 {pang2 guang1 zhe3, zhou1 du1 zhi1 guan1, jin1 ye4 cang2 yan1}, bladder holds the office of the river island (Regional Rectifier); it stores fluids
膀胱主藏津液 {pang2 guang1 zhu3 cang2 jin1 ye4}, bladder governs fluid storage

【龐】 {pang2} [Freq. 4] huge; surname.
龐安時 {pang2 an1 shi2}, Pang2 An1-Shi2

【&&9CDA.9C1F||】 {pang2} [Freq. 4] fish name.
&&9CDA.9C1F||&&9B6E||魚 {pang2 pi2 yu2}, 中藥正名 Chinese bitterling (Rhodei Sinensis Caro)

~~ {pang4} ~~
【胖】 {pang4} [Freq. 3] fat.
胖大海 {pang4 da4 hai3}, 中藥正名 sterculia (Sterculiae Lychnophorae Semen)
胖大舌 {pang4 da4 she2}, enlarged tongue

~~ {pao1} ~~
【脬】 {pao1} [Freq. 2] bladder (n.).
脬痹 {pao1 bi4}, bladder impediment
脬氣不固 {pao1 qi4 bu4 gu4}, insecurity of bladder qi4

~~ {pao2} ~~
【炮】 {pao2} [Freq. 2] blast-fry (v.) (炮薑 {pao2 jiang1}, blast-fried ginger); tostus (Latin).
炮彈果 {pao2 dan4 guo3}, 中藥正名 beaumontia (Beaumontiae Radix et Folium)
炮掌果 {pao2 zhang3 guo3}, 中藥正名 small-fruited balloon vine fruit (Cardiospermi Microcarpi Fructus)
炮制 {pao2 zhi4}, processing of medicinals
炮炙 {pao2 zhi4}, processing of medicinals

【匏】 {pao2} [Freq. 4] bottle gourd.
匏 {pao2}, 中藥異名 bottle gourd (Lagenariae Depressae Fructus)

匏瓜 {pao2 gua1}, 中藥異名 bottle gourd (Lagenariae Depressae Fructus)
匏舌 {pao2 she2}, gourd tongue

~~ {pao4} ~~
【&&75B1||】 {pao4} [Freq. 2] blister.
&&75B1||瘡 {pao4 chuang1}, blister sore
&&75B1||疹 {pao4 zhen3}, 西醫 herpes
&&75B1||疹性口炎 {pao4 zhen3 xing4 kou3 yan2}, 西醫 herpetic stomatitis

【泡】 {pao4} [Freq. 3] soak; infuse.
泡茶 {pao4 cha2}, brew tea; brew as tea
泡花子 {pao4 hua1 zi3}, 中藥正名 laurel sweetleaf bark (Symplocoris Laurinae Cortex)
泡囊草 {pao4 nang2 cao3}, 中藥正名 common physochlaina (Physochlainae Physaloidis Radix seu Herba)
泡桐果 {pao4 tong2 guo3}, 中藥正名 paulownia fruit (Paulowniae Fructus)
泡桐花 {pao4 tong2 hua1}, 中藥正名 paulownia flower (Paulowniae Flos)
泡桐木皮 {pao4 tong2 mu4 pi2}, 中藥正名 Farges' catalpa bark (Catalpae Fargesii Cortex)
泡掌筒 {pao4 zhang3 tong3}, 中藥正名 leycesteria (Leycesteriae Frutex)

【炮】 {pao4} [Freq. 3] cannon.
炮附子 {pao4 fu4 zi3}, 中藥正名 blast-fried aconite (Aconiti Radix Lateralis Tosta)
炮薑 {pao4 jiang1}, 中藥正名 blast-fried ginger (Zingiberis Rhizoma Praeparatum)
炮薑炭 {pao4 jiang1 tan4}, 中藥異名 blast-fried ginger (Zingiberis Rhizoma Praeparatum)
炮仔草 {pao4 zai3 cao3}, 中藥正名 cut-leaved groundcherry (Physalis Angulatae Herba )

~~ {pei1} ~~
【胚】 {pei1} [Freq. 4] embryo.
胚胎 {pei1 tai1}, 西醫 embryo

【衃】 {pei1} [Freq. 4] coagulated blood.
衃血 {pei1 xue4}, coagulated blood

【&&3FA6||】 {pei1} [Freq. 4] miliara (白&&3FA6|{bai2 pei1}, miliaria alba).
&&3FA6||癗 {pei1 lei3}, dormant papules

【□+】 {pei1} [Freq. 2] sword.

□+針 {pei1 zhen1}, sword needle (one of the nine needles)

~~ {pei2} ~~

【培】 {pei2} [Freq. 2] bank up (v.) (培土生金 {pei2 tu3 sheng1 jin1}, bank up earth to engender metal).

培補中焦 {pei2 bu3 zhong1 jiao1}, supplement the center burner

培土 {pei2 tu3}, bank up earth

培土生金 {pei2 tu3 sheng1 jin1}, bank up earth and engender metal

培土抑木 {pei2 tu3 yi4 mu4}, bank up earth and repress wood

培土制水 {pei2 tu3 zhi4 shui3}, bank up earth to dam water

~~ {pei4} ~~

【佩】 {pei4} [Freq. 4] wear.

佩蘭 {pei4 lan2}, 中藥正名 eupatorium (Eupatorii Herba)

【配】 {pei4} [Freq. 4] combine.

配 {pei4}, combined with

配方 {pei4 fang1}, formula composition

配加 {pei4 jia1}, combined with; with the addition of

配伍 {pei4 wu3}, combine (agents in a formula)

配穴 {pei4 xue2}, combine points; point combining; supporting point

配藥 {pei4 yao4}, dispense (medicinals)

~~ {pen1} ~~

【噴】 {pen1} [Freq. 4] spray.

噴嚏 {pen1 ti4}, sneezing

噴霧療法 {pen1 wu4 liao2 fa3}, spray therapy

~~ {pen2} ~~

【盆】 {pen2} [Freq. 4] basin.

盆腔炎 {pen2 qiang1 yan2}, 西醫 pelvic inflammatory disease

盆砂 {pen2 sha1}, 中藥異名 borax (Borax)

盆消 {pen2 xiao1}, 中藥異名 mirabilite (Natrii Sulfas)

~~ {peng1} ~~
【烹】 {peng1} [Freq. 4] cook (in water); cooking.
烹調 {peng1 tiao2}, cooking
烹調失宜 {peng1 tiao2 shi1 yi2}, improper cooking

~~ {peng2} ~~
【硼】 {peng2} [Freq. 4] borax.
硼砂 {peng2 sha1}, 中藥正名 borax (Borax)

【澎】 {peng2} [Freq. 4] Pescadores (澎湖 {peng2 hu3}, Pescadores).
澎湖絲瓜 {peng2 hu2 si1 gua1}, 中藥異名 angled luffa gourd (Luffae Acutangulae Fructus)

【蓬】 {peng2} [Freq. 4] plant name.
蓬莪朮 {peng2 e2 zhu2}, 中藥異名 curcuma rhizome (Curcumae Rhizoma)
蓬莪□} {peng2 e2 zhu2}, 中藥異名 curcuma rhizome (Curcumae Rhizoma)
蓬蒿菜 {peng2 hao1 cai4}, 中藥異名 garland chrysanthemum leaf (Chrysanthemi Coronarii Caulis et Folium)
蓬萊草 {peng2 lai2 cao3}, 中藥正名 lippia (Lippiae Herba)
蓬&&|863D{peng2 lei2}, 中藥正名 ash raspberry (Rubi Tephrodis Fructus)
蓬砂 {peng2 sha1}, 中藥異名 borax (Borax)
蓬朮 {peng2 zhu2}, 中藥異名 curcuma rhizome (Curcumae Rhizoma)
蓬□} {peng2 zhu2}, 中藥異名 curcuma rhizome (Curcumae Rhizoma)
蓬子菜 {peng2 zi3 cai4}, 中藥正名 true galium (Galii Veri Herba)

【膨】 {peng2} [Freq. 4] inflate.
膨脹 {peng2 zhang4}, inflation

【鵬】 {peng2} [Freq. 4] a mythical bird of enormous size.
鵬砂 {peng2 sha1}, 中藥異名 borax (Borax)

【蟛】 {peng2} [Freq. 4] brackish-water crab (蟛蜞 {peng2 qi2}, brackish-water crab).
蟛蜞 {peng2 qi2}, 中藥正名 brackish-water crab (Sesarinae Caro et Viscera)
蟛蜞菊 {peng2 qi2 ju2}, 中藥正名 wedelia (Wedeliae Herba seu Radix)

~~ {peng4} ~~

【碰】 {peng4} [Freq. 4] bump.
碰撞損傷 {peng4 zhuang4 sun3 shang1}, impact injury

~~ {pi1} ~~
【披】 {pi1} [Freq. 4] wrap around the shoulders.
披肩 {pi1 jian1}, cape
披麻草 {pi1 ma2 cao3}, 中藥正名 Dalian veratrum (Veratri Taliensis Herba)

【鈹】 {pi1} [Freq. 4] sword.
鈹針 {pi1 zhen1}, sword needle (one of the nine needles)

【劈】 {pi1} [Freq. 5] split

【砒】 {pi1} [Freq. 4] arsenic.
砒石 {pi1 shi2}, 中藥正名 arsenic (Arsenicum)
砒霜 {pi1 shuang1}, 中藥正名 sublimed arsenic (Arsenicum Sublimatum)
砒霜散 {pi1 shuang1 san3}, 方名 Sublimed Arsenic Powder
砒棗散 {pi1 zao3 san3}, 方名 Arsenic and Jujube Powder

~~ {pi2} ~~
【皮】 {pi2} [Freq. 2] skin (n.) (肺主皮毛 {fei4 zhu3 pi2 mao2}, the lung governs the skin and [body] hair); cutaneous (adj.) (皮內針 {pi2 nei4 zhen1}, intradermal needle; 十二皮部{shi2 er4 pi2 bu4}, the twelve cutaneous regions); dermal (adj.) (皮內針 {pi2 nei4 zhen1}, intradermal needle; 十二皮部{shi2 er4 pi2 bu4}, the twelve cutaneous regions).
皮痹 {pi2 bi4}, skin impediment
皮表之熱 {pi2 biao3 zhi1 re4}, heat in the cutaneous exterior
皮部 {pi2 bu4}, cutaneous region 穴異名 BL-36
皮腠 {pi2 cou4}, cutaneous interstices
皮蛋 {pi2 dan4}, 中藥異名 limed egg (Galli Ovum cum Calce Praeparatum)
皮刀 {pi2 dao1}, 中藥正名 spotted moonfish (Menes Maculatae Caro)
皮膚 {pi2 fu1}, skin; skin
皮膚癌 {pi2 fu1 ai2}, 西醫 skin carcinoma
皮膚白斑 {pi2 fu1 bai2 ban1}, white macules on the skin
皮膚瘢痕 {pi2 fu1 ban1 hen2}, scar
皮膚病 {pi2 fu1 bing4}, 西醫 skin disease(s)
皮膚肥厚 {pi2 fu1 fei2 hou4}, thickening of the skin

皮膚肥厚粗糙 {pi2 fu1 fei2 hou4 cu1 cao4}, thickened rough skin
皮膚風熱 {pi2 fu1 feng1 re4}, wind-heat of the skin
皮膚風疹 {pi2 fu1 feng1 zhen3}, wind papules
皮膚干燥 {pi2 fu1 gan1 zao4}, dry skin
皮膚褐斑 {pi2 fu1 he4 ban1}, brown macules on the skin
皮膚黑斑 {pi2 fu1 hei1 ban1}, black macules on the skin
皮膚紅斑 {pi2 fu1 hong2 ban1}, red macules on the skin
皮膚結節 {pi2 fu1 jie2 jie2}, node of the skin
皮膚皲裂 {pi2 fu1 jun1 lie4}, cracking of the skin
皮膚糜爛 {pi2 fu1 mi2 lan4}, erosion of the skin
皮膚瘙癢 {pi2 fu1 sao1 yang3}, itchy skin
皮膚濕瘡 {pi2 fu1 shi1 chuang1}, damp sores of the skin
皮膚濕熱 {pi2 fu1 shi1 re4}, damp-heat of the skin
皮膚濕疹 {pi2 fu1 shi1 zhen3}, 西醫 eczema
皮膚粟疹 {pi2 fu1 su4 zhen3}, millet papules
皮膚脫屑 {pi2 fu1 tuo1 xie4}, scaling of the skin
皮膚血虛風燥 {pi2 fu1 xue4 xu1 feng1 zao4}, blood vacuity and wind-dryness of the skin
皮膚炎 {pi2 fu1 yan2}, 西醫 dermatitis
皮膚養疹 {pi2 fu1 yang3 zhen3}, itchy papules of the skin
皮膚疣 {pi2 fu1 you2}, wart
皮膚燥裂 {pi2 fu1 zao4 lie4}, dry cracked skin
皮膚針 {pi2 fu1 zhen1}, cutaneous needle
皮膚紫斑 {pi2 fu1 zi3 ban1}, purple macules on the skin
皮肌炎 {pi2 ji1 yan2}, 西醫 dermomyositis
皮枯膏 {pi2 ku1 gao1}, 方名 Dry Skin Paste
皮毛 {pi2 mao2}, skin and [body] hair
皮毛憔悴 {pi2 mao2 qiao2 cui4}, haggard skin
皮毛束閉 {pi2 mao2 shu4 bi4}, fettering of the skin and [body] hair
皮毛痿 {pi2 mao2 wei3}, skin and [body] hair wilting
皮膜 {pi2 mo2}, 西醫 cutaneous membrane
皮內針 {pi2 nei4 zhen1}, intradermal needle
皮膚真菌 {pi2 pu1 zhen1 jun1}, 西醫 cutaneous fungus
皮色蒼黃 {pi2 se4 cang1 huang2}, somber yellow skin
皮色如常 {pi2 se4 ru2 chang2}, normal skin color
皮水 {pi2 shui3}, skin water (a kind of swelling)
皮痿 {pi2 wei3}, skin wilting
皮&&91C3.9ACE|{pi2 xi1}, 腧穴異名 BL-36 (Skin Cleft)
皮下埋針 {pi2 xia4 mai2 zhen1}, intradermal needle

皮下組織 {pi2 xia4 zu3 zhi1}, 西醫 subcutaneous tissue
皮硝 {pi2 xiao1}, 中藥異名 impure mirabilite (Natrii Sulfas Non-Purus)
皮病 {pi2 yan2}, 西醫 dermatosis
皮綻術 {pi2 zhan4 shu4}, skin-spreading technique (of needle insertion)
皮蒸 {pi2 zheng1}, steaming skin
皮脂腺 {pi2 zhi1 xian4}, 西醫 sebaceous gland
皮中如蟲行 {pi2 zhong1 ru2 chong2 xing2}, sensation of grubs creeping in the skin

【枇】 {pi2} [Freq. 4] plant name.
枇杷 {pi2 pa2}, 中藥正名 loquat (Eriobotryae Fructus)
枇杷根 {pi2 pa2 gen1}, 中藥正名 loquat root (Eriobotryae Radix)
枇杷核 {pi2 pa2 he2}, 中藥正名 loquat pip (Eriobotryae Semen)
枇杷花 {pi2 pa2 hua1}, 中藥正名 loquat flower (Eriobotryae Flos)
枇杷木白皮 {pi2 pa2 mu4 bai2 pi2}, 中藥正名 loquat bark (Eriobotryae Cortex)
枇杷葉 {pi2 pa2 ye4}, 中藥正名 loquat leaf (Eriobotryae Folium)
枇杷葉露 {pi2 pa2 ye4 lu4}, 中藥正名 loquat leaf distillate (Eriobotryae Folii Distillatum)
枇杷葉散 {pi2 pa2 ye4 san3}, 方名 Loquat Leaf Powder
枇杷玉 {pi2 pa2 yu4}, 中藥異名 xylanche tuber (Xylanches Tuber)
枇杷芋 {pi2 pa2 yu4}, 中藥正名 xylanche tuber (Xylanches Tuber)
枇杷粥 {pi2 pa2 zhou1}, 方名 Loquat Gruel

【疲】 {pi2} [Freq. 2] fatigue (n.), fatigued (adj.) (神疲乏力 {shen2 pi2 fa2 li4}, fatigued spirit and lack of strength).
疲乏 {pi2 fa2}, fatigue
疲乏無力 {pi2 fa2 wu2 li4
疲倦 {pi2 juan4}, fatigue
疲倦乏力 {pi2 juan4 fa2 li4}, fatigue and lack of strength
疲勞 {pi2 lao2}, fatigue

【啤】 {pi2} [Freq. 4] beer.
啤酒花 {pi2 jiu3 hua1}, 中藥正名 hop flower (Humuli Lupuli Flos Femineus)

【脾】 {pi2} [Freq. 2] spleen (n.) (脾土 {pi2 tu3}, spleen-earth); splenic (adj.); SP.
脾（胃）爲氣血生化之源 {pi2 (wei4) wei2 qi4 xue4 sheng1 hua4 zhi1 yuan2}, spleen (and stomach) are the source for blood and qi4 formation
脾，其華在唇 {pi2, qi2 hua2 zai4 chun2}, spleen, its bloom is in the lips
脾，其華在唇四白 {pi2, qi2 hua2 zai4 chun2 si4 bai2}, spleen, its bloom is in four whites of the lips (area surrounding the lips)

脾痹 {pi2 bi4}, spleen impediment; splenic impediment
脾病 {pi2 bing4}, spleen disease
脾病及肝 {pi2 bing4 ji2 gan1}, spleen disease affecting the liver
脾病及腎 {pi2 bing4 ji2 shen4}, spleen disease affecting the kidney
脾不攝血 {pi2 bu4 she4 xue4}, spleen failing to contain the blood
脾不統血 {pi2 bu4 tong3 xue4}, spleen failing to control the blood; blood control failure
脾不統血證 {pi2 bu4 tong3 xue4 zheng4}, pattern of spleen failing to control the blood
脾藏意 {pi2 cang2 yi4}, spleen stores reflection (thinking capacity)
脾藏營 {pi2 cang2 ying2}, spleen stores construction
脾常不足 {pi2 chang2 bu4 zu2}, spleen is often insuffficient
脾蟲病 {pi2 chong2 bing4}, spleen worm disease
脾癉 {pi2 dan1}, splenic pure heat
脾的證候 {pi2 de zheng4 hou4}, spleen patterns
脾動脈 {pi2 dong4 mai4}, 西醫 splenic artery
脾肚發 {pi2 du4 fa1}, spleen belly effusion (effusion of the upper back)
脾肺風熱 {pi2 fei4 feng1 re4}, spleen-lung wind-heat
脾肺俱補 {pi2 fei4 ju4 bu3}, supplements both spleen and lung
脾肺兩虛 {pi2 fei4 liang3 xu1}, dual vacuity of the spleen and lung; spleen-lung vacuity
脾肺氣分 {pi2 fei4 qi4 fen1}, spleen-lung qi4 aspect
脾肺氣虛 {pi2 fei4 qi4 xu1}, spleen-lung qi4 vacuity
脾肺氣虛證 {pi2 fei4 qi4 xu1 zheng4}, pattern of spleen-lung qi4 vacuity
脾肺虛寒 {pi2 fei4 xu1 han2}, spleen-lung vacuity cold
脾疳 {pi2 gan1}, spleen gan1; gan1 of the spleen; splenic gan1
脾功能亢進 {pi2 gong1 neng2 kang4 jin4}, 西醫 hypersplenism
脾寒草 {pi2 han2 cao3}, 中藥正名 meadow speedwell (Veronicae Arvensis Herba)
脾合胃 {pi2 he2 wei4}, spleen is connected with the stomach
脾積 {pi2 ji1}, spleen accumulation
脾及胃辨證 {pi2 ji2 wei4 bian4 zheng4}, spleen and stomach pattern identification
脾經 {pi2 jing1}, spleen channel; SP
脾經氣分 {pi2 jing1 qi4 fen1}, spleen channel qi4 aspect
脾靜脈 {pi2 jing4 mai4}, 西醫 splenic vein
脾居中州 {pi2 ju1 zhong1 zhou1}, spleen resides the central region
脾開竅于口 {pi2 kai1 qiao4 yu2 kou3}, spleen opens at the mouth
脾咳 {pi2 ke2}, spleen cough
脾勞 {pi2 lao2}, spleen taxation; splenic taxation
脾脈緩 {pi2 mai4 huan3}, spleen pulse is moderate
脾募 {pi2 mu4}, 腧穴異名 LV-13 (Spleen Alarm)
脾氣 {pi2 qi4}, spleen qi4

脾氣不升 {pi2 qi4 bu4 sheng1}, spleen qi4 failing to bear upward; non-upbearing of spleen qi4
脾氣不舒 {pi2 qi4 bu4 shu1}, constrained spleen qi4
脾氣通于口 {pi2 qi4 tong1 yu2 kou3}, spleen qi4 flows to the mouth
脾氣下陷 {pi2 qi4 xia4 xian4}, spleen qi4 fall
脾氣虛 {pi2 qi4 xu1}, spleen qi4 vacuity
脾氣虛弱 {pi2 qi4 xu1 ruo4}, spleen qi4 vacuity
脾氣虛證 {pi2 qi4 xu1 zheng4}, spleen qi4 vacuity pattern
脾氣郁結 {pi2 qi4 yu4 jie2}, binding depression of spleen qi4
脾氣主升 {pi2 qi4 zhu3 sheng1}, spleen qi4 governs upbearing
脾虛氣滯 {pi2 qu1 qi4 zhi4}, spleen vacuity qi4 stagnation
脾熱 {pi2 re4}, spleen heat
脾熱多涎 {pi2 re4 duo1 xian2}, spleen heat copious drool
脾熱身腫 {pi2 re4 shen1 zhong3}, spleen heat generalized swelling
脾熱生痰 {pi2 re4 sheng1 tan2}, spleen heat engendering phlegm
脾熱穴 {pi2 re4 xue2}, 腧穴正名 Spleen Heat Hole
脾舍 {pi2 she4}, 腧穴異名 SP-8 (Spleen Abode)
脾腎兩虛 {pi2 shen4 liang3 xu1}, dual vacuity of the spleen and kidney
脾腎雙補 {pi2 shen4 shuang1 bu3}, supplement both the spleen and kidney
脾腎雙補丸 {pi2 shen4 shuang1 bu3 wan2}, 方名 Spleen-Kidney Supplementation Pill
脾腎虛寒 {pi2 shen4 xu1 han2}, spleen-kidney vacuity cold
脾腎虛弱 {pi2 shen4 xu1 ruo4}, spleen-kidney vacuity
脾腎虛損 {pi2 shen4 xu1 sun3}, spleen-kidney vacuity detriment
脾腎虛泄 {pi2 shen4 xu1 xie4}, spleen-kidney vacuity diarrhea
脾腎陽虛 {pi2 shen4 yang2 xu1}, spleen-kidney yang2 vacuity
脾腎陽虛證 {pi2 shen4 yang2 xu1 zheng4}, pattern of spleen-kidney yang2 vacuity
脾腎之寒 {pi2 shen4 zhi1 han2}, spleen-kidney cold
脾升 {pi2 sheng1}, spleen upbearing
脾濕肝郁 {pi2 shi1 gan1 yu4}, spleen dampness and liver depression
脾失健運 {pi2 shi1 jian4 yun4}, impairment of splenic movement and transformation; splenic transformation failure; spleen failing to move and transform
脾受寒侵 {pi2 shou4 han2 qin1}, spleen invaded by cold
脾俞 {pi2 shu1}, 腧穴正名 BL-20 (Spleen Transport)
脾水 {pi2 shui3}, spleen water (a kind of swelling)
脾統血 {pi2 tong3 xue4}, spleen controls the blood
脾土 {pi2 tu3}, spleen-earth
脾爲后天之本 {pi2 wei2 hou4 tian1 zhi1 ben3}, spleen is the root of later heaven (acquired constitution)
脾爲生化氣血之源 {pi2 wei2 sheng1 hua4 qi4 xue4 zhi1 yuan2}, spleen is the source of qi4 and

blood formation
脾爲生化之源 {pi2 wei2 sheng1 hua4 zhi1 yuan2}, spleen is the source of engendering transformation
脾爲生痰之源 {pi2 wei2 sheng1 tan2}, spleen is the source of phlegm formation
脾爲涎 {pi2 wei2 xian2}, spleen forms drool
脾痿 {pi2 wei3}, spleen wilting
脾胃不和 {pi2 wei4 bu4 he2}, spleen-stomach disharmony
脾胃不和證 {pi2 wei4 bu4 he2 zheng4}, pattern of spleen-stomach disharmony
脾胃和腸的證候 {pi2 wei4 he2 chang2 de zheng4 hou4}, spleen, stomach, and intestinal patterns
脾胃論 {pi2 wei4 lun4}, 書名 On the Spleen and Stomach
脾胃氣敗 {pi2 wei4 qi4 bai4}, vanquished spleen and stomach
脾胃氣虛 {pi2 wei4 qi4 xu1}, spleen-stomach qi4 vacuity
脾胃氣虛證 {pi2 wei4 qi4 xu1 zheng4}, pattern of spleen-stomach qi4 vacuity
脾胃氣滯 {pi2 wei4 qi4 zhi4}, spleen-stomach qi4 stagnation
脾胃失和 {pi2 wei4 shi1 he2}, spleen-stomach disharmony
脾爲濕困 {pi2 wei4 shi1 kun4}, spleen encumbered by dampness
脾胃濕熱 {pi2 wei4 shi1 re4}, spleen-stomach damp-heat
脾胃濕熱薰蒸肝膽 {pi2 wei4 shi1 re4 xun1 zheng1 gan1 dan3}, spleen-stomach damp-heat sweltering the liver and gallbladder
脾胃濕熱證 {pi2 wei4 shi1 re4 zheng4}, pattern of spleen-stomach damp-heat
脾胃受濕 {pi2 wei4 shou4 shi1}, spleen and stomach affected by dampness
脾胃衰弱 {pi2 wei4 shua1 ruo4}, debilitation of the spleen and stomach
脾胃虛寒 {pi2 wei4 xu1 han2}, spleen-stomach vacuity cold
脾謂虛寒 {pi2 wei4 xu1 han2}, spleen-stomach vacuity cold
脾胃虛寒證 {pi2 wei4 xu1 han2 zheng4}, pattern of spleen-stomach vacuity cold
脾胃虛弱 {pi2 wei4 xu1 ruo4}, spleen-stomach vacuity
脾胃陽虛 {pi2 wei4 yang2 xu1}, spleen-stomach yang2 vacuity
脾胃陽虛證 {pi2 wei4 yang2 xu1 zheng4}, pattern of spleen-stomach yang2 vacuity
脾胃陰虛 {pi2 wei4 yin1 xu1}, spleen-stomach yin1 vacuity
脾胃陰虛證 {pi2 wei4 yin1 xu1 zheng4}, pattern of spleen-stomach yin1 vacuity
脾胃運化 {pi2 wei4 yun4 hua4}, movement and transformation of the spleen and stomach
脾胃運化功 {pi2 wei4 yun4 hua4 gong1}, spleen and stomach's function of moving and transforming
脾胃者，倉廩之官，五味出焉 {pi2 wei4 zhe3, cang1 lin3 zhi1 guan1, wu3 wei4 chu1 yan1}, spleen and stomach hold the office of the granaries, whence the five flavors emanate
脾惡濕 {pi2 wu4 shi1}, spleen is averse to dampness
脾喜燥惡濕 {pi2 xi3 zao4 wu4 shi1}, spleen likes dryness and is averse to dampness

脾消 {pi2 xiao1}, spleen dispersion[-thirst] (center dispersion); splenic dispersion-thirst
脾泄 {pi2 xie4}, spleen diarrhea
脾虛 {pi2 xu1}, spleen vacuity
脾虛不固 {pi2 xu1 bu4 gu4}, vacuous spleen failing to secure
脾虛不固證 {pi2 xu1 bu4 gu4 zheng4}, pattern of vacuous spleen failing to secure
脾虛帶下 {pi2 xu1 dai4 xia4}, spleen vacuity vaginal discharge
脾虛多涎 {pi2 xu1 duo1 xian2}, spleen vacuity copious drool
脾虛發黃 {pi2 xu1 fa1 huang2}, spleen vacuity yellowing
脾虛肺弱 {pi2 xu1 fei4 ruo4}, spleen-lung vacuity
脾虛寒證 {pi2 xu1 han2 zheng4}, spleen vacuity cold pattern
脾虛及心 {pi2 xu1 ji2 xin1}, spleen vacuity affecting the heart
脾虛夾食 {pi2 xu1 jia1 shi2}, spleen vacuity with food damage
脾虛經閉 {pi2 xu1 jing1 bi4}, spleen vacuity menstrual block
脾虛久嗽 {pi2 xu1 jiu3 sou4}, spleen vacuity enduring cough
脾虛木乘 {pi2 xu1 mu4 cheng2}, spleen vacuity being exploited by wood
脾虛嘔吐 {pi2 xu1 ou3 tu4}, spleen vacuity [retching and] vomiting
脾虛氣陷 {pi2 xu1 qi4 xian4}, spleen qi4 vacuity fall
脾虛氣陷證 {pi2 xu1 qi4 xian4 zheng4}, spleen qi4 vacuity fall pattern
脾虛氣滯 {pi2 xu1 qi4 zhi4}, spleen vacuity and qi4 stagnation
脾虛熱證 {pi2 xu1 re4 zheng4}, spleen vacuity heat pattern
脾虛如球 {pi2 xu1 ru2 qiu1}, spleen vacuous as a ball
脾虛身腫 {pi2 xu1 shen1 zhong3}, spleen vacuity generalized swelling; spleen vacuity generalized swelling
脾虛生風 {pi2 xu1 sheng1 feng1}, spleen vacuity engendering wind
脾虛生痰 {pi2 xu1 sheng1 tan2}, spleen vacuity engendering phlegm
脾虛濕困 {pi2 xu1 shi1 kun4}, spleen vacuity with damp encumbrance
脾虛濕困證 {pi2 xu1 shi1 kun4 zheng4}, pattern of spleen vacuity with damp encumbrance
脾虛濕熱 {pi2 xu1 shi1 re4}, spleen vacuity with damp-heat
脾虛濕熱證 {pi2 xu1 shi1 re4 zheng4}, pattern of spleen vacuity with damp-heat
脾虛食積 {pi2 xu1 shi2 ji1}, spleen vacuity with food accumulation
脾虛食積證 {pi2 xu1 shi2 ji1 zheng4}, pattern of spleen vacuity with food accumulation
脾虛水泛 {pi2 xu1 shui3 fan4}, spleen vacuity water flood
脾虛水泛證 {pi2 xu1 shui3 fan4 zheng4}, pattern of spleen vacuity water flood
脾虛痰濕 {pi2 xu1 tan2 shi1}, spleen vacuity with phlegm-damp
脾虛痰濕證 {pi2 xu1 tan2 shi1 zheng4}, pattern of spleen vacuity with phlegm-damp
脾虛下陷 {pi2 xu1 xia4 xia4}, spleen vacuity fall
脾虛泄瀉 {pi2 xu1 xie4 xie4}, spleen vacuity diarrhea
脾虛證 {pi2 xu1 zheng4}, spleen vacuity pattern

脾虛自汗 {pi2 xu1 zi4 han4}, spleen vacuity spontaneous sweating
脾陽 {pi2 yang2}, spleen yang2
脾陽不振 {pi2 yang2 bu4 yun4}, spleen yang2 failing to move and transform
脾陽不振 {pi2 yang2 bu4 zhen4}, devitalized spleen yang2
脾陽虛 {pi2 yang2 xu1}, spleen yang2 vacuity
脾陽虛水泛 {pi2 yang2 xu1 shui3 fan4}, spleen yang2 vacuity water flood
脾陽虛水泛證 {pi2 yang2 xu1 shui3 fan4 zheng4}, pattern of spleen yang2 vacuity water flood
脾陽虛證 {pi2 yang2 xu1 zheng4}, spleen yang2 vacuity pattern
脾陰 {pi2 yin1}, spleen yin1
脾陰虛 {pi2 yin1 xu1}, spleen yin1 vacuity
脾陰虛證 {pi2 yin1 xu1 zheng4}, spleen yin1 vacuity pattern
脾與胃相表里 {pi2 yu3 wei4 xiang1 biao3 li3}, spleen and stomach stand in interior-exterior relationship
脾約 {pi2 yue1}, straitened spleen
脾約麻仁丸 {pi2 yue1 ma2 ren2 wan2}, 方名 Straitened Spleen Cannabis Fruit Pill
脾運不健 {pi2 yun4 bu4 jian4}, splenic transformation failure
脾脹 {pi2 zhang4}, spleen distention
脾之大絡 {pi2 zhi1 da4 luo4}, great network vessel of the spleen
脾之液爲涎 {pi2 zhi1 ye4 wei2 xian2}, humor of the spleen is drool
脾主后天 {pi2 zhu3 hou4 tian1}, spleen governs later heaven
脾主肌肉 {pi2 zhu3 ji1 rou4}, spleen governs the flesh
脾主升清 {pi2 zhu3 sheng1 qing1}, spleen governs upbearing of the clear
脾主四肢 {pi2 zhu3 si4 zhi1}, spleen governs the four limbs
脾主爲胃行其津液 {pi2 zhu3 wei2 wei4 xing2 qi2 jin1 ye4}, spleen governs movement of stomach liquid
脾主運化 {pi2 zhu3 yun4 hua4}, spleen governs movement and transformation
脾主中土 {pi2 zhu3 zhong1 tu3}, spleen governs center-earth
脾主中州 {pi2 zhu3 zhong1 zhou1}, spleen governs the central region

【罷】 {pi2} [Freq. 4] fatigue (same as 疲 {pi2}, fatigue; see also 罷 {ba4}).
罷極之本 {pi2 ji2 zhi1 ben3}, basis of resistance to extreme fatigue

【&&9B6E||】 {pi2} [Freq. 4] fish name

~~ {pi3} ~~
【痞】 {pi3} [Freq. 2] glomus (n.) (胸脘痞滿 {xiong1 wan3 pi3 man3}, glomus and fullness in the chest and stomach duct).

痞根 {pi3 gen1}, 腧穴正名 Glomus Root
痞塊 {pi3 kuai4}, lump glomus
痞滿 {pi3 man3}, glomus and fullness
痞滿不快 {pi3 man3 bu4 kuai4}, glomus, fullness, and discomfort
痞氣 {pi3 qi4}, glomus qi4
痞塞 {pi3 sai1}, glomus blockage
痞硬不喜按 {pi3 ying4 bu4 xi3 an4}, glomus and hearness that does not like pressure

【癖】 {pi3} [Freq. 4] addiction; aggregation (n.) (&&75C3||癖 {xian2 pi4}, strings and aggregations).
癖積 {pi3 ji1}, aggregation (a kind of abdominal mass)
癖嗜 {pi3 shi4}, abnormal habit

~~ {pi4} ~~
【屁】 {pi4} [Freq. 4] buttocks.
屁板蟲 {pi4 ban3 chong2}, 中藥異名 stinkbug (Aspongopus)

【僻】 {pi4} [Freq. 3] deviated ADJ; deviation (n.) (of face); pi4 (abdominal mass)

【闢】 {pi4} [Freq. 4] open territory; break (ground).
闢宮子 {pi4 gong1 zi3}, 中藥異名 house lizard (Gekko Swinhoana)
闢痰 {pi4 tan2}, repel phlegm

【澼】 {pi4} [Freq. 2] afflux (n.) (腸澼 {chang2 pi4}, intestinal afflux).
澼痢 {pi4 li4}, afflux dysentery
澼囊 {pi4 nang2}, afflux pouch (a pathological accumulation)

【&&9E0A||】 {pi4} [Freq. 4] grebe (&&9E0A||鸊 {pi4 ti1}, grebe).
&&9E0A||鸊 {pi4 ti1}, 中藥正名 grebe (Colymbi Ruficollis Caro)

~~ {pian1} ~~
【偏】 {pian1} [Freq. 3] one-sided; hemilateral; unilateral; tend (e.g. 偏寒 {pian1 han2}, tend toward cold).
偏產 {pian1 chan3}, skewed presentation
偏廢不仁 {pian1 fei4 bu4 ren2}, hemiplegia
偏風 {pian1 feng1}, hemilateral wind; half-body wind

偏風不遂 {pian1 feng1 bu4 sui4}, hemilateral wind paralysis; half-body wind paralysis
偏骨 {pian1 gu3}, 腧穴異名 LI-15 (End Bone)
偏寒 {pian1 han2}, tending toward cold
偏沮 {pian1 ju4}, hemilateral sweating; half-body sweating
偏口 {pian1 kou3}, off-center mouth-level ju
偏口疽 {pian1 kou3 ju1}, off-center mouth-level flat-abscess
偏枯 {pian1 ku1}, hemilateral withering
偏歷 {pian1 li4}, 腧穴正名 LI-6 (Veering Passageway)
偏腦疽 {pian1 nao3 ju1}, off-center brain flat-abscess
偏熱 {pian1 re4}, tending toward heat
偏盛 {pian1 sheng4}, abnormally exuberant; abnormally strong
偏勝 {pian1 sheng4}, prevalence
偏食 {pian1 shi2}, partiality for certain foods
偏食異物 {pian1 shi2 yi4 wu4}, perverted appetite
偏食油膩厚味 {pian1 shi2 you2 ni4 hou4 wei4}, predilection for greasy and rich foods
偏視 {pian1 shi4}, squint
偏嗜 {pian1 shi4}, predilection for strange foods
偏嗜異物 {pian1 shi4 yi4 wu4}, predilection for strange foods
偏嗜油膩厚味 {pian1 shi4 you2 ni4 hou4 wei4}, predilection for greasy and rich foods
偏衰 {pian1 shuai1}, abnormally debilitated; abnormally weak
偏癱 {pian1 tan1}, hemiplegia
偏頭風 {pian1 tou2 feng1}, hemilateral head wind
偏頭痛 {pian1 tou2 tong4}, hemilateral headache; hemicrania
偏歪舌 {pian1 wai1 she2}, deviated tongue
偏墜 {pian1 zhui4}, unilateral sag (sagging of one testicle)

~~ {pian2} ~~
【胼】 {pian2} [Freq. 4] callus (胼胝 {pian2 zhi1}, callus).
胼胝 {pian2 zhi1}, callus

~~ {pian4} ~~
【片】 {pian4} [Freq. 2] tablet (n.) (*片劑 {pian4 ji4}, tablet preparation).
片花蓮 {pian4 hua1 lian2}, 中藥異名 Chinese lobelia (Lobeliae Chinensis Herba)
片劑 {pian4 ji4}, tablet (preparation)
片腦 {pian4 nao3}, 中藥異名 borneol (Borneolum)
片芩 {pian4 qin2}, 中藥異名 old scutellaria (Scutellariae Radix Veta)

【遍】 {pian4} [Freq. 4] all over.
遍身 {pian4 shen1}, generalized; whole body

~~ {piao1} ~~
【飄】 {piao1} [Freq. 4] flutter.
飄拂草 {piao1 fu2 cao3}, 中藥正名 dichotomous fimbristylis (Fimbristylidis Dichotomae Herba)

【螵】 {piao1} [Freq. 4] mantis egg-case (螵蛸 {piao1 xiao1}).
螵蛸 {piao1 xiao1}, 中藥異名 mantis egg-case (Mantidis Ootheca)

【薸】 {piao1} [Freq. 4] duckweed.
薸 {piao1}, 中藥異名 duckweed (Spirodelae Herba)

~~ {piao3} ~~
【漂】 {piao3} [Freq. 3] long-rinse (v.) (漂洗 {piao3 xi3}, washing and long-rinsing).
漂洗 {piao3 xi3}, washing and long-rinsing

~~ {pie3} ~~
【苤】 {pie3} [Freq. 4] kohlrabi.
苤藍葉 {pie3 la ye4}, 中藥正名 kohlrabi leaf (Brassicae Caulorapae Folium)
苤藍 {pie3 lan}, 中藥正名 kohlrabi (Brassicae Caulorapae Cormus)

~~ {pin2} ~~
【貧】 {pin2} [Freq. 4] poor.
貧血 {pin2 xue4}, 西醫 anemia
貧血靈 {pin2 xue4 ling2}, 腧穴正名 Anemic's Magic

【頻】 {pin2} [Freq. 2] frequent (adj.); frequency (n.) (尿頻 {niao4 pi2}, frequent urination).
頻犯手淫 {pin2 fan4 shou3 yin2}, frequent masturbation
頻服 {pin2 fu2}, take in frequent small doses
頻婆 {pin2 po2}, 中藥異名 apple (Mali Pumulae Fructus)
頻數 {pin2 shuo4}, frequent

頻餂舌 {pin2 tian3 she2}, licking tongue
頻飲 {pin2 yin3}, take in frequent small doses

【蘋】 {pin2} [Freq. 4] clover fern.
蘋 {pin2}, 中藥正名 clover fern (Marsileae Herba)

~~ {pin3} ~~
【品】 {pin3} [Freq. 3] item (藥品 {yao4 pin3}, medicinal (item)); medicinal (血肉有情之品 {xue4 rou4 you3 qing2 zhi1 pin3}, medicinal with affinity to flesh and blood); grade (三品 {san1 pin3}, three grades)

~~ {pin4} ~~
【牝】 {pin4} [Freq. 3] female.
牝瘧 {pin4 nue94}, female malaria
牝臟 {pin4 zang4}, female viscus

~~ {ping2} ~~
【平】 {ping2} [Freq. 2] calm (v.) (medicinal action. 平肝熄風 {ping2 gan1 xi1 feng1}, calm the liver and extinguish wind); balanced (adj.) (medicinal nature. 五倍子性平味酸 {wu3 bei4 zi3 xing4 ping2 wei4 suan1}, sumac gallnut is balanced in nature and sour in flavor); flat (adj.) (不能平臥 {bu4 neng2 ping2 wo4}, inability to lie flat).
平波 {ping2 bo1}, 中藥異名 apple (Mali Pumulae Fructus)
平補肺胃 {ping2 bu3 fei4 wei4}, neutrally supplements the lung and stomach
平補肝腎 {ping2 bu3 gan1 shen4}, neutrally supplements the liver and kidney
平補平瀉 {ping2 bu3 ping2 xie4}, neutral supplementation and drainage
平補腎氣 {ping2 bu3 shen4 qi4}, neutral supplementation of kidney qi4
平補鎮心丹 {ping2 bu3 zhen4 xin1 dan1}, 方名 Neutral Supplementing Heart-Settling Elixir
平陳湯 {ping2 chen2 tang1}, 方名 Calming Matured Ingredients Decoction
平喘 {ping2 chuan3}, calm panting
平喘寧 {ping2 chuan3 ning2}, 方名 Pingchuanning
平喘藥 {ping2 chuan3 yao4}, panting-calming medicinal
平喘止咳 {ping2 chuan3 zhi3 ke2}, calm panting and suppress cough
平刺 {ping2 ci4}, transverse needling
平旦 {ping2 dan4}, calm dawn watch (B4 watch, 3--5 a.m.)
平旦服 {ping2 dan4 fu2}, take at calm dawn

平地木 {ping2 di4 mu4}, 中藥異名 coral ardisia (Ardisiae Crenatae Radix)
平肝 {ping2 gan1}, calm the liver
平肝降逆 {ping2 gan1 jiang4 ni4}, calm the liver and downbear counterflow
平肝解郁 {ping2 gan1 jie3 yu4}, calm the liver and resolve depression
平肝潛陽 {ping2 gan1 qian2 yang2}, calm the liver and subdue yang2
平肝清熱 {ping2 gan1 qing1 re4}, calm the liver and clear heat
平肝薯 {ping2 gan1 shu3}, 中藥異名 curculigo (Curculiginis Rhizoma)
平肝息風 {ping2 gan1 xi1 feng1}, calm the liver and extinguish wind
平肝熄風 {ping2 gan1 xi1 feng1}, calm the liver and extinguish wind
平肝熄風藥 {ping2 gan1 xi1 feng1 yao4}, liver-calming wind-extinguishing medicinal
平肝陽 {ping2 gan1 yang2}, calm liver yang2
平肝止痛 {ping2 gan1 zhi3 tong4}, calm the liver and relieve pain
平菇 {ping2 gu1}, 中藥正名 oyster mushroom (Pleurotus Ostreatus) (Pleurotus Cystidiosus); 中藥異名 abalone fungus
平滑肌 {ping2 hua2 ji1}, 西醫 smooth muscle
平脈 {ping2 mai4}, normal pulse (a normal pulse)
平補平瀉 {ping2 pu4 ping2 xie4}, neutral supplementation and drainage
平氣 {ping2 qi4}, normal qi4
平人 {ping2 ren2}, healthy person
平素體弱 {ping2 su4 ti3 ruo4}, constitutionally weak
平塌 {ping2 ta1}, flat or sunken
平調寒熱 {ping2 tiao2 han2 re4}, balanced regulation of cold and heat
平胃散 {ping2 wei4 san3}, 方名 Stomach-Calming Powder
平臥不能 {ping2 wo4 bu4 neng2}, inability to lie flat
平息 {ping2 xi1}, calm breathing
平熄內風 {ping2 xi1 nei4 feng1}, calm and extinguish internal wind
平翳 {ping2 yi4}, 腧穴異名 CV-1 (Flat Screen)
平抑肝陽 {ping2 yi4 gan1 yang2}, repress the liver
平證 {ping2 zheng4}, no abnormal pattern

【屏】 {ping2} [Freq. 4] screen.
屏風 {ping2 feng1}, 中藥異名 saposhnikovia (Saposhnikoviae Radix)
屏翳 {ping2 yi4}, screen (perineum) (Screen); 腧穴異名 CV-1

【萍】 {ping2} [Freq. 2] duckweed.
萍 {ping2}, 中藥異名 duckweed (Spirodelae Herba)
萍蓬草根 {ping2 peng2 cao3 gen1}, 中藥正名 spatterdock root (Nupharis Pumili Rhizoma)
萍蓬草子 {ping2 peng2 cao3 zi3}, 中藥正名 spatterdock seed (Nupharis Pumili Semen)

【蘋】 {ping2} [Freq. 4] apple.
蘋果 {ping2 guo3}, 中藥正名 apple (Mali Pumulae Fructus)
蘋果皮 {ping2 guo3 pi2}, 中藥正名 apple skin (Mali Pumulae Exocarpium)
蘋果葉 {ping2 guo3 ye4}, 中藥正名 apple leaf (Mali Pumulae Folium)
波羅 {po1 luo2}, 中藥異名 pineapple (Ananatis Fructus)

~~ {po2} ~~
【婆】 {po2} [Freq. 4] old woman.
婆固脂 {po2 gu4 zhi1}, 中藥異名 psoralea (Psoraleae Fructus)
婆羅門根 {po2 luo2 men2 gen1}, 中藥異名 curculigo (Curculiginis Rhizoma)
婆羅門皂莢 {po2 luo2 men2 zao4 jia2}, 中藥正名 drumstick tree fruit (Cassiae Fistulae Fructus)

~~ {po4} ~~
【朴】 {po4} [Freq. 4] unrefined (same as 樸 {pu2}); plant name (厚朴 {hou4 po4}, officinal magnolia).
朴菜 {po4 cai4}, 中藥異名 winter pickle (Brassicae Salsamen)
朴樹皮 {po4 shu4 pi2}, 中藥正名 Chinese hackberry bark (Celtis Sinensis Cortex)
朴樹葉 {po4 shu4 ye4}, 中藥正名 Chinese hackberry leaf (Celtis Sinensis Folium)
朴松實 {po4 song1 shi2}, 中藥正名 Si4chuan1 fir cone (Abietis Szechuanensis Fructus)
朴消 {po4 xiao1}, 中藥異名 impure mirabilite (Natrii Sulfas Non-Purus)
朴硝 {po4 xiao1}, 中藥正名 impure mirabilite (Natrii Sulfas Non-Purus)
朴子 {po4 zi3}, 中藥異名 cordia berry (Cordiae Fructus)

【珀】 {po4} [Freq. 4] amber

【迫】 {po4} [Freq. 2] distress (v.) (熱迫大腸 {re4 po4 da4 chang2}, heat distressing the large intestine); hurry (v.).
迫血妄行 {po4 xue4 wang4 xing2}, cause frenetic movement of the blood; forces the blood to move frenetically

【破】 {po4} [Freq. 2] break (v.).
破布葉 {po4 bu4 ye4}, 中藥正名 microcos leaf (Microcoris Folium)
破布子 {po4 bu4 zi3}, 中藥正名 cordia berry (Cordiae Fructus) (Oroxyli Semen); 中藥異名 oroxylum

破肝經氣結 {po4 gan1 jing1 qi4 jie2}, break the liver channel qi4 bind
破骨風 (1) {po4 gu3 feng1}, 中藥正名 lanceolate jasmine (Jasmini Lanceolarii Radix seu Caulis)
破骨風 (2) {po4 gu3 feng1}, 中藥正名 Standish's lonicera (Lonicerae Standishii Folium, Caulis et Radix)
破固脂 {po4 gu4 zhi1}, 中藥異名 psoralea (Psoraleae Fructus)
破故紙 {po4 gu4 zhi3}, 中藥異名 psoralea (Psoraleae Fructus)
破&&4403|{po4 jun4}, loss of bulk
破&&4403||脫肉 {po4 jun4 (jiong3) tuo1 rou4}, loss of bulk and shedding of flesh
破氣 {po4 qi4}, break qi4
破氣散結 {po4 qi4 san4 jie2}, break qi4 and dissipate binds
破氣散滯 {po4 qi4 san4 zhi4}, break qi4 and dissipate stagnation
破氣消積 {po4 qi4 xiao1 ji1}, break qi4 and disperse accumulation
破氣行瘀 {po4 qi4 xing2 yu1}, break qi4 and move stasis
破傷風 {po4 shang1 feng1}, 西醫 tetanus; tetanus; lockjaw; tetanus
破瀉腸中結實 {po4 xie4 chang2 zhong1 jie2 shi2}, break and drain repletion binds in the intestines
破血 {po4 xue4}, break blood
破削 {po4 xue4}, whittle; disintegrate
破血紅花散 {po4 xue4 hong2 hua1 san3}, 方名 Blood-Breaking Carthamus Powder
破瘀 {po4 yu1}, break stasis
破瘀散結 {po4 yu1 san4 jie2}, break stasis and dissipate binds
破瘀消癥 {po4 yu1 xiao1 zheng1}, break stasis and disperse concretions
破癥結 {po4 zheng1 jie2}, break concretions and binds

【魄】 {po4} [Freq. 3] corporeal soul (stored by the lung); animal soul (stored by the lung).
魄汗 {po4 han4}, corporeal soul sweating
魄戶 {po4 hu4}, 腧穴正名 BL-42 (BL-37) (Corporeal Soul Door)
魄門 {po4 men2}, corporeal soul gate (the anus)

~~ {pou1} ~~
【剖】 {pou1} [Freq. 4] cut open.
剖腹術 {pou1 fu4 shu4}, 西醫 laparotomy

~~ {pu1} ~~
【撲】 {pu1} [Freq. 4] apply (powder).

撲粉 {pu1 fen3}, apply powder

【鋪】 {pu1} [Freq. 4] lay (flooring, railway lines); spread.
鋪地蜈蚣 {pu1 di4 wu2 gong1}, 中藥正名 drooping clubmoss (Lycopodii Cernui Herba)
鋪紅 {pu1 hong2}, red spread

~~ {pu2} ~~
【菩】 {pu2} [Freq. 4] Boddhisatva.
菩達 {pu2 da2}, 中藥異名 balsam pear (Momordicae Charantiae Fructus)
菩薩魚 {pu2 sa1 yu2}, 中藥正名 paradise fish (Macropodi Opercularis Caro)
菩提樹花 {pu2 ti2 shu4 hua1}, 中藥正名 Chinese bodhi tree flower (Tiliae Miquelianae Flos)
菩提樹皮 {pu2 ti2 shu4 pi2}, 中藥正名 Chinese bodhi tree (root) bark (Tiliae Miquelianae Cortex (Radicis))

【葡】 {pu2} [Freq. 4] plant name (葡萄 {pu2 tao2}, grap).
葡萄 {pu2 tao2}, 中藥正名 grape (Vitis Viniferae Fructus)
葡萄根 {pu2 tao2 gen1}, 中藥正名 grapevine root (Vitis Viniferae Radix)
葡萄膜 {pu2 tao2 mo2}, 西醫 uvea
葡萄膜炎 {pu2 tao2 mo2 yan2}, 西醫 uveitis
葡萄球菌 {pu2 tao2 qiu2 jun1}, 西醫 \ic{Staphylococcus}
葡萄球菌感染 {pu2 tao2 qiu2 jun1 gan3 ran3}, 西醫 staphylococcal infection
葡萄球菌肺炎 {pu2 tao2 qiu4 jun1 fei4 yan2}, 西醫 staphylococcal pneumonia
葡萄藤葉 {pu2 tao2 teng2 ye4}, 中藥正名 grapevine stem and leaf (Vitis Viniferae Caulis et Folium)
葡萄疫 {pu2 tao2 yi4}, grape epidemic
葡萄痔 {pu2 tao2 zhi4}, grape hemorrhoids

【僕】 {pu2} [Freq. 3] collapse.
僕參 {pu2 can1}, 腧穴正名 BL-61 (Subservient Visitor)

【蒲】 {pu2} [Freq. 4] plant name.
蒲棒 {pu2 bang4}, 中藥正名 typha fruit (Typhae Fructus)
蒲棒花粉 {pu2 bang4 hua1 fen3}, 中藥異名 typha pollen (Typhae Pollen)
蒲草花 {pu2 cao3 hua1}, 中藥異名 typha pollen (Typhae Pollen)
蒲草黃 {pu2 cao3 huang2}, 中藥異名 typha pollen (Typhae Pollen)
蒲公英 {pu2 gong1 ying1}, 中藥正名 dandelion (Taraxaci Herba)
蒲公英湯 {pu2 gong1 ying1 tang1}, 方名 Dandelion Decoction

蒲公英粥 {pu2 gong1 ying1 zhou1}, 方名 Dandelion Gruel
蒲瓜 {pu2 gua1}, 中藥異名 bottle gourd (Lagenariae Depressae Fructus)
蒲花 {pu2 hua1}, 中藥異名 typha pollen (Typhae Pollen)
蒲黃 {pu2 huang2}, 中藥正名 typha pollen (Typhae Pollen)
蒲黃炭 {pu2 huang2 tan4}, 中藥正名 charred typha pollen (Typhae Pollen Carbonisatum)
蒲黃滓 {pu2 huang2 zi3}, 中藥正名 typha pollen residue (Typhae Residuum Pollinis)
蒲灰 {pu2 hui1}, 中藥異名 charred typha pollen (Typhae Pollen Carbonisatum)
蒲葵 {pu2 kui2}, 中藥正名 Chinese fan palm (Livistonae Chinensis Folium et Semen, seu Radix)
蒲厘花粉 {pu2 li2 hua1 fen3}, 中藥異名 typha pollen (Typhae Pollen)
蒲蘆 {pu2 lu2}, 中藥異名 bottle gourd (Lagenariae Depressae Fructus)
蒲芹 {pu2 qin2}, 中藥異名 wild celery (Apii (Agrestris) Herba)
蒲蒻 {pu2 ruo4}, 中藥正名 typha root (Typhae Rhizoma)
蒲桃殼 {pu2 tao2 qiao4 (ke2)}, 中藥正名 rose apple (Syzygii Jamboris Fructus)
蒲桃種子 {pu2 tao2 zhong3 zi3}, 中藥正名 rose apple seed (Syzygii Jamboris Semen)
蒲種殼 {pu2 zhong3 qiao4 (ke2)}, 中藥正名 sweet gourd rind (Lagenariae Clavatae Pericarpium)
蒲州豉 {pu2 zhou1 chi3}, 中藥正名 Puzhou fermented soybean (Sojae Semen Fermentatum *Puzhouense)

【濮】 {pu2} [Freq. 4] 濮陽 {pu2 yang2), henan.
濮瓜 {pu2 gua1}, 中藥異名 wax gourd (Benincasae Fructus)

~~ {pu3} ~~
【哺】 {pu3} [Freq. 4] suckle.
浦姜&&7640|{pu3 jiang1 huang2}, 中藥異名 Asian buddleia (Buddlejae Asiaticae Radix, Caulis et Folium)

【普】 {pu3} [Freq. 4] universal.
普洱茶 {pu3 er3 cha2}, 中藥正名 pu-er tea (Theae Assamicae Folium)
普濟方 {pu3 ji4 fang1}, 書名 Universal Salvation Formulary (1406 (Ming2), Teng2 Hong2 滕弘 et al. ed.)
普濟消毒飲 {pu3 ji4 xiao1 du2 yin3}, 方名 Universal Salvation Toxin-Dispersing Beverage
普濟消毒飲去升麻柴胡黃芩黃連方 {pu3 ji4 xiao1 du2 yin3 qu4 sheng1 ma2 chai2 hu2 huang2 qin huang2 lian}, 方名 Universal Salvation Toxin-Dispersing Beverage Minus Cimicifuga, Bupleurum, Scutellaria, \& Coptis
普通感冒 {pu3 tong1 gan3 mao4}, 西醫 common cold

【樸】 {pu3} [Freq. 4] unprocessed lumber; unrefined

== Q ==

~~ {qi1} ~~
【七】 {qi1} [Freq. 1] seven, seventh, sevenfold.
七寶美髯丹 {qi1 bao3 mei3 ran2 dan1}, 方名 Seven-Jewel Beard-Blackening Elixir
七寶散 {qi1 bao3 san3}, 方名 Seven-Jewel Powder
七沖門 {qi1 chong1 men2}, seven gates
七惡 {qi1 e4}, seven malign signs
七方 {qi1 fang1}, seven formula types
七怪脈 {qi1 guai4 mai4}, seven strange pulses
七焦之間 {qi1 jiao1 zhi1 jian1}, 腧穴異名 BL-17 (Within the Seventh Burner)
七角風 {qi1 jiao3 feng1}, 中藥正名 macropanax (Macropanacis Radix et Folium)
七頸椎旁 {qi1 jing3 zhui1 pang2}, 腧穴正名 Beside the Seventh Cervical Vertebra
七絕脈 {qi1 jue2 mai4}, seven expiry pulses
七釐散 {qi1 li2 san3}, 方名 Seven Pinches Powder
七里香 {qi1 li3 xiang1}, 中藥正名 Lindley's buddleia root (Buddlejae Lindleyanae Radix)
七皮飲 {qi1 pi2 yin3}, 方名 Seven-Peel Beverage
七氣 {qi1 qi4}, seven qi4 (the seven affects (joy, anger, anxiety, thought, sorrow, fear, fright); cold, heat, joy, anger, anxiety, and worry)
七氣湯 {qi1 qi4 tang1}, 方名 Major Seven Qi4 Decoction
七竅 {qi1 qiao4}, seven orifices
七情 {qi1 qing2}, seven affects (joy, anger, anxiety, thought, sorrow, fear, and fright) (medicinal therapy); seven relations
七情不舒 {qi1 qing2 bu4 shu1}, seven-affect ill-being
七情內結 {qi1 qing2 nei4 jie2}, seven-affect internal bind
七情內傷 {qi1 qing2 nei4 shang1}, seven-affect internal damage
七情內郁 {qi1 qing2 nei4 yu4}, seven-affect internal depression
七情氣結 {qi1 qing2 qi4 jie2}, seven-affect qi4 bind
七情所傷 {qi1 qing2 suo3 shang1}, damage by the seven affects
七情相幹 {qi1 qing2 xiang1 gan4}, interference among the seven affects
七情郁結 {qi1 qing2 yu4 jie2}, seven-affect binding depression
七情鬱結 {qi1 qing2 鬱 jie2}, seven-affect binding depression
七日風 {qi1 ri4 feng1}, seven-day wind

七疝 {qi1 shan4}, seven mountings
七傷 {qi1 shang1}, seven damages
七損八益 {qi1 sun3 ba1 yi4}, sevenfold reduction and eightfold boost
七味白朮散 {qi1 wei4 bai2 zhu2 san3}, 方名 Seven-Ingredient White Atractylodes Powder
七味蔥白散 {qi1 wei4 cong1 bai2 san3}, 方名 Eight-Ingredient Scallion White Powder
七味都氣丸 {qi1 wei4 du1 qi4 wan2}, 方名 Seven-Ingredient Metropolis Qi4 Pill
七物降下湯 {qi1 wu4 jiang4 xia4 tang1}, 方名 Seven Agents Downbearing Decoction
七星劍 {qi1 xing1 jian4}, 中藥正名 Cavalerie's mosla (Moslae Cavaleriei Herba)
七星箭 {qi1 xing1 jian4}, 中藥異名 phymatopsis (Phymatopsis Herba (cum Radice))
七星魚 {qi1 xing1 yu2}, 中藥異名 Asiatic snakehead (Channae Asiatici Caro)
七星針 {qi1 xing1 zhen1}, seven-star needle
七葉膽 {qi1 ye4 dan3}, 中藥正名 gynostemma (Gynostemmatis Rhizoma seu Herba)
七葉蓮 (1) {qi1 ye4 lian2}, 中藥正名 Taiwan schefflera (Schefflerae Arboricolae Radix seu Caulis et Folium)
七葉蓮 (2) {qi1 ye4 lian2}, 中藥異名 Formosan elder (Sambuci Formosanae Rhizoma)
七葉一把傘 {qi1 ye4 yi1 ba3 san3}, 中藥正名 obovate actinodaphne (Actinodaphnes Obovatae Cortex)
七葉一枝花 {qi1 ye4 yi1 zhi1 hua1}, 中藥異名 paris (Paridis Rhizoma)
七珍散 {qi1 zhen1 san3}, 方名 Seven-Gem Powder
七制香附丸 {qi1 zhi4 xiang1 fu4 wan2}, 方名 Sevenfold Processed Cyperus Pill

【期】 {qi1} [Freq. 4] period (經期 {jing1 qi2}, menstrual period); cycle.
期門 {qi1 men2}, 腧穴正名 LV-14 (Cycle Gate)

【漆】 {qi1} [Freq. 4] lacquer.
漆瘡 {qi1 chuang1}, lacquer sore
漆大姑 {qi1 da4 gu1}, 中藥正名 woolly-fruited glochidion (Glochidionis Eriocarpi Ramulus et Folium)
漆大姑根 {qi1 da4 gu1 gen1}, 中藥正名 woolly-fruited glochidion root (Glochidionis Eriocarpi Radix)
漆干 {qi1 gan1}, 中藥異名 lacquer (Toxicodendri Resina)
漆姑草 {qi1 gu1 cao3}, 中藥正名 pearlwort (Saginae Herba)
漆莖 {qi1 jing1}, 中藥異名 sun spurge (Euphorbiae Helioscopiae Herba)
漆樹根 {qi1 shu4 gen1}, 中藥正名 varnish tree root (Rhois Vernicifluae Radix)
漆樹木心 {qi1 shu4 mu4 xin1}, 中藥正名 varnish tree wood (Rhois Vernicifluae Lignum)
漆樹皮 {qi1 shu4 pi2}, 中藥正名 varnish tree bark (Rhois Vernicifluae Cortex (Radicis))
漆咬 {qi1 yao3}, lacquer bite
漆葉 {qi1 ye4}, 中藥正名 varnish tree leaf (Rhois Vernicifluae Flos)

漆子 {qi1 zi3}, 中藥正名 varnish tree seed (Rhois Vernicifluae Semen)

~~ {qi2} ~~

【&&82AA.8006||】 {qi2} [Freq. 2] astragalus.
&&82AA.8006||附湯 {qi2 fu4 tang1}, 方名 Astragalus and Aconite Decoction
&&82AA.8006||母 {qi2 mu3}, 中藥異名 anemarrhena (Anemarrhenae Rhizoma)

【岐】 {qi2} [Freq. 4] fork; branch (same as 歧 {qi2}).
岐伯 {qi2 bo2}, Qi2 Bo2
岐骨 {qi2 gu3}, bone juncture; seventh costosternal articulation
岐黃 {qi2 huang2}, Qi4 Bo2 and the Yellow Emperor (the interlocutors of the {Inner Canon})

【其】 {qi2} [Freq. 4] third person pronoun (he, she, it; his, her, its).
其高者因而越之 {qi2 gao1 zhe3 yin1 er2 yue4 zhi1}, bring up and out what is high
其華在... {qi2 hua2 zai4}, its bloom is in the...
其下者引而竭之 {qi2 xia4 zhe3 yin3 er2 jie2 zhi1}, draw out and exhaust what is low

【奇】 {qi2} [Freq. 3] extraordinary.
奇方 {qi2 fang1}, odd-number formula
奇恆之腑 {qi2 heng2 zhi1 fu3}, extraordinary organ
奇經 {qi2 jing1}, extraordinary vessel
奇經八脈 {qi2 jing1 ba1 mai4}, eight extraordinary vessels
奇良 {qi2 liang2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
奇林翠雀 {qi2 lin2 cui4 que4}, 中藥正名 single-flowered delphinium (Delphinii Monanthi Herba)
奇授藿香丸 {qi2 shou4 huo4 xiang1 wan2}, 方名 Old Hermit Agastache Pill
奇邪 {qi2 xie2}, uncommon evil
奇癢 {qi2 yang3}, itch
奇異 {qi2 yi4}, 中藥異名 Chinese gooseberry (Actinidiae Chinensis Fructus)

【歧】 {qi2} [Freq. 5] forked (視歧 {shi4 qi2}, double vision)

【祁】 {qi2} [Freq. 4] great.
祁州一枝蒿 {qi2 zhou1 yi1 zhi1 hao1}, 中藥正名 Canadian erigeron (Erigerontis Canadensis Herba)

【祈】 {qi2} [Freq. 4] pray.

祈菊 {qi2 ju2}, 中藥正名 Qi chrysanthemum (Chrysanthemi Flos *Qi)

【旗】 {qi2} [Freq. 5] flag (懸旗風 {xuan2 qi2 feng1}, suspended flag wind)

【齊】 {qi2} [Freq. 3] Qi4 (479--502 A.D.).
齊刺 {qi2 ci4}, one-either-side needling (one of the twelve needling methods)
齊德之 {qi2 de2 zhi1}, Qi2 De2-Zhi1

【臍】 {qi2} [Freq. 3] umbilicus (n.); umbilical (adj.); navel.
臍瘡 {qi2 chuang1}, umbilical sores
臍帶 {qi2 dai4}, umbilical cord; umbilical cord (Hominis Chorda Umbilicalis); 中藥正名 human umbilical cord
臍風 {qi2 feng1}, umbilical wind
臍腹部的寒痛 {qi2 fu4 bu4 de han2 tong4}, cold pain in the umbilical region
臍腹疼痛 {qi2 fu4 teng2 tong4}, pain in umbilical region
臍腹痛 {qi2 fu4 tong4}, pain in the umbilical region
臍腹隱痛 {qi2 fu4 yin3 tong4}, dull pain in the umbilical region
臍腹脹滿 {qi2 fu4 zhang4 man3}, distention and fullness in the umbilical region
臍漏 {qi2 lou4}, umbilical fistula
臍內出血 {qi2 nei4 chu1 xue4}, bleeding navel
臍疝 {qi2 shan4}, umbilical mounting
臍濕 {qi2 shi1}, umbilical damp
臍濕腫 {qi2 shi1 zhong3}, umbilical damp swelling
臍屬腎 {qi2 shu3 shen4}, umbilicus belongs to the kidney
臍四邊 {qi2 si4 bian1}, 腧穴正名 Four Sides of the Umbilicus
臍痛 {qi2 tong4}, umbilical pain
臍突 {qi2 tu1}, protrusion of the umbilicus (umbilical mounting)
臍下 {qi2 xia4}, below the umbilicus; subumbilical region
臍下悸 {qi2 xia4 ji4}, palpitations below the umbilicus
臍下悸動 {qi2 xia4 ji4 dong4}, subumbilical palpitations
臍下絞痛 {qi2 xia4 jiao3 tong4}, gripping pain below the umbilicus; gripping subumbilical pain
臍下結氣 {qi2 xia4 jie2 qi4}, qi4 bind below the umbilicus
臍香 {qi2 xiang1}, 中藥異名 musk (Moschus)
臍癰 {qi2 yong1}, umbilical welling-abscess
臍中 {qi2 zhong1}, 腧穴異名 CV-8 (Center of the Navel)
臍腫 {qi2 zhong3}, swelling of the umbilicus
臍周竄痛 {qi2 zhou1 cuan4 tong4}, scurrying pain around the umbilicus

【薺】 {qi2} [Freq. 4] water chestnut (荸薺 {bi2 qi2})

【騎】 {qi2} [Freq. 4] ride.
騎馬癰 {qi2 ma3 yong1}, horse riding welling-abscess

【麒】 {qi2} [Freq. 4] unicorn.
麒麟菜 {qi2 lin2 cai4}, 中藥正名 eucheuma (Eucheuma)
麒麟竭 {qi2 lin2 jie2}, 中藥異名 dragon's blood (Daemonoropis Resina)
麒麟片 {qi2 lin2 pian4}, 中藥異名 pangolin scales (Manis Squama)
麒麟尾 {qi2 lin2 wei3}, 中藥正名 pinnate rhaphidophora stem (Rhaphidophorae Pinnatae Caulis)
麒麟血 {qi2 lin2 xue4}, 中藥異名 dragon's blood (Daemonoropis Resina)

【蜞】 {qi2} [Freq. 4] leech.
蜞 {qi2}, 中藥異名 leech (Hirudo)

【蕲】 {qi2} [Freq. 4] agkistrodon.
蕲艾 {qi2 ai4}, 中藥異名 crossostephium leaf (Crossostephii Folium)
蕲蛇 {qi2 she2}, 中藥正名 agkistrodon (Agkistrodon)
蕲蛇肉 {qi2 she2 rou4}, 中藥正名 agkistrodon flesh (Agkistrodonis Caro)

【蠐】 {qi2} [Freq. 4] June beetle.
蠐螬 {qi2 cao2}, 中藥正名 June beetle grub (Holotrichiae Vermiculus)

【&&25C7‖】 {qi2} [Freq. 4] disease name (懸&&25C7‖風 {xuan2 qi2 feng1}, same as 懸旗風 {xuan2 qi2 feng1}, suspended flag wind)

~~ {qi3} ~~
【杞】 {qi3} [Freq. 4] plant name.
杞根 {qi3 gen1}, 中藥異名 lycium bark (Lycii Cortex)
杞菊地黃湯 {qi3 ju2 di4 huang2 tang1}, 方名 Lycium Berry, Chrysanthemum, and Rehmannia Decoction
杞菊地黃丸 {qi3 ju2 di4 huang2 wan2}, 方名 Lycium Berry, Chrysanthemum, and Rehmannia Pill
杞子 {qi3 zi3}, 中藥異名 lycium (Lycii Fructus)

【起】 {qi3} [Freq. 3] rise; start.

起病 {qi3 bing4}, onset
起伏 {qi3 fu2}, fluctuating (of fever)
起伏不定 {qi3 fu2 bu4 ding4}, fluctuating
起即頭眩 {qi3 ji2 tou2 xuan4}, dizzy head upon rising
起居 {qi3 ju1}, way of life
起居不慎 {qi3 ju1 bu4 shen4}, careless living
起泡 {qi3 pao4}, blistering
起肉 {qi3 rou4}, prominence of the flesh
起痰 {qi3 tan2}, provokes the development of phlegm
起陽草 {qi3 yang2 cao3}, 中藥異名 Chinese leek (Allii Tuberosi Folium)
起針 {qi3 zhen1}, remove the needle

【啓】 {qi3} [Freq. 4] open (v.).
啓閉開竅 {qi3 bai4 kai1 qiao4}, break the block and open the orifices
啓膈散 {qi3 ge2 san3}, 方名 Diaphragm-Arousing Powder
啓宮丸 {qi3 gong1 wan2}, 方名 Uterus-Opening Pill
啓脾 {qi3 pi2}, arouse the spleen
啓脾散 {qi3 pi2 san3}, 方名 Spleen-Arousing Pill
啓脾湯 {qi3 pi2 tang1}, 方名 Spleen-Arousing Decoction
啓脾丸 {qi3 pi2 wan2}, 方名 Spleen-Arousing Pill

~~ {qi4} ~~
【&&7081||】 {qi4} [Freq. 4] qi4 (same as 氣 {qi4})

【泣】 {qi4} [Freq. 5] weep (乳泣 {ru3 qi4}, weeping breasts); tears (承泣 {cheng2 qi4}, Tear Container (ST-1))

【氣】{qi4} [Freq. 2] qi4 (n.) (中氣 {zhong1 qi4}, center qi4. &&7081|is a rare alternative form); breath (n.); breathing (n.) (氣粗 {qi4 cu4}, rough breathing).
氣秘 {qi4 bi4}, qi4 constipation
氣閉 {qi4 bi4}, qi4 block
氣痹 {qi4 bi4}, qi4 impediment
氣閉耳聾 {qi4 bi4 er3 long2}, qi4-block deafness
氣閉證 {qi4 bi4 zheng4}, qi4 block pattern
氣病 {qi4 bing4}, qi4 disease
氣病及血 {qi4 bing4 ji2 xue4}, qi4 disease affecting the blood
氣病證候 {qi4 bing4 zheng4 hou4}, qi4 disease pattern

氣不歸根 {qi4 bu4 gui1 gen1}, qi4 not going to root
氣不化津 {qi4 bu4 hua4 jin1}, qi4 failing to form/transform liquid
氣不化水 {qi4 bu4 hua4 shui3}, qi4 failing to transform water
氣不攝血 {qi4 bu4 she4 xue4}, qi4 failing to contain the blood; blood containment failure
氣不攝血證 {qi4 bu4 she4 xue4 zheng4}, pattern of qi4 failing to contain the blood
氣不足 {qi4 bu4 zu2}, insufficiency of qi4
氣沖 {qi4 chong1}, qi4 thoroughfare (Qi4 Thoroughfare 穴正名 ST-30
氣喘 {qi4 chuan3}, panting (Western medicine); asthma; asthma; 腧穴正名 Asthma
氣喘不能平臥 {qi4 chuan3 bu4 neng2 ping2 wo4}, panting with inability to lie flat
氣從少腹上沖 {qi4 cong2 shao4 fu4 shang4 chong1}, qi4 surging up from the lower abdomen
氣粗 {qi4 cu1}, rough breathing
氣粗喘促 {qi4 cu1 chuan3 cu4}, rough breathing and hasty panting
氣促 {qi4 cu4}, hasty breathing
氣道 {qi4 dao4}, pathway of qi4; airways
氣的證候 {qi4 de zheng4 hou4}, qi4 patterns
氣端 {qi4 duan1}, 腧穴正名 Asthma
氣短 {qi4 duan3}, shortness of breath
氣短喘息 {qi4 duan3 chuan3 xi1}, shortness of breath and panting
氣短聲嗄 {qi4 duan3 sheng1 sha4}, shortness of breath and hoarse voice
氣呃 {qi4 e4}, qi4 hiccup
氣分 {qi4 fen4}, qi4 aspect
氣分初熱 {qi4 fen4 chu1 re4}, initial-stage qi4-aspect heat
氣分初熱證 {qi4 fen4 chu1 re4 zheng4}, initial-stage qi4-aspect heat pattern
氣分大熱 {qi4 fen4 da4 re4}, great heat in the qi4 aspect
氣分熱盛 {qi4 fen4 re4 sheng4}, exuberant heat in the qi4 aspect
氣分濕熱 {qi4 fen4 shi1 re4}, qi4-aspect damp-heat
氣分濕熱證 {qi4 fen4 shi1 re4 zheng4}, qi4-aspect damp-heat pattern
氣分證 {qi4 fen4 zheng4}, qi4-aspect pattern
氣府 {qi4 fu3}, 腧穴異名 GB-25 (Qi4 House)
氣疳 {qi4 gan1}, qi4 gan1
氣膈 {qi4 ge2}, qi4 occlusion (a form of dysphagia-occlusion ({ye1 ge2}))
氣功 {qi4 gong1}, qi4 cultivation; qi4gong1
氣功療法 {qi4 gong1 liao2 fa3}, qi4 cultivation therapy; qi4gong1 therapy
氣鼓 {qi4 gu3}, qi4 drum
氣臌 {qi4 gu3}, qi4 drum distention
氣關 {qi4 guan1}, qi4 bar
氣管 {qi4 guan3}, 西醫 trachea
氣管炎片 {qi4 guan3 yan2 pian4}, 方名 Bronchitis Tablet

氣海 {qi4 hai3}, sea of qi4 (chest center and cinnabar field, or CV-6) (Sea of Qi4); 腧穴正名 CV-6 (Sea of Qi4); 腧穴異名 CV-4
氣海俞 {qi4 hai3 shu1}, 腧穴正名 BL-24 (Sea-of-Qi4 Transport)
氣合 {qi4 he2}, 腧穴異名 CV-8 (Qi4 Union)
氣戶 {qi4 hu4}, 腧穴正名 ST-13 (Qi4 Door)
氣化 {qi4 hua4}, qi4 transformation
氣化不利 {qi4 hua4 bu4 li4}, inhibited qi4 transformation
氣化不行 {qi4 hua4 bu4 xing2}, poor qi4 transformation
氣化傳染 {qi4 hua4 chuan2 ran3}, transmission by qi4 transformation
氣化失司 {qi4 hua4 shi1 si1}, breakdown of qi4 transformation
氣化失調 {qi4 hua4 shi1 tiao2}, disturbance of qi4 transformation
氣化無權 {qi4 hua4 wu2 quan2}, qi4 transformation failure
氣會 {qi4 hui4}, meeting point of qi4
氣機 {qi4 ji1}, qi4 dynamic
氣積 {qi4 ji1}, qi4 accumulation
氣機不暢 {qi4 ji1 bu4 chang4}, inhibited qi4 dynamic
氣機不利 {qi4 ji1 bu4 li4}, inhibited qi4 dynamic
氣機上逆 {qi4 ji1 shang4 ni4}, counterflow ascent of qi4 dynamic
氣急 {qi4 ji2}, rapid breathing
氣極 {qi4 ji2}, extreme of qi4
氣瘕 {qi4 jia3}, qi4 conglomeration
氣街 {qi4 jie1}, qi4 thoroughfare (Qi4 Thoroughfare); 腧穴異名 ST-30
氣結腹痛 {qi4 jie2 fu4 tong4}, qi4 bind abdominal pain
氣結咽喉 {qi4 jie2 yan1 hou2}, qi4 binding in the throat
氣津兩傷 {qi4 jin1 liang3 shang1}, damage to both qi4 and liquid
氣津兩虛 {qi4 jin1 liang3 xu1}, dual vacuity of qi4 and liquid
氣厥 {qi4 jue2}, qi4 reversal
氣口 {qi4 kou3}, qi4 opening; wrist pulse
氣快 {qi4 kuai4}, free and easy flow of qi4
氣塊 {qi4 kuai4}, qi4 lump
氣&&75AC.7667|{qi4 li4}, qi4 scrofula
氣力 {qi4 li4}, qi4 and bodily strength
氣立 {qi4 li4}, establishing qi4
氣痢 {qi4 li4}, qi4 dysentery
氣淋 {qi4 lin2}, qi4 strangury
氣瘤 {qi4 liu2}, qi4 tumor
氣聾 {qi4 long2}, qi4 deafness
氣輪 {qi4 lun2}, qi4 wheel (white of the eye)

氣輪風熱 {qi4 lun2 feng1 re4}, qi4 wheel wind-heat
氣輪濕熱 {qi4 lun2 shi1 re4}, qi4 wheel damp-heat
氣輪血瘀 {qi4 lun2 xue4 yu1}, qi4 wheel blood stasis
氣瘰 {qi4 luo3}, qi4 scrofula
氣滿 {qi4 man3}, qi4 fullness
氣悶痰多 {qi4 men1 tan2 duo1}, oppressed breathing and copious phlegm
氣門 {qi4 men2}, (pore); qi4 gate; 腧穴正名 Qi4 Gate
氣逆 {qi4 ni4}, qi4 counterflow
氣逆不食 {qi4 ni4 bu4 shi2}, qi4 counterflow with inability to eat
氣逆嘔吐 {qi4 ni4 ou3 tu4}, qi4 counterflow with retching and vomiting
氣逆上脫 {qi4 ni4 shang4 tuo1}, qi4 counterflow ascent desertion
氣逆證 {qi4 ni4 zheng4}, qi4 counterflow pattern
氣逆作喘 {qi4 ni4 zuo4 chuan3}, qi4 counterflow with panting
氣嘔 {qi4 ou3}, qi4 vomiting
氣痞 {qi4 pi3}, qi4 glomus
氣怯 {qi4 qie4}, qi4 timidity
氣行阻滯 {qi4 qing2 zu3 zhi4}, stagnant movement of qi4
氣熱傷津 {qi4 re4 shang1 jin1}, qi4 heat damaging liquid
氣熱爍津 {qi4 re4 shuo4 jin1}, qi4 heat scorching liquid
氣弱 {qi4 ruo4}, weak qi4
氣弱血滯 {qi4 ruo4 xue4 zhi4}, weak qi4 with blood stagnation
氣疝 {qi4 shan4}, qi4 mounting
氣上沖心 {qi4 shang4 chong1 xin1}, qi4 surging up into the heart
氣上逆 {qi4 shang4 ni4}, counterflow qi4 ascent
氣少 {qi4 shao3}, qi4 shortage
氣舍 {qi4 she4}, 腧穴正名 ST-11 (Qi4 Abode) (Qi4 Abode); 腧穴異名 CV-8
氣勝形 {qi4 sheng4 xing2}, qi4 prevailing over body
氣失所主 {qi4 shi1 suo3 zhu3}, qi4 is ungoverned
氣實 {qi4 shi2}, replete qi4
氣俞 {qi4 shu1}, 腧穴異名 GB-25 (Qi4 Transport)
氣嗽 {qi4 sou4}, qi4 cough
氣隨血華 {qi4 sui2 xue4 hua2}, qi4 blooming with the blood
氣隨血脫 {qi4 sui2 xue4 tuo1}, qi4 deserting with the blood
氣隨液脫 {qi4 sui2 ye4 tuo1}, qi4 deserting with humor
氣胎 {qi4 tai1}, qi4 fetus
氣痰 {qi4 tan2}, qi4 phlegm
氣桐子 {qi4 tong2 zi3}, 中藥正名 tung tree fruit (Aleuritis Fructus)
氣痛 {qi4 tong4}, qi4 pain

氣脫 {qi4 tuo1}, qi4 desertion
氣脫證 {qi4 tuo1 zheng4}, qi4 desertion pattern
氣微 {qi4 wei1}, faint breath
氣微力弱 {qi4 wei1 li4 ruo4}, faint breathing and lack of strength
氣爲血歸 {qi4 wei2 xue4 gui1}, qi4 is the home of blood
氣爲血之帥 {qi4 wei2 xue4 zhi1 shuai4}, qi4 is the commander of the blood
氣味 {qi4 wei4}, qi4 and flavor
氣味薄 {qi4 wei4 bo2}, weak qi4 and flavor
氣味俱厚 {qi4 wei4 ju4 hou4}, rich in qi4 and flavor
氣味陰陽 {qi4 wei4 yin1 yang2}, qi4, flavor, yin1 and yang2
氣無所附 {qi4 wu2 suo3 fu4}, qi4 has no support
氣&&90C4|{qi4 xi1}, 腧穴異名 GV-1 (Qi4 Cleft)
氣息 {qi4 xi1}, breathing
氣息不續 {qi4 xi1 bu4 xu4}, discontinuity of breathing
氣陷 {qi4 xian4}, qi4 fall
氣陷便溏 {qi4 xian4 bian4 tang2}, qi4 fall with sloppy stool
氣陷泄瀉 {qi4 xian4 xie4 xie4}, qi4 fall diarrhea
氣陷證 {qi4 xian4 zheng4}, qi4 fall pattern
氣瀉 {qi4 xie4}, qi4 diarrhea
氣行則積消 {qi4 xing2 ze2 ji1 xiao1}, when qi4 moves, accumulation disperses
氣行則痰行 {qi4 xing2 ze2 tan2 xing2}, when qi4 moves, phlegm moves
氣行則痛定 {qi4 xing2 ze2 tong4 ding4}, when qi4 moves, the pain is settles
氣胸 {qi4 xiong1}, 西醫 pneumothorax
氣虛 {qi4 xu1}, qi4 vacuity
氣虛崩漏 {qi4 xu1 beng1 lou4}, qi4 vacuity flooding and spotting
氣虛痹 {qi4 xu1 bi4}, qi4 vacuity impediment
氣虛不攝 {qi4 xu1 bu4 she4}, vacuous qi4 failing to ensure containment; qi4 vacuity containment failure
氣虛喘 {qi4 xu1 chuan3}, qi4 vacuity panting
氣虛耳聾 {qi4 xu1 er3 long2}, qi4 vacuity deafness
氣虛耳鳴 {qi4 xu1 er3 ming}, qi4 vacuity tinnitus
氣虛發熱 {qi4 xu1 fa1 re4}, qi4 vacuity heat [effusion] (fever)
氣虛發熱證 {qi4 xu1 fa1 re4 zheng4}, pattern of qi4 vacuity heat [effusion] (fever)
氣虛腹痛 {qi4 xu1 fu4 tong4}, qi4 vacuity abdominal pain
氣虛滑胎 {qi4 xu1 hua2 tai1}, qi4 vacuity habitual miscarriage
氣虛經行先期 {qi4 xu1 jing1 xing2 xian1 qi1}, qi4 vacuity advanced menstruation
氣虛脾寒 {qi4 xu1 pi2 han2}, qi4 vacuity and spleen cold
氣虛熱 {qi4 xu1 re4}, qi4 vacuity heat

氣虛頭痛 {qi4 xu1 tou2 tong4}, qi4 vacuity headache
氣虛外感 {qi4 xu1 wai4 gan3}, qi4 vacuity external contraction
氣虛外感證 {qi4 xu1 wai4 gan3 zheng4}, pattern of qi4 vacuity external contraction
氣虛痿 {qi4 xu1 wei3}, qi4 vacuity wilting
氣虛下陷 {qi4 xu1 xia4 xian4}, qi4 vacuity fall
氣虛心悸 {qi4 xu1 xin1 ji4}, qi4 vacuity palpitations
氣虛眩暈 {qi4 xu1 xuan4 yun}, qi4 vacuity dizziness
氣虛血瘀 {qi4 xu1 xue4 yu1}, qi4 vacuity with blood stasis
氣虛血瘀證 {qi4 xu1 xue4 yu1 zheng4}, pattern qi4 vacuity with blood stasis
氣虛血滯 {qi4 xu1 xue4 zhi4}, qi4 vacuity blood stagnation
氣虛有內熱 {qi4 xu1 you3 nei4 re4}, qi4 vacuity with internal heat
氣虛欲脫 {qi4 xu1 yu4 tuo1}, qi4 vacuity verging on desertion
氣虛月經過多 {qi4 xu1 yue4 jing1 guo4 duo1}, qi4 vacuity profuse menstruation
氣虛則寒 {qi4 xu1 ze2 han2}, when qi4 is vacuous, there is cold
氣虛證 {qi4 xu1 zheng4}, qi4 vacuity pattern
氣虛中滿 {qi4 xu1 zhong1 man3}, qi4 vacuity center fullness
氣虛自汗 {qi4 xu1 zi4 han4}, qi4 vacuity spontaneous sweating
氣虛作泄 {qi4 xu1 zuo4 xie4}, qi4 vacuity with diarrhea
氣穴 {qi4 xue2}, acupuncture point; qi4 point (Qi4 Point); 腧穴正名 KI-13
氣血 {qi4 xue4}, qi4 and blood; qi4-blood
氣血暴虛 {qi4 xue4 bao4 xu1}, sudden vacuity of qi4 and blood
氣血閉塞 {qi4 xue4 bi4 se4}, blockage of qi4 and blood
氣血辨證 {qi4 xue4 bian4 zheng4}, qi4-blood pattern identification
氣血不足 {qi4 xue4 bu4 zu2}, insufficiency of qi4 and blood
氣血沖和 {qi4 xue4 chong1 he2}, harmonious flow of qi4 and blood
氣血充沛 {qi4 xue4 chong1 pei4}, abundance of qi4 and blood
氣血毒熱俱盛 {qi4 xue4 du2 re4 ju4 sheng4}, toxic heat in both qi4 and blood
氣血皆病 {qi4 xue4 jie1 bing4}, disease of both qi4 and blood
氣血俱虛 {qi4 xue4 ju4 xu1}, dual vacuity of qi4 and blood
氣血兩燔 {qi4 xue4 liang3 fan2}, qi4 and blood both ablaze; blazing of both qi4 and blood
氣血兩燔證 {qi4 xue4 liang3 fan2 zheng4}, pattern of qi4 and blood both ablaze
氣血兩虧 {qi4 xue4 liang3 kui1}, dual depletion of qi4 and blood
氣血兩清 {qi4 xue4 liang3 qing1}, clear both qi4 and the blood; dual clearing of both qi4 and the blood
氣血兩虛 {qi4 xue4 liang3 xu1}, dual vacuity of qi4 and blood; qi4-blood vacuity
氣血兩虛證 {qi4 xue4 liang3 xu1 zheng4}, pattern of dual vacuity of qi4 and blood
氣血流通不暢 {qi4 xue4 liu2 tong1 bu4 chang4}, inhibited flow of qi4 and blood
氣血流行不暢 {qi4 xue4 liu2 xing2 bu4 chang4}, poor blood and qi4 flow

氣血生化之源 {qi4 xue4 sheng1 hua4 zhi1 yuan2}, the source of blood and qi4 formation
氣血失調 {qi4 xue4 shi1 tiao2}, disharmony of qi4 and blood
氣血雙補 {qi4 xue4 shuang1 bu3}, supplement both qi4 and blood; dual supplementation of qi4 and blood
氣血雙補劑 {qi4 xue4 shuang1 bu3 ji4}, dual qi4 and blood supplementation formula
氣血雙清 {qi4 xue4 shuang1 qing1}, clear both qi4 and the blood
氣血痰食辨證 {qi4 xue4 tan2 shi2 bian4 zheng4}, qi4, blood, phlegm, and food pattern identification
氣血同病 {qi4 xue4 tong2 bing4}, dual disease of qi4 and blood
氣血虛弱 {qi4 xue4 xu1 ruo4}, qi4 and blood vacuity
氣血虛弱痛經 {qi4 xue4 xu1 ruo4 tong4 jing1}, qi4-blood vacuity menstrual pain
氣血瘀滯 {qi4 xue4 yu1 zhi4}, qi4 stagnation and blood stasis
氣血運行不利 {qi4 xue4 yun4 xing2 bu4 li4}, inhibited movement of qi4 and blood
氣血驟虛 {qi4 xue4 zou4 xu1}, sudden vacuity of qi4 and blood
氣翳 {qi4 yi4}, qi4 screen
氣陰並虛 {qi4 yin1 bing4 xu1}, vacuity of both qi4 and yin1
氣陰不足 {qi4 yin1 bu4 zu2}, insufficiency of qi4 and yin1
氣陰兩傷 {qi4 yin1 liang3 shang1}, damage to both qi4 and yin1
氣陰兩虛 {qi4 yin1 liang3 xu1}, dual vacuity of qi4 and yin1; qi4 and yin1 vacuity; pattern of dual vacuity of qi4 and yin1
氣陰雙補法 {qi4 yin1 shuang1 bu3 fa3}, dual supplementation of qi4 and yin1
氣營兩燔 {qi4 ying2 liang3 fan2}, qi4 and construction both ablaze; dual blaze of qi4 and construction
氣營兩燔證 {qi4 ying2 liang3 fan2 zheng4}, pattern of qi4 and construction both ablaze
氣營兩清 {qi4 ying2 liang3 qing1}, clear both qi4 and construction; dual clearing of qi4 and construction
氣營同病 {qi4 ying2 tong2 bing4}, dual disease of qi4 and construction
氣癭 {qi4 ying3}, qi4 goiter; 膺穴正名 Qi4 Goiter
氣壅 {qi4 yong1}, qi4 congestion
氣由臟發 {qi4 you2 zang4 fa1}, qi4 effuses from the viscera
氣有余便是火 {qi4 you3 yu2 bian4 shi4 huo3}, superabundant qi4 is fire
氣魚 {qi4 yu2}, 膺穴異名 CV-3 (Qi4 Fish)
氣郁 {qi4 yu4}, qi4 depression
氣郁化火 {qi4 yu4 hua4 huo3}, depressed qi4 transforming into fire
氣郁化火證 {qi4 yu4 hua4 huo3 zheng4}, pattern of depressed qi4 transforming into fire
氣郁湯 {qi4 yu4 tang1}, 方名 Qi4 Depression Decoction; Qi4 Depression Decoction
氣郁脘痛 {qi4 yu4 wan3 (guan3) tong4}, qi4 depression stomach duct pain
氣郁脘痛 {qi4 yu4 wan3 tong4}, qi4 depression stomach duct pain

氣郁胃痛 {qi4 yu4 wei4 tong4}, qi4 stagnation stomach pain
氣郁脅痛 {qi4 yu4 xie2 tong4}, qi4 depression rib-side pain
氣郁胸膈嘈 {qi4 yu4 xiong1 ge2 cao2}, chest and diaphragm qi4 depression clamor
氣郁眩暈 {qi4 yu4 xuan4 yun1}, qi4 depression dizziness
氣郁血崩 {qi4 yu4 xue4 beng1}, qi4 depression flooding
氣郁脅痛 {qi4 yu4 xue4 tong4}, qi4 depression rib-side pain
氣原 {qi4 yuan2}, 腧穴異名 CV-3 (Qi4 Source)
氣燥烈 {qi4 zao4 lie4}, dry harsh qi4
氣脹 {qi4 zhang4}, qi4 distention
氣上撞心 {qi4 zhang4 zhuang4 xin1}, qi4 bumping upward against the heart
氣之陰&&90C4|{qi4 zhi1 yin1 xi1}, 腧穴異名 GV-1 (Yin4 Cleft of Qi4)
氣至 {qi4 zhi4}, arrival of qi4
氣痔 {qi4 zhi4}, qi4 hemorrhoids
氣滯 {qi4 zhi4}, qi4 stagnation
氣滯不運 {qi4 zhi4 bu4 yun4}, qi4 stagnation
氣滯耳竅 {qi4 zhi4 er3 qiao4}, qi4 stagnating in the ear orifice
氣滯耳竅證 {qi4 zhi4 er3 qiao4 zheng4}, pattern of qi4 stagnating in the ear orifice
氣滯腹痛 {qi4 zhi4 fu4 tong4}, qi4 stagnation abdominal pain
氣滯寒郁 {qi4 zhi4 han2 yu4}, qi4 stagnation cold depression
氣滯經行后期 {qi4 zhi4 jing1 xing2 hou4 qi1}, qi4 stagnation delayed menstruation
氣滯塞疼痛 {qi4 zhi4 sai1 teng2 tong4}, qi4 stagnation pain
氣滯濕阻 {qi4 zhi4 shi1 zu3}, qi4 stagnation and damp obstruction
氣滯濕阻證 {qi4 zhi4 shi1 zu3 zheng4}, qi4 stagnation and damp obstruction pattern
氣滯痰凝咽喉 {qi4 zhi4 tan2 ning2 yan1 hou2}, qi4 stagnating and phlegm congealing in the throat
氣滯痰凝咽喉證 {qi4 zhi4 tan2 ning2 yan1 hou2 zheng4}, pattern of qi4 stagnating and phlegm congealing in the throat
氣滯痛 {qi4 zhi4 tong4}, qi4 stagnation pain
氣滯痛經 {qi4 zhi4 tong4 jing1}, qi4 stagnation menstrual pain
氣滯胃痛 {qi4 zhi4 wei4 tong4}, qi4 stagnation stomach pain
氣滯血瘀 {qi4 zhi4 xue4 yu1}, qi4 stagnation and blood stasis
氣滯血瘀經閉 {qi4 zhi4 xue4 yu1 jing1 bi4}, qi4 stagnation blood stasis menstrual block
氣滯血瘀心悸 {qi4 zhi4 xue4 yu1 xin1 ji4}, qi4 stagnation blood stasis palpitations
氣滯血瘀證 {qi4 zhi4 xue4 yu1 zheng4}, pattern of qi4 stagnation and blood stasis
氣滯腰痛 {qi4 zhi4 yao1 tong4}, qi4 stagnation lumbar pain
氣滯郁結 {qi4 zhi4 yu4 jie2}, binding depression of qi4
氣滯則水結 {qi4 zhi4 ze2 shui3 jie2}, when qi4 stagnates, water binds
氣滯證 {qi4 zhi4 zheng4}, qi4 stagnation pattern

氣滯腫脹 {qi4 zhi4 zhong3 zhang4}, qi4 stagnation swelling
氣中 {qi4 zhong1}, 腧穴正名 Qi4 Center
氣腫 {qi4 zhong3}, qi4 swelling
氣中 {qi4 zhong4}, qi4 stroke
氣主煦之 {qi4 zhu3 xu3 zhi1}, qi4 governs warming

【棄】 {qi4} [Freq. 4] cast off.
棄衣而走 {qi4 yi1 er2 zou3}, casting off one's clothes and running around

【器】 {qi4} [Freq. 5] equipment (針灸器材 {zhen1 jiu3 qi4 cai2}, acupuncture equipment); receptacle (肺爲貯痰之器 {fei4 wei2 zhu4 tan2 zhi1 qi4}, lung is the receptacle that holds phlegm); organ (陰器 {yin1 qi4}, yin1 organ).
器官 {qi4 guan1}, 西醫 organ

【瘈】 {qi4} [Freq. 2] tugging (n.) (see 瘈 {chi4})

~~ {qia1} ~~
【掐】 {qia1} [Freq. 4] press; pinch.
掐法 {qia1 fa3}, fingernail pressing (manipulation technique)

~~ {qia4} ~~
【髂】 {qia4} [Freq. 4] ilium.
髂髕中 {qia4 bin4 zhong1}, 腧穴正名 Between Ilium and Patella
髂骨 {qia4 gu3}, 西醫 ilium
髂后上棘 {qia4 hou4 shang4 ji2}, 腧穴正名 Posterior Superior Iliac Spine
髂外靜脈 {qia4 wai4 jing4 mai4}, 西醫 external iliac vein
髂腰肌 {qia4 yao1 ji1}, 西醫 iliopsoas muscle
髂總動脈 {qia4 zong3 dong4 mai4}, 西醫 common iliac artery
髂總靜脈 {qia4 zong3 jing4 mai4}, 西醫 common iliac vein

【&&845C‖】 {qia4} [Freq. 5] (*白&&845C|{bai2 qia4}, smooth greenbrier)

~~ {qian1} ~~
【千】 {qian1} [Freq. 3] thousand.
千寶菜 {qian1 bao3 cai4}, 中藥正名 winter mustard (Brassicae Japonicae Herba)

千曾塔 {qian1 ceng2 ta3}, 中藥異名 basil (Basilici Herba)
千層塔 {qian1 ceng2 ta3}, 中藥正名 serrate club moss (Lycopodii Serrati Herba)
千捶膏 {qian1 chui2 gao1}, 方名 Thoroughly Pounded Paste
千打錘 {qian1 da3 chui2}, 中藥正名 Chun's lindera (Linderae Chunii Radix)
千根草 {qian1 gen1 cao3}, 中藥異名 thyme-leaved spurge (Euphorbiae Thymifoliae Herba)
千斤拔 {qian1 jin1 ba2}, 中藥正名 moghania (Moghaniae Radix)
千金拔 {qian1 jin1 ba2}, 中藥異名 Finet's clematis (Clematidis Finetianae Radix, Caulis et Folium)
千金菜 {qian1 jin1 cai4}, 中藥異名 lettuce (Lactucae Sativae Caulis et Folium)
千金當歸湯 {qian1 jin1 dang1 gui1 tang1}, 方名 Thousand Golden Pieces Chinese Angelica Decoction
千金方 {qian1 jin1 fang1}, 書名 Thousand Gold Pieces Formulary
千金花 {qian1 jin1 hua1}, 中藥正名 eupatorium flower (Eupatorii Flos)
千金雞鳴散 {qian1 jin1 ji1 ming2 san3}, 方名 Thousand Gold Pieces Cockcrow Powder
千金內托散 {qian1 jin1 nei4 tuo1 san3}, 方名 Thousand Gold Pieces Internal Expulsion Powder
千金散 {qian1 jin1 san3}, 方名 Thousand Gold Pieces Powder
千金藤 {qian1 jin1 teng2}, 中藥正名 Japanese stephania (Stephaniae Japonicae Radix seu Caulis et Folium)
千金葦莖湯 {qian1 jin1 wei3 jing1 tang1}, 方名 Thousand Gold Pieces Phragmites Decoction
千金要方 {qian1 jin1 yao4 fang1}, 書名 A Thousand Gold Pieces Prescriptions (full title {Bei4 Ji2 Qian1 Jin1 Yao4 Fang1} 備急千金要方)
千金翼方 {qian1 jin1 yi4 fang1}, 書名 Wings of the Thousand Gold Pieces Formulary
千金子 {qian1 jin1 zi3, 中藥正名 caper spurge seed (Euphorbiae Semen)
千里光 {qian1 li3 guang1}, 中藥正名 climbing groundsel (Senecionis Scandentis Herba)
千緡湯 {qian1 min2 tang1}, 方名 Thousand Strings of Cash Decoction
千年矮 {qian1 nian2 ai3}, 中藥異名 Japanese ardisia (Ardisiae Japonicae Herba)
千年健 (1) {qian1 nian2 jian4}, 中藥正名 homalomena (Homalomenae Rhizoma)
千年健 (2) {qian1 nian2 jian4}, 中藥異名 sargentodoxa (Sargentodoxae Caulis)
千年潤 {qian1 nian2 run4}, 中藥異名 dendrobium (Dendrobii Herba)
千年耗子屎種子 {qian1 nian4 hao4 zi3 shi3 zhong4 zi3}, 中藥正名 semiaquilegia seed (Semiaquilegiae Semen)
千屈菜 {qian1 qu1 cai4}, 中藥正名 lythrum (Lythri Herba)
千日瘡 {qian1 ri4 chuang1}, thousand-day sore (wart)
千日紅 {qian1 ri4 hong2}, 中藥正名 globe amaranth (Gomphrenae Flos seu Radix)
千張樹 {qian1 zhang1 shu4}, 中藥異名 camptotheca (Camptothecae Fructus seu Radix)
千張紙 {qian1 zhang1 zhi3}, 中藥異名 oroxylum (Oroxyli Semen)
千針草 {qian1 zhen1 cao3}, 中藥異名 field thistle (Cirsii Herba)

千針萬線草 {qian1 zhen1 wan4 xian4 cao3}, 中藥正名 Yun2nan2 stellaria (Stellariae Yunnanensis Radix)
千紙肉 {qian1 zhi3 rou4}, 中藥異名 oroxylum (Oroxyli Semen)
千足 {qian1 zu2}, 中藥異名 centipede (Scolopendra)

【牽】 {qian1} [Freq. 3] stretch (of pain from one region to another).
牽連 {qian1 lian2}, stretch
牽牛 {qian1 niu2}, 中藥異名 morning glory (Pharbitidis Semen)
牽牛末 {qian1 niu2 mo4}, 中藥正名 powdered morning glory (Pharbitidis Semen Pulveratum)
牽牛丸 {qian1 niu2 wan2}, 方名 Morning Glory Pill
牽牛子 {qian1 niu2 zi3}, 中藥正名 morning glory (Pharbitidis Semen)
牽牛子末 {qian1 niu2 zi3 mo4}, 中藥異名 powdered morning glory (Pharbitidis Semen Pulveratum)
牽牛子粥 {qian1 niu2 zi3 zhou1}, 方名 Morning Glory Gruel
牽正 {qian1 zheng4}, 腧穴正名 Pull Aright
牽正散 {qian1 zheng4 san3}, 方名 Pull Aright Powder

【愆】 {qian1} [Freq. 5] miss (the right time) (月經愆期 {yue4 jing1 qian1 qi2}, yue4 jing1 qian1 qi2)

【鉛】 {qian1} [Freq. 4] lead.
鉛 {qian1}, 中藥正名 galenite (Galenitum)
鉛丹 {qian1 dan1}, 中藥正名 minium (Minium)
鉛粉 {qian1 fen3}, 中藥正名 processed galenite (Galenitum Praeparatum)
鉛華 {qian1 hua2}, 中藥異名 minium (Minium)
鉛黃 {qian1 huang2}, 中藥異名 minium (Minium)
鉛灰 {qian1 hui1}, 中藥正名 charred galenite (Galenitum Carbonisatum)
鉛霜 {qian1 shuang1}, 中藥正名 vinegar-processed galenite (Galenitum Acidum)

【遷】 {qian1} [Freq. 4] move; prolong.
遷延痢 {qian1 yan2 li4}, prolonged dysentery

【扦】 {qian1} [Freq. 4] needle-like piece of metal, bamboo, or wood; stick in (v.)

~~ {qian2} ~~
【前】 {qian2} [Freq. 3] in front of; anterior; before; pre-.
前臂 {qian2 bi4}, 西醫 forearm

前頂 {qian2 ding3}, 腧穴正名 GV-21 (Before the Vertex)
前髮際 {qian2 fa4 ji4}, anterior hairline
前谷 {qian2 gu3}, 腧穴正名 SI-2 (Front Valley)
前關 {qian2 guan1}, 腧穴異名 GB-1 (Foregate)
前后隱珠 {qian2 hou4 yin3 zhu1}, 腧穴正名 Hidden Pearls in Front and Back
前胡 {qian2 hu2, 中藥正名 peucedanum (Peucedani Radix)
前進 {qian2 jin4}, 腧穴正名 Advance
前臼齒 {qian2 jiu4 chi3}, 西醫 remolars
前鋸肌 {qian2 ju4 ji1}, 西醫 anterior serratus muscle
前列腺炎 {qian2 lie4 xian4 yan2}, 西醫 prostatitis; prostatitis
前列腺增生症 {qian2 lie4 xian4 zheng1 sheng1 zheng4}, 西醫 prostatomegaly
前溲 {qian2 sou1}, urine
前庭大腺 {qian2 ting2 da4 xian4}, 西醫 Bartholin's glands
前庭大腺炎 {qian2 ting2 da4 xian4 yan2}, 西醫 bartholinitis
前頭百會 {qian2 tou2 bai3 hui4}, 腧穴異名 GV-22 (Hundred Convergences of the Forehead)
前頭痛 {qian2 tou2 tong4}, anterior headache
前胸壁疼痛綜合症 {qian2 xiong1 bi4 teng2 tong4 zong4 he2 zheng4}, 西醫 anterior chest wall syndrome
前陰 {qian2 yin1}, anterior yin1 (genital orifice); genitals
前章門 {qian2 zhang1 men2}, 腧穴異名 SP-12 (Front Camphorwood Gate)

【潛】 {qian2} [Freq. 2] subdue (v.) (潛陽 {qian2 yang2}, subdue yang).
潛肝陽 {qian2 gan1 yang2}, subdue liver yang2
潛陽 {qian2 yang2}, subdue yang2
潛陽熄風 {qian2 yang2 xi1 feng1}, subdue yang2 and extinguish wind
潛鎮 {qian2 zhen4}, subdue and settle

【錢】 {qian2} [Freq. 3] qian2 (unit of weight equal to one tenth of a liang3); mace (unit of weight equal to one tenth of a liang3); surname (unit of weight equal to one tenth of a liang3).
錢匕 {qian2 bi3}, qian2-spoon
錢氏白朮散 {qian2 shi4 bai2 zhu2 san3}, Qian2's White Atractylodes Powder
錢乙 {qian2 yi3}, Qian2 Yi3

【黔】 {qian2} [Freq. 4] black.
黔貴醉魂藤 {qian2 gui4 zui4 hun2 teng2}, 中藥正名 Esquirol heterostemma (Heterostemmatis Esquirolii Radix seu Herba)
黔羊蹄甲 {qian2 yang2 ti2 jia3}, 中藥正名 Lecompte's bauhinia (Bauhiniae Lecomtei Folium et Radix)

【蕁】 {qian2} [Freq. 4] nettle (increaingly pronounced {xun2}).
蕁麻 {qian2 ma2}, 中藥正名 nettle (Urticae Herba)
蕁麻根 {qian2 ma2 gen1}, 中藥正名 nettle root (Urticae Radix)
蕁麻疹 {qian2 ma2 zhen3}, 西醫 urticaria

~~ {qian3} ~~
【淺】 {qian3} [Freq. 5] shallow (經色淺淡 {jing1 se4 qian3 dan4}, light-colored menstrual flow).
淺掌弓 {qian3 zhang3 gong1}, 西醫 superficial palmar arch

~~ {qian4} ~~
【欠】 {qian4} [Freq. 3] lack (四肢欠溫 {si4 zhi1 qian4 wen1}, lack of warmth in the limbs); yawn (v.), (n.) (呵欠 {he1 qian4}, yawning).
欠伸 {qian4 shen1}, yawning and stretching
欠溫 {qian4 wen1}, lack of warmth

【芡】 {qian4} [Freq. 4] plant name.
芡實 {qian4 shi2}, 中藥正名 euryale (Euryales Semen)
芡實根 {qian4 shi2 gen1}, 中藥正名 euryale root (Euryales Radix)
芡實莖 {qian4 shi2 jing1}, 中藥正名 euryale stem (Euryales Caulis)
芡實葉 {qian4 shi2 ye4}, 中藥正名 euryale leaf (Euryales Folium)

【茜】 {qian4} [Freq. 4] madder.
茜草根 {qian4 cao3 gen1}, 中藥異名 madder (Rubiae Radix)
茜草莖 {qian4 cao3 jing1}, 中藥正名 madder stem (Rubiae Caulis et Folium)
茜草炭 {qian4 cao3 tan4}, 中藥正名 charred madder (Rubiae Radix Carbonisata)
茜草 {qian4 cao3, 中藥正名 madder (Rubiae Radix)
茜根 {qian4 gen1}, 中藥異名 madder (Rubiae Radix)
茜根散 {qian4 gen1 san3}, 方名 Madder Root Powder

~~ {qiang1} ~~
【羌】 {qiang1} [Freq. 4] ancient nationality in western China.
羌蒡蒲薄湯 {qiang1 bang4 pu2 bo4 tang1}, 方名 Notopterygium, Arctium, Dandelion, and Mint Decoction

羌光 {qiang1 guang1}, 中藥異名 notopterygium (Notopterygii Rhizoma et Radix)
羌滑 {qiang1 hua2}, 中藥異名 notopterygium (Notopterygii Rhizoma et Radix)
羌活 {qiang1 huo2}, 中藥正名 notopterygium (Notopterygii Rhizoma et Radix)
羌活白芷散 {qiang1 huo2 bai2 zhi3 san3}, 方名 Notopterygium and Dahurian Angelica Powder
羌活敗毒湯 {qiang1 huo2 bai4 du2 tang1}, 方名 Notopterygium Toxin-Vanquishing Decoction
羌活除濕湯 {qiang1 huo2 chu2 shi1 tang1}, 方名 Notopterygium Dampness-Eliminating Decoction
羌活防風湯 {qiang1 huo2 fang2 feng1 tang1}, 方名 Notopterygium and Saposhnikovia Decoction; Notopterygium and Saposhnikovia Decoction
羌活附子湯 {qiang1 huo2 fu4 zi3 tang1}, 方名 Notopterygium and Aconite Decoction
羌活勝濕湯 {qiang1 huo2 sheng4 shi1 tang1}, 方名 Notopterygium Dampness-Overcoming Decoction
羌活續斷湯 {qiang1 huo2 xu4 duan4 tang1}, 方名 Notopterygium and Dipsacus Decoction
羌活魚 {qiang1 huo2 yu2}, 中藥正名 salamander (Batrachuperus)
羌藍湯 {qiang1 lan2 tang1}, 方名 Notopterygium and Isatis Root Decoction

【腔】 {qiang1} [Freq. 4] cavity.
腔靜脈 {qiang1 jing4 mai4}, 西醫 vena cava

【嗆】 {qiang1} [Freq. 5] choke (飲水則嗆 {yin3 shui3 ze2 qiang1}, choking when drinking)

【搶】 {qiang1} [Freq. 4] prod.
槍刀菜根 {qiang1 dao1 cai4 gen1}, 中藥正名 Japanese picris (Picris Japonicae Radix seu Herba)

【遷】 {qiang1} [Freq. 4] move

【蜣】 {qiang1} [Freq. 4] dung beetle.
蜣螂 {qiang1 lang2}, 中藥正名 dung beetle (Catharsius)
蜣螂蟲 {qiang1 lang2 chong2}, 中藥異名 dung beetle (Catharsius)

~~ {qiang2} ~~
【&&5899.58BB||】 {qiang2} [Freq. 5] wall (same as 牆 {qiang2})

【強】 {qiang2} [Freq. 2] strong (adj.); strengthen (v.) (胃強脾弱 {wei4 qiang2 pi2 ruo4}, strong stomach and weak spleen. See also 強 {jiang4}).

強補肝腎 {qiang2 bu3 gan1 shen4}, stronly supplement the liver and kidney
強沖 {qiang2 chong1}, 腧穴異名 Strong Surge
強間 {qiang2 jian1}, 腧穴正名 GV-18 (Unyielding Space)
強筋骨 {qiang2 jin1 gu3}, strengthen sinew and bone
強筋壯骨 {qiang2 jin1 zhuang4 gu3}, strengthen sinew and bone
強胯 {qiang2 kua4}, 腧穴正名 Strong Thigh
強烈 {qiang2 lie4}, strong
強膂 {qiang2 lu93}, 中藥異名 cibotium (Cibotii Rhizoma)
強脈 {qiang2 mai4}, strong pulse
強欠 {qiang2 qian4}, belching
強上 {qiang2 shang4}, upward pulling rigidity
強身體 {qiang2 shen1 ti3}, strengthen the body
強腎固精 {qiang2 shen4 gu4 jing1}, strengthen the kidney and secure essence
強腎生精 {qiang2 shen4 sheng1 jing1}, strengthen the kidney and engender essence
強心 {qiang2 xin1}, strengthen the heart; strengthen the heart
強陽 {qiang2 yang2}, 腧穴異名 BL-8 (Strong Yang2)
強腰膝 {qiang2 yao1 xi1}, strengthen the lumbus and knees
強音 {qiang2 yin1}, 腧穴正名 Strong Sound
強陰 {qiang2 yin1}, strengthen yin1
強中 {qiang2 zhong1}, rigid center (persistent erection with seminal loss)
強壯身體 {qiang2 zhuang4 shen1 ti3}, strengthen the body

【薔】 {qiang2} [Freq. 4] plant name.
薔薇根 {qiang2 wei1 gen1}, 中藥正名 multiflora rose root (Rosae Multiflorae Radix)
薔薇根白皮 {qiang2 wei1 gen1 bai2 pi2}, 中藥正名 multiflora rose root bark (Rosae Multiflorae Radicis Cortex)
薔薇根皮 {qiang2 wei1 gen1 pi2}, 中藥異名 multiflora rose root bark (Rosae Multiflorae Radicis Cortex)
薔薇花 {qiang2 wei1 hua1}, 中藥正名 multiflora rose (Rosae Multiflorae Flos)
薔薇露 {qiang2 wei1 lu4}, 中藥正名 multiflora rose distillate (Rosae Multiflorae Floris Distillatum)
薔薇葉 {qiang2 wei1 ye4}, 中藥正名 multiflora rose leaf (Rosae Multiflorae Folium)
薔薇枝 {qiang2 wei1 zhi1}, 中藥正名 multiflora rose twig (Rosae Multiflorae Caulis)

【墻】 {qiang2} [Freq. 4] wall.
&&5899.58BB‖草根 {qiang2 cao3 gen1}, 中藥正名 pellitory (Parietariae Radix)

~~ {qiang3} ~~
【搶】 {qiang3} [Freq. 4] snatch; rush.
搶救 {qiang3 jiu4}, emergency rescue
搶救虛脫 {qiang3 jiu4 xu1 tuo1}, stem vacuity desertion

~~ {qiao1} ~~
【蹺】 {qiao1} [Freq. 5] springing (n.) (also 蹻 {qiao1}. 蹺脈 {qiao1 mai4}, springing vessel)

【蹻】 {qiao1} [Freq. 4] spring (v.); springing (n.) (Lift the leg. Same as 蹺 {qiao1}. 蹻脈 {qiao1 mai4}, springing vessel).
蹻脈 {qiao1 mai4}, springing vessel

~~ {qiao2} ~~
【喬】 {qiao2} [Freq. 4] tall.
喬木紫珠 {qiao2 mu4 zi3 zhu1}, 中藥正名 tree beauty-berry (Callicarpae Arboreae Radix et Folium)

【蕎】 {qiao2} [Freq. 4] buckwheat.
蕎麥 {qiao2 mai4}, 中藥正名 buckwheat (Fagopyri Semen)
蕎麥秸 {qiao2 mai4 jie1}, 中藥正名 buckwheat stalk and leaf (Fagopyri Caulis et Folium)
蕎麥麵 {qiao2 mai4 mian4}, 中藥正名 buckwheat flour (Fagopyri Farina)
蕎麥七 {qiao2 mai4 qi1}, 中藥正名 pteroxygon (Pteroxygoni Tuber)
蕎麥三七 {qiao2 mai4 san1 qi1}, 中藥異名 wild buckwheat root (Fagopyri Cymosi Rhizoma et Radix)

~~ {qiao3} ~~
【巧】 {qiao3} [Freq. 5] ingenuity (腎主伎巧 {shen4 zhu3 ji4 qiao3}, kidney governs ingenuity)

~~ {qiao4} ~~
【殼】 {qiao4} [Freq. 5] shell (see also 殼 {ke2})

【撬】 {qiao4} [Freq. 4] pry.
撬開 {qiao4 kai1}, pry open

【鞘】 {qiao4} [Freq. 4] sheath (see also 鞘 {shao1})

【竅】 {qiao4} [Freq. 2] orifice (n.) (九竅 {jiu3 qiao4}, nine orifices).
竅閉 {qiao4 bi4}, orifice block
竅陰 (頭) {qiao4 yin1 (tou2)}, 腧穴異名 GB-11 (Orifice Yin1 (head))
竅陰(足) {qiao4 yin1 (zu2)}, 腧穴異名 GB-44 (Orifice Yin1 (foot))
翹荷湯 {qiao4 he2 tang1}, 方名 Forsythia and Mint Decoction

~~ {qie1} ~~
【切】 {qie1} [Freq. 2] cut (v.) (切片 {qie1 pian4}, cut into slices); slice.
切斷 {qie1 duan4}, cut into sections
切開療法 {qie1 kai1 liao2 fa3}, incision therapy
切片 {qie1 pian4}, slice
切絲 {qie1 si1}, cut into shreds
切痛 {qie1 tong4}, cutting pain
切藥機 {qie1 yao4 ji1}, herb cutter

~~ {qie2} ~~
【伽】 {qie2} [Freq. 4] used in transcription (伽南香 {qie2 nan2 xiang1}, resinous aquilaria. See also 伽 {ga1}).
伽藍菜 {qie2 lan2 cai4}, 中藥正名 laciniate kalanchoe (Kalanchoes Laciniatae Herba)
伽南香 {qie2 nan2 xiang1}, 中藥正名 resinous aquilaria (Aquilariae Lignum Resinosum)

【茄】 {qie2} [Freq. 4] eggplant; aubergine.
茄蒂 {qie2 di4}, 中藥正名 eggplant stalk (Solani Melongenae Calyx)
茄根 {qie2 gen1}, 中藥正名 eggplant root (Solani Melongenae Radix)
茄花 {qie2 hua1}, 中藥正名 eggplant flower (Solani Melongenae Flos)
茄棵蟲 {qie2 ke1 chong2}, 中藥正名 eggplant grub (Solani Melongenae Parasitus)
茄葉 {qie2 ye4}, 中藥正名 eggplant leaf (Solani Melongenae Folium)
茄子疾 {qie2 zi ji2}, eggplant disease (prolapse of the uterus)
茄子 {qie2 zi3}, 中藥正名 eggplant (Solani Melongenae Fructus)

~~ {qie4} ~~
【切】 {qie4} [Freq. 2] palpation (n.) (切診 {qie4 zhen3}, palpation); touch.
切跡 {qie4 ji1}, 西醫 incisure

切脈 {qie4 mai4}, feel the pulse; pulse examination
切診 {qie4 zhen3}, palpation

【怯】 {qie4} [Freq. 2] timidity (n.) (膽虛氣怯 {dan3 xu1 qi4 qie4}, gallbladder vacuity and qi timidity).
怯冷 {qie4 leng3}, fear of cold

~~ {qin1} ~~
【侵】 {qin1} [Freq. 2] invade (n.), invasion (n.) (白膜侵睛 {bai2 mo2 qin1 jing1}, white membrane invading the eye); assail.
侵入 {qin1 ru4}, invade; invasion
侵入血分 {qin1 ru4 xue4 fen1}, invade the blood aspect
侵襲 {qin1 xi2}, assail; invade; invasion

~~ {qin2} ~~
【芹】 {qin2} [Freq. 4] celery.
芹菜 (1) {qin2 cai4}, 中藥正名 Chinese celery stalk (Apii Petiolus)
芹菜 (2) {qin2 cai4}, 中藥異名 wild celery (Apii (Agrestris) Herba) (Apii Herba); 中藥異名 celery
芹花 {qin2 hua1}, 中藥正名 water dropwort flower (Oenanthes Javanicae Flos)

【秦】 {qin2} [Freq. 3] Qin2 (221 B.C.--207 B.C.).
秦白皮 {qin2 bai2 pi2}, 中藥異名 ash (Fraxini Cortex)
秦當歸 {qin2 dang1 gui1}, 中藥異名 Western tangkuei (Angelicae Sinensis Radix *Occidentalis)
秦椒 (2) {qin2 jiao1}, 中藥異名 hot pepper (Capsici Fructus)
秦膠 {qin2 jiao1}, 中藥異名 large gentian (Gentianae Macrophyllae Radix)
秦艽 {qin2 jiao1}, 中藥正名 large gentian (Gentianae Macrophyllae Radix)
秦艽鱉甲散 {qin2 jiao1 bie1 jia3 san3}, 方名 Large Gentian and Turtle Shell Powder
秦艽地黃湯 {qin2 jiao1 di4 huang2 tang1}, 方名 Large Gentian and Rehmannia Decoction
秦艽防風湯 {qin2 jiao1 fang2 feng1 tang1}, 方名 Large Gentian and Saposhnikovia Decoction
秦艽扶羸湯 {qin2 jiao1 fu2 lei2 tang1}, 方名 Large Gentian Emaciation Decoction
秦艽羌活湯 {qin2 jiao1 qiang1 huo2 tang1}, 方名 Large Gentian and Notopterygium Decoction
秦艽湯 {qin2 jiao1 tang1}, 方名 Large-Leaved Gentian Decoction
秦艽王 {qin2 jiao1 wang2}, 中藥異名 large gentian (Gentianae Macrophyllae Radix)

秦糾 {qin2 jiu1}, 中藥異名 large gentian (Gentianae Macrophyllae Radix)
秦皮 {qin2 pi2}, 中藥正名 ash (Fraxini Cortex)
秦爪 {qin2 zhua3}, 中藥異名 large gentian (Gentianae Macrophyllae Radix)
琴弦笛鯛 {qin2 xian2 di2 diao1}, 中藥正名 gold-striped snapper (Lutjanus Lineolatus)
琴葉榕 {qin2 ye4 rong2}, 中藥正名 fiddle-leaf fig root (Fici Panduratae Radix)

【禽】 {qin2} [Freq. 5] bird (禽獸部 {qin2 shou4 bu4}, bird and beast section); fowl (家禽 {jia1 qin2}, domestic fowl); animal (五禽戲 {wu3 qin2 xi4}, five animal exercises).
禽獸部 {qin2 shou4 bu4}, bird and beast section (of the {Ben3 Cao3}, Herbal Foundation)

【噙】 {qin2} [Freq. 4] hold in the mouth.
噙化 {qin2 hua4}, melt in the mouth

【芩】 {qin2} [Freq. 4] scutellaria.
芩部丹 {qin2 bu4 dan1}, 方名 Scutellaria, Stemona, and Salvia Elixir
芩連二陳湯 {qin2 lian2 er4 chen2 tang1}, 方名 Scutellaria and Coptis Two Matured Ingredients Decoction
芩連二母丸 {qin2 lian2 er4 mu3 wan2}, 方名 Scutellaria, Coptis, Anemarrhena, and Fritillaria Pill
芩連橘茹湯 {qin2 lian2 ju2 ru2 tang1}, 方名 Scutellaria, Coptis, Tangerine Peel, and Bamboo Shavings Decoction
芩連平胃散 {qin2 lian2 ping2}, 方名 Scutellaria and Coptis Stomach-Clearing Powder
芩連四物湯 {qin2 lian2 si4 wu4 tang1}, 方名 Scutellaria and Coptis Four Agents Decoction

【&&8804||】{qin2} [Freq. 5] insect/worm/reptile name (飛天&&8804||蟑 {fei1 tian1 qin2 lao2}, spiny tree fern)

~~ {qin3} ~~
【寢】 {qin3} [Freq. 4] sleep.
寢汗 {qin3 han4}, night sweating

~~ {qin4} ~~
【撳】 {qin4} [Freq. 4] press.
撳針 {qin4 zhen1}, thumbtack needle

~~ {qing1} ~~

【青】 {qing1} [Freq. 2] green-blue (adj.) (color associated with liver-wood. 面色青{mian4 se4 qing1}, green-blue facial complexion).

青白菜 {qing1 bai2 cai4}, 中藥正名 green pakchoi (Brassicae Chinensis *Viridipetiolii Caulis et Folium)

青菜 {qing1 cai4}, 中藥異名 oil rape (Brassicae Oleiferae Caulis et Folium)

青草 {qing1 cao3}, green herbs

青刺薊 {qing1 ci4 ji4}, 中藥異名 field thistle (Cirsii Herba)

青刺尖 {qing1 ci4 jian1}, 中藥正名 Himalayan prinsepia leaf (Prinsepiae Utilis Folium)

青大將 {qing1 da4 jiang1}, 中藥異名 black-striped snake (Zaocys)

青帶 {qing1 dai4}, green-blue vaginal discharge

青黛 {qing1 dai4}, 中藥正名 indigo (Indigo Naturalis)

青黛膏, 方名 Indigo Paste

青黛散 {qing1 dai4 san3}, 方名 Indigo Powder

青點石斑 {qing1 dian3 shi2 ban1}, 中藥正名 blue-spotted grouper (Epinephelus Fario)

青豆 {qing1 dou4}, 中藥異名 pea (Pisi Semen)

青豆仁 {qing1 dou4 ren2}, 中藥異名 pea (Pisi Semen)

青娥丸 {qing1 e2 wan2}, 方名 Young Maid Pill

青礬 {qing1 fan2}, 中藥異名 melanterite (Melanteritum)

青防風 {qing1 fang2 feng1}, 中藥異名 Shandong ledebouriella (Saphoshnikoviae Radix *Shandongensis)

青風 {qing1 feng1}, green-blue wind

青風內障 {qing1 feng1 nei4 zhang4}, green-blue wind internal obstruction

青風藤 {qing1 feng1 teng2}, 中藥正名 Orient vine (Sinomenii Caulis)

青麩楊根 {qing1 fu1 yang2 gen1}, 中藥正名 Potanin sumac (Rhois Potanini Radix)

青柑皮 {qing1 gan1 pi2}, 中藥異名 unripe tangerine peel (Citri Reticulatae Pericarpium Viride)

青橄欖 {qing1 gan3 lan3}, 中藥異名 Chinese olive (Canarii Fructus)

青崗菜 {qing1 gang1 cai4}, 中藥異名 green pakchoi (Brassicae Chinensis *Viridipetiolii Caulis et Folium)

青缸花 {qing1 gang1 hua1}, 中藥異名 indigo (Indigo Naturalis)

青蛤粉 {qing1 ge2 fen3}, 中藥異名 indigo (Indigo Naturalis)

青蛤丸 {qing1 ge2 wan2}, 方名 Indigo and Clamshell Pill

青梗白菜 {qing1 geng3 bai2 cai4}, 中藥異名 green pakchoi (Brassicae Chinensis *Viridipetiolii Caulis et Folium)

青梗菜 {qing1 geng3 cai4}, 中藥異名 green pakchoi (Brassicae Chinensis *Viridipetiolii Caulis et Folium)

青瓜 {qing1 gua1}, 中藥異名 cucumber (Cucumeris Sativi Fructus)

青光眼 {qing1 guang1 yan3}, 西醫 glaucoma
青果 {qing1 guo3, 中藥正名 Chinese olive (Canarii Fructus)
青蒿 {qing1 hao1}, 中藥正名 sweet wormwood (Artemisiae Annuae Herba)
青蒿鱉甲湯 {qing1 hao1 bie1 jia3 tang1}, 方名 Sweet Wormwood and Turtle Shell Decoction
青蒿蠹蟲 {qing1 hao1 du4 chong2}, 中藥正名 wormwood grub (Artemisiae Apiaceae Vermiculus)
青蒿根 {qing1 hao1 gen1}, 中藥正名 sweet wormwood root (Artemisiae Annuae Radix)
青蒿露 {qing1 hao1 lu4}, 中藥正名 sweet wormwood distillate (Artemisiae Annuae Caulis et Folii Distillatum)
青蒿葉 {qing1 hao1 ye4}, 中藥正名 sweet wormwood leaf (Artemisiae Annuae Folium)
青蒿子 {qing1 hao1 zi3}, 中藥正名 sweet wormwood seed (Artemisiae Annuae Fructus)
青花菜 {qing1 hua1 cai4}, 中藥異名 broccoli (Brassicae Italicae Flos)
青花菜, 中藥異名 cauliflower (Brassicae Botrytidis Flos)
青花椒 {qing1 hua1 jiao1}, 中藥正名 green zanthoxylum (Zanthoxyli Schinifolii Pericarpium)
青化龍骨 {qing1 hua4 long2 gu3}, 中藥異名 flowery dragon bone (Mastodi Ossis Fossilia Florida)
青記 {qing1 ji4}, green-blue mark
青箭 {qing1 jian4}, 中藥正名 nodding clinacanthus (Clinacanthi Nutantis Herba)
青椒 {qing1 jiao1}, 中藥異名 sweet pepper (Capsici Grossi Fructus)
青筋 {qing1 jin1}, vein
青筋暴露 {qing1 jin1 bao4 lu4}, prominent veins
青金散 {qing1 jin1 san3}, 方名 Indigo and Gold Powder
青酒缸 {qing1 jiu3 gang1}, 中藥正名 caudate desmodium (Desmodii Caudati Herba)
青酒缸根 {qing1 jiu3 gang1 gen1}, 中藥正名 caudate desmodium root (Desmodii Caudati Radix)
青橘皮 {qing1 ju2 pi2}, 中藥異名 unripe tangerine peel (Citri Reticulatae Pericarpium Viride)
青稞 {qing1 ke1}, 中藥正名 naked oat (Avenae Nudae Semen)
青空膏 {qing1 kong1 gao1}, 方名 Blue Sky Paste
青寬筋藤 {qing1 kuan1 jin1 teng2}, 中藥異名 Chinese tinospora (Tinosporae Sinensis Caulis)
青荖葉 {qing1 lao3 ye4}, 中藥異名 betel pepper (Piperis Betle Fructus)
青梁米 {qing1 liang2 mi3}, 中藥正名 blue millet (Setariae *Cyaneae Semen)
青麟丸 {qing1 lin2 wan2}, 方名 Green-Blue Unicorn Pill
青靈 {qing1 ling2}, 腧穴正名 HT-2 (Green-Blue Spirit)
青靈泉 {qing1 ling2 quan2}, 腧穴異名 HT-2 (Green-Blue Spirit Spring)
青蔞 {qing1 lou2}, 中藥異名 betel pepper (Piperis Betle Fructus)
青蘿蔔 {qing1 luo2 bo2}, 中藥正名 green radish (Raphani Verdis Radix)
青盲 {qing1 mang2}, clear-eye blindness
青礞石 {qing1 meng2 shi2}, 中藥正名 chlorite (Chloriti Lapis)

青棉花藤根 {qing1 mian2 hua1 teng2 gen1}, 中藥正名 pileostegia root (Pileostegiae Radix)
青棉花藤葉 {qing1 mian2 hua1 teng2 ye4}, 中藥正名 pileostegia leaf (Pileostegiae Folium)
青明草 {qing1 ming2 cao3}, 中藥異名 shepherd's purse (Capsellae Bursa-Pastoris Herba)
青木香 (1) {qing1 mu4 xiang1}, 中藥正名 vladimiria (Vladimiriae Radix)
青木香 (2) {qing1 mu4 xiang1}, 中藥正名 aristolochia root (Aristolochiae Radix)
青娘子 {qing1 niang2 zi3}, 中藥正名 lytta (Lytta )
青皮瓜 {qing1 pi2 gua1}, 中藥異名 melon (Melonis Fructus)
青皮散 {qing1 pi2 san3}, 方名 Unripe Tangerine Peel Powder; Unripe Tangerine Peel Powder
青皮 {qing1 pi2, 中藥正名 unripe tangerine peel (Citri Reticulatae Pericarpium Viride)
青青菜 {qing1 qing1 cai4}, 中藥異名 field thistle (Cirsii Herba)
青如草茲 {qing1 ru2 cao3 zi1}, green-blue as the color of dead grass
青舌 {qing1 she2}, green-blue tongue
青蛇 {qing1 she2}, 中藥異名 black-striped snake (Zaocys)
青絲線 {qing1 si1 long2}, 中藥正名 purple hypoestes (Hypoestis Purpureae Herba)
青蒜 {qing1 suan4}, 中藥正名 garlic leaf (Allii Sativi Folium)
青檀香 {qing1 tan2 xiang1}, 中藥正名 cocculus stem and leaf (Cocculi Caulis et Folium)
青天葵 {qing1 tian1 kui2}, 中藥正名 Ford's nervilia (Nerviliae Fordii Folium)
青桐翠木 {qing1 tong2 cui4 mu4}, 中藥正名 cordia (Cordiae Radix)
青兔耳風 {qing1 tu4 er3 feng1}, 中藥正名 red-veined ainsliaea (Ainsliaeae Rubrinervis Herba)
青腿牙疳 {qing1 tui3 ya2 gan1}, green-leg gan1 of the tooth and gum
青蛙 {qing1 wa1}, 中藥正名 frog (Rana)
青蛙膽 {qing1 wa1 dan3}, 中藥正名 frog's bile (Ranae Bilis)
青菀 {qing1 wan3}, 中藥異名 aster (Asteris Radix)
青蝦 {qing1 xia1}, 中藥正名 freshwater shrimp (Macrobrachium)
青箱 {qing1 xiang1}, 中藥異名 celosia (Celosiae Caulis, Folium et Radix)
青葙 {qing1 xiang1}, 中藥正名 celosia (Celosiae Caulis, Folium et Radix)
青葙花 {qing1 xiang1 hua1}, 中藥正名 celosia flower (Celosiae Flos)
青香莧 {qing1 xiang1 xian4}, 中藥異名 amaranth (Amaranthi Caulis et Folium)
青葙子 {qing1 xiang1 zi3}, 中藥正名 celosia (Celosiae Semen)
青小草 {qing1 xiao3 cao3}, 中藥異名 polygala herb (Polygalae Caulis et Folium)
青小豆 {qing1 xiao3 dou4}, 中藥異名 mung bean (Phaseoli Radiati Semen)
青鹽 {qing1 yan2}, 中藥異名 halite (Halitum)
青鹽半夏 {qing1 yan2 ban4 xia4}, 中藥正名 halite pinellia (Pinelliae Rhizomar cum Halito Praeparatum)
青鹽陳皮 {qing1 yan2 chen2 pi2}, 中藥正名 halite-processed tangerine peel (Citri Reticulatae Pericarpium Medicatum)
青葉丹 {qing1 ye4 dan1}, 中藥異名 mile swertia (Swertiae Mileensis Herba) (Swertiae Vacillantis Herba); 中藥異名 swertia

青葉膽 {qing1 ye4 dan3}, 中藥正名 mile swertia (Swertiae Mileensis Herba) (Swertiae Vacillantis Herba); 中藥正名 swertia
青衣寒鯛 {qing1 yi1 han2 diao1}, 中藥正名 green wrasse (Choerodon Schoenleinii)
青魚 {qing1 yu2}, 中藥正名 black carp (Mylopharyngodonis Caro)
青魚膽 {qing1 yu2 dan3}, 中藥正名 black carp's gallbladder (Mylopharyngodonis Vesica Fellea)
青魚膽草 {qing1 yu2 dan3 cao3}, 中藥正名 Japanese tripterosperumum (Tripterospermi Japonici Herba)
青魚枕 {qing1 yu2 zhen3}, 中藥正名 black carp's occipital bone (Mylopharyngodonis Os Occipitale)
青芋芳干 {qing1 yu4 nai3 gan1}, 中藥正名 dried taro (Colocasiae Tuber Exsiccatum) (Colocasiae Tuber); 中藥異名 taro
青仔 {qing1 zai3}, 中藥異名 areca (Arecae Semen)
青藏虎耳草 {qing1 zang4 hu3 er3 cao3}, 中藥正名 Tibetan saxifrage (Saxifragae Przewalskii Herba)
青腫 {qing1 zhong3}, bruise
青州白丸子 {qing1 zhou1 bai2 wan2 zi3}, 方名 Qi4ngzhou White Pill
青朮 {qing1 zhu2}, 中藥異名 atractylodes (Atractylodis Rhizoma) (Atractylodis Rhizoma); 中藥異名 atractylodes
青竹標 {qing1 zhu2 biao1}, 中藥正名 Hongkong rhaphidophora stem (Rhaphidophorae Hongkongensis Caulis)
青竹標根 {qing1 zhu2 biao1 gen1}, 中藥正名 serrate lysionotus root (Lysionoti Serrati Radix)
青竹茹 {qing1 zhu2 ru2}, 中藥異名 bamboo shavings (Bumbusae Caulis in Taenia)
青竹蛇 {qing1 zhu2 she2}, 中藥正名 green bamboo snake (Trimeresurus )
青磚魚 {qing1 zhuan1 yu2}, 中藥正名 amber fish (Decapterus Maruadsi)
青紫 {qing1 zi3}, purplish green-blue; green-blue or purple; bruise
青紫斑 {qing1 zi3 ban1}, green-blue or purple macules

【清】 {qing1} [Freq. 2] clear (adj.), (v.), clearing (n.) (清陽不升 {qing1 yang2 bu4 sheng1}, non-upbearing of {clear} yang; 清熱瀉火{clear heat and drain fire}, clear heat and drain fire; 清法 {qing1 fa3}, clearing); cool; plain (n.) (清炒 {qing1 chao3}, plain stir-frying); Qing1 (Manchu, 1644--1911 A.D.).
清半夏 {qing1 ban4 xia4}, 中藥正名 purified pinellia (Pinelliae Rhizoma Depuratum)
清鼻湯 {qing1 bi2 tang1}, 方名 Nose-Clearing Decoction
清便 {qing1 bian4}, eliminations (stool and urine)
清便自調 {qing1 bian4 zi4 tiao2}, normal eliminations (normal stool and urine)
清腸潤燥 {qing1 chang2 run4 zao4}, clear the intestines and moisten dryness
清腸飲 {qing1 chang2 yin3}, 方名 Intestine-Clearing Beverage

清炒 {qing1 chao3}, plain stir-fry; stir-fry without adjuvants
清晨泄 {qing1 chen2 xie4}, early morning diarrhea
清沖任血熱 {qing1 chong1 ren4 xue4 re4}, clear thoroughfare and controlling vessel blood heat
清除濕熱 {qing1 chu2 shi1 re4}, clear damp-heat
清除下焦濕熱 {qing1 chu2 xia4 jiao1 shi1 re4}, clear and eliminate lower burner damp-heat
清除陰分伏熱 {qing1 chu2 yin1 fen1 fu2 re4}, clear and eliminate latent heat in the yin1 aspect
清大腸邪熱 {qing1 da4 chang2 xie2 re4}, clear large intestinal evil heat
清代九科 {qing1 dai4 jiu3 ke1}, nine branches of medicine in the Qi4ng Dynasty
清帶湯 {qing1 dai4 tang1}, 方名 Discharge-Clearing Decoction
清膽利濕湯 {qing1 dan3 li4 shi1 tang1}, 方名 Gallbladder-Clearing Dampness-Disinhibiting Decoction
清膽湯 {qing1 dan3 tang1}, 方名 Gallbladder-Clearing Decoction
清膽瀉火湯 {qing1 dan3 xie4 huo3 tang1}, 方名 Gallbladder-Clearing Fire-Draining Decoction
清膽行氣湯 {qing1 dan3 xing2 qi4 tang1}, 方名 Gallbladder-Clearing Qi4-Moving Decoction
清熱瀉肺 {qing1 er4 xie4 fei4}, clear the heart and drain fire
清法 {qing1 fa3}, clearing
清肺 {qing1 fei4}, clear the lung
清肺化痰丸 {qing1 fei4 hua4 tan2 wan2}, 方名 Lung-Clearing Phlegm-Transforming Pill
清肺平喘 {qing1 fei4 ping2 chuan3}, clear the lung and calm panting
清肺熱 {qing1 fei4 re4}, clear lung heat
清肺潤燥 {qing1 fei4 run4 zao4}, clear the lung and moisten dryness
清肺湯 {qing1 fei4 tang1}, 方名 Lung-Clearing Decoction
清肺透疹 {qing1 fei4 tou4 zhen3}, clear the lung and outthrust papules
清肺胃痰熱 {qing1 fei4 wei4 tan2 re4}, clear lung-stomach phlegm-heat
清肺消痰 {qing1 fei4 xiao1 tan2}, clear the lung and disperse phlegm
清肺飲, 方名 Lung-Clearing Beverage
清肺飲子 {qing1 fei4 yin3 zi3}, 方名 Lung-Clearing Drink
清肺止咳 {qing1 fei4 zhi3 ke2}, clear the lung and suppress cough
清肝 {qing1 gan1}, clear the liver
清肝保腦丸 {qing1 gan1 bao3 nao3 wan3}, 方名 Liver-Clearing Brain-Safeguarding Pill
清肝膽虛熱 {qing1 gan1 dan3 xu1 re4}, clear liver-gallbladder vacuity heat
清肝膽郁熱 {qing1 gan1 dan3 yu4 re4}, clear liver-gallblader depressed heat
清肝火 {qing1 gan1 huo3}, clear liver fire
清肝經虛熱 {qing1 gan1 jing1 xu1 re4}, clear the liver channel vacuity heat
清肝蘆薈丸 {qing1 gan1 lu2 hui4 wan2}, 方名 Liver-Clearing Aloe Pill
清肝明目 {qing1 gan1 ming2 mu4}, clear the liver and brighten the eyes
清肝明目藥 {qing1 gan1 ming2 mu4 yao4}, liver-clearing eye-brightening medicinal
清肝熱 {qing1 gan1 re4}, clear liver heat

清肝滲濕湯 {qing1 gan1 shen4 shi1 tang1}, 方名 Liver-Clearing Dampness-Percolating Decoction
清肝熄風 {qing1 gan1 xi1 feng1}, clear the liver and extinguish wind
清肝瀉肺 {qing1 gan1 xie4 fei4}, clear the liver and drain the lung
清肝瀉火 {qing1 gan1 xie4 huo3}, clear the liver and drain fire
清膈煎 {qing1 ge2 san3}, 方名 Diaphragm-Cooling Brew
清宮 {qing1 gong1}, clear the palace (clear the heart)
清宮湯 {qing1 gong1 tang1}, 方名 Palace-Clearing Decoction
清骨散 {qing1 gu3 san3}, 方名 Bone-Clearing Powder
清宣肺熱 {qing1 guan4 n4 ei4 re4}, clear and diffuse lung heat
清海丸 {qing1 hai3 wan2}, 方名 Clear Sea Pill
清昊 {qing1 hao4}, 腧穴異名 TB-11 (Clear Sky)
清化 {qing1 hua4}, clear and transform
清化濕熱 {qing1 hua4 shi1 re4}, clear heat and transform dampness
清化暑濕 {qing1 hua4 shu3 shi1}, clear and transform summerheat-damp
清化飲 {qing1 hua4 yin3}, 方名 Clearing Transforming Beverage
清魂散 {qing1 hun2 san3}, 方名 Ethereal-Soul-Clearing Powder
清火 {qing1 huo3}, clear fire; fire clearing
清肌安蛔湯 {qing1 ji1 an1 hui2 tang1}, 方名 Flesh-Clearing Roundworm-Quieting Decoction
清肌表 {qing1 ji1 biao3}, clear the fleshy exterior
清肌表之熱 {qing1 ji1 biao3 zhi1 re4}, clear heat from the fleshy exterior
清降胃火 {qing1 jiang4 wei4 huo3}, clear and downbear stomach fire
清解表熱 {qing1 jie3 biao3 re4}, clear and resolve exterior heat
清解片 {qing1 jie3 pian4}, 方名 Clearing Resolution Tablet
清解暑熱 {qing1 jie3 shu3 re4}, clear and resolve summerheat-heat
清解透表湯 {qing1 jie3 tou4 biao3 tang1}, 方名 Clearing and Resolving Exterior-Outthrusting Decoction
清解余毒 {qing1 jie3 yu2 du2}, clear and resolve residual toxin
清金 {qing1 jin1}, clear metal (clear the lung)
清金化痰湯 {qing1 jin1 hua4 tan2 tang1}, 方名 Metal-Clearing Phlegm-Transforming Decoction
清金降火 {qing1 jin1 jiang4 huo3}, clear metal and downbear fire
清經散 {qing1 jing1 san3}, 方名 Channel-Clearing Powder
清經湯（散） {qing1 jing1 tang1 (san3)}, 方名 Channel-Clearing (Menses-Clearing) Decoction (Powder)
清經止血湯 {qing1 jing1 zhi3 xue4 tang1}, 方名 Channel-Clearing Blood-Stanching Decoction
清空膏 {qing1 kong1 gao1}, 方名 Clear Sky Paste
清空散 {qing1 kong1 san3}, 方名 Clear Sky Powder

清冷泉 {qing1 leng3 quan2}, 腧穴異名 TB-11 (Clear Cold Spring)
清冷淵 {qing1 leng3 yuan1}, 腧穴正名 TB-11 (Clear Cold Abyss)
清利 {qing1 li4}, clear and disinhibit
清利肝膽 {qing1 li4 gan1 dan3}, clear and disinhibit liver and gallbladder
清利肝膽濕熱 {qing1 li4 gan1 dan3 shi1 re4}, clear and disinhibit liver and gallbladder damp-heat
清利膀胱濕熱 {qing1 li4 pang2 guang1 shi1 re4}, clear and disinhibit bladder damp-heat
清利三焦 {qing1 li4 san1 jiao1}, clear and disinhibit the triple burner
清利濕熱 {qing1 li4 shi1 re4}, clear heat and disinhibit dampness
清利小便 {qing1 li4 xiao3 bian4}, clear and disinhibit urine
清涼芳香 {qing1 liang2 fang1 xiang1}, cool and aromatic
清涼甘露飲 {qing1 liang2 gan1 lu4 yin3}, 方名 Cool Clearing Sweet Dew Beverage
清涼膏 {qing1 liang2 gao1}, 方名 Cool Clearing Paste
清涼解毒 {qing1 liang2 jie3 du2}, resolve toxin with clearing coolness
清涼解暑 {qing1 liang2 jie3 shu3}, resolve summerheat with cool clearing medicinals
清涼血 {qing1 liang2 xue4}, clear and cool the blood
清涼飲 {qing1 liang2 yin3}, 方名 Cool Clearing Beverage
清靈 {qing1 ling2}, 腧穴異名 TB-11 (Clear Spirit)
清絡保陰 {qing1 luo4 bao3 yin1}, clear the network vessels and preserve yin1
清絡飲 {qing1 luo4 yin3}, 方名 Network-Clearing Beverage
清明 {qing1 ming2}, Pure Brightness (5th solar term)
清內熱 {qing1 nei4 re4}, clear internal heat
清寧丸 {qing1 ning2 wan2}, 方名 Clear and Quiet Pill; Clear and Quiet Pill
清脾除濕湯 {qing1 pi2 chu2 shi1 tang1}, 方名 Spleen-Clearing Dampness-Eliminating Decoction
清脾湯 {qing1 pi2 tang1}, 方名 Spleen-Clearing Decoction
清脾飲 {qing1 pi2 yin3}, 方名 Spleen-Clearing Beverage
清氣 {qing1 qi4}, clear qi4
清氣不升 {qing1 qi4 bu4 sheng1}, clear qi4 failing to bear upward; non-upbearing of clear qi4; non-upbearing of clear qi4
清氣分熱 {qing1 qi4 fen1 re4}, clear qi4-aspect heat
清氣化痰丸 {qing1 qi4 hua4 tan2 wan2}, 方名 Qi4-Clearing Phlegm-Transforming Pill
清氣涼營 {qing1 qi4 liang2 ying2}, clear qi4 and cool construction
清氣熱 {qing1 qi4 re4}, clear qi4 heat
清竅 {qing1 qiao4}, clear orifice
清熱 {qing1 re4}, clear heat
清熱安胎 {qing1 re4 an1 tai1}, clear and quiet the fetus
清熱保津法 {qing1 re4 bao3 jin1 fa3}, 方名 Heat-Clearing Liquid-Safeguarding Formula

清熱補氣湯 {qing1 re4 bu3 qi4 tang1}, 方名 Heat-Clearing Qi4-Supplementing Decoction
清熱補血湯 {qing1 re4 bu3 xue4 tang1}, 方名 Heat-Clearing Blood-Supplementing Decoction
清熱除煩 {qing1 re4 chu2 fan2}, clear heat and eliminate vexation
清熱除蒸 {qing1 re4 chu2 zheng1}, clear heat and eliminate steaming
清熱導滯 {qing1 re4 dao3 zhi4}, clear heat and abduct stagnation
清熱法 {qing1 re4 fa3}, heat clearing method
清熱攻下 {qing1 re4 gong1 xia4}, clear heat and offensively precipitate
清熱固經湯 {qing1 re4 gu4 jing1 tang1}, 方名 Heat-Clearing Channel-Securing (Menses-Securing) Decoction
清熱化斑 {qing1 re4 hua4 ban}, clear heat and transform macules
清熱化濕 {qing1 re4 hua4 shi1}, clear heat and transform dampness
清熱化痰 {qing1 re4 hua4 tan2}, clear heat and transform phlegm
清熱化痰開竅 {qing1 re4 hua4 tan2 kai1 qiao4}, clear heat, transform phlegm, and open the orifices
清熱化痰藥 {qing1 re4 hua4 tan2 yao4}, heat-clearing phlegm-transforming medicinal
清熱劑 {qing1 re4 ji4}, heat-clearing formula
清熱降火 {qing1 re4 jiang4 huo3}, clear heat and downbear fire
清熱解表 {qing1 re4 jie3 biao3}, clear heat and resolve the exterior
清熱解毒 {qing1 re4 jie3 du2}, clear heat and resolve toxin
清熱解毒劑 {qing1 re4 jie3 du2 ji4}, heat-clearing toxin-resolving formula
清熱解毒藥 {qing1 re4 jie3 du2 yao4}, heat-clearing toxin-resolving medicinal
清熱解渴 {qing1 re4 jie3 ke3}, clear heat and resolve thirst
清熱解暑 {qing1 re4 jie3 shu3}, clear heat and resolve summerheat
清熱開竅 {qing1 re4 kai1 qiao4}, clear heat and open the orifices
清熱利濕 {qing1 re4 li4 shi1}, clear heat and disinhibit dampness
清熱利濕劑 {qing1 re4 li4 shi1 ji4}, heat-clearing dampness-disinhibiting formula
清熱利水 {qing1 re4 li4 shui3}, clear heat and disinhibit water
清熱涼血 {qing1 re4 liang2 xue4}, clear heat and cool the blood
清熱涼血法 {qing1 re4 liang2 xue4 fa3}, heat-clearing blood-cooling method
清熱涼血劑 {qing1 re4 liang2 xue4 ji4}, heat-clearing blood-cooling formula
清熱涼血藥 {qing1 re4 liang2 xue4 yao4}, heat-clearing blood-cooling medicinal
清熱涼血止血藥 {qing1 re4 liang2 xue4 zhi3 xue4 yao4}, heat-clearing, blood-cooling, and blood-stanching medicinal
清熱明目 {qing1 re4 ming2 mu4}, clear heat and brighten the eyes
清熱排膿 {qing1 re4 pai2 nong2}, clear heat and expel pus
清熱祛濕 {qing1 re4 qu1 shi1}, clear heat and dispel dampness
清熱潤燥 {qing1 re4 run4 zao4}, clear heat and moisten dryness
清熱散結 {qing1 re4 san4 jie2}, clear heat and dissipate binds

清熱生津 {qing1 re4 sheng1 jin1}, clear heat and engender liquid
清熱收斂藥 {qing1 re4 shou1 lian3 yao4}, heat-clearing astringing medicinal
清熱調血湯 {qing1 re4 tiao2 xue4 tang1}, 方名 Heat-Clearing Blood-Regulating Decoction
清熱通淋 {qing1 re4 tong1 lin2}, clear heat and free strangury
清熱熄風 {qing1 re4 xi1 feng1}, clear heat and extinguish wind
清熱消腫 {qing1 re4 xiao1 zhong1}, clear heat and disperse swelling
清熱瀉火 {qing1 re4 xie4 huo3}, clear heat and drain fire
清熱瀉火法 {qing1 re4 xie4 huo3 fa3}, heat-clearing fire-draining method
清熱瀉火劑 {qing1 re4 xie4 huo3 ji4}, heat-clearing fire-draining formula
清熱瀉火藥 {qing1 re4 xie4 huo3 yao4}, heat-clearing fire-draining medicinal
清熱瀉下 {qing1 re4 xie4 xia4}, clear heat and induce draining precipitation
清熱藥 {qing1 re4 yao4}, heat-clearing medicinal
清熱益胃 {qing1 re4 yi4 wei4}, clear heat and boost the stomach
清熱燥濕 {qing1 re4 zao4 shi1}, clear heat and dry dampness
清熱燥濕藥 {qing1 re4 zao4 shi1 yao4}, heat-clearing dampness-drying medicinal
清熱止崩湯 {qing1 re4 zhi3 beng1 tang1}, 方名 Heat-Clearing Uterine Bleeding Decoction
清熱止帶湯 {qing1 re4 zhi3 dai4 tang1}, 方名 Heat-Clearing Discharge-Checking Decoction
清熱止血 {qing1 re4 zhi3 xue4}, clear heat and stanch bleeding
清熱治痢 {qing1 re4 zhi4 li4}, clear heat and treat dysentery
清熱滋陰 {qing1 re4 zi1 yin1}, clear heat and enrich yin1
清散肺熱 {qing1 san4 fei4 re4}, clears and dissipates lung heat
清散上焦風熱 {qing1 san4 shang4 jiao1 feng1 re4}, clear and dissipate upper burner wind-heat
清散上焦心肺熱邪 {qing1 san4 shang4 jiao1 xin1 fei4 re4 xie2}, clear and dissipate upper burner heart heart-lung heat evil
清上防風湯 {qing1 shang4 fang2 feng1 tang1}, 方名 Upper-Body-Clearing Saposhnikovia Decoction
清上焦毒熱 {qing1 shang4 jiao1 du2 re4}, clear upper burner toxic heat
清上蠲痛湯 {qing1 shang4 juan1 tong4 tang1}, 方名 Upper-Body-Clearing Pain-Alleviating Decoction
清上散 {qing1 shang4 san3}, 方名 Upper-Body-Clearing Powder
清上丸 {qing1 shang4 wan2}, 方名 Upper-Body-Clearing Pill
清少陽邪熱 {qing1 shao4 yang2 xie2 re4}, clear lesser yang2 evil heat
清腎中燥火 {qing1 shen4 zhong1 zao4 huo3}, clear dryness-heat in the kidney
清濕化痰湯 {qing1 shi1 hua4 tan2 tang1}, 方名 Dampness-Clearing Phlegm-Transforming Decoction
清濕熱 {qing1 shi1 re4}, clear damp-heat
清暑 {qing1 shu3}, clear summerheat
清暑避穢 {qing1 shu3 bi4 sui4}, clear summerheat and repel foulness

清暑利濕 {qing1 shu3 li4 shi1}, clear summerheat and disinhibit dampness
清暑熱 {qing1 shu3 re4}, clear summerheat-heat
清暑益氣 {qing1 shu3 yi4 qi4}, clear summerheat and boost qi4
清暑益氣湯 {qing1 shu3 yi4 qi4 tang1}, 方名 Summerheat-Clearing Qi4-Boosting Decoction
清肅 {qing1 su4}, depuration; depurate
清肅肺氣 {qing1 su4 fei4 qi4}, clear and depurate lung qi4
清涕 {qing1 ti4}, clear snivel (nasal mucus)
清頭目 {qing1 tou2 mu4}, clear the head and eyes
清透邪熱 {qing1 tou4 xie2 re4}, clear and outhrust evil heat
清胃 {qing1 wei4}, clear the stomach
清胃固齒 {qing1 wei4 gu4 chi3}, clear the stomach and secure the teeth
清胃火 {qing1 wei4 huo3}, clear stomach fire
清胃降逆 {qing1 wei4 jiang4 ni4}, clear the stomach and downbear counterflow
清胃熱 {qing1 wei4 re4}, clear stomach heat
清胃散 {qing1 wei4 san3}, 方名 Stomach-Clearing Powder
清胃湯 {qing1 wei4 tang1}, 方名 Stomach-Clearing Decoction
清胃泄熱 {qing1 wei4 xie4 re4}, clear the stomach and discharge heat
清瘟敗毒飲 {qing1 wen1 bai4 du2 yin3}, 方名 Scourge-Clearing Toxin-Vanquishing Beverage
清邪 {qing1 xie2}, clear evil
清瀉 {qing1 xie4}, clear and drain
清瀉腸熱 {qing1 xie4 chang2 re4}, clear and drain intestinal heat
清瀉肺經火熱 {qing1 xie4 fei4 jing1 huo3 re4}, clear and drain lung channel fire-heat
清泄肺熱 {qing1 xie4 fei4 re4}, clear and discharge lung heat
清瀉肝膽 {qing1 xie4 gan1 dan3}, clear and drain the liver and gallbladder
清瀉肝膽火熱 {qing1 xie4 gan1 dan3 huo3 re4}, clear and drain liver and gallbladder heat and fire
清瀉肝膽濕熱 {qing1 xie4 gan1 dan3 shi1 re4}, clear and drain liver and gallbladder damp-heat
清泄里熱 {qing1 xie4 li3 re4}, clear and discharge interior heat
清瀉三焦火熱 {qing1 xie4 san1 jiao1 huo3 re4}, clear and drain triple burner fire-heat
清泄少陽 {qing1 xie4 shao4 yang2}, clear and discharge the lesser yang2
清泄相火 {qing1 xie4 xiang4 huo3}, clear and discharge the ministerial fire
清瀉心胃火熱 {qing1 xie4 xin1 wei4 huo3 re4}, clear and drain heart and stomach fire-heat
清泄虛熱 {qing1 xie4 xu1 re4}, clear and discharge vacuity heat
清泄陽明 {qing1 xie4 yang2 ming2}, clearing and discharging yang2 brightness
清心 {qing1 xin1}, clear the heart
清心滌熱 {qing1 xin1 di2 re4}, clear the heart and flush heat
清心火 {qing1 xin1 huo3}, clear heart fire
清心開竅 {qing1 xin1 kai1 qiao4}, clear the heart and open the orifices

清心蓮子飲 {qing1 xin1 lian2 zi3 yin3}, 方名 Heart-Clearing Lotus Seed Beverage
清心涼膈湯 {qing1 xin1 liang2 ge2 tang1}, 方名 Heart-Clearing Diaphragm-Cooling Decoction
清心熱 {qing1 xin1 re4}, clear heart heat
清心瀉火 {qing1 xin1 xie4 huo3}, clear the heart and drain fire
清心益腎 {qing1 xin1 yi4 shen4}, clear the heart and boost the kidney
清虛熱 {qing1 xu1 re4}, clear vacuity heat
清虛熱劑 {qing1 xu1 re4 ji4}, vacuity-heat--clearing formula
清虛熱藥 {qing1 xu1 re4 yao4}, vacuity-heat-clearing medicinal
清宣郁熱 {qing1 xuan1 yu4 re4}, clear and diffuse depressed heat
清眩飲 {qing1 xuan4 yin3}, 方名 Dizziness-Clearing Beverage
清血 {qing1 xue4}, clear the blood
清血分伏熱 {qing1 xue4 fen1 fu2 re4}, clear blood-aspect latent heat
清血分熱 {qing1 xue4 fen1 re4}, clear blood-aspect heat
清血分之熱 {qing1 xue4 fen1 zhi1 re4}, clear heat from the blood aspect
清血熱 {qing1 xue4 re4}, clear blood heat
清咽 {qing1 yan1}, clear pharyngeal heat
清咽利膈湯 {qing1 yan1 li4 ge2 tang1}, 方名 Throat-Clearing Diaphragm-Disinhibiting Decoction
清咽潤噪湯 {qing1 yan1 run4 zao4 tang1}, 方名 Throat-Clearing Dryness-Moistening Decoction
清咽湯 {qing1 yan1 tang1}, 方名 Throat-Clearing Decoction
清咽下痰湯, 方名 Throat-Clearing Phlegm-Precipitating Decoction
清咽養營湯 {qing1 yan1 yang3 ying2 tang1}, 方名 Throat-Clearing Construction-Nourishing Decoction
清陽 {qing1 yang2}, clear yang2
清陽不升 {qing1 yang2 bu4 sheng1}, clear yang2 failing to bear upward
清陽不升，濁陰不降 {qing1 yang2 bu4 sheng1, zhuo2 yin1 bu4 jiang4}, clear yang2 failing to bear upward and turbid yin1 failing to bear downward; non-upbearing of clear yang2 and non-downbearing of turbid yin1
清陽出上竅 {qing1 yang2 chu1 shang4 qiao4}, clear yang2 issues through the upper orifices
清陽發腠理 {qing1 yang2 fa1 cou4 li3}, clear yang2 effuses through the interstices
清陽實四肢 {qing1 yang2 shi2 si4 zhi1}, clear yang2 makes the four limbs replete
清胰二號 {qing1 yi2 er4 hao4}, 方名 Pancreas-Clearing Formula No.~2
清胰湯 {qing1 yi2 tang1}, 方名 Pancreas-Clearing Decoction
清胰一號 {qing1 yi2 yi1 hao4}, 方名 Pancreas-Clearing Formula No.~1
清音丸 {qing1 yin1 wan2}, 方名 Voice-Clearing Pill
清營 {qing1 ying2}, clear construction

清營涼血 {qing1 ying2 liang2 xue4}, clear construction and cool the blood
清營湯 {qing1 ying2 tang1}, 方名 Construction-Clearing Decoction
清營透疹 {qing1 ying2 tou4 zhen3}, clear construction and outthrust papules
清營泄熱 {qing1 ying2 xie4 re4}, clear construction and discharge heat
清油 {qing1 you4}, 中藥異名 soy sauce (Sojae Salsa)
清余毒 {qing1 yu2 du2}, clear residual toxin
清臟腑熱 {qing1 zang4 fu3 re4}, clear bowel and visceral heat
清燥 {qing1 zao4}, clear dryness
清燥救肺湯 {qing1 zao4 jiu4 fei4 tang1}, 方名 Dryness-Clearing Lung-Rescuing Decoction
清震湯 {qing1 zhen4 tang1}, 方名 Clearing Invigoration Decoction
清蒸 {qing1 zheng1}, steam without adjuvants; plain-steam
清中湯 {qing1 zhong1 tang1}, 方名 Center-Clearing Decoction
精清不溫 {qing1 qing1 bu4 wen1}, cold semen

【蜻】 {qing1} [Freq. 4] dragonfly.
蜻蜓 {qing1 ting2}, 中藥正名 dragon fly (Aeschna )

【輕】 {qing1} [Freq. 2] light (adj.) (in weight. 頭重腳輕 {tou2 zhong4 jiao3 qing1}, heavy head and light feet).
輕按 {qing1 an4}, press lightly; apply light pressure
輕度浮腫 {qing1 du4 fu2 zhong3}, slight puffy swelling
輕方 {qing1 fang1}, light formula
輕粉 {qing1 fen3}, 中藥正名 calomel (Calomelas)
輕劑 {qing1 ji4}, light formula
輕可去實 {qing1 ke3 qu4 shi2}, light [medicinals] can eliminate repletion
輕清疏解 {qing1 qing1 shu1 jie3}, clear and course with light [medicinals]
輕清宣化 {qing1 qing1 xuan1 hua4}, clear light diffusion and transformation
輕癱 {qing1 tan4}, 西醫 paresis
輕宣肺氣 {qing1 xuan1 fei4 qi4}, diffuse lung qi4 with lightness
輕宣肺熱 {qing1 xuan1 fei4 re4}, light diffuses lung heat
輕宣潤燥 {qing1 xuan1 run4 zao4}, moisten dryness by light diffusion
輕腰湯 {qing1 yao1 tang1}, 方名 Lumbus-Lightening Decoction
輕臟腑熱 {qing1 zang4 fu3 re4}, clear organ heat
輕證 {qing1 zheng4}, mild pattern; mild pattern

【圊】 {qing1} [Freq. 4] latrine.
圊膿血 {qing1 nong2 xie3}, latrine pus and blood
圊血 {qing1 xue4}, latrine bleeding (bloody stool)

~~ {qing2} ~~

【情】 {qing2} [Freq. 2] affect (n.) (七情 {qi1 qing2}, the seven affects; 情志 {qing2 zhi4}, affect-mind).

情感性精神障礙 {qing2 gan3 xing4 jing1 shen2 zhang4 ai4}, 西醫 affective disorders

情緒 {qing2 xu4}, emotion

情緒易激動 {qing2 xu4 yi4 ji1 dong4}, impulsiveness; excitable

情緒抑郁不樂 {qing2 xu4 yi4 yu4 bu4 le4}, emotional depression

情緒憂郁 {qing2 xu4 you1 yu4}, melancholic

情志 {qing2 zhi4}, affect-mind; emotion

情志不舒 {qing2 zhi4 bu4 shu1}, affect-mind ill-being

情志不遂 {qing2 zhi4 bu4 sui4}, affect-mind dissatisfaction

情志內傷 {qing2 zhi4 nei4 shang1}, affect-mind internal damage

情志郁結 {qing2 zhi4 yu4 jie2}, affect-mind binding depression; emotional depression

~~ {qing3} ~~

【&&82D8||】 {qing3} [Freq. 2] plant name.

&&82D8||麻 {qing3 ma2}, 中藥正名 Indian mallow (Abutili Theophrasti Herba seu Folium)

&&82D8||麻根 {qing3 ma2 gen1}, 中藥正名 Indian mallow root (Abutili Theophrasti Radix)

&&82D8||麻子 {qing3 ma2 zi3, 中藥正名 Indian mallow seed (Abutili Semen)

&&82D8||實 {qing3 shi2}, 中藥異名 Indian mallow seed (Abutili Semen)

~~ {qiong2} ~~

【窮】 {qiong2} [Freq. 4] end.

窮骨 {qiong2 gu3}, coccyx (End Bone); 腧穴異名 GV-1

【瓊】 {qiong2} [Freq. 4] fine jade.

瓊玉膏 {qiong2 yu4 gao1}, 方名 Fine Jade Paste

~~ {qiu1} ~~

【丘】 {qiu1} [Freq. 3] hill.

丘腦下部性閉經 {qiu1 nao3 xia4 bu4 xing4 bi4 jing1}, 西醫 hypothalamic amenorrhea

丘墟 {qiu1 xu1}, 腧穴正名 GB-40 (Hill Ruins)

丘疹 {qiu1 zhen3}, 西醫 papule; papule

【秋】 {qiu1} [Freq. 3] autumn (season associated with metal).
秋海棠茎葉 {qiu1 bai3 tang2 jing1 ye4}, 中藥正名 begonia stem and leaf (Begoniae Caulis et Folium)
秋分 {qiu1 fen1}, Autumn Equinox (16th solar term)
秋楓木 {qiu1 feng1 mu4}, 中藥正名 bischofia (Bischofiae Radix, Caulis, Ramulus et Folium)
秋海棠 {qiu1 hai3 tang2}, 中藥正名 begonia flower (Begoniae Flos)
秋海棠根 {qiu1 hai3 tang2 gen1}, 中藥正名 begonia root (Begoniae Radix)
秋毛 {qiu1 mao2}, downy in autumn (pulse)
秋木瓜 {qiu1 mu4 gua1}, 中藥正名 autumn quince (Chaenomelis Speciosae Fructus)
秋石 {qiu1 shi2}, 中藥正名 processed urine deposit (Hominis Urinae Depositum Praeparatum)
秋應中衡 {qiu1 ying4 zhong4 heng2}, [in] autumn [the pulse] responds like a level line
秋燥 {qiu1 zao4}, autumn dryness
秋燥傷衛 {qiu1 zao4 shang1 wei4}, autumn dryness damaging defense

【蚯】 {qiu1} [Freq. 4] earthworm.
蚯疽草 {qiu1 ju1 cao3}, 中藥正名 auriculate dichrocephala (Dichrocephalae Auriculatae Herba seu Folium)
蚯蚓 {qiu1 yin3}, 中藥異名 earthworm (Pheretima)

【鰍】 {qiu1} [Freq. 5] loach (泥鰍 {ni2 qiu1}, loach)

【朹】 {qiu1} [Freq. 4] plant name

【坵】 {qiu1} [Freq. 3] hill.
坵墟 {qiu1 xu1}, 腧穴異名 GB-40 (Hill Ruins)

【楸】 {qiu1} [Freq. 4] Manchurian catalpa.
楸木皮 {qiu1 mu4 pi2}, 中藥正名 Manchurian catalpa bark (Catalpae Bungei Cortex)
楸葉 {qiu1 ye4}, 中藥正名 Manchurian catalpa leaf (Catalpae Bungei Folium)

~~ {qiu2} ~~
【求】 {qiu2} [Freq. 4] seek.
求謀不遂 {qiu2 mou2 bu4 sui4}, frustration

【球】 {qiu2} [Freq. 4] ball.
球后 {qiu2 hou4}, 腧穴正名 Back of the Ball

球莖甘藍 {qiu2 jing1 gan1 lan2}, 中藥異名 kohlrabi (Brassicae Caulorapae Cormus)
球蘭 {qiu2 lan2}, 中藥正名 fleshy hoya [stem or leaf] (Hoyae Carnosae Caulis seu Folium)

【朹】 {qiu2} [Freq. 4] crataegus.
朹 {qiu2}, 中藥異名 crataegus (Crataegi Fructus)
朹子 {qiu2 zi3}, 中藥異名 crataegus (Crataegi Fructus)

【鼽】 {qiu2} [Freq. 2] sniveling (n.) (鼻鼽 {bi2 qiu2}, sniveling nose).
鼽鼻 {qiu2 bi2}, sniveling nose
鼽衄 {qiu2 nu94}, sniveling and nosebleed
鼽水 {qiu2 shui3}, watery sniveling

【&&866C.866F||】 {qiu2} [Freq. 4] tangled (赤絲&&866C.866F||脈 {chi4 si1 qiu2 mai4}, tangled red-thread vessels)

~~ {qu1} ~~
【曲】 {qu1} [Freq. 3] bend; curved; crooked; leaven; leaven.
曲鬢 {qu1 bin4}, 腧穴正名 GB-7 (Temporal Hairline Curve)
曲差 {qu1 cha1}, 腧穴正名 BL-4 (Deviating Turn)
曲池 {qu1 chi2}, 腧穴正名 LI-11 (Pool at the Bend)
曲髮 {qu1 fa4}, 腧穴異名 GB-7 (Hair Curve)
曲骨 {qu1 gu3}, curved bone (anteromedial portion of the pubic bone) (Curved Bone); 腧穴正名 CV-2 (Curved Bone); 腧穴異名 KI-11
曲骨端 {qu1 gu3 duan1}, 腧穴異名 KI-11 (Crooked Bone's End) (Curved Bone's End); 腧穴異名 CV-2 (Curved Bone's End); 腧穴異名 KI-11
曲頷 {qu1 han4}, angle of the mandible
曲節 {qu1 jie2}, 腧穴異名 HT-3 (Bending Joint)
曲蓮 {qu1 lian2}, 中藥異名 hemsleya (Hemsleyae Tuber)
曲末粥 {qu1 mo4 zhou1}, 方名 Crushed Leaven Gruel
曲蘗枳朮丸 {qu1 nie4 zhi3 zhu2 wan2}, 方名 Medicated Leaven, Barley Sprout, Unripe Bitter Orange, and White Atractylodes Pill
曲泉 {qu1 quan2}, 腧穴正名 LV-8 (Spring at the Bend)
曲蟺 {qu1 shan4}, 中藥異名 earthworm (Pheretima)
曲牙 {qu1 ya2}, 腧穴異名 ST-6 (Tooth Bend)
曲腋 {qu1 ye4}, axillary fold
曲隅 {qu1 yu2}, curved corner (temporal hairline)
曲垣 {qu1 yuan2}, 腧穴正名 SI-13 (Crooked Wall)

曲澤 {qu1 ze2}, 腧穴正名 PC-3 (Marsh at the Bend)
曲直 {qu1 zhi2}, bending and straightening
曲周 {qu1 zhou1}, curved surround; temporal hairline
曲朮丸 {qu1 zhu2 wan2}, 方名 Medicated Leaven and Atractylodes Pill

【屈】{qu1} [Freq. 2] bend (v.) (屈伸不利 {qu1 shen1 bu2 li4}, inhibited bending and stretching); curved (adj.) (屈骨 {qu1 gu3}, Curved Bone (CV-2)); crooked (adj.).
屈骨 {qu1 gu3}, 腧穴異名 CV-2 (Crooked Bone) (Crooked Bone); 腧穴異名 KI-11
屈骨端 {qu1 gu3 duan1}, 腧穴異名 CV-2 (Crooked Bone's End) (Crooked Bone's End); 腧穴異名 KI-11
屈肌 {qu1 ji1}, 西醫 flexor
屈伸不利 {qu1 shen1 bu4 li4}, inhibited bending and stretching
屈伸困難 {qu1 shen1 kun4 nan2}, difficulty in bending and stretching

【瞿】 {qu1} [Freq. 4] dianthus

【麴】 {qu1} [Freq. 5] leaven

【驅】 {qu1} [Freq. 2] expel (v.) (驅蟲 {qu1 chong2}, expel worms).
驅蟲 {qu1 chong2}, expel worms; worm expulsion
驅蟲法 {qu1 chong2 fan3}, worm-expelling method
驅蟲攻下 {qu1 chong2 gong1 xia4}, expel worms by offensive precipitation
驅蟲藥 {qu1 chong2 yao4}, worm-expelling medicinal
驅除 {qu1 chu2}, expel
驅風 {qu1 feng1}, expel wind
驅風解毒散（湯） {qu1 feng1 jie3 du2 san3 (tang1)}, 方名 Wind-Expelling Toxin-Resolving Powder (Decoction)
驅風散熱飲子 {qu1 feng1 san4 re4 yin3 zi3}, 方名 Wind-Expelling Heat-Dissipating Drink
驅風一字散 {qu1 feng1 yi1 zi4 san3}, 方名 Wind-Expelling One Zi4 Powder
驅蛔殺蟲 {qu1 hui2 sha1 chong2}, kill and expel roundworm
驅蛔湯二號 {qu1 hui2 tang1 er4 hao4}, 方名 Roundworm-Expelling Decoction No.~2
驅蛔止痛 {qu1 hui2 zhi3 tong4}, expel roundworm and relieve pain
驅條蟲 {qu1 tao1 chong2}, expel tapeworm
驅條湯 {qu1 tao1 tang1}, 方名 Tapeworm-Expelling Decoction
驅邪 {qu1 xie2}, expel evil
驅邪截虐 {qu1 xie2 jie2 nue94}, expel evil and interrupt malaria
驅逐 {qu1 zhu2}, expel

【胠】 {qu1} [Freq. 5] subaxillary region

【祛】 {qu1} [Freq. 2] dispel (v.) (祛寒 {qu1 han2}, dispel cold; 祛痰 {qu1 tan2}, dispel phlegm).
祛除寒邪 {qu1 chu2 han2 xie2}, dispel cold evil
祛痰止嗽 {qu1 dan2 zhi3 sou4}, dispel phlegm and suppress cough
祛毒 {qu1 du2}, dispel toxin
祛風 {qu1 feng1}, dispel wind
祛風除濕 {qu1 feng1 chu2 shi1}, dispel wind and eliminate dampness
祛風寒 {qu1 feng1 han2}, dispel wind-cold
祛風化痰 {qu1 feng1 hua4 tan2}, dispel wind and transform phlegm
祛風化痰止咳 {qu1 feng1 hua4 tan2 zhi3 ke2}, dispel wind, transform phlegm, and suppress cough
祛風解肌 {qu1 feng1 jie3 ji1}, dispel wind and resolve the flesh
祛風解痙 {qu1 feng1 jie3 jing4}, dispel wind and resolve tetany
祛風利濕藥 {qu1 feng1 li4 shi1 yao4}, wind-dispelling water-disinhibiting medicinal
祛風明目 {qu1 feng1 ming2 mu4}, dispel wind and brighten the eyes
祛風勝濕 {qu1 feng1 sheng4 shi1}, dispel wind and overcome dampness
祛風濕 {qu1 feng1 shi1}, dispel wind-damp
祛風濕溫里藥 {qu1 feng1 shi1 wen1 li3 yao4}, wind-damp-dispelling interior-warming medicinal
祛風濕藥 {qu1 feng1 shi1 yao4}, wind-damp-dispelling medicinal
祛風痰 {qu1 feng1 tan2}, dispel wind-phlegm
祛風行血 {qu1 feng1 xing2 xue4},
祛風宣肺 {qu1 feng1 xuan1 fei4}, dispel wind and diffuse the lung
祛風養血 {qu1 feng1 yang3 xue4}, dispel wind and nourish the blood
祛風燥濕 {qu1 feng1 zao4 shi1}, dispel wind and dry dampness
祛風燥痰 {qu1 feng1 zao4 tan2}, dispel wind and dry phlegm
祛風止抽 {qu1 feng1 zhi3 chou1}, dispel wind and stop convulsions
祛風止痛 {qu1 feng1 zhi3 tong4}, dispel wind and relieve pain
祛風至寶丹 {qu1 feng1 zhi4 bao3 dan1}, 方名 Supreme Jewel Wind-Dispelling Elixir
祛肝風 {qu1 gan1 feng1}, dispel liver wind
祛寒 {qu1 han2}, dispel cold
祛寒法 {qu1 han2 fa3}, dispelling cold
祛寒化痰 {qu1 han2 hua4 tan2}, dispel cold and transform phlegm
祛寒濕 {qu1 han2 shi1}, dispel cold-damp
祛寒藥 {qu1 han2 yao4}, cold-dispelling medicinal
祛濕 {qu1 shi1}, dispel dampness

祛濕法 {qu1 shi1 fa3}, dampness-dispelling method
祛濕解毒 {qu1 shi1 jie3 duo4}, dispel dampness and resolve toxin
祛濕散寒 {qu1 shi1 san4 han2}, dispel dampness and disinhibit cold
祛暑 {qu1 shu3}, dispel summerheat
祛暑化濁 {qu1 shu3 hua4 zhuo2}, dispel summerheat and transform turbidity
祛暑劑 {qu1 shu3 ji4}, summerheat-dispelling formula
祛暑解表 {qu1 shu3 jie3 biao3}, dispel summerheat and resolve the exterior
祛痰 {qu1 tan2}, dispel phlegm
祛痰法 {qu1 tan2 fa3}, phlegm-dispelling method
祛痰化濁 {qu1 tan2 hua4 zhuo2}, dispel phlegm and transform turbidity
祛痰開竅 {qu1 tan2 kai1 qiao4}, dispel phlegm and open the orifices
祛痰丸 {qu1 tan2 wan2}, 方名 Phlegm-Expelling Pill
祛痰宣痹 {qu1 tan2 xuan1 bi4}, dispel phlegm and diffise impediment
祛外寒 {qu1 wai4 han2}, dispel external cold
祛邪 {qu1 xie2}, dispel evils
祛邪存正 {qu1 xie2 cun2 zheng4}, dispel evil and safeguard right
祛邪法 {qu1 xie2 fa3}, evil-dispelling method
祛邪扶正 {qu1 xie2 fu2 zheng4}, dispel evil and support right
祛邪以扶正 {qu1 xie2 yi3 fu2 zheng4}, evil is dispelled to support right
祛瘀 {qu1 yu1}, dispel stasis
祛瘀活血 {qu1 yu1 huo2 xue4}, dispel stasis and quicken the blood11
祛瘀排膿 {qu1 yu1 pai2 nong2}, dispel stasis and expel pus
祛瘀生津 {qu1 yu1 sheng1 jin1}, dispel stasis and engender liquid
祛瘀通絡 {qu1 yu1 tong1 luo4}, dispel stasis and free the network vessels
祛瘀消腫 {qu1 yu1 xiao1 zhong3}, dispel stasis and disperse swelling
祛瘀血 {qu1 yu1 xue4}, dispel static blood
祛瘀止血 {qu1 yu1 zhi3 xue4}, dispel stasis and stanch bleeding
曲麥枳朮丸 {qu2 mai4 zhi3 zhu2 wan2}, 方名 Medicated Leaven, Barley Sprout, Unripe Bitter Orange, and White Atractylodes Pill
瞿麥 {qu2 mai4}, 中藥正名 dianthus (Dianthi Herba)
瞿麥散 {qu2 mai4 san3}, 方名 Dianthus Powder
瞿麥穗 {qu2 mai4 sui4}, 中藥正名 dianthus flower (Dianthi Spica)

~~ {qu2} ~~
【鴝】 {qu2} [Freq. 4] myna.
鴝鵒 {qu2 yu4}, 中藥正名 myna (Acridotheris Caro)

【磲】 {qu2} [Freq. 4] giant clam 硨磲 (硨磲 {che1 qu2}, giant clam)

~~ {qu3} ~~

【取】 {qu3} [Freq. 3] take; apply treatment at.
取經配穴 {qu3 jing1 pei4 xue2}, select channels and combine points
取嚏療法 {qu3 ti4 liao2 fa3}, sneezing therapy
取象比類 {qu3 xiang4 bi3 lei4}, classification according to manifestation
取瀉 {qu3 xie4},
取淵湯 {qu3 yuan1 tang1}, 方名 Deep-Source Decoction

【齲】 {qu3} [Freq. 2] tooth decay (n.) (齲齒 {qu3 chi3}, tooth decay).
齲齒 {qu3 chi3}, tooth decay

~~ {qu4} ~~

【去】 {qu4} [Freq. 3] go; remove (v.) (去節 {qu4 jie2}, remove the nodes (e.g., of ephedra)); eliminate (v.) (熱可去寒 {re4 ke3 qu4 han2}, hot [medicinals] can eliminate cold); minus (prep.) (去桂枝 {qu4 gui4 zhi1}, minus cinnamon twig); away from (prep.).
去毒生肌 {qu4 du2 sheng1 ji1}, eliminate toxin and engender flesh
去腐散 {qu4 fu3 san3}, 方名 Putridity-Eliminating Powder
去腐生肌 {qu4 fu3 sheng1 ji1}, eliminate putridity and engender flesh
去腐生新 {qu4 fu3 sheng1 xin1}, eliminate putridity and engender the new
去腐消腫 {qu4 fu3 xiao1 zhong3}, eliminate putridity and disperse swelling
去火毒 {qu4 huo3 du2}, eliminate fire toxin
去來湯 {qu4 lai2 tang1}, 方名 Coming and Going Decoction
去來心痛 {qu4 lai2 xin1 tong4}, coming and going heart pain
去目翳 {qu4 mu4 yi1}, remove eye screens
去皮 {qu4 pi2}, remove the skin
去心煩 {qu4 xin1 fan2}, eliminate heart vexation
去翳 {qu4 yi4}, eliminate eye screens
去油 {qu4 you2}, remove oil
去瘀生新 {qu4 yu1 sheng1 xin1}, eliminate stasis and engender the new
去宛陳莝 {qu4 yu4 chen2 cuo4}, eliminate depressed stale water
去渣 {qu4 zha1}, remove the dregs; strain

~~ {quan2} ~~

【全】 {quan2} [Freq. 4] complete.
全不產 {quan2 bu4 chan3}, complete infertility
全不進食 {quan2 bu4 jin4 shi2}, complete absence of food intake
全蟲 {quan2 chong2}, 中藥異名 scorpion (Scorpio)
全當歸 {quan2 dang1 gui1}, 中藥正名 whole tangkuei (Angelicae Sinensis Radix Integra)
全瓜蒂 {quan2 gua1 di4}, 中藥異名 melon stalk (Melonis Pedicellus)
全瓜蔞 {quan2 gua1 lou2}, 中藥異名 trichosanthes (Trichosanthis Fructus)
全栝樓 {quan2 gua1 lou2}, 中藥正名 whole trichosanthes (Trichosanthis Fructus Integer)
全胡 {quan2 hu2}, 中藥異名 peucedanum (Peucedani Radix)
全鹿 {quan2 lu4}, 中藥正名 whole deer (Cervus Integer)
全鹿丸 {quan2 lu4 wan2}, 方名 Whole Deer Pill
全身 {quan2 shen1}, whole body; generalized
全身骨節疼痛 {quan2 shen1 gu3 jie2 teng2 tong4}, generalized joint pain
全身涼汗 {quan2 shen1 liang2 han4}, generalized cold sweating
全身情況較差 {quan2 shen1 qing2 kuang4 jiao4 cha1}, poor general condition
全身疼痛 {quan2 shen1 teng2 tong4}, generalized pain
全身證候 {quan2 shen1 zheng4 hou4}, general pattern
全生白朮散 {quan2 sheng1 bai2 zhu2 san3}, 方名 Whole Life White Atractylodes Powder
全書 {quan2 shu1}, complete compendium; collected works
全蠍 {quan2 xie1}, 中藥正名 scorpion (Scorpio)
全蝎 {quan2 xie1}, 中藥異名 scorpion (Scorpio)
全葉青蘭 {quan2 ye4 qing1 lan2}, 中藥正名 whole-leaved dragon's-head (Dracocephali Integrifolii Herba)

【泉】 {quan2} [Freq. 4] spring.
泉池 {quan2 chi2}, 腧穴異名 Spring Pool
泉生足 {quan2 sheng1 zu2}, 腧穴正名 Spring at the Foot
泉液 {quan2 ye4}, 腧穴異名 GB-22 (Spring Humor)
泉腋 {quan2 ye4}, 腧穴異名 GB-22 (Spring Armpit)
泉州神麴 {quan2 zhou1 shen2 qu2}, 中藥異名 Fu2jian4 leaven (Massa Medicata Fermentata *Fujianensis)

【拳】 {quan2} [Freq. 4] fist.
拳尖 {quan2 jian1}, 腧穴正名 Fist Tip
拳毛 {quan2 mao2}, ingrown eyelash
拳毛倒插 {quan2 mao2 dao4 cha1}, ingrown eyelash
拳毛倒睫 {quan2 mao2 dao4 jie2}, ingrown eyelash
拳參 {quan2 shen1}, 中藥正名 bistort (Bistortae Rhizoma)

【痊】 {quan2} [Freq. 3] recover.
痊瘉 {quan2 yu4}, recover (v.); recovery(n.) (from illness) (from illness); recovery

【跧】 {quan2} [Freq. 4] curled.
跧臥 {quan2 wo4}, curled-up lying posture; lying in curled-up posture

【權】 {quan2} [Freq. 5] power.
權&&91C3.9ACE|{quan2 liao2}, 腧穴異名 SI-18 (Influential Bone-Hole)

【顴】 {quan2} [Freq. 2] cheek (n.) (region of the cheek bone. 兩顴發紅 {liang3 quan2 fa1 hong2}, reddening of [both] the cheeks).
顴赤 {quan2 chi4}, reddening of the cheeks
顴權疔 {quan2 ding1}, clove sore of the cheek
顴骨 {quan2 gu3}, 西醫 zygomatic bone (zygomatic bone); cheek bone
顴紅 {quan2 hong2}, reddening of the cheeks
顴紅盜汗 {quan2 hong2 dao4 han4}, reddening of the cheeks and night sweating
顴紅勝火 {quan2 hong2 sheng1 huo3}, reddening of the cheeks due to upbearing fire
顴&&91C3.9ACE|{quan2 liao2}, 腧穴正名 SI-18 (Cheek Bone-Hole)

~~ {quan3} ~~
【犬】 {quan3} [Freq. 5] dog (猘犬 {zhi4 quan3}, rabid dog).
犬齒 {quan3 chi3}, 西醫 canine teeth (canines)
犬肉 {quan3 rou4}, 中藥異名 dog's flesh (Canis Caro)
犬山椒 {quan3 shan1 jiao1}, 中藥異名 green zanthoxylum (Zanthoxyli Schinifolii Pericarpium)

~~ {que1} ~~
【缺】 {que1} [Freq. 4] missing; empty.
缺盆 {que1 pen2}, supraclavicular fossa (Empty Basin); 腧穴正名 ST-12
缺盆骨 {que1 pen2 gu3}, clavicle
缺盆疽 {que1 pen2 ju1}, supraclavicular flat-abscess
缺盆潰爛 {que1 pen2 kui4 lan4}, ulceration of the supraclavicular fossa
缺乳 {que1 ru3}, scant breast milk
缺鐵性貧血 {que1 tie3 xing4 pin2 xue4}, 西醫 iron deficiency anemia
缺氧症 {que1 yang3 zheng4}, 西醫 anoxia

~~ {que4} ~~
【卻】 {que4} [Freq. 3] eliminate.
卻暑 {que4 shu3}, eliminate summerheat

【雀】 {que4} [Freq. 4] sparrow.
雀 {que4}, 中藥正名 sparrow (Passer)
雀兒 {que4 er2}, 中藥異名 sparrow (Passer)
雀兒藥粥 {que4 er2 yao4 zhou1}, 方名 Medicinal Sparrow Gruel
雀卵 {que4 luan3}, 中藥正名 sparrow's egg (Passeris Ovum)
雀麥 {que4 mai4}, 中藥正名 bromegrass (Bromi Caulis et Folium)
雀麥米 {que4 mai4 mi3}, 中藥正名 bromegrass seed (Bromi Semen)
雀盲 {que4 mang2}, sparrow blindness; night blindness
雀梅藤 {que4 mei2 teng2}, 中藥正名 sageretia stem and leaf (Sageretiae Ramulus et Folium)
雀梅藤根 {que4 mei2 teng2 gen1}, 中藥正名 sageretia root (Sageretiae Radix)
雀目 {que4 mu4}, sparrow vision; night blindness
雀目夜盲 {que4 mu4 ye4 mang2}, sparrow vision night blindness
雀腦 {que4 nao3}, 中藥正名 sparrow's brain (Passeris Cerebrum)
雀腦芎 {que4 nao3 xiong1}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)
雀榕根 {que4 rong2 gen1}, 中藥正名 Wight's fig root (Fici Wightianae Radix)
雀榕葉 {que4 rong2 ye4}, 中藥正名 Wight's fig leaf (Fici Wightianae Folium)
雀舌草 {que4 she2 cao3}, 中藥異名 lesser hypericum (Hyperici Japonici Herba)
雀舌豆 {que4 she2 dou4}, 中藥正名 dumasia (Dumasiae Fructus)
雀頭香 {que4 tou2 xiang1}, 中藥異名 cyperus (Cyperi Rhizoma)
雀頭血 {que4 tou2 xue4}, 中藥正名 sparrow's blood (Passeris Sanguis)
雀啄灸 {que4 zhuo2 jiu3}, pecking sparrow moxibustion
雀啄脈 {que4 zhuo2 mai4}, pecking sparrow pulse

【闕】 {que4} [Freq. 3] gate tower (region between the eye brows); glabella.
闕上 {que4 shang4}, upper gate tower (region above the glabella)
闕俞 {que4 shu1}, 腧穴異名 BL-14 (Gate Tower Transport)
闕中 {que4 zhong1}, glabella (region between the eyebrows); middle gate tower

【鵲】 {que4} [Freq. 4] magpie.
鵲 {que4}, 中藥正名 magpie (Picae Caro)
鵲豆 {que4 dou4}, 中藥正名 lablab (Lablab Fructus)

~~ {qun2} ~~
【群】 {qun2} [Freq. 4] group (flock, herd, crowd).
群蘭敗毒草 {qun2 lan2 bai4 du2 cao3}, 中藥異名 agrimony (Agrimoniae Herba)

【裙】 {qun2} [Freq. 4] skirt.
裙邊瘡 {qun2 bian1 chuang1}, skirt hem sore

== R ==

~~ {ran2} ~~
【然】 {ran2} [Freq. 4] so; -like; burn (same as 燃 {ran2}, burn, blaze).
然谷 {ran2 gu3}, 腧穴正名 KI-2 (Blazing Valley)
然骨 {ran2 gu3}, blazing bone (navicular bone) (Blazing Bone); 腧穴異名 KI-2

【蚺】 {ran2} [Freq. 4] python.
蚺蛇膽 {ran2 she2 dan3}, 中藥正名 python's gall (Pythonis Vesica Fellea)
蚺蛇膏 {ran2 she2 gao1}, 中藥正名 python's fat (Pythonis Adeps)
蚺蛇皮 {ran2 she2 pi2}, 中藥正名 python's skin (Pythonis Corium)
蚺蛇肉 {ran2 she2 rou4}, 中藥正名 python (Pythonis Caro)

~~ {ran3} ~~
【染】 {ran3} [Freq. 4] stain; dye.
染苔 {ran3 tai1}, stained fur
染牙果 {ran3 ya2 guo3}, 中藥異名 flowery garcinia [root or fruit] (Garciniae Multiflorae Cortex seu Fructus)

【苒】 {ran3} [Freq. 4] luxuriant.
苒苒草 {ran3 ran3 cao3}, 中藥正名 yellow-bell clematis (Clematidis Glaucae Herba)

~~ {rang2} ~~
【瀼】 {rang2} [Freq. 4] water flow

【蘘】 {rang2} [Freq. 4] Japanese ginger.

蘘草 {rang2 cao3}, 中藥正名 Japanese ginger leaf (Zingiberis Miogae Folium)
蘘荷 {rang2 he2}, 中藥正名 Japanese ginger (Zingiberis Miogae Rhizoma)
蘘荷子 {rang2 he2 zi3}, 中藥正名 Japanese ginger fruit (Zingiberis Miogae Fructus)

~~ {rao2} ~~
【橈】 {rao2} [Freq. 4] oar.
橈側腕長伸肌 {rao2 ce4 wan4 chang2 shen1 ji1}, 西醫 long radial extensor muscle of the wrist
橈動脈 {rao2 dong4 mai4}, 西醫 radial artery
橈骨 {rao2 gu3}, 西醫 radius

~~ {rao3} ~~
【擾】 {rao3} [Freq. 5] harass (v.) (痰濁上擾 {tan2 zhuo2 shang4 rao3}, phlegm turbidity harassing the upper body)

~~ {rao4} ~~
【繞】 {rao4} [Freq. 3] skirt around; around.
繞臍疼痛 {rao4 qi2 teng2 tong4}, pain around the umbilicus; periumbilical pain
繞臍痛 {rao4 qi2 tong4}, pain around the umbilicus; periumbilical pain

~~ {re4} ~~
【熱】 {re4} [Freq. 2] heat (n.); hot (adj.) (寒熱{han2 re4}, cold and heat; 附子性熱 {fu4 zi3 xing4 re4}, aconite is hot in nature); heat [effusion] (fever) (n.) (熱退 {re4 tui4}, the heat (or fever) abates).
熱火暑的證候 {re4, huo3, shu3 de zheng4 hou4}, heat, fire, and summerheat patterns
熱秘 {re4 bi4}, heat constipation
熱閉 {re4 bi4}, heat block
熱痹 {re4 bi4}, heat impediment
熱閉痙厥 {re4 bi4 jing4 jue2}, heat-block tetanic reversal
熱閉心包 {re4 bi4 xin1 bao1}, heat blocked in the pericardium
熱閉心包證 {re4 bi4 xin1 bao1 zheng4}, pattern of heat blocked in the pericardium
熱病 {re4 bing4}, febrile disease; heat disease
熱病后 {re4 bing4 hou4}, after heat disease
熱病傷津 {re4 bing4 shang1 jin1}, heat disease damaging liquid
熱熾毒盛 {re4 chi4 du2 sheng4}, intense heat and exuberant toxin

熱熾津傷 {re4 chi4 jin1 shang1}, intense heat causing damage to liquid
熱喘 {re4 chuan3}, heat panting
熱瘡 {re4 chuang1}, heat sore (equivalent to herpes simplex)
熱癉 {re4 dan1}, pure heat
熱毒 {re4 du2}, heat toxin
熱毒閉肺 {re4 du2 bi4 fei4}, heat toxin blocking the lung
熱毒閉肺證 {re4 du2 bi4 fei4 zheng4}, pattern of heat toxin blocking the lung
熱毒赤痢 {re4 du2 chi4 li4}, heat toxin red dysentery
熱毒熾盛 {re4 du2 chi4 sheng4}, exuberant heat toxin
熱毒熾盛證 {re4 du2 chi4 sheng4 zheng4}, exuberant heat toxin pattern
熱毒充斥 {re4 du2 chong1 chi4}, rampant heat toxin
熱毒發斑 {re4 du2 fa1 ban1}, heat toxin macular eruption
熱毒攻喉 {re4 du2 gong1 hou2}, heat toxin attacking the throat
熱毒攻喉證 {re4 du2 gong1 hou2 zheng4}, pattern of heat toxin attacking the throat
熱毒攻舌 {re4 du2 gong1 she2}, heat toxin attacking the tongue
熱毒攻舌證 {re4 du2 gong1 she2 zheng4}, pattern of heat toxin attacking the tongue
熱毒內陷 {re4 du2 nei4 xian4}, heat toxin falling indward
熱毒內陷證 {re4 du2 nei4 xian4 zheng4}, pattern of heat toxin falling indward
熱毒釀成肺癰 {re4 du2 niang4 cheng2 fei4 yong1}, heat toxin forming a pulmonary welling-abscess
熱毒釀膿 {re4 du2 niang4 nong2}, heat doxin brewing into pus
熱毒釀膿證 {re4 du2 niang4 nong2 zheng4}, pattern of heat doxin brewing into pus
熱毒傷陰證 {re4 du2 shang1 yin1 zheng4}, damage to yin1 by heat toxin pattern
熱毒停滯於中焦 {re4 du2 ting2 zhi4 yu2 zhong1 jiao1}, heat toxin collecting and stagnating in the center burner
熱毒下血 {re4 du2 xia4 xue4}, heat toxin precipitation of blood
熱毒壅聚頭面 {re4 du2 yong1 ju4 tou2 mian4}, heat toxin congesting in the head and face
熱毒壅聚頭面證 {re4 du2 yong1 ju4 tou2 mian4 zheng4}, pattern of heat toxin congesting in the head and face
熱毒蘊蓄 {re4 du2 yun4 xu4}, brewing amassment of heat toxin
熱呃 {re4 e4}, heat hiccup
熱遏 {re4 e4}, trapped heat
熱敷 {re4 fu1}, hot compress
熱敷療法 {re4 fu1 liao2 fa3}, hot compress therapy
熱服 {re4 fu2}, take hot
熱伏沖任 {re4 fu2 chong1 ren4}, deep-lying heat in the thoroughfare and controlling vessels
熱府 {re4 fu3}, 腧穴異名 BL-12 (House of Heat) (House of Heat); 腧穴異名 GB-20
熱疳 {re4 gan1}, heat gan1

熱膈 {re4 ge2}, heat occlusion
熱汗 {re4 han4}, heat sweating
熱耗真陰 {re4 hao4 zhen1 yin1}, heat wearing true yin1
熱烘 {re4 hong1}, baking
熱霍亂 {re4 huo4 luan4}, heat cholera
熱極動風 {re4 ji2 dong4 feng1}, extreme heat stirring wind
熱極風動 {re4 ji2 feng1 dong4}, extreme heat stirring wind
熱極生風 {re4 ji2 sheng1 feng1}, extreme heat engendering wind
熱極生寒 {re4 ji2 sheng1 han2}, extreme heat engendering cold
熱極似寒 {re4 ji2 si4 han2}, extreme heat resembling cold
熱劑 {re4 ji4}, hot formula
熱結 {re4 jie2}, heat bind
熱結腸胃 {re4 jie2 chang2 wei4}, heat binding in the intestines and stomach
熱結膀胱 {re4 jie2 pang2 guang1}, heat binding in the bladder
熱結旁流 {re4 jie2 pang2 liu2}, heat bind with circumfluence
熱結胃腸 {re4 jie2 wei4 chang2}, heat binding in the stomach and intestines
熱結下焦 {re4 jie2 xia4 jiao1}, lower burner heat bind
熱結胸 {re4 jie2 xiong1}, heat chest bind
熱結陽明 {re4 jie2 yang2 ming2}, heat binding in the yang2 brightness
熱解 {re4 jie3}, resolution of heat [effusion] (fever)
熱厥 {re4 jue2}, heat reversal
熱厥心痛 {re4 jue2 xin1 tong4}, heat reversal heart pain
熱厥證 {re4 jue2 zheng4}, heat reversal pattern
熱咳 {re4 ke2}, heat cough
熱渴 {re4 ke3}, heat thirst
熱可去寒 {re4 ke3 qu4 han2}, hot [medicinals] can eliminate cold
熱狂 {re4 kuang2}, heat mania
熱淚 {re4 lei4}, heat tearing
熱痢 {re4 li4}, heat dysentery
熱痢下血 {re4 li4 xia4 xue4}, heat dysentery with blood descent
熱淋 {re4 lin2}, heat strangury
熱能勝寒 {re4 neng2 sheng4 han2}, heat can overcome cold
熱瘧 {re4 nue94}, heat malaria
熱嘔 {re4 ou3}, heat retching; heat vomiting
熱痞 {re4 pi3}, heat glomus
熱迫大腸 {re4 po4 da4 chang2}, heat distressing the large intestine
熱氣霍亂 {re4 qi4 huo4 luan4}, heat qi4 cholera
熱擾心神 {re4 rao3 xin1 shen2}, heat harassing the heart spirit

熱擾心神證 {re4 rao3 xin1 shen2 zheng4}, pattern of heat harassing the heart spirit
熱擾胸膈 {re4 rao3 xiong1 ge2}, heat harassing the chest and diaphragm
熱擾胸膈證 {re4 rao3 xiong1 ge2 zheng4}, pattern of heat harassing the chest and diaphragm
熱入膜原 {re4 ru4 mo2 yuan2}, heat entering the membrane source
熱入氣分 {re4 ru4 qi4 fen4}, heat entering the qi4 aspect
熱入心包 {re4 ru4 xin1 bao1}, heat entering the pericardium
熱入血分 {re4 ru4 xue4 fen4}, heat entering the blood aspect
熱入血室 {re4 ru4 xue4 shi4}, heat entering the blood chamber
熱入血室證 {re4 ru4 xue4 shi4 zheng4}, pattern of heat entering the blood chamber
熱入營分 {re4 ru4 ying2 fen4}, heat entering the construction aspect
熱入營血 {re4 ru4 ying2 xue4}, heat entering construction-blood
熱傷肺絡 {re4 shang1 fei4 luo4}, heat damaging the network vessels of the lung
熱傷肺絡證 {re4 shang1 fei4 luo4 zheng4}, pattern of heat damaging the network vessels of the lung
熱傷筋脈 {re4 shang1 jin1 mai4}, heat damaging the sinews; damage to the sinews by heat
熱傷津氣 {re4 shang1 jin1 qi4}, heat damaging liquid and qi4
熱傷氣 {re4 shang1 qi4}, heat damages qi4
熱傷氣陰 {re4 shang1 qi4 yin1}, heat damaging qi4 and yin1
熱傷神明 {re4 shang1 shen2 ming2}, heat damaging the spirit light
熱傷營陰 {re4 shang1 ying2 yin1}, heat damaging construction and yin1
熱少寒多 {re4 shao3 han2 duo1}, more [aversion to] cold than heat [effusion] (fever)
熱深厥深 {re4 shen1 jue2 shen1}, severe heat and severe reversal
熱盛 {re4 sheng4}, exuberant heat
熱盛動風 {re4 sheng4 dong4 feng1}, exuberating heat stirring wind
熱盛動風證 {re4 sheng4 dong4 feng1 zheng4}, pattern of exuberating heat stirring wind
熱盛動血 {re4 sheng4 dong4 xue4}, exuberant heat stirring the blood; exuberant heat stirring the blood
熱盛風動 {re4 sheng4 feng1 dong4}, exuberant heat stirring wind
熱盛期 {re4 sheng4 qi1}, exuberant heat stage; exuberant heat [effusion] (fever) stage
熱盛氣分 {re4 sheng4 qi4 fen4}, exuberant qi4-aspect heat
熱盛傷津 {re4 sheng4 shang1 jin1}, exuberant heat damaging liquid
熱盛傷津證 {re4 sheng4 shang1 jin1 zheng4}, pattern exuberant heat damaging liquid
熱盛則腫 {re4 sheng4 ze2 zhong3}, when heat is exuberant, there is swelling
熱勝則腫 {re4 sheng4 ze2 zhong3}, when heat prevails, there is swelling
熱實結胸 {re4 shi2 jie2 xiong1}, heat repletion chest bind
熱嗽 {re4 sou4}, heat cough
熱痰 {re4 tan2}, heat phlegm
熱痰證 {re4 tan2 zheng4}, heat phlegm pattern

熱燙傷目 {re4 tang4 shang1 mu4}, damage to they eye by excessive heat
熱痛 {re4 tong4}, heat pain (or sore); hot and painful
熱退 {re4 tui4}, abatement of heat [effusion] (fever)
熱無犯熱 {re4 wu2 fan4 re4}, avoid the mistake of using heat against heat
熱癇 {re4 xian2}, heat epilepsy
熱哮 {re4 xiao1}, heat wheezing
熱邪 {re4 xie2}, heat evil
熱邪熾盛 {re4 xie2 chi4 sheng4}, intense heat evil
熱邪傳里 {re4 xie2 chuan2 li3}, heat evil interiorizing; heat evil passing into the interior
熱邪結滯 {re4 xie2 jie2 zhi4}, stagnating heat evil
熱邪內閉 {re4 xie2 nei4 bi4}, internal heat evil block; heat evil blocked internally
熱邪入心 {re4 xie2 ru4 xin1}, heat evil entering the heart
熱邪傷津 {re4 xie2 shang1 jin1}, damage to liquid by the heat evil
熱邪壅肺 {re4 xie2 yong1 fei4}, heat evil congesting the lung
熱邪阻肺 {re4 xie2 zu3 fei4}, heat evil obstructing the lung
熱瀉 {re4 xie4}, heat diarrhea
熱心痛 {re4 xin1 tong4}, heat heart pain
熱性 {re4 xing4}, hot nature
熱性病 {re4 xing4 bing4}, 西醫 febrile disease
熱性傳染病 {re4 xing4 chuan2 ran3 bing4}, 西醫 febrile infection
熱性胃痛 {re4 xing4 wei4 tong4}, hot-type stomach pain
熱夜啼 {re4 ye4 ti2}, heat night crying
熱因熱用 {re4 yin1 re4 yong4}, treating heat with heat
熱飲 {re4 yin3}, hot drinks
熱與血結 {re4 yu3 xue4 jie2}, heat binding with blood
熱郁 {re4 yu4}, heat depression
熱郁湯 {re4 yu4 tang1}, 方名 Heat Depression Decoction
熱郁胸膈 {re4 yu4 xiong1 ge2}, heat lying depressed in the chest and diaphragm
熱郁壅肺 {re4 yu4 yong1 fei4}, heat depressing and congesting the lung
熱熨 {re4 yun4}, hot pack
熱在骨間 {re4 zai4 gu3 jian1}, heat is in the bone
熱在上焦 {re4 zai4 shang4 jiao1}, heat is in the upper burner
熱燥 {re4 zao4}, heat dryness (of the stool)
熱則氣泄 {re4 ze2 qi4 xie4}, when there is heat, qi4 discharges
熱脹 {re4 zhang4}, heat distention
熱者寒之 {re4 zhe3 han2 zhi1}, heat is treated with cold
熱陣 {re4 zhen4}, cold array
熱證 {re4 zheng4}, heat pattern; heat pattern

熱中 {re4 zhong4}, heat stroke
熱重于濕 {re4 zhong4 yu2 shi1}, heat predominating over dampness
熱重于濕證 {re4 zhong4 yu2 shi1 zheng4}, pattern of heat predominating over dampness
熱濁 {re4 zhuo2}, heat turbidity
熱灼腎陰 {re4 zhuo2 shen4 yin1}, heat scorching kidney yin1

【熱】 {re4} [Freq. 4] heat treatment (fire needling, warm needling,)

~~ {ren2} ~~
【人】 {ren2} [Freq. 1] man; person; human, humankind.
人部 {ren2 bu4}, human level
人卒暴死 {ren2 cu4 bao4 si3}, sudden death
人卒腫滿 {ren2 cu4 zhong3 man3}, sudden swelling and fullness
人大驚九竅四肢皆出血 {ren2 da4 jing1 jiu3 qiao4 si4 zhi1 jie1 chu1xue4}, fright in adules with bleeding of nine orifices and four limbs
人道 {ren2 dao4}, Dao4 of humankind (sexual intercourse)
人定 {ren2 ding4}, serenity watch (B12 watch, 9-11 p.m.)
人痘接種法 {ren2 dou4 jie1 zhong3 fa3}, pox inoculation
人痾 {ren2 e1}, hermaphrodism
人工牛黃 {ren2 gong1 niu2 huang2}, 中藥正名 synthetic bovine bezoar (Bovis Bezoar *Syntheticum)
人橫 {ren2 heng2}, 腧穴異名 SP-15 (Human's Horizontal)
人漸消瘦 {ren2 jian4 xiao1 sou4}, gradual emaciation
人面子 {ren2 mian4 zi3}, 中藥正名 dracontomelon fruit (Dracontomelonis Fructus)
人面子根皮 {ren2 mian4 zi3 gen1 pi2}, 中藥正名 dracontomelon root bark (Dracontomelonis Radicis Cortex)
人尿 {ren2 niao4}, 中藥正名 human urine (Hominis Urina)
人溺水死 {ren2 niao4 shui3 si3}, drowning
人乳 {ren2 ru3}, 中藥異名 human milk (Hominis Lac)
人乳粉 {ren2 ru3 fen3}, 中藥正名 powdered human milk (Hominis Lactis Pulvis)
人乳汁 {ren2 ru3 zhi1}, 中藥正名 human milk (Hominis Lac)
人弱難產 {ren2 ruo4 nan2 chan3}, difficult delivery in weak patients
人參白虎湯 {ren2 shen1 bai2 hu3 tang1}, 方名 Ginseng White Tiger Decoction
人參敗毒散 {ren2 shen1 bai4 du2 san3}, 方名 Ginseng Toxin-Vanquishing Powder
人參當芍散 {ren2 shen1 dang1 shao2 san3}, 方名 Ginseng, Chinese Angelica, and Peony Powder
人參附子湯 {ren2 shen1 fu4 zi3 tang1}, 方名 Ginseng and Aconite Decoction

人參蛤蚧散 {ren2 shen1 ge2 jie4 san3}, 方名 Ginseng and Gecko Powder
人參固本丸 {ren2 shen1 gu4 ben3 wan2}, 方名 Ginseng Root-Securing Pill
人參果 {ren2 shen1 guo3}, 中藥正名 herminium (Herminii Herba cum Radice)
人參胡桃湯 {ren2 shen1 hu2 tao2 tang1}, 方名 Ginseng and Walnut Decoction
人參花 {ren2 shen1 hua1}, 中藥正名 ginseng flower (Ginseng Flos)
人參黃&&82AA.8006‖散 {ren2 shen1 huang2 qi2 san3}, 方名 Ginseng and Astragalus Powder
人參健脾丸 {ren2 shen1 jian4 pi2 wan2}, 方名 Ginseng Spleen-Fortifying Pill
人參濫用綜合症 {ren2 shen1 lan4 yong4 zong4 he2 zheng4}, 西醫 ginseng abuse syndrome
人參蘆 {ren2 shen1 lu2}, 中藥正名 ginseng top (Ginseng Rhizoma)
人參啓脾丸 {ren2 shen1 qi3 pi2 wan2}, 方名 Ginseng Spleen-Arousing Pill
人參三七 {ren2 shen1 san1 qi1}, 中藥異名 notoginseng (Notoginseng Radix)
人參湯 {ren2 shen1 tang1}, 方名 Ginseng Decoction
人參條 {ren2 shen1 tiao2}, 中藥正名 ginseng adventitious root (Ginseng Radix Adventitia)
人參五味子湯, 方名 Ginseng and Schisandra Decoction
人參瀉心湯 {ren2 shen1 xie4 xin1 tang1}, 方名 Ginseng Heart-Draining Decoction
人參鬚 {ren2 shen1 xu1}, 中藥正名 fibrous ginseng root (Ginseng Radix Tenuis)
人參養榮湯（丸）, 方名 Ginseng Construction-Nourishing Decoction (Pill)
人參葉 {ren2 shen1 ye4}, 中藥正名 ginseng leaf (Ginseng Folium)
人參滋補片 {ren2 shen1 zi1 bu3 pian4}, 方名 Enriching Ginseng Tablet
人參子 {ren2 shen1 zi3}, 中藥正名 ginseng fruit (Ginseng Fructus)
人參 {ren2 shen1, 中藥正名 ginseng (Ginseng Radix)
人事不省 {ren2 shi4 bu4 xing3}, loss of consciousness; unconsciousness
人體消瘦 {ren2 ti3 xiao1 sou4}, emaciation
人體有損痛 {ren2 ti3 you3 sun3 tong4}, injury to the body with pain
人痿黃瘦 {ren2 wei3 huang2 shou4}, withered yellow complexion and emaciation
人誤吞馬蝗入腹 {ren2 wu4 tun1 ma3 huang2 ru4 fu4}, accidental swallowing of leeches
人銜 {ren2 xian2}, 中藥異名 ginseng (Ginseng Radix)
人莧 {ren2 xian4}, 中藥異名 copperleaf (Acalyphae Herba)
人迎 {ren2 ying2}, man's prognosis; ren-ying (Man's Prognosis); 腧穴正名 ST-9
人迎脈 {ren2 ying2 mai4}, ren yin1g pulse; man's prognosis pulse
人指甲 {ren2 zhi3 jia3}, 中藥正名 human nail (Hominis Unguis)
人中 {ren2 zhong1}, human center; philtrum (Human Center); 腧穴正名 GV-26
人中白 {ren2 zhong1 bai2}, 中藥正名 urine sediment (Hominis Urinae Sedimentum)
人中疔 {ren2 zhong1 ding1}, human center (philtrum) clove sore; human-center clove sore
人中黃 {ren2 zhong1 huang2}, 中藥正名 licorice in human feces (Glycyrrhizae Radix cum Excremento Hominis Praeparatum)

【仁】 {ren2} [Freq. 3] seed; kernel; benevolence; kernel.

仁頻 {ren2 pin2}, 中藥異名 areca (Arecae Semen)
仁棗 {ren2 zao3}, 中藥異名 toosendan (Toosendan Fructus)
仁齋直指方 {ren2 zhai1 zhi2 zhi3 fang1}, Ren2-Zhai1 House Simple Formulary

【壬】 {ren2} [Freq. 3] ninth heavenly stem; S9.
壬水 {ren2 shui3}, S9-water (the bladder)

~~ {ren3} ~~
【忍】 {ren3} [Freq. 4] endure.
忍冬草 {ren3 dong1 cao3}, 中藥異名 lonicera stem (Lonicerae Caulis)
忍冬花 {ren3 dong1 hua1}, 中藥異名 lonicera (Lonicerae Flos)
忍冬藤 {ren3 dong1 teng2}, 中藥正名 lonicera stem (Lonicerae Caulis)
忍精不泄 {ren3 jing1 bu4 xie4}, withhold ejaculation
忍尿 {ren3 niao4}, withhold urine

【&&83CD||】 {ren3} [Freq. 5] plant name

~~ {ren4} ~~
【任】 {ren4} [Freq. 4] control.
任脈 {ren4 mai4}, controlling vessel; CV

【妊】 {ren4} [Freq. 4] pregnancy (妊娠 {ren4 shen1}, pregnancy).
妊婦 {ren4 fu4}, pregnant woman
妊娠 {ren4 shen1}, 西醫 pregnancy; pregnancy
妊娠斑 {ren4 shen1 ban1}, macules in pregnancy
妊娠不語 {ren4 shen1 bu4 yu3}, loss of voice in pregnancy
妊娠毒藥傷胎 {ren4 shen1 du2 yao4 shang1 tai1}, damage to the fetus by poisonous medicinals in pregnancy
妊娠惡阻 {ren4 shen1 e4 zu3}, malign obstruction in pregnancy
妊娠浮腫 {ren4 shen1 fu2 zhong3}, puffy swelling in pregnancy
妊娠腹痛 {ren4 shen1 fu4 tong4}, abdominal pain in pregnancy
妊娠腹脹 {ren4 shen1 fu4 zhang4}, abdominal distention in pregnancy
妊娠高血壓綜合症 {ren4 shen1 gao1 xue4 ya1 zong4 he2 zheng4}, 西醫 pregnancy hypertension syndrome
妊娠劇吐 {ren4 shen1 ju4 tu4}, 西醫 hyperemesis gravidarum
妊娠咳嗽 {ren4 shen1 ke2 sou4}, cough in pregnancy

妊娠痲疹 {ren4 shen1 ma2 zhen3}, measles in pregnancy
妊娠脈 {ren4 shen1 mai4}, pregnancy pulse
妊娠尿難 {ren4 shen1 niao4 nan2}, difficult urination in pregnancy
妊娠尿血 {ren4 shen1 niao4 xue4}, bloody urine in pregnancy
妊娠嘔吐 {ren4 shen1 ou3 tu4}, vomiting in pregnancy
妊娠偏頭痛 {ren4 shen1 pian1 tou2 tong4}, hemilateral headache in pregnancy
妊娠瘙癢症 {ren4 shen1 sao4 yang3 zheng4}, itching in pregnancy
妊娠舌瘖 {ren4 shen1 she2 yin1}, loss of voice in pregnancy
妊娠失音 {ren4 shen1 shi1 yin1}, loss of voice in pregnancy; loss of voice in pregnancy
妊娠水腫 {ren4 shen1 shui3 zhong3}, water swelling in pregnancy
妊娠下血 {ren4 shen1 xia4 xue4}, precipitation of blood in pregnancy
妊娠下肢抽筋 {ren4 shen1 xia4 zhi1 chou1 jin1}, lower limb cramp in pregnancy
妊娠癇證 {ren4 shen1 xian2 zheng4}, epilepsy in pregnancy
妊娠消渴 {ren4 shen1 xiao1 ke3}, dispersion-thirst in pregnancy
妊娠小便不利 {ren4 shen1 xiao3 bian4 bu4 li4}, inhibited urination in pregnancy
妊娠小便不通 {ren4 shen1 xiao3 bian4 bu4 tong1}, urinary stoppage in pregnancy
妊娠小便淋痛 {ren4 shen1 xiao3 bian4 lin2 tong4}, painful stranguric urination in pregnancy; strangury in pregnancy
妊娠心煩 {ren4 shen1 xin1 fan2}, vexation in pregnancy; vexation in pregnancy
妊娠心腹脹滿 {ren4 shen1 xin1 fu4 zhang4 man3}, distention and fullness in the heart [region] and abdomen in pregnancy
妊娠眩暈 {ren4 shen1 xuan4 yun1}, dizziness in pregnancy; dizziness in pregnancy
妊娠藥忌 {ren4 shen1 yao4 ji4}, contraindication of medicinals in pregnancy
妊娠以后 {ren4 shen1 yi3 hou4}, in pregnancy
妊娠音啞 {ren4 shen1 yin1 ya3}, loss of voice in pregnancy
妊娠喑啞 {ren4 shen1 yin1 ya3}, loss of voice in pregnancy
妊娠腫脹 {ren4 shen1 zhong3 zhang4}, swelling in pregnancy; swelling and distention in pregnancy
妊娠中風 {ren4 shen1 zhong4 feng1}, wind strike (stroke) in pregnancy
妊娠子沖心 {ren4 shen1 zi3 chong1 xin1}, fetus surging into the heart [in pregnancy]
妊娠紫癜 {ren4 shen1 zi3 dian4}, purple patches in pregnancy (purpura)
妊娠子瘖 {ren4 shen1 zi3 yin1}, loss of voice in pregnancy
妊娠阻病 {ren4 shen1 zu3 bing4}, obstruction sickness in pregnancy

【忍】 {ren4} [Freq. 5] endure

【韌】 {ren4} [Freq. 4] ligament.
韌帶 {ren4 dai4}, 西醫 ligament

～ {ri4} ～

【日】 {ri4} [Freq. 3] sun; day (n.), daily (adv.).

日本川芎 {ri4 ben3 chuan1 xiong1}, 中藥正名 cnidium root (Cnidii Officinalis Rhizoma)

日本花魚 {ri4 ben3 hua1 yu2}, 中藥正名 spotted mackerel (Scomber Japonicus)

日本鯷 {ri4 ben3 ji4}, 中藥正名 Japanese anchovy (Engraulis Japonica)

日晡潮熱 {ri4 bu1 chao2 re4}, late afternoon tidal heat [effusion] (fever)

日晡所 {ri4 bu1 suo3}, late afternoon watch (B9 watch, 3--5 p.m.)

日出 {ri4 chu1}, sunrise watch (B4 watch, 5--7 a.m.)

日昳 {ri4 die2}, sun's descent watch (B8 watch, 1--3 a.m.)

日光性皮炎 {ri4 guang1 xing4 pi2 yan2}, 西醫 dermatitis solaris

日間瘧 {ri4 jian1 nue94}, tertian malaria

日久 {ri4 jiu3}, after a long time; prolonged

日日春 {ri4 ri4 chun1}, 中藥異名 Madagascar periwinkle (Catharanthi Rosei Herba)

日入 {ri4 ru4}, sundown watch (B10 watch, 5--7 p.m.)

日三服 {ri4 san1 fu2}, take three times a day

日芎 {ri4 xiong1}, 中藥異名 cnidium root (Cnidii Officinalis Rhizoma)

日夜無度 {ri4 ye4 wu2 du4}, day and night without measure

日月 {ri4 yue4}, 腧穴正名 GB-24 (Sun and Moon)

日照飄拂草 {ri4 zhao4 piao1 fu2 cao3}, 中藥正名 millet frimbristylis (Fimbristylidis Miliaceae Herba)

日中 {ri4 zhong1}, midday watch (B7 watch, 11 a.m.--1 p.m.)

～ {rong2} ～

【戎】 {rong2} [Freq. 4] weapons.

戎咸 {rong2 xian2}, 中藥異名 halite (Halitum)

戎鹽 {rong2 yan2}, 中藥正名 halite (Halitum)

戎鹽湯 {rong2 yan2 tang1}, 方名 Halite Decoction

【容】 {rong2} [Freq. 4] countenance.

容后 {rong2 hou4}, 腧穴正名 Behind the Countenance

容主 {rong2 zhu3}, 腧穴異名 GB-3 (Generous Host)

【茸】 {rong2} [Freq. 4] young, fine, and soft.

茸附湯 {rong2 fu4 tang1}, 方名 Young Deerhorn and Aconite Decoction

茸角 {rong2 jiao3}, 中藥異名 velvet deerhorn (Cervi Cornu Pantotrichum)

【絨】 {rong2} [Freq. 4] floss (艾絨 {ai4 rong2}, mugwortfloss).
溶血性鏈球菌 {rong2 xue4 xing2 lian4 qiu2 jun1}, 西醫 hemolytic streptococcus
溶血性貧血 {rong2 xue4 xing4 pin2 xue4}, 西醫 hemolytic anemia

【榕】 {rong2} [Freq. 4] banyan; ficus.
榕樹果 {rong2 shu4 guo3}, 中藥正名 banyan fruit (Fici Microcarpae Fructus)
榕樹膠汁 {rong2 shu4 jiao1 zhi1}, 中藥正名 banyan resin (Fici Microcarpae Resina)
榕樹皮 {rong2 shu4 pi2}, 中藥正名 banyan bark (Fici Microcarpae Cortex)
榕樹葉 {rong2 shu4 ye4}, 中藥正名 banyan leaf (Fici Microcarpae Folium)
榕鬚 {rong2 xu1}, 中藥正名 banyan aerial root (Fici Microcarpae Radix Aeria)

【榮】 {rong2} [Freq. 2] luxuriant (adj.), luxuriance (n.) (失榮 {shi1 rong2}, loss-of-luxuriance); construction (n.) (same as 營 {ying2}).
榮枯 {rong2 ku1}, luxuriance and desiccation (tongue diagnosis)

【蓉】 {rong2} [Freq. 5] plant name

【狨】 {rong2} [Freq. 4] snub-nosed langur.
狨 {rong2}, 中藥正名 snub-nosed langur (Rhinopitheci Adeps seu Caro)

~~ {rou2} ~~
【柔】 {rou2} [Freq. 2] soft (adj.) (柔痙 {rou2 jing4}, soft tetany); emolliate (v.) (柔肝 {rou2 gan1}, emolliate the liver).
柔肝 {rou2 gan1}, emolliate the liver
柔肝熄風 {rou2 gan1 xi1 feng1}, emolliate the liver and extinguish wind
柔痙 {rou2 jing4}, soft tetany
柔毛水楊梅 {rou2 mao2 shui3 yang2 mei2}, 中藥正名 Chinese avens (Gei Chinensis Herba et Radix)
柔軟石韋 {rou2 ruan3 shi2 wei2}, 中藥正名 soft pyrrosia (Pyrrosiae Mollis Herba)

【揉】 {rou2} [Freq. 4] rub (v.).
揉法 {rou2 fa3}, rubbing (manipulation technique)
揉捻法 {rou2 nian3 fa3}, rubbing and twisting
揉眼 {rou2 yan3}, rub the eyes; eye-rubbing

~~ {rou4} ~~

【肉】 {rou4} [Freq. 2] flesh (n.) (筋肉 {jin1 rou4}, sinew and flesh).

肉痹 {rou4 bi4}, flesh impediment

肉蟲 {rou4 chong2}, flesh worm

肉刺 {rou4 ci4}, corn

肉蓯蓉 {rou4 cong1 rong2}, 中藥正名 cistanche (Cistanches Herba)

肉蓯蓉丸 {rou4 cong1 rong2 wan2}, 方名 Cistanche Pill

肉腠 {rou4 cou4}, interstices of the flesh

肉豆蔻 {rou4 dou4 kou4}, 中藥正名 nutmeg (Myristicae Semen)

肉豆蔻衣 {rou4 dou4 kou4 yi1}, 中藥正名 nutmeg aril (Myristicae Arillus)

肉分 {rou4 fen1}, seam of the flesh

肉疙瘩 {rou4 ge1 da2}, elevated scar

肉桂 {rou4 gui4}, 腧穴異名 BL-57 (Fleshy Cinnamon)

肉桂粉 {rou4 gui4 fen3}, 中藥正名 powdered cinnamon (Cinnamomi Cortex Pulveratus)

肉桂油 {rou4 gui4 you2, 中藥正名 cinnamon oil (Cinnamomi Oleum)

肉桂 {rou4 gui4, 中藥正名 cinnamon bark (Cinnamomi Cortex)

肉果 {rou4 guo3}, 中藥異名 nutmeg (Myristicae Semen)

肉積 {rou4 ji1}, meat-type food accumulation

肉極 {rou4 ji2}, extreme of the flesh

肉蔻霜 {rou4 kou4 shuang1}, 中藥正名 nutmeg frost (Myristicae Seminis Pulvis)

肉瘤 {rou4 liu2}, fleshy tumor

肉輪 {rou4 lun2}, flesh wheel (eyelid)

肉輪風熱 {rou4 lun2 feng1 re4}, flesh wheel wind-heat

肉輪氣虛 {rou4 lun2 qi4 xu1}, flesh wheel qi4 vacuity

肉輪熱阻血瘀 {rou4 lun2 re4 zu3 xue4 yu1}, flesh wheel heat obstruction and blood stasis

肉輪濕熱 {rou4 lun2 shi1 re4}, flesh wheel damp-heat

肉&&77A4|{rou4 run4}, twitching of the flesh

肉食積滯 {rou4 shi2 ji1 zhi4}, meat-type food accumulation

肉松蓉 {rou4 song1 rong2}, 中藥異名 cistanche (Cistanches Herba)

肉脫 {rou4 tuo1}, desertion of the flesh

肉痿 {rou4 wei3}, flesh wilting

肉&&90C4|{rou4 xi1}, 腧穴異名 BL-36 (Flesh Cleft)

肉蕈 {rou4 xun4}, 中藥異名 meadow mushroom (Agaricus Campestris)

肉癭 {rou4 ying3}, flesh goiter

肉棗 {rou4 zao3}, 中藥異名 cornus (Corni Fructus)

肉蒸 {rou4 zheng1}, steaming flesh

肉鑽子 {rou4 zuan4 zi3}, 中藥異名 leech (Hirudo)

~~ {ru2} ~~
【&&98A5.83CD‖】 {ru2} [Freq. 4] temple (顳&&98A5.83CD|{nie4 ru2}, temple)

【如】 {ru2} [Freq. 4] like; as.
如按蔥管 {ru2 an4 cong1 guan3}, like pressing a scallion stalk
如波濤拍岸 {ru2 bo1 tao1 pai1 an4}, like tempestuous billowing waving crashing against the shore
如常 {ru2 chang2}, normal
如豆厥厥動搖 {ru2 dou4 jue2 jue2 dong4 yao2}, wabbling like a bean
如故 {ru2 gu4}, as normal
如積粉 {ru2 ji1 fen3}, chalky
如輕刀刮 {ru2 qing1 dao1 gua1}, like the light scraping of a knife
如輕刀刮竹 {ru2 qing1 dao1 gua1 zhu2}, like a knife slightly scraping bamboo
如喪神守 {ru2 sang4 shen2 shou3}, seeming loss of the spirit's composure
如聖金刀散 {ru2 sheng4 jin1 dao1 san3}, 方名 Sagacious Incised Wound Powder
如聖散 {ru2 sheng4 san3}, 方名 Sagacious Powder
如水牛之舌 {ru2 shui3 niu2 zhi1 she2}, tongue like a water buffalo's
如意金黃散 {ru2 yi4 jin1 huang2 san3}, 方名 Agreeable Golden Yellow Powder
如銀內障 {ru2 yin2 nei4 zhang4}, silvery internal obstruction
如醉如狂 {ru2 zui4 ru2 kuang2}, as if drunk or crazed

【茹】 {ru2} [Freq. 4] vegetables; eat; supple (竹茹 {zhu2 ru2}, lit. bamboo supple, i.e., bamboo shavings); endure.
茹草 {ru2 cao3}, 中藥異名 bupleurum (Bupleuri Radix)
茹素 {ru2 su4}, eat (or be) vegetarian

【儒】 {ru2} [Freq. 4] confucian scholar.
儒家 {ru2 jia1}, Confucianism; Confucianist
儒門事親 {ru2 men2 shi4 qin1}, 書名 Confucian Filiality (Jin1 (1115--1234), Zhang1 Cong2-Zheng4 張從正} [{Zi3-He2 子和])

【濡】 {ru2} [Freq. 2] moisten (v.) (燥者濡之 {zao4 zhe3 ru2 zhi1}, dryness is treated by moistening); soggy (adj.) (濡脈 {ru2 mai4}, soggy pulse).
濡脈 {ru2 mai4}, soggy pulse
濡泄 {ru2 xie4}, soggy diarrhea

【蠕】 {ru2} [Freq. 4] wriggle.

蠕動 {ru2 dong4}, 西醫 peristalsis

~~ {ru3} ~~

【乳】 {ru3} [Freq. 2] breast (n.) (乳房 {ru3 fang2}, breast); mammary (adj.) (乳癰 {ru3 yong1}, mammary welling-abscess); breast milk (n.) (缺乳 {que1 ru3}, scant breast milk); milk (n.); suckle (v.) (乳子 {ru3 zi3}, suckle a child; 乳癬 {ru3 xian3}, suckling lichen); lactation (n.) (乳難 {ru3 nan2}, difficult lactation).

乳癌 {ru3 ai2}, 西醫 cancer of the breast
乳白香青 {ru3 bai2 xiang1 qing1}, 中藥正名 milky-white anaphalis (Anaphalis Lacteae Herba)
乳缽 {ru3 bo1}, fine mortar; porcelain mortar
乳齒 {ru3 chi3}, 西醫 deciduous teeth
乳吹 {ru3 chui1}, suckling breast welling-abscess
乳毒 {ru3 du2}, mammary toxin [sore]
乳蛾 {ru3 e2}, nipple moth (tonsillitis)
乳鵝 {ru3 e2}, baby goose
乳發 {ru3 fa1}, effusion of the breast
乳房 {ru3 fang2}, breast; breasts
乳房發脹 {ru3 fang2 ang2 fa1 zhang4}, distention of the breasts
乳房紅腫 {ru3 fang2 hong2 zhong3}, red swollen breast
乳房囊性增生病 {ru3 fang2 nang2 xing4 sheng1 bing4}, 西醫 cystic hyperplasia of the breast
乳房疼痛 {ru3 fang2 teng2 tong4}, breast pain
乳房脹痛 {ru3 fang2 zhang4 tong4}, distending pain in the breast
乳房腫塊 {ru3 fang2 zhong3 kuai4}, breast lump
乳房腫痛 {ru3 fang2 zhong3 tong4}, painful swollen breast
乳房作脹 {ru3 fang2 zuo4 zhang4}, distention of the breasts
乳腐 {ru3 fu3}, 中藥正名 curd (Lac Pressum)
乳婦奶少 {ru3 fu4 nai3 shao3}, scant breast milk
乳疳 {ru3 gan1}, mammary gan1
乳根 {ru3 gen1}, 腧穴正名 ST-18 (Breast Root)
乳核 {ru3 he2}, mammary node; breast node
乳積 {ru3 ji1}, milk accumulation
乳疾 {ru3 ji2}, mammary disease
乳漿 {ru3 jiang1}, 中藥異名 royal jelly (Apis Gelatinum Regium)
乳疽 {ru3 ju1}, mammary flat-abscess
乳癆 {ru3 lao2}, mammary consumption (equivalent to tuberculosis of the breast)
乳&&75AC.7667|{ru3 li4}, mammary node
乳栗 {ru3 li4}, mammary chestnut

乳&&7618.763B|{ru3 lou4}, mammary fistula
乳漏 {ru3 lou4}, mammary fistula
乳沒 {ru3 mo4}, 中藥正名 frankincense and myrrh (Olibanum et Myrrha)
乳難 {ru3 nan2}, difficult lactation
乳衄 {ru3 nu94}, spontaneous bleeding of the nipples (equiavalent to WM thelorrhagia)
乳癖 {ru3 pi3}, mammary aggregation
乳泣 {ru3 qi4}, weeping breasts; mild galactorrhea
乳少 {ru3 shao3}, scant breast milk
乳食積滯 {ru3 shi2 ji1 zhi4}, feeding accumulation
乳食所傷 {ru3 shi2 suo3 shang1}, damage by milk-feeding
乳薯 {ru3 shu3}, 中藥異名 lanceolate codonopsis (Codonopsis Lanceolatae Radix)
乳嗽 {ru3 sou4}, suckling cough
乳痰 {ru3 tan2}, mammary phlegm [node]
乳痛 {ru3 tong4}, mammary pain
乳頭 {ru3 tou2}, nipple; papilla
乳頭風 {ru3 tou2 feng1}, nipple wind
乳頭破裂 {ru3 tou2 po4 lie4}, cracked nipple
乳頭破碎 {ru3 tou2 po4 sui4}, cracked nipple
乳頭香 {ru3 tou2 xiang1}, 中藥異名 frankincense (Olibanum)
乳細 {ru3 xi4}, fine-mortar grind
乳癬 {ru3 xian3}, suckling lichen
乳腺 {ru3 xian4}, 西醫 mammary gland
乳腺癌 {ru3 xian4 ai2}, 西醫 carcinoma of the breast
乳腺痛 {ru3 xian4 tong4}, 西醫 mastalgia
乳腺炎 {ru3 xian4 yan2}, 西醫 mastitis
乳腺增生病 {ru3 xian4 zeng1 zeng1 sheng1 bing4}, 西醫 hypernlasia of the mammary gland
乳香 {ru3 xiang1}, 中藥正名 frankincense (Olibanum)
乳香定痛丸 {ru3 xiang1 ding4 tong4 wan2}, 方名 Frankincense Pain-Relieving Pill
乳岩 {ru3 yan2}, mammary rock
乳液缺乏 {ru3 yi4 que1 fa2}, 西醫 agalactia
乳癰 {ru3 yong1}, mammary welling-abscess (equivlaent to WM acute mastitis)
乳暈 {ru3 yun1}, areola
乳脹 {ru3 zhang4}, distention of the breasts
乳脹不痛 {ru3 zhang4 bu4 tong4}, distention of the breasts without pain
乳汁 {ru3 zhi1}, breast milk; milk
乳汁不暢 {ru3 zhi1 bu4 chang4}, inhibited flow of milk
乳汁不通 {ru3 zhi1 bu4 tong1}, breast milk stoppage
乳汁不下 {ru3 zhi1 bu4 xia4}, breast milk stoppage

乳汁不行 {ru3 zhi1 bu4 xing2}, breast milk stoppage
乳汁少 {ru3 zhi1 shao3}, scant breast milk
乳汁滯少 {ru3 zhi1 zhi4 shao3}, scant breast milk
乳汁自出 {ru3 zhi1 zi4 chu1}, loss of breast milk
乳汁自漏 {ru3 zhi1 zi4 lou4}, leakage of breast milk
乳滯 {ru3 zhi4}, milk stagnation
乳中 {ru3 zhong1}, 腧穴正名 ST-17 (Breast Center)
乳中結核 {ru3 zhong1 jie2 he2}, node in the breast
乳腫 {ru3 zhong3}, swelling of the breasts
乳粥 {ru3 zhou1}, 方名 Milk Gruel
乳子而病熱 {ru3 zi3 er2 bing4 re4}, suckling heat disease
乳子中風熱 {ru3 zi3 zhong4 feng1 re4}, suckling wind-heat stroke

~~ {ru4} ~~

【入】 {ru4} [Freq. 2] enter (v.), entry (n.) (入裡 {ru4 li3}, enter the interior; 入經 {ru4 jing1}, channel entry); ingest (v.), ingestion (n.) (食入即吐 {shi2 ru4 ji2 tu4}, immediate vomiting of ingested food); inward movement (n.).
入地金牛 {ru4 di4 jin1 niu2}, 中藥異名 shiny bramble (Zanthoxyli Radix)
入地蜈蚣 {ru4 di4 wu2 gong1}, 中藥正名 helminthostachys (Helminthostachydis Rhizoma)
入房 {ru4 fang2}, sexual intercourse
入經 {ru4 jing1}, channel entry
入靜 {ru4 jing4}, quiescence
入里 {ru4 li3}, enter the interior; interiorize; interiorization; pass into the interior
入氣分 {ru4 qi4 fen1}, enter the qi4 aspect
入侵肺胃 {ru4 qin1 fei4 wei4}, invade the lung and stomach
入散 {ru4 san3}, used in powders
入腎經血分 {ru4 shen4 jing1 xue4 fen1}, enter the blood aspect of the kidney channel
入腎行水 {ru4 shen4 xing2 shui3}, enter the kidney and move water
入丸 {ru4 wan2}, used in pills
入心經 {ru4 xin1 jing1}, enter the heart channel
入血分 {ru4 xue4 fen1}, enter the blood aspect
入藥 {ru4 yao4}, used as medicine

【褥】 {ru4} [Freq. 4] bed.
褥瘡 {ru4 chuang1}, bedsore
褥痙 {ru4 jing4}, childbirth tetany

【蓐】 {ru4} [Freq. 4] bed; childbed.
蓐瘡 {ru4 chuang1}, bedsore
蓐風 {ru4 feng1}, childbed wind
蓐勞 {ru4 lao2}, childbirth taxation

~~ {ruan3} ~~
【&&8F2D‖】 {ruan3} [Freq. 3] same as 軟 {ruan3} (same as 軟 {ruan3})

【軟】 {ruan3} [Freq. 2] soft (adj.) (脈軟 {mai4 ruan3}, the pulse is soft); limp.
軟風 {ruan3 feng1}, limp wind
軟膏 {ruan3 gao1}, ointment
軟骨 {ruan3 gu3}, 西醫 cartilage
軟骨病 {ruan3 gu3 bing4}, 西醫 osteomalacia
軟蒺藜 {ruan3 ji2 li2}, 中藥正名 Siberain orache (Atriplicis Fructus)
軟堅 {ruan3 jian1}, soften hardness
軟堅除滿 {ruan3 jian1 chu2 man3}, soften hardness and eliminate fullness
軟堅化痰 {ruan3 jian1 hua4 tan2}, soften hardness and transform phlegm
軟堅散結 {ruan3 jian1 san4 jie2}, soften hardness and dissipate binds
軟腳瘟 {ruan3 jiao3 wen1}, limp-leg scourge (equivalent to poliomyelitis)
軟癤 {ruan3 jie2}, soft boil
軟肋 {ruan3 lei4}, soft ribs
軟膜 {ruan3 mo2}, 西醫 pia mater
軟如棉 {ruan3 ru2 mian2}, soft and spongy
軟石膏 {ruan3 shi2 gao1}, 中藥異名 gypsum (Gypsum Fibrosum)
軟癱 {ruan3 tan1}, limp paralysis
軟糖 {ruan3 tang2}, 中藥異名 malt sugar (Maltosum Saccharon)
軟藤菜 {ruan3 teng2 cai4}, 中藥異名 Malabar spinach (Basellae Rubrae Folium seu Herba)
軟棗子 {ruan3 zao3 zi3}, 中藥正名 bower actinidia fruit (Actinidiae Argutae Fructus)
軟紫草 {ruan3 zi3 cao3}, 中藥正名 soft puccoon (Arnebiae Radix)
軟足瘟 {ruan3 zu2 wen1}, limp foot scourge

【糯】 {ruan3} [Freq. 4] wood ear.
糯 {ruan3}, 中藥異名 wood ear (Auricularia)

~~ {rui2} ~~
【蕤】 {rui2} [Freq. 4] prinsepia.

蕤仁 {rui2 ren2}, 中藥正名 prinsepia (Prinsepiae Nux)

~~ {rui3} ~~

【蕊】 {rui3} [Freq. 4] stamen; pistil

~~ {rui4} ~~

【瑞】 {rui4} [Freq. 4] auspicious.

瑞龍腦 {rui4 long2 nao3}, 中藥異名 borneol (Borneolum)

瑞香根 {rui4 xiang1 gen1}, 中藥正名 scented daphne root (Daphnes Odorae Radix)

瑞香花 {rui4 xiang1 hua1}, 中藥正名 scented daphne flower (Daphnes Odorae Flos)

瑞香葉 {rui4 xiang1 ye4}, 中藥正名 scented daphne leaf (Daphnes Odorae Folium)

瑞雪 {rui4 xue3}, 中藥異名 trichosanthes root (Trichosanthis Radix)

瑞竹堂經驗方 {rui4 zhu2 tang2 jing1 yan4 fang1}, 書名 Empirical Formulas from the Auspicious Bamboo Hall

【銳】 {rui4} [Freq. 3] sharp.

銳髮 {rui4 fa4}, ear lock (of hair)

銳骨 {rui4 gu3}, styloid process of the ulna

銳中 {rui4 zhong1}, 腧穴異名 HT-7 (Edge)

銳眥 {rui4 zi4}, outer canthus

【&&712B‖】 {rui4} [Freq. 4] burning

~~ {run4} ~~

【閏】 {run4} [Freq. 4] intermittent.

閏以太息 {run4 yi3 tai4 xi1}, intermittent great respiration; intermittent sighing

【潤】 {run4} [Freq. 2] moist (adj.), moisten (v.) (潤苔 {run4 tai1}, moist [tongue] fur; 潤肺 {run4 fei4}, moisten the lung).

潤便滑腸 {run4 bian4 hua2 chang2}, moisten the stool and lubricate the intestines

潤腸 {run4 chang2}, moisten the intestines

潤腸湯 {run4 chang2 tang1}, 方名 Intestine-Moistening Decoction

潤腸通便 {run4 chang2 tong1 bian4}, moisten the intestines and free the stool

潤腸丸 {run4 chang2 wan2}, 方名 Intestine-Moistening Pill

潤腸瀉火 {run4 chang2 xie4 huo3}, moisten the intestines and drain fire

潤肺 {run4 fei4}, moisten the lung
潤肺安心 {run4 fei4 an1 xin1}, moistens the lung and quiets the heart
潤肺化痰 {run4 fei4 hua4 tan2}, moisten the lung and transform phlegm
潤肺化痰藥 {run4 fei4 hua4 tan2 yao4}, lung-moistening phlegm-transforming medicinal
潤肺清火 {run4 fei4 qing1 huo3}, moisten the lung and clear fire
潤肺散 {run4 fei4 san3}, 方名 Lung-Moistening Powder
潤肺澤肌 {run4 fei4 ze2 ji1}, moisten the lung and moisturize the skin
潤肺止咳 {run4 fei4 zhi3 ke2}, moisten the lung and suppress cough
潤肺滋陰 {run4 fei4 zi1 yin1}, moisten the lung and enrich yin1
潤肌膏 {run4 ji1 gao1}, 方名 Flesh-Moistening Paste
潤容 {run4 rong2}, moisturize the complexion
潤神散 {run4 shen2 san3}, 方名 Spirit-Moistening Powder
潤苔 {run4 tai1}, moist fur
潤下 {run4 xia4}, moist precipitation; precipitate with moistness
潤下藥 {run4 xia4 yao4}, moist precipitating medicinal
潤心肺 {run4 xin1 fei4}, moisten the lung and heart
潤養心肺 {run4 yang3 xin1 fei4}, moisten and nourish the heart and lung
潤燥 {run4 zao4}, moisten dryness
潤燥安胎湯 {run4 zao4 an1 tai1 tang1}, 方名 Dryness-Moistening Fetus-Quieting Decoction
潤燥法 {run4 zao4 fa3}, dryness-moistening method
潤燥化痰 {run4 zao4 hua4 tan2}, moisten dryness and transform phlegm
潤燥劑 {run4 zao4 ji4}, dryness-moistening medicinal
潤燥通便 {run4 zao4 tong1 bian4}, moisten dryness and free the stool
潤燥通便藥 {run4 zao4 tong1 bian4 yao4}, dryness-moistening and stool-freeing medicinal
潤燥藥 {run4 zao4 yao4}, dryness-moistening medicinal
潤燥益陰湯 {run4 zao4 yi4 yin1 tang1}, 方名 Dryness-Moistening Yin1-Boosting Decoction

【&&77A4||】 {run4} [Freq. 2] twitch (v.), twitching (n.) (筋悌肉&&77A4|{jin1 ti4 rou4 run4}, jerking sinews and twitching flesh; 目&&77A4|{mu4 run4}, twitching of the eyes)

~~ {ruo4} ~~
【若】 {ruo4} [Freq. 5] if; like (肌若魚鱗 {ji1 ruo4 yu2 lin2}, scaly skin)

【弱】 {ruo4} [Freq. 2] weak (adj.) (弱脈 {ruo4 mai4}, weak pulse; 胃強脾弱 {wei4 qiang2 pi2 ruo4}, strong stomach and weak spleen).
弱脈 {ruo4 mai4}, weak pulse

【箬】 {ruo4} [Freq. 4] indocalamus.
箬蒂 {ruo4 di4}, 中藥正名 indocalamus leaf base (Indocalami Basis Folii)
箬葉 {ruo4 ye4}, 中藥正名 indocalamus leaf (Indocalami Folium)

== S ==

~~ {sa3} ~~
【撒】 {sa3} [Freq. 2] sprinkle (v.) (as powder)

【洒】 {sa3} [Freq. 4] spray (v.); sprinkle (v.) (as liquid).
洒淅惡寒 {sa3 xi1 wu4 han2}, aversion to cold as after a soaking

~~ {sai1} ~~
【塞】 {sai1} [Freq. 2] stop (v.); stoppage(n.); congested (adj.); congestion(n.) (鼻塞 {bi2 sai1}, nasal congestion; also pronounced {se4}).
塞鼻 {sai1 bi2}, nostril-plugging therapy
塞鼻療法 {sai1 bi2 liao2 fa3}, nostril-plugging therapy
塞耳療法 {sai1 er3 liao2 fa3}, ear plugging therapy
塞法 {sai1 fa3}, insertion
塞因塞用 {sai1 yin1 sai1 yong4}, treating the stopped by stopping

【腮】 {sai1} [Freq. 5] cheek (fleshy side of the face. 痄腮 {zha4 sai1}, mumps).
腮腺性睾丸炎 {sai1 xian4 xing4 gao1 wan2 yan2}, 西醫 orchitis variolosa
腮腺炎 {sai1 xian4 yan2}, 西醫 paratotis
腮岩 {sai1 yan2}, cheeek rock
腮腫 {sai1 zhong3}, swollen cheek (mumps)

~~ {sai4} ~~
【賽】 {sai4} [Freq. 4] compete; make offerings.
賽番紅花 {sai4 fan1 hong2 hua1}, 中藥正名 large-flowered zephyranthes (Zephyranthis Grandiflorae Herba)
賽金剛 {sai4 jin1 gang1}, 中藥正名 Henry's hemsleya (Hemsleyae Henryi Tuber)
賽葵 {sai4 kui2}, 中藥正名 malvastrum (Malvastri Herba)
賽莨菪 {sai4 lang4 dang4}, 中藥正名 lurid anisodum (Anisodi Luridi Radix)

~~ {san1} ~~

【三】 {san1} [Freq. 1] three, third, threefold; triple; trinity.

三拗湯 {san1 ao4 tang1}, 方名 Rough and Ready Three Decoction

三白草 {san1 bai2 cao3}, 中藥正名 Chinese lizardtail (Saururi Herba seu Rhizoma)

三白草根 {san1 bai2 cao3 gen1}, 中藥正名 saururus root (Saururi Rhizoma)

三百兩銀藥 {san1 bai3 liang3 yin2 yao4}, 中藥異名 oroxylum (Oroxyli Semen)

三寶 {san1 bao3}, three gems (essence, qi4, and spirit)

三痹湯 {san1 bi4 tang1}, 方名 Three Impediment Decoction

三補丸 {san1 bu3 wan2}, 方名 Triple Supplementation Pill

三部 {san1 bu4}, three positions

三部九候 {san1 bu4 jiu3 hou4}, three positions and nine indicators

三才補瀉 {san1 cai2 bu3 xie4}, heaven, human, and earth supplementation and drainage (needling method)

三才封髓丹 {san1 cai2 feng1 sui3 dan1}, 方名 Heaven, Human, and Earth Marrow-Retaining Elixir

三才湯 {san1 cai3 tang1}, 方名 Heaven, Human, and Earth Decoction

三層茴香丸 {san1 ceng2 hui2 xiang1 wan2}, 方名 Three-Option Anise Pill

三叉虎根 {san1 cha1 hu3 gen1}, 中藥正名 slender evodia root (Evodiae Leptae Radix)

三叉神經痛 {san1 cha1 shen2 jing1 tong4}, 西醫 trigeminal neuralgia

三叉神經痛經驗方 {san1 cha1 shen2 jing1 tong4 jing1 yan4 fang1}, 方名 Trigeminal Neuralgia Empirical Formula

三池 {san1 chi2}, 腧穴正名 Triple Pool

三蟲 {san1 chong2}, three worms

三蟲病 {san1 chong2 bing4}, three worm diseases

三蟲蠱毒 {san1 chong2 gu3 du2}, gu3 toxin of the three worms

三蟲五痔 {san1 chong2 wu3 zhi4}, three worms and five hemorrhoids

三刺 {san1 ci4}, triple needling

三點金草 {san1 dian3 jin1 cao3}, 中藥正名 three-flowered desmodium (Desmodii Triflorii Herba)

三法 {san1 fa3}, three methods of treatment

三分閭 {san1 fen1 lu92}, 腧穴異名 GV-1 (Three Fen From the Gate)

三分三 {san1 fen1 san1}, 中藥正名 angled scopolia (Scopoliae Acutangulae Radix, Folium, seu Semen)

三伏 {san1 fu2}, three periods of greatest heat; third period of greatest heat

三股筋 {san1 gu3 jin1}, 中藥正名 neocinnamomum (Neocinnamomi Folium)

三國 {san1 guo2}, Three Kingdoms (220--280 A.D.)

三合脈 {san1 he2 mai4}, triple combination pulse
三候 {san1 hou4}, three five-day periods (one solar term)
三花神佑丸 {san1 hua1 shen2 you4 wan2}, 方名 Three Flowers Spirit Protection Pill
三化湯 {san1 hua4 tang1}, 方名 Three Transformations Decoction
三黃寶蠟丸 {san1 huang2 bao3 la4 wan2}, 方名 Three Yellow Jewels Wax Pill
三黃二香散 {san1 huang2 er4 xiang1 san3}, 方名 Three Yellows and Two Fragrances Powder
三黃蠟丸 {san1 huang2 la4 wan2}, 方名 Three Yellows Wax Pill
三黃石膏湯 {san1 huang2 shi2 gao1 tang1}, 方名 Three Yellows and Gypsum Decoction
三黃四物湯 {san1 huang2 si4 wu4 tang1}, 方名 Three Yellows Four Agents Decoction
三黃湯, 方名 Three Yellows Decoction
三黃洗劑 {san1 huang2 xi3 ji4}, 方名 Three Yellows Wash Preparation
三黃瀉心湯 {san1 huang2 xie4 xin1 tang1}, 方名 Three Yellows Heart-Draining Decoction
三黃枳朮丸 {san1 huang2 zhi3 zhu2 wan2}, 方名 Three Yellows Bitter Orange and White Atractylodes Pill
三加減正氣散 {san1 jia1 jian3 zheng4 qi4 san3}, 方名 Third Variant Qi4-Righting Powder
三加皮 {san1 jia1 pi2}, 中藥異名 trifoliate acanthopanax root (Acanthopanacis Trifoliati Radix)
三莢草 {san1 jia2 cao3}, 中藥異名 short-leaved kyllinga (Kyllingae Brevifoliae Herba seu Radix)
三甲復脈湯 {san1 jia3 fu4 mai4 tang1}, 方名 Triple-Armored Pulse-Restorative Decoction
三甲皮 {san1 jia3 pi2}, 中藥異名 trifoliate acanthopanax root (Acanthopanacis Trifoliati Radix)
三間 {san1 jian1}, 腧穴正名 LI-3 (Third Space)
三尖瓣 {san1 jian1 ban4}, 西醫 tricuspid valve
三尖齒 {san1 jian1 chi3}, 西醫 tricuspids
三焦 {san1 jiao1}, triple burner; TB; TE
三膲 {san1 jiao1}, triple burner (same as 三焦 {san1 jiao1})
三焦辨證 {san1 jiao1 bian4 zheng4}, triple burner pattern identification
三焦腸胃伏熱 {san1 jiao1 chang2 wei4 fu2 re4}, triple burner 腸胃伏熱
三焦傳變 {san1 jiao1 chuan2 bian4}, triple burner shifts
三焦大熱 {san1 jiao1 da4 re4}, triple burner great heat
三焦惡氣 {san1 jiao1 e4 qi4}, triple burner malign qi4
三焦火 {san1 jiao1 huo3}, triple burner fire
三焦積熱 {san1 jiao1 ji1 re4}, triple burner accumulated heat
三焦經 {san1 jiao1 jing1}, triple burner channel
三焦咳 {san1 jiao1 ke2}, triple burner cough
三焦咳嗽 {san1 jiao1 ke2 sou4}, triple burner cough 嗽
三焦客熱 {san1 jiao1 ke4 re4}, visiting qi4 in the triple burner

三焦募 {san1 jiao1 mu4}, 腧穴異名 CV-5 (Triple Burner Alarm)
三焦熱毒氣 {san1 jiao1 re4 du2 qi4}, triple burner heat toxin qi4
三焦熱淋 {san1 jiao1 re4 lin2}, triple burner heat strangury
三焦實熱 {san1 jiao1 shi2 re4}, triple burner repletion heat
三焦俞 {san1 jiao1 shu1}, 腧穴正名 BL-22 (Triple Burner Transport)
三焦仙 {san1 jiao1 xian1}, 中藥正名 three charred agents (Crataegus, Hordeum et Massa Usti)
三焦消渴 {san1 jiao1 xiao1 ke3}, triple burner dispersion-thirst
三焦虛寒 {san1 jiao1 xu1 han2}, triple burner vacuity cold
三焦壅結 {san1 jiao1 yong1 jie2}, congestion in the triple burner
三焦壅塞 {san1 jiao1 yong1 sai1}, congestion in the triple burner
三焦壅滯 {san1 jiao1 yong1 zhi4}, stagnation in the triple burner
三焦約 {san1 jiao1 yue1}, triple burner 約
三焦者，決瀆之官，水道出焉 {san1 jiao1 zhe3, jue2 du2 zhi1 guan1, shui3 dao4 chu1 yan1}, triple burner holds the office of the sluices; the waterways emanate from it
三焦之火 {san1 jiao1 zhi1 huo3}, triple burner fire
三焦主決瀆 {san1 jiao1 zhu3 jue2 du2}, triple burner governs the sluices
三腳鱉 {san1 jiao3 bie1}, 中藥異名 slender evodia root (Evodiae Leptae Radix)
三角草 {san1 jiao3 cao3}, 中藥正名 chlorophytum (Chlorophyti Laxi Herba seu Radix)
三角肌 {san1 jiao3 ji1}, 西醫 deltoid muscle; 腧穴異名 Deltoid Muscle
三角灸 {san1 jiao3 jiu3}, 腧穴正名 Moxibustion Triangle
三角仙人掌花 {san1 jiao3 xian1 ren2 zhang3 hua1}, 中藥正名 night-blooming cereus (Hylocerei Flos)
三角葉薯蕷 {san1 jiao3 ye4 shu3 yu4}, 中藥正名 deltoid dioscorea (Dioscoreae Deltoideae Tuber)
三結交 {san1 jie2 jiao1}, 腧穴異名 CV-4 (Triple Intersection)
三金湯 {san1 jin1 tang1}, 方名 Golden Three Decoction
三顆針 {san1 ke1 zhen1}, 中藥正名 barberry [root or stem bark] (Berberidis Radicis seu Caulis Cortex)
三稜 {san1 leng2}, 中藥正名 sparganium (Sparganii Rhizoma)
三棱 {san1 leng2}, 中藥異名 sparganium (Sparganii Rhizoma)
三楞筋骨草 {san1 leng2 jin1 gu3 cao3}, 中藥正名 scleria (Scleriae Herba)
三稜湯 {san1 leng2 tang1}, 方名 Sparganium Decoction
三稜丸 {san1 leng2 wan2}, 方名 Sparganium Pill
三稜針 {san1 leng2 zhen1}, three-edged needle
三里(手) {san1 li3 shou3}, 腧穴異名 LI-10 (Three Li3 (arm))
三里外 {san1 li3 wai4}, 腧穴正名 Outside Three Li
三里(足) {san1 li3 zu2}, 腧穴異名 ST-36 (Three Li3 (leg))
三輪蒿 {san1 lun2 hao1}, 中藥正名 bicolored anaphalis (Anaphalis Bicoloris Herba seu Radix)

三毛 {san1 mao2}, three hairs (region just proximal to the base of the nail of the great toe)
三妙散 {san1 miao3 san3}, 方名 Mysterious Three Powder
三妙丸 {san1 miao4 wan2}, 方名 Mysterious Three Pill
三匹葉 {san1 pi3 ye4}, 中藥正名 Cavalerie's clover shrub (Campylotropis Cavaleriei Radix)
三品 {san1 pin3}, three grades (of medicinals)
三品一條槍 {san1 pin3 yi1 tiao2 qiang1}, 方名 Three-Shot Gun
三七 {san1 qi1}, 中藥正名 notoginseng (Notoginseng Radix)
三七草 {san1 qi1 cao3}, 中藥正名 gynura (Gynurae Folium seu Herba)
三七粉 {san1 qi1 fen3}, 中藥正名 powdered notoginseng (Notoginseng Radix Pulverata)
三七花 {san1 qi1 hua1}, 中藥正名 notoginseng flower (Notoginseng Flos)
三七葉 {san1 qi1 ye4}, 中藥正名 notoginseng leaf (Notoginseng Folium)
三奇 {san1 qi2}, three mysteries (essence, qi4, and spirit)
三奇散 {san1 qi2 san3}, 方名 Wondrous Three Powder
三仁湯 {san1 ren2 tang1}, 方名 Three Kernels Decoction
三仁五子丸 {san1 ren2 wu3 zi3 wan2}, 方名 Three-Kernel Five-Seed Pill
三日瘧 {san1 ri4 nue94}, quartan malaria
三色堇 {san1 se4 jin3}, 中藥正名 wild pansy (Violae Tricoloris Herba)
三商 {san1 shang1}, 腧穴正名 Three Shang1
三神丸 {san1 shen2 wan2}, 方名 Three Spirits Pill
三升米 {san1 sheng1 mi3}, 中藥正名 slender gooseberry (Ribis Tenuis Radix)
三生飲 {san1 sheng1 yin3}, 方名 Three Raw Agents Beverage
三聖散 {san1 sheng4 san3}, 方名 Sagacious Three Powder
三十六般風 {san1 shi2 liu4 ban1 feng1}, thirty-six kinds of wind
三十六蕩 {san1 shi2 liu4 dang4}, 中藥正名 tylophora (Tylophorae Radix seu Rhizoma)
三十六風 {san1 shi2 liu4 feng1}, thirty-six winds
三十六風結瘡 {san1 shi2 liu4 feng1 jie2 chuang1}, thirty-six winds binding into sores
三十六黃 {san1 shi2 liu4 huang2}, thirty-six kinds of yellowing
三十六種風 {san1 shi2 liu4 zhong3 feng1}, thirty-six kinds of wind
三十年老瘧 {san1 shi2 nian2 lao3 nue94}, old malaria for thirty years
三十年瘧 {san1 shi2 nian2 nue94}, malaria for thirty years
三十年失明 {san1 shi2 nian2 失 ming2}, loss of sight for thirty years
三石散 {san1 shi2 san3}, 方名 Three Stones Powder
三石湯 {san1 shi2 tang1}, 方名 Three Stones Decoction
三台紅花 {san1 tai2 hong2 hua1}, 中藥正名 serrate glory-bower (Clerodendri Serrati Herba)
三條筋 {san1 tiao2 jin1}, 中藥正名 tamala (Cinnamomi Tamalae Cortex seu Folium)
三五不調 {san1 wu3 bu4 tiao2}, at threes and fives (pulse)
三五七散 {san1 wu3 qi1 san3}, 方名 Three-Five-Seven Powder
三物白散 {san1 wu4 bai2 san3}, 方名 Three Agents White Powder

三物備急丸 {san1 wu4 bei4 ji2 wan2}, 方名 Three Agents Emergency Pill
三物黃芩湯 {san1 wu4 huang2 qin2 tang1}, 方名 Three Agents Scutellaria Decoction
三物香薷飲 {san1 wu4 xiang1 ru2 yin3}, 方名 Three-Agent Mosla Powder
三物小白散 {san1 wu4 xiao3 bai2 san3}, 方名 Three Agents Little White Powder
三仙丹 {san1 xian1 dan1}, 方名 Three Immortals Elixir
三仙丸 {san1 xian1 wan2}, 方名 Three Immortals Pill
三陷證 {san1 xian4 zheng4}, three inward fall patterns
三消 {san1 xiao1}, three dispersion-thirsts
三消草 {san1 xiao1 cao3}, 中藥正名 white clover (Trifolii Repentis Herba)
三消骨蒸 {san1 xiao1 gu3 zheng1}, three dispersion-thirsts steaming bone
三消渴病 {san1 xiao1 ke3 bing4}, three dispersion-thirst diseases
三消渴疾 {san1 xiao1 ke3 ji2}, three dispersion-thirst diseases
三消五淋 {san1 xiao1 wu3 lin2}, three dispersion-thirsts five stranguries
三消飲 {san1 xiao1 yin3}, 方名 Three Dispersers Beverage
三丫苦葉 {san1 ya1 ku3 ye4}, 中藥正名 slender evodia (Evodiae Leptae Folium)
三椏苦葉 {san1 ya3 ku3 ye4}, 中藥異名 slender evodia (Evodiae Leptae Folium)
三陽 {san1 yang2}, triple yang2 (three yang2 channels) (greater2 yang); third yang2 channel (Three Yang2); 腧穴異名 GV-20
三陽病 {san1 yang2 bing4}, triple-yang2 disease
三陽合病 {san1 yang2 he2 bing4}, triple-yang2 combination disease
三陽厥逆 {san1 yang2 jue2 ni4}, triple yang2 reverse flow
三陽絡 {san1 yang2 luo4}, 腧穴正名 TB-8 (Three Yang2 Connection)
三陽清解湯 {san1 yang2 qing1 jie3 tang1}, 方名 Triple Yang2 Clearing and Resolving Decoction
三陽頭痛 {san1 yang2 tou2 tong4}, triple-yang2 headache
三陽五會 {san1 yang2 wu3 hui4}, 腧穴異名 GV-20 (Three Yang2 Fivefold Convergence)
三陽在頭，三陰在手 {san1 yang2 zai4 tou2 san1 yin1 zai4 shou3}, yang2 channels pass through the head, and yin1 channels along the arms
三一承氣湯 {san1 yi1 cheng2 qi4 tang1}, 方名 Three-In-One Qi4-Infusing Decoction
三宜湯 {san1 yi2 tang1}, 方名 Triple Action Decoction
三因 {san1 yin1}, three [categories of] cause [of disease] (the three categories of disease causes)
三陰 {san1 yin1}, triple yin1 (the three yin1 channels) (greater yin1); third yin1 channel
三陰病 {san1 yin1 bing4}, triple-yin1 disease
三因方 {san1 yin1 fang1}, 書名 Three Causes Formulary (full title {San1 Yin1 Ji2 Yi1 Bing4 Zheng4 Fang1 Lun4 三因極一病證方論)
三因極一病症方論 {san1 yin1 ji2 yi1 bing4 zheng4 fang1 lun4}, 書名 A Unified Treatise on Diseases, Patterns, and Remedies According to the Three Causes (1174 (Song4), Chen2 Yan2 陳言 [Wu2-Ze2 無擇])

三陰交 {san1 yin1 jiao1}, 腧穴正名 SP-6 (Three Yin1 Intersection)
三陰經證 {san1 yin1 jing1 zheng4}, triple yin1 channel pattern
三陰痙 {san1 yin1 jing4}, triple-yin1 tetany
三陰瘧 {san1 yin1 nue94}, triple-yin1 malaria
三陰傷寒 {san1 yin1 shang1 han2}, triple yin1 cold damage
三陰頭痛 {san1 yin1 tou2 tong4}, triple-yin1 headache
三因學說 {san1 yin1 xue2 shuo1}, theory of three [categories of] cause (the three categories of disease causes)
三針刺法 {san1 zhen1 ci4 fa3}, three-needle method
三枝九葉草 {san1 zhi1 jiu3 ye4 cao3}, 中藥異名 epimedium (Epimedii Herba)
三子湯 {san1 zi3 tang1}, 方名 Three-Seed Decoction
三子養親湯 {san1 zi3 yang3 qin1 tang1}, 方名 Three-Seed Filial Devotion Decoction
三屍 {san1 屍}, three corpses
三屍九蟲 {san1 屍 jiu3 chong2}, nine worms in the three corpses

【參】 {san1} [Freq. 4] three (same as 三 {san1}. See also 參 {shen1}).
參伍不調 {san1 wu3 bu4 tiao2}, at threes and fives (pulse)

~~ {san3} ~~
【散】 {san3} [Freq. 2] powder (n.) (平胃散 {ping2 wei4 san3}, Stomach-Calming Powder).
散劑 {san3 ji4}, powder preparation; powder (preparation)

~~ {san4} ~~
【散】 {san4} [Freq. 2] dissipate (v.), dissipation (n.) (溫中散寒 {wen1 zhong1 san4 han2}, warm the center and {dissipate} cold; 散脈{san4 mai4}, dissipated pulse); scatter (散脈 {san4 mai4}, scattered pulse)
散刺 {san4 ci4}, scatter-pricking
散發性腦炎 {san4 fa1 xing4 nao3 yan2}, 西醫 sporadic encephalitis
散法 {san4 fa3}, dispersing
散風 {san4 feng1}, dissipate wind
散風明目 {san4 feng1 ming2 ri4}, dissipate wind and brighten the eyes
散風清熱 {san4 feng1 qing1 re4}, dissipate wind and clear heat
散風熱 {san4 feng1 re4}, clear wind-heat
散風止癢 {san4 feng1 zhi3 yang3}, dissipate wind and relieve itching
散寒 {san4 han2}, dissipate cold
散寒除濕 {san4 han2 chu2 shi1}, dissipate cold and eliminate dampness

散寒化痰 {san4 han2 hua4 tan2}, dissipate cold and transform phlegm
散寒化痰藥 {san4 han2 hua4 tan2 yao4}, cold-dissipating and phlegm-transforming medicinal
散寒化飲 {san4 han2 hua4 yin3}, dissipate cold and transform rheum
散寒解表 {san4 han2 jie3 biao3}, dissipate cold and resolve the exterior
散寒祛濕 {san4 han2 qu1 shi1}, dissipate cold and dispel dampness
散寒藥 {san4 han2 yao4}, cold-dissipating medicinal
散寒止嘔 {san4 han2 zhi3 ou3}, dissipate cold and check vomiting
散寒止痛 {san4 han2 zhi3 tong4}, dissipate cold and relieve pain
散火 {san4 huo3}, dissipate fire
散火湯 {san4 huo3 tang1}, 方名 Fire-Dissipating Decoction
散火消腫 {san4 huo3 xiao1 zhong3}, dissipate fire and disperse swelling
散結 {san4 jie2}, dissipate binds
散結定疼湯 {san4 jie2 ding4 teng2 tang1}, 方名 Bind-Dissipating Pain-Relieving Decoction
散結消腫 {san4 jie2 xiao1 zhong3}, dissipate binds and disperse swelling
散脈 {san4 mai4}, dissipated pulse; scattered pulse
散內寒 {san4 nei4 han2}, dissipate internal cold
散瘧母 {san4 nue94 mu3}, dissipate ``mother of malaria''
散偏湯 {san4 pian1 tang1}, 方名 Hemilateral Headache Decoction
散熱 {san4 re4}, dissipate heat
散胃寒 {san4 wei4 han2}, dissipate stomach cold
散笑 {san4 xiao4}, 腧穴正名 Disseminating Laughter
散邪 {san4 xie2}, dissipate evil
散血 {san4 xue4}, dissipate the blood
散血草 {san4 xue4 cao3}, 中藥正名 Clarke's boea (Boeae Clarkeanae Herba cum Radice)
散血活瘀 {san4 xue4 huo2 yu1}, dissipate blood and quicken stasis
散血蓮 {san4 xue4 lian2}, 中藥正名 bamboo fern (Coniogrammes Japonicae Rhizoma seu Herba)
散血消痰 {san4 xue4 xiao1 tan2}, dissipate blood and disperse phlegm
散陰疽 {san4 yin1 ju1}, dissipate yin1 flat-abscesses
散瘀 {san4 yu1}, dissipate stasis
散瘀葛根湯 {san4 yu1 ge2 gen1 tang1}, 方名 Stasis-Dissipating Pueraria Decoction
散瘀和傷湯 {san4 yu1 he2 shang1 tang1}, 方名 Stasis-Dissipating Injury Decoction
散迂瘀 J 活血 {san4 yu1 huo2 xue4}, dissipate stasis and quicken the blood
散瘀消腫 {san4 yu1 xiao1 zhong3}, dissipates stasis and disperses swelling
散瘀血 {san4 yu1 xue4}, dissipate static blood
散郁結 {san4 yu4 jie2}, dissipate binding depression
散郁調氣 {san4 yu4 tiao2 qi4}, dissipate depression and regulate qi4
散者收之 {san4 zhe3 shou1 zhi1}, dissipation is treated by contracting

散陣 {san4 zhen4}, dissipating array
散中有收 {san4 zhong1 you3 shou1}, contraction within dissipation
散種 {san4 zhong3}, dissipate swelling
散腫潰堅湯 {san4 zhong3 kui4 jian1 tang1}, 方名 Swelling-Dispersing Hardness-Breaking Decoction

~~ {sang1} ~~
【桑】 {sang1} [Freq. 4] mulberry.
桑白皮湯 {sang1 bai2 pi2 tang1}, 方名 Mulberry Root Bark Decoction
桑白皮 {sang1 bai2 pi2, 中藥正名 mulberry bark (Mori Cortex)
桑柴灰 {sang1 chai2 hui1}, 中藥正名 mulberry ash (Mori Ligni Cinis)
桑丹瀉白湯 {sang1 dan1 xie4 bai2 tang1}, 方名 Mulberry and Moutan White-Draining Decoction
桑蠹蟲 {sang1 du4 chong2}, 中藥正名 mulberry worm (Anoplopherae seu Aprionae Larva)
桑耳 {sang1 er3}, 中藥正名 mulberry wood ear (Mori Auricularia Auricula)
桑根 {sang1 gen1}, 中藥正名 mulberry root (Mori Radix)
桑根白皮 {sang1 gen1 bai2 pi2}, 中藥異名 mulberry bark (Mori Cortex)
桑根皮 {sang1 gen1 pi2}, 中藥異名 mulberry bark (Mori Cortex)
桑果 {sang1 guo3}, 中藥異名 mulberry (Mori Fructus)
桑&&9CF8|{sang1 hu4}, 中藥正名 black-headed finch (Eophonae Caro)
桑黃 {sang1 huang2}, 中藥正名 phellinus (Phellinus )
桑寄 {sang1 ji4}, 中藥異名 mistletoe (Taxilli Herba)
桑寄生 {sang1 ji4 sheng1}, 中藥正名 mistletoe (Loranthi seu Visci Ramus)
桑寄生 (1) {sang1 ji4 sheng1}, 中藥正名 mistletoe (Taxilli Herba)
桑寄生 (2) {sang1 ji4 sheng1}, 中藥正名 southern mistletoe (Loranthi Ramus)
桑寄生散 {sang1 ji4 sheng1 san3}, 方名 Mistletoe Powder
桑菊飲 {sang1 ju2 yin3}, 方名 Mulberry Leaf and Chrysanthemum Beverage
桑粒 {sang1 li4}, 中藥異名 mulberry (Mori Fructus)
桑瀝 {sang1 li4}, 中藥正名 mulberry wood sap (Mori Ligni Succus)
桑麻丸 {sang1 ma2 wan2}, 方名 Mulberry Leaf and Sesame Pill
桑皮 {sang1 pi2}, 中藥異名 mulberry bark (Mori Cortex)
桑皮汁 {sang1 pi2 zhi1}, 中藥正名 mulberry bark sap (Mori Corticis Succus)
桑螵蛸 {sang1 piao1 xiao1}, 中藥正名 mantis egg-case (Mantidis Ootheca)
桑螵蛸散 {sang1 piao1 xiao1 san3}, 方名 Mantis Egg-Case Powder
桑仁 {sang1 ren2}, 中藥異名 mulberry (Mori Fructus)
桑仁粥 {sang1 ren2 zhou1}, 方名 Mulberry Fruit Gruel
桑上寄生 {sang1 shang4 ji4 sheng1}, 中藥異名 mistletoe (Taxilli Herba)

桑上螳螂窠 {sang1 shang4 tang2 lang2 ke1}, 中藥異名 mantis egg-case (Mantidis Ootheca)
桑椹 {sang1 shen4}, 中藥正名 mulberry (Mori Fructus)
桑椹酒 {sang1 shen4 jiu3}, 中藥正名 mulberry fruit wine (Mori Vinum)
桑椹子 {sang1 shen4 zi3}, 中藥異名 mulberry (Mori Fructus)
桑葚子 {sang1 shen4 zi3}, 中藥異名 mulberry (Mori Fructus)
桑椹子膏 {sang1 shen4 zi3 gao1}, 方名 Mulberry Paste
桑實 {sang1 shi2}, 中藥異名 mulberry (Mori Fructus)
桑樹葉 {sang1 shu4 ye4}, 中藥異名 mulberry leaf (Mori Folium)
桑霜 {sang1 shuang1}, 中藥正名 mulberry frost (Mori Crystallum)
桑條 {sang1 tiao2}, 中藥異名 mulberry twig (Mori Ramulus)
桑蛸 {sang1 xiao1}, 中藥異名 mantis egg-case (Mantidis Ootheca)
桑杏湯 {sang1 xing4 tang1}, 方名 Mulberry Leaf and Apricot Kernel Decoction
桑芽 {sang1 ya2}, 中藥正名 tea maple (Aceris Theiferi Surculus et Folium)
桑葉 {sang1 ye4}, 中藥正名 mulberry leaf (Mori Folium)
桑葉露 {sang1 ye4 lu4}, 中藥正名 mulberry leaf distillate (Mori Folii Distillatum)
桑葉汁 {sang1 ye4 zhi1}, 中藥正名 mulberry leaf juice (Mori Folii Succus)
桑癭 {sang1 ying3}, 中藥正名 mulberry node (Mori Nodus)
桑棗 {sang1 zao3}, 中藥異名 mulberry (Mori Fructus)
桑枝 {sang1 zhi1}, 中藥正名 mulberry twig (Mori Ramulus)
桑枝虎杖湯 {sang1 zhi1 hu3 zhang4 tang1}, 方名 Mulberry Twig and Bushy Knotweed Decoction

【喪】 {sang1} [Freq. 5] loose (v.); loss (n.) (如喪神守 {ru2 sang4 shen2 shou3}, seeming loss of the spirit's presence)

~~ {sang3} ~~
【嗓】 {sang3} [Freq. 4] voice.
嗓子 {sang3 zi3}, voice box
嗓子發干作癢 {sang3 zi3 fa1 gan1 zuo4 yang3}, dry itchy larynx

【顙】 {sang3} [Freq. 3] forehead.
顙大 {sang3 da4}, 腧穴異名 ST-8 (Forehead Large)

~~ {sao1} ~~
【搔】 {sao1} [Freq. 3] scratch.
搔癢 {sao1 yang3}, scratch (to relieve itching)

搔抓 {sao1 zhua1}, scratch

【臊】 {sao1} [Freq. 2] animal odor (n.) (臊味 {sao1 wei4}, animal odor); urine odor.
臊臭 {sao1 chou4}, animal odor; urine odor
臊味 {sao1 wei4}, animal odor; urine odor

~~ {sao3} ~~
【掃】 {sao3} [Freq. 4] sweep.
掃蟲煎 {sao3 chong2 jian1}, 方名 Worm-Sweeping Brew
掃盆 {sao3 pen2}, 中藥異名 calomel (Calomelas)

~~ {sao4} ~~
【瘙】 {sao4} [Freq. 3] itch.
瘙疳 {sao4 gan1}, itchy gan1
瘙癢 {sao4 yang3}, itching

~~ {se4} ~~
【色】{se4} [Freq. 2] color (n.) (五色 {wu3 se4}, the five colors); complexion (n.) (面色 {mian4 se4}, facial complexion); sex; sensuality.
色暗 {se4 an4}, dark in color
色悴 {se4 cui4}, haggard complexion
色克病 {se4 ke4 bing4}, color [phase] restraining disease [phase]
色脈合參 {se4 mai4 he2 can1}, correlation of complexion and pulse
色盲 {se4 mang2}, color blindness
色素 {se4 su4}, 西醫 pigment
色隨氣華 {se4 sui2 qi4 hua2}, complexion blooms from qi4; bloom of the complexion depends on qi4
色澤 {se4 ze2}, color and sheen; complexion; color and sheen
色診 {se4 zhen3}, examination of the complexion

【嗇】 {se4} [Freq. 4] stingy; huddle (嗇嗇惡寒 {se4 se4 wu4 han2}, huddled aversion to cold).
嗇嗇惡寒 {se4 se4 wu4 han2}, huddled aversion to cold

【塞】 {se4} [Freq. 2] congested (adj.); congestion(n.) (鼻塞 {bi2 se4}, nasal congestion; also pronounced {sai1})

【澀】{se4} [Freq. 2] rough (adj.) (澀脈 {se4 mai4}, rough pulse; 小便短澀 {xiao3 bian4 duan3 se4}, short rough voidings of urine); inhibited (adj.) (小便短澀 {xiao3 bian4 duan3 se4}, short inhibited voidings of urine); dry (adj.) (目干澀 {mu4 gan1 se4}, dry eyes); astringe (v.), astringent (adj.) (澀腸 {se4 chang2}, astringe the intestine; 澀劑{se4 ji4}, astringent formula).
澀草 {se4 cao3}, 中藥正名 silverweed (Potentillae Leuconotae Fructus)
澀腸 {se4 chang2}, astringe the intestines
澀腸固脫 {se4 chang2 gu4 tuo1}, astringe the intestines and stem desertion
澀腸止泄 {se4 chang2 zhi3 xie4}, astringe the intestines and check diarrhea
澀腸止瀉 {se4 chang2 zhi3 xie4}, astringe the intestines and check diarrhea
澀地榆 {se4 di4 yu2}, 中藥異名 sanguisorba (Sanguisorbae Radix)
澀固精關 {se4 gu4 jing1 guan1}, secure the essence gate
澀固下元 {se4 gu4 xia4 yuan2}, astringe and secure the lower origin
澀劑 {se4 ji4}, astringent formula
澀精 {se4 jing1}, astringe essence
澀精止遺 {se4 jing1 zhi3 yi2}, astringe essence and check (seminal) emission and enuresis

【穡】 {se4} [Freq. 5] reaping (稼穡 {jia4 se4}, lit. sowing and reaping, i.e., farming)

【濇】 {se4} [Freq. 5] same as 澀 {se4} (same as 澀 {se4})

~~ {seng1} ~~
【僧】 {seng1} monk (僧伽 {seng1 ga1}, samgha).
僧帽瓣 {seng1 mao4 ban4}, 西醫 mitral valve

~~ {sha1} ~~
【沙】 {sha1} [Freq. 2] sand (n.); husky (voice).
沙炒 {sha1 chao3}, sand-fry
沙冬青 {sha1 dong1 qing1}, 中藥正名 ammopiptanthus (Ammopiptanthi Caulis et Folium)
沙拐棗 {sha1 guai3 zao3}, 中藥正名 calligonum (Calligoni Radix seu Herba cum Radice)
沙芥 {sha1 jie4}, 中藥正名 pugionum (Pugionii Herba)
沙殼 {sha1 ke2}, 中藥異名 amomum husk (Amomi Pericarpium)
沙漏蘆 {sha1 lou4 lu2}, 中藥正名 Gmelin's echinops (Echinopsis Gmelinii Radix)
沙蜜 {sha1 mi4}, 中藥異名 honey (Mel)
沙漠嘎 {sha1 mo4 ga1}, 中藥正名 salt-loving artemisia (Artemisiae Halodendri Ramulus et Folium)

沙前胡 {sha1 qian2 hu2}, 中藥正名 ferula root (Ferulae Borealis Radix)
沙前胡子 {sha1 qian2 hu2 zi3}, 中藥正名 ferula seed (Ferulae Borealis Semen)
沙仁 {sha1 ren2}, 中藥異名 amomum (Amomi Fructus)
沙參 {sha1 shen1}, 中藥正名 adenophora/glehnia (Adenophorae seu Glehniae Radix)
沙參麥冬湯 {sha1 shen1 mai4 dong1 tang1}, 方名 Adenophora/Glehnia and Ophiopogon Decoction
沙參粥 {sha1 shen1 zhou1}, 方名 Adenophora/Glehnia Gruel
沙塔干 {sha1 ta1 gan1}, 中藥異名 leech (Hirudo)
沙糖 {sha1 tang2}, 中藥正名 granulated sugar (Saccharon Granulatum)
沙塘木 {sha1 tang2 mu4}, 中藥正名 acronychia wood (Acronychiae Lignum seu Radix)
沙眼 {sha1 yan3}, 西醫 trachoma
沙苑蒺藜 {sha1 yuan4 ji2 li2}, 中藥異名 complanate astragalus seed (Astragali Complanati Semen)
沙苑子 {sha1 yuan4 zi3}, 中藥正名 complanate astragalus seed (Astragali Complanati Semen)
沙棗 {sha1 zao3}, 中藥正名 Russian olive fruit (Elaeagni Angustifoliae Fructus) (Hippophae Fructus); 中藥異名 hippopha
沙棗花 {sha1 zao3 hua1}, 中藥正名 Russian olive flower (Elaeagni Angustifoliae Flos)
沙棗膠 {sha1 zao3 jiao1}, 中藥正名 Russian olive resin (Elaeagni Angustifoliae Resina)
沙棗樹皮 {sha1 zao3 shu4 pi2}, 中藥正名 Russian olive bark (Elaeagni Angustifoliae Cortex)
沙鑽 {sha1 zuan4}, 中藥正名 sandborer (Sillaginis Sihamae Caro)

【砂】 {sha1} [Freq. 2] sand (n.); grit.
砂鍋 {sha1 guo1}, earthenware pot
砂殼 {sha1 ke2}, 中藥異名 amomum husk (Amomi Pericarpium)
砂淋 {sha1 lin2}, sand strangury
砂仁花 {sha1 ren2 hua1}, 中藥正名 amomum flower (Amomi Flos)
砂仁殼 {sha1 ren2 qiao4 (ke2)}, 中藥正名 amomum husk (Amomi Pericarpium)
砂仁 {sha1 ren2, 中藥正名 amomum (Amomi Fructus)
砂石淋病 {sha1 shi2 lin2 bing4}, sand and stone strangury
砂炭 {sha1 tan4}, 中藥正名 charred amomum (Amomi Fructus Carbonisatus)
砂燙 {sha1 tang4}, sand-scorch
砂炙 {sha1 zhi4}, sand-fry

【紗】 {sha1} [Freq. 4] gauze.
紗布 {sha1 bu4}, gauze

【殺】 {sha1} [Freq. 2] kill (v.) (殺蟲 {sha1 chong2}, kill worms); suppress (one of the seven relations).

殺蟲 {sha1 chong2}, kill worms
殺蟲消疳 {sha1 chong2 xiao1 gan1}, kill worms and disperse gan1
殺蟲消積 {sha1 chong2 xiao1 ji1}, kill worms and disperse accumulation
殺蛔蟲 {sha1 hui2 chong2}, kill roundworm

【莎】 {sha1} [Freq. 4] plant name.
莎草根 {sha1 cao3 gen1}, 中藥異名 cyperus (Cyperi Rhizoma)
莎孤米 {sha1 gu1 mi3}, 中藥異名 sago (Sagu Amylum)

【痧】 {sha1} [Freq. 2] sand (n.) (痧氣 {sha1 qi4}, sand qi4).
痧毒 {sha1 du2}, sand toxin
痧穢 {sha1 hui4}, sand foulness
痧穢瀉泄 {sha1 hui4 xie4 xie4}, sand foulness diarrhea
痧筋 {sha1 jin1}, sand veins
痧塊 {sha1 kuai4}, sand lumps
痧氣 {sha1 qi4}, sand qi4
痧氣丹 {sha1 qi4 dan1}, 方名 Sand Qi4 Elixir
痧藥 {sha1 yao4}, 方名 Sand Medicine
痧脹 {sha1 zhang4}, sand distention
痧疹初發 {sha1 zhen3 chu1 fa1}, initial-stage sand papules
痧子 {sha1 zi3}, measles; sand

~~ {sha4} ~~
【嗄】 {sha4} [Freq. 5] hoarse (聲嗄 {sheng1 sha4}, hoarse voice)

~~ {shai1} ~~
【篩】 {shai1} [Freq. 5] sieve (銅篩 {tong2 shai1}, copper sieve).
篩骨 {shai1 gu3}, 西醫 ethmoid bone

~~ {shai4} ~~
【晒】 {shai4} [Freq. 4] expose to the sun.
晒干 {shai4 gan1}, sun-dry

~~ {shan1} ~~

【山】 {shan1} [Freq. 2] mountain (n.) (山嵐瘴氣 {shan1 lan2 zhang4 qi4}, mountain forest miasma; 燒山火 {shao1 shan1 huo3}, burning mountain fire method).
山板朮 {shan1 ban3 zhu2}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
山芭焦子 {shan1 bao1 jiao1 zi3}, 中藥正名 banana seed (Musae Seminifera Semen)
山苞米 {shan1 bao1 mi3}, 中藥異名 arisaema (Arisaematis Rhizoma)
山扁柏 {shan1 bian3 bai3}, 中藥異名 greater selaginella (Selaginellae Doederleinii Herba)
山扁豆 {shan1 bian3 dou4}, 中藥正名 mimosa-leaved cassia (Cassiae Mimosoidis Herba)
山扁豆子 {shan1 bian3 dou4 zi3}, 中藥正名 mimosa-leaved cassia fruit (Cassiae Mimosoidis Semen)
山菠蘿根 {shan1 bo1 luo2 gen1}, 中藥正名 giant cardiocrinum (Cardiocrini Gigantei Bulbus)
山薄荷 {shan1 bo4 he2}, 中藥正名 Moldavian dragon's-head (Dracocephali Moldavici Herba) (Caryopteridis Incanae Herba (cum Radice)); 中藥異名 bluebeard
山布子 {shan1 bu4 zi3}, 中藥異名 cordia berry (Cordiae Fructus)
山菜 {shan1 cai4}, 中藥異名 bupleurum (Bupleuri Radix)
山查 {shan1 cha2}, 中藥異名 crataegus (Crataegi Fructus)
山茶花 {shan1 cha2 hua1}, 中藥正名 camellia (Camelliae Japonicae Flos)
山橙 {shan1 chen2}, 中藥正名 sweet-scented melodinus (Melodini Fructus)
山茨菰 {shan1 ci2 gu1}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
山茨菇 {shan1 ci2 gu1}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
山慈姑 {shan1 ci2 gu1}, 中藥正名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
山慈姑花 {shan1 ci2 gu1 hua1}, 中藥正名 cremastra/pleione flower (Cremastrae seu Pleiones Flos)
山慈姑葉 {shan1 ci2 gu1 ye4}, 中藥正名 cremastra/pleione leaf (Cremastrae seu Pleiones Folium)
山刺柏 {shan1 ci4 bai3}, 中藥正名 Taiwan juniper [root or berry] (Juniperi Taiwanianae Radix seu Fructus)
山刺梨 {shan1 ci4 li2}, 中藥正名 silky rose [root and fruit] (Rosae Sericeae Radix et Fructus)
山大刀 {shan1 da4 dao1}, 中藥正名 red psychotria (Psychotriae Rubrae Ramulus et Folium)
山大刀根 {shan1 da4 dao1 gen1}, 中藥正名 red psychotria root (Psychotriae Rubrae Radix)
山大豆根 {shan1 da4 dou4 gen1}, 中藥異名 bushy sophora (Sophorae Tonkinensis Radix)
山大煙 {shan1 da4 yan1}, 中藥正名 wild poppy seed (Papaveris Nudicaulis Fructus)
山大顏根 {shan1 da4 yan2 gen1}, 中藥異名 red psychotria root (Psychotriae Rubrae Radix)
山丹 {shan1 dan1}, 中藥正名 morningstar lily bulb (Lilii Concoloris Bulbus)
山丹花 {shan1 dan1 hua1}, 中藥正名 morningstar lily (Lilii Concoloris Flos)
山道年蒿 {shan1 dao4 nian2 hao1}, 中藥正名 Levant wormseed flower and leaf (Artemisiae

Cinae Flos et Folium)
山地栗 {shan1 di4 li4}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
山豆根 {shan1 dou4 gen1}, 中藥正名 bushy sophora (Sophorae Tonkinensis Radix)
山豆根湯 {shan1 dou4 gen1 tang1}, 方名 Bushy Sophora Root Decoction
山礬根 {shan1 fan2 gen1}, 中藥正名 caudate sweetleaf root (Symplocoris Caudatae Radix)
山礬花 {shan1 fan2 hua1}, 中藥正名 caudate sweetleaf flower (Symplocoris Caudatae Flos)
山礬葉 {shan1 fan2 ye4}, 中藥正名 caudate sweetleaf leaf (Symplocoris Caudatae Folium)
山防風 {shan1 fang2 feng1}, 中藥正名 Shandong ledebouriella (Saphoshnikoviae Radix *Shandongensis)
山甘草 {shan1 gan1 cao3}, 中藥正名 hairy mussaenda (Mussaendae Pubescentis Caulis et Folium)
山甘草根 {shan1 gan1 cao3 gen1}, 中藥正名 hairy mussaenda root (Mussaendae Pubescentis Radix)
山葛薯 {shan1 ge2 shu3}, 中藥正名 clitoria (Clitoriae Tuber)
山根 {shan1 gen1}, mountain root (region between the inner canthi); 腧穴正名 Mountain Root
山歸來 {shan1 gui1 lai2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
山棍草 {shan1 gun4 cao3}, 中藥異名 greater selaginella (Selaginellae Doederleinii Herba)
山海螺 {shan1 hai3 luo2}, 中藥正名 lanceolate codonopsis (Codonopsis Lanceolatae Radix)
山海棠 {shan1 hai3 tang2}, 中藥正名 Yun2nan2 begonia (Begoniae Yunnanensis Herba, Radix, seu Fructus)
山核桃 {shan1 he2 tao2}, 中藥正名 hickory (Caryae Exocarpium, Semen, et Radicis Cortex)
山紅果 {shan1 hong2 guo3}, 中藥異名 crataegus (Crataegi Fructus)
山紅蘿蔔 {shan1 hong2 luo2 bo2}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)
山胡椒 {shan1 hu2 jiao1}, 中藥正名 mountain pepper (Linderae Glaucae Fructus)
山胡椒根 {shan1 hu2 jiao1 gen1}, 中藥正名 mountain pepper root (Linderae Glaucae Radix)
山胡椒葉 {shan1 hu2 jiao1 ye4}, 中藥正名 mountain pepper leaf (Linderae Glaucae Folium)
山葫蘆 {shan1 hu2 lu2}, 中藥異名 grape (Vitis Viniferae Fructus)
山黃瓜 {shan1 huang2 gua1}, 中藥正名 tricyrtis root (Tricyrtidis Radix)
山黃皮 {shan1 huang2 pi2}, 中藥正名 pungent wampee (Clausenae Excavatae Ramulus et Folium)
山茴芹 {shan1 hui2 qin2}, 中藥正名 Chinese carlesia (Carlesiae Sinensis Radix)
山藿香 {shan1 huo4 xiang1}, 中藥正名 Chinese germander (Teucrii Viscidi Herba)
山雞頭子 {shan1 ji1 tou2 zi3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
山薊 {shan1 ji4}, 中藥異名 white atractylodes (Atractylodis Macrocephalae Rhizoma)
山甲 {shan1 jia3}, 中藥異名 pangolin scales (Manis Squama)
山甲皮 {shan1 jia3 pi2}, 中藥正名 pangolin skin (Manitis Pellis)
山甲片 {shan1 jia3 pian4}, 中藥異名 pangolin scales (Manis Squama)
山薑 {shan1 jiang1}, 中藥正名 Japanese galangal (Alpiniae Japonicae Rhizoma seu Herba)

山薑花 {shan1 jiang1 hua1}, 中藥正名 Japanese galangal flower (Alpiniae Japonicae Flos)
山椒 {shan1 jiao1}, 中藥正名 peppery zanthoxylum (Zanthoxyli Piperiti Fructus)
山椒根 {shan1 jiao1 gen1}, 中藥正名 large-leaved zanthoxylum root (Zanthoxyli Dissiti Radix)
山韭 {shan1 jiu3}, 中藥正名 Japanese chive (Allii Japonici Herba)
山九月菊 {shan1 jiu3 yue4 ju2}, 中藥異名 wild chrysanthemum (Chrysanthemi Indici Flos)
山鞠窮 {shan1 ju2 qiong2}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)
山蒟 {shan1 ju3}, 中藥正名 Hance's pepper (Piperis Hancei Caulis et Folium)
山苦菜 {shan1 ku3 cai4}, 中藥正名 tall lettuce [flower and leaf] (Lactucae Elatae Flos et Folium)
山苦瓜 {shan1 ku3 gua1}, 中藥異名 cucumber gourd root (Trichosanthis Cucumeroidis Radix)
山苦&&836C.8552|{shan1 ku3 mai3}, 中藥正名 ixeris (Ixeris Herba)
山葵 {shan1 kui2}, 中藥正名 wasabi (Wasabiae Radix)
山廓 {shan1 kuo4}, mountain belt
山蘭花 {shan1 lan2 hua1}, 中藥異名 curculigo (Curculiginis Rhizoma)
山嵐瘴毒 {shan1 lan2 zhang4 du2}, mountain forest miasmic toxin
山嵐瘴氣 {shan1 lan2 zhang4 qi4}, mountain forest miasmic qi4
山稜 {shan1 leng2}, 中藥異名 sparganium (Sparganii Rhizoma)
山梨 {shan1 li2}, 中藥異名 crataegus (Crataegi Fructus)
山裡果子 {shan1 li3 guo3 zi3}, 中藥異名 crataegus (Crataegi Fructus)
山裡紅果 {shan1 li3 hong2 guo3}, 中藥異名 crataegus (Crataegi Fructus)
山荔枝果 {shan1 li4 zhi1 guo3}, 中藥正名 vanieria fruit (Vanieriae Fructus)
山蓮藕 {shan1 lian2 ou3}, 中藥正名 specious millettia (Millettiae Speciosae Radix)
山柳菊 {shan1 liu3 ju2}, 中藥正名 hieracium (Hieracii Herba seu Radix)
山驢骨 {shan1 lu92 gu3}, 中藥正名 serow's bone (Capricornis Os)
山麻黃 {shan1 ma2 huang2}, 中藥正名 psilopeganum (Psilopegani Herba)
山麻雀 {shan1 ma2 que4}, 中藥正名 Japanese ginger flower (Zingiberis Miogae Flos)
山馬豆根 {shan1 ma3 dou4 gen1}, 中藥正名 Yun2nan2 vigna root (Vignae Vexillatae Radix)
山馬蝗 {shan1 ma3 huang2}, 中藥正名 racemose desmodium (Desmodii Racemosi Herba)
山貓兒 {shan1 mao1 er2}, 中藥正名 dianella (Dianellae Herba seu Rhizoma)
山梅花根皮 {shan1 mei2 hua1 gen1 pi2}, 中藥正名 philadelphus root bark (Philadelphi Radicis Cortex)
山牡丹 {shan1 mu3 dan1}, 中藥正名 Seguin's argyreia (Argyreiae Seguinii Radicis Cortex seu Caulis)
山木通 {shan1 mu4 tong1}, 中藥正名 Finet's clematis (Clematidis Finetianae Radix, Caulis et Folium)
山柰 {shan1 nai4}, 中藥正名 kaempferia (Kaempferiae Rhizoma)
山牛蒡 {shan1 niu2 bang4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)

山牛毛氈 {shan1 niu2 mao2 zhan1}, 中藥正名 black fimbristylis (Fimbristylidis Fuscae Herba)
山皮條 {shan1 pi2 tiao2}, 中藥正名 Si4chuan1 indigo (Indigoferae Szechuenensis Radix seu Frutex)
山埔姜 {shan1 pu2 jiang1}, 中藥異名 Asian buddleia (Buddlejae Asiaticae Radix, Caulis et Folium)
山葡萄 {shan1 pu2 tao2}, 中藥正名 mountain snake grape (Ampelopsis Hancei Radix seu Caulis)
山埔姜 {shan1 pu3 jiang1}, 中藥異名 five-leaved vitex (Viticis Quinatae Radix seu Lignum)
山漆 {shan1 qi1}, 中藥異名 notoginseng (Notoginseng Radix)
山漆樹 {shan1 qi2 shu4}, 中藥正名 Delavay sumac (Rhois Delavayi Radix seu Folium)
山杞子根 {shan1 qi3 zi3 gen1}, 中藥異名 lycium bark (Lycii Cortex)
山稔根 {shan1 ren3 gen1}, 中藥正名 rose myrtle root (Rhodomyrti Radix)
山稔葉 {shan1 ren3 ye4}, 中藥正名 rose myrtle leaf (Rhodomyrti Folium)
山稔子 {shan1 ren3 zi3}, 中藥正名 rose myrtle seed (Rhodomyrti Fructus)
山三甲 {shan1 san1 jia3}, 中藥異名 trifoliate acanthopanax root (Acanthopanacis Trifoliati Radix)
山參 {shan1 shen1}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)
山參仔 {shan1 shen1 zai3}, 中藥異名 glossogyne (Glossogynes Herba)
山石榴 {shan1 shi2 liu2}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
山薯 {shan1 shu3}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
山蒜 {shan1 suan4}, 中藥正名 wild chive (Allii Nipponici Bulbus)
山藤藤秧 {shan1 teng2 teng2 yang1}, 中藥正名 Amur grapevine (Vitis Amurensis Radix et Caulis)
山鐵樹葉 {shan1 tie3 shu4 ye4}, 中藥正名 Cambodian pleomele (Pleomelis Cambodianae Folium)
山桐子 {shan1 tong2 zi3}, 中藥正名 Nepal mallotus (Malloti Nepalensis Radix seu Cortex)
山莴苣 {shan1 wo1 ju4}, 中藥正名 wild Indian lettuce (Lactucae Indicae Herba)
山烏&&6855‖根 {shan1 wu1 jiu4 gen1}, 中藥正名 mountain tallow root (Sapii Discoloris Radix)
山烏&&6855‖葉 {shan1 wu1 jiu4 ye4}, 中藥正名 mountain tallow leaf (Sapii Discoloris Folium)
山吳萸果 {shan1 wu2 yu2 guo3}, 中藥正名 southern evodia fruit (Evodiae Trichotomae Fructus)
山小橘 {shan1 xiao3 ju2}, 中藥正名 glycosmis (Glycosmis Radix et Folium)
山蟹 {shan1 xie4}, 中藥正名 earthstar (Geastrum)
山辛夷 {shan1 xin1 yi2}, 中藥正名 Yun2nan2 michelia (Micheliae Yunnanensis Flos)
山羊肝 {shan1 yang2 gan1}, 中藥正名 goral's liver (Naemorhedi Goral Iecur)
山羊角 {shan1 yang2 jiao3}, 中藥正名 goral horn (Naemorhedi Goral Cornu)

山羊肉 {shan1 yang2 rou4}, 中藥正名 goral flesh (Naemorhedi Goral Caro)
山羊血 {shan1 yang2 xue4}, 中藥正名 goral's blood (Naemorhedi Goral Sanguis)
山羊油 {shan1 yang2 you2}, 中藥正名 goral fat (Naemorhedi Goral Adeps)
山藥藤 {shan1 yao4 teng2}, 中藥正名 dioscorea stem (Dioscoreae Caulis)
山藥 {shan1 yao4, 中藥正名 dioscorea (Dioscoreae Rhizoma)
山一籠雞 {shan1 yi1 long2 ji1}, 中藥正名 gutzlaffia (Gutzlaffiae Radix)
山遺糧 {shan1 yi2 liang2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
山茵陳 {shan1 yin1 chen2}, 中藥異名 siphonostegia (Siphonostegiae Herba)
山櫻桃 {shan1 ying1 tao2}, 中藥正名 Nanking cherry (Pruni Tomentosae Fructus)
山櫻桃核 {shan1 ying1 tao2 he2}, 中藥正名 Nanking cherry pit (Pruni Tomentosae Endocarpium et Semen)
山硬硬 {shan1 ying4 ying4}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
山油柑果實 {shan1 you2 gan1 guo3 shi2}, 中藥正名 acronychia fruit (Acronychiae Fructus)
山油柑葉 {shan1 you2 gan1 ye4}, 中藥正名 acronychia leaf (Acronychiae Folium)
山萸肉 {shan1 yu2 rou4}, 中藥異名 cornus (Corni Fructus)
山芋 (1) {shan1 yu4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
山芋 (2) {shan1 yu4}, 中藥異名 sweet potato (Ipomoeae Batatas Tuber)
山楂 {shan1 zha1}, 中藥正名 crataegus (Crataegi Fructus)
山楂 {shan1 zha1}, 中藥異名 crataegus pit (Crataegi Endocarpium et Semen)
山楂干 {shan1 zha1 gan1}, 中藥異名 crataegus (Crataegi Fructus)
山楂糕 {shan1 zha1 gao1}, 中藥正名 crataegus cake (Crataegi Fructus Praeparatio)
山楂根 {shan1 zha1 gen1}, 中藥正名 crataegus root (Crataegi Radix)
山楂核 {shan1 zha1 he2}, 中藥正名 crataegus pit (Crataegi Endocarpium et Semen)
山楂木 {shan1 zha1 mu4}, 中藥正名 crataegus (Crataegi Lignum)
山楂肉 {shan1 zha1 rou4}, 中藥異名 crataegus (Crataegi Fructus)
山楂炭 {shan1 zha1 tan4}, 中藥正名 charred crataegus (Crataegi Fructus Carbonisatus)
山楂葉 {shan1 zha1 ye4}, 中藥正名 crataegus leaf (Crataegi Folium)
山楂粥 {shan1 zha1 zhou1}, 方名 Crataegus Gruel
山梔 {shan1 zhi1}, 中藥異名 gardenia (Gardeniae Fructus)
山枝根 {shan1 zhi1 gen1}, 中藥正名 pittosporum root (Pittospori Radix seu Radicis Cortex)
山梔根 {shan1 zhi1 gen1}, 中藥正名 gardenia root (Gardeniae Radix)
山梔花 {shan1 zhi1 hua1}, 中藥正名 gardenia flower (Gardeniae Flos)
山芝麻 {shan1 zhi1 ma2}, 中藥正名 helicteres (Helicteris Herba)
山梔皮 {shan1 zhi1 pi2}, 中藥正名 gardenia husk (Gardeniae Epicarpium)
山枝仁 {shan1 zhi1 ren2}, 中藥正名 pittosporum seed (Pittospori Semen)
山梔炭 {shan1 zhi1 tan4}, 中藥正名 charred gardenia (Gardeniae Fructus Carbonisatus)
山梔葉 {shan1 zhi1 ye4}, 中藥正名 gardenia leaf (Gardeniae Folium)
山梔子仁 {shan1 zhi1 zi3 ren2}, 中藥異名 gardenia (Gardeniae Fructus)

山梔子 {shan1 zhi1 zi3, 中藥正名 gardenia (Gardeniae Fructus)
山豬糞 {shan1 zhu1 fen4}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
山萸肉粥 {shan1 zhu1 rou4 zhou1}, 方名 Cornus Gruel
山茱萸 {shan1 zhu1 yu2}, 中藥正名 cornus (Corni Fructus)
山竹子 {shan1 zhu2 zi3}, 中藥正名 flowery garcinia [root or fruit] (Garciniae Multiflorae Cortex seu Fructus)
山棕 {shan1 zong1}, 中藥異名 curculigo (Curculiginis Rhizoma)

【杉】 {shan1} [Freq. 4] fir.
杉籬 {shan1 li2}, firwood matting
杉木 {shan1 mu4}, 中藥正名 Chinese fir wood (Cunninghamiae Cortex et Lignum)
杉木根 {shan1 mu4 gen1}, 中藥正名 Chinese fir root (Cunninghamiae Radicis Cortex)
杉木節 {shan1 mu4 jie2}, 中藥正名 Chinese fir knot (Cunninghamiae Nodus)
杉木油 {shan1 mu4 you2}, 中藥正名 Chinese fir wood oil (Cunninghamiae Oleum Ligni)
杉木魚 {shan1 mu4 yu2}, 中藥異名 salamander (Batrachuperus)
杉皮 {shan1 pi2}, 中藥正名 Chinese fir bark (Cunninghamiae Cortex)
杉葉 {shan1 ye4}, 中藥正名 Chinese fir leaf (Cunninghamiae Folium)
杉葉藻 {shan1 ye4 zao3}, 中藥正名 hippuris (Hippuris Herba)
杉子 {shan1 zi3}, 中藥正名 Chinese fir seed (Cunninghamiae Semen)

【珊】 {shan1} [Freq. 4] coral.
珊瑚 {shan1 hu2}, 中藥正名 coral (Coralli)
珊瑚草 {shan1 hu2 cao3}, 中藥正名 spatholirion (Spatholirionis Folium)
珊瑚鵝管石 {shan1 hu2 e2 guan3 shi2}, 中藥正名 coral goose quill stone (Balanophyllia)

【扇】 {shan1} [Freq. 4] fan (v.).
商陸花 {shan1 lu4 hua1}, 中藥正名 phytolacca flower (Phytolaccae Flos)

【煽】 {shan1} [Freq. 5] fan (v.) (風火相煽 {feng1 huo3 xiang1 shan1}, wind and fire fanning each other)

【羶】 {shan1} [Freq. 5] having a goatlike smell (also 膻 {shan1})

【膻】 {shan1} [Freq. 3] having a goatlike smell (same as 羶 {shan1}. See also 膻 {dan4})

~~ {shan3} ~~
【閃】 {shan3} [Freq. 4] flash (閃罐 {shan3 guan4}, flash cupping); wrench.

閃挫 {shan3 cuo4}, wrenching and contusion
閃挫腰痛 {shan3 cuo4 yao1 tong4}, wrenched lumbus pain
閃罐 {shan3 guan4}, flash cupping
閃傷 {shan3 shang1}, wrenching
閃腰 {shan3 yao1}, wrenching of the lumbus

~~ {shan4} ~~
【疝】 {shan4} [Freq. 2] mounting (n.) (寒疝 {han2 shan4}, cold mounting).
疝瘕 {shan4 jia3}, mounting-conglomeration
疝氣 {shan4 qi4}, 西醫 hernia; mounting qi4
疝氣疼痛 {shan4 qi4 teng2 tong4}, mounting qi4 pain
疝氣痛 {shan4 qi4 tong4}, mounting qi4 pain

【扇】 {shan4} [Freq. 4] fan (n.).
扇蕨 {shan4 jue2}, 中藥正名 neocheiropteris (Neocheiropteridis Rhizoma seu Herba)
扇子七 {shan4 zi3 qi1}, 中藥正名 Japanese lady's slipper (Cypripedii Japonici Radix seu Herba cum Radice)
扇子薯 {shan4 zi3 shu3}, 中藥異名 dioscorea (Dioscoreae Rhizoma)

【善】{shan4} [Freq. 2] susceptible to (adj.)-(prep.), susceptibility to (n.)-(prep.) (lit. good at, tend to. 善驚 {shan4 jing1}, susceptibility to fright); frequent (adj.) (善嘔 {shan4 ou3}, frequent retching); benign (adj.) (善色 {shan4 se4}, benign complexion).
善悲 {shan4 bei1}, tendency to sorrow
善瘈 {shan4 chi4}, tendency toward tugging
善竄能走 {shan4 cuan4 neng2 zou3}, mobile and penetrating
善盜汗 {shan4 dou4 han4}, tendency to night sweating
善驚 {shan4 jing1}, susceptibility to fright
善恐 {shan4 kong3}, susceptibility to fear
善怒 {shan4 nu4}, irascibility
善嘔 {shan4 ou3}, frequent retching
善欠 {shan4 qian4}, frequent yawning
善色 {shan4 se4}, benign complexion
善食而瘦 {shan4 shi2 er2 shou4}, thinness despite large food intake
善食易饑 {shan4 shi2 yi4 ji1}, large appetite with rapid hungering
善太息 {shan4 tai4 xi1}, frequent sighing
善嚏 {shan4 ti4}, sneezing
善忘 {shan4 wang4}, forgetfulness

善喜 {shan4 xi3}, tendency to joy (pathological)
善笑 {shan4 xiao4}, frequent laughing
善行數變 {shan4 xing2 shuo4 bian4}, swift and changeable
善噎 {shan4 ye1}, frequent choking
善憂思 {shan4 you1 si1}, anxiety and preoccupation
善走 {shan4 zou3}, mobile

【鱔】 {shan4} [Freq. 4] eel.
鱔血療法 {shan4 xue4 liao2 fa3}, eel blood therapy
鱔魚 {shan4 yu2}, 中藥正名 mud eel (Monopteri Caro)
鱔魚骨 {shan4 yu2 gu3}, 中藥正名 mud eel's bone (Monopteri Os)
鱔魚頭 {shan4 yu2 lei4}, 中藥正名 mud eel's head (Monopteri Caput)
鱔魚皮 {shan4 yu2 pi2}, 中藥正名 mud eel's skin (Monopteri Cutis)
鱔魚血 {shan4 yu2 xue4}, 中藥正名 mud eel's blood (Monopteri Sanguis)

~~ {shang1} ~~
【商】{shang1} [Freq. 3] shang1 (note of lung-metal); Shang1 (approx. 16th cent. B.C.--11th cent. B.C.); commerce (approx. 16th cent. B.C.--11th cent. B.C.).
商陸 {shang1 lu4}, 中藥正名 phytolacca (Phytolaccae Radix)
商陸粥 {shang1 lu4 zhou1}, 方名 Phytolacca Gruel
商丘 {shang1 qiu1}, 腧穴正名 SP-5 (Shang Hill)
商坵 {shang1 qiu1}, 腧穴異名 SP-5 (Shang Hill)
商曲 {shang1 qu1}, 腧穴正名 KI-17 (Shang Bend)
商舍 {shang1 she4}, 腧穴異名 KI-17 (Shang Abode)
商陽 {shang1 yang2}, 腧穴正名 LI-1 (Shang1 Yang2)

【傷】 {shang1} [Freq. 2] damage (v.), (n.) (熱邪傷陰 {re4 xie2 shang1 yin1}, heat evil damages yin1; 傷寒 {shang1 han2}, cold damage).
傷產 {shang1 chan3}, injurious delivery
傷腸 {shang1 chang2}, damage the intestines
傷風 {shang1 feng1}, wind damage
傷風咳嗽 {shang1 feng1 ke2 sou4}, wind damage cough
傷風咳嗽吞劑 {shang1 feng1 ke2 sou4 tun1 ji4}, 方名 Wind-Damage Cough Swill-Down Pill
傷害脾胃 {shang1 hai4 pi2 wei4}, damage the spleen and stomach
傷寒 {shang1 han2}, 西醫 typhoid fever; typhoid; cold damage
傷寒表證 {shang1 han2 biao3 zheng4}, cold damage exterior pattern
傷寒草 {shang1 han2 cao3}, 中藥正名 gray vernonia (Vernoniae Cinereae Herba)

傷寒草根 {shang1 han2 cao3 gen1}, 中藥正名 gray vernonia root (Vernoniae Cinereae Radix)
傷寒發頤 {shang1 han2 fa1 yi2}, cold damage jowl effusion
傷寒桿菌 {shang1 han2 gan3 jun1}, 西醫 \ic{Bacillus typhosus}
傷寒勞復發熱 {shang1 han2 lao2 fu4 fa1 re4}, cold damage taxation relapse heat [effusion] (fever)
傷寒里證 {shang1 han2 li3 zheng4}, cold damage interior pattern
傷寒兩感 {shang1 han2 liang3 gan3}, cold damage dual contraction
傷寒論 {shang1 han2 lun4}, 書名 On Cold Damage (Eastern Han4, Zhang1 Ji1 張機 [Zhong4-Jing3 仲景])
傷寒明理論 {shang1 han2 ming2 li3 lun4}, 書名 The Clear Rationale of Cold Damage (1156 (Jin1), Cheng2 Wu2-Ji3 成無己)
傷寒派 {shang1 han2 pai4}, cold damage school
傷寒全生集 {shang1 han2 quan2 sheng1 ji2}, 書名 Cold Damage Life-For-All Collection (Ming2, Tao2 Jie2-An1 陶節庵)
傷寒熱病 {shang1 han2 re4 bing4}, cold damage febrile disease (heat disease)
傷寒蓄水 {shang1 han2 xu4 shui3}, cold damage water amassment
傷寒蓄血 {shang1 han2 xu4 xue4}, cold damage blood amassment
傷寒雜病論 {shang1 han2 za2 bing4 lun4}, 書名 On Cold Damage and Miscellaneous Diseases (Eastern Han4, Zhang1 Ji1 張機 [Zhong4-Jing3 仲景])
傷寒證候 {shang1 han2 zheng4 hou4}, cold damage pattern
傷耗胃陰 {shang1 hao4 wei4 yin1}, damages stomach yin1
傷津 {shang1 jin1}, damage to liquid
傷津耗液 {shang1 jin1 hao4 ye4}, damage to liquid and wear on humor
傷酒 {shang1 jiu3}, liquor damage
傷酒頭痛 {shang1 jiu3 tou2 tong4}, liquor damage headache
傷科 {shang1 ke1}, traumatology
傷面食 {shang1 mian4 shi2}, noodle-type food damage
傷肉食 {shang1 rou4 shi2}, meat-type food damage
傷山 {shang1 shan1}, 腧穴異名 BL-57 (Damage Mountain) (Damage Mountain); 腧穴異名 GV-1
傷生冷 {shang1 sheng1 leng3}, damage by raw or cold foods
傷濕 {shang1 shi1}, dampness damage
傷濕腰痛 {shang1 shi1 yao1 tong4}, dampness damage lumbar pain
傷濕止痛膏 {shang1 shi1 zhi3 tong4 gao1}, 方名 Dampness Damage Pain-Relieving Plaster
傷濕自汗 {shang1 shi1 zi4 han4}, dampness damage spontaneous sweating
傷食 {shang1 shi2}, food damage
傷食頭痛 {shang1 shi2 tou2 tong4}, food damage headache
傷暑 {shang1 shu3}, summerheat damage

傷痛寧片 {shang1 tong4 ning2 pian4}, 方名 Painful Injury Tablet
傷陽 {shang1 yang2}, damage to yang2
傷陰 {shang1 yin1}, damage to yin1

~~ {shang4} ~~
【上】 {shang4} [Freq. 2] up (adv.), upward (adv.), upper (body) (n.) (子上沖心 {zi3 shang4 chong1 xin1}, the fetus surging up into the heart; 心火上炎{xin1 huo3 shang4 yan2}, heart fire flaming {upward}; 上虛下實{shang4 xu1 xia4 shi2} upper body vacuity and lower body repletion); ascend (v.), ascendant (adj.), ascent (n.) (肝陽上亢 {gan1 yang2 shang4 kang4}, ascendant hyperactivity of liver yang2; 胃氣上逆 {wei4 qi4 shang4 ni4}, counterflow ascent of stomach qi4); rise.
上八風 {shang4 ba1 feng1}, 腧穴正名 Upper Eight Winds
上八邪 {shang4 ba1 xie2}, 腧穴正名 Upper Eight Evils
上半身 {shang4 ban4 shen1}, upper body
上胞下垂 {shang4 bao1 xia4 chui2}, drooping of the upper eyelid
上病下取 {shang4 bing4 xia4 qu3}, treating upper body disease through the lower body
上膊 {shang4 bo2}, upper arm
上腸繫膜動脈 {shang4 chang2 xi4 mong2 dong4 mai4}, 西醫 superior mesenteric artery
上承 {shang4 cheng2}, bear upward (津步上承 {jin1 bu4 shang4 cheng2}, liquid failing to bear upward)
上承泣 {shang4 cheng2 qi4}, 腧穴異名 Upper Tear Container
上齒齲 {shang4 chi3 qu3}, upper tooth decay
上齒痛 {shang4 chi3 tong4}, aching among the upper teeth
上慈宮 {shang4 ci2 gong1}, 腧穴異名 SP-12 (Upper Palace of Charity)
上搭手 {shang4 da1 shou3}, reachable sore of the upper back
上丹田 {shang4 dan1 tian2}, upper cinnabar field
上黨人參 {shang4 dang3 ren2 shen1}, 中藥異名 codonopsis (Codonopsis Radix)
上都 {shang4 du1}, 腧穴正名 Upper Metropolis
上都穴 {shang4 du1 xue2}, upper metropolis point
上□ {shang4 e4}, 西醫 palate
上顎 {shang4 e4}, palate
上顎癰 {shang4 e4 yong1}, palatal welling-abscess
上耳根 {shang4 er3 gen1}, 腧穴正名 Upper Ear Root
上發背 {shang4 fa1 bei4}, effusion of the upper back
上犯於肺 {shang4 fan4 yu2 fei4}, invade the lung
上風市 {shang4 feng1 shi4}, 腧穴正名 Upper Wind Metropolis
上腹痛 {shang4 fu4 tong4}, 西醫 epigastric pain

上膈下膈 {shang4 ge2 xia4 ge2}, vomiting from above and below the diaphragm
上工 {shang4 gong1}, superior practitioner
上工求其萌芽 {shang4 gong1 qiu2 qi2 meng2 ya2}, superior physician nips the bud
上關 {shang4 guan1}, 腧穴正名 GB-3 (Upper Gate)
上管 {shang4 guan3}, 腧穴異名 CV-13 (Upper Duct)
上寒下熱 {shang4 han2 xia4 re4}, upper body cold and lower body heat
上寒下熱證 {shang4 han2 xia4 re4 zheng4}, upper body cold and lower body heat pattern
上頷骨 {shang4 he2 gu3}, 西醫 maxilla
上合陽 {shang4 he2 yang2}, 腧穴異名 Upper Yang2 Union
上橫骨 {shang4 heng2 gu3}, upper transverse bone (superior margin of the sternum)
上后谿 {shang4 hou4 xi1}, 腧穴正名 Upper Back Ravine
上紀 {shang4 ji4}, 腧穴異名 CV-12 (Upper Regulator) (Upper Regulator); 腧穴異名 CV-13
上甲 {shang4 jia3}, 中藥異名 turtle shell (Trionycis Carapax)
上焦 {shang4 jiao1}, upper burner
上焦病 {shang4 jiao1 bing4}, upper burner disease
上焦病證 {shang4 jiao1 bing4 zheng4}, upper burner disease pattern
上焦如霧 {shang4 jiao1 ru2 wu4}, upper burner is like a mist
上焦濕熱 {shang4 jiao1 shi1 re4}, upper burner damp-heat
上焦濕熱證 {shang4 jiao1 shi1 re4 zheng4}, upper burner damp-heat pattern
上焦實熱 {shang4 jiao1 shi2 re4}, upper burner repletion heat
上焦燥熱 {shang4 jiao1 zao4 re4}, upper burner dryness-heat
上焦主納 {shang4 jiao1 zhu3 na4}, upper burner governs intake
上解谿 {shang4 jie3 xi1}, 腧穴異名 Upper Ravine Divide
上睛明 {shang4 jing1 ming2}, 腧穴正名 Upper Bright Eyes
上竟 {shang4 jing4}, running up
上巨虛 {shang4 ju4 xu1}, 腧穴正名 ST-37 (Upper Great Hollow)
上厥下竭 {shang4 jue2 xia4 jie2}, upper body reversal and lower body exhaustion
上廉 {shang4 lian2}, 腧穴正名 LI-9 (Upper Ridge) (Upper Ridge); 腧穴異名 ST-37
上廉泉 {shang4 lian2 quan2}, 腧穴正名 Upper Corner Spring
上&&91C3.9ACE|{shang4 liao2}, 腧穴正名 BL-31 (Upper Bone-Hole)
上聾 {shang4 long2}, 腧穴正名 Upper Deafness
上門 {shang4 men2}, 腧穴異名 KI-20 (Upper Gate) (Upper Gate); 腧穴異名 KI-21
上明 {shang4 ming2}, 腧穴正名 Upper Brightness
上逆喘咳 {shang4 ni4 chuan3 ke2}, counterflow ascent with panting and cough
上皮下垂 {shang4 pi2 xia4 chui2}, sagging of the upper eyelid
上皮組織 {shang4 pi2 zu3 zhi1}, 西醫 epithelial tissue
上品 {shang4 pin3}, top grade
上氣 {shang4 qi4}, qi4 ascent

上氣海 {shang4 qi4 hai3}, 腧穴異名 CV-17 (Upper Sea of Qi4)
上腔靜脈 {shang4 qiang1 jing4 mai4}, 西醫 superior vena cava
上竅 {shang4 qiao4}, upper orifice
上曲池 {shang4 qu1 chi2}, 腧穴正名 Upper Pool at the Bend
上曲泉 {shang4 qu1 quan2}, 腧穴正名 Upper Spring at the Bend
上熱下寒 {shang4 re4 xia4 han2}, upper body heat and lower body cold
上熱下寒證 {shang4 re4 xia4 han2 zheng4}, upper body heat and lower body cold zheng4
上三里 {shang4 san1 li3}, 腧穴異名 LI-10 (Upper Three Li3)
上山龍 {shang4 shan1 long2}, 中藥正名 Bodinier's ampelopsis (Ampelopsis Bodinieri Radicis Cortex)
上盛下虛 {shang4 sheng4 xia4 xu1}, upper body exuberance and lower body vacuity
上盛下虛證 {shang4 sheng4 xia4 xu1 zheng4}, upper body exuberance and lower body vacuity pattern
上石疽 {shang4 shi2 ju1}, upper body stone flat-abscess
上實下虛 {shang4 shi2 xia4 xu1}, upper body repletion and lower body vacuity
上損及下 {shang4 sun3 ji2 xia4}, detriment to the upper body affecting the lower body
上天梯 {shang4 tian1 ti1}, 腧穴異名 GV-1 (Stairway to Heaven)
上天柱 {shang4 tian1 zhu4}, 腧穴正名 Upper Celestial Pillar
上吐下瀉 {shang4 tu4 xia4 xie4}, simultaneous vomiting and diarrhea
上脘 {shang4 wan3}, upper stomach duct (Upper Stomach Duct); 腧穴正名 CV-13
上午 {shang4 wu3}, morning
上午潮熱 {shang4 wu3 chao2 re4}, morning tidal heat [effusion] (fever)
上谿 {shang4 xi1}, 腧穴正名 Upper Ravine
上下配穴法 {shang4 xia4 pei4 xue2 fa3}, combining upper and lower body points
上下疼痛 {shang4 xia4 teng2 tong4}, pain in the upper and lower body
上消 {shang4 xiao1}, upper dispersion; upper burner dispersion-thirst
上星 {shang4 xing1}, 腧穴正名 GV-23 (Upper Star)
上行頭目 {shang4 xing2 tou2 mu4}, ascend to the head and eyes
上行胸膈 {shang4 xing2 xiong1 ge2}, ascend to the chest and diaphragm
上消化道出血 {shang4 xioa1 hua4 dao4 chu1 xue4}, 西醫 upper gastrointestinal bleeding
上虛下實 {shang4 xu1 xia4 shi2}, upper body vacuity and lower body repletion
上血海 {shang4 xue4 hai3}, 腧穴正名 Upper Sea of Blood
上炎 {shang4 yan2}, flame upward; upflame
上陽關 {shang4 yang2 guan1}, 腧穴正名 Upper Yang2 Joint
上翳風 {shang4 yi4 feng1}, 腧穴正名 Upper Screen Wind
上迎香 {shang4 ying2 xiang1}, 腧穴異名 Upper Welcome Fragrance
上肢 {shang4 zhi1}, upper limb
上矢狀竇 {shang4 zhi3 zhuang4 dou4}, 西醫 superior sagittal sinus

上中下通用痛風方 {shang4 zhong1 xia4 tong1 yong4 tong4 feng1 fang1}, 方名 Upper, Middle, and Lower Body General-Use Wind Pain Formula

【尚】 {shang4} [Freq. 4] superior.
尚藥局 {shang4 yao4 ju2}, Imperial Drug Bureau

~~ {shao1} ~~
【燒】 {shao1} [Freq. 3] burn.
燒存性 {shao1 cun2 xing4}, burn preserving nature (i.e., burn without destroying nature); nature-preservative burning
燒灰 {shao1 hui1}, char
燒酒壺根 {shao1 jiu3 hu2 gen1}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)
燒山火 {shao1 shan1 huo3}, burning mountain fire method
燒傷 {shao1 shang1}, burn; burn
燒蝕療法 {shao1 shi2 liao2 fa3}, burning-eroding therapy
燒針 {shao1 zhen1}, hot needle
燒灼肺津 {shao1 zhuo2 fei4 jin1}, scorching lung liquid

【鞘】 {shao1} [Freq. 4] whiplash (see also 鞘 {qiao4}).
鞘菝&&845C|{shao1 ba2 qia4}, 中藥正名 standing greenbrier (Smilacis Stantis Tuber et Radix)

~~ {shao2} ~~
【杓】 {shao2} [Freq. 4] ladle.
杓菜 {shao2 cai4}, 中藥異名 spinach beet (Betae Ciclae Caulis et Folium)

【芍】 {shao2} [Freq. 4] peony (Chinese herbaceous peony).
芍甘黃辛附湯 {shao2 gan1 huang2 xin1 fu4 tang1}, 方名 Peony, Licorice, Rhubarb, Asarum, and Aconite Decoction
芍藥甘草附子湯 {shao2 yao4 gan1 cao3 fu4 zi3 tang1}, 方名 Peony, Licorice, and Aconite Decoction
芍藥甘草湯 {shao2 yao4 gan1 cao3 tang1}, 方名 Peony and Licorice Decoction
芍藥湯 {shao2 yao4 tang1}, 方名 Peony Decoction
芍藥 {shao2 yao4, 中藥正名 peony (Paeoniae Radix)

【韶】 {shao2} [Freq. 4] splended.
韶子 {shao2 zi3}, 中藥正名 rambutan (Nephelii Fructus)

～ {shao3} ～

【少】 {shao3} [Freq. 2] scant (adj.) (精少 {jing1 shao3}, scant semen); reduced (adj.) (納少 {na4 shao3}, reduced food intake).

少腹疼痛 {shao3 fu4 teng2 tong4}, lesser abdominal pain

少寐 {shao3 mei4}, reduced sleep

少眠 {shao3 mian2}, reduced sleep

少氣 {shao3 qi4}, shortage of qi4

少氣不能報息 {shao3 qi4 bu4 neng2 bao4 xi1}, shortage of qi4 with inability to catch one's breath

少寢 {shao3 qin3}, reduced sleep

少食 {shao3 shi2}, reduced eating

少食多寐 {shao3 shi2 duo1 mei4}, reduced eating and profuse sleeping

少睡 {shao3 shui4}, reduced sleep

少飲 {shao3 yin3}, low fluid intake

～ {shao4} ～

【少】 {shao4} [Freq. 2] lesser (adj.) (少陽 {shao4 yang2}, lesser yang2; 少腹 {shao4 fu4}, lesser abdomen)

少白頭 {shao4 bai2 tou2}, premature graying

少沖 {shao4 chong1}, 腧穴正名 HT-9 (Lesser Surge)

少沖 {shao4 chong1}, 腧穴異名 HT-9 (Lesser Thoroughfare)

少府 {shao4 fu3}, 腧穴正名 HT-8 (Lesser House)

少腹 {shao4 fu4}, lesser abdomen

少腹急結 {shao4 fu4 ji2 jie2}, tense bound lesser abdomen

少腹疽 {shao4 fu4 ju2}, flat-abscess of the lesser abdomen

少腹里急 {shao4 fu4 li3 ji2}, lesser-abdominal urgency

少腹滿 {shao4 fu4 man3}, lesser-abdominal fullness

少腹如扇 {shao4 fu4 ru2 shan4}, lesser-abdominal draft

少腹痛 {shao4 fu4 tong4}, lesser-abdominal pain

少腹硬滿 {shao4 fu4 ying4 man3}, hard fullness in the lesser abdomen

少腹腫痞 {shao4 fu4 zhong3 pi3}, swelling and glomus in the abdomen

少腹逐瘀湯 {shao4 fu4 zhu2 yu1 tang1}, 方名 Lesser Abdomen Stasis-Expelling Decoction

少腹墜脹 {shao4 fu4 zhui4 zhang4}, sagging distention in the lesser abdomen

少谷 {shao4 gu3}, 腧穴異名 LI-3 (Lesser Valley)

少關 {shao4 guan1}, 腧穴異名 CV-7 (Scarce Pass)

少海 {shao4 hai3}, 腧穴正名 HT-3 (Lesser Sea)
少火 {shao4 huo3}, lesser fire
少商 {shao4 shang1}, 腧穴正名 LU-11 (Lesser Shang)
少小 {shao4 xiao3}, children's medicine
少辛 {shao4 xin1}, 中藥異名 asarum (Asari Herba)
少陽 {shao4 yang2}, lesser yang2
少陽半表半里 {shao4 yang2 ban4 biao3 ban4 li3}, lesser yang2 half-exterior half interior pattern; lesser yang2 midstage pattern
少陽病 {shao4 yang2 bing4}, lesser yang2 disease
少陽病證 {shao4 yang2 bing4 zheng4}, lesser yang2 disease pattern
少陽多氣少血 {shao4 yang2 duo1 qi4 shao3 xue4}, lesser yang2 has copious qi4 and scant blood
少陽熱化 {shao4 yang2 re4 hua4}, lesser yang2 heat transformation
少陽頭痛 {shao4 yang2 tou2 tong4}, lesser yang2 headache
少陽維 {shao4 yang2 wei2}, 腧穴正名 Lesser Yang2 Link
少陽爲樞 {shao4 yang2 wei2 shu1}, lesser yang2 is the pivot
少陽邪熱 {shao4 yang2 xie2 re4}, lesser yang2 evil heat
少陽陽明合病 {shao4 yang2 yang2 ming2 he2 bing4}, lesser yang2 and yang2 brightness combination disease
少陰 {shao4 yin1}, lesser yin1
少陰表證 {shao4 yin1 biao3 zheng4}, lesser yin1 exterior pattern
少陰病證 {shao4 yin1 bing4 zheng4}, lesser yin1 disease pattern
少陰多氣少血 {shao4 yin1 duo1 qi4 shao3 xue4}, lesser yin1 has copious qi4 and scant blood
少陰寒化 {shao4 yin1 han2 hua4}, lesser yang2 cold transformation; lesser yin1 cold transformation
少陰熱化 {shao4 yin1 re4 hua4}, lesser yang2 heat transformation; lesser yin1 heat transformation
少陰頭痛 {shao4 yin1 tou2 tong4}, lesser yin1 headache
少陰爲樞 {shao4 yin1 wei2 shu1}, lesser yin1 is the pivot
少陰&&90C4|{shao4 yin1 xi1}, 腧穴異名 HT-6 (Lesser Yin1 Bone-Hole)
少陰虛火 {shao4 yin1 xu1 huo3}, lesser yin1 vacuity fire
少澤 {shao4 ze2}, 腧穴正名 SI-1 (Lesser Marsh)

【紹】 {shao4} [Freq. 4] continue; Shao4xing1.
紹菜 {shao4 cai4}, 中藥異名 celery cabbage (Brassicae Pekinensis Folium)

~~ {she2} ~~

【舌】 {she2} [Freq. 2] tongue (n.); lingual.

舌白脈浮 {she2 bai2 mai4 fu2}, white tongue [fur] and floating pulse

舌本 {she2 ben3}, root of the tongue (Tongue Root); 腧穴異名 CV-23 (Tongue Root); 腧穴異名 GV-16

舌本出血 {she2 ben3 chu1 xue4}, bleeding from the root of the tongue

舌痹 {she2 bi4}, tongue impediment

舌邊 {she2 bian1}, margins of the tongue

舌邊齒痕 {she2 bian1 chi3 hen2}, tooth marks on the margins of the tongue; dental impressions on the margins of the tongue

舌邊齒印 {she2 bian1 chi3 yin4}, tooth marks on the margins of the tongue; dental impressions on the margins of the tongue

舌剝 {she2 bo1}, peeling tongue

舌不知味 {she2 bu4 zhi1 wei4}, inability of the tongue to taste food

舌顫 {she2 chan4}, trembling tongue

舌出口外 {she2 chu1 kou3 wai4}, protrusion of the tongue

舌瘡 {she2 chuang1}, tongue sore

舌淡 {she2 dan4}, pale tongue

舌淡白 {she2 dan4 bai2}, pale tongue

舌淡胖嫩 {she2 dan4 pang4 nen4}, pale tender-soft enlarged tongue

舌淡潤 {she2 dan4 run4}, moist pale tongue

舌疔 {she2 ding1}, clove sore of the tongue

舌短 {she2 duan3}, contracted tongue

舌短縮 {she2 duan3 suo1}, contracted tongue

舌干 {she2 gan1}, dry tongue

舌疳 {she2 gan1}, gan1 of the tongue

舌干紅 {she2 gan1 hong2}, dry red tongue

舌根 {she2 gen1}, 腧穴異名 GV-15 (Tongue Root)

舌垢 {she2 gou4}, tongue grime

舌光 {she2 guang1}, smooth bare tongue

舌光紅 {she2 guang1 hong2}, smooth bare red tongue

舌光滑 {she2 guang1 hua2}, smooth bare tongue

舌橫 {she2 heng2}, 腧穴異名 GV-15 (Tongue's Horizontal)

舌紅 {she2 hong2}, red tongue

舌紅絳 {she2 hong2 jiang4}, red or crimson tongue

舌紅脈數 {she2 hong2 mai4 shu4}, red tongue and rapid pulse

舌紅尿赤 {she2 hong2 niao4 chi4}, red tongue and reddish urine

舌紅少津 {she2 hong2 shao3 jin1}, red tongue with scant liquid

舌紅生刺 {she2 hong2 sheng1 ci4}, red prickly tongue

舌紅紫 {she2 hong2 zi3}, red-purple tongue
舌緩 {she2 huan3}, slack tongue
舌尖邊紅 {she2 jian1 bian1 hong2}, tongue read at the tip and margins
舌尖紅 {she2 jian1 hong2}, red-tipped tongue
舌蹇(謇) {she2 jian3}, sluggish tongue
舌蹇(謇)不語 {she2 jian3 bu4 yu3}, sluggish tongue impeding speech
舌見黃色 {she2 jian4 huang2 se4}, yellow tongue fur
舌強 {she2 jiang4}, stiff tongue
舌絳 {she2 jiang4}, crimson tongue
舌強不語 {she2 jiang4 bu4 yu3}, stiff tongue impeding speech; stiffness of the tongue impeding speech
舌強語謇 {she2 jiang4 ju3 jian3}, stiff tongue and impeded speech
舌強失語 {she2 jiang4 shi1 yu3}, stiff tongue impeding speech
舌強言謇 {she2 jiang4 yan2 jian3}, stiff tongue and sluggish speech
舌強語蹇 {she2 jiang4 yu3 jian3}, stiff tongue and sluggish speech
舌淨 {she2 jing4}, clean tongue
舌卷 {she2 juan3}, curled tongue
舌卷卵縮 {she2 juan3 luan3 suo1}, curled tongue and retracted testicles
舌菌 {she2 jun4}, tongue mushroom
舌藍 {she2 lan2}, blue tongue
舌裂 {she2 lie4}, cleft tongue; fissured tongue
舌麻 {she2 ma2}, numb tongue; numbness of the tongue
舌麻痹 {she2 ma2 bi4}, paralyzed tongue
舌脈 {she2 mai4}, tongue and pulse
舌面 {she2 mian4}, 西醫 lingual surface
舌面如鏡 {she2 mian4 ru2 jing4}, mirror tongue
舌嫩 {she2 nen4}, tender-soft tongue
舌嫩紅 {she2 nen4 hong2}, tender-red tongue
舌衄 {she2 nu94}, spontaneous bleeding of the tongue
舌胖 {she2 pang4}, enlarged tongue
舌胖大 {she2 pang4 da4}, enlarged tongue
舌胖嫩 {she2 pang4 nen4}, tender-soft enlarged tongue
舌偏 {she2 pian1}, deviated tongue
舌偏斜 {she2 pian1 xie2}, deviated tongue
舌起芒刺 {she2 qi3 mang2 ci4}, prickly tongue
舌青 {she2 qing1}, green-blue tongue
舌青紫 {she2 qing1 zi3}, green-blue or purple tongue
舌潤 {she2 run4}, moist tongue

舌色 {she2 se4}, tongue color
舌澀 {she2 se4}, inhibited tongue
舌色主病 {she2 se4 zhu3 bing4}, correspondences between tongue color and disease
舌上出血 {she2 shang4 chu1 xue4}, bleeding from the upper surface of the tongue
舌上黃 {she2 shang4 huang2}, yellow tongue fur
舌上起瓣 {she2 shang4 qi3 ban4}, petalled tongue fur
舌上有苔 {she2 shang4 you3 tai1}, fur on the tongue
舌上有瘀斑 {she2 shang4 you3 yu1 ban1}, stasis macules on the tongue
舌神 {she2 shen2}, tongue spirit
舌生芒刺 {she2 sheng1 mang2 ci4}, prickly tongue
舌生泡 {she2 sheng1 pao4}, tongue blister
舌生瘀斑 {she2 sheng1 yu1 ban1}, stasis macules on the tongue
舌瘦癟 {she2 shou4 bie3}, shrunken tongue
舌舒 {she2 shu1}, elongated tongue
舌碎 {she2 sui4}, cracked tongue
舌縮 {she2 suo1}, contracted tongue
舌苔 {she2 tai1}, tongue fur; tongue coating
舌苔白 {she2 tai1 bai2}, white tongue fur
舌苔白厚 {she2 tai1 bai2 hou4}, thick white tongue fur
舌苔白厚滑 {she2 tai1 bai2 hou4 hua2}, thick glossy white tongue fur
舌苔白膩 {she2 tai1 bai2 ni4}, slimy white tongue fur
舌苔白黏膩 {she2 tai1 bai2 nian2 ni4}, sticky slimy white tongue fur
舌苔白如積粉 {she2 tai1 bai2 ru2 ji1 fen3}, mealy white tongue fur
舌苔剝脫 {she2 tai1 bo1 tuo1}, peeling tongue fur
舌苔薄黃 {she2 tai1 bo2 huang2}, thin yellow tongue fur
舌苔腐垢 {she2 tai1 fu3 gou4}, putrid grimy tongue fur
舌苔乾燥 {she2 tai1 gan1 zao4}, dry tongue fur
舌苔厚 {she2 tai1 hou4}, thick tongue fur
舌苔厚而膩 {she2 tai1 hou4 er2 ni4}, thick slimy tongue fur
舌苔花剝 {she2 tai1 hua1 bo1}, patchy peeling tongue fur
舌苔黃 {she2 tai1 huang2}, yellow tongue fur
舌苔黃薄 {she2 tai1 huang2 bo2}, thin yellow tongue fur
舌苔黃糙 {she2 tai1 huang2 cao1}, rough yellow tongue fur
舌苔黃膩 {she2 tai1 huang2 ni4}, slimy yellow tongue fur
舌苔灰黑 {she2 tai1 hui1 hei1}, gray-black tongue fur
舌苔焦黑 {she2 tai1 jiao1 hei1}, parched black tongue fur
舌苔焦黃 {she2 tai1 jiao1 huang2}, burnt-yellow tongue fur
舌苔膩 {she2 tai1 ni4}, slimy tongue fur

舌態 {she2 tai4}, tongue bearing
舌體 {she2 ti3}, tongue body
舌體胖 {she2 ti3 pang4}, enlarged tongue
舌體偏斜抖動 {she2 ti3 pian1 xie2 dou3 dong4}, deviation and trembling of the tongue
舌體瘦薄 {she2 ti3 shou4 bo2}, thin shrunken tongue
舌痛 {she2 tong4}, painful tongue
舌頭發硬 {she2 tou2 fa1 ying4}, stiffening of the tongue
舌歪 {she2 wai1}, deviated tongue
舌爲心苗 {she2 wei2 xin1 miao2}, tongue is the sprout of the heart
舌萎 {she2 wei3}, limp tongue
舌痿 {she2 wei3}, limp tongue
舌下 {she2 xia4}, below the tongue; sublingual
舌下絡脈 {she2 xia4 luo4 mai4}, sublingual network vessels
舌象 {she2 xiang4}, tongue (image)
舌形 {she2 xing2}, form of the tongue
舌形主病 {she2 xing2 zhu3 bing4}, correspondence between the form of the tongue fur and disease
舌血 {she2 xue4}, bleeding tongue
舌岩 {she2 yan2}, tongue rock
舌炎 {she2 yan2}, 西醫 glossitis
舌厭 {she2 yan4}, 腧穴異名 GV-15 (Tongue Repression)
舌癢 {she2 yang3}, itchy tongue
舌癰 {she2 yong1}, welling-abscess of the tongue
舌燥口渴 {she2 zao4 kou3 ke3}, dry tongue and thirst
舌戰 {she2 zhan4}, trembling tongue
舌脹大 {she2 zhang4 da4}, distended enlarged tongue
舌診 {she2 zhen3}, tongue examination
舌質 {she2 zhi4}, tongue body
舌質淡紅 {she2 zhi4 dan4 hong2}, pale red tongue
舌質淡嫩 {she2 zhi4 dan4 nen4}, pale tender-soft tongue
舌質紅 {she2 zhi4 hong2}, red tongue
舌質紅赤 {she2 zhi4 hong2 chi4}, red tongue body
舌質紅瘦 {she2 zhi4 hong2 sou4}, thin red tongue
舌質絳赤 {she2 zhi4 jiang4 chi4}, crimson tongue
舌質嫩淡 {she2 zhi4 nen4 dan4}, pale tender-soft tongue
舌質嫩紅 {she2 zhi4 nen4 hong2}, tender-red tongue
舌質紫暗 {she2 zhi4 zi3 an4}, dark purple tongue
舌質紫絳少津 {she2 zhi4 zi3 jiang4 shao3 jin1}, purple or crimson tongue with little liquid

舌腫 {she2 zhong3}, swollen tongue (Swollen Tongue 穴異名 GV-15
舌腫大木硬 {she2 zhong3 da4 mu4 ying4}, swollen tongue hard as wood
舌柱 {she2 zhu4}, 腧穴正名 Tongue Pillar
舌紫 {she2 zi3}, purple tongue
舌縱 {she2 zong4}, protracted tongue
舌縱涎下 {she2 zong4 xian2 xia4}, protracted tongue and drooling

【蛇】 {she2} [Freq. 3] snake.
蛇百子 {she2 bai3 zi3}, 中藥正名 hyptis (Hyptis Caulis et Folium)
蛇包谷 {she2 bao1 gu3}, 中藥異名 arisaema (Arisaematis Rhizoma)
蛇背疔 {she2 bei4 ding1}, snake's-back clove sore
蛇鞭 {she2 bian1}, 中藥正名 snake's genitals (Serpentis Partes Genitales)
蛇串瘡 {she2 chuan4 chuang1}, snake string sores
蛇床仁 {she2 chuang2 ren2}, 中藥異名 cnidium seed (Cnidii Fructus)
蛇床實 {she2 chuang2 shi2}, 中藥異名 cnidium seed (Cnidii Fructus)
蛇床子 {she2 chuang2 zi3}, 中藥正名 cnidium seed (Cnidii Fructus)
蛇床子沖洗劑 {she2 chuang2 zi3 chong1 xi3 ji4}, 方名 Cnidium Seed Rinse
蛇床子散 {she2 chuang2 zi3 san3}, 方名 Cnidium Seed Powder
蛇床子湯 {she2 chuang2 zi3 tang1}, 方名 Cnidium Seed Decoction
蛇竄瘡 {she2 cuan4 chuang1}, slithering snake sore
蛇丹 {she2 dan1}, snake cinnabar
蛇倒退 {she2 dao4 tui4}, 中藥異名 agrimony (Agrimoniae Herba)
蛇地錢 {she2 di4 qian2}, 中藥正名 conocephalum (Conocephali Herba)
蛇毒 {she2 du2}, snake venom
蛇肚疔 {she2 du4 ding1}, snake's-belly clove sore
蛇符 {she2 fu2}, 中藥異名 snake slough (Serpentis Periostracum)
蛇附 {she2 fu4}, 中藥異名 snake slough (Serpentis Periostracum)
蛇腹疔 {she2 fu4 ding1}, snake's-belly clove sore
蛇疙瘩 {she2 ge1 da2}, 中藥異名 agrimony (Agrimoniae Herba)
蛇根草 {she2 gen1 cao3}, 中藥正名 ophiorrhiza (Ophiorrhizae Herba)
蛇瓜 {she2 gua1}, 中藥異名 snake gourd (2) (Trichosanthis Anguinae Fructus)
蛇含 {she2 han2}, 中藥正名 cinquefoil (Potentillae Kleinianae Herba (cum Radice))
蛇含石 {she2 han2 shi2}, 中藥正名 iron pyrite (Pyritum Rotundum)
蛇接骨 {she2 jie1 gu3}, 中藥正名 procumbent gynura (Gynurae Procumbentis Herba)
蛇殼 {she2 ke2}, 中藥異名 snake slough (Serpentis Periostracum)
蛇鱗 {she2 lin2}, snake scales
蛇螻 {she2 lou2}, 中藥異名 mole cricket (Gryllotalpa)
蛇莓 {she2 mei2}, 中藥正名 snake strawberry (Duchesneae Herba)

蛇莓根 {she2 mei2 gen1}, 中藥正名 snake strawberry root (Duchesneae Radix)
蛇米 {she2 mi3}, 中藥異名 cnidium seed (Cnidii Fructus)
蛇皮 {she2 pi2}, snake skin (Serpentis Periostracum); 中藥異名 snake slough
蛇皮癬 {she2 pi2 xian3}, snakeskin lichen
蛇葡萄 {she2 pu2 tao2}, 中藥正名 snake grape (Ampelopsis Brevipedunculatae Caulis et Folium)
蛇葡萄根 {she2 pu2 tao2 gen1}, 中藥正名 snake grape root (Ampelopsis Brevipedunculatae Radix seu Radicis Cortex)
蛇傷 {she2 shang1}, snake bite
蛇舌草 {she2 she2 cao3}, 中藥異名 oldenlandia (Oldenlandiae Diffusae Herba)
蛇舌□ {she2 she2 guang3}, 中藥異名 oldenlandia (Oldenlandiae Diffusae Herba)
蛇身 {she2 shen1}, snake body
蛇蝨 {she2 shi1}, snake lice
蛇粟 {she2 su4}, 中藥異名 cnidium seed (Cnidii Fructus)
蛇體 {she2 ti3}, snake body
蛇頭 {she2 tou2}, 腧穴異名 LI-7 (Snake Head)
蛇頭疔 {she2 tou2 ding1}, snake's-head clove sore
蛇蛻 {she2 tui4}, 中藥正名 snake slough (Serpentis Periostracum)
蛇退步 {she2 tui4 bu4}, 中藥正名 triple leaf abacopteris (Abacopteridis Triphyllae Herba)
蛇蛻皮 {she2 tui4 pi2}, 中藥異名 snake slough (Serpentis Periostracum)
蛇王藤 {she2 wang2 teng2}, 中藥正名 Cochin China passion flower (Passiflorae Cochinchinsis Herba)
蛇眼疔 {she2 yan3 ding1}, snake's-eye clove sore; snake's-eye clove sore
蛇衣 {she2 yi1}, 中藥異名 snake slough (Serpentis Periostracum)
蛇芋 {she2 yu4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
蛇珠 {she2 zhu1}, 中藥異名 cnidium seed (Cnidii Fructus)

~~ {she3} ~~
【舍】 {she3} [Freq. 4] abandon.
舍脈從症 {she3 mai4 cong2 zheng4}, precedence of pathoconditions over the pulse
舍脈從證 {she3 mai4 cong2 zheng4}, precedence of signs over the pulse
舍症從脈 {she3 zheng4 cong2 mai4}, precedence of pulse over pathoconditions
舍證從脈 {she3 zheng4 cong2 mai4}, precedence of pulse over signs

~~ {she4} ~~
【舍】 {she4} [Freq. 2] abode (氣舍 {qi4 she4}, Qi4 Abode); abide

【射】 {she4} [Freq. 2] shoot (v.) (水寒射肺 {shui3 han2 she4 fei4}, water-cold shooting into the lung).
射干 {she4 gan1}, 中藥正名 belamcanda (Belamcandae Rhizoma)
射干麻黃湯 {she4 gan1 ma2 huang2 tang1}, 方名 Belamcanda and Ephedra Decoction
射精 {she4 jing1}, 西醫 ejaculation
射精管 {she4 jing1 guan3}, 西醫 ejaculatory duct
射尿&&25C7|{she4 niao4 guai3}, 中藥正名 polypedatid tree frog (Rhacophorus)
射罔 {she4 wang3}, 中藥正名 aconite paste (Aconiti Pasta)

【攝】 {she4} [Freq. 2] contain (v.), containment (n.) (氣不攝血 {qi4 bu2 she4 xue4}, qi4 failing to contain the blood); conserve (v.); conservation (n.); care (for).
攝固小便 {she4 gu4 xiao3 bian4}, contain and secure urine
攝精 {she4 jing1}, receive essence; conceive
攝精成孕 {she4 jing1 cheng2 yun4}, conceive
攝領瘡 {she4 ling3 chuang1}, collar sore (equivalent to WM neurodermatitis of the neck)
攝納腎氣 {she4 na4 shen4 qi4}, promote absorption of qi4 by the kidney
攝納無權 {she4 na4 wu2 quan2}, containment and absorption failure
攝尿 {she4 niao4}, constrain urine
攝生 {she4 sheng1}, cultivate life; life cultivation; cultivate health; health cultivation
攝生秘剖 {she4 sheng1 mi4 pou1}, 書名 Penetrating the Secrets of Life Cultivation
攝石 {she4 shi2}, 中藥異名 loadstone (Magnetitum)
攝涎唾 {she4 xian2 tuo4}, contain drool and spittle
攝小便 {she4 xiao3 bian4}, constrain urine
攝血無力 {she4 xue4 wu2 li4}, poor blood containment
攝營煎 {she4 ying2 jian1}, 方名 Construction-Containing Decoction

【麝】 {she4} [Freq. 4] musk deer.
麝臍香 {she4 qi2 xiang1}, 中藥異名 musk (Moschus)
麝肉 {she4 rou4}, 中藥正名 musk deer's flesh (Moschi Caro)
麝香 {she4 xiang1}, 中藥正名 musk (Moschus)
麝香草 {she4 xiang1 cao3}, 中藥正名 thyme (Thymi Herba)
麝香殼 {she4 xiang1 qiao4 (ke2)}, 中藥正名 musk rind (Moschi Glandulae Endothelium)
麝香湯 {she4 xiang1 tang1}, 方名 Musk Decoction
麝香丸 {she4 xiang1 wan2}, 方名 Musk Pill

~~ {shen1} ~~

【申】 {shen1} [Freq. 3] ninth earthly branch; B9.
申丹 {shen1 dan1}, 中藥異名 macaque stone (Macacae Mulattae Calculus)
申脈 {shen1 mai4}, 腧穴正名 BL-62 (Extending Vessel)
申時 {shen1 shi2}, B9 watch (3--5 p.m.)

【伸】 {shen1} [Freq. 3] stretch.
伸肌 {shen1 ji1}, 西醫 extensor
伸筋草 {shen1 jin1 cao3}, 中藥正名 ground pine (Lycopodii Herba)
伸筋藤 {shen1 jin1 teng2}, 中藥正名 Chinese tinospora (Tinosporae Sinensis Caulis)
伸屈不利 {shen1 qu1 bu4 li4}, inhibited beinding and stretching
伸屈法 {shen1 qu1 fa3}, stretching and flexing
伸舌 {shen1 she2}, extended tongue
伸肘 {shen1 zhou3}, 腧穴正名 Elbow Stretcher

【身】 {shen1} [Freq. 2] body (n.) (肺主一身之氣 {fei4 zhu3 yi4 shen1 zhi1 qi4}, the lung governs the qi4 of the whole body); generalized (adj.) (身熱 {shen1 re4}, generalized fever).
身不仁 {shen1 bu4 ren2}, generalized insensitivity
身出紅斑 {shen1 chu1 hong2 ban1}, red macules over the body
身盡痛 {shen1 jin4 tong4}, generalized pain
身倦乏力 {shen1 juan4 fa2 li4}, fatigue and lack of strength
身冷 {shen1 leng3}, cold body
身冷蹐臥 {shen1 leng3 quan2 wuo4}, cold body and curled-up posture
身涼 {shen1 liang2}, cool body (absence of fever)
身面黃 {shen1 mian4 huang2}, yellowing of the body and face
身目發黃 {shen1 mu4 fa1 huang1}, yellowing of the body and eyes
身目俱黃 {shen1 mu4 ju4 huang2}, yellowing of bothe body and eyes
身疲 {shen1 pi2}, fatigued body
身熱 {shen1 re4}, generalized heat [effusion] (fever)
身熱不外揚 {shen1 re4 bu4 wai4 yang2}, unsurfaced heat [effusion] (fever)
身熱不揚 {shen1 re4 bu4 yang2}, unsurfaced heat [effusion] (fever)
身熱起伏 {shen1 re4 qi3 fu2}, fluctuating generalized heat [effusion] (fever)
身熱如火 {shen1 re4 ru2 huo3}, fire-like body heat [effusion] (fever)
身熱頭痛 {shen1 re4 tou2 tong4}, generalized heat [effusion] and headache
身熱無汗 {shen1 re4 wu2 han4}, generalized heat [effusion] without sweating
身熱喜涼 {shen1 re4 xi3 liang2}, generalized heat [effusion] (fever) with a liking for coolness
身熱夜甚 {shen1 re4 ye4 shen4}, generalized heat (effusion) worsening at night
身熱肢寒 {shen1 re4 zhi1 han2}, hot body and cold limbs
身&&77A4‖動 {shen1 run4 dong4}, generalized twitching

身瘦如柴 {shen1 shou4 ru2 chai2}, thin as brushwood
身疼 {shen1 teng2}, generalized pain
身體沉重 {shen1 ti3 chen2 zhong4}, heavy body
身體抵抗力 {shen1 ti3 di3 kang4 li4}, 西醫 resistance of the body
身體煩疼 {shen1 ti3 fan2 teng2}, generalized vexing pain
身體衰弱 {shen1 ti3 shuai1 ruo4}, debilitated health
身體疼痛 {shen1 ti3 teng2 tong4}, generalized pain
身體痛 {shen1 ti3 tong4}, generalized pain
身體尪羸 {shen1 ti3 wang1 lei2}, weak tabid body
身體虛弱 {shen1 ti3 xu1 ruo4}, weak health
身體虛弱者 {shen1 ti3 xu1 ruo4 zhe3}, those in weak health
身痛 {shen1 tong4}, generalized pain; body pains
身痛且重 {shen1 tong4 qie3 zhong4}, generalized pain and heaviness
身痛逐瘀湯 {shen1 tong4 zhu2 yu1 tang1}, 方名 Generalized Pain Stasis-Expelling Decoction
身癢 {shen1 yang3}, generalized itching
身振搖 {shen1 zhen4 yao2}, generalized shaking
身之本 {shen1 zhi1 ben3}, the root of the body
身腫 {shen1 zhong3}, generalized swelling
身重 {shen1 zhong4}, generalized heaviness; heavy body
身重不易轉 {shen1 zhong4 bu4 yi4 zhuan3}, generalized heaviness with difficulty in turning over
身重不易轉側 {shen1 zhong4 bu4 yi4 zhuan3 ce4}, heavy body with difficulty in turning sides
身柱 {shen1 zhu4}, 腧穴正名 GV-12 (Body Pillar)

【呻】 {shen1} [Freq. 3] groaning (voice of the kidney).
呻吟 {shen1 yin2}, groaning

【娠】 {shen1} [Freq. 5] pregnancy (妊娠 {ren4 shen1}, pregnancy)

【參】 {shen1} [Freq. 4] ginseng (and other plants used for their root).
參附龍牡湯 {shen1 fu4 long2 mu3 tang1}, 方名 Ginseng, Aconite, Dragon Bone, and Oyster Shell Decoction
參附湯 {shen1 fu4 tang1}, 方名 Ginseng and Aconite Decoction
參蛤散 {shen1 ge2 san3}, 方名 Ginseng-Gecko Powder
參歸承氣湯 {shen1 gui1 cheng2 qi4 tang1}, 方名 Ginseng and Chinese Angelica Qi4-Infusing Decoction
參蚧散 {shen1 jie4 san3}, 方名 Ginseng With Gecko Powder
參連開噤湯 {shen1 lian2 kai1 jin4 tang1}, 方名 Ginseng and Coptis Food Denial Decoction

參苓白朮散 {shen1 ling2 bai2 zhu2 san3}, 方名 Ginseng, Poria, and White Atractylodes Powder
參苓粥 {shen1 ling2 zhou1}, 方名 Ginger and Poria Gruel
參蘆飲 {shen1 lu2 yin3}, 方名 Ginseng Tops Beverage
參&&82AA.8006‖安胃散 {shen1 qi2 an1 wei4 san3}, 方名 Ginseng and Astragalus Stomach-Quieting Powder
參&&82AA.8006‖白朮湯 {shen1 qi2 bai2 zhu2 tang1}, 方名 Codonopsis, Astragalus, and White Atractylodes Decoction
參茸固本丸 {shen1 rong2 gu4 ben3 wan2}, 方名 Ginseng and Young Deerhorn Root-Securing Pill
參茸衛生丸 {shen1 rong2 wei4 sheng1 wan2}, 方名 Ginseng and Velvet Deerhorn Health Pill
參三七 {shen1 san1 qi1}, 中藥異名 notoginseng (Notoginseng Radix)
參蘇飲 {shen1 su1 yin3}, 方名 Ginseng and Perilla Beverage
參鬚 {shen1 xu1}, 中藥異名 fibrous ginseng root (Ginseng Radix Tenuis)
參葉 {shen1 ye4}, 中藥正名 Japanese ginseng leaf (Panacis Japonici Folium)
參赭鎮氣湯 {shen1 zhe3 zhen4 qi4 tnag1}, 方名 Codonopsis and Hematite Qi4-Settling Decoction

【深】 {shen1} [Freq. 5] deep (睡眠深沉 {shui4 mian2 shen1 chen2}, deep sleep); severe (熱深厥深 {re4 shen1 jue2 shen1}, severe heat and severe reversal).
深掌弓 {shen1 zhang3 gong1}, 西醫 deep palmar arch

~~ {shen2} ~~
【神】 {shen2} [Freq. 2] spirit (n.) (心藏神 {xin1 cang2 shen2}, heart stores the spirit); divine (adj.); divinity (n.).
神不守舍 {shen2 bu4 shou3 she4}, spirit failing to keep to its abode
神藏 {shen2 cang2}, 腧穴正名 KI-25 (Spirit Storehouse)
神草 {shen2 cao3}, 中藥異名 ginseng (Ginseng Radix)
神道 {shen2 dao4}, 腧穴正名 GV-11 (Spirit Path)
神燈照療法 {shen2 deng1 zhao4 liao2 fa3}, magic lantern therapy
神封 {shen2 feng1}, 腧穴正名 KI-23 (Spirit Seal)
神府 {shen2 fu3}, 腧穴異名 CV-15 (Spirit House)
神膏 {shen2 gao1}, spirit jelly
神光 {shen2 guang1}, 腧穴異名 GB-23 (Spirit Light) (Spirit Light); 腧穴異名 GB-24
神黃豆 {shen2 huang2 dou4}, 中藥正名 jointwood fruit (Cassiae Nodosae Fructus)
神昏 {shen2 hun1}, clouded spirit; clouding of the spirit
神昏不清 {shen2 hun1 bu4 qing1}, clouded spirit

神昏譫語 {shen2 hun1 zhan1 yu3}, clouded spirit and dilirious speech
神機 {shen2 ji1}, spirit mechanism
神經 {shen2 jing1}, 西醫 nerve
神經官能症 {shen2 jing1 guan1 neng2 zheng4}, 西醫 neurosis
神經鍵 {shen2 jing1 jian4}, 西醫 synapse
神經節 {shen2 jing1 jie2}, 西醫 ganglion
神經衰弱 {shen2 jing1 shuai1 ruo4}, 西醫 neurasthenia
神經痛 {shen2 jing1 tong4}, 西醫 neuralgia
神經系統 {shen2 jing1 xi4 tong3}, 西醫 nervous system
神經性嘔吐 {shen2 jing1 xing4 ou3 tu4}, 西醫 neurogenic vomiting
神經性皮炎 {shen2 jing1 xing4 pi2 yan2}, 西醫 neurodermatitis
神經元 {shen2 jing1 yuan2}, 西醫 neuron
神經組織 {shen2 jing1 zu3 zhi1}, 西醫 nervous tissue
神倦 {shen2 juan4}, lassitude of the spirit
神門 {shen2 men2}, spirit gate (Spirit Gate); 腧穴正名 HT-7
神門脈 {shen2 men2 mai4}, spirit gate pulse
神秘湯 {shen2 mi4 tang1}, 方名 Mystical Decoction
神明 {shen2 ming2}, spirit light
神農 {shen2 nong2}, 人名 Divine Husbandman
神農本草經 {shen2 nong2 ben3 cao3 jing1}, 書名 The Divine Husbandman's Herbal Foundation Canon
神農本草經集註 {shen2 nong2 ben3 cao3 jing1 ji2 zhu4}, 書名 Variorum of the Divine Husbandman's Herbal Foundation Canon
神疲 {shen2 pi2}, fatigued spirit
神疲乏力 {shen2 pi2 fa2 li4}, fatigued spirit and lack of strength
神氣 {shen2 qi4}, spirit qi4
神氣不足 {shen2 qi4 bu4 zu2}, insufficiency of spirit qi4
神氣清爽 {shen2 qi4 qing1 shuan3}, clear bright spirit qi4
神情 {shen2 qing2}, spirit-affect
神情淡漠 {shen2 qing2 dan4 mo4}, haziness of spirit-affect; indifference of spirit-affect
神情昏糊 {shen2 qing2 hun1 hu2}, clouded spirit-affect
神曲散 {shen2 qu1 san3}, 方名 Medicated Leaven Powder
神曲丸 {shen2 qu1 wan2}, 方名 Medicated Leaven Pill
神曲 {shen2 qu1, 中藥正名 medicated leaven (Massa Medicata Fermentata)
神闕 {shen2 que4}, spirit tower gate (navel) (Spirit Gate Tower); 腧穴正名 CV-8
神識矇矓 {shen2 shi4 meng2 long2}, hazy mind
神識時清時昧 {shen2 shi4 shi2 qing1 shi2 mei4}, mind sometimes clear, sometimes confused
神衰 {shen2 shuai1}, debilitated spirit

神水 {shen2 shui3}, spirit water
神水將枯 {shen2 shui3 jiang1 ku1}, impending desiccation of spirit water
神思不爽 {shen2 si1 bu4 shuang3}, ungratifying thought
神思恍惚 {shen2 si1 huang3 hu1}, abstraction of the spirit
神思間病 {shen2 si1 jian1 bing4}, diseases of the spirit
神堂 {shen2 tang2}, 腧穴正名 BL-44 (Spirit Hall) (Spirit Hall); 腧穴異名 GV-23
神庭 {shen2 ting2}, 腧穴正名 GV-24 (Spirit Court)
神屋 {shen2 wu1}, 中藥異名 tortoise plastron (Testudinis Plastrum)
神犀丹 {shen2 xi1 dan1}, 方名 Spirit-Like Rhinoceros Horn Elixir
神仙活命湯 {shen2 xian1 huo2 ming4 tang1}, 方名 Spirit Immortal Life-Giving Decoction
神仙掌花 {shen2 xian1 zhang3 hua1}, 中藥正名 prickly pear flower (Opuntiae Flos)
神仙粥 {shen2 xian1 zhou1}, 方名 Spirit Immortal Gruel
神效黃&&82AA.8006‖湯 {shen2 xiao4 huang2 qi2 tang1}, 方名 Wondrous Effect Astragalus Decoction
神效千捶膏 {shen2 xiao4 qian1 chui2 gao1}, 方名 Wondrous Effect Thoroughly Pounded Plaster
神效驅風散 {shen2 xiao4 qu1 feng1 san3}, 方名 Wondrous Effect Wind-Expelling Powder
神效太乙丹 {shen2 xiao4 tai4 yi3 dan1}, 方名 Wondrous Effect Tai Yi Elixir
神效托里散 {shen2 xiao4 tuo1 li3 san3}, 方名 Wondrous Effect Internal Dispersion Powder
神效丸 {shen2 xiao4 wan2}, 方名 Wondrous Effect Pill
神應經 {shen2 ying4 jing1}, 書名 Wondrous Response Canon (Ming2, Chen2 Hui4 陳會)
神應消風散 {shen2 ying4 xiao1 feng1 san3}, 方名 Wondrous Response Wind-Dispersing Powder
神應養真丹 {shen2 ying4 yang3 zhen1 dan1}, 方名 Wondrous Response True-Nourishing Elixir
神臟 {shen2 zang4}, spiritual viscera
神志 {shen2 zhi4}, spirit-mind (the conscious mind)
神志不清 {shen2 zhi4 bu4 qing1}, unclear spirit-mind
神志淡漠 {shen2 zhi4 dan4 mo4}, haziness of spirit-mind
神志恍惚 {shen2 zhi4 huang3 hu1}, abstraction
神志昏糊 {shen2 zhi4 hun1 hu2}, clouded spirit-mind (clouding of consciousness)
神志昏亂 {shen2 zhi4 hun1 luan4}, confused spirit-mind (confused mind)
神志昏迷 {shen2 zhi4 hun1 mi2}, coma
神珠 {shen2 zhu1}, spirit ball (eyeball)
神珠將反 {shen2 zhu1 jiang1 fan3}, backward turning spirit ball (squint)
神朮散 {shen2 zhu2 san3}, 方名 Wondrous Atractylodes Powder
神朮湯 {shen2 zhu2 tang1}, 方名 Wondrous Atractylodes Decoction
神宗 {shen2 zong1}, 腧穴異名 GV-6 (Spirit Gathering)

~~ {shen3} ~~

【沈】 {shen3} [Freq. 4] surname.

沈氏豬苓湯 {shen3 shi4 zhu1 ling2 tang1}, 方名 Shen's Polyporus Decoction

【審】 {shen3} [Freq. 4] review; inspect; assess; indeed (審如師言 {shen3 ru2 shi1 yan2}, if it is indeed as the Master says).

審苗竅 {shen3 miao2 qiao4}, ispection of sprouts and orifices

審視瑤函 {shen3 shi4 yao2 han2}, 書名 Jade Case of Perspicacity (1644 (Ming2), Fu4 Ren2-Yu3 傅仁宇)

審因論治 {shen3 yin1 lun4 zhi4}, ascertain the cause and determine treatment; determine treatment according to cause

審因施治 {shen3 yin1 shi1 zhi4}, ascertain the cause and administer treatment; administer treatment according to cause

審證求因 {shen3 zheng4 qiu2 yin1}, assess the patterns and seek the cause; seek the cause from patterns identified

~~ {shen4} ~~

【甚】 {shen4} [Freq. 3] severe.

甚或 {shen4 huo4}, possibly in severe cases

甚則 {shen4 ze2}, in severe cases

甚者從之 {shen4 zhe3 cong2 zhi1}, severe conditions are treated by coaction

【腎】 {shen4} [Freq. 2] kidney (n.); KI.

腎氣游風 {shen4}, kidney qi4 wandering wind

腎，其充在骨 {shen4, qi2 chong1 zai4 gu3}, kidney, its fullnesss is in the bone

腎，其華在髮 {shen4, qi2 hua2 zai4 fa4}, kidney, its bloom is in the hair (of the head); kidney, its bloom is in the hair (of the head)

腎痹 {shen4 bi4}, kidney impediment

腎病 {shen4 bing4}, kidney disease

腎病綜合症 {shen4 bing4 zong4 he2 zheng4}, 西醫 nephritic syndrome; nephritic syndrome

腎不納氣 {shen4 bu4 na4 qi4}, kidney failing to absorb qi4; qi4 absorption failure

腎不攝納 {shen4 bu4 she4 na4}, kidney failing to ensure absorption

腎不養肝 {shen4 bu4 yang3 gan1}, kidney failing to nourish the liver

腎藏精 {shen4 cang2 jing1}, kidney stores essence

腎藏志 {shen4 cang2 zhi4}, kidney stores mind (memory, powers of concentration)

腎常虛 {shen4 chang2 xu1}, kidney is often vacuous
腎充則髓實 {shen4 chong1 ze2 sui3 shi2}, when the kidney is full, marrow is replete
腎蟲 {shen4 chong2}, kidney worm (pinworm)
腎蟲病 {shen4 chong2 bing4}, kidney worm disease
腎喘 {shen4 chuan3}, kidney panting
腎的證候 {shen4 de zheng4 hou4}, kidney patterns
腎動脈 {shen4 dong4 mai4}, 西醫 renal artery
腎肺陽虛 {shen4 fei4 yang2 xu1}, kidney-lung yang2 vacuity
腎疳 {shen4 gan1}, gan1 of the kidney
腎功能 {shen4 gong1 neng2}, 西醫 renal function
腎合膀胱 {shen4 he2 pang2 guang1}, kidney is connected with the bladder
腎化膿症 {shen4 hua4 nong2 zheng4}, 西醫 nephropyosis
腎火偏亢 {shen4 huo3 pian1 kang4}, hyperactive kidney fire
腎積 {shen4 ji1}, kidney accumulation
腎及膀胱辨證 {shen4 ji2 pang2 guang1 bian4 zheng4}, kidney and bladder pattern identification
腎脊 {shen4 ji3}, 腧穴正名 Kidney Spine
腎間動氣 {shen4 jian1 dong4 qi4}, stirring qi4 in the kidney region; stirring qi4 of the kidney region
腎結石 {shen4 jie2 shi2}, 西醫 renal calculi
腎經 {shen4 jing1}, kidney channel; KI
腎精 {shen4 jing1}, kidney essence
腎精不足 {shen4 jing1 bu4 zu2}, insufficiency of kidney essence
腎精肝血 {shen4 jing1 gan1 xue4}, kidney essence and liver blood
腎經久積陰寒 {shen4 jing1 jiu3 ji1 yin1 han2}, enduring accumulated kidney channel yin1 cold
腎經咳嗽 {shen4 jing1 ke2 sou4}, kidney channel cough
腎精虧虛 {shen4 jing1 kui1 xu1}, kidney essence depletion
腎精虧虛證 {shen4 jing1 kui1 xu1 zheng4}, kidney essence depletion pattern
腎經冷氣上逆 {shen4 jing1 leng3 qi4 shang4 ni4}, counterflow ascent of kidney channel cold qi4
腎經瘧 {shen4 jing1 nue94}, kidney channel malaria
腎經濕熱 {shen4 jing1 shi1 re4}, kidney channel damp-heat
腎精虛 {shen4 jing1 xu1}, kidney essence vacuity
腎經虛熱 {shen4 jing1 xu1 re4}, kidney channel vacuity heat
腎經有火 {shen4 jing1 you3 huo3}, fire in the kidney channel
腎蕨 {shen4 jue2}, 中藥正名 sword fern (Nephrolepis Folium seu Herba)
腎厥頭痛 {shen4 jue2 tou2 tong4}, kidney reversal headache
腎開竅于耳 {shen4 kai1 qiao4 yu2 er3}, kidney opens at the ears
腎開竅于二陰 {shen4 kai1 qiao4 yu2 er4 yin1}, kidney opens at the two yin1 (the anal and

genital orifices)
腎咳 {shen4 ke2}, kidney cough
腎虧 {shen4 kui1}, kidney depletion
腎勞 {shen4 lao2}, kidney taxation
腎脈沉 {shen4 mai4 chen2}, kidney pulse is deep
腎募 {shen4 mu4}, 腧穴異名 GB-25 (Kidney Alarm)
腎囊 {shen4 nang2}, kidney sac; scrotum
腎囊風 {shen4 nang2 feng1}, kidney-sac wind; scrotal wind
腎囊癰 {shen4 nang2 yong1}, kidney-sac welling-abscess; scrotal welling-abscess
腎氣 {shen4 qi4}, kidney qi4 (Kidney Qi4); 腧穴異名 SP-15
腎氣不固 {shen4 qi4 bu4 gu4}, insecurity of kidney qi4
腎氣不固證 {shen4 qi4 bu4 gu4 zheng4}, pattern of insecurity of kidney qi4
腎氣不化 {shen4 qi4 bu4 hua4}, kidney qi4 failing to perform qi4 transformation
腎氣不足 {shen4 qi4 bu4 zu2}, insufficiency of kidney qi4
腎氣虧虛 {shen4 qi4 kui1 xu1}, kidney qi4 depletion
腎氣熱 {shen4 qi4 re4}, kidney qi4 heat
腎氣上逆 {shen4 qi4 shang4 ni4}, counterflow ascent of kidney qi4
腎氣通于耳 {shen4 qi4 tong1 yu2 er3}, kidney qi4 flows to the ears
腎氣丸 {shen4 qi4 wan2}, 方名 Kidney Qi4 Pill
腎氣虛 {shen4 qi4 xu1}, kidney qi4 vacuity
腎氣虛氣化無權 {shen4 qi4 xu1 qi4 hua4 wu2 quan2}, kidney qi4 vacuity and impaired qi4 transformation
腎氣虛弱 {shen4 qi4 xu1 ruo4}, kidney qi4 vacuity
腎氣虛證 {shen4 qi4 xu1 zheng4}, kidney qi4 vacuity pattern
腎氣游風 {shen4 qi4 you2 feng1}, kidney qi4 wandering wind
腎強疝氣 {shen4 qiang2 shan4 qi4}, strained-kidney mounting qi4
腎竅 {shen4 qiao4}, orifices of the kidney
腎熱穴 {shen4 re4 xue2}, 腧穴正名 Kidney Heat Point
腎上腺 {shen4 shang4 xian4}, 西醫 adrenal glands
腎上腺素 {shen4 shang4 xian4 su4}, 西醫 epinephrine
腎生骨髓 {shen4 sheng1 gu3 sui3}, kidney engenders bone and marrow
腎失封藏 {shen4 shi1 feng1 cang2}, kidney failing to store
腎石病 {shen4 shi2 bing4}, 西醫 nephrolithiasis
腎俞 {shen4 shu1}, 腧穴正名 BL-23 (Kidney Transport)
腎俞虛痰 {shen4 shu1 xu1 tan2}, Kidney Shu vacuity phlegm
腎衰竭 {shen4 shuai1 jie2}, 西醫 renal failure
腎水 {shen4 shui3}, kidney-water (a kind of water swelling); kidney water
腎水不足 {shen4 shui3 bu4 zu2}, insufficiency of kidney water

腎司二便 {shen4 si1 er4 bian4}, kidney controls urine and stool
腎司開闔 {shen4 si1 kai1 he2}, kidney is in charge of opening and closing
腎爲氣之本 {shen4 wei2 qi4 zhi1 ben3}, kidney is the root of qi4
腎爲水臟 {shen4 wei2 shui3 zang4}, kidney is the water viscus
腎爲唾 {shen4 wei2 tuo4}, kidney forms spittle
腎爲先天之本 {shen4 wei2 xian1 tian1 zhi1 ben3}, kidney is the root of earlier heaven (the congenital constitution)
腎痿 {shen4 wei3}, kidney wilting
腎惡燥 {shen4 wu4 zao4}, kidney is averse to dryness
腎系 {shen4 xi4}, 腧穴正名 Kidney Connection
腎下垂 {shen4 xia4 chui2}, 西醫 nephroptosis
腎上腺 {shen4 xiang4 xian4}, 西醫 suprarenal glands
腎哮 {shen4 xiao1}, kidney wheezing
腎消 {shen4 xiao1}, kidney dispersion[-thirst] (lower dispersion)
腎泄 {shen4 xie4}, kidney diarrhea
腎新 {shen4 xin1}, 腧穴正名 Kidney New
腎虛 {shen4 xu1}, kidney vacuity
腎虛不固 {shen4 xu1 bu4 gu4}, vacuous, insecure kidney
腎虛不納氣 {shen4 xu1 bu4 na4 qi4}, vacuous kidney failing to absorb qi4
腎虛不能攝固小便 {shen4 xu1 bu4 neng2 she4 gu4 xiao3 bian4}, vacuous kidney failing to contain and secure urine
腎虛不能攝約小便 {shen4 xu1 bu4 neng2 she4 yue1 xiao3 bian4}, vacuous kidney unable to contain urine
腎虛不能主水 {shen4 xu1 bu4 neng2 zhu3 shui3}, vacuous kidney unable to govern water
腎虛不孕 {shen4 xu1 bu4 yun4}, kidney vacuity infertility
腎虛帶下 {shen4 xu1 dai4 xia4}, kidney vacuity vaginal discharge
腎虛耳聾 {shen4 xu1 er3 long2}, kidney vacuity deafness
腎虛耳鳴 {shen4 xu1 er3 ming2}, kidney vacuity tinnitus
腎虛肝弱 {shen4 xu1 gan1 ruo4}, liver-kidney vacuity
腎虛寒濕 {shen4 xu1 han2 shi1}, kidney vacuity cold-damp
腎虛寒濕證 {shen4 xu1 han2 shi1 zheng4}, pattern of kidney vacuity cold-damp
腎虛滑胎 {shen4 xu1 hua2 tai1}, kidney vacuity habitual miscarriage
腎虛經閉 {shen4 xu1 jing1 bi4}, kidney vacuity menstrual block
腎虛精虧 {shen4 xu1 jing1 kui1}, kidney vacuity and essence depletion
腎虛經行后期 {shen4 xu1 jing1 xing2 hou4 qi1}, kidney vacuity delayed menstruation
腎虛水泛 {shen4 xu1 shui3 fan4}, kidney vacuity water flood
腎虛髓虧 {shen4 xu1 sui3 kui1}, kidney vacuity and marrow depletion
腎虛髓虧證 {shen4 xu1 sui3 kui1 zheng4}, pattern of kidney vacuity and marrow depletion

腎虛體弱 {shen4 xu1 ti3 ruo4}, kidney vacuity and general weakness
腎虛頭痛 {shen4 xu1 tou2 tong4}, kidney vacuity headache
腎虛消渴 {shen4 xu1 xiao1 ke3}, kidney vacuity dispersion-thirst
腎虛眩暈 {shen4 xu1 xuan4 yun1}, kidney vacuity dizziness
腎虛腰痛 {shen4 xu1 yao1 tong4}, kidney vacuity lumbar pain
腎虛遺精 {shen4 xu1 yi2 jing1}, kidney vacuity seminal emission
腎虛陰縮 {shen4 xu1 yin1 suo1}, kidney vacuity retracted genitals
腎虛月經過少 {shen4 xu1 yue4 jing1 guo4 shao3}, kidney vacuity scant menstruation
腎岩 {shen4 yan2}, kidney rock
腎炎 {shen4 yan2}, 西醫 nephritis
腎炎草 {shen4 yan2 cao3}, 中藥正名 obovate ainsliaea (Ainsliaeae Obovatae Herba)
腎岩翻花 {shen4 yan2 fan1 hua1}, everted flower kidney rock
腎陽 {shen4 yang2}, kidney yang2
腎陽不能氣化 {shen4 yang2 bu4 neng2 qi4 hua4}, kidney yang2 is insufficient and unable to perform qi4 transformation
腎陽不足 {shen4 yang2 bu4 zu2}, insufficiency of kidney yang2
腎陽亢奮 {shen4 yang2 kang4 fen4}, hyperactivity of kidney yang2
腎陽衰微 {shen4 yang2 shuai1 wei1}, debilitation of kidney yang2
腎陽虛 {shen4 yang2 xu1}, kidney yang2 vacuity
腎陽虛衰 {shen4 yang2 xu1 shuai1}, debilitation of kidney yang2
腎陽虛水泛 {shen4 yang2 xu1 shui3 fan4}, kidney yang2 vacuity water flood
腎陽虛水泛證 {shen4 yang2 xu1 shui3 fan4 zheng4}, kidney yang2 vacuity water flood pattern
腎陽虛證 {shen4 yang2 xu1 zheng4}, kidney yang2 vacuity pattern
腎陰 {shen4 yin1}, kidney yin1
腎陰不足 {shen4 yin1 bu4 zu2}, insufficiency of kidney yin1
腎陰枯涸 {shen4 yin1 ku1 he2}, desiccation of kidney yin1
腎陰虧虛 {shen4 yin1 kui1 xu1}, kidney yin1 depletion
腎陰上交於心 {shen4 yin1 shang4 jiao1 yu2 xin1}, kidney yin1 interacts with the heart
腎陰受傷 {shen4 yin1 shou4 shang1}, damage to kidney yin1
腎陰虛 {shen4 yin1 xu1}, kidney yin1 vacuity
腎陰虛火旺 {shen4 yin1 xu1 huo3 wang4}, fire effulgence due to kidney yin1 vacuity
腎陰虛火旺證 {shen4 yin1 xu1 huo3 wang4 zheng4}, pattern of fire effulgence due to kidney yin1 vacuity
腎陰虛證 {shen4 yin1 xu1 zheng4}, kidney yin1 vacuity pattern
腎陰陽俱虛 {shen4 yin1 yang2 ju4 xu1}, dual vacuity of kidney yin1 and yang2
腎陰陽兩虛 {shen4 yin1 yang2 liang2 xu1}, dual vacuity of kidney yin1 and yang2
腎陰陽兩虛證 {shen4 yin1 yang2 liang2 xu1 zheng4}, patternofdual vacuity of kidney yin1 and yang2

腎癰 {shen4 yong1}, welling-abcess of the kidney
腎盂 {shen4 yu2}, 西醫 renal pelvis
腎盂積水 {shen4 yu2 ji1 shui3}, 西醫 nephredema
腎盂腎炎 {shen4 yu2 shen4 yan2}, 西醫 pyelonephritis
腎盂炎 {shen4 yu2 yan2}, 西醫 pyelitis
腎與膀胱的證候 {shen4 yu3 pang2 guang1 de zheng4 hou4}, kidney and bladder patterns
腎與膀胱相表里 {shen4 yu3 pang2 guang1 xiang1 biao3 li3}, kidney stands in interior-exterior relationship with the bladder
腎脹 {shen4 zhang4}, kidney distention
腎者水臟，主津液 {shen4 zhe3 shui3 zang4, zhu3 jin1 ye4}, kidney is the water viscus, it governs fluids
腎者胃之關 {shen4 zhe3 wei4 zhi1 guan1}, kidney is the gate of the stomach
腎者，作強之官，伎巧出焉 {shen4 zhe3, zuo4 qiang2 zhi1 guan1, ji4 qiao3 chu1 yan1}, kidney holds office of labor, whence ingenuity emanates
腎之府 {shen4 zhi1 fu3}, house of the kidney (the lumbus)
腎之液爲唾 {shen4 zhi1 ye4 wei2 tuo4}, humor of the kidney is spittle
腎中精氣 {shen4 zhong1 jing1 qi4}, essential qi4 in the kidney
腎主封藏 {shen4 zhu3 feng1 cang2}, kidney governs storage
腎主骨 {shen4 zhu3 gu3}, kidney governs the bones
腎主骨生髓 {shen4 zhu3 gu3 sheng1 sui3}, kidney governs the bones and engenders marrow
腎主伎巧 {shen4 zhu3 ji4 qiao3}, kidney governs ingenuity
腎主開闔 {shen4 zhu3 kai1 he2}, kidney governs opening and closing
腎主恐 {shen4 zhu3 kong3}, kidney governs fear
腎主納氣 {shen4 zhu3 na4 qi4}, kidney governs qi4 absorption
腎主生殖 {shen4 zhu3 sheng1 zhi2}, kidney governs reproduction
腎主水 {shen4 zhu3 shui3}, kidney governs water
腎主水液 {shen4 zhu3 shui3 ye4}, kidney governs water
腎主先天 {shen4 zhu3 xian1 tian1}, kidney governs earlier heaven
腎主腰膝 {shen4 zhu3 yao1 xi1}, kidney governs the lumbus and knees
腎主蟄 {shen4 zhu3 zhi2}, kidney governs hibernation
腎&&7740|{shen4 zhuo2}, kidney fixity
腎&&7740‖湯 {shen4 zhuo2 tang1}, 方名 Kidney Fixity Decoction
腎子草 {shen4 zi3 cao3}, 中藥正名 Persian veronica (Veronicae Persicae Herba)

【慎】 {shen4} [Freq. 4] careful.
慎用 {shen4 yong4}, use with care

【滲】 {shen4} [Freq. 2] percolate (v.).

滲出 {shen4 chu1}, 西醫 exudation
滲出物 {shen4 chu1 wu4}, 西醫 exudation
滲出性胸膜炎 {shen4 chu1 xing4 xiong1 mo2 yan2}, 西醫 exudative pleurisy; edudative pleurisy
滲濕 {shen4 shi1}, percolate dampness
滲濕化痰 {shen4 shi1 hua4 tan2}, percolate dampness and transform phlegm
滲濕利水 {shen4 shi1 li4 shui3}, percolate dampness and disinhibit water
滲濕于熱下 {shen4 shi1 yu2 re4 xia4}, percolate dampness through the heat; heat-releasing dampness percolation
滲血 {shen4 xue4}, oozing of blood

【胂】 {shen4} [Freq. 3] buttock.
胂 {shen4}, paravertebral muscles

【葚】 {shen4} [Freq. 4] mulberry.
葚 {shen4}, 中藥異名 mulberry (Mori Fructus)

~~ {sheng1} ~~
【升】 {sheng1} [Freq. 2] bear upward (v.) (清陽不升 {qing1 yang2 bu4 sheng1}, clear yang2 failing to bear upward); upbear (v.), upbearing (n.) (脾主升，胃主降 {pi2 zhu3 sheng1, wei4 zhu3 jiang4}, the spleen governs uphearing; the stomach governs downbearing); sheng1 (n.) (unit of volume).
升補脾氣 {sheng1 bu3 pi2 qi4}, upbear and supplement spleen qi4
升丹 {sheng1 dan1}, 中藥正名 upborne elixir (Sublimatum Triplex)
升動 {sheng1 dong4}, upbearing and stirring
升浮藥 {sheng1 fu2 yao4}, upfloating medicinal; upfloater
升劑 {sheng1 ji4}, upbearing formula
升降出入 {sheng1 jiang4 chu1 ru4}, upbearing, downbearing, inward and outward movement
升降浮沉 {sheng1 jiang4 fu2 chen2}, upbearing, downbearing, floating, and sinking (medicinal bearings) (of medicinals); bearing
升降失常 {sheng1 jiang4 shi1 chang2}, abnormal upbearing and downbearing
升降諸氣 {sheng1 jiang4 zhu1 qi4}, restore normal upbearing and downbearing of all qi4
升結腸 {sheng1 jie2 chang2}, 西醫 ascending colon
升舉 {sheng1 ju3}, uplift
升舉無力 {sheng1 ju3 wu2 li4}, diminished uplift
升可去降 {sheng1 ke3 qu4 jiang4}, upbearing [medicinals] can eliminate downbearing
升麻草 {sheng1 ma2 cao3}, 中藥正名 goatsbeard (Arunci Radix)

升麻葛根湯 {sheng1 ma2 ge2 gen1 tang1}, 方名 Cimicifuga and Pueraria Decoction
升麻黃&&82AA.8006‖湯 {sheng1 ma2 huang2 qi2 tang1}, 方名 Gastrodia and Astragalus Decoction
升麻湯 {sheng1 ma2 tang1}, 方名 Cimicifuga Decoction
升麻 {sheng1 ma2, 中藥正名 cimicifuga (Cimicifugae Rhizoma)
升清 {sheng1 qing1}, upbear the clear
升清降濁 {sheng1 qing1 jiang4 zhuo2}, upbear the clear and downbear the turbid
升清氣 {sheng1 qing1 qi4}, upbear clear qi4
升清陽 {sheng1 qing1 yang2}, upbear clear yang2
升散透達 {sheng1 san4 tou4 da2}, upbear, dissipate, and outhrust
升提 {sheng1 ti2}, upraise
升提清氣 {sheng1 ti2 qing1 qi4}, upraise clear qi4
升提湯 {sheng1 ti2 tang1}, 方名 Upraising Decoction
升提藥 {sheng1 ti2 yao4}, upraising medicinal
升提中焦清氣 {sheng1 ti2 zhong1 jiao1 qing1 qi4}, upraise the clear qi4 of the center burner
升提中氣 {sheng1 ti2 zhong1 qi4}, upraise center qi4
升陷湯 {sheng1 xian4 tang1}, 方名 Fall-Upbearing Decoction
升陽舉陷 {sheng1 yang2 ju3 xian4}, upbear yang2 and raise the fall
升陽散火湯 {sheng1 yang2 san4 huo3 tang1}, 方名 Yang2-Upbearing Fire-Dissipating Decoction
升陽散郁 {sheng1 yang2 san4 yu4}, upbear yang2 and dissipate depression
升陽益胃湯 {sheng1 yang2 yi4 wei4 tang1}, 方名 Yang2-Upbearing Stomach-Boosting Decoction
升藥底 {sheng1 yao4 di3}, 中藥正名 upborne elixir residue (Hydrogyri Oxydati Crudi Residuum)
升中有降 {sheng1 zhong1 you3 jiang4}, downbearing within upbearing

【生】 {sheng1} [Freq. 3] fresh (adj.) (生地黃汁 {sheng1 di4 huang2 zhi1}, fresh rehmannia juice); crudus (Latin); recens (Latin); engender (v.), engenderment (n.) (火生土 {huo3 sheng1 tu3}, fire engenders earth); raw (adj.) (of animal and vegetable products. 生甘草 {sheng1 gan1 cao3}, raw licorice); crude (adj.) (of minerals and shells. 生石膏 {sheng1 shi2 gao1}, crude gypsum); vivus (Latin).
生白礬 {sheng1 bai2 fan2}, 中藥正名 raw alum (Alumen Crudum)
生白附子 {sheng1 bai2 fu4 zi3}, 中藥正名 raw aconite/typhonium (Typhonii Rhizoma Crudum)
生白芍 {sheng1 bai2 shao2}, 中藥正名 raw white peony (Paeoniae Radix Alba Cruda)
生白朮 {sheng1 bai2 zhu2}, 中藥正名 raw ovate atractylodes (Atractylodis Ovatae Rhizoma Crudum)

生百部 {sheng1 bai3 bu4}, 中藥正名 raw stemona (Stemonae Radix Cruda)
生半夏 {sheng1 ban4 xia4}, 中藥正名 raw pinellia (Pinelliae Rhizoma Crudum)
生蒡子 {sheng1 bang4 zi3}, 中藥正名 raw arctium (Arctii Fructus Crudus)
生扁豆 {sheng1 bian3 dou4}, 中藥正名 raw lablab (Lablab Semen Crudum)
生鱉甲 {sheng1 bie1 jia3}, 中藥正名 raw turtle shell (Trionycis Carapax Crudus)
生草烏 {sheng1 cao3 wu1}, 中藥正名 raw wild aconite (Aconiti Kusnezoffii Radix Cruda)
生蟾蜍 {sheng1 chan2 chu2}, 中藥正名 crude dried toad (Bufo Siccus Crudus)
生吃 {sheng1 chi1}, eat(en) raw
生川烏 {sheng1 chuan1 wu1}, 中藥正名 raw aconite main root (Aconiti Radix Cruda)
生大黃 {sheng1 da4 huang2}, 中藥正名 raw rhubarb (Rhei Radix et Rhizoma Crudi)
生大黃末 {sheng1 da4 huang2 mo4}, 中藥正名 powdered raw rhubarb (Rhei Radix et Rhizoma Crudi Pulverati)
生當歸 {sheng1 dang1 gui1}, 中藥正名 raw tangkuei (Angelicae Sinensis Radix Cruda)
生地 {sheng1 di4}, 中藥異名 dried/fresh rehmannia (Rehmanniae Radix Exsiccata seu Recens)
生地黃 {sheng1 di4 huang2}, 中藥正名 dried/fresh rehmannia (Rehmanniae Radix Exsiccata seu Recens)
生地黃炭 {sheng1 di4 huang2 tan4}, 中藥正名 charred dried rehmannia (Rehmanniae Radix Carbonisata)
生地黃汁 {sheng1 di4 huang2 zhi1}, 中藥異名 fresh rehmannia juice (Rehmanniae Radicis Recentis Succus)
生地黃粥 {sheng1 di4 huang2 zhou1}, 方名 Raw Rehmannia Gruel
生地榆 {sheng1 di4 yu2}, 中藥正名 raw sanguisorba (Sanguisorbae Radix Cruda)
生地汁 {sheng1 di4 zhi1}, 中藥異名 fresh rehmannia juice (Rehmanniae Radicis Recentis Succus)
生礬 {sheng1 fan2}, 中藥異名 alum (Alumen)
生附散 {sheng1 fu4 san3}, 方名 Raw Aconite Powder
生附子 {sheng1 fu4 zi3}, 中藥正名 raw aconite (Aconiti Radix Lateralis Cruda)
生甘草 {sheng1 gan1 cao3}, 中藥正名 raw licorice (Glycyrrhizae Radix Cruda)
生干蟾 {sheng1 gan1 chan2}, 中藥異名 crude dried toad (Bufo Siccus Crudus)
生干地黃 {sheng1 gan1 di4 huang2}, 中藥異名 dried rehmannia (Rehmanniae Radix)
生葛汁 {sheng1 ge2 zhi1}, 中藥正名 pueraria juice (Puerariae Radicis Recentis Succus)
生瓜 {sheng1 gua1}, 中藥正名 snake melon (Cucumeris Flexuosi Fructus)
生龜版 {sheng1 gui1 ban3}, 中藥正名 raw tortoise plastron (Testudinis Plastrum Crudum)
生化之源 {sheng1 hua1 zhi1 yuan2}, source of engendering transformation (the spleen)
生化之源不足 {sheng1 hua1 zhi1 yuan2 bu4 zu2}, insufficiency of the source of engendering transformation
生化湯 {sheng1 hua4 tang1}, 方名 Engendering Transformation Decoction
生槐花 {sheng1 huai2 hua1}, 中藥正名 raw sophora flower (Sophorae Flos Crudus)

生黃耆 {sheng1 huang2 qi2}, 中藥正名 raw astragalus (Astragali Radix Cruda)
生肌 {sheng1 ji1}, engender flesh
生肌八寶丹 {sheng1 ji1 ba1 bao3 dan1}, 方名 Flesh-Engendering Eight-Jewel Elixir
生肌白玉膏 {sheng1 ji1 bai2 yu4 gao1}, 方名 Flesh-Engendering White Jade Plaster
生肌長肉 {sheng1 ji1 chang2 rou4}, engender flesh
生肌定痛 {sheng1 ji1 ding4 tong4}, engender flesh and stabilitze pain
生機好 {sheng1 ji1 hao3}, have a good chance of survival
生雞內金 {sheng1 ji1 nei4 jin1}, 中藥正名 raw gizzard lining (Galli Gigeriae Endothelium Crudum)
生肌散 {sheng1 ji1 san3}, 方名 Flesh-Engendering Powder
生肌收口 {sheng1 ji1 shou1 kou3}, engender flesh and close wounds
生肌玉紅膏 {sheng1 ji1 yu4 hong2 gao1}, 方名 Flesh-Engendering Jade and Red Paste
生薑半夏湯 {sheng1 jiang1 ban4 xia4 tang1}, 方名 Fresh Ginger and Pinellia Decoction
生薑甘草湯 {sheng1 jiang1 gan1 cao3 tang1}, 方名 Fresh Ginger and Licorice Decoction
生薑紅糖湯 {sheng1 jiang1 hong2 tang2 tang1}, 方名 Fresh Ginger and Brown Sugar Decoction
生薑皮 {sheng1 jiang1 pi2}, 中藥異名 ginger skin (Zingiberis Rhizomatis Cortex)
生薑瀉心湯 {sheng1 jiang1 xie4 xin1 tang1}, 方名 Fresh Ginger Heart-Draining Decoction
生薑衣 {sheng1 jiang1 yi1}, 中藥異名 ginger skin (Zingiberis Rhizomatis Cortex)
生薑汁 {sheng1 jiang1 zhi1}, 中藥異名 ginger juice (Zingiberis Rhizomatis Succus)
生薑 {sheng1 jiang1, 中藥正名 fresh ginger (Zingiberis Rhizoma Recens)
生津 {sheng1 jin1}, engender liquid
生津藥 {sheng1 jin1 yao4}, liquid-engendering medicinal
生津液 {sheng1 jin1 ye4}, engender the fluids
生津益胃 {sheng1 jin1 yi4 wei4}, engenders liquid and boosts the stomach
生津止汗 {sheng1 jin1 zhi3 han4}, engender liquid and check sweating
生津止渴 {sheng1 jin1 zhi3 ke3}, engender liquid and allay thirst
生精強腎 {sheng1 jing1 qiang2 shen4}, engenders essence and strengthens the kidney
生精血 {sheng1 jing1 xue4}, engender essence and blood
生精益髓 {sheng1 jing1 yi4 sui2}, engender essence and boost marrow
生軍 {sheng1 jun1}, 中藥異名 raw rhubarb (Rhei Radix et Rhizoma Crudi)
生克乘侮 {sheng1 ke4 cheng2 wu3}, engendering, restraining, overwhelming, and rebellion
生硫黃末 {sheng1 liu2 huang2 mo4}, 中藥正名 raw powdered sulfur (Sulphur Crudum Pulveratum)
生龍骨 {sheng1 long2 gu3}, 中藥正名 crude dragon bone (Mastodi Ossis Fossilia Cruda)
生蘆根粥 {sheng1 lu2 gen1 zhou1}, 方名 Fresh Phragmites Gruel
生馬蘭菜 {sheng1 ma3 lan2 cai4}, 中藥正名 fresh kalimeris (Kalimeridis Herba et Radix Recens)

生麥冬 {sheng1 mai4 dong1}, 中藥正名 raw ophiopogon (Ophiopogonis Radix Recens)
生麥冬汁 {sheng1 mai4 dong1 zhi1}, 中藥正名 fresh ophiopogon juice (Ophiopogonis Tuberis Recentis Succus)
生脈散 {sheng1 mai4 san3}, 方名 Pulse-Engendering Powder
生脈湯 {sheng1 mai4 tang1}, 方名 Pulse-Engendering Decoction
生麥芽 {sheng1 mai4 ya2}, 中藥正名 raw barley sprout (Hordei Fructus Germinatus Crudus)
生脈飲 {sheng1 mai4 yin3}, 方名 Pulse-Engendering Beverage
生明礬 {sheng1 ming2 fan2}, 中藥異名 raw alum (Alumen Crudum)
生墨旱蓮 {sheng1 mo4 han4 lian2}, 中藥正名 fresh eclipta (Ecliptae Herba Recens)
生沒藥 {sheng1 mo4 yao4}, 中藥正名 raw myrrh (Myrrha Cruda)
生墨汁草 {sheng1 mo4 zhi1 cao3}, 中藥異名 fresh eclipta (Ecliptae Herba Recens)
生牡蠣 {sheng1 mu3 li4}, 中藥正名 raw oyster shell (Ostreae Concha Cruda)
生木瓜 {sheng1 mu4 gua1}, 中藥正名 raw chaenomeles (Chaenomelis Fructus)
生南星 {sheng1 nan2 xing1}, 中藥異名 raw arisaema (Arisaematis Rhizoma Crudum)
生牛膝 {sheng1 niu2 xi1}, 中藥正名 raw achyranthes (Achyranthis Bidentatae Rhizoma Crudum)
生藕汁 {sheng1 ou3 zhi1}, 中藥異名 lotus root juice (Nelumbinis Rhizomatis Recentis Succus)
生硼砂 {sheng1 peng2 sha1}, 中藥正名 raw borax (Borax)
生脾胃之津 {sheng1 pi2 wei4 zhi1 jin1}, engender spleen-stomach liquid
生蒲黃 {sheng1 pu2 huang2}, 中藥正名 raw typha pollen (Typhae Pollen Crudum)
生蒲黃湯 {sheng1 pu2 huang2 tang1}, 方名 Raw Typha Decoction
生漆 {sheng1 qi1}, 中藥正名 fresh lacquer (Toxicodendri Resina Recens)
生氣 {sheng1 qi4}, engender qi4; vital qi4
生氣之源 {sheng1 qi4 zhi1 yuan2}, source of qi4
生芡實 {sheng1 qian4 shi2}, 中藥正名 raw euryale (Euryales Semen Crudum)
生乳香 {sheng1 ru3 xiang1}, 中藥正名 raw frankincense (Olibanum Crudum)
生三七 {sheng1 san1 qi1}, 中藥正名 raw notoginseng (Notoginseng Radix Cruda)
生山藥 {sheng1 shan1 yao4}, 中藥正名 raw dioscorea (Dioscoreae Rhizoma Crudum)
生芍藥 {sheng1 shao2 yao4}, 中藥正名 raw peony (Paeoniae Radix Cruda)
生食 {sheng1 shi2}, eat raw
生石膏 {sheng1 shi2 gao1}, 中藥正名 raw gypsum (Gypsum Crudum)
生石灰 {sheng1 shi2 hui1}, 中藥正名 quicklime (Calx Viva)
生石決明 {sheng1 shi2 jue2 ming2}, 中藥正名 raw abalone shell (Haliotidis Concha Cruda)
生殖腺 {sheng1 shi2 xian4}, 西醫 gonads
生熟水 {sheng1 shu2 shui3}, boiled and unboiled water (Aqua Yin-Yang); 中藥異名 yin-yang water
生薯蕷 {sheng1 shu3 yu4}, 中藥異名 raw dioscorea (Dioscoreae Rhizoma Crudum)
生髓育麟丹 {sheng1 sui3 yu4 lin2 dan1}, 方名 Marrow-Engendering Unicorn-Rearing Elixir

生藤 {sheng1 teng2}, 中藥正名 stelmatocrypton (Stelmatocryptonis Herba)
生天冬 {sheng1 tian1 dong1}, 中藥正名 raw asparagus (Asparagi Tuber Crudum)
生天冬汁 {sheng1 tian1 dong1 zhi1}, 中藥正名 fresh asparagus juice (Asparagi Tuberis Succus)
生天南星 {sheng1 tian1 nan2 xing1}, 中藥正名 raw arisaema (Arisaematis Rhizoma Crudum)
生田七 {sheng1 tian2 qi1}, 中藥異名 raw notoginseng (Notoginseng Radix Cruda)
生鐵落 {sheng1 tie3 luo4}, 中藥異名 iron flakes (Ferri Frusta)
生鐵落飲 {sheng1 tie3 luo4 yin3}, 方名 Iron Flakes Beverage
生犀角散 {sheng1 xi1 jiao3 san3}, 方名 Raw Rhinoceros Horn Powder
生香附 {sheng1 xiang1 fu4}, 中藥正名 raw cyperus (Cyperi Rhizoma Crudum)
生新 {sheng1 xin1}, engender the new
生新血 {sheng1 xin1 xue4}, engender new blood
生血 {sheng1 xue4}, engender blood
生血不足 {sheng1 xue4 bu4 zu2}, insufficient blood production
生藥 {sheng1 yao4}, crude medicinal
生苡仁 {sheng1 yi3 ren2}, 中藥異名 raw coix seed (Coicis Semen Crudum)
生薏仁 {sheng1 yi4 ren2}, 中藥正名 raw coix seed (Coicis Semen Crudum)
生薏苡仁 {sheng1 yi4 yi3 ren2}, 中藥異名 raw coix seed (Coicis Semen Crudum)
生用 {sheng1 yong4}, use(d) raw
生育 {sheng1 yu4}, childbearing
生育過多 {sheng1 yu4 guo4 duo1}, excessive childbearing
生月石 {sheng1 yue4 shi2}, 中藥異名 raw borax (Borax)
生棗仁 {sheng1 zao3 ren2}, 中藥正名 raw spiny jujube (Ziziphi Spinosi Semen Crudum)
生赭石粉 {sheng1 zhe3 shi2 fen3}, 中藥正名 powdered crude hematite (Haematitum Crudum Pulveratum)
生之本 {sheng1 zhi1 ben3}, root of life
生梔子 {sheng1 zhi1 zi3}, 中藥正名 raw gardenia (Gardeniae Fructus Crudus)
生殖 {sheng1 zhi2}, 西醫 reproduction
生殖機能 {sheng1 zhi2 ji1 neng2}, 西醫 sexual function
生殖機能低下 {sheng1 zhi2 ji1 neng2 di1 xia4}, 西醫 lowered sexual function
生殖器 {sheng1 zhi2 qi4}, 西醫 genitalia; genitals
生殖器結核 {sheng1 zhi2 qi4 jie2 he2}, 西醫 genital tuberculosis
生殖器&&75B1||疹 {sheng1 zhi2 qi4 pao4 zhen3}, 西醫 herpes genitalis
生殖性 A&&75B1||疹 {sheng1 zhi2 xing4 pao4 zhen3}, 西醫 herpes genitalis
生殖與泌尿系統 {sheng1 zhi2 yu3 mi4 niao4 xi4 tong3}, 西醫 genitourinary system
生殖之精 {sheng1 zhi2 zhi1 jing1}, reproductive essence

【聲】 {sheng1} [Freq. 2] voice (語聲 {yu3 sheng1}, voice); sound (n.) (痰聲漉漉 {tan2 sheng1

lu4 lu4}, gurgling sound of phlegm).
聲帶病 {sheng1 dai4 bing4}, 西醫 disease of the vocal cords
聲帶創傷 {sheng1 dai4 chuang4 shang1}, damage to the vocal cords
聲帶麻痺 {sheng1 dai4 ma2 bi4}, 西醫 paralysis of vocal cords
聲帶息肉 {sheng1 dai4 xi1 rou4}, 西醫 polyp of vocal cords
聲帶小結 {sheng1 dai4 xiao3 jie2}, 西醫 nodulation of vocal cords
聲低 {sheng1 di1}, low voice
聲如拽鋸 {sheng1 ru2 zhuai4 ju4}, sound like the rasping of a saw
聲色草 {sheng1 se4 cao3}, 中藥正名 polycarpae (Polycarpaeae Herba)
聲嗄 {sheng1 sha4}, hoarse voice
聲啞失音 {sheng1 ya3 shi1 yin1}, hoarse voice or loss of voice
聲音低怯 {sheng1 yin1 di1 qie4}, low timid voice
聲音低弱 {sheng1 yin1 di1 ruo4}, low weak voice
聲音低微 {sheng1 yin1 di1 wei1}, low faint voice
聲音嘶嗄 {sheng1 yin1 si1 sha4}, hoarse voice
聲音嘶啞 {sheng1 yin1 si1 ya3}, hoarse voice
聲音重濁 {sheng1 yin1 zhong4 zhuo2}, heavy turbid voice
聲重 {sheng1 zhong4}, heavy voice

~~ {sheng2} ~~
【繩】 {sheng2} [Freq. 4] string.
繩梨 {sheng2 li2}, 中藥異名 Chinese gooseberry (Actinidiae Chinensis Fructus)

~~ {sheng3} ~~
【省】 {sheng3} [Freq. 4] save; Province.
省沽油 {sheng3 gu1 you2}, 中藥正名 bladdernut (fruit or root) (Staphyleae Fructus seu Radix)
省雀花 {sheng3 que4 hua1}, 中藥正名 symingtonia stem (Symingtoniae Caulis)

~~ {sheng4} ~~
【盛】 {sheng4} [Freq. 2] exuberant (adj.), exuberance (n.) (邪氣盛 {xie2 qi4 sheng4}, exuberant evil qi4; 陰盛陽衰 {yin1 sheng4 yang2 shuai1}, yin1 exuberance with yang2 vacuity); plenitude (受盛之官 {shou4 sheng4 zhi1 guan1}, office of receiving plenitude); plenitude (受盛之官 {shou4 sheng4 zhi1 guan1}, office of receiving plenitude).
盛衰 {sheng4 shuai1}, exuberance and debilitation

【勝】 {sheng4} [Freq. 2] prevail (v.), prevalent (adj.), prevalence (n.); overcome (v.) (勝濕 {sheng1 shi1}, overcome dampness).
勝春紅 {sheng4 chun1 hong2}, 中藥異名 China tea rose (Rosae Chinensis Flos)
勝復 {sheng4 fu4}, overcoming and retaliation
勝紅薊 {sheng4 hong2 ji4}, 中藥正名 ageratum (Agerati Herba)
勝氣 {sheng4 qi4},
勝濕 {sheng4 shi1}, overcome dampness
勝濕湯 {sheng4 shi1 tang1}, 方名 Dampness-Overcoming Decoction
勝舄菜 {sheng4 xi4 cai4}, 中藥異名 plantago (Plantaginis Herba)

【聖】 {sheng4} [Freq. 3] sacred; sagacious.
聖濟經 {sheng4 ji4 jing1}, 書名 Sages' Salvation Canon (1111--1117 (Song4), Government publication)
聖濟總錄 {sheng4 ji4 zong3 lu4}, 書名 Sages' Salvation Records (1111--1117 (Song4), Government publication)
聖愈湯 {sheng4 yu4 tang1}, 方名 Sagacious Cure Decoction

【賸】 {sheng4} [Freq. 4] enrich (醫醇賸義 {yi1 chun2 sheng4 yi4}, Enriching the Meaning of the Wine of Medicine)

~~ {shi1} ~~
【尸】 {shi1} [Freq. 4] corpse; cadaver.
尸臭 {shi1 chou4}, cadaverous odor
尸厥 {shi1 jue2}, deathlike reversal
尸氣 {shi1 qi4}, cadaverous qi4
尸注 {shi1 zhu4}, cadaverous influx

【失】 {shi1} [Freq. 2] lose(v.); loss(n.); pass(v.); passing(n.) (e.g., 失氣 {shi1 qi4}, passing of flatus); impaired(adj.); impairment(n.); deprived of (筋失濡養 {jin1 shi1 ru2 yang3}, sinews deprived of nourishment).
失常 {shi1 chang2}, abnormal; irregular
失禁 {shi1 jin4}, incontinence
失精 {shi1 jing1}, seminal loss
失精家 {shi1 jing1 jia1}, person who suffers from seminal loss
失頸 {shi1 jing3}, crick in the neck
失眠 {shi1 mian2}, insomnia 穴正名 Insomnia
失明 {shi1 ming2}, loss of sight

失氣 {shi1 qi4}, passing of flatus; qi4 loss; fecal qi4
失欠 {shi1 qian4}, yawn
失權 {shi1 quan2}, failure to perform its office; breakdown; impairment
失榮 {shi1 rong2}, loss-of-luxuriance (a kind of sore)
失神 {shi1 shen2}, spiritlessness
失聲不語 {shi1 sheng1 bu4 yu3}, loss of voice
失司 {shi1 si1}, breakdown
失溲 {shi1 sou1}, urinary incontinence
失調 {shi1 tiao2}, irregular(adj.); irregularity(n.) (月經失調 {yue4 jing1 shi1 tiao2}, menstrual irregularities) (between two entities, e.g., 氣血失調 {qi4 xue4 shi1 tiao2}, disharmony of qi4 and blood); disharmony (津液失調 {jin1 ye4 shi1 tiao2}, fluid disorder); disorder
失笑散 {shi1 xiao4 san3}, 方名 Sudden Smile Powder
失笑丸 {shi1 xiao4 wan2}, 方名 Sudden Smile Pill
失心風 {shi1 xin1 feng1}, lost heart wind
失嗅 {shi1 xiu4}, loss of smell
失血 {shi1 xue4}, blood loss
失血過多 {shi1 xue4 guo4 duo1}, excessive blood loss
失血眩暈 {shi1 xue4 xuan4 yun1}, blood loss dizziness
失養 {shi1 yang3}, loss of nourishment
失宜 {shi1 yi2}, improper (烹調失宜 {peng1 tiao2 shi1 yi2}, improper cooking)
失音 {shi1 yin1}, loss of voice
失音不語 {shi1 yin1 bu4 yu3}, loss of voice
失營 {shi1 ying2}, loss-of-construction (same as ``loss-of-luxuriance'' (失榮 {shi1 rong2}), a kind of sore)
失枕 {shi1 zhen3}, crick in the neck
失職 {shi1 zhi2}, failure to perform its office; failure; impairment
失治 {shi1 zhi4}, lack of proper treatment; not properly treated

【施】 {shi1} [Freq. 4] carry out.
施州龍牙草 {shi1 zhou1 ya2 cao3}, 中藥異名 agrimony (Agrimoniae Herba)

【溼】 {shi1} [Freq. 2] dampness (same as 濕 {shi1})

【獅】 {shi1} [Freq. 4] lion.
獅頭參 {shi1 tou2 shen1}, 中藥異名 codonopsis (Codonopsis Radix)

【蝨】 {shi1} [Freq. 4] louse.
蝨病 {shi1 bing4}, 西醫 pediculosis

蝨草花 {shi1 cao3 hua1}, 中藥正名 pulicaria (Pulicariae Flos)
蝨目魚 {shi1 mu4 yu2}, 中藥正名 milk fish (Chanotis Caro)

【濕】 {shi1} [Freq. 2] damp (adj.), (n.), dampness (n.) (濕氣 {shi1 qi4}, damp qi4; 濕熱下注 {shi1 re4 xia4 zhu4}, {damp}-heat pouring downward; 芳香化濕{fang1 xiang1 hua4 shi1}, transform dampness with aroma).
濕秘 {shi1 bi4}, damp constipation
濕閉 {shi1 bi4}, damp block
濕痹 {shi1 bi4}, damp impediment
濕病 {shi1 bing4}, dampness disease
濕瘡 {shi1 chuang1}, damp sore (equivalent to WM eczma)
濕從寒化 {shi1 cong2 han2 hua4}, dampness forming with cold
濕從熱化 {shi1 cong2 re4 hua4}, dampness forming with heat
濕的證候 {shi1 de zheng4 hou4}, dampness patterns
濕毒 {shi1 du2}, damp toxin
濕毒便血 {shi1 du2 bian4 xue4}, damp toxin bloody stool
濕毒瘡 {shi1 du2 chuang1}, damp toxin [sore]; damp toxin sore
濕毒帶下 {shi1 du2 dai4 xia4}, damp toxin vaginal discharge
濕毒流注 {shi1 du2 liu2 zhu4}, damp toxin streaming sore
濕毒下血 {shi1 du2 xia4 xue4}, damp toxin precipitation of blood
濕毒蘊結 {shi1 du2 yun4 jie2}, damp toxin brewing and binding
濕毒蘊結證 {shi1 du2 yun4 jie2 zheng4}, pattern damp toxin brewing and binding
濕遏熱伏 {shi1 e4 re4 fu2}, dampness trapping hidden (deep-lying) heat
濕遏衛陽 {shi1 e4 wei4 yang2}, dampness obstructing defense yang2
濕敷療法 {shi1 fu1 liao2 fa3}, moist compress
濕化成痰 {shi1 hua4 cheng2 tan2}, dampness transforming into phlegm
濕霍亂 {shi1 huo4 luan4}, damp cholera
濕劑 {shi1 ji4}, moist formula
濕家 {shi1 jia1}, person who suffers from dampness
濕腳氣 {shi1 jiao3 qi4}, damp leg qi4
濕疥 {shi1 jie4}, damp scab
濕痙 {shi1 jing4}, damp tetany
濕咳 {shi1 ke2}, damp cough
濕可去枯 {shi1 ke3 qu4 ku1}, damp [medicinals] can eliminate desiccation
濕困脾土 {shi1 kun4 pi2 tu3}, dampness encumbering spleen-earth
濕困脾陽 {shi1 kun4 pi2 yang2}, dampness encumbering spleen yang2
濕爛 {shi1 lan4}, damp ulceration
濕聾 {shi1 long2}, damp deafness

濕瘰 {shi1 luo3}, damp scrofula
濕蒙上焦 {shi1 meng2 shang4 jiao1}, dampness clouding the upper burner
濕瘧 {shi1 nue94}, damp malaria
濕氣 {shi1 qi4}, damp qi4
濕熱 {shi1 re4}, damp-heat
濕熱痹阻經絡 {shi1 re4 bi4 zu3 jing1 luo4}, damp-heat impeding the channels and network vessels
濕熱并重 {shi1 re4 bing4 zhong4}, equal severity of dampness and heat
濕熱毒盛 {shi1 re4 du2 sheng4}, exuberant damp-heat toxin
濕熱犯耳 {shi1 re4 fan4 er3}, damp-heat invading the ear
濕熱犯耳證 {shi1 re4 fan4 er3 zheng4}, pattern of damp-heat invading the ear
濕熱犯肝 {shi1 re4 fan4 gan1}, wind-damp invading the lung
濕熱腹痛 {shi1 re4 fu4 tong4}, damp-heat abdominal pain
濕熱化燥 {shi1 re4 hua4 zao4}, damp-heat transforming into dryness
濕熱黃疸 {shi1 re4 huang2 dan3}, damp-heat jaundice
濕熱積滯 {shi1 re4 ji1 zhi4}, damp-heat accumulation and stagnation
濕熱積滯內阻胃腸 {shi1 re4 ji1 zhi4 nei4 zhu3 wei4 chang2}, damp-heat accumulation and stagnation obstructing the stomach and intestines
濕熱浸淫證 {shi1 re4 jin4 yin2 zheng4}, spreading damp-heat pattern
濕熱痢 {shi1 re4 li4}, damp-heat dysentery
濕熱淋 {shi1 re4 lin4}, damp-heat strangury
濕熱留戀氣分 {shi1 re4 liu2 lian4 qi4 fen4}, damp-heat lodged in the qi4 aspect
濕熱留戀三焦 {shi1 re4 liu2 lian4 san1 jiao1}, damp-heat lodged in the triple burner
濕熱流注精室 {shi1 re4 liu2 zhi4 jing1 shi4}, damp-heat flowing into the essence chamber
濕熱癃淋 {shi1 re4 long2 lin2}, damp-heat urinary stoppage and strangury
濕熱瀰漫三焦 {shi1 re4 mi2 man4 san1 jiao1}, damp-heat spreading through the triple burner
濕熱瀰漫三焦證 {shi1 re4 mi2 man4 san1 jiao1 zheng4}, pattern damp-heat spreading through the triple burner
濕熱內蘊 {shi1 re4 nei4 yun4}, damp-heat brewing internally
濕熱濡漬 {shi1 re4 ru2 zi4}, soddening (by) damp-heat
濕熱疝 {shi1 re4 shan4}, damp-heat mounting
濕熱傷筋 {shi1 re4 shang1 jin1}, damp-heat damaging the sinews
濕熱傷陰 {shi1 re4 shang1 yin1}, damp-heat damaging yin1
濕熱身腫 {shi1 re4 shen1 zhong3}, damp-heat generalized swelling
濕熱時毒 {shi1 re4 shi2 du2}, damp-heat seasonal toxin
濕熱條辨 {shi1 re4 tiao2 bian4}, 書名 Systematized Identification of Damp-Heat (1831 (Qing1), Xue1 Xue3} 薛雪)
濕熱頭痛 {shi1 re4 tou2 tong4}, damp-heat headache

濕熱痿 {shi1 re4 wei3}, damp-heat wilting
濕熱下注 {shi1 re4 xia4 zhu4}, damp-heat pouring downward; downpour of damp-heat
濕熱下注大腸 {shi1 re4 xia4 zhu4 da4 chang2}, damp-heat pouring down into the large intestine
濕熱下注膀胱 {shi1 re4 xia4 zhu4 pang2 guang1}, damp-heat pouring down into the bladder
濕熱下注證 {shi1 re4 xia4 zhu4 zheng4}, pattern of damp-heat pouring downward
濕熱脅痛 {shi1 re4 xie2 tong4}, damp-heat rib-side pain
濕熱瀉痢 {shi1 re4 xie4 li4}, damp-heat dysentery
濕熱泄瀉 {shi1 re4 xie4 xie4}, damp-heat diarrhea
濕熱眩暈 {shi1 re4 xuan4 yun1}, damp-heat dizziness
濕熱腰痛 {shi1 re4 yao1 tong4}, damp-heat lumbar pain
濕熱遺精 {shi1 re4 yi2 jing1}, damp-heat seminal emission
濕熱瘀結 {shi1 re4 yu1 jie2}, damp-heat stasis bind
濕熱瘀結膀胱 {shi1 re4 yu1 jie2 pang2 guang1}, damp-heat stasis binding in the bladder
濕熱瘀結腎臟 {shi1 re4 yu1 jie2 shen4 zang4}, damp-heat stasis binding in the kidney
濕熱瘀阻 {shi1 re4 yu1 zu3}, damp-heat stasis obstruction
濕熱瘀阻證 {shi1 re4 yu1 zu3 zheng4}, damp-heat stasis obstruction pattern
濕熱郁于經絡 {shi1 re4 yu4 yu2 jing1 luo4}, damp-heat lying depressed in the channels and network vessels
濕熱郁滯 {shi1 re4 yu4 zhi4}, depressed damp-heat
濕熱郁阻三焦 {shi1 re4 yu4 zu3 san1 jiao1}, damp-heat obstructing the triple burner
濕熱蘊結 {shi1 re4 yun4 jie2}, damp-heat brewing and binding
濕熱蘊結肝膽 {shi1 re4 yun4 jie2 gan1 dan3}, damp-heat brewing in the liver and gallbladder
濕熱蘊結膀胱 {shi1 re4 yun4 jie2 pang2 guang1}, damp-heat brewing in the bladder
濕熱蘊結證 {shi1 re4 yun4 jie2 zheng4}, pattern of damp-heat brewing and binding
濕熱蘊脾 {shi1 re4 yun4 pi2}, damp-heat brewing in the spleen
濕熱蘊脾證 {shi1 re4 yun4 pi2 zheng4}, pattern of damp-heat brewing in the spleen
濕熱蒸舌 {shi1 re4 zheng1 she2}, damp-heat steaming the tongue
濕熱蒸舌證 {shi1 re4 zheng1 she2 zheng4}, pattern of damp-heat steaming the tongue
濕熱證 {shi1 re4 zheng4}, damp-heat pattern
濕熱阻絡 {shi1 re4 zu3 luo4}, damp-heat obstructing the netork vessels
濕熱阻絡證 {shi1 re4 zu3 luo4 zheng4}, pattern damp-heat obstructing the netork vessels
濕熱阻滯脾胃 {shi1 re4 zu3 zhi4 pi2 wei4}, damp-heat obstructing the spleen and stomach
濕勝濡瀉 {shi1 sheng4 ru2 xie4}, prevalents of dampness causing diarrhea
濕勝陽微 {shi1 sheng4 yang2 wei1}, debilitation of yang2 due to prevalence of dampness; dampness prevalence yang2 debilitation
濕勝則濡瀉 {shi1 sheng4 ze2 ru2 xie4}, when dampness prevails, there is soft stool diarrhea
濕勝則陽微 {shi1 sheng4 ze2 yang2 wei1}, when dampness prevails, yang2 is debilitated
濕鼠曲草 {shi1 shu3 qu1 cao3}, 中藥正名 marsh cudweed (Gnaphalii Uliginosi Herba)

濕嗽 {shi1 sou4}, damp cough
濕痰 {shi1 tan2}, damp phlegm
濕痰腳氣 {shi1 tan2 jiao3 qi4}, damp phlegm leg qi4
濕痰流注 {shi1 tan2 liu2 zhu4}, damp phlegm streaming sore
濕痰痿 {shi1 tan2 wei3}, damp phlegm wilting
濕痰眩暈 {shi1 tan2 xuan4 yun1}, damp phlegm dizziness
濕痰腰痛 {shi1 tan2 yao1 tong4}, damp phlegm lumbar pain
濕痰證 {shi1 tan2 zheng4}, damp phlegm pattern
濕停滯 {shi1 ting2 zhi4}, dampness collecting and stagnating
濕溫 {shi1 wen1}, damp warmth
濕溫潮熱 {shi1 wen1 chao2 re4}, damp warmth tidal heat [effusion] (fever)
濕溫郁衛 {shi1 wen1 yu4 wei4}, damp warmth depressing defense
濕癬 {shi1 xian3}, damp lichen
濕邪 {shi1 xie2}, dampness evil
濕瀉 {shi1 xie4}, damp diarrhea
濕性黏滯 {shi1 xing4 nian2 zhi4}, dampness by nature is sticky and stagnant
濕性趨下 {shi1 xing4 qu1 xia4}, dampness by nature descends
濕性重濁 {shi1 xing4 zhong4 zhuo2}, dampness by nature is heavy and turbid
濕癢熱痛 {shi1 yang3 re4 tong4}, damp itch and heat pain
濕腰痛 {shi1 yao1 tong4}, damp lumbar pain
濕壅鼻竅 {shi1 yong1 bi2 qiao4}, dryness damaging the nasal orifice
濕壅鼻竅證 {shi1 yong1 bi2 qiao4 zheng4}, pattern of dryness damaging the nasal orifice
濕郁 {shi1 yu4}, damp depression
濕郁肌表 {shi1 yu4 ji1 biao3}, dampness lying depressed in the fleshy exterior
濕郁氣分 {shi1 yu4 qi4 fen4}, dampness lying depressed in the qi4 aspect
濕郁熱伏 {shi1 yu4 re4 fu2}, depressed dampness and hidden (deep-lying) heat
濕郁湯 {shi1 yu4 tang1}, 方名 Damp Depression Decoction
濕疹 {shi1 zhen3}, 西醫 eczema; eczema
濕證 {shi1 zheng4}, dampness pattern
濕腫 {shi1 zhong3}, damp swelling
濕中 {shi1 zhong4}, dampness stroke
濕重于熱 {shi1 zhong4 yu2 re4}, dampness predominating over heat
濕重于熱證 {shi1 zhong4 yu2 re4 zheng4}, pattern of dampness predominating over heat
濕濁 {shi1 zhuo2}, damp turbidity
濕濁不化 {shi1 zhuo2 bu4 hua4}, damp turbidity failing to transform
濕濁困心 {shi1 zhuo2 kun4 xin1}, damp turbidity encumbering the heart
濕阻 {shi1 zu3}, damp obstruction
濕阻大腸 {shi1 zu3 da4 chang2}, dampness obstructing the large intestine

濕阻氣分 {shi1 zu3 qi4 fen4}, dampness obstructing the qi4 aspect; qi4-aspect damp obstruction
濕阻氣機 {shi1 zu3 qi4 ji1}, dampness obstructing qi4 dynamic
濕阻證 {shi1 zu3 zheng4}, damp obstruction pattern
濕阻中焦 {shi1 zu3 zhong1 jiao1}, dampness obstructing the center burner; center burner damp obstruction

【蓍】 {shi1} [Freq. 4] alpine yarrow.
蓍實 {shi1 shi2}, 中藥正名 alpine yarrow fruit (Achilleae Alpinae Fructus)

【蝲】 {shi1} [Freq. 4] bellamya.
蝲螺 {shi1 luo2}, 中藥異名 bellamya (Bellamya )

【&&8492||】 {shi1} [Freq. 4] plant name.
&&8492||實 {shi1 shi2}, 中藥正名 sedge fruit (Caricis Fructus)

~~ {shi2} ~~
【十】 {shi2} [Freq. 1] ten, tenth, tenfold.
十八反 {shi2 ba1 fan3}, eighteen clashes
十八症 {shi2 ba1 zheng4}, 中藥正名 Tongking pepper (Piperis Tonkinensis Frutex)
十補丸 {shi2 bu3 wan2}, 方名 Ten Supplements Pill
十大功勞葉 {shi2 da4 gong1 lao2 ye4}, 中藥正名 mahonia (Mahoniae Folium)
十二 {shi2 e4}, twelve; twelfth
十二刺 {shi2 er4 ci4}, twelve needling methods
十二段錦 {shi2 er4 duan4 jin3}, eight brocades
十二風痹 {shi2 er4 feng1 bi4}, twelve wind impediments
十二風邪 {shi2 er4 feng1 xie2}, twelve wind evils
十二官 {shi2 er4 guan1}, twelve officials (the twelve organs)
十二劑 {shi2 er4 ji4}, twelve formula types
十二節 {shi2 er4 jie2}, twelve joints
十二節刺 {shi2 er4 jie2 ci4}, twelve needling methods
十二經 {shi2 er4 jing1}, twelve channels
十二經別 {shi2 er4 jing1 bie2}, twelve channel divergences
十二經動脈 {shi2 er4 jing1 dong4 mai4}, twelve pulsating vessels
十二經筋 {shi2 er4 jing1 jin1}, twelve channel sinews
十二經脈 {shi2 er4 jing1 mai4}, twelve channels
十二經熱 {shi2 er4 jing1 re4}, heat in the twelve channels
十二經水 {shi2 er4 jing1 shui3}, twelve channel waters (the twelve channels)

十二驚癇 {shi2 er4 jing1 xian2}, twelve kinds of fright epilepsy
十二驚癇瘛 {shi2 er4 jing1 xian2 chi4}, twelve kinds of fright epilepsy with tugging
十二經之海 {shi2 er4 jing1 zhi1 hai3}, sea of the twelve channels (the thoroughfare vessel)
十二井 {shi2 er4 jing3}, 腧穴正名 Twelve Well Points
十二井穴 {shi2 er4 jing3 xue2}, twelve well points
十二皮部 {shi2 er4 pi2 bu4}, twelve cutaneous regions
十二時 {shi2 er4 shi2}, twelve watches (two-hour periods)
十二俞穴 {shi2 er4 shu1 xue2}, twelve points
十二水 {shi2 er4 shui3}, twelve waters
十二水滿急痛 {shi2 er4 shui3 man3 ji2 tong4}, twelve kinds of water fullness, fullness, urgency, and pain
十二水腫 {shi2 er4 shui3 zhong3}, twelve kinds of water swelling
十二原 {shi2 er4 yuan2}, twelve sources
十二原穴 {shi2 er4 yuan2 xue2}, twelve source points
十二臟 {shi2 er4 zang4}, twelve viscera
十二正經 {shi2 er4 zheng4 jing1}, twelve regular channels
十二指腸 {shi2 er4 zhi3 chang2}, 西醫 duodenum
十二指腸炎 {shi2 er4 zhi3 chang2 yan2}, 西醫 duodenitis
十二種水氣 {shi2 er4 zhong3 shui3 qi4}, twelve kinds of water qi4
十二種水腫 {shi2 er4 zhong3 shui3 zhong3}, twelve kinds of water swelling
十怪脈 {shi2 guai4 mai4}, ten strange pulses
十灰散（丸） {shi2 hui1 san3 wan2}, 方名 Ten Cinders Powder (Pill)
十劑 {shi2 ji4}, ten formula types
十姊妹 {shi2 jie3 mei4}, 中藥正名 flat-leaved rose (Rosae Platyphyllae Radix et Folium)
十九畏 {shi2 jiu3 wei4}, nineteen fears
十六味流氣飲 {shi2 liu4 wei4 liu2 qi4 yin3}, 方名 Sixteen-Ingredient Qi4 Flow Beverage
十年惡瘡 {shi2 nian2 e4 chuang1}, malign sore for ten years
十七椎下 {shi2 qi1 zhui1 xia4}, 腧穴正名 Seventeenth Vertebra Point
十全大補膏 {shi2 quan2 da4 bu3 gao1}, 方名 Perfect Major Supplementation Paste
十全大補湯 {shi2 quan2 da4 bu3 tang1}, 方名 Perfect Major Supplementation Decoction
十全大補丸 {shi2 quan2 da4 bu3 wan2}, 方名 Perfect Major Supplementation Pill
十三鬼穴 {shi2 san1 gui3 xue2}, thirteen ghost points
十三科 {shi2 san1 ke1}, thirteen branches of medicine
十神湯 {shi2 shen2 tang1}, 方名 Ten Spirits Decoction
十水腫喘 {shi2 shui3 zhong3 chuan3}, ten kinds of water swelling and panting
十四經 {shi2 si4 jing1}, fourteen channels
十四經發揮 {shi2 si4 jing1 fa1 hui1}, 書名 Elaboration of the Fourteen Channels (1341 (Yuan2), Hua2 Shou4 滑壽 [Bo2-Ren2 伯仁])

十四經經穴 {shi2 si4 jing1 jing1 xue2}, points of the fourteen channels
十四經穴 {shi2 si4 jing1 xue2}, points of the fourteen channels
十四經要穴主治歌 {shi2 si4 jing1 yao4 xue2 zhu3 zhi4 ge1}, Song of Indications for Main Points on the fourteen channel
十王 {shi2 wang2}, 腧穴正名 Ten Kings
十味敗毒湯 {shi2 wei4 bai4 du2 tang1}, 方名 Ten-Ingredient Toxin-Vanquishing Decoction
十味剉散 {shi2 wei4 cuo4 san3}, 方名 Ten Ingredients Ground to Powder
十味溫膽湯 {shi2 wei4 wen1 dan3 tang1}, 方名 Ten-Ingredient Gallbladder-Warming Decoction
十味香薷飲 {shi2 wei4 xiang1 ru2 yin3}, 方名 Ten-Ingredient Mosla Beverage
十問 {shi2 wen4}, ten questions (in the enquiry examination)
十五絡 {shi2 wu3 luo4}, fifteen network vessels
十香丸 {shi2 xiang1 wan2}, 方名 Ten Fragrances Pill
十宣 {shi2 xuan1}, 腧穴正名 Ten Diffusing Points
十藥 {shi2 yao4}, 中藥異名 houttuynia (Houttuyniae Herba)
十一 {shi2 yi1}, eleven; eleventh
十一焦之間 {shi2 yi1 jiao1 zhi1 jian1}, 腧穴異名 BL-20 (Within the Eleventh Burner)
十一味溫膽湯 {shi2 yi1 wei4 wen1 dan3 tang1}, 方名 Eleven-Ingredient Gallbladder-Warming Decoction
十棗湯 {shi2 zao3 tang1}, 方名 Ten Jujubes Decoction
十指疼痛 {shi2 zhi3 teng2 tong4}, pain in the ten fingers
十種蠱氣 {shi2 zhong3 gu3 qi4}, ten kinds of gu3 qi4
十種水病 {shi2 zhong3 shui3 bing4}, ten kinds of water disease
十種水氣 {shi2 zhong3 shui3 qi4}, ten kinds of water qi4
十種水腫 {shi2 zhong3 shui3 zhong3}, ten kinds of water swelling
十字灸 {shi2 zi4 jiu3}, cross moxa

【石】 {shi2} [Freq. 2] stone (n.), stonelike (adj.) (石淋 {shi2 lin2}, stone strangury; 冬脈石 {dong1 mai4 shi2}, the winter pulse is stonelike).
石鮅魚 {shi2 bi4 yu2}, 中藥正名 pale chub (Zacco Platypus)
石鱉 {shi2 bie1}, 中藥正名 chiton fossil (Chitonis Fossilia)
石蟬草 {shi2 chan2 cao3}, 中藥正名 Dindygul peperomia (Peperomiae Dindygulensis Herba)
石菖蒲 {shi2 chang1 pu2}, 中藥正名 acorus (Acori Tatarinowii Rhizoma)
石菖蒲花 {shi2 chang1 pu2 hua1}, 中藥正名 acorus flower (Acori Flos)
石蓴 {shi2 chun2}, 中藥正名 sea lettuce (Ulva Thallus)
石打破 {shi2 da3 po4}, 中藥異名 yellow-downed hedyotis (Hedyotis Chrysotrichae Herba)
石膽草 {shi2 dan3 cao3}, 中藥正名 fan-shaped corallodiscus (Corallodisci Flabellatae Herba)
石吊蘭 {shi2 diao4 lan2}, 中藥正名 few-flowered lysionotus (Lysionoti Pauciflorae Herba)

石斗 {shi2 dou3}, 中藥異名 dendrobium (Dendrobii Herba)
石蛾 {shi2 e2}, stone moth
石耳 {shi2 er3}, 中藥正名 umbilicaria (Umbilicaria)
石帆 {shi2 fan2}, 中藥正名 gorgonia coral (Gorgoniae Corallium)
石防風 {shi2 fang2 feng1}, 中藥正名 turpentine peucedanum (Peucedani Terebinthacei Radix)
石風丹 {shi2 feng1 dan1}, 中藥正名 bottlebrush orchid (Goodyerae Procerae Herba)
石柑子 {shi2 gan1 zi3}, 中藥正名 pothos (Pothoris Herba)
石膏熟地煎 {shi2 gao1 shu2 di4 jian1}, 方名 Gypsum and Cooked Rehmannia Brew
石膏湯 {shi2 gao1 tang1}, 方名 Gypsum Decoction
石膏知母蒼朮湯 {shi2 gao1 zhi1 mu3 cang1 zhu2 tang1}, 方名 Gypsum, Anemarrhena, and Atractylodes Decoction
石膏知母桂枝湯 {shi2 gao1 zhi1 mu3 gui4 zhi1 tang1}, 方名 Gypsum, Anemarrhena, and Cinnamon Twig Decoction
石膏知母人參湯 {shi2 gao1 zhi1 mu3 ren2 shen1 tang1}, 方名 Gypsum, Anemarrhena, and Ginseng Decoction
石膏知母湯 {shi2 gao1 zhi1 mu3 tang1}, 方名 Gypsum and Anemarrhena Decoction; Gypsum and Anemarrhena Decoction
石膏 {shi2 gao1, 中藥正名 gypsum (Gypsum Fibrosum)
石宮 {shi2 gong1}, 腧穴異名 HT-6 (Stone Palace) (Stone Palace); 腧穴異名 KI-19
石關 {shi2 guan1}, 腧穴正名 KI-18 (Stone Pass)
石斛 {shi2 hu2}, 中藥正名 dendrobium (Dendrobii Herba)
石斛露 {shi2 hu2 lu4}, 中藥正名 dendrobium distillate (Dendrobii Herba Distillata)
石斛明目丸 {shi2 hu2 ming2 mu4 wan2}, 方名 Dendrobium Eye Brightener Pill
石斛散 {shi2 hu2 san3}, 方名 Dendrobium Powder
石斛夜光丸 {shi2 hu2 ye4 guang1 wan2}, 方名 Dendrobium Night Vision Pill
石花 (1) {shi2 hua1}, 中藥正名 madrepore (Madreporariae Os)
石花 (2) {shi2 hua1}, 中藥正名 parmelia (Parmelia)
石花菜 {shi2 hua1 cai4}, 中藥正名 agar seaweed (Eucheuma Gelatina)
石黃 {shi2 huang2}, 中藥異名 realgar (Realgar)
石灰 {shi2 hui1}, 中藥正名 limestone (Calx)
石寄生 {shi2 ji4 sheng1}, 中藥正名 stereocolon (Stereocaulon)
石瘕 {shi2 jia3}, stone conglomeration
石鹼 {shi2 jian3}, 中藥正名 herb alkali (Herbae Alkali)
石見穿 {shi2 jian4 chuan1}, 中藥正名 Chinese sage (Salviae Chinensis Herba)
石豇豆 {shi2 jiang1 dou4}, 中藥正名 lepisorus (Lepisori Eilophylli Herba)
石癐 {shi2 jie2}, stone boil
石疽 {shi2 ju1}, stone flat-abscess
石決明 {shi2 jue2 ming2}, 中藥正名 abalone shell (Haliotidis Concha)

石决明散 {shi2 jue2 ming2 san3}, 方名 Abalone Shell Powder
石臘紅 {shi2 la4 hong2}, 中藥正名 fish geranium (Pelargonii Hortorum Herba)
石藍 {shi2 lan2}, 中藥異名 willowleaf swallowwort (Cynanchi Stauntonii Rhizoma)
石蘭 {shi2 lan2}, 中藥異名 pyrrosia (Pyrrosiae Folium)
石李 {shi2 li3}, 中藥異名 honey tree fruit (Hoveniae Fructus seu Semen)
石栗葉 {shi2 li4 ye4}, 中藥正名 candlenut leaf (Aleuritis Moluccanae Folium)
石栗子 {shi2 li4 zi3}, 中藥正名 candlenut seed (Aleuritis Moluccanae Semen)
石蓮肉 {shi2 lian2 rou4}, 中藥異名 lotus seed (Nelumbinis Semen)
石蓮子 {shi2 lian2 zi3}, 中藥正名 lotus fruit (Nelumbinis Fructus)
石淋 {shi2 lin2}, stone strangury
石榴 {shi2 liu2}, 中藥正名 pomegranate (Granati Fructus)
石榴根 {shi2 liu2 gen1}, 中藥正名 pomegranate root (Granati Radix)
石榴根皮 {shi2 liu2 gen1 pi2}, 中藥正名 pomegranate root bark (Granati Radicis Cortex)
石榴花 {shi2 liu2 hua1}, 中藥正名 pomegranate flower (Granati Flos)
石硫黃 {shi2 liu2 huang2}, 中藥異名 sulfur (Sulphur)
石榴殼 {shi2 liu2 ke2}, 中藥異名 pomegranate rind (Granati Pericarpium)
石榴皮 {shi2 liu2 pi2}, 中藥正名 pomegranate rind (Granati Pericarpium)
石榴葉 {shi2 liu2 ye4}, 中藥正名 pomegranate leaf (Granati Folium)
石龍芮 {shi2 long2 rui4}, 中藥正名 noxious ranunculus (Ranunculi Scelerati Herba)
石龍芮子 {shi2 long2 rui4 zi3}, 中藥正名 noxious ranunculus fruit (Ranunculi Scelerati Fructus)
石龍子 {shi2 long2 zi3}, 中藥正名 lizard (Eumeces seu Sphenomorphus)
石門 {shi2 men2}, 腧穴正名 CV-5 (Stone Gate)
石蜜 {shi2 mi4}, 中藥異名 honey (Mel)
石南實 {shi2 nan2 shi2}, 中藥正名 photinia fruit (Photiniae Fructus)
石南藤 {shi2 nan2 teng2}, 中藥正名 photinia stem (Photiniae Caulis)
石南葉 {shi2 nan2 ye4}, 中藥正名 photinia leaf (Photiniae Folium)
石楠葉 {shi2 nan2 ye4}, 中藥異名 photinia leaf (Photiniae Folium)
石腦油 {shi2 nao3 you2}, 中藥正名 petroleum (Petroleum)
石涅 {shi2 nie4}, 中藥異名 alum (Alumen)
石女 {shi2 nu93}, stone female (woman with an excessively narrow opening of the vagina)
石彭子 {shi2 peng2 zi3}, 中藥正名 sarmentose fig receptacle (Fici Sarmentosae Receptaculum)
石皮 {shi2 pi2}, 中藥異名 pyrrosia (Pyrrosiae Folium)
石薺寧 {shi2 qi2 ning2}, 中藥正名 rough mosla (Moslae Scabrae Herba)
石氣 {shi2 qi4}, stone qi4
石青菜 {shi2 qing1 cai4}, 中藥正名 chlamydoboea (Chlamydoboeae Herba)
石闕 {shi2 que4}, 腧穴異名 KI-18 (Stone Gate Tower)

石蕊 {shi2 rui3}, 中藥正名 reindeer moss (Cladonia Rangiferina)
石上柏 {shi2 shang4 bai3}, 中藥異名 greater selaginella (Selaginellae Doederleinii Herba)
石上柏 {shi2 shang4 bo2}, 中藥異名 greater selaginella (Selaginellae Doederleinii Herba)
石上藕 {shi2 shang4 ou3}, 中藥正名 ludisia (Ludisiae Herba)
石生 {shi2 sheng1}, 中藥異名 actinolite (Actinolitum)
石首魚 {shi2 shou3 yu2}, 中藥正名 yellow croaker (Pseudosciaenae Caro)
石首魚頭石 {shi2 shou3 yu2 tou2 shi2}, 中藥異名 otolith (Pseudosciaenae Otolithum)
石首魚鲞 {shi2 shou3 yu2 xiang3}, 中藥正名 dried yellow croaker (Pseudosciaena Exsiccata)
石刷把 {shi2 shua1 ba3}, 中藥正名 whisk fern (Psiloti Herba)
石水 {shi2 shui3}, stone water (a kind of water swelling)
石思仙 {shi2 si1 xian1}, 中藥異名 eucommia (Eucommiae Cortex)
石松子 {shi2 song1 zi3}, 中藥正名 ground pine spore (Lycopodii Spora)
石蒜 {shi2 suan4}, 中藥正名 lycoris bulb (Lycoris Bulbus)
石髓鉛 {shi2 sui3 qian1}, 中藥異名 pyrite (Pyritum)
石頭魚 {shi2 tou2 you2}, 中藥異名 yellow croaker (Pseudosciaenae Caro)
石韋 {shi2 wei2}, 中藥正名 pyrrosia (Pyrrosiae Folium)
石韋根 {shi2 wei2 gen1}, 中藥正名 pyrrosia root (Pyrrosiae Rhizoma)
石韋毛 {shi2 wei2 mao2}, 中藥正名 pyrrosia hair (Pyrrosiae Pilus)
石葦散 {shi2 wei2 san3}, 方名 Pyrrosia Powder
石葦 {shi2 wei3}, 中藥異名 pyrrosia (Pyrrosiae Folium)
石蜈蚣 {shi2 wu2 gong1}, 中藥異名 acorus (Acori Tatarinowii Rhizoma)
石仙桃 {shi2 xian1 tao2}, 中藥正名 rattlesnake orchid (Pholidotae Chinensis Pseudobulbus seu Herba)
石香菜 {shi2 xiang1 rou2}, 中藥正名 Chinese mosla (Moslae Chinensis Herba)
石蟹 {shi2 xie4}, 中藥正名 crab fossil (Brachyurae Fossilia)
石蟹丸 {shi2 xie4 wan2}, 方名 Crab Fossil Pill
石燕丹 {shi2 yan2 dan1}, 方名 Spirifer Fossil Elixir
石燕 {shi2 yan4}, 中藥正名 spirifer fossil (Spiriferae Fossilia)
石燕散 {shi2 yan4 san3}, 方名 Spirifer Fossil Powder
石燕丸 {shi2 yan4 wan2}, 方名 Spirifer Fossil Pill
石羊菜 {shi2 yang2 cai4}, 中藥正名 smooth elatostema (Elatostematis Laevigati Herba)
石飴 {shi2 yi2}, 中藥異名 honey (Mel)
石癭 {shi2 ying3}, stone goiter
石針 {shi2 zhen1}, stone needle
石楨楠根 {shi2 zheng1 nan2 gen1}, 中藥正名 Si4chuan1 lindera (Linderae Szechuanensis Radix)
石脂 {shi2 zhi1}, 中藥異名 halloysite (Halloysitum Rubrum)
石指甲 {shi2 zhi3 jia3}, 中藥異名 hanging stonecrop (Sedi Herba)

石鐘乳 {shi2 zhong1 ru3}, 中藥異名 stalactite (Stalactitum)
石蓯 {shi2 zhu2}, 中藥異名 dendrobium (Dendrobii Herba)

【食】 {shi2} [Freq. 2] eat (v.) (食已即吐 {shi2 yi3 ji2 tu4}, vomiting immediately after eating); food (v.) (食滯 {shi2 zhi4}, food stagnation; 傷食{shang1 shi2}, {food} damage; 食咳 {shi2 ke2}, food cough); meal (v.) (食后服 {shi2 hou4 fu2}, take after meals); diet (n.), dietary (n.).
食痹 {shi2 bi4}, food impediment
食不化 {shi2 bu4 hua4}, non-transformation of food (as observed by undigested food in the stool)
食不下 {shi2 bu4 xia4}, inability to get food down
食不消化 {shi2 bu4 xiao1 hua4}, non-transformation of food (as observed by undigested food in the stool)
食不知飽 {shi2 bu4 zhi1 bao3}, eating without knowing satiety
食不知味 {shi2 bu4 zhi1 wei4}, inability to taste food
食倉 {shi2 cang1}, 腧穴正名 Granary
食臭 {shi2 chou4}, malador of food [in qi4 from the stomach]
食道 {shi2 dao4}, 西醫 esophagus
食道癌二號方 {shi2 dao4 ai2 er4 hao4 fang1}, 方名 Esophageal Cancer No.~2 Formula
食道癌一號方 {shi2 dao4 ai2 yi1 hao4 fang1}, 方名 Esophageal Cancer No.~1 Formula
食道炎 {shi2 dao4 yan2}, 西醫 esophagitis
食竇 {shi2 dou4}, 腧穴正名 SP-17 (Food Hole)
食復 {shi2 fu4}, relapse due to dietary irregularity
食疳 {shi2 gan1}, food gan1
食宮 {shi2 gong1}, 腧穴異名 KI-19 (Food Palace)
食關 {shi2 guan1}, 腧穴正名 Food Pass
食管 {shi2 guan3}, esophagus
食管癌 {shi2 guan3 ai2}, 西醫 carcinoma of the esophagus
食管賁門失弛緩症 {shi2 guan3 ben1 men2 shi1 chi2 huan3 zheng4}, 西醫 achalasia
食管炎 {shi2 guan3 yan2}, 西醫 esophagitis
食后飽脹 {shi2 hou4 bao3 zheng4}, bloating after eating
食后腹脹 {shi2 hou4 fu4 zhang4}, abdominal distention after eating
食后困頓 {shi2 hou4 kun4 dun4}, drowsiness after eating
食積 {shi2 ji1}, food accumulation
食積的證候 {shi2 ji1 de zheng4 hou4}, food accumulation patterns
食積腹痛 {shi2 ji1 fu4 tong}, food accumulation abdominal pain
食積咳嗽 {shi2 ji1 ke2 sou4}, food accumulation cough
食積嘔吐 {shi2 ji1 ou3 tu4}, food accumulation vomiting
食積痰嗽 {shi2 ji1 tan2 sou4}, food accumulation phlegm cough

食積脅痛 {shi2 ji1 xie2 tong4}, food accumulation rib-side pain
食忌 {shi2 ji4}, dietary contraindication
食減 {shi2 jian3}, decreased food intake
食久嘔吐 {shi2 jiu3 ou3 tu4}, vomiting long after eating
食厥 {shi2 jue2}, food reversal
食咳 {shi2 ke2}, food cough
食勞疳黃 {shi2 lao2 gan1 huang2}, food taxation gan1 yellowing
食量減少 {shi2 liang4 jian3 shao3}, reduced food intake
食療 {shi2 liao2}, dietary therapy
食療本草 {shi2 liao2 ben3 cao3}, 書名 Herbal Foundation of Diet Therapy
食呂 {shi2 lu93}, 腧穴異名 KI-19 (Food Tube)
食蜜 {shi2 mi4}, 中藥異名 honey (Mel)
食納不佳 {shi2 na4 bu4 jia1}, poor food intake
食納不香 {shi2 na4 bu4 xiang1}, no pleasure in eating
食難用飽 {shi2 nan2 yong4 bao3}, difficulty in eating to satiety
食瘧 {shi2 nue94}, food malaria
食嘔 {shi2 ou3}, food vomiting
食癖 {shi2 pi3}, food aggregation
食肉則復 {shi2 rou4 ze2 fu4}, relapse due to eating meat
食肉則遺 {shi2 rou4 ze2 yi2}, relapse due to eating meat
食入不化 {shi2 ru4 bu4 hua4}, non-transformation of ingested food
食入不運 {shi2 ru4 bu4 yun4}, non-movement of ingested food
食入即吐 {shi2 ru4 ji2 tu4}, immediate vomiting of ingested food
食入作脹 {shi2 ru4 zuo4 zhang4}, distention after eating
食傷脾胃 {shi2 shang1 pi2 wei4}, damage to the spleen and stomach by food
食少 {shi2 shao3}, low food intake; reduced eating
食少便干 {shi2 shao3 bian4 gan1}, decreased food intake and dry stool
食時 {shi2 shi2}, breakfast watch (B5 watch, 7--9 a.m.)
食滯中脘 {shi2 shi2 zhong1 wan3}, food stagnating in the center stomach duct
食痰 {shi2 tan2}, food-phlegm
食無味 {shi2 wu2 wei4}, inability to taste food
食物不下 {shi2 wu4 bu4 xia4}, inability to get food down
食物中毒 {shi2 wu4 zhong4 du2}, food poisoning; food poisoning
食癇 {shi2 xian2}, suckling epilepsy
食泄 {shi2 xie4}, food diarrhea
食瀉 {shi2 xie4}, food damage diarrhea
食性 {shi2 xing4}, eating habits
食鹽 {shi2 yan2}, 中藥異名 salt (Sal)

食醫 {shi2 yi1}, dietary physician
食醫心鑒 {shi2 yi1 xin1 jian4}, 書名 Heart Mirror of Diet Therapy
食已則吐 {shi2 yi3 ze2 tu4}, vomiting immediately after eating
食--人亦 {shi2 yi4}, eating and sloth
食魚蟹中毒 {shi2 yu2 xie4 zhong1 du2}, fish and crab food poisoning
食郁 {shi2 yu4}, food depression
食欲 {shi2 yu4}, appetite
食欲不振 {shi2 yu4 bu4 zhen4}, poor appetite; loss of appetite
食慾不振 {shi2 yu4 bu4 zhen4}, poor appetite
食欲減退 {shi2 yu4 jian3 tui4}, reduced appetite
食欲缺乏 {shi2 yu4 que1 fa2}, 西醫 anorexia
食郁湯 {shi2 yu4 tang1}, 方名 Food Depression Decoction
食遠服 {shi2 yuan3 fu2}, take between meals
食脹 {shi2 zhang4}, food distention
食指 {shi2 zhi3}, forefinger; index finger
食治 {shi2 zhi4}, diet therapy
食滯 {shi2 zhi4}, food stagnation
食滯腹脹 {shi2 zhi4 fu4 zhang4}, food stagnation with abdominal distention
食滯痰阻 {shi2 zhi4 tan2 zu3}, food stagnation with phlegm obstruction
食滯痰阻證 {shi2 zhi4 tan2 zu3 zheng4}, pattern of food stagnation with phlegm obstruction
食滯脘痛 {shi2 zhi4 wan3 tong4}, food stagnation stomach duct pain
食滯胃脘 {shi2 zhi4 wei4 wan3 (guan3)}, food stagnating in the stomach duct
食滯胃脘證 {shi2 zhi4 wei4 wan3 (guan3) zheng4}, pattern of food stagnating in the stomach duct
食滯中脘 {shi2 zhi4 zhong1 wan3}, food stagnating in the center stomach duct
食中 {shi2 zhong4}, food stroke
食茱萸 {shi2 zhu1 yu2}, 中藥正名 ailanthus zanthoxylum fruit (Zanthoxyli Ailanthoidis Fructus)
食茱萸苗 {shi2 zhu1 yu2 miao2, 中藥正名 ailanthus zanthoxylum shoot (Zanthoxyli Ailanthoidis Surculus)

【時】 {shi2} [Freq. 2] time; season (n.), seasonal (adj.) (四時 {si4 shi2}, four seasons; 時氣 {shi2 qi4}, seasonal qi4); watch (n.) (two-hour period.); period (n.), periodic (adj.); frequent (adj.), frequently (adv.) (時時驚醒 {shi2 shi2 jing1 xing3}, frequent awakening from fright); intermittent (adj.), intermittently (時時發熱 {shi2 shi2 fa1 re4}, intermittent fever).
時病 {shi2 bing4}, seasonal disease
時毒 {shi2 du2}, seasonal toxin
時發時止 {shi2 fa1 shi2 zhi3}, intermittent

時方 {shi2 fang1}, post-antique formula (any formula after the time of Zhang1 Zhong4-Jing3)
時方派 {shi2 fang1 pai4}, post-antique formula school
時復目癢 {shi2 fu4 mu4 yang3}, constant itchy eye
時疾 {shi2 ji2}, seasonal disease
時令 {shi2 ling4}, season; seasonal disposition
時令病 {shi2 ling4 bing4}, seasonal disease
時明時昧 {shi2 ming2 shi2 mei4}, sometimes conscious, sometimes unconscious
時起時落 {shi2 qi3 shi2 luo4}, that comes and goes
時氣 {shi2 qi4}, seasonal qi4
時輕時重 {shi2 qing1 shi2 zhong4}, of varying intensity
時時 {shi2 shi2}, frequent; intermittent
時時發熱 {shi2 shi2 fa1 re4}, frequent heat [effusion] (fever)
時時津液微生 {shi2 shi2 jin1 ye4 wei1 sheng1}, intermittent engendering of liquid and humor
時時驚醒 {shi2 shi2 jing1 xing3}, frequent awakening from fright
時時鴨溏 {shi2 shi2 ya1 tang2}, frequent duck's slop
時邪 {shi2 xie2}, seasonal evil
時行 {shi2 xing2}, seasonal
時行暴嗽 {shi2 xing2 bao4 sou4}, fulminant seasonal cough
時行頓嗆 {shi2 xing2 dun4 qiang1}, seasonal whooping cough
時行感冒 {shi2 xing2 gan3 mao4}, seasonal influenza
時行寒疫 {shi2 xing2 han2 yi4}, seasonal cold epidemic
時行戾氣 {shi2 xing2 li4 qi4}, seasonal perverse qi4
時行熱毒 {shi2 xing2 re4 du2}, seasonal heat toxin
時行熱疫 {shi2 xing2 re4 yi4}, seasonal heat epidemic
時行嗽 {shi2 xing2 sou4}, seasonal cough
時行疫痢 {shi2 xing2 yi4 li4}, seasonal epidemic dysentery
時疫 {shi2 yi4}, seasonal epidemic
時疫痢 {shi2 yi4 li4}, seasonal epidemic dysentery
時作時休 {shi2 zuo4 shi2 xiu1}, intermittent

【實】 {shi2} [Freq. 2] replete (adj.), repletion (n.), replenish (v.) (實脈 {shi2 mai4}, replete pulse; 實熱 {shi2 re4}, repletion heat; 正虛邪實{zheng4 xu1 xie2 shi2}, right vacuity and evil {repletion}; 虛虛實實{xu1 xu1 shi2 shi2}, evacuate vacuity and replenish repletion); fruit.
實秘 {shi2 bi4}, repletion constipation
實喘 {shi2 chuan3}, repletion panting
實大便 {shi2 da4 bian4}, harden the stool
實呃 {shi2 e4}, repletion hiccup
實寒 {shi2 han2}, repletion cold

實寒證 {shi2 han2 zheng4}, repletion cold pattern
實葫蘆 {shi2 hu2 lu2}, 中藥正名 Himalayan trichosanthes (Trichosanthis Himalensis Fructus)
實火 {shi2 huo3}, repletion fire
實火邪熱 {shi2 huo3 xie2 re4}, repletion fire and evil heat
實脈 {shi2 mai4}, replete pulse
實女 {shi2 nu93}, solid female (woman with an excessively narrow opening of the vagina)
實脾飲 {shi2 pi2 yin3}, 方名 Spleen-Firming Beverage
實痞 {shi2 pi3}, repletion glomus
實熱 {shi2 re4}, repletion heat
實熱火邪 {shi2 re4 huo3 xie2}, repletion heat fire evil
實熱結胸 {shi2 re4 jie2 xiong1}, repletion heat chest bind
實熱證 {shi2 re4 zheng4}, repletion heat pattern
實實虛虛 {shi2 shi2 xu1 xu1}, replenish repletion and evacuate vacuity
實痛 {shi2 tong4}, repletion pain
實邪 {shi2 xie2}, repletion evil; replete evil
實棗兒 {shi2 zao3 er2}, 中藥異名 cornus (Corni Fructus)
實則太陽，虛則少陰 {shi2 ze2 tai4 yang2, xu1 ze2 shao4 yin1}, repletion indicates greater yang2; vacuity indicates lesser yin1
實則瀉其子 {shi2 ze2 xie4 qi2 zi3}, in repletion, drain the child; repletion is treated by draining the child
實則瀉之 {shi2 ze2 xie4 zhi1}, in repletion, drain; repletion is treated by draining
實則陽明 {shi2 ze2 yang2 ming2}, repletion indicates yang2 brightness
實脹 {shi2 zhang4}, repletion distention
實者瀉之 {shi2 zhe3 xie4 zhi1}, in repletion, drain; repletion is treated by draining
實證 {shi2 zheng4}, repletion pattern
實中夾虛 {shi2 zhong1 jia1 xu1}, repletion with vacuity complication
實腫 {shi2 zhong3}, repletion swelling

【蝕】 {shi2} [Freq. 3] erode.
蝕惡肉 {shi2 e4 rou4}, consume malign flesh (medicinal action)

【蒔】 {shi2} [Freq. 4] dill.
蒔蘿苗 {shi2 luo2 miao2}, 中藥正名 dill (Anethi Caulis et Folium)
蒔蘿子 {shi2 luo2 zi3}, 中藥正名 dill seed (Anethi Fructus)

【鰣】 {shi2} [Freq. 4] Reeve's shad.
鰣魚 {shi2 yu2}, 中藥正名 Reeves's shad (Macrurae Reevesii Caro)
鰣魚鱗 {shi2 yu2 lin2}, 中藥正名 Reeves's shad scales (Macrurae Reevesii Squama)

~~ {shi3} ~~

【史】 {shi3} [Freq. 5] history.

史國公浸酒方 {shi3 guo2 gong1 jin4 jiu3 fang1}, 方名 Statesman Shi3's Wine-Steeped Formula

【矢】 {shi3} [Freq. 2] feces (n.), fecal (adj.) (矢氣 {shi3 qi4}, fecal qi4, flatus).

矢氣 {shi3 qi4}, flatus; fecal qi4

矢氣多 {shi3 qi4 duo1}, frequent passing of flatus

矢竹 {shi3 zhu2}, 中藥異名 pachilan bamboo (Bambusae Pachinensis Surculus)

【豕】 {shi3} [Freq. 4] swine.

豕零 {shi3 ling2}, 中藥異名 polyporus (Polyporus)

【使】 {shi3} [Freq. 2] courier (n.) (君臣佐使 {jun1 chen2 zuo3 shi3}, sovereign, minister, assistant, and courier).

使君肉 {shi3 jun1 rou4}, 中藥異名 quisqualis (Quisqualis Fructus)

使君子 {shi3 jun1 zi3}, 中藥正名 quisqualis (Quisqualis Fructus)

使君子大黃粉 {shi3 jun1 zi3 da4 huang2 fen3}, 方名 Quisqualis and Rhubarb Powder

使君子根 {shi3 jun1 zi3 gen1}, 中藥正名 quisqualis root (Quisqualis Radix)

使君子仁 {shi3 jun1 zi3 ren2}, 中藥異名 quisqualis (Quisqualis Fructus)

使君子散 {shi3 jun1 zi3 san3}, 方名 Quisqualis Powder

使君子丸 {shi3 jun1 zi3 wan2}, 方名 Quisqualis Pill

使君子葉 {shi3 jun1 zi3 ye4}, 中藥正名 quisqualis leaf (Quisqualis Folium)

【始】 {shi3} [Freq. 4] begin.

始光 {shi3 guang1}, 腧穴異名 BL-2 (Beginning of Light)

【屎】 {shi3} [Freq. 3] stool.

屎咕咕 {shi3 gu1 gu1}, 中藥正名 hoopoe (Upupa)

屎瓜根 {shi3 gua1 gen1}, 中藥異名 trichosanthes root (Trichosanthis Radix)

~~ {shi4} ~~

【氏】 {shi4} [Freq. 3] Mr; Mrs.

世界針灸學會聯合會 {shi4 jie4 zhen1 jiu3 xue2 hui4 lian2 he2 hui4}, World Federation of Acupuncture-Moxibustion Societies

世醫 {shi4 yi1}, physician of long family tradition
世醫得效方 {shi4 yi1 de2 xiao4 fang1}, 書名 Effective Formula From a Family Tradition

【市】 {shi4} [Freq. 5] market (風市 {feng1 shi4}, Wind Market (GB-31))

【事】 {shi4} [Freq. 5] matter (n.) (月事 {yue4 shi4}, monthly matters (menstruation); 陽事 {yang2 shi4}, the male matter (sexual performance; penis)); serve (v.) (事親 {shi4 qin1}, serve one's parents)

【室】 {shi4} [Freq. 2] chamber (血室 {xue4 shi4}, blood chamber (uterus, liver, or thoroughfare vessel)).
室女 {shi4 nu93}, maiden

【是】 {shi4} [Freq. 4] this; be (v.).
是動病 {shi4 dong4 bing4}, disease arising ``when this is stirred'' (disease pattern arising when the channel in question is affected)
是動所生病 {shi4 dong4 suo3 sheng1 bing4}, disease arising ``when this is stirred'' and disease ``produced by this''

【柿】 {shi4} [Freq. 4] persimmon.
柿餅 {shi4 bing3}, 中藥正名 dried persimmon (Kaki Fructus Exsiccatus)
柿蒂 {shi4 di4}, 中藥正名 persimmon calyx (Kaki Calyx)
柿蒂湯 {shi4 di4 tang1}, 方名 Persimmon Decoction
柿丁 {shi4 ding1}, 中藥異名 persimmon calyx (Kaki Calyx)
柿萼 {shi4 e4}, 中藥異名 persimmon calyx (Kaki Calyx)
柿干 {shi4 gan1}, 中藥異名 dried persimmon (Kaki Fructus Exsiccatus)
柿根 {shi4 gen1}, 中藥正名 persimmon root (Kaki Radix)
柿花 {shi4 hua1}, 中藥正名 persimmon flower (Kaki Flos)
柿寄生 {shi4 ji4 sheng1}, 中藥正名 hairy mistletoe (Loranthi Yadoriki Ramus)
柿木皮 {shi4 mu4 pi2}, 中藥正名 persimmon bark (Kaki Cortex)
柿皮 {shi4 pi2}, 中藥正名 persimmon skin (Kaki Pericarpium)
柿漆 {shi4 qi1}, 中藥正名 persimmon lacquer (Kaki Lacca)
柿錢 {shi4 qian2}, 中藥異名 persimmon calyx (Kaki Calyx)
柿錢散 {shi4 qian2 san3}, 方名 Gingerless Clove and Persimmon Powder
柿霜 {shi4 shuang1}, 中藥正名 persimmon frost (Kaki Saccharum)
柿霜餅 {shi4 shuang1 bing3}, 中藥正名 persimmon frost cake (Kaki Sacchari Rotundula)
柿葉 {shi4 ye4}, 中藥正名 persimmon leaf (Kaki Folium)
柿楂子 {shi4 zha1 zi3}, 中藥異名 crataegus (Crataegi Fructus)

柿子 {shi4 zi3}, 中藥正名 persimmon (Kaki Fructus)
柿子把 {shi4 zi3 ba3}, 中藥異名 persimmon calyx (Kaki Calyx)

【舐】 {shi4} [Freq. 4] lick (舔舐 {tian3 shi3}, lick)

【視】 {shi4} [Freq. 3] see; vision.
視赤如白 {shi4 chi4 ru2 bai2}, seeing red as white
視大爲小 {shi4 da4 wei2 xiao3}, seeing large things as small
視惑 {shi4 huo4}, confused vision
視覺缺失 {shi4 jue2 que1 shi1}, 西醫 blindness
視力減退 {shi4 li4 jian3 tui4}, loss of visual acuity
視蒙 {shi4 meng2}, cloudy vision
視明 {shi4 ming2}, 腧穴異名 Bright Vision
視歧 {shi4 qi2}, double vision
視神經萎縮 {shi4 shen2 jing1 wei3 suo1}, 西醫 optic atrophy
視神經炎 {shi4 shen2 jing1 yan2}, 西醫 optic neuritis
視網膜脫落 {shi4 wang2 mo2 tuo1 luo4}, 西醫 detachment of the retina
視網膜 {shi4 wang3 mo2}, 西醫 retina
視網膜病 {shi4 wang3 mo2 bing4}, 西醫 retinopathy
視網膜靜脈周圍炎 {shi4 wang3 mo2 jing4 mai4 zhou1 wei2 yan2}, 西醫 retinal periphlebitis
視網膜脫落 {shi4 wang3 mo2 tuo1 luo4}, 西醫 detached retina
視網膜炎 {shi4 wang3 mo2 yan2}, 西醫 retinitis
視網膜中央凹 {shi4 wang3 mo2 zhong1 yang1 ao1}, 西醫 fovea centralis retinae
視網膜中央靜脈阻塞 {shi4 wang3 mo2 zhong1 yang1 jing4 mai4 zu3 se4}, 西醫 obstruction of the central retinal vein
視物變形 {shi4 wu4 bian4 xing2}, visual distortion of objects
視物不明 {shi4 wu4 bu4 ming2}, dim vision
視物不清 {shi4 wu4 bu4 qing1}, unclear vision
視物顛倒 {shi4 wu4 dian1 dao3}, topsy-turvy vision
視物&&402E||&&402E|{shi4 wu4 huang1 huang1}, blurred vision
視物昏暗 {shi4 wu4 hun1 an4}, clouded vision
視物模糊 {shi4 wu4 mo2 hu2}, blurred vision
視物模糊不清 {shi4 wu4 mo2 hu2 bu4 qing1}, blurred vision
視物易色 {shi4 wu4 yi4 se4}, seeing things in changed colors
視物易形 {shi4 wu4 yi4 xing2}, seeing things in changed shape
視小爲大 {shi4 xiao3 wei2 da4}, seeing small things as large
視衣 {shi4 yi1}, visual lining
視一爲二 {shi4 yi1 wei2 er4}, seeing one as two; double vision

視一物而有兩形 {shi4 yi1 wu4 er2 you3 liang3 xing2}, double vision
視瞻昏渺 {shi4 zhan1 hun1 miao3}, indistinct vision
視瞻有色 {shi4 zhan1 you3 se4}, tinted vision
視直如曲 {shi4 zhi2 ru2 qu1}, seeing straight things as crooked

【勢】 {shi4} [Freq. 5] dynamic (位數勢 {wei4 shu4 xing2 shi4}, position, pace, form, and dynamic)

【嗜】 {shi4} [Freq. 3] like; predilection.
嗜酒 {shi4 jiu3}, fondness of liquor
嗜眠 {shi4 mian2}, somnolence
嗜食肥膩 {shi4 shi2 fei2 ni4}, predilection for fatty foods
嗜食甘肥 {shi4 shi2 gan1 fei2}, predilection for sweet and fatty foods
嗜食辛辣 {shi4 shi2 xin1 la4}, predilection for hot spicy foods
嗜食異物 {shi4 shi2 yi4 wu4}, predilection for strange foods
嗜食油膩厚味 {shi4 shi2 you2 ni4 hou4 wei4}, predilection for greasy and rich foods
嗜睡 {shi4 shui4}, somnolence
嗜臥 {shi4 wo4}, somnolence
嗜臥不覺 {shi4 wo4 bu4 jue2}, somnolence

【試】 {shi4} [Freq. 4] try.
試管 {shi4 guan3}, 西醫 test tube
試月 {shi4 yue4}, trial delivery

【螫】 {shi4} [Freq. 5] sting (Also pronounced {zhe1}, and same as 蜇 {zhe1})

【釋】 {shi4} [Freq. 4] release; Sakyamuni (釋迦牟尼 {shi4 jia1 mou2 ni2}, Sakyamuni).
釋迦 {shi4 jia1}, 中藥異名 custard apple (Annonae Fructus)

~~ {shou1} ~~
【收】 {shou1} [Freq. 2] contract (v.), contraction (n.), contracture (n.) (寒則氣收 {han2 ze2 qi4 shou1}, cold causes qi to {contract}; 收斂{shou1 lian3}, to promote {contraction}; 收引{shou1 yin3}, contracture and tension); withdraw (v.), withdrawal (n.); disappear (v.), disappearance (n.) (斑出即收 {ban1 chu1 ji2 shou1}, disappearance of patches immediately after eruption).
收瘡口 {shou1 chuang1 kou3}, close sores
收肺腎耗散之氣 {shou1 fei4 shen4 hao4 san4 zhi1 qi4}, draw together the dissipated qi4 of the lung and kidney

收肺益氣 {shou1 fei4 yi4 qi4}, constrain the lung and boost qi4
收口斂瘡 {shou1 kou3 lian3 chuang1}, close sores
收斂 {shou1 lian3}, astringe; promote contraction
收斂肺氣 {shou1 lian3 fei4 qi4}, astringe lung qi4
收斂固腸 {shou1 lian3 gu4 chang2}, astringe and secure the intestines
收斂耗散之氣 {shou1 lian3 ho4 san4 zhi1 qi4}, contract dissipated qi4
收斂藥 {shou1 lian3 yao4}, astringing medicinal
收沒 {shou1 mo4}, disappear
收納腎氣 {shou1 na4 shen4 qi4}, promote absorption of kidney qi4
收澀固脫 {shou1 se gu4 tuo1}, promote astriction and stem desertion
收澀 {shou1 se4}, astriction
收澀大腸 {shou1 se4 da4 chang2}, astringe the large intestine
收澀止血 {shou1 se4 zhi3 xue4}, astringe and stanch bleeding
收虛汗 {shou1 xu1 han4}, check vacuity sweating
收引 {shou1 yin3}, contracture and tautness

~~ {shou2} ~~
【熟】 {shou2} [Freq. 3] see 熟 {shu2} (Latin).
熟地 {shou2 di4}, 中藥異名 cooked rehmannia (Rehmanniae Radix Praeparata)
熟地黃 {shou2 di4 huang2}, 中藥異名 cooked rehmannia (Rehmanniae Radix Praeparata)
熟附子 {shou2 fu4 zi3}, 中藥異名 cooked aconite (Aconiti Radix Lateralis Conquita)
熟干地黃 {shou2 gan1 di4 huang2}, 中藥異名 cooked rehmannia (Rehmanniae Radix Praeparata)

~~ {shou3} ~~
【手】 {shou3} [Freq. 3] hand; arm; upper extremity.
手背熱 {shou3 bei4 re4}, heat in the backs of the hands
手臂 {shou3 bi4}, arm
手臂不可上頭 {shou3 bi4 bu4 ke3 shang4 tou2}, inability to lift the arm up to the head
手臂震顫 {shou3 bi4 zhen4 chan4}, tremor of the arm
手部感染 {shou3 bu4 gan3 ran3}, 西醫 hand infection
手不可近 {shou3 bu4 ke3 jin4}, cannot bear the slight touch of the hand
手顫 {shou3 chan4}, tremor of the hand
手大指 {shou3 da4 zhi3}, thumb
手大指次指 {shou3 da4 zhi3 ci4 zhi3}, finger next to the thumb; forefinger
手發背 {shou3 fa1 bei4}, effusion of the back of the hand

手法 {shou3 fa3}, manipulation (of needles)
手骨 {shou3 gu3}, hand bone
手滾法 {shou3 gun3 fa3}, rolling
手踝 {shou3 huai2}, wrist
手金門 {shou3 jin1 men2}, 腧穴正名 Arm's Metal Gate
手厥陰心包經 {shou3 jue2 yin1 xin1 bao1 jing1}, hand reverting yin1 pericardium channel; PC
手逆注 {shou3 ni4 zhu4}, 腧穴正名 Hand Counterflow Pouring
手拈散 {shou3 nian1 san3}, 方名 Instant Relief Powder
手撒鼻鼾 {shou3 sa1 bi2 han1}, limp hands and snoring nose
手撒口開 {shou3 sa1 kou3 kai1}, limp hands and open mouth
手撒遺尿 {shou3 sa1 yi2 niao4}, limp hands and enuresis
手三里 {shou3 san1 li3}, 腧穴正名 LI-10 (Arm Three Li3)
手三陽經 {shou3 san1 yang2 jing1}, three yang2 channels of the hand
手三陰經 {shou3 san1 yin1 jing1}, three yin1 channels of the hand
手少陽三焦經 {shou3 shao4 yang2 san1 jiao1 jing1}, hand lesser yang2 triple burner channel; TB
手少陰心經 {shou3 shao4 yin1 xin1 jing1}, hand lesser yin1 heart channel; HT
手食指 {shou3 shi2 zhi3}, forefinger; index finger
手四指 {shou3 si4 zhi3}, fourth finger
手太陽 {shou3 tai4 yang2}, 腧穴異名 SI-2 (Hand Greater Yang2)
手太陽小腸經 {shou3 tai4 yang2 xiao3 chang2 jing1}, hand greater yang2 small intestine channel; SI
手太陰肺經 {shou3 tai4 yin1 fei4 jing1}, hand greater yin1 lung channel; LU
手腕 {shou3 wan4}, wrist
手五里 {shou3 wu3 li3}, 腧穴正名 LI-13 (Arm Five Li3)
手舞足蹈 {shou3 wu3 zu2 dao4}, flailing of the limbs
手小指 {shou3 xiao3 zhi3}, little finger
手小指次祉 {shou3 xiao3 zhi3 ci4 zhi3}, finger next to the little finger (fourth finger)
手心潮燒 {shou3 xin1 chao2 shao1}, tidal heat in the hearts of the palms
手心主 {shou3 xin1 zhu3}, 腧穴異名 PC-7 (Hand Heart Governor)
手心壯熱 {shou3 xin1 zhuang4 re4}, vigoros heat in the hearts of the palms
手丫 {shou3 ya1}, hand
手陽明大腸經 {shou3 yang2 ming2 da4 chang2 jing1}, hand yang2 brightness large intestine channel; LI
手足厥冷 {shou3 yu2 jue2 leng3}, reversal cold of the extremities
手掌參 {shou3 zhang3 shen1}, 中藥正名 gymnadenia (Gymnadeniae Tuber)
手掌心熱 {shou3 zhang3 xin1 re4}, heat in the (hearts of the) palms
手之上廉 {shou3 zhi1 shang4 lian2}, 腧穴異名 LI-9 (Upper Ridge of the Arm)

手之五里 {shou3 zhi1 wu3 li3}, 腧穴異名 LI-13 (Five Li3 of the Arm)
手之下廉 {shou3 zhi1 xia4 lian2}, 腧穴異名 LI-8 (Lower Ridge of the Arm)
手指 {shou3 zhi3}, finger
手指攣急 {shou3 zhi3 luan2 ji2}, hypertonicity of the fingers
手中平 {shou3 zhong1 ping2}, 腧穴正名 Hand Central Balance
手肘 {shou3 zhou3}, elbow
手足冰冷 {shou3 zu2 bing1 leng3}, icy-cold extremities
手足不遂 {shou3 zu2 bu4 sui4}, paralysis of the limbs
手足不溫 {shou3 zu2 bu4 wen1}, lack of warmth in the extremities
手足搐搦 {shou3 zu2 chu4 nuo4}, convulsion of the extremities
手足疔瘡 {shou3 zu2 ding1 chuang1}, clove sore of the hand or foot
手足發涼 {shou3 zu2 fa1 liang2}, cold extremities
手足寒 {shou3 zu2 han2}, cold extremities
手足寒厥 {shou3 zu2 han2 jue2}, cold reversal in the extremities
手足汗出 {shou3 zu2 han4 chu1}, sweating hands and feet
手足濈濈汗出 {shou3 zu2 ji2 ji2 han4 chu1}, streatming sweating of the hands and feet
手足濈然汗出 {shou3 zu2 ji2 ran2 han4 chu1}, drizzly sweating ofhe extremities
手足厥 {shou3 zu2 jue2}, reversal of the extremities
手足厥寒 {shou3 zu2 jue2 han2}, reversal cold of the extremities
手足厥冷 {shou3 zu2 jue2 leng3}, reversal cold of the extremities
手足麻木 {shou3 zu2 ma2 mu4}, numbness of teh extremities
手足逆寒 {shou3 zu2 ni4 han2}, counterflow cold of the extremities
手足逆冷 {shou3 zu2 ni4 leng3}, counterflow cold of the extremities
手足清冷 {shou3 zu2 qing1 leng3}, cold extremities
手足蠕動 {shou3 zu2 ru2 dong4}, wriggling of the extremities
手足心發熱 {shou3 zu2 xin1 fa1 re4}, heat effusion in the heart of the palms and soles
手足心煩熱 {shou3 zu2 xin1 fan2 re4}, vexing heat in the heart of the palms and soles
手足心汗 {shou3 zu2 xin1 han4}, sweating from hearts of the palms and soles
手足心熱 {shou3 zu2 xin1 re4}, heat in the heart of the palms and soles
手足躁擾 {shou3 zu2 zao4 rao3}, agitated movement of the limbs; agitated limbs

【守】 {shou3} [Freq. 3] guard; keep composure; static.
守而不走 {shou3 er2 bu4 zou3}, static
守宮 {shou3 gong1}, 中藥異名 house lizard (Gekko Swinhoana)
守宮膏 {shou3 gong1 gao1}, 方名 House Lizard Paste

【首】 {shou3} [Freq. 4] head.
首風 {shou3 feng1}, wind of the head

首如裹 {shou3 ru2 guo3}, head as if swathed
首烏 {shou3 wu1}, 中藥異名 flowery knotweed (Polygoni Multiflori Radix)
首烏藤 {shou3 wu1 teng2, 中藥正名 flowery knotweed stem (Polygoni Multiflori Caulis)
首烏延壽丹 {shou3 wu1 yan2 shou4 dan1}, 方名 Flowery Knotweed Life-Extending Elixir

~~ {shou4} ~~
【受】 {shou4} [Freq. 2] contract (v.), contraction (n.) (受寒 {shou4 han2}, contract cold); receive (v.), reception (n.) (受盛之官 {shou4 sheng4 zhi1 guan1}, office of receiving plenitude).
受盛之官 {shou4 cheng2 zhi1 guan1}, office of receiving plenitude (small intestine)
受寒冷之氣 {shou4 han2 leng3 zhi1 qi4}, contract cold qi4
受涼 {shou4 liang2}, catch cold
受盛化物 {shou4 sheng4 hua4 wu4}, receiving plenitude and transforming matter
受盛之官 {shou4 sheng4 zhi1 guan1}, office of receiving plenitude
受燥邪 {shou4 zao4 xie2}, contraction of dryness evil
授胎 {shou4 tai4}, produce a fetus

【壽】 {shou4} [Freq. 3] longevity.
壽脾煎 {shou4 pi2 jian1}, 方名 Spleen Longevity Brew
壽世保元 {shou4 shi4 bao3 yuan2}, 書名 Prolonging Life and Preserving the Origin (17th century (Ming2), Gong1 Ting2-Xian2 龔廷賢)
壽胎丸 {shou4 tai1 wan2}, 方名 Fetal Longevity Pill
壽台骨 {shou4 tai2 gu3}, longevity platform bone (mastoid process)

【瘦】 {shou4} [Freq. 3] thin.
瘦薄舌 {shou4 bo2 she2}, thin tongue
瘦冷疳 {shou4 leng3 gan1}, lean cold gan1
瘦人多痰 {shou4 ren2 duo1 tan2}, thin people tend to have copious fire

【獸】 {shou4} [Freq. 4] animal (蟲獸傷 {chong2 shou4 shang1}, animal and insect wounds); beast (禽獸部 {qin2 shou4 bu4}, bird and beast section).
獸魄 {shou4 po4}, 中藥異名 amber (Succinum)
獸醫 {shou4 yi1}, veteranarian

~~ {shu1} ~~
【俞】 {shu1} [Freq. 2] acupuncture point (n.) (see also 輸 {shu1}, 腧 {shu1}); transport point (n.) (背俞穴 {bei4 shu1 xue2}, back transport point); stream (n.) (one of the five transport points.

俞穴{shu1 xue2}, stream point).
俞府 {shu1 fu3}, 腧穴正名 KI-27 (Transport House)
俞門 {shu1 men2}, 腧穴異名 CV-5 (Transport Gate)
俞募配穴法 {shu1 mu4 pei4 xue2 fa3}, combining transport and alarm points; combining front and back points
俞穴 {shu1 xue2}, stream point (one of the five transport points); acupuncture point; transport point

【書】 {shu1} [Freq. 4] book; writings.
書帶蕨 {shu1 dai4 jue2}, 中藥正名 ribbon fern (Vittariae Flexuosae Herba)
書目 {shu1 mu4}, bibliographic work

【殊】 {shu1} [Freq. 5] special (特殊 {te4 shu1}, special)

【疏】 {shu1} [Freq. 2] course (v.) (肝主疏泄 {gan1 zhu3 shu1 xie4}, the liver governs free {coursing}; 疏肝{shu1 gan1}, {course} the liver; 疏風{shu1 feng1}, {course} wind; 疏表 {shu1 biao3}, course the exterior).
疏表 {shu1 biao3}, course the exterior
疏表化濕 {shu1 biao3 hua4 shi1}, course the exterior and transform dampness
疏風 {shu1 feng1}, course wind
疏風解表 {shu1 feng1 jie3 biao3}, course wind and resolve the exterior
疏風利水湯 {shu1 feng1 li4 shui3 tang1}, 方名 Wind-Coursing Water-Disinhibiting Decoction
疏風清熱湯 {shu1 feng1 qing1 re4 tang1}, 方名 Wind-Coursing Heat-Clearing Decoction
疏風散寒 {shu1 feng1 san4 han2}, course wind and dissipate cold
疏風透疹 {shu1 feng1 tou4 zhen3}, dispel wind and outthrusting papules
疏風泄熱 {shu1 feng1 xie4 re4}, course wind and discharge heat
疏風宣肺 {shu1 feng1 xuan1 fei4}, course wind and diffuse the lung
疏風養血湯 {shu1 feng1 yang3 xue4 tang1}, 方名 Wind-Coursing Blood-Nourishing Decoction
疏肝 {shu1 gan1}, course the liver
疏肝和脾丸 {shu1 gan1 he2 pi2 wan2}, 方名 Liver-Coursing Spleen-Harmonizing Pill
疏肝和胃 {shu1 gan1 he2 wei4}, course the liver and harmonize the stomach
疏肝解郁 {shu1 gan1 jie3 yu4}, course the liver and resolve depression
疏肝解郁湯 {shu1 gan1 jie3 yu4 tang1}, 方名 Liver-Coursing Depression-Resolving Decoction
疏肝解郁藥 {shu1 gan1 jie3 yu4 yao4}, liver-coursing depression-resolving medicinal
疏肝開郁 {shu1 gan1 kai1 yu4}, course the liver and open depression
疏肝理脾湯 {shu1 gan1 li3 pi2 tang1}, 方名 Liver-Coursing Spleen-Rectifying Decoction
疏肝理氣 {shu1 gan1 li3 qi4}, course the liver and rectify qi4

疏肝利膽 {shu1 gan1 li4 dan3}, course the liver and dishihibit the gallbladder
疏肝散 {shu1 gan1 san3}, 方名 Liver-Coursing Powder
疏肝燥脾 {shu1 gan1 zao4 pi2}, course the liver and dry the spleen
疏經活血湯 {shu1 jing1 huo2 xue4 tang1}, 方名 Channel-Coursing Blood-Quickening Decoction
疏利大腸 {shu1 li4 da4 chang2}, course and disinhibit the large intestine
疏散風熱 {shu1 san4 feng1 re4}, course wind and dissipate heat
疏散風邪 {shu1 san4 feng1 xie2}, coursing and dissipating wind evil
疏散外風 {shu1 san4 wai4 feng1}, course and dissipate external wind
疏通經絡 {shu1 tong1 jing1 luo4}, free the channels and network vessels
疏通氣機 {shu1 tong1 qi4 qi1}, free qi4 dynamic
疏郁 {shu1 yu4}, course depression
疏郁理氣 {shu1 yu4 li3 qi4}, course depression and rectify qi4
疏鑿飲子 {shu1 zao2 yin3 zi3}, 方名 Coursing and Piercing Drink
疏滯 {shu1 zhi4}, course stagnation
疏滯和中 {shu1 zhi4 he2 zhong1}, course stagnation and harmonize the center

【舒】 {shu1} [Freq. 2] soothe (v.) (舒肝 shu1 gan1}, soothe the liver); unconstrained (脾氣不舒 {pi2 qi4 bu4 shu1}, constrained spleen qi4); elongated (舒甚 {shu1 she2}, elongated tongue); relieve (v.) (得涼則舒 {de2 liang2 ze2 shu1}, relieved by coolness).
舒肝 {shu1 gan1}, soothe the liver
舒肝解郁 {shu1 gan1 jie3 yu4}, soothe the liver and resolve depression
舒肝理氣 {shu1 gan1 li3 qi4}, soothe the liver and rectify qi4
舒肝氣 {shu1 gan1 qi4}, course liver qi4
舒肝湯 {shu1 gan1 tang1}, 方名 Liver-Soothing Decoction
舒肝丸 {shu1 gan1 wan2}, 方名 Liver-Soothing Pill
舒肝郁 {shu1 gan1 yu4}, soothe liver qi4
舒筋 {shu1 jin1}, soothe the sinews
舒筋保安散 {shu1 jin1 bao3 an1 san3}, 方名 Sinew-Soothing Peace-Keeping Powder
舒筋活絡 {shu1 jin1 huo2 luo4}, soothe the sinews and quicken the network vessels
舒筋活血片 {shu1 jin1 huo2 xue4 pian4}, 方名 Sinew-Soothing Blood-Quickening Tablet
舒筋活血湯 {shu1 jin1 huo2 xue4 tang1}, 方名 Sinew-Soothing Blood-Quickening Decoction
舒筋活血洗方 {shu1 jin1 huo2 xue4 xi3 fang1}, 方名 Sinew-Soothing Blood-Quickening Wash Formula
舒筋立安散 {shu1 jin1 li4 an1 san3}, 方名 Sinew-Soothing Peace-Bringing Powder
舒筋湯 {shu1 jin1 tang1}, 方名 Sinew-Soothing Decoction
舒筋藥水 {shu1 jin1 yao4 shui3}, 方名 Sinew-Soothing Medicinal Water
舒筋壯骨 {shu1 jin1 zhuang4 gu3}, soothe the sinews and strengthen the bones

舒經活絡 {shu1 jing1 huo2 luo4}, soothe the channels and quicken the network vessels
舒氣散 {shu1 qi4 san3}, 方名 Qi4-Smoothing Powder
舒舌 {shu1 she2}, elongated tongue
舒胃氣 {shu1 wei4 qi4}, soothe stomach qi4
舒郁 {shu1 yu4}, soothe depression
舒張進針法 {shu1 zhang1 jin4 zhen1 fa3}, skin-spreading needle insertion

【菽】 {shu1} [Freq. 4] bean.
菽蘗 {shu1 nie4}, 中藥異名 dried soybean sprout (Sojae Semen Germinatum)

【樞】 {shu1} [Freq. 2] pivot (n.) (靈樞 {ling2 shu1}, Magic Pivot; 少陽爲樞 {shao4 yang2 wei2 shu1}, the lesser yang2 is the pivot).
樞邊 {shu1 bian1}, 腧穴正名 Beside the Pivot
樞合中 {shu1 he2 zhong1}, 腧穴異名 GB-30 (Pivot Union Center)
樞中 {shu1 zhong1}, 腧穴異名 GB-30 (Pivot Center)

【輸】 {shu1} [Freq. 2] transport (v.); transport point (n.) (輸穴 {shu1 xue2}, transport point); acupuncture point (n.).
輸刺 {shu1 ci4}, transport needling (one of the five, nine, and twelve needling methods)
輸府 {shu1 fu3}, 腧穴異名 KI-27 (Transport House)
輸精管 {shu1 jing1 guan3}, 西醫 vas deferens (ductus deferens)
輸精管切除術 {shu1 jing1 guan3 qie1 chu2 shu4}, 西醫 vasectomy
輸卵管 {shu1 luan3 guan3}, 西醫 uterine tubes; fallopian tubes
輸卵管積水 {shu1 luan3 guan3 ji1 shui3}, 西醫 hydrosalpinx
輸卵管切除術 {shu1 luan3 guan3 qie1 chu2 shu4}, 西醫 salpingectomy
輸卵管炎 {shu1 luan3 guan3 yan2}, 西醫 salpingitis
輸尿管 {shu1 niao4 guan3}, 西醫 ureter
輸尿管結石 {shu1 niao4 guan3 jie2 shi2}, 西醫 urethral calculi
輸穴 {shu1 xue2}, transport point; stream point; acupuncture point

【腧】 {shu1} [Freq. 3] acupuncture point (n.) (see also 俞 {shu1}, 輸 {shu1}); transport point (n.) (腧穴{shu1 xue4}, transport point).
腧穴 {shu1 xue2}, associated point; transport point; acupuncture point; stream point
腧穴配伍 {shu1 xue4 pei4 wu3}, acupoint combinations
腧穴壓痛 {shu1 xue4 ya1 tong4}, tenderness of acupoints

【樗】 {shu1} [Freq. 4] ailanthus.
樗白皮 {shu1 bai2 pi2}, 中藥正名 ailanthus (root) bark (Ailanthi Altissimae (Radicis) Cortex)

樗根白皮 {shu1 gen1 bai2 pi2}, 中藥正名 ailanthus root bark (Ailanthi Altissimae Radicis Cortex)
樗根皮 {shu1 gen1 pi2}, 中藥異名 ailanthus root bark (Ailanthi Altissimae Radicis Cortex)
樗葉 {shu1 ye4}, 中藥正名 ailanthus leaf (Ailanthi Altissimae Folium)
樗葉花椒皮 {shu1 ye4 hua1 jiao1 pi2}, 中藥正名 ailanthus zanthoxylum bark (Zanthoxyli Ailanthoidis Cortex)

【&&25C7||】 {shu1} [Freq. 4] stretched (項背強&&25C7||&&25C7|{xiang4 bei4 jiang4 shu1 shu1}, stretched stiffness of the nape and back)

~~ {shu2} ~~
【熟】 {shu2} [Freq. 3] cooked (of animal and vegetable products); processed (of minerals and shells); conquitum (Latin); processed (adj.) (of minerals and shells.); conquitum (Latin).
熟大黃 {shu2 da4 huang2}, 中藥正名 cooked rhubarb (Rhei Radix et Rhizoma Conquiti)
熟地 {shu2 di4}, 中藥異名 cooked rehmannia (Rehmanniae Radix Praeparata)
熟地黃 {shu2 di4 huang2, 中藥正名 cooked rehmannia (Rehmanniae Radix Praeparata)
熟附子 {shu2 fu4 zi3}, 中藥正名 cooked aconite (Aconiti Radix Lateralis Conquita)
熟干地黃 {shu2 gan1 di4 huang2}, 中藥異名 cooked rehmannia (Rehmanniae Radix Praeparata)
熟軍 {shu2 jun1}, 中藥異名 cooked rhubarb (Rhei Radix et Rhizoma Conquiti)
熟軍灰 {shu2 jun1 hui1}, 中藥正名 charred rhubarb (Rhei Radix et Rhizoma Carbonisati)
熟食 {shu2 shi2}, eat cooked
熟石膏 {shu2 shi2 gao1}, 中藥正名 cooked gypsum (Gypsum Conquitum)
熟石灰 {shu2 shi2 hui1}, 中藥正名 slaked lime (Calx Exstincta)

【秫】 {shu2} [Freq. 4] plant name.
秫米 {shu2 mi3}, 中藥異名 broomcorn millet (Panici Miliacei Semen)

~~ {shu3} ~~
【暑】 {shu3} [Freq. 2] summerheat (n.) (暑濕 {shu3 shi1}, summerheat-damp).
暑病 {shu3 bing4}, summerheat disease
暑產 {shu3 chan3}, summerheat delivery
暑風 {shu3 feng1}, summerheat-wind
暑風成驚 {shu3 feng1 cheng2 jing1}, summerheat wind turning into fright
暑穢 {shu3 hui4}, summerheat foulness
暑霍亂 {shu3 huo4 luan4}, summerheat cholera

暑兼寒濕 {shu3 jian1 han2 shi1}, summerheat with cold-damp
暑癤 {shu3 jie2}, summerheat boil
暑痙 {shu3 jing4}, summerheat tetany
暑厥 {shu3 jue2}, summerheat reversal
暑咳 {shu3 ke2}, summerheat cough
暑痢 {shu3 li4}, summerheat dysentery
暑瘧 {shu3 nue94}, summerheat malaria
暑熱 {shu3 re4}, summerheat-heat
暑熱動風 {shu3 re4 dong4 feng1}, summerheat-heat stirring wind
暑熱動風證 {shu3 re4 dong4 feng1 zheng4}, pattern of summerheat-heat stirring wind
暑熱內郁 {shu3 re4 nei4 yu4}, summerheat-heat lying depressed internally
暑熱內郁證 {shu3 re4 nei4 yu4 zheng4}, pattern of summerheat-heat lying depressed internally
暑熱傷氣 {shu3 re4 shang1 qi4}, summerheat-heat damaging qi4
暑熱消渴 {shu3 re4 xiao1 ke3}, summerheat-heat dispersion-thirst
暑熱脅痛 {shu3 re4 xie2 tong4}, summerheat-heat rib-side pain
暑熱證 {shu3 re4 zheng4}, summerheat-heat pattern
暑痧 {shu3 sha1}, summerheat sand
暑傷肺絡 {shu3 shang1 fei4 luo4}, summerheat damaging the lung and stomach
暑傷肺絡證 {shu3 shang1 fei4 luo4 zheng4}, pattern of summerheat damaging the lung and stomach
暑傷肺胃 {shu3 shang1 fei4 wei4}, summerheat damaging the lung and stomach
暑傷肺胃證 {shu3 shang1 fei4 wei4 zheng4}, pattern of summerheat damaging the lung and stomach
暑傷津氣 {shu3 shang1 jin1 qi4}, summerheat damaging liquid and qi4
暑傷津氣證 {shu3 shang1 jin1 qi4 zheng4}, pattern of summerheat damaging liquid and qi4
暑傷心腎 {shu3 shang1 xin1 shen4}, summerheat damaging the heart and kidney
暑傷元氣 {shu3 shang1 yuan2 qi4}, summerheat damaging original qi4
暑濕 {shu3 shi1}, summerheat-damp
暑濕夾滯 {shu3 shi1 jia2 zhi4}, summerheat-damp complicated by stagnation
暑濕困阻中焦 {shu3 shi1 kun4 zu3 zhong1 jiao1}, summerheat-damp encumbering the center burner
暑濕流注 {shu3 shi1 liu2 zhu4}, summerheat-damp streaming sore
暑濕襲表 {shu3 shi1 xi2 biao3}, summerheat-dampness assailing the exterior
暑濕襲表證 {shu3 shi1 xi2 biao3 zheng4}, pattern of summerheat-dampness assailing the exterior
暑濕泄瀉 {shu3 shi1 xie4 xie4}, summerheat-damp diarrhea
暑濕眩暈 {shu3 shi1 xuan4 yun1}, summerheat-damp dizziness
暑濕郁困 {shu3 shi1 yu4 kun4}, depressed encumbering summerheat-damp

暑濕郁蒸 {shu3 shi1 yu4 zheng1}, depressed steaming summerheat-damp
暑濕證 {shu3 shi1 zheng4}, summerheat-damp pattern
暑濕正氣丸 {shu3 shi1 zheng4 qi4 wan2}, 方名 Summerheat-Damp Qi4-Righting Pill
暑溫 {shu3 wen1}, summerheat warmth
暑溫夾癘 {shu3 wen1 jia1 li4}, summerheat warmth with pestilence complication
暑溫傷衛 {shu3 wen1 shang1 wei4}, summerheat warmth damaging defense
暑癇 {shu3 xian2}, summerheat epilepsy
暑邪 {shu3 xie2}, summerheat evil
暑泄 {shu3 xie4}, summerheat diarrhea
暑瀉 {shu3 xie4}, summerheat diarrhea
暑性升散 {shu3 xing4 sheng1 san4}, summerheat by nature ascends and dissipates
暑性炎熱 {shu3 xing4 yan2 re4}, summerheat by nature causes flaming heat
暑易擾心 {shu3 yi4 rao3 xin}, summerheat easily harasses the heart
暑易挾濕 {shu3 yi4 xie2 shi1}, summerheat easily combines with dampness
暑瘵 {shu3 zhai4}, summerheat consumption
暑證 {shu3 zheng4}, summerheat pattern

【黍】 {shu3} [Freq. 4] broomcorn millet.
黍根 {shu3 gen1}, 中藥正名 broomcorn millet root (Panici Miliacei Radix)
黍莖 {shu3 jing1}, 中藥正名 broomcorn millet stalk (Panici Miliacei Caulis)
黍米 {shu3 mi3}, 中藥正名 broomcorn millet (Panici Miliacei Semen)

【署】 {shu3} [Freq. 4] Bureau (太醫署 {tai4 yi1 shu3}, Imperial Medical Bureau).
署預 {shu3 yu4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
署豫 {shu3 yu4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)

【蜀】 {shu3} [Freq. 4] Si4chuan1.
蜀漢 {shu3 han4}, Shu3 Han4 (221--263 A.D.)
蜀椒 {shu3 jiao1}, 中藥異名 zanthoxylum (Zanthoxyli Pericarpium)
蜀葵根 {shu3 kui2 gen1}, 中藥正名 hollyhock root (Althaeae Radix)
蜀葵花 {shu3 kui2 hua1}, 中藥正名 hollyhock flower (Althaeae Flos)
蜀葵苗 {shu3 kui2 miao2}, 中藥正名 hollyhock stem and leaf (Althaeae Caulis et Folium)
蜀葵葉薯蕷 {shu3 kui2 ye4 shu3 yu4}, 中藥正名 hollyhock yam (Dioscoreae Althaeoidis Rhizoma)
蜀葵子 {shu3 kui2 zi3}, 中藥正名 hollyhock seed (Althaeae Semen)
蜀漆 {shu3 qi1}, 中藥正名 dichroa leaf (Dichroae Folium)
蜀酸棗 {shu3 suan1 zao3}, 中藥異名 cornus (Corni Fructus)
蜀羊泉 {shu3 yang2 quan2}, 中藥異名 climbing nightshade (Solani Lyrati Herba)

蜀棗 {shu3 zao3}, 中藥異名 cornus (Corni Fructus)

【鼠】 {shu3} [Freq. 3] mouse; rat.
鼠瘡 {shu3 chuang1}, mouse sore
鼠膽 {shu3 dan3}, 中藥正名 rat's gallbladder (Ratti Vesica Fellea)
鼠婦 {shu3 fu4}, 中藥正名 wood louse (Armadillidium)
鼠肝 {shu3 gan1}, 中藥正名 rat's liver (Ratti Iecur)
鼠根菜 {shu3 gen1 cai4}, 中藥異名 spinach (Spinaciae Herba cum Radice)
鼠尖子 {shu3 jian1 zi3}, 中藥異名 arctium (Arctii Fructus)
鼠李 {shu3 li3}, 中藥正名 rat plum (Rhamni Davuricae Fructus)
鼠李根 {shu3 li3 gen1}, 中藥正名 rat plum root (Rhamni Davuricae Radix)
鼠李皮 {shu3 li3 pi2}, 中藥正名 rat plum bark (Rhamni Davuricae Cortex)
鼠&&7618.763B|{shu3 lou4}, mouse fistula
鼠黏子 {shu3 nian2 zi}, 中藥異名 arctium (Arctii Fructus) (Arctii Fructus); 中藥異名 arctium
鼠皮 {shu3 pi2}, 中藥正名 rat's skin (Ratti Pellis)
鼠曲草 {shu3 qu1 cao3}, 中藥異名 marsh cudweed (Gnaphalii Uliginosi Herba)
鼠麴草 {shu3 qu1 cao3}, 中藥正名 cudweed (Gnaphalii Affinis Herba)
鼠麴草 {shu3 qu2 cao3}, 中藥異名 marsh cudweed (Gnaphalii Uliginosi Herba)
鼠乳 {shu3 ru3}, rat's nipple
鼠腎 {shu3 shen4}, 中藥正名 rat's kidney (Ratti Testes)
鼠矢 {shu3 shi3}, 中藥異名 cornus (Corni Fructus)
鼠尾地榆 {shu3 wei3 di4 yu2}, 中藥異名 sanguisorba (Sanguisorbae Radix)
鼠尾粟 {shu3 wei3 su4}, 中藥正名 sporobolus (Sporoboli Herba)
鼠蹊 {shu3 xi1}, 腧穴正名 Mouse Path
鼠鼷 {shu3 xi1}, groin
鼠蹊腫痛 {shu3 xi1 zhong3 tong4}, painful swelling of the groin
鼠鼷腫痛 {shu3 xi1 zhong3 tong4}, painful swelling of the groin
鼠疫 {shu3 yi4}, plague
鼠查 {shu3 zha1}, 中藥異名 crataegus (Crataegi Fructus)
鼠脂 {shu3 zhi1}, 中藥正名 rat's fat (Ratti Adeps)

【薯】 {shu3} [Freq. 5] plant name.
薯良 {shu3 liang2}, 中藥正名 dye yam (Dioscoreae Cirrhosae Tuber)
薯藥 {shu3 yao4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
薯蕷 {shu3 yu4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
薯蕷拔粥 {shu3 yu4 ba2 zhou1}, 方名 Dioscorea Flour Gruel
薯蕷丸 {shu3 yu4 wan2}, 方名 Dioscorea Pill
薯仔 {shu3 zai3}, 中藥異名 potato (Solani Tuberosi Tuber)

【屬】 {shu3} [Freq. 2] belong to (v.)-(prep.) (腎屬水 {shen4 shu3 shui3}, the kidney belongs to water); be (v.) (濕邪屬陰 {shi1 xie2 shu3 yin1}, damp evil is yin1); ascribed to; home (to) (v.)-(prep.) (of channels to their respective organs. 手陽明屬于大腸 {shou3 yang2 ming2 shu3 da4 chang2}, the hand yang brightness channel homes to the large intestine).
屬累 {shu3 lei4}, 腧穴異名 GV-4 (Connected)

~~ {shu4} ~~
【束】 {shu4} [Freq. 2] fetter (n.) (風寒束肺 {feng1 han2 shu4 fei4}, wind-cold fettering the lung); leash (n.) (束筋骨 {shu4 jin1 gu3}, leash sinews and bones).
束骨 {shu4 gu3}, bundle bone (fifth metatarsophalangeal articulation) (Bundle Bone); 腧穴正名 BL-65
束筋骨 {shu4 jin1 gu3}, leash the sinews and bones

【術】 {shu4} [Freq. 4] technique (皮綻術 {pi2 zhan4 shu4}, skin-spreading technique).
術後腹脹 {shu4 hou4 fu4 zhang4}, 西醫 post-operative abdominal distention
術後切口感染 {shu4 hou4 qie1 kou3 gan3 ran3}, 西醫 infections of post-operative incision
術後厭食 {shu4 hou4 yan4 shi2}, 西醫 post-operative anorexia

【漱】 {shu4} [Freq. 4] wash (the mouth).
漱滌 {shu4 di2}, mouthwash
漱喉 {shu4 hou2}, gargle
漱口 {shu4 kou3}, mouthwash
漱口不欲飲 {shu4 kou3 bu4 yu4 yin3}, washing the mouth with water without desire to swallow it

【數】 {shu4} [Freq. 2] number (便意頻數 {bian4 yi4 pin2 shuo4}, frequent desire to defecate); several (see also 數 {shu4}).
數歲不語 {shu4 sui4 bu4 yu3}, not talking for several years

【樹】 {shu4} [Freq. 4] tree.
樹波羅 {shu4 bo1 luo2}, 中藥異名 jackfruit (Artocarpi Heterophylli Fructus)
樹菜頭 {shu4 cai4 tou2}, 中藥正名 pterula (Pterulae Herba)
樹火麻 {shu4 huo3 ma2}, 中藥正名 stinging wood nettle (Laporteae Urentissimae Cortex)
樹雞 {shu4 ji1}, 中藥異名 wood ear (Auricularia)
樹五加 {shu4 jia1 pi2}, 中藥正名 nothopanax (Nothopanacis Davidii Cortex)
樹茭瓜 {shu4 jiao1 gua1}, 中藥正名 rigid-leaved cymbidium (Cymbidii Penduli Caulis et

Folium)
樹茭瓜果 {shu4 jiao1 gua1 guo3}, 中藥正名 rigid-leaved cymbidium fruit (Cymbidii Penduli Fructus)
樹韭菜 {shu4 jiu3 cai4}, 中藥正名 grass fern (Vittariae Fudzinoi Herba)
樹皮 {shu4 pi2}, bark
樹頭菜根 {shu4 tou2 cai4 gen1}, 中藥正名 crataeva leaf (Crataevae Radix)
樹腰子 {shu4 yao1 zi3}, 中藥正名 melia-leaved evodia (Evodiae Meliaefoliae Fructus seu Radix et Folium)
樹子 {shu4 zi3}, 中藥異名 cordia berry (Cordiae Fructus)
樹子仔 {shu4 zi3 zai3}, 中藥異名 cordia berry (Cordiae Fructus)

~~ {shua1} ~~
【刷】 {shua1} [Freq. 3] brush.
刷把草 {shua1 ba3 cao3}, 中藥正名 Himalayan willow herb (Epilobii Himalayensis Herba)
刷把頭 {shua1 ba3 tou2}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)

~~ {shuai1} ~~
【衰】 {shuai1} [Freq. 2] debilitate (v.), debilitation (n.) (陰盛陽衰 {yin1 sheng4 yang2 shuai1}, prevalence of yin1 with {debilitation} of yang; 命門火衰{ming4 men2 huo3 shuai1}, {debilitation} of the life gate fire; 盛衰{sheng4 shuai1}, exuberance and {debilitation}).
衰竭 {shuai1 jie2}, exhaust; exhaustion
衰弱 {shuai1 ruo4}, debilitate (v.); debilitation(n.)
衰微 {shuai1 wei1}, debilitate (v.); debilitation (n.); debilitation
衰者補之 {shuai1 zhe3 bu3 zhi1}, in debility, supplement; debility is treated by supplementing
衰之以屬 {shuai1 zhi1 yi3 shu3}, weaken it according to its ascription (principle of treatment)

~~ {shuai4} ~~
【率】 {shuai4} [Freq. 4] lead (v.).
率谷 {shuai4 gu3}, 腧穴正名 GB-8 (Valley Lead)
率骨 {shuai4 gu3}, 腧穴異名 GB-8 (Following the Bone)
率角 {shuai4 jiao3}, 腧穴異名 GB-8 (Following the Corner)

【蟀】 {shuai4} [Freq. 4] cricket (蟋蟀 {xi1 shuai4}).
蟀容 {shuai4 rong2}, 腧穴異名 BL-8 (Cricket Container) (Cricket Container); 腧穴異名 GB-8

~~ {shuan1} ~~

【栓】 {shuan1} [Freq. 4] block.

栓塞 {shuan1 se4}, 西醫 embolism

栓子 {shuan1 zi}, 西醫 embolus

~~ {shuan4} ~~

【踹】 {shuan4} [Freq. 5] heel

~~ {shuang1} ~~

【霜】 {shuang1} [Freq. 2] frost (n.), (v.), frosting (n.) (柿霜 {shi4 shuang1}, persimmon frost; 製霜{zhi4 shuang1}, frosting).

霜降 {shuang1 jiang4}, Frost's Descent (18th solar term)

霜桑葉 {shuang1 sang1 ye4}, 中藥正名 frostbitten mulberry leaf (Mori Folium Praeustum)

【雙】 {shuang1} [Freq. 3] double.

雙補丸 {shuang1 bu3 wan2}, 方名 Double Supplementation Pill

雙側扁桃體腫大 {shuang1 ce4 bian3 tao2 ti3 zhong3 da4}, 西醫 bilateral swelling of the tonsils

雙蛾 {shuang1 e2}, double [baby] moth

雙鉤藤 {shuang1 gou1 teng2}, 中藥異名 uncaria (Uncariae Ramulus cum Uncis)

雙花 {shuang1 hua1}, 中藥異名 lonicera (Lonicerae Flos)

雙解通聖散 {shuang1 jie3 tong4 sheng4 san3}, 方名 Double Resolution Sage-Inspired Powder

雙翎草 {shuang1 ling2 cao3}, 中藥正名 bushy elsholtzia (Elsholtziae Fruticosae Radix)

雙目通睛 {shuang1 mu4 tong1 jing1}, converging eyes (a kind of squint)

雙氫鏈黴素 {shuang1 qing1 lian4 mei2 su4}, 西醫 dihydroindole-ones

雙乳蛾 {shuang1 ru3 e2}, double nipple moth

雙參 {shuang1 shen1}, 中藥正名 large-flowered triplostegia tuber (Triplostegiae Tuber)

雙腎草 {shuang1 shen4 cao3}, 中藥正名 microtis (Microtidis Herba)

雙腎藤 {shuang1 shen4 cao3}, 中藥正名 Hubei bauhinia (Bauhiniae Hupehanae Radix)

雙手進針法 {shuang1 shou3 jin4 zhen1 fa3}, two-handed needle insertion

雙指壓 {shuang1 zhi3 ya1}, two-finger press

~~ {shuang3} ~~

【爽】 {shuang3} [Freq. 5] gratified (大便不爽 {da4 bian4 bu4 shuang1}, ungratifying defecation)

~~ {shui3} ~~

【水】 {shui3} [Freq. 2] water (n.) (水谷 {shui3 gu3}, grain and water; 水濕{shui3 shi1}, {water}-damp; 水道{shui3 dao4}, the {water}ways; 水煎服{shui3 jian1 fu2}, take decocted with water).

水案板 {shui3 an4 ban3}, 中藥正名 floating pondweed (Potamogetonis Natantis Herba)

水八角根 {shui3 ba1 jiao3 gen1}, 中藥正名 ligularia (Ligulariae Radix)

水白蠟 (1) {shui3 bai2 la4}, 中藥正名 lesser privet (Ligustri Quihoui Folium)

水白蠟 (2) {shui3 bai2 la4}, 中藥正名 lesser privet [leaf and bark] (Ligustri Nitidi Cortex et Folium)

水白蠟樹皮 {shui3 bai2 la4 shu4 pi2}, 中藥正名 lesser privet bark (Ligustri Quihoui Cortex)

水白合 {shui3 bai3 he2}, 中藥正名 cardiocrinum (Cardiocrini Cathayani Bulbus)

水柏枝 {shui3 bai3 zhi1}, 中藥正名 myricaria (Myricariae Ramulus)

水&&75B1|{shui3 bao3}, 西醫 vesicle

水閉 {shui3 bi4}, water block (urinary stoppage)

水病 {shui3 bing4}, water disease

水不涵木 {shui3 bu4 han2 mu4}, water failing to moisten wood

水不化氣 {shui3 bu4 hua4 qi4}, water failing to transform into qi4

水不濟火 {shui3 bu4 ji4 huo3}, water failing to help fire

水喘 {shui3 chuan3}, water panting

水瘡 {shui3 chuang1}, chicken pox

水蔥 {shui3 cong1}, 中藥正名 robust bullrush (Scirpi Validi Caulis)

水道 {shui3 dao4}, 腧穴正名 ST-28 (Waterway)

水燈心 {shui3 deng1 xin1}, 中藥異名 juncus (Junci Medulla)

水丁香 (1) {shui3 ding1 xiang1}, 中藥正名 ludwigia (Ludwigiae Herba)

水丁香 (2) {shui3 ding1 xiang1}, 中藥正名 lantern seedbox (Ludwigiae Octovalvis Herba)

水洞樹 {shui3 dong4 shu4}, 中藥異名 camptotheca (Camptothecae Fructus seu Radix)

水痘 {shui3 dou4}, chickenpox; varicella (chicken pox)

水毒 {shui3 du2}, water toxin

水燉 {shui3 dun4}, stew in water

水泛丸 {shui3 fan4 wan2}, water pill

水飛 {shui3 fei1}, water grind

水分 {shui3 fen1}, 腧穴正名 CV-9 (Water Divide)

水芙蓉 {shui3 fu2 rong2}, 中藥正名 aromatic limnophila (Limnophilae Aromaticae Herba)

水溝 {shui3 gou1}, water trough; philtrum (Water Trough); 腧穴正名 GV-26

水谷 {shui3 gu3}, grain and water; food
水鼓 {shui3 gu3}, water drum
水蠱 {shui3 gu3}, water gu
水臌 {shui3 gu3}, water drum distention
水谷不別 {shui3 gu3 bu4 bie2}, non-separation of grain and water
水谷不得下 {shui3 gu3 bu4 de2 xia4}, inability to get grain and water down
水谷不化 {shui3 gu3 bu4 hua4}, grain and water are not transformed; non-transformation of grain and water (food)
水谷不運 {shui3 gu3 bu4 yun4}, non-movement of food
水谷精微 {shui3 gu3 jing1 wi2}, essence of grain and water
水谷痢 {shui3 gu3 li4}, grain and water dysentery
水谷之海 {shui3 gu3 zhi1 hai3}, sea of grain and water (stomach)
水谷之精 {shui3 gu3 zhi1 jing1}, essence of grain and water
水谷之氣 {shui3 gu3 zhi1 qi4}, grain and water qi4
水瓜 {shui3 gua1}, 中藥正名 smooth luffa gourd (Luffae Cylindricae Fructus)
水瓜 (1) {shui3 gua1}, 中藥異名 luffa gourd (Luffae Fructus)
水瓜 (2) {shui3 gua1}, 中藥異名 watermelon (Citrulli Fructus)
水罐 {shui3 guan4}, water cup
水鬼蕉葉 {shui3 gui3 jiao1 ye4}, 中藥正名 hymenocallis (Hymenocallis Folium)
水寒犯肺 {shui3 han2 fan4 fei4}, water-cold invading the lung
水寒互結 {shui3 han2 hu4 jie2}, water and cold binding together
水寒射肺 {shui3 han2 she4 fei4}, water-cold shooting into the lung
水韓信草 {shui3 han2 xin4 cao3}, 中藥正名 torenia (Toreniae Herba)
水蕻菜 {shui3 han4 cai4}, 中藥異名 watercress (Nasturtii Herba)
水禾麻 {shui3 he2 ma2}, 中藥正名 large-leaved boehmeria (Boehmeriae Grandifoliae Radix seu Herba)
水紅花 {shui3 hong2 hua1}, 中藥異名 Oriental smartweed (Polygoni Orientalis Herba (cum Radice))
水紅花子 {shui3 hong2 hua1 zi3}, 中藥正名 prince's-feather (Polygoni Orientalis Fructus)
水葫蘆 {shui3 hu2 lu2}, 中藥正名 water hyacinth (Eichhorniae Herba seu Radix)
水葫蘆七 {shui3 hu2 lu2 qi1}, 中藥正名 Tangut cacalia (Cacaliae Tanguticae Radix)
水胡滿 {shui3 hu2 man3}, 中藥正名 seaside clerodendron (Clerodendri Inermis Ramulus et Folium)
水胡滿根 {shui3 hu2 man3 gen1}, 中藥正名 seaside clerodendron root (Clerodendri Inermis Radix)
水花 {shui3 hua1}, chicken pox
水花 (1) {shui3 hua1}, 中藥異名 duckweed (Spirodelae Herba)
水花 (2) {shui3 hua1}, 中藥異名 costazia bone/pumice (Costaziae Os/Pumex)

水茴香 (1) {shui3 hui2 xiang1}, 中藥正名 limnophila (Limnophilae Herba)
水茴香 (2) {shui3 hui2 xiang1}, 中藥正名 nitella (Nitellae Herba)
水火不濟 {shui3 huo3 bu4 ji4}, fire and water failing to help each other
水火共制 {shui3 huo3 gong4 zhi4}, fire and water processing
水火燙傷 {shui3 huo3 tang4 shang1}, burns and scalds
水火相濟 {shui3 huo3 xiang1 ji4}, fire and water help each other
水火之臟 {shui3 huo3 zhi1 zang4}, viscus of fire and water (the kidney)
水火制 {shui3 huo3 zhi4}, fire and water processing
水雞蘇 {shui3 ji1 su1}, 中藥異名 Chinese fieldnettle (Stachydis Baicalensis Herba)
水煎漱口 {shui3 jia1 shu4 kou4}, decoct as mouthwash
水煎 {shui3 jian1}, decoct with water
水煎服 {shui3 jian1 fu2}, take decocted with water
水煎含漱 {shui3 jian1 han2 shu4}, decoct as mouthwash
水煎漱喉 {shui3 jian1 shou4 hou2}, decoct as a gargle
水煎外洗 {shui3 jian1 wai4 xi3}, decoct as an external wash
水煎洗 {shui3 jian1 xi3}, decoct as a wash
水煎燻洗 {shui3 jian1 xun1 xi3}, decoct as a steam-wash
水漿不下 {shui3 jiang1 bu4 xia4}, inability to get water or fluids down
水接骨丹 {shui3 jie1 gu3 dan1}, 中藥正名 hairy willow herb (Epilobii Hirsuti Flos, Radix, seu Herba cum Radice)
水結胸 {shui3 jie2 xiong1}, water chest bind
水金鳳 {shui3 jin1 feng4}, 中藥正名 jewelweed [flower or root] (Impatientis Uliginosae Flos seu Radix)
水金鳳莖葉 {shui3 jin1 feng4 jing1 ye4}, 中藥正名 jewelweed stem and leaf (Impatientis Uliginosae Caulis et Folium)
水錦樹 {shui3 jin3 shu4}, 中藥正名 wendlandia [leaf and root] (Wendlandiae Folium et Radix)
水晶膏 {shui3 jing1 gao1}, 方名 Water Crystal Paste
水晶花 {shui3 jing1 hua1}, 中藥正名 Fortune's chloranthus (Chloranthi Fortunei Radix et Herba)
水晶蘭 {shui3 jing1 lan2}, 中藥正名 fit plant root (Monotropae Radix)
水蕨 {shui3 jue2}, 中藥正名 ceratopteris (Ceratopteridis Herba)
水克火 {shui3 ke4 huo3}, water restrains fire
水苦&&836C.8552|{shui3 ku3 mai3}, 中藥正名 water speedwell (Veronicae Anagallis-Aquaticae Herba)
水苦&&836C.8552||根 {shui3 ku3 mai3 gen1}, 中藥正名 water speedwell root (Veronicae Anagallis-Aquaticae Radix)
水苦&&836C.8552||果實 {shui3 ku3 mai3 guo3 shi2}, 中藥正名 water speedwell fruit (Veronicae Anagallis-Aquaticae Fructus)

水虧火旺 {shui3 kui1 huo3 wang4}, depleted water and effulgent fire
水虧火炎 {shui3 kui1 huo3 yan2}, depleted water and flaming fire
水葵 {shui3 kui2}, 中藥異名 water shield (Braseniae Caulis et Folium)
水潰瘡 {shui3 kui4 chuang1}, water ulcer (Hongkong foot)
水廓 {shui3 kuo4}, water belt
水梨藤 {shui3 li2 teng2}, 中藥正名 Henry's actinidia root bark (Actinidiae Henryi Radicis Cortex)
水栗子 {shui3 li4 zi3}, 中藥異名 camptotheca (Camptothecae Fructus seu Radix)
水蓮沙 {shui3 lian2 sha1}, 中藥正名 rockspray (Cotoneastri Horizonatalis Ramulus et Folium, seu Radix)
水蓼 {shui3 liao3}, 中藥正名 water pepper (Polygoni Hydropiperis Herba)
水蓼根 {shui3 liao3 gen1}, 中藥正名 water pepper root (Polygoni Hydropiperis Radix)
水流豆 {shui3 liu2 dou4}, 中藥正名 pongamia bean (Pongamiae Semen)
水龍骨 {shui3 long2 gu3}, 中藥正名 Japanese polypody (Polypodii Nipponici Rhizoma)
水陸二味丹 {shui3 lu4 er4 wei4 dan1}, 方名 Land and Water Two-Ingredient Elixir
水陸二仙丹 {shui3 lu4 er4 xian1 dan1}, 方名 Land and Water Two Immortals Elixir
水輪 {shui3 lun2}, water wheel (pupil of the eye)
水輪肝風痰火 {shui3 lun2 gan1 feng1 tan2 huo3}, water wheel liver wind and phlegm fire
水輪氣虛 {shui3 lun2 qi4 xu1}, water wheel qi4 vacuity
水輪氣虛血少 {shui3 lun2 qi4 xu1 xue4 shao3}, water wheel qi4 vacuity and blood scantness
水輪氣虛血瘀 {shui3 lun2 qi4 xu1 xue4 yu1}, water wheel qi4 vacuity and blood stasis
水輪濕熱 {shui3 lun2 shi1 re4}, water wheel damp-heat
水輪實熱 {shui3 lun2 shi2 re4}, water wheel repletion heat
水輪陰虧 {shui3 lun2 yin1 kui1}, water wheel yin1 depletion
水麻貼 {shui3 ma2 tie1}, 中藥異名 leech (Hirudo)
水麻葉 (1) {shui3 ma2 ye4}, 中藥正名 marked pilea (Pileae Notatae Herba)
水麻葉 (2) {shui3 ma2 ye4}, 中藥正名 oreocnide (Oreocnides Herba)
水馬 {shui3 ma3}, 中藥異名 sea horse (Hippocampus)
水馬香果 {shui3 ma3 xiang1 guo3}, 中藥異名 aristolochia fruit (Aristolochiae Fructus)
水門 {shui3 men2}, 腧穴異名 ST-10 (Water Gate)
水黽 {shui3 meng3}, 中藥正名 water strider (Hydrotrechus)
水磨 {shui3 mo2}, wet-grind; grind with water
水木草 {shui3 mu4 cao3}, 中藥正名 mnium (Mnii Herba)
水腦 {shui3 nao3}, 西醫 hydrocephalus
水逆 {shui3 ni4}, water counterflow
水牛角 {shui3 niu2 jiao3}, 中藥正名 water buffalo horn (Bubali Cornu)
水牛皮 {shui3 niu2 pi2}, 中藥正名 water buffalo skin (Bubali Corium)
水牛尾 {shui3 niu2 wei3}, 中藥正名 water buffalo's tail (Bubali Cauda)

水泡 {shui3 pao4}, vesicle
水泡軟化 {shui3 pao4 ruan3 hua4}, softening by soaking
水泡石 {shui3 pao4 shi2}, 中藥異名 costazia bone/pumice (Costaziae Os/Pumex)
水漂 {shui3 piao3}, long-rinse
水萍 {shui3 ping2}, 中藥異名 duckweed (Spirodelae Herba)
水氣 {shui3 qi4}, water qi4
水氣病 {shui3 qi4 bing4}, water qi4 disease
水氣結胸 {shui3 qi4 jie2 xiong1}, water qi4 chest bind
水氣凌心 {shui3 qi4 ling2 xin1}, water qi4 intimidating the heart
水氣凌心證 {shui3 qi4 ling2 xin1 zheng4}, pattern of water qi4 intimidating the heart
水氣外盛 {shui3 qi4 wai4 sheng4}, exuberant external water qi4
水茄 {shui3 qie2}, 中藥正名 wild tomato root (Solani Torvi Radix)
水芹 (1) {shui3 qin2}, 中藥正名 water dropwort (Oenanthes Javanicae Herba)
水芹 (2) {shui3 qin2}, 中藥異名 water shield (Braseniae Caulis et Folium)
水芹菜 {shui3 qin2 cai4}, 中藥正名 Bengal water dropwort (Oenanthes Benghalensis Herba)
水泉 {shui3 quan2}, urine (Water Spring); 腧穴正名 KI-5 (Water Spring); 腧穴異名 LV-1
水熱互結 {shui3 re4 hu4 jie2}, binding of water and heat; water and heat binding together
水熱結胸 {shui3 re4 jie2 xiong1}, water-heat chest bind
水溶性 {shui3 rong2 xing4}, 西醫 solubility in water
水入則吐 {shui3 ru4 ze2 tu4}, immediate vomiting of ingested fluids
水疝 {shui3 shan4}, water mounting
水上 {shui3 shang4}, 腧穴正名 Above Water; 腧穴正名 Above Water
水蛇 {shui3 she2}, 中藥正名 water snake (Enhydris Caro)
水蛇皮 {shui3 she2 pi2}, 中藥正名 water snake skin (Enhydris Corium)
水生木 {shui3 sheng1 mu4}, water engenders wood
水濕 {shui3 shi1}, water-damp
水濕不化 {shui3 shi1 bu4 hua4}, water-damp failing to transform
水濕泛濫 {shui3 shi1 fan4 lan4}, water-damp flood
水濕柳葉菜 {shui3 shi1 liu3 ye4 cai4}, 中藥正名 swamp willow herb (Epilobii Palustris Herba)
水濕軟化 {shui3 shi1 ruan3 hua4}, softening by wetting
水濕傷陽 {shui3 shi1 shang1 yang2}, water-damp damaging yang2
水濕之氣 {shui3 shi1 zhi1 qi4}, water-damp qi4
水濕滯流 {shui3 shi1 zhi4 liu2}, stagnant water-damp
水石 {shui3 shi2}, 中藥異名 glauberite (Gypsum seu Calcitum)
水松 {shui3 song1}, 中藥正名 codium (Codium)
水松皮 {shui3 song1 pi2}, 中藥正名 glyptostrobus bark (Glyptostrobi Cortex)
水松葉 {shui3 song1 ye4}, 中藥正名 glyptostrobus leaf (Glyptostrobi Folium)

水蘇 {shui3 su1}, 中藥正名 Chinese fieldnettle (Stachydis Baicalensis Herba)
水蘇根 {shui3 su1 gen1}, 中藥正名 Chinese fieldnettle root (Stachydis Baicalensis Rhizoma)
水天 {shui3 tian1}, 腧穴異名 ST-10 (Water Heaven)
水田七 {shui3 tian2 qi1}, 中藥正名 schizocapsa tuber (Schizocapsae Tuber)
水田七葉 {shui3 tian2 qi1 ye4}, 中藥正名 schizocapsa leaf (Schizocapsae Folium)
水田碎米薺 {shui3 tian2 sui4 mi3 ji4}, 中藥正名 lyrate cardamine (Cardamines Lyratae Herba)
水停則氣阻 {shui3 ting2 ze2 qi4 zu3}, when water collects, qi4 is obstructed
水突 {shui3 tu1}, 腧穴正名 ST-10 (Water Prominence)
水土不服 {shui3 tu3 bu4 fu2}, failure to acclimatize to a new environment; non-acclimatization
水團花 {shui3 tuan2 hua1}, 中藥正名 ball-blossom adina (Adinae Piluliferae Ramulus, Folium, seu Flos et Fructus)
水團花根 {shui3 tuan2 hua1 gen1}, 中藥正名 ball-blossom adina root (Adinae Piluliferae Radix)
水丸 {shui3 wan2}, water pill
水翁花 {shui3 weng1 hua1}, 中藥正名 water banyan flower (Cleistocalycis Flos)
水翁皮 {shui3 weng1 pi2}, 中藥正名 water banyan bark (Cleistocalycis Cortex)
水翁葉 {shui3 weng1 ye4}, 中藥正名 water banyan leaf (Cleistocalycis Folium)
水蓊菜 {shui3 weng4 cai4}, 中藥正名 swamp morning glory (Ipomoeae Reptantis Caulis et Folium)
水無去路 {shui3 wu2 chu1 lu4}, water has now way out
水蜈蚣 {shui3 wu2 gong1}, 中藥正名 short-leaved kyllinga (Kyllingae Brevifoliae Herba seu Radix)
水無出路 {shui3 wu2 qu4 lu4}, water has now way out
水蝦子草 {shui3 xia1 zi3 cao3}, 中藥正名 duck's tongue lindernia (Linderniae Antipodae Herba)
水仙 {shui3 xian1}, 中藥異名 narcissus root (Narcissi Tazettae Bulbus)
水仙根 {shui3 xian1 gen1}, 中藥正名 narcissus root (Narcissi Tazettae Bulbus)
水仙花 {shui3 xian1 hua1}, 中藥正名 narcissus (Narcissi Tazettae Flos)
水仙桃 {shui3 xian1 tao2}, 中藥正名 primrose willow (Jussiaeae Herba)
水蘚 {shui3 xian3}, 中藥異名 duckweed (Spirodelae Herba)
水莧菜 (1) {shui3 xian4 cai4}, 中藥正名 rotala (Rotalae Herba)
水莧菜 (2) {shui3 xian4 cai4}, 中藥正名 berry-bearing ammania (Ammaniae Bacciferae Herba)
水線草 {shui3 xian4 cao3}, 中藥正名 corymbose hedyotis (Hedyotis Corymbosae Herba)
水消 {shui3 xiao1}, 中藥異名 impure mirabilite (Natrii Sulfas Non-Purus)
水邪 {shui3 xie2}, water evil
水泄 {shui3 xie4}, watery diarrhea
水瀉 {shui3 xie4}, water diarrhea (Alismatis Rhizoma); 中藥異名 alisma

水性流下 {shui3 xing4 liu2 xia4}, water by nature flows downward
水虛火妄 {shui3 xu1 huo3 wang4}, water vacuity with frenetic fire
水穴 {shui3 xue2}, 腧穴異名 LI-18 (Water Hole)
水楊根 {shui3 yang2 gen1}, 中藥正名 basket osier root (Salicis Purpureae Radix)
水楊柳 {shui3 yang2 liu3}, 中藥正名 homonoia root (Homonoiae Radix)
水楊梅 (1) {shui3 yang2 mei2}, 中藥正名 adina (Adinae Rubellae Caulis et Folium seu Flos et Fructus)
水楊梅 (2) {shui3 yang2 mei2}, 中藥正名 Japanese avens (Gei Japonici Herba)
水楊梅根 (1) {shui3 yang2 mei2 gen1}, 中藥正名 adina root (Adinae Rubellae Radix)
水楊梅根 (2) {shui3 yang2 mei2 gen1}, 中藥正名 Japanese avens root (Gei Japonici Rhizoma et Radix)
水楊木白皮 {shui3 yang2 mu4 bai2 pi2}, 中藥正名 basket osier bark (Salicis Purpureae Cortex)
水洋芋 {shui3 yang2 yu4}, 中藥異名 gastrodia (Gastrodiae Rhizoma)
水楊枝葉 {shui3 yang2 zhi1 ye4}, 中藥正名 basket osier (Salicis Purpurea Ramulus et Folium)
水液 {shui3 ye4}, water-humor; fluid
水液混濁 {shui3 ye4 hun2 zhuo2}, turbid water-humor; turbid water humors; turbid water humor
水液輸化 {shui3 ye4 shu1 hua4}, transportation and transformation of fluid
水液停聚 {shui3 ye4 ting2 ju2}, collection of water-humor
水銀 {shui3 yin2}, 中藥正名 mercury (Hydrargyrum)
水銀粉 {shui3 yin2 fen3}, 中藥異名 calomel (Calomelas)
水飲 {shui3 yin3}, water-rheum
水飲犯腎 {shui3 yin3 fan4 shen4}, water-rheum invading the kidney
水飲犯心 {shui3 yin3 fan4 xin1}, water-rheum invading the heart
水飲寒痰 {shui3 yin3 han2 tan2}, water-rheum and cold phlegm
水飲凌心 {shui3 yin3 ling2 xin1}, water-rheum intimidating the heart
水飲內停 {shui3 yin3 nei4 ting2}, water-rheum collecting internally
水飲內停證 {shui3 yin3 nei4 ting2 zheng4}, pattern of water-rheum collecting internally
水飲侵肝 {shui3 yin3 qin1 gan1}, water-rheum invading the liver
水飲侵脾 {shui3 yin3 qin1 pi2}, water-rheum invading the spleen
水飲射肺 {shui3 yin3 she4 fei4}, water-rheum shooting into the lung
水飲停聚 {shui3 yin3 ting2 ju4}, collection of water-rheum
水飲蓄積 {shui3 yin3 xu4 ji1}, amassment of water-rheum
水榆果 {shui3 yu2 guo3}, 中藥正名 alder-leaved mountain ash fruit (Sorbi Alnifoliae Fructus)
水玉 {shui3 yu4}, 中藥異名 pinellia (Pinelliae Rhizoma)
水芋 {shui3 yu4}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)
水郁折之 {shui3 yu4 zhe2 zhi1}, depressed water is treated by regulation
水曰潤下 {shui3 yue1 run4 xia4}, water is the moistening and descending

水臟 {shui3 zang4}, water viscus
水皂角 {shui3 zao4 jiao3}, 中藥正名 annual cassia (Cassiae Nomamis Herba)
水皂角子 {shui3 zao4 jiao3 zi3}, 中藥正名 annual cassia seed (Cassiae Nomamis Semen)
水澤蘭 {shui3 ze2 lan2}, 中藥正名 penthorum (Penthori Herba)
水脹 {shui3 zhang4}, water distention
水折耳 {shui3 zhe2 er3}, 中藥正名 gymnotheca (Gymnothecae Herba)
水蔗草 {shui3 zhe4 cao3}, 中藥正名 apluda (Apludae Radix seu Caulis et Folium)
水針 {shui3 zhen1}, fluid injection therapy
水針療法 {shui3 zhen1 liao2 fa3}, fluid injection therapy
水芝 {shui3 zhi1}, 中藥異名 wax gourd (Benincasae Fructus)
水梔 {shui3 zhi1}, 中藥正名 large-flowered gardenia (Gardeniae Grandiflorae Fructus)
水梔根 {shui3 zhi1 gen1}, 中藥正名 large-flowered gardenia root (Gardeniae Grandiflorae Radix)
水梔葉 {shui3 zhi1 ye4}, 中藥正名 large-flowered gardenia leaf (Gardeniae Grandiflorae Folium)
水制 {shui3 zhi4}, water processing
水蛭 {shui3 zhi4}, 中藥正名 leech (Hirudo)
水滯 {shui3 zhi4}, water stagnation
水腫 {shui3 zhong3}, water swelling (equivalent to WM edema)
水漬瘡 {shui3 zi4 chuang1}, water-soaking sore

~~ {shui4} ~~
【睡】{shui4} [Freq. 2] sleep (v.), (n.) (睡眠 {shui4 mian2}, sleep; 睡中自醒 {shui4 zhong1 zi4 xing2}, sudden waking from sleep).
睡菜 {shui4 cai4}, 中藥正名 bogbean (Menyanthis Folium seu Herba)
睡菜根 {shui4 cai4 gen1}, 中藥正名 bogbean root (Menyanthis Rhizoma)
睡菜葉 {shui4 cai4 ye4}, 中藥異名 bogbean (Menyanthis Folium seu Herba)
睡即驚覺 {shui4 ji2 jing1 jue2}, waking with a sudden fright or start after falling asleep
睡眠 {shui4 mian2}, sleep
睡眠不安 {shui4 mian2 bu4 an1}, unquiet sleep
睡眠深沉 {shui4 mian2 shen1 chen2}, deep sleep
睡時口角流涎 {shui4 shi2 kou3 jiao3 liu2 xian2}, drooling from the corner of the mouth during sleep
睡中呢喃 {shui4 zhong1 ni2 nan2}, murmuring in sleep
睡中遺尿 {shui4 zhong1 yi2 niao4}, enuresis during sleep
睡中自醒 {shui4 zhong1 zi4 xing3}, sudden waking from sleep

~~ {shun3} ~~

【吮】 {shun3} [Freq. 3] suck; suckle.

吮乳 {shun3 ru3}, suckle (to take milk)

~~ {shun4} ~~

【順】 {shun4} [Freq. 2] favorable (adj.) (順證 {shun4 zheng4}, favorable pattern); normal (adj.), normalize (v.) (順傳 {shun4 chuan2}, normal passage; 順氣 {shun4 qi4}, normalize qi4).

順傳 {shun4 chuan2}, normal passage

順經湯 {shun4 jing1 tang1}, 方名 Menstruation-Normalizing Decoction

順逆氣 {shun4 ni4 qi4}, normalize counterflow qi4

順逆止痛 {shun4 ni4 zhi3 tong4}, normalize counterflow and relieve pain

順膀腎逆氣 {shun4 pang2 shen4 ni4 qi4}, normalize bladder and kidney counterflow qi4

順氣 {shun4 qi4}, normalize qi4

順氣導痰湯 {shun4 qi4 dao3 tan2 tang1}, 方名 Qi4-Normalizing Phlegm-Abducting Decoction

順氣和中湯 {shun4 qi4 he2 zhong1 tang1}, 方名 Qi4-Normalizing Center-Harmonizing Decoction

順氣化痰 {shun4 qi4 hua4 tan2}, normalize qi4 and transform phlegm

順氣消食化痰丸 {shun4 qi4 xiao1 shi2 hua4 tan2 wan2}, 方名 Qi4-Normalizing Food-Dispersing Phlegm-Transforming Pill

順證 {shun4 zheng4}, favorable pattern; favorable sign

【瞬】 {shun4} [Freq. 4] blink.

瞬目頻作 {shun4 mu4 pin2 zuo4}, frequent blinking

【眴】 {shun4} roll (the eyes)

~~ {shuo1} ~~

【說】 {shuo1} [Freq. 4] say; talk; doctrine (陰陽學說 {yin1 yang2 xue2 shuo1}, yin1-yang2 doctrine).

說糊話 {shuo1 hu2 hua4}, talking nonsense

說話聲低 {shuo1 hua4 sheng1 di1}, low voice

~~ {shuo4} ~~

【數】 {shuo4} [Freq. 2] frequent (adj.) (便意頻數 {bian4 yi4 pin2 shuo4}, frequent desire to

defecate); rapid (adj.) (數脈{shuo4 mai4}, rapid pulse. See also 數 {shu4}).
數墮胎 {shuo4 duo4 tai1}, repeated abortion
數脈 {shuo4 mai4}, rapid pulse
數欠 {shuo4 qian4}, frequent yawning
數欠氣 {shuo4 qian4 qi4}, frequent yawning
數噫 {shuo4 yi1}, frequent belching
數墜胎 {shuo4 zhui4 tai}, habitual miscarriage

【爍】 {shuo4} [Freq. 5] scorch (氣熱爍津 {qi4 re4 shuo4 jin1}, qi4 heat scorching liquid); brilliant (adj.); brilliance(n.) (消爍 {xiao1 shuo4}, Dispersing Brilliance (TB-12))

【蒴】 {shuo4} [Freq. 4] plant name.
蒴藋 {shuo4 diao4}, 中藥正名 elder (Sambuci Herba seu Radix)
蒴藋赤子 {shuo4 diao4 chi4 zi3}, 中藥正名 elderberry (Sambuci Fructus)

~~ {si1} ~~
【司】 {si1} [Freq. 4] be in charge of; observe.
司天 {si1 tian1}, 腧穴異名 ST-24 (Celestial Manager)
司外揣內 {si1 wai4 chuai3 nei4}, judging the inside from observatin of the outside

【思】 {si1} [Freq. 2] thought (n.) (mind associated with spleen; also one of the seven affects. 思則氣結 {si4 ze2 qi4 jie2}, thought causes qi4 to bind).
思本 {si1 ben3}, 腧穴異名 GV-16 (Root of Thought)
思慮過度 {si1 lu94 guo4 du4}, excessive thought and preoccupation
思維遲鈍 {si1 wei2 chi2 dun4}, slowness of thought
思仙 {si1 xian1}, 中藥異名 eucommia (Eucommiae Cortex)
思欲不遂 {si1 yu4 bu4 sui4}, inability to satisfy the libido
思則氣結 {si1 ze2 qi4 jie2}, thought causes qi4 to bind
思仲 {si1 zhong4}, 中藥異名 eucommia (Eucommiae Cortex)

【絲】 {si1} [Freq. 4] silk.
絲蟲病 {si1 chong2 bing4}, 西醫 filariasis
絲帶蕨 {si1 dai4 jue2}, 中藥正名 drymotaenium (Drymotaenii Herba)
絲瓜 {si1 gua1}, 中藥正名 luffa gourd (Luffae Fructus)
絲瓜蒂 {si1 gua1 di4}, 中藥正名 luffa gourd stalk (Luffae Pedicellus)
絲瓜根 {si1 gua1 gen1}, 中藥正名 luffa root (Luffae Radix)
絲瓜花 {si1 gua1 hua1}, 中藥正名 luffa flower (Luffae Flos)

絲瓜筋 {si1 gua1 jin1}, 中藥異名 loofah (Luffae Fructus Retinervus)
絲瓜殼 {si1 gua1 ke2}, 中藥異名 loofah (Luffae Fructus Retinervus)
絲瓜絡 {si1 gua1 luo4}, 中藥正名 loofah (Luffae Fructus Retinervus)
絲瓜皮 {si1 gua1 pi2}, 中藥正名 luffa gourd skin (Luffae Pericarpium)
絲瓜瓤 {si1 gua1 rang2}, 中藥異名 loofah (Luffae Fructus Retinervus)
絲瓜水 {si1 gua1 shui3}, 中藥異名 luffa stem sap (Luffae Caulis Succus)
絲瓜藤 {si1 gua1 teng2}, 中藥正名 luffa stem (Luffae Caulis)
絲瓜藤汁 {si1 gua1 teng2 zhi1}, 中藥異名 luffa stem sap (Luffae Caulis Succus)
絲瓜網 {si1 gua1 wang3}, 中藥異名 loofah (Luffae Fructus Retinervus)
絲瓜葉 {si1 gua1 ye4}, 中藥正名 luffa leaf (Luffae Folium)
絲瓜子 {si1 gua1 zi3}, 中藥正名 luffa seed (Luffae Semen)
絲連皮 {si1 lian2 pi2}, 中藥異名 eucommia (Eucommiae Cortex)
絲楝樹皮 {si1 lian4 shu4 pi2}, 中藥異名 eucommia (Eucommiae Cortex)
絲茅草根 {si1 mao2 cao3 gen1}, 中藥異名 imperata (Imperatae Rhizoma)
絲綿 {si1 mian2}, 中藥正名 silk floss (Bombycis Lana)
絲棉木 {si1 mian2 mu4}, 中藥正名 Peking euonymus (Euonymi Bungeani Radix, Cortex, Fructus, Ramulus et Folium)
絲棉皮 {si1 mian2 pi2}, 中藥異名 eucommia (Eucommiae Cortex)
絲綿皮 {si1 mian2 pi2}, 中藥異名 eucommia (Eucommiae Cortex)
絲竹空 {si1 zhu2 kong1}, 腧穴正名 TB-23 (Silk Bamboo Hole)

【嘶】 {si1} [Freq. 4] hoarse.
嘶嗄 {si1 sha4}, hoarse (sound of voice as after long weeping)

【撕】 {si1} [Freq. 5] rip

【鷥】 {si1} [Freq. 5] heron (鷺鷥 {lu4 s1}, heron; 鷺鷥咳 {lu4 si1 ke2}, heron cough)

~~ {si3} ~~
【死】 {si3} [Freq. 3] die (v.), death (n.).
死精子過多症 {si3 jing1 zi3 guo4 duo1 zheng4}, 西醫 necrospermia
死舌 {si3 she2}, death tongue
死胎不下 {si3 tai1 bu4 xia4}, retention of dead fetus
死血脅痛 {si3 xue4 xie2 tong4}, dead blood rib-side pain

~~ {si4} ~~

【巳】 {si4} [Freq. 3] sixth earthly branch; B6.
巳時 {si4 shi2}, B6 watch (9--11 a.m.)

【四】 {si4} [Freq. 1] four, fourth, fourfold.
四白 {si4 bai2}, 腧穴正名 ST-2 (Four Whites)
四寶丹 {si4 bao3 dan1}, 方名 Four-Jewel Elixir
四川大金錢草 {si4 chuan1 da4 jin1 qian2 cao3}, 中藥異名 lysimachia (Lysimachiae Herba (cum Radice))
四大 {si4 da4}, four greatnesses
四大家 {si4 da4 jia1}, four great physicians
四瀆 {si4 du2}, 腧穴正名 TB-9 (Four Rivers)
四縫 {si4 feng4}, 腧穴正名 Four Seams
四關 {si4 guan1}, elbow and knee joints; shoulder, elbow, hip, and knee joints
四海 {si4 hai3}, four seas
四海舒郁丸 {si4 hai3 shu1 yu4 wan2}, 方名 Four Seas Depression-Soothing Pill
四合脈 {si4 he2 mai4}, quadruple combined pulse
四花 {si4 hua1}, 腧穴正名 Four Flowers
四花青皮 {si4 hua1 qing1 pi2}, 中藥正名 four-petalled unripe tangerine peel (Citri Reticulatae Pericarpium Viride Immaturum Incisum)
四極 {si4 ji2}, four extremities (the limbs)
四季春 {si4 ji4 chun1}, 中藥異名 China tea rose (Rosae Chinensis Flos)
四季蔥 {si4 ji4 cong1}, 中藥異名 scallion (Allii Fistulosi Herba)
四季豆 {si4 ji4 dou4}, 中藥正名 snap bean (Phaseoli Vulgaris Fructus Immaturus)
四季花 {si4 ji4 hua1}, 中藥異名 China tea rose (Rosae Chinensis Flos)
四加減正氣散 {si4 jia1 jian3 zheng4 qi4 san3}, 方名 Fourth Variant Qi4-Righting Powder
四角豆 {si4 jiao3 dou4}, 中藥異名 Goa bean (Psophocarpi Tetragonolobi Fructus)
四斤丸, 方名 Four Jin Pill
四厥 {si4 jue2}, reversal cold of the limbs
四君子湯 {si4 jun1 zi3 tang1}, 方名 Four Gentlemen Decoction
四塊瓦 {si4 kuai4 wa3}, 中藥正名 chloranthus/lysimachia (Chloranthi seu Lysimachiae Herba)
四稜豆 {si4 leng2 dou4}, 中藥異名 Goa bean (Psophocarpi Tetragonolobi Fructus)
四棱筋骨草 {si4 leng2 jin1 gu3 cao3}, 中藥正名 schnabelia (Schnabeliae Herba)
四里 {si4 li3}, 腧穴正名 Four Li
四連 {si4 lian2}, 腧穴正名 Four Successions
四苓合芩芍湯 {si4 ling2 he2 qin2 shao2 tang1}, 方名 Poria Four Combined with Scutellaria and Peony Decoction
四苓散 {si4 ling2 san3}, 方名 Poria Four Powder
四六風 {si4 liu4 feng1}, four-six wind

四滿 {si4 man3}, 腧穴正名 KI-14 (Fourfold Fullness)
四妙散 {si4 miao4 san3}, 方名 Mysterious Four Powder
四妙湯 {si4 miao4 tang1}, 方名 Mysterious Four Decoction
四妙丸 {si4 miao4 wan2}, 方名 Mysterious Four Pill
四妙勇安湯 {si4 miao4 yong3 an1 tang1}, 方名 Mysterious Four Resting Hero Decoction
四末 {si4 mo4}, extremities of the limbs; four extremities
四磨湯 {si4 mo4 tang1}, 方名 Four Milled Ingredients Decoction
四磨飲 {si4 mo4 yin3}, 方名 Four Milled Ingredients Beverage
四逆 {si4 ni4}, counterflow cold of the limbs
四逆加人參湯 {si4 ni4 jia1 ren2 shen1 tang1}, 方名 Counterflow Cold Decoction Plus Ginseng
四逆厥 {si4 ni4 jue2}, counterversion in the four limbs
四逆散 {si4 ni4 san3}, 方名 Counterflow Cold Powder
四逆湯 {si4 ni4 tang1}, 方名 Counterflow Cold Decoction
四念&&7640|{si4 nian4 huang2}, 中藥正名 anagallis (Anagallis Herba)
四七湯 {si4 qi1 tang1}, 方名 Four-Seven Decoction
四氣 {si4 qi4}, four qi4
四強 {si4 qiang2}, 腧穴正名 Four Strengths
四神聰 {si4 shen2 cong1}, 腧穴正名 Alert Spirit Quartet
四神散 {si4 shen2 san3}, 方名 Four Spirits Powder
四神丸 {si4 shen2 wan2}, 方名 Four Spirits Pill
四生丸 {si4 sheng1 wan2}, 方名 Four Fresh Agents Pill
四時 {si4 shi2}, four seasons
四時不正之氣 {si4 shi2 bu4 zheng4 zhi1 qi4}, untimely seasonal qi4
四時春 {si4 shi2 chun1}, 中藥異名 Madagascar periwinkle (Catharanthi Rosei Herba)
四時青 {si4 shi2 qing1}, 中藥正名 Mysore thorn leaf (Caesalpiniae Sepiariae Folium)
四時調攝 {si4 shi2 tiao2 she4}, seasonal health care
四十腕 {si4 shi2 wan4}, forty-year-old's wrist
四獸飲 {si4 shou4 yin3}, 方名 Four Animals Decoction
四水 {si4 shui3}, four waters (wind water, skin water, right water, and stone water)
四藤湯 {si4 teng2 tang1}, 方名 Four Stems Decoction
四彎風 {si4 wan1 feng1}, four bends wind
四維 {si4 wei2}, limbs
四味回陽飲, 方名 Four-Ingredient Yang2-Returning Beverage
四味香薷飲 {si4 wei4 xiang1 ru2 yin3}, 方名 Four-Ingredient Mosla Beverage
四烏賊一蘆茹丸 {si4 wu1 zei2 yi1 lu2 ru2 wan2}, 方名 Four of Cuttlefish To One of Madder Pill
四物加黃芩黃連湯 {si4 wu4 jia1 huang2 qin2 huang2 lian2 tang1}, 方名 Four Agents Decoction Plus Scutellaria and Coptis

四物湯 {si4 wu4 tang1}, 方名 Four Agents Decoction
四物湯加味方 {si4 wu4 tang1 jia1 wei4 fang1}, 方名 Supplemented Four Agents Decoction Formula
四物香薷飲 {si4 wu4 xiang1 ru2 yin3}, 方名 Four Agents Mosla Decoction
四物消風飲 {si4 wu4 xiao1 feng1 yin3}, 方名 Four Agents Wind-Dispersing Beverage
四線雞魚 {si4 xian4 ji1 yu2}, 中藥正名 banded grunter (Pelatis Quadrilineati Caro)
四性 {si4 xing4}, four natures
四葉膽 {si4 ye4 dan3}, 中藥異名 gentian (Gentianae Radix)
四葉參 {si4 ye4 shen1}, 中藥異名 lanceolate codonopsis (Codonopsis Lanceolatae Radix)
四葉細辛 {si4 ye4 xi4 xin1}, 中藥正名 many-eared chloranthus (Chloranthi Multistachydis Radix et Herba)
四陰湯 {si4 yin1 tang1}, 方名 Four-Yin1 Decoction
四飲 {si4 yin3}, four rheums
四診 {si4 zhen3}, four examinations
四診合參 {si4 zhen3 he2 can1}, correlate all four examination; correlation of all four examinations
四肢 {si4 zhi1}, four limbs; limbs; extremities
四肢冰冷 {si4 zhi1 bing1 leng3}, icy cold limbs
四肢不舉 {si4 zhi1 bu4 ju3}, inability to lift the limbs
四肢不仁 {si4 zhi1 bu4 ren2}, insensitivity of the limbs
四肢不收 {si4 zhi1 bu4 shou1}, loss of use of the limbs
四肢不溫 {si4 zhi1 bu4 wen1}, lack of warmth in the limbs
四肢不用 {si4 zhi1 bu4 yong4}, loss of use of the limbs
四肢抽搐 {si4 zhi1 chou1 chu4}, convulsion of the limbs
四肢煩悗 {si4 zhi1 fan2 man2}, vexation in the limbs
四肢強直 {si4 zhi1 jiang4 zhi2}, rigidity of the limbs
四肢拘急 {si4 zhi1 ju1 ji2}, hypertonicity of the limbs
四肢拘攣 {si4 zhi1 ju1 luan2}, hypertonicity of the limbs
四肢倦怠 {si4 zhi1 juan4 dai4}, fatigued limbs
四肢厥冷 {si4 zhi1 jue2 leng3}, reversal cold of the limbs
四肢厥逆 {si4 zhi1 jue2 ni4}, reverse-flow of the limbs
四肢厥逆冰冷 {si4 zhi1 jue2 ni4 bing1 leng3}, icy-cold limbs due to reverse-flow
四肢困倦 {si4 zhi1 kun4 juan4}, fatigued cumbersome limbs
四肢攣急 {si4 zhi1 luan2 ji2}, hypertonicity of the limbs
四肢痲木 {si4 zhi1 ma2 mu4}, numbness of the limbs
四肢逆冷 {si4 zhi1 ni4 leng3}, counterflow cold of the limbs
四肢欠溫 {si4 zhi1 qian4 wen1}, lack of warmth in the limbs
四肢清冷 {si4 zhi1 qing1 leng3}, cold limbs

四肢瘦削 {si4 zhi1 shou4 xue4}, emaciated limbs
四肢疼 {si4 zhi1 teng2}, pain in the limbs
四肢疼痛 {si4 zhi1 teng2 tong4}, pain in the limbs
四肢爲諸陽之本 {si4 zhi1 wei2 zhu1 yang2 zhi1 ben3}, four limbs of the root of all yang2
四肢消瘦 {si4 zhi1 xiao1 sou4}, emaciated limbs
四肢腫脹 {si4 zhi1 zhong3 zhang4}, swelling of the limbs
四指 {si4 zhi3}, fourth finger
四制香附丸 {si4 zhi4 xiang1 fu4 wan2}, 方名 Quadruply Processed Cyperus Pill
四中 {si4 zhong1}, 腧穴正名 Four at the Center
四總穴 {si4 zong3 xue2}, four command points
四總穴歌 {si4 zong3 xue2 ge1}, 書名 Song of the Four Command Points

【似】 {si4} [Freq. 3] resemble.
似表似裡 {si4 biao3 si4 li3}, resembling exterior and interior [patterns]
似餓不餓 {si4 e4 bu4 e4}, condition like hunger but not hunger
似明似昧 {si4 ming2 si4 mei4}, seeming both conscious and unconscious
似痛不痛 {si4 tong4 bu4 tong1}, condition like pain but not pain
似脹不脹 {si4 zhang4 bu4 zhang4}, condition like distention but not distention
四肢爲諸陽之本 {sie4 zhi1 wei2 zhu1 yang2 zhi1 ben3}, four limbs are the root of all yang2

~~ {song1} ~~
【松】 {song1} [Freq. 4] pine.
松筆頭 {song1 bi3 tou2}, 中藥正名 pine twig (Pini Cacumen)
松丹 {song1 dan1}, 中藥異名 minium (Minium)
松根 {song1 gen1}, 中藥正名 pine root/root bark (Pini Radix seu Radicis Cortex)
松果腺 {song1 guo3 xian4}, 西醫 pineal gland
松蒿 {song1 hao1}, 中藥正名 Japanese louse seed (Phtheirospermi Japonici Herba)
松花 {song1 hua1}, 中藥異名 pine pollen (Pini Pollen)
松花粉 {song1 hua1 fen3}, 中藥正名 pine pollen (Pini Pollen)
松節 {song1 jie2}, 中藥正名 knotty pine wood (Pini Nodi Lignum)
松郎頭 {song1 lang2 tou2}, 中藥異名 knotty pine wood (Pini Nodi Lignum)
松苓 {song1 ling2}, 中藥異名 poria (Poria)
松蘿 {song1 luo2}, 中藥正名 beard lichen (Usnea)
松木皮 {song1 mu4 pi2}, 中藥正名 pine bark (Pini Cortex)
松木薯 {song1 mu4 shu3}, 中藥異名 poria (Poria)
松皮癬 {song1 pi2 xian3}, pine bark lichen
松球 {song1 qiu2}, 中藥正名 pine cone (Pini Conus)

松石豬肚丸 {song1 shi2 zhu1 du3 wan2}, 方名 Song1-Shi2's Pig's Stomach Pill
松鼠 {song1 shu3}, 中藥正名 squirrel (Sciurus)
松薯 {song1 shu3}, 中藥異名 poria (Poria)
松香 {song1 xiang1}, 中藥正名 rosin (Pini Resina)
松香粉 {song1 xiang1 fen3}, 中藥正名 powdered rosin (Pini Resina Pulverata)
松蕈 {song1 xun4}, 中藥正名 armillaria (Armillaria)
松葉 {song1 ye4}, 中藥正名 pine needle (Pini Folium)
松油 {song1 you2}, 中藥正名 pine oil (Pini Oleum)
松腴 {song1 yu2}, 中藥異名 poria (Poria)
松元 {song1 yuan2}, 中藥異名 pine cone (Pini Conus)
松針 {song1 zhen1}, 中藥異名 pine needle (Pini Folium)
松脂 {song1 zhi1}, 中藥異名 rosin (Pini Resina)
松脂香 {song1 zhi1 xiang1}, 中藥異名 rosin (Pini Resina)
松子 {song1 zi3}, 中藥異名 pine nut (Pini Semen)
松子仁 {song1 zi3 ren2}, 中藥異名 pine nut (Pini Semen)

【鬆】 {song1} [Freq. 4] relaxed.
鬆靜功 {song1 jing4 gong1}, quiescent qi4gong1

【菘】 {song1} [Freq. 4] old name for 白菜 {bai2 cai4.
菘菜 {song1 cai4}, 中藥異名 pakchoi (Brassicae Chinensis Herba)
菘子 {song1 zi3}, 中藥正名 pakchoi seed (Brassicae Chinensis Semen)

~~ {song3} ~~
【聳】 {song3} [Freq. 5] lofty (窗聳 {chuang1 song3}, Lofty Window (SI-16))

【&&6964||】 {song3} [Freq. 4] Chinese aralia.
&&6964||木白皮 {song3 mu4 bai2 pi2}, 中藥正名 Chinese aralia bark (Araliae Chinensis Cortex)
&&6964||木根 {song3 mu4 gen1}, 中藥正名 Chinese aralia root (Araliae Chinensis Radix)
&&6964||木葉 {song3 mu4 ye4}, 中藥正名 Chinese aralia leaf (Araliae Chinensis Folium)

~~ {song4} ~~
【宋】 {song4} [Freq. 3] Song4 (960--1279 A.D.); Song4 (Southern Dynasties) (420--479 A.D).
宋慈 {song4 ci2}, Song4 Ci2
宋九科 {song4 jiu3 ke1}, nine branches of medicine in the Song Dynasty

【送】 {song4} [Freq. 4] deliver.
送胞湯 {song4 bao1 tang1}, 方名 Afterbirth Decoction
送服 {song4 fu2}, take with fluid
送下 {song4 xia4}, swallow with fluid (e.g., 開水送下 {kai1 shui3 song4 xia4}, swallow with water)
送子丹 {song4 zi3 dan1}, 方名 Child-Delivering Elixir

~~ {sou1} ~~
【搜】 {sou1} [Freq. 2] track (down) (v.) (搜風 {sou1 feng1}, track down wind).
搜風 {sou1 feng1}, track (down) wind
搜風逐寒 {sou1 feng1 zhu2 han2}, track wind and expel cold
搜山黃 {sou1 shan1 huang2}, 中藥正名 gladiolus corm (Gladioli Cormus)
搜山虎 {sou1 shan2 hu3}, 中藥正名 Chinese scopolia (Scopoliae Sinensis Radix)

【餿】 {sou1} [Freq. 3] sour; putrid

【溲】 {sou1} [Freq. 3] urine.
溲黃 {sou1 huang2}, yellow urine
溲時莖中痛 {sou1 shi2 jing1 zhong1 tong4}, pain in the penis on urination
溲疏 {sou1 shu1}, 中藥正名 scabrous deutzia fruit (Deutziae Scabrae Fructus)
溲數 {sou1 shuo4}, frequent urination; urinary frequency
溲血 {sou1 xue4}, bloody urine

~~ {sou4} ~~
【嗽】 {sou4} [Freq. 3] productive cough; cough.
嗽血 {sou4 xue4}, coughing of blood
嗽藥 {sou4 yao4}, 中藥異名 willowleaf swallowwort (Cynanchi Stauntonii Rhizoma)

~~ {su1} ~~
【酥】 {su1} [Freq. 4] crispy; butter.
酥 {su1}, 中藥正名 butter (Bovis seu Ovis Butyrum)
酥蜜粥 {su1 mi4 zhou1}, 方名 Butter and Honey Gruel
酥油 {su1 you2}, 中藥異名 butter (Bovis seu Ovis Butyrum)

【蘇】 {su1} [Freq. 4] plant name.
蘇方木 {su1 fang1 mu4}, 中藥異名 sappan (Sappan Lignum)
蘇仿 {su1 fang3}, 中藥異名 sappan (Sappan Lignum)
蘇仿木 {su1 fang3 mu4}, 中藥異名 sappan (Sappan Lignum)
蘇梗 {su1 geng3}, 中藥異名 perilla stem (Perillae Caulis)
蘇合香 {su1 he2 xiang1}, 中藥正名 storax (Styrax)
蘇合香丸 {su1 he2 xiang1 wan2}, 方名 Storax Pill
蘇合香油 {su1 he2 xiang1 you2}, 中藥異名 storax (Styrax)
蘇合油 {su1 he2 you2}, 中藥異名 storax (Styrax)
蘇黃耆 {su1 huang2 qi2}, 中藥正名 cheeseweed (Malvae Neglectae Radix)
蘇橘湯 {su1 ju2 tang1}, 方名 Perilla and Tangerine Peel Decoction
蘇厥 {su1 jue2}, resuscitation
蘇門答臘安息香 {su1 men2 da2 la4 an1 xi1 xiang1}, 中藥正名 Sumatra benzoin (Benzoinum *Sumatrense)
蘇木 {su1 mu4}, 中藥正名 sappan (Sappan Lignum)
蘇芡 {su1 qian4}, 中藥異名 euryale (Euryales Semen)
蘇葶滾痰丸 {su1 ting2 gun3 tan2 wan2}, 方名 Perilla Seed and Lepidium/Descurainiae Phlegm-Rolling Pill
蘇頭 {su1 tou2}, 中藥正名 perilla root (Perillae Radix)
蘇醒神志 {su1 xing3 shen2 zhi4}, revive the spirit-mind
蘇葉 {su1 ye4}, 中藥異名 perilla leaf (Perillae Folium)
蘇葉黃連湯, 方名 Perilla Leaf and Coptis Decoction
蘇葉湯 {su1 ye4 tang1}, 方名 Perilla Leaf Decoction
蘇子 {su1 zi3}, 中藥異名 perilla fruit (Perillae Fructus)
蘇子降氣湯 {su1 zi3 jiang4 qi4 tang1}, 方名 Perilla Fruit Qi4-Downbearing Decoction
蘇子霜 {su1 zi3 shuang1}, 中藥正名 perilla seed frost (Perillae Semen Pulveratum)

~~ {su2} ~~
【俗】 {su2} [Freq. 4] vulgar.
俗醫 {su2 yi1}, vulgar healer

~~ {su4} ~~
【素】 {su4} [Freq. 3] usual; plain; elementary; white (素&&91C3.9ACE|{su4 liao2}, White Bone-Hole (GV-35)); vegetarian (吃素 {chi1 su4}, to eat (or be) vegetarian).
素&&91C3.9ACE|{su4 liao2}, 腧穴正名 GV-25 (White Bone-Hole)
素體 {su4 ti3}, constitution

素體虛弱 {su4 ti3 xu1 ruo4}, constitutional vacuity; weak constitution

素問 {su4 wen4}, 書名 Elementary Questions (1st century C)

素問・八正神明論篇第二十六 {su4 wen4, ba1 zheng4 shen2 ming2 lun4 pian1 di4 er4 shi2 liu4}, Plain Questions 26, Treatise on the Eight Right [Qi4] and the Spirit Light

素問・寶命全形論篇第二十五 {su4 wen4, bao3 ming4 quan2 xing2 lun4 pian1 di4 e4 shi2 wu3}, Plain Questions 25, Treatise on Treasuring [Heaven's] Mandate to Preserve the Body

素問・痹論篇第四十三 {su4 wen4, bi4 lun4 pian1 di4 si4 shi2 san1}, Plain Questions 43, Treatise on Impediment

素問・標本病傳論篇第六十五 {su4 wen4, biao1 ben3 bing4 chuan2 lun4 pian1 di4 liu4 shi2 wu3}, Plain Questions 65, Treatise on Tip and Root and on Passage of Disease

素問・病能論篇第四十六 {su4 wen4, bing4 neng2 lun4 pian1 di4 si4 shi2 liu4}, Plain Questions 46, Treatise on Morbid Bearing

素問・長刺節論篇第五十五 {su4 wen4, chang2 ci4 jie2 lun4 pian1 di4 wu3 shi2 wu3}, Plain Questions 55, Treatise on Needling Joints

素問・刺法論篇第七十二 {su4 wen4, ci4 fa3 lun4 pian1 di4 qi1 shi2 er4}, Plain Questions 72, Treatise on Needling Methods

素問・刺禁論篇第五十二 {su4 wen4, ci4 jin4 lun4 pian1 di4 wu3 shi2 er4}, Plain Questions 52, Treatise on Needling Contraindications

素問・刺瘧篇第三十六 {su4 wen4, ci4 nue94 pian1 lun4 san1 shi2 liu4}, Plain Questions 36, Treatise on Needling Malaria

素問・刺齊論篇第五十一 {su4 wen4, ci4 qi2 lun4 pian1 di4 wu3 shi2 yi1}, Plain Questions 41, Treatise on Degree of needling

素問・刺熱篇第三十二 {su4 wen4, ci4 re4 pian1 di4 san1 shi2 er4}, Plain Questions 32, Needling Heat [Disease]

素問・刺腰痛篇第四十一 {su4 wen4, ci4 yao1 tong4 pian1 di4 si4 shi yi1}, Plain Questions 41, Treatise Needling Lumbar Pain

素問・刺要論篇第五十 {su4 wen4, ci4 yao4 lun4 pian1 di4 wu3 shi2}, Plain Questions 50, Treatise on the Essentials of Needling

素問・刺志論篇第五十三 {su4 wen4, ci4 zhi4 lun4 pian1 di4 wu3 shi2 san1}, Plain Questions 53, Treatise on Points to Remember When Needling

素問・大奇論篇第四十八 {su4 wen4, da4 qi2 lun4 pian1 di4 si4 shi2 ba1}, Plain Questions 48, Treatise on Major Strange Diseases

素問・方盛衰論篇第八十 {su4 wen4, fang1 sheng4 shuai1 lun4 pian1 di4 ba1 shi2}, Plain Questions 80, Treatise on Comparative [Understanding of] Exuberance and Debilitation

素問・風論篇第四十二 {su4 wen4, feng1 lun4 pian1 di4 si4 shi2 er4}, Plain Questions 42, Treatise on Wind

素問・腹中論篇第四十 {su4 wen4, fu4 zhong1 lun4 pian1 di4 si4 shi2}, Plain Questions 40, Treatise on [Conditions Arising] in the Abdomen

素問・骨空論篇第六十 {su4 wen4, gu3 kong1 lun4 pian1 di4 liu4 shi2}, Plain Questions 60, Treatise on Bone Hollow

素問・解精微論篇第八十一 {su4 wen4, jie3 jing1 wei1 lun4 pian1 di4 ba1 shi2 yi1}, Plain Questions 81, Treatise Explaining Subtle Essence

素問・金匱真言論篇第四 {su4 wen4, jin1 gui4 zhen1 yan2 lun4 pian1 di4 si4}, Plain Questions 4, Treatise of the True Doctrine of the Golden Coffer

素問・經絡論篇第五十七 {su4 wen4, jing1 luo4 lun4 pian1 di4 wu3 shi2 qi1}, Plain Questions 57, Treatise on Channels and Network Vessels

素問・經脈別論篇第二十一 {su4 wen4, jing1 mai4 bie2 lun4 pian1 di4 er4 shi2 yi1}, Plain Questions 21, A Separate Treatise on the Channel Vessels

素問・舉痛論篇第三十九 {su4 wen4, ju3 tong4 lun4 pian1 di4 san1 shi2 jiu3}, Plain Questions 39, Treatise on Pain

素問・厥論篇第四十五 {su4 wen4, jue2 lun4 pian1 di4 si4 shi2 wu3}, Plain Questions 45, Treatise on Reversal

素問・咳論篇第三十八 {su4 wen4, ke2 lun4 pian1 di4 san1 shi2 ba1}, Plain Questions 38, Treatise on Cough

素問・離合真邪論篇第二十七 {su4 wen4, li2 he2 zhen1 xie2 lun4 pian1 di4 er4 shi2 qi1}, Plain Questions 27, Treatise on the Departure and Union of True and Evil [Qi4]

素問・靈蘭秘典論篇第八 {su4 wen4, ling2 lan2 xi4 dian3 lun4 pian1 di4 ba1}, Plain Questions 8, Treatise of the Arcane Book of the Orchid Chamber of the Spirit Tower

素問・六節藏象論篇第九 {su4 wen4, liu4 jie2 zang4 xiang4 lun4 pian1 di4 jiu3}, Plain Questions 9, Treatise on the Six Periods and Visceral Manifestation

素問・六微旨大論篇第六十八 {su4 wen4, liu4 wei1 zhi3 da4 lun4 pian1 di4 liu4 shi2 ba1}, Plain Questions 68, Great Treatise on the Subtleties of Six

素問・六元正紀大論篇第七十一 {su4 wen4, liu4 yuan2 zheng4 ji4 da4 lun4 pian1 di4 qi1 shi2 yi1}, Plain Questions 71, Great Treatise on the Regular Principles of the Six Origins

素問・脈解篇第四十九 {su4 wen4, mai4 jie3 pian1 di4 si4 shi2 jiu3}, Plain Questions 49, Treatise Explaining the Vessels

素問・脈要精微論篇第十七 {su4 wen4, mai4 yao4 jing1 wei2 lun4 pian1 di4 shi2 qi1}, Plain Questions 17, Treatise of the Essential Subtleties of the Pulse

素問・繆刺論篇第六十三 {su4 wen4, miu4 ci4 lun4 pian1 di4 liu4 shi2 san1}, Plain Questions 63, Treatise on Cross Needling

素問・逆調論篇第三十四 {su4 wen4, ni4 tiao2 lun4 pian1 di4 san1 shi2 si4}, Plain Questions 34, Treatise on disharmony

素問・瘧論篇第三十五 {su4 wen4, nue94 lun4 pian1 di4 san1 shi2 wu3}, Plain Questions 35, Treatize on Malaria

素問・皮部論篇第五十六 {su4 wen4, pi2 pu4 lu4n pian1 di4 wu3 shi2 liu4}, Plain Questions 56, Treatise on Cutaneous Regions

素問・評熱病論篇第三十三 {su4 wen4, ping2 re4 bing4 lun4 pian1 di4 san1 shi2 san1}, Plain Questions 33, Treatise Discussing Heat Disease

素問・平人氣象論篇第十八 {su4 wen4, ping2 ren2 qi4 xiang4 lun4 pian1 di4 shi2 ba1}, Plain Questions 18, Qi4 and Manifestaiton [of the Pulse] of Healthy Persons

素問·奇病論篇第四十七 {su4 wen4, qi2 bing4 lun4 pian1 di4 si4 shi2 qi1}, Plain Questions 47, Treatise on Strange Diseases

素問·氣府論篇第五十九 {su4 wen4, qi4 fu3 lun4 pian1 di4 wu3 shi2 jiu3}, Plain Questions 49, Treatise on the Houses of Qi4

素問・氣交變大論篇第六十九 {su4 wen4, qi4 jiao1 bian4 da4 lun4 pian1 di4 liu4 shi2 jiu3}, Plain Questions 69, Geat Treatise on Mutations at the Qi4 Intersections

素問・氣厥論篇第三十七 {su4 wen4, qi4 jue2 lun4 pian1 san1 shi2 qi1}, Plain Questions 37, Treatise on Qi4 Reversal

素問·氣穴論篇第五十八 {su4 wen4, qi4 xue2 lun4 pian1 di4 wu3 shi2 ba1}, Plain Questions 48, Treatise on Qi4 Points

素問・熱論篇第三十一 {su4 wen4, re4 lun4 pian1 di4 san1 shi2 yi1}, Plain Questions 30, Treatise on Heat

素問・三部九候論篇第二十 {su4 wen4, san1 bu4 jiu3 hou4 lun4 pian1 di4 er4 shi2}, Plain Questions 20, Treatise ont he Three Positions and Nine Indicators

素問・上古天真論篇第一 {su4 wen4, shang4 gu3 tian1 zhen1 lun4 pian1 di4 yi1}, Plain Questions 1, Treatise of Heavenly Truth from Remote Antiquity

素問・生氣通天論篇第三 {su4 wen4, shen1 qi4 tong1 tian1 lun4 pian1 di4 san1}, Plain Questions 3, Treatise on Vital Qi4 Connecting with Heaven

素問・示從容論第七十六 {su4 wen4, shi4 cong1 rong2 lun4 di4 qi1 shi2 liu4}, Plain Questions 76, Treatise on Showing Breadth of Vision

素問・水熱穴論篇第六十一 {su4 wen4, shui3 re4 xue2 lun4 pian1 di4 liu4 shi2 yi1}, Plain Questions 61, Treatise on Points For Water and Heat

素問・四氣調神大論篇第二 {su4 wen4, si4 qi4 tiao2 shen2 da4 lun4 pian1 di4 er4}, Plain Questions 2, Treatise on Regulating the Spirit in Accordance with the Four [Seasonal] Qi4

素問·四時刺逆從論篇第六十四 {su4 wen4, si4 shi2 ci4 ni4 cong2 lun2 pian1 di4 liu4 shi2 si4}, Plain Questions 64, Treatise on Needling With and Against the Four Seasons

素問・太陰陽明論篇第二十九 {su4 wen4, tai4 yin1 yang2 ming2 lun4 pian1 di4 er4 shi2 jiu3}, Plain Questions 29, Treatise on Greater Yin1 and Yang2 Brightness

素問・天元紀大論篇第六十六 {su4 wen4, tian1 yuan2 ji4 da4 lun4 pian1 liu4 shi2 liu4}, Plain Questions 66, Great Treatise on the Origins and Principles of Heaven

素問・調經論篇第六十二 {su4 wen4, tiao2 jing1 lun4 pian1 di4 shi2 er4}, Plain Questions 62, Treatise on Regulating the Channels

素問・通評虛實論第二十八 {su4 wen4, tong1 ping2 xu1 shi2 lun4 di4 er4 shi2 ba1}, Plain Questions 28, General Treatise on Vacuity and Repletion

素問・痿論篇第四十四 {su4 wen4, wei3 lun4 pian1 di4 si4 shi2 si4}, Plain Questions 44, Treatise on Wilting

素問・五藏別論篇第十一 {su4 wen4, wu2 zang4 bie2 lun4 pian1 di4 shi2 yi1}, Plain Questions 11, A Separate Treatise on the Five Viscera

素問・五藏生成論篇第十 {su4 wen4, wu2 zang4 sheng1 cheng2 lun4 pian1 di4 shi2}, Plain Questions 10, Treatise on the Engenderment of the Five Viscera

素問・五常政大論篇第七十 {su4 wen4, wu3 chang3 zheng4 da4 lun4 pian1 di4 qi1 shi2}, Plain Questions 70, Great Treatise on the Five Normal Rules

素問・五運行大論篇第六十七 {su4 wen4, wu3 yu4 xing2 da4 lun4 pian1 di4 liu4 shi2 qi1}, Plain Questions 67, Treatise on Movements of the Six Periods

素問・宣明五氣篇第二十三 {su4 wen4, xuan1 ming2 wu3 qi4 pian1 di4 er4 shi2 san1}, Plain Questions 23, Treatise Explaining the Five Qi4

素問·血氣形志篇第二十四 {su4 wen4, xue4 qi4 xing2 zhi4 pian1 er4 shi2 si4}, Plain Questions 24, Qi4 and Blood [of the Channels] and Body and Mind

素問・陽明脈解篇第三十 {su4 wen4, yang2 ming2 mai4 jie3 pian1 di4 san1 shi2}, Plain Questions 30, Treatise Explaining Yang2 Ming2 [Disease]

素問・移精變氣論篇第十三 {su4 wen4, yi2 jing1 bian4 qi4 lun4 pian1 di4 shi2 san1}, Plain Questions 13, Treatise on Moving Essence and Transmuting Qi4

素問・異法方宜論篇第十二 {su4 wen4, yi4 fa3 fang1 yi2 lun4 pian1 di4 shi2 er4}, Plain Questions 12, Treatise on the Appropriateness of Different Methods According to Locality

素問・陰陽別論篇第七 {su4 wen4, yin1 yang2 bie2 lun4 pian1 di4 qi1}, Plain Questions 7, A Separate Treatise on Yin1 and Yang2

素問・陰陽類論篇第七十九 {su4 wen4, yin1 yang2 lei4 lun4 pian1 di4 qi1 shi2 jiu3}, Plain Questions 79, Treatise on Yin1-Yang2 Categorization

素問·陰陽離合論篇第六 {su4 wen4, yin1 yang2 li2 he2 lun4 pian1 di4 liu4}, Plain Questions 6, Treatise on the Unity and Separateness of Yin1 and Yang2

素問·陰陽應像大論篇第五 {su4 wen4, yin1 yang2 ying4 xiang4 da4 lun4 pian1 di4 wu3}, Plain Questions 5, Great Treatise on the Correspondences and Manifestations of Yin1 and Yang2

素問・玉版論要篇第十五 {su4 wen4, yu4 ban3 lun4 yao4 pian1 di4 shi2 wu3}, Plain Questions 15, Essential Treatise of the Jade Tablet

素問・玉機真藏論篇第十九 {su4 wen4, yu4 ji1 zhen1 zang4 lun4 pian1 di4 shi2 jiu3}, Plain Questions 19, The Jade Swivel Treatise on True Visceral Pulses

素問・藏氣法時論篇第二十二 {su4 wen4, zang4 qi4 fa3 shi2 lun4 pian1 di4 er4 shi2}, Plain Questions 22, Methods of Treating Visceral Qi4 in Accordance with the Seasons

素問・針解篇第五十四 {su4 wen4, zhen3 jie3 pian1 di4 wu3 shi2}, Plain Questions 54, Treatise Explaining Needling

素問・診要經終論篇第十六 {su4 wen4, zhen3 yao4 jing1 zhong1 lun4 pian1 di4 shi2 liu4}, Plain Questions 16, Treatise on Important Points of Diagnosis and the Expiration of Channels

素問・徵四失論篇第七十八 {su4 wen4, zheng1 si4 shi1 lun4 pian1 di4 qi1 shi2 ba1}, Plain Questions 78, Treatise Explaining the Four Errors
素問・至真要大論篇第七十四 {su4 wen4, zhi4 zhen1 yao4 da4 lun4 pian1 di4 qi1 shi2 si4}, Plain Questions 74, Great Treatise on the Essentials of Supreme Truth
素問・疏五過論篇第七十七 {su4 wen4, zhu1 wu3 guo4 lun4 pian1 di4 qi1 shi2 qi1}, Plain Questions 77, Treatise Explaining the Five Errors
素問・著至教論篇第七十五 {su4 wen4, zhuo2 zhi4 jiao4 lun4 pian1 di4 qi1 shi2 wu3}, Plain Questions 75, Treatise on Supreme Doctrines
素馨花 {su4 xin1 hua1}, 中藥正名 jessamine (Jasmini Officinalis Flos)
素有 {su4 you3}, ordinarily having (suffering from); usually has (or suffers from)

【宿】 {su4} [Freq. 2] abide (v.), abiding (adj.) (宿食 {su4 shi2}, abiding food).
宿寒 {su4 han2}, abiding cold
宿疾 {su4 ji2}, abiding ailment
宿食 {su4 shi2}, abiding food
宿食初滯 {su4 shi2 chu1 zhi4}, abiding food of recent onset
宿食內停 {su4 shi2 nei4 ting2}, abiding food
宿食新滯 {su4 shi2 xin1 zhi4}, abiding food of recent onset
宿痰 {su4 tan2}, abiding phlegm
宿翳 {su4 yi4}, residual screen
宿滯 {su4 zhi4}, food stagnation

【速】 {su4} [Freq. 2] quick.
速刺 {su4 ci4}, prick

【粟】 {su4} [Freq. 4] millet.
粟 {su4}, 中藥異名 millet (Setariae Semen)
粟瘡 {su4 chuang1}, millet sore
粟殼 {su4 ke2}, 中藥異名 poppy husk (Papaveris Pericarpium)
粟米 {su4 mi3}, 中藥正名 millet (Setariae Semen)
粟米泔汁 {su4 mi3 gan1 zhi1}, 中藥正名 millet water (Setariae Aqua)
粟奴 {su4 nu2}, 中藥正名 smutted millet (Setariae Spica Infestata)
粟糖 {su4 tang2}, 中藥正名 millet sugar (Setariae Saccharon)
粟芽 {su4 ya2}, 中藥正名 millet sprout (Setariae Semen Germinatum)

【肅】 {su4} [Freq. 4] depurate.
肅肺化痰 {su4 fei4 hua4 tan2}, depurate the lung and transform phlegm
肅降 {su4 jiang4}, depurative downbearing

～ {suan1} ～

【酸】 {suan1} [Freq. 2] sour (adj.), sourness (n.) (酸入肝 {suan1 ru4 gan1}, sourness enters the liver); acid (adj.), acidity (n.) (泛酸 fan4 suan1, acid upflow); ache (v.), (n.) (腰酸膝軟 {yao1 suan1 xi1 ruan3}, aching lumbus and limp knees); sore (adj.), soreness (n.).

酸不溜 {suan1 bu4 liu1}, 中藥正名 sour knotweed (Polygoni Divaricati Herba)

酸不溜根 {suan1 bu4 liu1 gen1}, 中藥正名 sour knotweed root (Polygoni Divaricati Radix)

酸莧 {suan1 cai4}, 中藥異名 purslane (Portulacae Herba)

酸菜 {suan1 cai4}, 中藥正名 sour pickled mustard (Sinapis Salsamen Acidum)

酸甘化陰 {suan1 gan1 hua4 yin1}, sweet and sour yin1 formation

酸鹼傷目 {suan1 jian3 shang1 mu4}, damage to the eye by acid or alkali

酸漿 {suan1 jiang1}, 中藥正名 lantern plant (Physalis Alkekengi Herba)

酸漿菜 {suan1 jiang1 cai4}, 中藥正名 mountain sorrel (Oxyriae Digynae Herba)

酸漿根 {suan1 jiang1 gen1}, 中藥正名 lantern plant root (Physalis Alkekengi Radix)

酸角 {suan1 jiao3}, 中藥正名 tamarind (Tamarindi Fructus)

酸苦涌泄爲陰 {suan1 ku3 yong3 xie4 wei2 yin1}, sour and bitter upwelling and discharging [medicinals] are yin1

酸榴皮 {suan1 liu2 pi2}, 中藥異名 pomegranate rind (Granati Pericarpium)

酸米菜 {suan1 mi3 cai4}, 中藥異名 purslane (Portulacae Herba)

酸模 {suan1 mo2}, 中藥正名 sour dock root (Rumicis Acetosae Radix)

酸模葉 {suan1 mo2 ye4}, 中藥正名 sour dock leaf (Rumicis Acetosae Folium)

酸入肝 {suan1 ru4 gan1}, sourness enters the liver

酸澀收斂 {suan1 se4 shou1 lian3}, sour and astringent

酸澀止血 {suan1 se4 zhi3 xue4}, sour, astringent, and stanching bleeding

酸石榴 {suan1 shi2 liu2}, 中藥正名 sour pomegranate (Granati Fructus Acidus)

酸石榴皮 {suan1 shi2 liu2 pi2}, 中藥異名 pomegranate rind (Granati Pericarpium)

酸收甘緩安中 {suan1 shou1 gan1 huan3 an1 zhong1}, quite the center by sour contraction and sweet relaxation

酸水草 {suan1 shui3 cao3}, 中藥正名 perfoliate pondweed (Potamogetonis Perfoliati Herba)

酸水浸心嘈 {suan1 shui3 jin1 xin1 cao2}, clamor from sour water soaking

酸藤果 {suan1 teng2 guo3}, 中藥正名 sour-leaved embelia fruit (Embeliae Laetae Fructus)

酸藤木 {suan1 teng2 mu4}, 中藥正名 sour-leaved embelia (Embeliae Laetae Radix, Ramulus et Folium)

酸痛 {suan1 tong4}, aching pain; soreness

酸咸無升，甘辛無降 {suan1 xian2 wu2 sheng1, gan1 xin1 wu2 jiang4}, no sour or salty [medicinals] bear upward, no sweet or acrid [medicinals] bear downward

酸棗 {suan1 zao3}, 中藥異名 crataegus (Crataegi Fructus)

酸棗根皮 {suan1 zao3 gen1 pi2}, 中藥正名 spiny jujube root bark (Ziziphi Spinosi Radicis Cortex)
酸棗核 {suan1 zao3 he2}, 中藥異名 spiny jujube (Ziziphi Spinosi Semen)
酸棗仁湯 {suan1 zao3 ren2 tang1}, 方名 Spiny Jujube Decoction
酸棗仁 {suan1 zao3 ren2, 中藥正名 spiny jujube (Ziziphi Spinosi Semen)
酸查 {suan1 zha1}, 中藥異名 crataegus (Crataegi Fructus)
酸赭 {suan1 zhe3}, 中藥異名 sanguisorba (Sanguisorbae Radix)
酸重疼痛 {suan1 zhong4 teng2 tong4}, aching heavy pain

~~ {suan4} ~~
【算】 {suan4} [Freq. 4] calculate.
算盤子 {suan4 pan2 zi3}, 中藥正名 Chinese glochidion fruit (Glochidionis Puberi Fructus)
算盤子根 {suan4 pan2 zi3 gen1}, 中藥正名 Chinese glochidion root (Glochidionis Puberi Radix)
算盤子葉 {suan4 pan2 zi3 ye4}, 中藥正名 Chinese glochidion leaf (Glochidionis Puberi Folium)

【蒜】 {suan4} [Freq. 4] garlic.
蒜蔥 {suan4 cong1}, 中藥異名 shallot (Allii Ascalonici Bulbus)
蒜梗 {suan4 geng3}, 中藥正名 garlic stem (Allii Sativi Pedunculus)
蒜黃 {suan4 huang2}, 中藥正名 blanched garlic leaf (Allii Sativi Folium *Aureum)
蒜腦薯 {suan4 nao3 zhu1}, 中藥異名 lily bulb (Lilii Bulbus)
蒜頭 {suan4 tou2}, 中藥異名 garlic (Allii Sativi Bulbus)
蒜仔 {suan4 zai3}, 中藥異名 garlic (Allii Sativi Bulbus)

~~ {sui2} ~~
【隋】 {sui2} [Freq. 5] Sui2 (581--618 A.D.)

【隨】 {sui2} [Freq. 4] follow.
隨按隨起 {sui2 an4 sui2 qi3}, immediate rebounding after pressure is applied and released
隨訪 {sui2 fang3}, 西醫 follow-up
隨風子 {sui2 feng1 zi3}, 中藥異名 chebule (Chebulae Fructus)
隨證加減 {sui2 zheng4 jia1 jian3}, formula variation in accordance with signs
隨證取穴 {sui2 zheng4 qu3 xue2}, selection of points according to signs (patterns)

~~ {sui3} ~~

【髓】 {sui3} [Freq. 2] marrow (n.) (髓海 {sui3 hai3}, sea of marrow).

髓府 {sui3 fu3}, 腧穴異名 GV-2 (House of Marrow) (House of Marrow); 腧穴異名 KI-14

髓海 {sui3 hai3}, sea of marrow (the brain)

髓海不足 {sui3 hai3 bu4 zu2}, insufficiency of the sea of marrow

髓海空虛 {sui3 hai3 kong1 xu1}, emptiness of the sea of marrow

髓會 {sui3 hui4}, meeting point of the marrow (GB-39) (Marrow Convergence); 腧穴異名 GB-39

髓孔 {sui3 kong1}, 腧穴異名 GB-5 (Marrow Hole)

髓空 {sui3 kong1}, 腧穴異名 GV-2 (Marrow Hole)

髓孔 {sui3 kong3}, 腧穴異名 GV-2 (Marrow Hole) (Marrow Hole); 腧穴異名 ST-5

髓虧 {sui3 kui1}, marrow depletion

髓虧證 {sui3 kui1 zheng4}, marrow depletion pattern

髓俞 {sui3 shu1}, 腧穴異名 CV-2 (Marrow Transport) (Marrow Transport); 腧穴異名 GV-2

髓之府 {sui3 zhi1 fu3}, house of the marrow (the bones)

髓中 {sui3 zhong1}, 腧穴異名 GB-5 (Marrow Center) (Marrow Center); 腧穴異名 KI-14

~~ {sui4} ~~

【歲】 {sui4} [Freq. 4] year (數歲不語 {shu4 sui4 bu4 yu3}, not talking for several years).

歲氣 {sui4 hui4}, annual qi4

歲會 {sui4 hui4}, annual congruence

【碎】 {sui4} [Freq. 5] broken to pieces; cracked (舌碎 {she2 sui4}, cracked tongue).

碎骨子 {sui4 gu3 zi3}, 中藥正名 lophatherum tuber (Lophatheri Rhizoma et Tuber)

碎米柴 {sui4 mi3 chai2}, 中藥正名 small-leaved desmodium (Desmodii Microphylli Herba)

【遂】 {sui4} [Freq. 5] fulfil wishes (subject to voluntary control. 半身不遂 {ban4 shen1 bu4 sui4}, lit. half body not complying, i.e., hemiplegia)

【隧】 {sui4} [Freq. 5] passage (鼻隧 {bi2 sui4}, nasal passages)

~~ {sun1} ~~

【孫】 {sun1} [Freq. 4] grandchild.

孫絡 {sun1 luo4}, grandchild network vessel

孫脈 {sun1 mai4}, grandchild vessel

孫思邈 {sun1 si1 miao3}, Sun1 Si1-Miao3

孫太郎蟲 {sun1 tai4 lang2 chong2}, 中藥正名 protohermes (Protohermis Vermiculus)
孫一奎 {sun1 yi1 kui2}, Sun1 Yi1-Kui2

【飧】 {sun1} [Freq. 4] supper; swill.
飧泄 {sun1 xie4}, swill diarrhea
飧泄不化 {sun1 xie4 bu4 hua4}, swill diarrhea with non-transformation of food

【猻】 {sun1} [Freq. 5] monkey (猢猻疳 {hu2 sun1 gan1}, monkey gan1)

~~ {sun3} ~~
【損】 {sun3} [Freq. 2] detriment (n.) (虛損 {xu1 sun3}, vacuity detriment); reduce (v.) (損其有余 {sun3 qi2 you3 yu2}, reduce the superabundance).
損害 {sun3 hai4}, 西醫 lesion
損其有余 {sun3 qi2 you3 yu2}, reduce the superabundance
損傷 {sun3 shang1}, injury; damage

~~ {suo1} ~~
【娑】 {suo1} [Freq. 4] dancing (used in transcriptions. 娑羅子 {suo1 luo2 zi3}, horse chestnut).
娑羅子 {suo1 luo2 zi3}, 中藥正名 horse chestnut (Aesculi Semen)

【莎】 {suo1} [Freq. 4] plant name.
莎草 {suo1 cao3}, 中藥正名 cyperus (Cyperi Caulis et Folium)
莎木麵 {suo1 mu4 mian4}, 中藥正名 sago (Sagu Amylum)

【蓑】 {suo1} [Freq. 4] eulaliopsis.
蓑草根 {suo1 cao3 gen1}, 中藥正名 eulaliopsis (Eulaliopsis Rhizoma)

【縮】 {suo1} [Freq. 2] retracted (adj.) (囊縮 {nang2 suo1}, retracted scrotum).
縮肌 {suo1 ji1}, 西醫 constrictor
縮腳腸癰 {suo1 jiao3 chang2 yong1}, leg-flexing intestinal welling-abscess
縮腳流注 {suo1 jiao3 liu2 zhu4}, leg-flexing streaming sore
縮尿 {suo1 niao4}, reduce urine
縮尿止遺 {suo1 niao4 zhi3 yi2}, reduce urine and check enuresis
縮脾飲 {suo1 pi2 yin3}, 方名 Amomum Splenic Beverage
縮泉丸 {suo1 quan2 wan2}, 方名 Stream-Reducing Pill
縮砂 {suo1 sha1}, 中藥異名 amomum (Amomi Fructus)

縮砂仁 {suo1 sha1 ren2}, 中藥正名 Vietnamese amomum (Amomi Villosi Semen seu Fructus)
縮砂湯 {suo1 sha1 tang1}, 方名 Vietnamese Amomum Decoction
縮小便 {suo1 xiao3 bian4}, reduce urination
縮陽 {suo1 yang2}, retracted genitals
縮陰 {suo1 yin1}, retracted genitals
縮陰病 {suo1 yin1 bing4}, retracted genitals disease

~~ {suo3} ~~
【所】 {suo3} [Freq. 4] place; office; grammatical particle.
所不勝 {suo3 bu4 sheng4}, overcoming phase
所生病 {suo3 sheng1 bing4}, disease ``produced by this'' (disease pattern produced by a given bowel or viscus)
所勝 {suo3 sheng4}, overcome phase
所聞 {suo3 wen2}, 腧穴異名 SI-19 (Heard)
所以載丸 {suo3 yi3 zai4 wan2}, 方名 Wherewithal-To-Bear Pill
所載 {suo3 zai4}, bearing (that which bears the fetus)

【索】 {suo3} [Freq. 4] rope.
索菜 {suo3 cai4}, 中藥異名 laver (Porphyra)
索子果 {suo3 zi3 guo3}, 中藥異名 quisqualis (Quisqualis Fructus)

【瑣】 {suo3} [Freq. 4] tinkling jade.
瑣陽 {suo3 yang2}, 中藥異名 cynomorium (Cynomorii Herba)

【鎖】 {suo3} [Freq. 4] lock.
鎖肛痔 {suo3 gang1 zhi4}, anus-stopping hemorrhoids
鎖骨 {suo3 gu3}, clavicle; clavicle
鎖骨疽 {suo3 gu3 ju1}, flat-abscess of the clavicle
鎖骨下動脈 {suo3 gu3 xia4 dong4 mai4}, 西醫 subclavian artery
鎖骨下靜脈 {suo3 gu3 xia4 jing4 mai4}, 西醫 subclavian vein
鎖喉毒 {suo3 hou2 du2}, throat-locking toxin [sore]
鎖喉風 {suo3 hou2 feng1}, throat-locking wind
鎖喉癰 {suo3 hou2 yong1}, throat-locking welling-abscess
鎖口疔 {suo3 kou3 ding1}, mouth-locking clove sore
鎖嚴子 {suo3 yan2 zi3}, 中藥異名 cynomorium (Cynomorii Herba)
鎖陽 {suo3 yang2}, 中藥正名 cynomorium (Cynomorii Herba)
鎖陽壯陽粥 {suo3 yang2 zhuang4 yang2 zhou1}, 方名 Cynomorium Yang2-Invigorating Gruel

鎖子骨 {suo3 zi3 gu3}, clavicle (collar bone)

== T ==

~~ {ta1} ~~
【塌】 {ta1} [Freq. 4] sink (v.); sunken (adj.) (平塌 {ping2 ta1}, flat or sunken); soothe (塌癢湯 {ta1 yang3 tang1}, Itch-Soothing Decoction).
塌癢湯 {ta1 yang3 tang1}, 方名 Itch-Soothing Decoction

~~ {ta3} ~~
【獺】 {ta3} [Freq. 4] otter.
獺膽 {ta3 dan3}, 中藥正名 otter's gallbladder (Lutrae Vesica Fellea)
獺肝 {ta3 gan1}, 中藥正名 otter's liver (Lutrae Iecur)
獺骨 {ta3 gu3}, 中藥正名 otter bone (Lutrae Os)
獺皮毛 {ta3 pi2 mao2}, 中藥正名 otter pelt (Lutrae Pellis)
獺肉 {ta3 rou4}, 中藥正名 otter meat (Lutrae Caro)
獺四足 {ta3 si4 zu2}, 中藥正名 otter's leg (Lutrae Pes)

~~ {ta4} ~~
【蹋】 {ta4} [Freq. 4] tread.
蹋菜 {ta4 cai4}, 中藥正名 broad-beaked mustard (Brassicae Narinosae Herba)

~~ {tai1} ~~
【胎】 {tai1} [Freq. 2] fetus (n.), fetal (n.) (胎死不下 {tai1 si3 bu2 xia4}, retention of dead fetus; 胎氣 {tai4 qi4}, fetal qi4); tongue fur (n.) (same as 苔 {tai1}).
胎不正 {tai1 bu4 zheng4}, malposition of the fetus
胎產 {tai1 chan3}, childbirth; parturition
胎赤 {tai1 chi4}, fetal redness
胎傳 {tai1 chuan2}, fetal infection
胎疸 {tai1 dan3}, fetal jaundice
胎動 {tai1 dong4}, stirring fetus
胎動不安 {tai1 dong4 bu4 an1}, stirring fetus
胎毒 {tai1 du2}, fetal toxin

胎毒蘊熱 {tai1 du2 yun4 re4}, fetal toxin brewing into heat
胎毒蘊熱證 {tai1 du2 yun4 re4 zheng4}, pattern of fetal toxin brewing into heat
胎墮 {tai1 duo4}, abortion
胎兒 {tai1 er2}, 西醫 fetus
胎肥 {tai1 fei2}, fetal obesity
胎風 {tai1 feng1}, fetal wind
胎垢 {tai1 gou4}, fetal grime
胎寒 {tai1 han2}, fetal cold
胎患內障 {tai1 huan4 nei4 zhang4}, congenital internal obstruction
胎黃 {tai1 huang2}, fetal jaundice
胎甲 {tai1 jia3}, pregnancy
胎驚 {tai1 jing1}, fetal fright
胎漏 {tai1 lou4}, fetal spotting
胎漏下血 {tai1 lou4 xia4 xue4}, fetal bleeding
胎盤 {tai1 pan2}, placenta; placenta (Hominis Placenta); 中藥異名 placenta
胎氣 {tai1 qi4}, fetal qi4
胎氣上逼 {tai1 qi4 shang4 bi1}, fetal qi4 forcing upward
胎氣上逆 {tai1 qi4 shang4 ni4}, fetal qi4 ascending counterflow
胎前 {tai1 qian2}, antepartum
胎怯 {tai1 qie4}, fetal timidity
胎熱 {tai1 re4}, fetal heat
胎熱不安 {tai1 re4 bu4 an1}, fetal heat
胎弱 {tai1 ruo4}, fetal feebleness
胎疝 {tai1 shan4}, fetal mounting
胎失所載 {tai1 shi1 suo3 zai4}, fetus deprived of its bearing (deprive the fetus of its bearing)
胎瘦 {tai1 shou4}, fetal emaciation
胎水 {tai1 shui3}, fetal water
胎水腫滿 {tai1 shui3 zhong3 man3}, water swelling and fullness in pregnancy
胎死不下 {tai1 si3 bu4 xia4}, retention of dead fetus
胎死腹中 {tai1 si3 fu4 zhong1}, death {in utero}
胎萎不長 {tai1 wei3 bu4 zhang3}, atrophied fetus
胎位不正 {tai1 wei4 bu4 zheng4}, malposition of the fetus
胎息 {tai1 xi2}, fetal breathing
胎癇 {tai1 xian2}, fetal epilepsy
胎癬 {tai1 xian3}, fetal lichen
胎衣 {tai1 yi1}, placenta; afterbirth (Hominis Placenta); 中藥異名 placenta
胎衣不下 {tai1 yi1 bu4 xia4}, retention of the placenta
胎元 {tai1 yuan2}, fetal origin

胎元不固 {tai1 yuan2 bu4 gu4}, insecurity of the fetal origin
胎元飲 {tai1 yuan2 yin3}, 方名 Fetal Origin Beverage
胎孕 {tai1 yun4}, pregnancy
胎中染毒 {tai1 zhong1 ran3 du2}, transmission of toxin in the uterus

【苔】 {tai1} [Freq. 2] fur (n.) (苔白 {tai4 bai2}, white tongue fur); moss.
苔白 {tai1 bai2}, white tongue fur
苔剝 {tai1 bo1}, peeling tongue fur
苔剝落 {tai1 bo1 luo4}, peeling tongue fur
苔薄 {tai1 bo2}, thin tongue fur
苔腐 {tai1 fu3}, bean curd tongue fur; tofu tongue fur
苔垢 {tai1 gou4}, grimy tongue fur
苔黑 {tai1 hei1}, black tongue fur
苔厚 {tai1 hou4}, thick tongue fur
苔滑 {tai1 hua2}, glossy tongue fur
苔化 {tai1 hua4}, transforming tongue fur; transformation of the tongue fur
苔黃 {tai1 huang2}, yellow tongue fur
苔黃膩 {tai1 huang2 ni4}, slimy yellow fur
苔灰 {tai1 hui1}, gray tongue fur
苔焦黃 {tai1 jiao1 huang2}, burnt yellow tongue fur
苔膩 {tai1 ni4}, slimy tongue fur
苔潤 {tai1 run4}, moist tongue fur
苔色 {tai1 se4}, fur color
苔色主病 {tai1 se4 zhu3 bing4}, correspondence between fur color and disease
苔無根 {tai1 wu2 gen1}, unrooted tongue fur
苔有根 {tai1 you3 gen1}, rooted tongue fur
苔燥 {tai1 zao4}, dry tongue fur
苔質 {tai1 zhi4}, nature of the fur

～ {tai2} ～
【台】 {tai2} [Freq. 3] platform.
台灣馬加鰆 {tai2 wan1 ma3 jia1 chun1}, 中藥正名 Taiwan mackerel (Sawara Guttata)
台灣堇菜 {tai2 wan2 jin3 cai4}, 中藥正名 Taiwan violet (Violae Formosanae Herba)
台灣山澤蘭 {tai2 wan2 shan1 ze2 lan2}, 中藥正名 Formosan eupatorium (Eupatorii Formosani Herba)
台灣小檗 {tai2 wan2 xiao3 bo4}, 中藥正名 Taiwan barberry (Berberidis Kawakamii Radix et Caulis)

台烏 {tai2 wu1}, 中藥異名 lindera (Linderae Radix)
台烏藥 {tai2 wu1 yao4}, 中藥異名 lindera (Linderae Radix)
台芎 {tai2 xiong1}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)

【抬】 {tai2} [Freq. 4] lift.
抬肩 {tai2 jian1}, 腧穴正名 Lift Shoulders

【炱】 {tai2} [Freq. 5] soot (黑如炱 {hei1 ru2 tai2}, black as soot)

~~ {tai4} ~~
【太】 {tai4} [Freq. 2] greater (adj.) (太陰 {tai4 yin1}, greater yin1); supreme (adj.) (太沖 {tai4 chong1}, Supreme Surge (LV-3)); excessively (adj.) (太過 {tai4 guo4}, excessive).
太白 {tai4 bai2}, 腧穴正名 SP-3 (Supreme White)
太白艾 {tai4 bai2 ai4}, 中藥正名 tansy (Tanaceti Herba)
太白貝母 {tai4 bai2 bei4 mu3}, 中藥正名 Taibai fritillaria (Fritillariae Taipaiensis Bulbus)
太白花 {tai4 bai2 hua1}, 中藥正名 alpine cladonia (Cladonia Alpestris)
太白菊 {tai4 bai2 ju2}, 中藥正名 flaccid aster (Asteris Flaccidi Herba)
太白鹿角 {tai4 bai2 lu4 jiao3}, 中藥正名 slender cladonia (Cladonia Gracilis)
太白三七 {tai4 bai2 san1 qi1}, 中藥正名 tongoloa root (Tongoloae Radix)
太白參 {tai4 bai2 shen1}, 中藥正名 David's pedicularis root (Pedicularis Davidii Rhizoma)
太白小紫菀 {tai4 bai2 xiao3 zi3 wan3}, 中藥正名 cremanthodium (Cremanthodii Herba)
太倉 {tai4 cang1}, great granary (Supreme Granary); 腧穴異名 CV-12
太沖 {tai4 chong1}, 腧穴正名 LV-3 (Supreme Surge)
太沖 {tai4 chong1}, 腧穴異名 LV-3 (Great Thoroughfare)
太沖脈 {tai4 chong1 mai4}, great thoroughfare vessel
太過 {tai4 guo4}, excessive
太極拳 {tai4 ji2 quan2}, Tai4ji2 boxing
太平惠民和劑局 {tai4 ping2 hui4 min2 he2 ji4 ju2}, Tai4-Ping2 Imperial Grace Pharmacy
太平惠民和劑局方 {tai4 ping2 hui4 min2 he2 ji4 ju2 fang1}, 書名 Tai4-Ping2 Imperial Grace Pharmacy Formulas
太平惠民局 {tai4 ping2 hui4 min2 ju2}, Public Dispensary
太平莓 {tai4 ping2 mei2}, 中藥正名 pacific raspberry (Rubi Pacifici Herba)
太平聖惠方 {tai4 ping2 sheng4 hui4 fang1}, 書名 The Great Peace Sagacious Benevolence Formulary (992 (Song4), Wang2 Huai2-Yin3 王懷隱 et al. ed.)
太泉 {tai4 quan2}, 腧穴異名 LU-9 (Great Spring)
太無神朮散 {tai4 wu2 shen2 zhu2 san3}, 方名 Great Void Wondrous Atractylodes Powder
太息 {tai4 xi1}, great respiration

太谿 {tai4 xi1}, 腧穴正名 KI-3 (Great Ravine)
太陽 {tai4 yang2}, temple (of the head); greater yang2; sun; 腧穴正名 Greater Yang2 穴異名 GB-3
太陽表證 {tai4 yang2 biao3 zheng4}, greater yang2 exterior pattern
太陽病 {tai4 yang2 bing4}, greater yang2 disease
太陽病證 {tai4 yang2 bing4 zheng4}, greater yang2 disease
太陽多血少氣 {tai4 yang2 duo1 xue4 shao3 qi4}, greater yang2 has copious blood and scant qi4
太陽腑病 {tai4 yang2 fu3 bing4}, greater yang2 bowel disease
太陽經病 {tai4 yang2 jing1 bing4}, greater yang2 channel disease
太陽熱迫大腸 {tai4 yang2 re4 po4 da4 chang2}, greater yang2 heat distressing the large intestine
太陽熱擾胸膈 {tai4 yang2 re4 rao3 xiong1 ge2}, greater yang2 heat harassing the chest and diaphragm
太陽熱邪迫肺 {tai4 yang2 re4 xie2 po4 fei4}, greater yang2 heat evil distressing the lung
太陽傷寒 {tai4 yang2 shang1 han2}, greater yang2 cold damage
太陽傷寒證 {tai4 yang2 shang1 han2 zheng4}, greater yang2 cold damage pattern
太陽少陽合病 {tai4 yang2 shao4 yang2 he2 bing4}, greater yang2 and lesser yang2 combination disease
太陽濕熱 {tai4 yang2 shi1 re4}, greater yang2 damp-heat
太陽爲開 {tai4 yang2 wei2 kai1}, greater yang2 is the opening
太陽蓄水 {tai4 yang2 xu4 shui3}, greater yang2 water amassment
太陽穴 {tai4 yang2 xue4}, Greater Yang22 point
太陽蓄血 {tai4 yang2 xue4 xue4}, greater yang2 blood amassment
太陽與少陽合病 {tai4 yang2 yu3 shao4 yang2 he2 bing4}, greater yang2 and lesser yang2 combination disease
太陽與陽明合病 {tai4 yang2 yu3 yang2 ming2 he2 bing4}, greater yang2 and yang2 brightness combination disease
太陽針 {tai4 yang2 zhen1}, 中藥正名 plagiopus (Plagiopus)
太陽症 {tai4 yang2 zheng4}, greater yang2 pathocondition
太陽中風 {tai4 yang2 zhong4 feng1}, greater yang2 wind strike (stroke)
太陽中風證 {tai4 yang2 zhong4 feng1 zheng4}, greater yang2 wind strike (stroke) pattern
太一 {tai4 yi1}, 腧穴異名 ST-23 (Supreme Unity)
太醫 {tai4 yi1}, imperial physician
太醫丞 {tai4 yi1 cheng2}, Imperial Medical Officer
太醫局 {tai4 yi1 ju2}, Imperial Medical Bureau
太醫令 {tai4 yi1 ling4}, Director of the Imperial Medical Bureau
太醫署 {tai4 yi1 shu3}, Imperial Medical Bureau
太一余糧 {tai4 yi1 yu2 liang2}, 中藥異名 limonite (Limonitum)

太醫院 {tai4 yi1 yuan4}, Imperial Institute of Medicine
太乙 {tai4 yi3}, supreme unity (Supreme Unity); 腧穴正名 ST-23
太乙膏 {tai4 yi3 gao1}, 方名 Tai Yi Plaster
太乙灸 {tai4 yi3 jiu3}, Tai-Yi moxibustion
太乙神針 {tai4 yi3 shen2 zhen1}, Tai-Yi moxa stick
太乙玄精石 {tai4 yi3 xuan2 jing1 shi2}, 中藥異名 selenite (Selenitum)
太陰 {tai4 yin1}, greater yin1 (Supreme Yin1); 腧穴異名 LV-6 (Greater Yin1 穴異名 SP-6
太陰病 {tai4 yin1 bing4}, greater yin1 disease
太陰病證 {tai4 yin1 bing4 zheng4}, greater yin1 disease pattern
太陰多氣少血 {tai4 yin1 duo1 qi4 shao3 xue4}, greater yin1 has copious qi4 and scant blood
太陰寒濕 {tai4 yin1 han2 shi1}, greater yin1 cold-damp
太陰絡 {tai4 yin1 luo4}, 腧穴異名 SP-7 (Greater Yin1 Connection)
太陰內市 {tai4 yin1 nei4 shi4}, 腧穴異名 SP-11 (Greater Yin1 Inner Market)
太陰蹺 {tai4 yin1 qiao1}, 腧穴正名 Greater Yin1 Springing
太陰頭痛 {tai4 yin1 tou2 tong4}, greater yin1 headache
太陰爲濕土 {tai4 yin1 wei2 shi1 tu3}, greater yin1 is damp earth
太陰虛寒 {tai4 yin1 xu1 han2}, greater yin1 vacuity cold
太陰玄精 {tai4 yin1 xuan2 jing1}, 中藥異名 selenite (Selenitum)
太陰玄精石 {tai4 yin1 xuan2 jing1 shi2}, 中藥異名 selenite (Selenitum)
太陰元精石 {tai4 yin1 yuan2 jing1 shi2}, 中藥異名 selenite (Selenitum)
太陰症 {tai4 yin1 zheng4}, greater yin1 pathocondition
太淵 {tai4 yuan1}, 腧穴正名 LU-9 (Great Abyss)
太鐘 {tai4 zhong1}, 腧穴異名 KI-4 (Great Goblet)
太子參 {tai4 zi3 shen1}, 中藥正名 pseudostellaria (Pseudostellariae Radix)

【泰】 {tai4} [Freq. 4] peaceful; safe.
泰來海鯰 {tai4 lai2 nian3}, 中藥正名 giant catfish (Tachysuri Thalassini Caro)
泰山磐石散 {tai4 shan1 pan2 shi2 san3}, 方名 Rock of Taishan Fetus-Quieting Powder

【態】 {tai4} [Freq. 5] bearing (posture and movement; 舌態 {she2 tai4}, tongue bearing)

~~ {tan1} ~~
【貪】 {tan1} [Freq. 4] greedy.
貪涼飲冷 {tan1 liang2 yin3 leng3}, overconsumption of cold foods and drinks
貪食 {tan1 shi2}, rapacious appetite
貪食而不運 {tan1 shi2 er2 bu4 yun4}, rapacious appetite and non-movement of food

【攤】 {tan1} [Freq. 4] spread out.
攤緩 {tan1 huan3}, paralysis

【癱】 {tan1} [Freq. 2] paralysis (n.) (癱瘓 {tan1 huan4}, paralysis).
癱復 {tan1 fu4}, 腧穴正名 Paralytic's Recovery
癱瘓 {tan1 huan4}, paralysis
癱康 {tan1 kang1}, 腧穴正名 Paralytic's Health
癱立 {tan1 li4}, 腧穴正名 Paralytic Stands

~~ {tan2} ~~
【痰】{tan2} [Freq. 2] phlegm (n.) (脾虛生痰 {pi2 xu1 sheng1 tan2}, spleen vacuity engendering {phlegm}; 痰濕{tan2 shi1}, {phlegm}-damp; 濕痰{shi1 tan2}, damp phlegm).
痰白黏 {tan2 bai2 nian2}, white sticky phlegm
痰包 {tan2 bao1}, phlegm pouch
痰秘 {tan2 bi4}, phlegm constipation
痰閉 {tan2 bi4}, phlegm block
痰不易咯吐 {tan2 bu4 yi4 ka3 tu4}, phlegm not easily expectorated
痰嘈 {tan2 cao2}, phlegm clamor
痰喘 {tan2 chuan3}, phlegm panting; 腧穴正名 Phlegm Panting
痰喘咳嗽 {tan2 chuan3 ke2 sou4}, phlegm panting and cough
痰帶血絲 {tan2 dai4 xue4 si1}, phlegm flecked with blood
痰的證候 {tan2 de zheng4 hou4}, phlegm patterns
痰多 {tan2 duo1}, copious phlegm
痰多黏稠 {tan2 duo1 nian2 chou2}, copious thick sticky phlegm
痰多氣喘 {tan2 duo1 qi4 chuan3}, copious phlegm and panting
痰多氣逆 {tan2 duo1 qi4 ni4}, copious phlegm and qi4 counterflow
痰多清稀 {tan2 duo1 qing1 xi1}, copious clear thin phlegm
痰多阻塞氣道 {tan2 duo1 zu3 sai1 qi4 dao4}, copious phlegm blocking the airways
痰呃 {tan2 e4}, phlegm hiccup
痰核 {tan2 he2}, phlegm node
痰黃稠 {tan2 huang2 chou2}, thick yellow phlegm
痰火 {tan2 huo3}, phlegm-fire; phlegm-fire [sore]
痰火閉竅 {tan2 huo3 bi4 qiao4}, phlegm-fire blocking the orifices
痰火閉竅證 {tan2 huo3 bi4 qiao4 zheng4}, pattern of phlegm-fire blocking the orifices
痰火閉心 {tan2 huo3 bi4 xin1}, phlegm-fire blocking the heart
痰火&&ci4|{tan2 huo3 ci4}, phlegm-fire tetany
痰火耳聾 {tan2 huo3 er3 long2}, phlegm-fire deafness

痰火耳鳴 {tan2 huo3 er3 ming2}, phlegm-fire tinnitus
痰火痙 {tan2 huo3 jing4}, phlegm-fire tetany
痰火內閉 {tan2 huo3 nei4 bi4}, internal phlegm turbidity block
痰火內盛 {tan2 huo3 nei4 sheng4}, exuberant internal phlegm-fire
痰火擾神 {tan2 huo3 rao3 shen2}, phlegm-fire harassing the spirit
痰火擾神證 {tan2 huo3 rao3 shen2 zheng4}, pattern of phlegm-fire harassing the spirit
痰火擾心 {tan2 huo3 rao3 xin1}, phlegm-fire harassing the heart
痰火頭痛 {tan2 huo3 tou2 tong4}, phlegm-fire headache
痰火眩暈 {tan2 huo3 xuan4 yun1}, phlegm-fire dizziness
痰火怔忡 {tan2 huo3 zheng1 chong1}, phlegm-fire fearful throbbing
痰火證 {tan2 huo3 zheng4}, phlegm-fire pattern
痰積 {tan2 ji1}, phlegm accumulation
痰積嘔吐 {tan2 ji1 ou3 tu4}, phlegm accumulation vomiting
痰積泄瀉 {tan2 ji1 xie4 xie4}, phlegm accumulation diarrhea
痰厥 {tan2 jue2}, phlegm reversal
痰厥頭痛 {tan2 jue2 tou2 tong4}, phlegm reversal headache
痰咳 {tan2 ke2}, phlegm cough
痰&&75AC.7667|{tan2 li4}, phlegm scrofula
痰流 {tan2 liu2}, flowing phlegm
痰留經絡 {tan2 liu2 jing1 luo4}, phlegm lodged in the channels
痰留胸脅 {tan2 liu2 xiong1 xie2}, phlegm lodged in the chest and rib-side
痰留肢體 {tan2 liu2 zhi1 ti3}, phlegm lodged in the limbs
痰瘰 {tan2 luo3}, phlegm scrofula
痰蒙清竅 {tan2 meng2 qing1 qiao4}, phlegm clouding the clear orifices
痰蒙清竅證 {tan2 meng2 qing1 qiao4 zheng4}, pattern phlegm clouding the clear orifices
痰蒙心包 {tan2 meng2 xin1 bao1}, phlegm clouding the pericardium
痰蒙心竅 {tan2 meng2 xin1 qiao4}, phlegm clouding the orifices of the heart
痰迷 {tan2 mi2}, confounding phlegm
痰迷心竅 {tan2 mi2 xin1 qiao4}, phlegm confounding the orifices of the heart
痰迷心竅證 {tan2 mi2 xin1 qiao4 zheng4}, pattern of phlegm confounding the orifices of the heart
痰鳴 {tan2 ming2}, phlegm rale
痰沫 {tan2 mo4}, foamy phlegm
痰黏如膠漆 {tan2 nian2 ru2 jiao1 qi1}, sticky phlegm like glue or lacquer
痰凝胞宮 {tan2 ning2 bao1 gong1}, phlegm congealing in the uterus
痰凝胞宮證 {tan2 ning2 bao1 gong1 zheng4}, pattern of phlegm congealing in the uterus
痰瘧 {tan2 nue94}, phlegm malaria
痰嘔 {tan2 ou3}, phlegm vomiting

痰痞 {tan2 pi3}, phlegm glomus
痰癖 {tan2 pi3}, phlegm aggregation
痰氣泛胃 {tan2 qi4 fan4 wei4}, phlegm and qi4 flooding the stomach
痰氣互結 {tan2 qi4 hu4 jie2}, phlegm and qi4 binding together
痰氣互結證 {tan2 qi4 hu4 jie2 zheng4}, pattern of phlegm and qi4 binding together
痰氣交阻 {tan2 qi4 jiao1 zu3}, phlegm and qi4 obstructing each other
痰氣逆滿 {tan2 qi4 ni4 man3}, phlegm qi4 counterflow fullness
痰氣凝滯 {tan2 qi4 ning2 zhi4}, phlegm qi4 congealing and stagnating
痰氣壅滯 {tan2 qi4 yong1 zhi4}, phlegm and qi4 congestion
痰氣郁結 {tan2 qi4 yu4 jie2}, binding depression of phlegm and qi4; phlegm-qi4 bind
痰熱 {tan2 re4}, phlegm-heat
痰熱動風 {tan2 re4 dong4 feng1}, phlegm-heat stirring wind
痰熱動風證 {tan2 re4 dong4 feng1 zheng4}, pattern of phlegm-heat stirring wind
痰熱犯鼻 {tan2 re4 fan4 bi2}, phlegm-heat invading the nose
痰熱犯鼻證 {tan2 re4 fan4 bi2 zheng4}, pattern of phlegm-heat invading the nose
痰熱交結 {tan2 re4 jiao1 jie2}, phlegm and heat binding together
痰熱結胸 {tan2 re4 jie2 xiong1}, phlegm-heat chest bind
痰熱結胸證 {tan2 re4 jie2 xiong1 zheng4}, phlegm-heat chest bind pattern
痰熱內閉 {tan2 re4 nei4 bi4}, phlegm-heat internal block; phlegm-heat internal block
痰熱內閉證 {tan2 re4 nei4 bi4 zheng4}, plegm-heat internal block pattern
痰熱內擾 {tan2 re4 nei4 rao3}, phlegm-heat harassing the inner body
痰熱內擾證 {tan2 re4 nei4 rao3 zheng4}, pattern of phlegm-heat harassing the inner body
痰熱內盛 {tan2 re4 nei4 sheng4}, exuberant internal phlegm-heat
痰熱內蘊 {tan2 re4 nei4 yun4}, phlegm-heat brewing internally
痰熱上擾 {tan2 re4 shang4 rao3}, phlegm-heat harassing the upper body
痰熱壅肺 {tan2 re4 yong1 fei4}, phlegm-heat congesting the lung
痰熱壅肺證 {tan2 re4 yong1 fei4 zheng4}, pattern of phlegm-heat congesting the lung
痰熱阻肺 {tan2 re4 zu3 fei4}, phlegm-heat obstructing the lung
痰熱郁肺 {tan2 ren4 yu4 fei4}, phlegm-heat lying depressed in the lung
痰如敗絮 {tan2 ru2 bai4 xu4}, phlegm like rotted threads
痰少不易咯 {tan2 shao3 bu4 yi4 ka3}, scant phlegm expectorated with difficulty
痰少而黏 {tan2 shao3 er2 nian2}, scant sticky phlegm
痰聲漉漉 {tan2 sheng1 lu4 lu4}, gurgling sound of phlegm
痰聲如鋸 {tan2 sheng1 ru2 ju1}, phlegm rale like the sound of a saw
痰盛咳逆 {tan2 sheng4 ke2 ni4}, exuberant phlegm with cough counterflow
痰濕 {tan2 shi1}, phlegm-damp
痰濕不孕 {tan2 shi1 bu4 yun4}, phlegm-damp infertility
痰濕泛耳 {tan2 shi1 fan4 er3}, phlegm-damp flooding the ear

痰濕泛耳證 {tan2 shi1 fan4 er3 zheng4}, pattern of phlegm-damp flooding the ear
痰濕咳嗽 {tan2 shi1 ke2 sou4}, phlegm-damp cough
痰濕盛 {tan2 shi1 sheng4}, exuberant phlegm-damp
痰濕頭痛 {tan2 shi1 tou2 tong4}, phlegm-damp headache
痰濕阻肺 {tan2 shi1 zu3 fei4}, phlegm-damp obstructing the lung
痰濕阻絡 {tan2 shi1 zu3 luo4}, phlegm-damp obstructing the netork vessels
痰濕阻絡證 {tan2 shi1 zu3 luo4 zheng4}, pattern phlegm-damp obstructing the netork vessels
痰濕阻滯 {tan2 shi1 zu3 zhi4}, phlegm-damp obstruction
痰食 {tan2 shi2}, phlegm-food
痰食積聚 {tan2 shi2 ji1 ju4}, phlegm-food accumulations and gatherings
痰濁內蒙心包 {tan2 shu2 nei4 meng2 xin1 bao1}, phlegm turbidity clouding the pericardium
痰嗽 {tan2 sou4}, phlegm cough
痰涎 {tan2 xian2}, phlegm-drool
痰癎 {tan2 xian2}, phlegm epilepsy
痰涎壅盛 {tan2 xian2 yong1 sheng4}, phlegm-drool congestion
痰哮 {tan2 xiao1}, phlegm wheezing
痰瀉 {tan2 xie4}, phlegm diarrhea
痰血 {tan2 xue4}, phlegm and blood
痰飲 {tan2 yin3}, phlegm-rheum
痰飲喘急 {tan2 yin3 chuan3 ji2}, phlegm-rheum rapid panting
痰飲腹痛 {tan2 yin3 fu4 tong4}, phlegm-rheum abdominal pain
痰飲咳嗽 {tan2 yin3 ke2 sou4}, phlegm-rheum cough
痰飲內停 {tan2 yin3 nei4 ting2}, phlegm-rheum collecting internally
痰飲內停證 {tan2 yin3 nei4 ting2 zheng4}, pattern of phlegm-rheum collecting internally
痰飲嘔吐 {tan2 yin3 ou3 tu4}, phlegm-rheum vomiting
痰飲丸 {tan2 yin3 wan2}, 方名 Phlegm-Rheum Pill
痰飲胃脘痛 {tan2 yin3 wei4 wan3 tong4}, phlegm-rheum stomach duct pain
痰飲惡寒 {tan2 yin3 wu4 han2}, phlegm-rheum aversion to cold
痰飲脅痛 {tan2 yin3 xie2 tong4}, phlegm-rheum rib-side pain
痰飲眩暈 {tan2 yin3 xuan4 yun1}, phlegm-rheum dizziness
痰壅遺精 {tan2 yong1 yi2 jing1}, phlegm congestion seminal emission
痰瘀 {tan2 yu1}, phlegm and static blood; phlegm-stasis
痰瘀互結 {tan2 yu1 hu4 jie2}, phlegm and static blood binding together
痰瘀互結證 {tan2 yu1 hu4 jie2 zheng4}, pattern of phlegm and static blood binding together
痰瘀生風 {tan2 yu1 sheng1 feng1}, phlegm and static blood endering wind
痰瘀阻肺 {tan2 yu1 zu3 fei4}, phlegm-stasis obstructing the lung
痰瘀阻肺證 {tan2 yu1 zu3 fei4 zheng4}, pattern of phlegm-stasis obstructing the lung
痰郁 {tan2 yu4}, phlegm depression

痰郁湯 {tan2 yu4 tang1}, 方名 Phlegm Depression Decoction
痰證 {tan2 zheng4}, phlegm pattern
痰滯惡阻 {tan2 zhi4 e4 zu3}, phlegm stagnation malign obstruction
痰中帶血 {tan2 zhong1 dai4 xue4}, phlegm containing blood
痰中帶血絲 {tan2 zhong1 dai4 xue4 si1}, blood containing streaks of blood
痰中 {tan2 zhong4}, phlegm stroke
痰濁 {tan2 zhuo2}, phlegm turbidity
痰濁蒙蔽心包 {tan2 zhuo2 meng2 bi4 xin1 bao1}, phlegm turbidity clouding the pericardium
痰濁蒙蔽心竅 {tan2 zhuo2 meng2 bi4 xin1 qiao4}, phlegm turbidity clouding the orifices of the heart
痰濁內閉 {tan2 zhuo2 ni4 bi4}, internal phlegm turbidity block
痰濁上泛 {tan2 zhuo2 shang4 fan4}, phlegm turbidity flooding upward
痰濁上蒙 {tan2 zhuo2 shang4 meng2}, phlegm turbidity clouding the upper body
痰濁上蒙證 {tan2 zhuo2 shang4 meng2 zheng4}, pattern of phlegm turbidity clouding the upper body
痰濁上擾 {tan2 zhuo2 shang4 rao3}, phlegm turbidity harassing the upper body
痰濁壅塞 {tan2 zhuo2 yong1 sai1}, phlegm turbidity congestion
痰濁中阻 {tan2 zhuo2 zhong1 zu3}, phlegm turbidity obstructing the center
痰濁中阻證 {tan2 zhuo2 zhong1 zu3 zheng4}, pattern of phlegm turbidity obstructing the center
痰濁阻肺 {tan2 zhuo2 zu3 fei4}, phlegm turbidity obstructing the lung
痰濁阻肺證 {tan2 zhuo2 zu3 fei4 zheng4}, pattern of phlegm turbidity obstructing the lung
痰阻肺絡 {tan2 zu3 fei4 luo4}, phlegm obstructing the network vessels of the lung
痰阻心脈 {tan2 zu3 xin1 mai4}, phlegm obstructing the heart vessels
痰阻心脈證 {tan2 zu3 xin1 mai4 zheng4}, pattern of phlegm obstructing the heart vessels
痰阻心竅 {tan2 zu3 xin1 qiao4}, phlegm obstructing the orifices of the heart
痰阻胸膈 {tan2 zu3 xiong1 ge2}, phlegm obstructing the chest and diaphragm
痰阻自汗 {tan2 zu3 zi4 han4}, phlegm obstruction spontaneous sweating

【彈】 {tan2} [Freq. 4] flick.
彈撥法 {tan2 bo1 fa3}, plucking method
彈筋 {tan2 jin1}, sinew flicking
彈石脈 {tan2 shi2 mai4}, flicking stone pulse
彈針 {tan2 zhen1}, needle flicking

【曇】 {tan2} [Freq. 4] epiphyllum.
曇花 {tan2 hua1}, 中藥正名 epiphyllum (Epiphylli Flos)

【檀】 {tan2} [Freq. 4] sandal.

檀根 {tan2 gen1}, 中藥正名 Hubei dalbergia (Dalbergiae Hupeanae Radicis Cortex)
檀香 {tan2 xiang1}, 中藥正名 sandalwood (Santali Albi Lignum)
檀香泥 {tan2 xiang1 ni2}, 中藥正名 sandalwood resin (Santali Resina)
檀香油 {tan2 xiang1 you2}, 中藥正名 sandalwood oil (Santali Ligni Oleum)

~~ {tan4} ~~
【炭】 {tan4} [Freq. 3] charcoal; char (v.), charred \PP, (adj.) (炒炭 {chao3 tan4} char-fry; 艾葉炭 {ai4 ye4 tan4}, charred mugwort); carbonisatus (* Latin).
炭疽 {tan4 ju1}, 西醫 anthrax

【探】 {tan4} [Freq. 4] poke around; explore.
探吐 {tan4 tu4}, mechanical ejection

【嘆】 {tan4} [Freq. 4] sigh.
嘆氣 {tan4 qi4}, sighing
嘆息 {tan4 xi1}, sighing

【碳】 {tan4} [Freq. 4] carbon.
碳水化合物 {tan4 shui3 hua4 he2 wu4}, 西醫 carbohydrates

~~ {tang1} ~~
【湯】 {tang1} [Freq. 2] decoction (n.) (桂枝湯 {gui4 zhi1 tang1}, Cinnamon Twig Decoction); decoctum (Latin).
湯火傷 {tang1 huo3 shang1}, burns and scalds
湯火燙傷 {tang1 huo3 tang4 shang1}, burns and scalds
湯火灼傷 {tang1 huo3 zhuo2 shang1}, burns and scalds
湯劑 {tang1 ji4}, decoction (preparation)
湯潑火燒 {tang1 po1 huo3 shao1}, burn
湯水難嚥 {tang1 shui3 nan2 yan4}, difficulty in swallowing fluids
湯頭 {tang1 tou2}, decoction
湯頭歌訣 {tang1 tou2 ge1 jue2}, 書名 Decoctions in Rhymes
湯液 {tang1 ye4}, decoction; liquor
湯液本草 {tang1 ye4 ben3 cao3}, 書名 Herbal Foundation for Decoctions

~~ {tang2} ~~

【唐】 {tang2} [Freq. 3] Tang2 (618--907 A.D.).
唐代四科 {tang2 dai4 si4 ke1}, four branches of medicine in the Tang Dynasty
唐豆 {tang2 dou4}, 中藥異名 kidney bean (Phaseoli Vulgaris Semen)
唐防風 {tang2 fang2 feng1}, 中藥異名 saposhnikovia (Saposhnikoviae Radix)
唐&&85C1‖本 {tang2 gao3 ben3}, 中藥異名 Chinese lovage (Ligustici Rhizoma)
唐古特馬尿泡 {tang2 gu2 te4 ma3 niao4 pao4}, 中藥正名 Tangut przewalskia (Przewalskiae Semen et Radix)
唐古特青蘭 {tang2 gu3 te4 qing1 lan2}, 中藥正名 Tangut dragon's-head (Dracocephali Tangutici Herba cum Radix)
唐豇 {tang2 jiang1}, 中藥異名 kidney bean (Phaseoli Vulgaris Semen)
唐慎微 {tang2 shen4 wei1}, Tang2 Shen4-Wei1
唐石松 {tang2 shi2 song1}, 中藥異名 Bengal dayflower (Commelinae Benghalensis Herba)
唐鄭相國方 {tang2 zheng4 xiang4 guo2 fang1}, 方名 Tang Premier Zheng's Formula

【堂】 {tang2} [Freq. 5] hall (神堂 {shen2 tang2}, Spirit Hall (GV-23))

【棠】 {tang2} [Freq. 4] plant name.
棠梨 {tang2 li2}, 中藥正名 sweet crabapple (Pyri Betulaefoliae Fructus)
棠梨枝葉 {tang2 li2 zhi1 ye4}, 中藥正名 sweet crabapple twig and leaf (Pyri Betulaefoliae Ramulus et Folium)
棠球 {tang2 qiu2}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
棠梂子 {tang2 qiu2 zi3}, 中藥異名 crataegus (Crataegi Fructus)

【塘】 {tang2} [Freq. 4] embankment.
塘葛菜 {tang2 ge2 cai4}, 中藥異名 rorippa (Rorippae Herba seu Flos)
塘蝨魚 {tang2 shi1 yu2}, 中藥正名 catfish (Clarias) (Clarias); 中藥異名 catfish

【糖】 {tang2} [Freq. 3] sugar.
糖茶藨 {tang2 cha2 biao1}, 中藥正名 Himalayan currant [inner bark or fruit] (Ribis Emodensis Cortex Interior seu Fructus)
糖刺果 {tang2 ci4 guo3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
糖罐 {tang2 guan4}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
糖果 {tang2 guo3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
糖漿 {tang2 jiang1}, syrup (Sacchari Syrupus); 中藥正名 sugar syrup
糖芥 {tang2 jie4}, 中藥正名 erysimum seed (Erysimi Semen)
糖橘紅 {tang2 ju2 hong2}, 中藥正名 candied tangerine peel (Citri Reticulatae Pericarpium Rubrum)
糖橘子 {tang2 ju2 zi3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)

糖類 {tang2 lei4}, 西醫 sugars
糖尿病 {tang2 niao4 bing4}, 西醫 diabetes mellitus
糖尿病性視網膜病變 {tang2 niao4 bing4 xing4 shi4 wang3 mo2 bing4 bian4}, 西醫 diabetic retinopathy
糖尿累積病 {tang2 niao4 li3 ji1 bing4}, 西醫 glycogen storage disease
糖水 {tang2 shui3}, syrup
糖鶯子 {tang2 ying1 zi3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)

【螗】 {tang2} [Freq. 4] mantis (螳螂 {tang2 lang2}).
螳螂 {tang2 lang2}, 中藥正名 mantis (Mantis)
螳螂蛋 {tang2 lang2 dan4}, 中藥異名 mantis egg-case (Mantidis Ootheca)
螳螂跌打 {tang2 lang2 die1 da3}, 中藥正名 climbing pothos (Pothoris Scandentis Caulis et Folium)
螳螂果 {tang2 lang2 guo3}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
螳螂殼 {tang2 lang2 ke2}, 中藥異名 mantis egg-case (Mantidis Ootheca)
螳螂子 {tang2 lang2 zi3}, 中藥異名 mantis egg-case (Mantidis Ootheca)

【溏】 {tang2} [Freq. 4] slop.
溏泄 {tang2 xie4}, sloppy diarrhea
溏泄不爽 {tang2 xie4 bu4 shuang3}, sloppy diarrhea with ungratifying defecation

~~ {tang3} ~~
【淌】 {tang3} [Freq. 4] put forth (tears, saliva).
淌口水 {tang3 kou3 shui3}, drooling

~~ {tang4} ~~
【烫】 {tang4} [Freq. 2] scald (v.); blanch (v.).
烫火傷 {tang4 huo3 shang1}, burns and scalds
烫傷 {tang4 shang1}, scald
烫制 {tang4 zhi4}, scorch

~~ {tao2} ~~
【桃】 {tao2} [Freq. 4] peach.
桃耳七 {tao2 er3 qi1}, 中藥正名 podophyllum (Podophylli Radix et Rhizoma)
桃根 {tao2 gen1}, 中藥正名 peach root (Persicae Radix)

桃核承氣湯 {tao2 he2 cheng2 qi4 tang1}, 方名 Peach Kernel Qi4-Infusing Decoction
桃核仁 {tao2 he2 ren2}, 中藥異名 peach kernel (Persicae Semen)
桃紅四物湯 {tao2 hong2 si4 wu4 tang1}, 方名 Peach Kernel and Carthamus Four Agents Decoction
桃紅飲 {tao2 hong2 yin3]}, 方名 Peach Kernel and Carthamus Beverage
桃花 {tao2 hua1}, 中藥正名 peach flower (Persicae Flos)
桃花散 {tao2 hua1 san3}, 方名 Peach Blossom Powder
桃花湯 {tao2 hua1 tang1}, 方名 Peach Blossom Decoction
桃花癬 {tao2 hua1 xian3}, peach-blossom lichen
桃膠 {tao2 jiao1}, 中藥正名 peach resin (Persicae Resina)
桃莖白皮 {tao2 jin1 bai2 pi2}, 中藥正名 peach bark (Persicae Cortex)
桃金娘花 {tao2 jin1 niang2 hua1}, 中藥正名 rose myrtle flower (Rhodomyrti Flos)
桃南瓜 {tao2 nan2 gua1}, 中藥正名 Akoda pumpkin (Cucurbitae Akoda Fructus)
桃仁承氣湯 {tao2 ren2 cheng2 qi4 tang1}, 方名 Peach Kernel Qi4-Infusing Decoction
桃仁紅花煎 {tao2 ren2 hong2 hua1 jian1}, 方名 Peach Kernel and Carthamus Brew
桃仁泥 {tao2 ren2 ni2}, 中藥正名 crushed peach kernel (Persicae Semen Tusum)
桃仁湯 {tao2 ren2 tang1}, 方名 Peach Kernel Decoction
桃仁粥 {tao2 ren2 zhou1}, 方名 Peach Kernel Gruel
桃仁 {tao2 ren2, 中藥正名 peach kernel (Persicae Semen)
桃實 {tao2 shi2}, 中藥異名 peach (Persicae Fructus)
桃樹枝 {tao2 shu4 zhi1}, 中藥異名 peach twig (Persicae Ramulus)
桃葉 {tao2 ye4}, 中藥正名 peach leaf (Persicae Folium)
桃枝 {tao2 zhi1}, 中藥正名 peach twig (Persicae Ramulus)
桃子 {tao2 zi3}, 中藥正名 peach (Persicae Fructus)

【淘】 {tao2} [Freq. 5] panning

【陶】 {tao2} [Freq. 4] pottery.
陶丹 {tao2 dan1}, 中藥異名 minium (Minium)
陶道 {tao2 dao4}, 腧穴正名 GV-13 (Kiln Path)
陶罐 {tao2 guan4}, earthenware cup
陶弘景 {tao2 hong2 jing3}, Tao2 Hong2-Jing3

【萄】 {tao2} [Freq. 5] plant name

~~ {te4} ~~
【特】 {te4} [Freq. 4] special.

特定穴 {te4 ding4 xue4}, special points

【忒】 {te4} [Freq. 4] wrong (呃忒 {e4 te4}, hiccup)

~~ {teng2} ~~

【疼】 {teng2} [Freq. 2] pain (n.), painful (adj.) (胃脘疼痛 {wei4 wan3 teng2 tong4}, stomach duct {pain}; 肢節疼痛{zhi1 jie2 teng2 tong4}, limb joint pain).

疼如折 {teng2 ru2 zhe2}, painful as if fit to break

疼痛 {teng2 tong4}, pain

疼痛不移 {teng2 tong4 bu4 yi2}, pain of fixed location

【藤】 {teng2} [Freq. 3] vine.

藤豆 {teng2 dou4}, 中藥異名 lablab (Lablab Semen Album)

藤杜仲 {teng2 du4 zhong4}, 中藥正名 parabarium (Parabarii Caulis seu Radix)

藤黃 {teng2 huang2}, 中藥正名 gamboge (Garciniae Resina)

藤梨 {teng2 li2}, 中藥異名 Chinese gooseberry (Actinidiae Chinensis Fructus)

藤瘤 {teng2 liu2}, 中藥正名 wisteria gallnut (Wisteriae Galla)

藤三七 {teng2 san1 qi1}, 中藥正名 boussingaultia bulblet (Boussingaultiae Bulbillus)

藤商陸 {teng2 shang1 lu4}, 中藥正名 seven-fingered morning glory (Ipomoeae Digitatae Radix seu Folium)

藤藤菜 {teng2 teng2 cai4}, 中藥異名 water spinach (Ipomoeae Aquaticae Caulis et Folium)

藤桐子 {teng2 tong2 zi3}, 中藥異名 momordica (Momordicae Semen)

藤烏頭 {teng2 wu1 tou2}, 中藥正名 climbing aconite (Aconiti Hemsleyani Tuber)

藤子甘草 {teng2 zi3 gan1 cao3}, 中藥正名 woolly-fruited derris (Derris Eriocarpae Caulis seu Radix)

【騰】 {teng2} [Freq. 5] soar (靈龜飛騰 {ling2 gui1 fei1 teng2}, sacred turtle soaring)

~~ {ti2} ~~

【啼】 {ti2} [Freq. 5] cry (小兒啼哭 {xiao3 er2 ti2 ku1}, crying in children)

【提】 {ti2} [Freq. 2] raise (v.) (升提中氣 {sheng1 ti3 zhong4 qi4}, upraise center qi4); lift (v.) (提插補瀉 {ti2 cha1 bu3 xie4}, lifting and thrusting supplementation and draining).

提插 {ti2 cha1}, lifting and thrusting (needle manipulation)

提插補瀉 {ti2 cha1 bu3 xie4}, lift-and-thrust supplementation and drainage

提插補瀉手法 {ti2 cha1 bu3 xie4 shou3 fa3}, lifting and thrusting supplementation and drainage

manipulation
提法 {ti2 fa3}, raising (method of bone righting)
提肛肌穴 {ti2 gang1 ji1 xue2}, 腧穴正名 Anal Sphincter
提肛散 {ti2 gang1 san3}, 方名 Rectum-Lifting Powder
提壺揭蓋 {ti2 hu2 jie1 gai4}, lift the pot and remove the lid
提肌 {ti2 ji1}, 西醫 levator
提母 {ti2 mu3}, 中藥異名 anemarrhena (Anemarrhenae Rhizoma)
提捏進針法 {ti2 nie1 jin4 zhen1 fa3}, skin-pinching needle insertion; pinch-and-lift needle insertion
提膿拔毒 {ti2 nong2 ba2 du2}, draw out pus and toxin
提膿去腐 {ti2 nong2 qu4 fu3}, draw pus and eliminate putridity
提泡 {ti2 pao4}, blistering
提神 {ti2 shen2}, raise the spirit
提湯菊 {ti2 tang1 ju2}, 中藥正名 tithonia (Tithoniae Ramulus et Folium)
提托穴 {ti2 tuo1 xue2}, 腧穴正名 Pull-Up Hole
提胃 {ti2 wei4}, 腧穴正名 Stomach Lifter

【醍】 {ti2} [Freq. 4] butter.
醍醐 {ti2 hu2}, 中藥正名 butter oil (Bovis Butyri Oleum)

【鵜】 {ti2} [Freq. 4] pelican (鵜鶘 {ti2 hu2}, p;elican).
鵜鶘毛皮 {ti2 hu2 mao2 pi2}, 中藥正名 pelican's skin and feather (Pelecani Corium et Pluma)
鵜鶘脂油 {ti2 hu2 zhi1 you2}, 中藥正名 pelican's fat (Pelecani Adeps)
鵜鶘嘴 {ti2 hu2 zui3}, 中藥正名 pelican's beak (Pelecani Rostrum)

【鯷】 {ti2} [Freq. 4] Japanese anchovy.
鯷 {ti2}, 中藥異名 Japanese anchovy (Engraulis Japonica)
鯷魚 {ti2 yu2}, 中藥異名 Chinese catfish (Parasilurus)

【&&9BA7||】 {ti2} [Freq. 4] Chinese catfish.
&&9BA7||魚 {ti2 yu2}, 中藥正名 Chinese catfish (Parasilurus)
&&9BA7||魚目 {ti2 yu2 mu4}, 中藥正名 Chinese catfish eye (Parasiluri Oculus)
&&9BA7||魚尾 {ti2 yu2 wei3}, 中藥正名 Chinese catfish tail (Parasiluri Cauda)
&&9BA7||魚涎 {ti2 yu2 xian2}, 中藥正名 Chinese catfish slime (Parasiluri Corii Secretio)

~~ {ti3} ~~
【體】 {ti3} [Freq. 2] body (n.) (體態 {ti3 tai4}, bearing of the body body; 形體消瘦, emaciation

[of the body]); constitutional body (n.); member (n.).
體被 {ti3 bei4}, 西醫 integument
體被系統 {ti3 bei4 xi4 tong3}, 西醫 integumentary system
體倦 {ti3 juan4}, fatigued limbs
體倦乏力 {ti3 juan4 fa2 li4}, fatigued body and lack of strength
體倦無力 {ti3 juan4 wu2 li4}, fatigue and lack of strength
體脈 {ti3 mai4}, 腧穴異名 TB-18 (Corporal Vessel)
體氣 {ti3 qi4}, body odor
體弱 {ti3 ruo4}, weak health
體弱陽虛 {ti3 ruo4 yang2 xu1}, weak health and yang2 vacuity
體蝨病 {ti3 shi1 bing4}, 西醫 pediculosis corporis
體實 {ti3 shi2}, replete body
體衰 {ti3 shuai1}, debilitated health
體態 {ti3 tai4}, bearing of the body
體針 {ti3 zhen1}, body needles
體質 {ti3 zhi4}, constitution
體質虛弱 {ti3 zhi4 xu1 ruo4}, weak constitution

~~ {ti4} ~~
【涕】 {ti4} [Freq. 2] snivel (n.) (涕黃 {ti4 huang2}, yellow snivel); nasal mucus.
涕爲肺液 {ti4 wei2 fei4 ye4}, snivel is the humor of the lung

【惕】 {ti4} [Freq. 3] jerk; fear

【嚏】 {ti4} [Freq. 3] sneezing.
嚏噴 {ti4 pen1}, sneezing

~~ {tian1} ~~
【天】 {tian1} [Freq. 1] heaven (n.), heavenly (adj.); celestial (adj.); congenital (adj.).
天白 {tian1 bai2}, 腧穴異名 BL-7 (Celestial White)
天伯 {tian1 bo2}, 腧穴異名 BL-7 (Celestial Lord)
天部 {tian1 bu4}, heaven level
天池 {tian1 chi2}, 腧穴正名 PC-1 (Celestial Pool) (Celestial Pool); 腧穴異名 CV-24
天沖 {tian1 chong1}, 腧穴異名 GB-9 (Celestial Surge)
天蟲 {tian1 chong2}, 中藥異名 silkworm (Bombyx Batryticatus)
天沖 {tian1 chong4}, 腧穴正名 GB-9 (Celestial Hub)

天窗 {tian1 chuang1}, 腧穴正名 SI-16 (Celestial Window)
天丁 {tian1 ding1}, 中藥異名 gleditsia thorn (Gleditsiae Spina)
天頂 {tian1 ding3}, 腧穴異名 LI-17 (Celestial Summit)
天鼎 {tian1 ding3}, 腧穴正名 LI-17 (Celestial Tripod)
天冬 {tian1 dong1, 中藥正名 asparagus (Asparagi Radix)
天豆 {tian1 dou4}, 中藥異名 sophora fruit (Sophorae Fructus)
天鵝油 {tian1 e2 you2}, 中藥異名 swan's fat (Cygni Adeps)
天符 {tian1 fu2}, coincidence of heavenly qi4
天府 {tian1 fu3}, 腧穴正名 LU-3 (Celestial Storehouse)
天蓋 {tian1 gai4}, 腧穴異名 ST-12 (Celestial Cover)
天干 {tian1 gan1}, heavenly stem (abbreviation); S
天干地支 {tian1 gan1 di4 zhi1}, heavenly stems and earthly branches
天瓜粉 {tian1 gua1 fen3}, 中藥異名 trichosanthes root (Trichosanthis Radix)
天癸 {tian1 gui3}, tian-gui (the principle of reproductive viability, menstruation) (the principle of reproductive viability, menstruation); heavenly tenth
天癸過期 {tian1 gui3 guo4 qi4}, overdue tian-gui
天胡荽 {tian1 hu2 sui1}, 中藥正名 lawn pennywort (Hydrocotyles Sibthorpioidis Herba)
天花 {tian1 hua1}, smallpox; smallpox; variola
天花粉粥 {tian1 hua1 fen3 zhou1}, 方名 Trichosanthes Root Gruel
天花粉 {tian1 hua1 fen3, 中藥正名 trichosanthes root (Trichosanthis Radix)
天宦 {tian1 huan4}, congenital eunuchism; earlier-heaven eunuchism
天會 {tian1 hui4}, 腧穴異名 PC-1 (Celestial Convergence)
天薊 {tian1 ji4}, 中藥異名 white atractylodes (Atractylodis Macrocephalae Rhizoma)
天漿 {tian1 jiang1}, 中藥異名 sweet pomegranate (Granati Fructus Dulcis)
天漿殼 {tian1 jiang1 qiao4 (ke2)}, 中藥正名 metaplexis husk (Metaplexis Pericarpium)
天腳板 {tian1 jiao3 ban3}, 中藥正名 aucuba leaf (Aucubae Folium)
天腳板果 {tian1 jiao3 ban3 guo3}, 中藥正名 aucuba fruit (Aucubae Fructus)
天津白菜 {tian1 jin1 bai2 cai4}, 中藥異名 celery cabbage (Brassicae Pekinensis Folium)
天精 {tian1 jing1}, 中藥異名 carpesium (Carpesii Herba)
天精地白草 {tian1 jing1 di4 bai2 cao3}, 中藥異名 Japanese raspberry (Rubi Parvifolii Herba)
天井 {tian1 jing3}, 腧穴正名 TB-10 (Celestial Well)
天灸 {tian1 jiu3}, natural moxibustion
天韭 {tian1 jiu3}, 中藥正名 deer's ear leek (Allii Funckiaefolii Herba)
天臼 {tian1 jiu4}, 腧穴異名 BL-7 (Celestial Mortar)
天舊 {tian1 jiu4}, 腧穴異名 BL-7 (Old as the Heavens)
天罹 {tian1 ju2}, 腧穴異名 CV-22 (Celestial Mu)
天葵 {tian1 kui2}, 中藥正名 semiaquilegia (Semiaquilegiae Herba)
天葵子 {tian1 kui2 zi3}, 中藥正名 semiaquilegia root (Semiaquilegiae Radix)

天廓 {tian1 kuo4}, celestial belt
天&&91C3.9ACE|{tian1 liao2}, 腧穴正名 TB-15 (Celestial Bone-Hole)
天靈 {tian1 ling2}, 腧穴正名 Celestial Spirit
天靈蓋 {tian1 ling2 gai4}, 中藥正名 human skull (Hominis Cranium)
天羅 {tian1 luo2}, 中藥異名 luffa gourd (Luffae Fructus)
天羅布瓜 {tian1 luo2 bu4 gua1}, 中藥異名 luffa gourd (Luffae Fructus)
天羅瓜 {tian1 luo2 gua1}, 中藥異名 luffa gourd (Luffae Fructus)
天蘿水 {tian1 luo2 shui3}, 中藥正名 luffa stem sap (Luffae Caulis Succus)
天羅線 {tian1 luo2 xian4}, 中藥異名 loofah (Luffae Fructus Retinervus)
天絡絲 {tian1 luo4 si1}, 中藥異名 luffa gourd (Luffae Fructus)
天麻鉤藤飲 {tian1 ma2 gou1 teng2 yin3}, 方名 Gastrodia and Uncaria Beverage
天麻莖葉 {tian1 ma2 jing1 ye4}, 中藥正名 gastrodia stem and leaf (Gastrodiae Caulis et Folium)
天麻丸 {tian1 ma2 wan2}, 方名 Gastrodia Pill
天麻子 {tian1 ma2 zi3}, 中藥正名 gastrodia fruit (Gastrodiae Fructus)
天麻 {tian1 ma2, 中藥正名 gastrodia (Gastrodiae Rhizoma)
天滿 {tian1 man3}, 腧穴異名 GV-20 (Celestial Fullness)
天門冬 {tian1 men2 dong1}, 中藥異名 asparagus (Asparagi Radix)
天蘡冬 {tian1 men2 dong1}, 中藥異名 asparagus (Asparagi Radix)
天門冬粥 {tian1 men2 dong1 zhou1}, 方名 Asparagus Gruel
天名精 {tian1 ming2 jing1}, 中藥正名 carpesium (Carpesii Herba)
天目木薑子 {tian1 mu4 mu4 jiang1 zi3}, 中藥正名 auriculate litsea (Litseae Auriculatae Radix, Folium et Fructus)
天目木蘭 {tian1 mu4 mu4 lan2}, 中藥正名 tianmu magnolia (Magnoliae Amoenae Flos)
天南星丸 {tian1 nan2 xing1 wan2}, 方名 Arisaema Pill
天南星 {tian1 nan2 xing1, 中藥正名 arisaema (Arisaematis Rhizoma)
天牛 {tian1 niu2}, 中藥正名 long-horned beetle (Anoplophora seu Apriona)
天泡瘡 {tian1 pao4 chuang1}, heaven-borne sore (equivalent to WM pemphigus or pemphigoid)
天 A&&75B1||瘡 {tian1 pao4 chuang1}, 西醫 pemphigus
天蓬草 {tian1 peng2 cao3}, 中藥正名 lesser chickweed (Stellariae Alsine Herba (cum Radice))
天氣 {tian1 qi4}, heavenly qi4
天蕎麥根 {tian1 qiao2 mai4 gen1}, 中藥正名 wild buckwheat root (Fagopyri Cymosi Rhizoma et Radix)
天茄子 {tian1 qie2 zi3}, 中藥正名 Indian nightshade [fruit and leaf] (Solani Indici Fructus et Folium) (Solani Nigri Herba); 中藥異名 black nightshade
天青地白 {tian1 qing1 di4 bai2}, 中藥正名 Japanese cudweed (Gnaphalii Japonici Herba)
天衢 {tian1 qu2}, 腧穴異名 GB-9 (Celestial Crossroads)
天泉 {tian1 quan2}, 腧穴正名 PC-2 (Celestial Spring)

天然子 {tian1 ran2 zi3}, 中藥異名 apple (Mali Pumulae Fructus)
天人地 {tian1 ren2 di4}, heaven, human, and earth
天人地三才補瀉 {tian1 ren2 di4 san1 cai2 bu3 xie4}, heaven, human, and earth supplementation and drainage
天人相應 {tian1 ren2 xiang1 ying4}, heaven and humankind are mutually responsive
天容 {tian1 rong2}, 腧穴正名 SI-17 (Celestial Countenance)
天山花楸 {tian1 shan1 hua1 qiu1}, 中藥正名 Tianshan mountain ash [twig, bark and fruit] (Sorbi Tianschanicae Ramulus, Cortex et Fructus)
天生白虎湯 {tian1 shen1 bai2 hu3 tang1}, 中藥異名 watermelon (Citrulli Fructus)
天生草 {tian1 sheng1 cao3}, 中藥正名 lesser diuranthera (Diurantherae Minoris Radix)
天濕 {tian1 shi1}, 腧穴異名 PC-2 (Celestial Dampness)
天樞 {tian1 shu1}, 腧穴正名 ST-25 (Celestial Pivot)
天鼠屎 {tian1 shu3 shi3}, 中藥異名 bat's droppings (Vespertilionis Faeces)
天水蟻草 {tian1 shui3 yi3 cao3}, 中藥正名 Asiatic cudweed (Gnaphalii Hypoleuci Herba)
天絲瓜 {tian1 si1 gua1}, 中藥異名 luffa gourd (Luffae Fructus)
天台烏藥 {tian1 tai2 wu1 yao4}, 中藥異名 lindera (Linderae Radix)
天台烏藥散 {tian1 tai2 wu1 yao4 san3}, 方名 Tiantai Lindera Powder
天天茄 {tian1 tian1 qie2}, 中藥異名 black nightshade (Solani Nigri Herba)
天聽 {tian1 ting1}, 腧穴正名 Celestial Hearing (Celestial Hearing); 腧穴異名 TB-15
天庭 {tian1 ting2}, celestial court (center of the forehead)
天突 {tian1 tu1}, 腧穴正名 CV-22 (Celestial Chimney)
天王補心丹 {tian1 wang2 bu3 xin1 dan1}, 方名 Celestial Emperor Heart-Supplementing Elixir
天王七 {tian1 wang2 qi1}, 中藥正名 triosteum root (Triostei Radix)
天王七果實 {tian1 wang2 qi1 guo3 shi2}, 中藥正名 triosteum fruit (Triostei Fructus)
天王七葉 {tian1 wang2 qi1 ye4}, 中藥正名 triosteum leaf (Triostei Folium)
天溫 {tian1 wen1}, 腧穴異名 PC-2 (Celestial Warmth)
天文草 {tian1 wen2 cao3}, 中藥正名 spilanthes (Spilanthis Herba)
天五會 {tian1 wu3 hui4}, 腧穴異名 ST-9 (Celestial Fivefold Confluence)
天谿 {tian1 xi1}, 腧穴正名 SP-18 (Celestial Ravine)
天仙藤 {tian1 xian1 teng2}, 中藥正名 aristolochia stem (Aristolochiae Herba)
天仙藤散 {tian1 xian1 teng2 san3}, 方名 Aristolochia Stem Powder
天仙子 {tian1 xian1 zi3}, 中藥正名 henbane seed (Hyoscyami Semen)
天香爐 {tian1 xiang1 lu2}, 中藥正名 Chinese osbeckia (Osbeckiae Chinensis Herba cum Radice seu Radix)
天項 {tian1 xiang4}, 腧穴異名 LI-17 (Celestial Nape)
天哮 {tian1 xiao1}, earlier-heaven wheezing; congenital wheezing; whooping cough
天行 {tian1 xing2}, heaven current (epidemic)
天行赤目 {tian1 xing2 chi4 mu4}, heaven-current red eye

天行赤眼 {tian1 xing2 chi4 yan3}, heaven-current red eye
天行赤眼暴翳 {tian1 xing2 chi4 yan3 bao4 yi4}, heaven-current red eye with sudden screen
天行時疫 {tian1 xing2 shi2 yi4}, heaven-current seasonal epidemic
天行嗽 {tian1 xing2 sou4}, heaven-current cough
天行溫疫 {tian1 xing2 wen1 yi4}, heaven-current warm epidemic
天行疫癘 {tian1 xing2 yi4 li4}, heaven-current epidemic pestilence
天雄 {tian1 xiong2}, 中藥正名 tian1xiong2 aconite (Aconiti Radix Lateralis Tianxiong)
天雄丸 {tian1 xiong2 wan2}, 方名 Tianxiong Aconite Pill
天旋 {tian1 xuan2}, heaven-turned [eye] (a kind of squint)
天陽石 {tian1 yang2 shi2}, 中藥異名 realgar (Realgar)
天應穴 {tian1 ying4 xue2}, natural reaction point
天牖 {tian1 you3}, 腧穴正名 TB-16 (Celestial Window)
天澤香 {tian1 ze2 xiang1}, 中藥異名 frankincense (Olibanum)
天竺黃散 {tian1 zhu2 huang2 san3}, 方名 Bamboo Sugar Powder
天竺黃 {tian1 zhu2 huang2, 中藥正名 bamboo sugar (Bambusae Concretio Silicea*)
天柱 {tian1 zhu4}, 腧穴正名 BL-10 (Celestial Pillar)
天柱倒 {tian1 zhu4 dao3}, tumbled celestial pillar (bowed head)
天柱骨 {tian1 zhu4 gu3}, celestial pillar (neck bone)
天宗 {tian1 zong1}, 腧穴正名 SI-11 (Celestial Gathering)
天棕 {tian1 zong1}, 中藥異名 curculigo (Curculiginis Rhizoma)

~~ {tian2} ~~
【田】 {tian2} [Freq. 4] field.
田邊菊 {tian2 bian1 ju2}, 中藥異名 kalimeris (Kalimeridis Herba et Radix)
田波菜 {tian2 bo1 cai4}, 中藥異名 plantago (Plantaginis Herba)
田唇烏蠅翼 {tian2 chun2 wu1 ying2 yi4}, 中藥正名 smithia (Smithiae Herba)
田蔥 {tian2 cong1}, 中藥正名 philydrum (Philydri Herba)
田葛菜 {tian2 ge2 cai4}, 中藥異名 rorippa (Rorippae Herba seu Flos)
田嘓仔 {tian2 guo1 zai3}, 中藥正名 tille king fish (Caranx Cynodon)
田雞 (2) {tian2 ji1}, 中藥異名 forest frog (Rana Temporaria seu Amurensis)
田雞 (3) {tian2 ji1}, 中藥異名 button quail (Turnicis Caro)
田基黃 {tian2 ji1 huang2}, 中藥異名 lesser hypericum (Hyperici Japonici Herba)
田菊 {tian2 ju2}, 中藥異名 kalimeris (Kalimeridis Herba et Radix)
田螺 {tian2 luo2}, 中藥正名 freshwater snail (Cipangopaludina)
田螺泡 {tian2 luo2 pao4}, water snail vesicles
田螺殼 {tian2 luo2 qiao4 (ke2)}, 中藥正名 freshwater snail shell (Cipangopaludinae Testa)
田螺靨 {tian2 luo2 yan3}, 中藥正名 freshwater snail's operculum (Cipangopaludinae

Operculum)
田萍 {tian2 ping2}, 中藥異名 duckweed (Spirodelae Herba)
田七 {tian2 qi1}, 中藥異名 notoginseng (Notoginseng Radix)
田漆 {tian2 qi1}, 中藥異名 notoginseng (Notoginseng Radix)
田三七 {tian2 san1 qi1}, 中藥異名 notoginseng (Notoginseng Radix)
田旋花 {tian2 xuan2 hua1}, 中藥正名 convolvulus (Convolvuli Herba et Flos)

【恬】 {tian2} [Freq. 4] calm.
恬憺虛無 {tian2 dan4 xu1 wu2}, calm and empty of cares and desires

【甜】 {tian2} [Freq. 2] sweet (adj.).
甜半夜 {tian2 ban4 ye4}, 中藥異名 honey tree fruit (Hoveniae Fructus seu Semen)
甜菜 {tian2 cai4}, 中藥異名 lycium leaf (Lycii Folium)
甜草 {tian2 cao3}, 中藥正名 Cantonese hedyotis (Hedyotis Cantonensis Herba)
甜茶 {tian2 cha2}, 中藥正名 sweet tea (Hydrangeae Dulcis Folium)
甜橙 {tian2 cheng2}, 中藥正名 sweet orange (Citri Sinensis Fructus)
甜蓯蓉 {tian2 cong1 rong2}, 中藥正名 sweet cistanche (Cistanches Herba Dulcis)
甜脆豌豆 {tian2 cui4 wan1 dou4}, 中藥異名 thick-podded pea (Pisi Macrocarpi Fructus)
甜大芸 {tian2 da4 yun2}, 中藥異名 sweet cistanche (Cistanches Herba Dulcis)
甜地丁 {tian2 di4 ding1}, 中藥正名 gueldenstaedtia (Gueldenstaedtiae Herba cum Radice)
甜根子 {tian2 gen1 zi3}, 中藥異名 licorice (Glycyrrhizae Radix)
甜瓜 {tian2 gua1}, 中藥正名 melon (Melonis Fructus)
甜瓜把 {tian2 gua1 ba3}, 中藥異名 melon stalk (Melonis Pedicellus)
甜瓜蒂 {tian2 gua1 di4}, 中藥異名 melon stalk (Melonis Pedicellus)
甜瓜根 {tian2 gua1 gen1}, 中藥正名 melon root (Melonis Radix)
甜瓜花 {tian2 gua1 hua1}, 中藥正名 melon flower (Melonis Flos)
甜瓜莖 {tian2 gua1 jing1}, 中藥正名 melon stem (Melonis Caulis)
甜瓜葉 {tian2 gua1 jing1}, 中藥正名 melon leaf (Melonis Folium)
甜瓜皮 {tian2 gua1 pi2}, 中藥正名 melon skin (Melonis Exocarpium)
甜瓜子 {tian2 gua1 zi3}, 中藥正名 melon seed (Melonis Semen)
甜瓠 {tian2 hu4}, 中藥異名 sweet gourd (Lagenariae Clavatae Fructus)
甜椒 {tian2 jiao1}, 中藥異名 sweet pepper (Capsici Grossi Fructus)
甜桔梗 {tian2 jie2 geng3}, 中藥異名 apricot-leaved adenophora (Adenophorae Trachelioidis Radix)
甜菊花 {tian2 ju2 hua1}, 中藥異名 chrysanthemum (Chrysanthemi Flos)
甜石蓮 {tian2 shi2 lian2}, 中藥異名 lotus fruit (Nelumbinis Fructus)
甜石榴 {tian2 shi2 liu2}, 中藥正名 sweet pomegranate (Granati Fructus Dulcis)
甜薯 {tian2 shu3}, 中藥異名 sweet potato (Ipomoeae Batatas Tuber)

甜葶藶 {tian2 ting2 li4}, 中藥異名 descurainia (Descurainiae Semen)
甜豌豆 {tian2 wan1 dou4}, 中藥正名 thick-podded pea (Pisi Macrocarpi Fructus)
甜杏仁 {tian2 xing4 ren2}, 中藥正名 sweet apricot kernel (Armeniacae Semen Dulce)
甜遠志 {tian2 yuan3 zhi4}, 中藥正名 Siberian polygala (Polygalae Sibiricae Radix)
甜糟 {tian2 zao1}, 中藥異名 wine dregs (Vini Residuum)
甜竹筍 {tian2 zhu2 sun3}, 中藥異名 green bamboo shoot (Bambusae Oldhami Surculus)

【填】 {tian2} [Freq. 2] replenish (v.).
填充 {tian2 chong1}, complement
填精 {tian2 jing1}, replenish essence
填精髓 {tian2 jing1 sui3}, replenish essence and marrow
填髓 {tian2 sui3}, replenish the marrow

【恬】 {tian2} [Freq. 4] spinach beet.
恬菜 {tian2 cai4}, 中藥異名 spinach beet (Betae Ciclae Caulis et Folium) (Betae Ciclae Caulis et Folium); 中藥異名 spinach beet
恬菜根 {tian2 cai4 gen1}, 中藥正名 beet (Betae Vulgaris Radix)

~~ {tian3} ~~
【舔】 {tian3} [Freq. 4] lick.
舔舐 {tian3 shi4}, lick

~~ {tiao1} ~~
【挑】 {tiao1} [Freq. 3] select.
挑刺放血 {tiao1 ci4 fang4 xue4}, pick to bleed
挑揀 {tiao1 jian3}, selection
挑破 {tiao1 po4}, pick open
挑針 {tiao1 zhen1}, sty
挑針療法 {tiao1 zhen1 liao2 fa3}, needle-picking therapy
挑痔 {tiao1 zhi4}, hemorrhoid point picking
挑痔療法 {tiao1 zhi4 liao2 fa3}, hemorrhoid point picking method
挑治痔法 {tiao1 zhi4 zhi4 fa3}, hemorrhoid point picking method

~~ {tiao2} ~~
【條】 {tiao2} [Freq. 4] thin stem; twig; strip.

條達 {tiao2 da2}, orderly reaching
條口 {tiao2 kou3}, 腧穴正名 ST-38 (Ribbon Opening)
條芩 {tiao2 qin2}, 中藥正名 young scutellaria (Scutellariae Radix Nova)
條蟲病 {tiao2 chong2 bing4}, 西醫 taeniasis

【蜩】 {tiao2} [Freq. 4] cicada.
蜩甲 {tiao2 jia3}, 中藥異名 cicada molting (Cicadae Periostracum)

【調】 {tiao2} [Freq. 2] regulate (v.), regulation (n.); mix (v.).
調沖 {tiao2 chong1}, regulate the thoroughfare vessel
調敷 {tiao2 fu1}, apply mixed
調服 {tiao2 fu2}, take mixed (with fluid)
調肝散 {tiao2 gan1 san3}, 方名 Liver-Regulating Powder
調肝湯 {tiao2 gan1 tang1}, 方名 Liver-Regulating Decoction
調羹花 {tiao2 geng1 hua1}, 中藥異名 officinal magnolia flower (Magnoliae Officinalis Flos)
調和 {tiao2 he2}, harmonize; harmonization
調和百藥 {tiao2 he2 bai3 yao4}, harmonizes the hundred medicinals
調和腸胃 {tiao2 he2 chang2 wei4}, harmonize the stomach and intestines; gastrointestinal harmonization
調和膽胃 {tiao2 he2 dan3 wei4}, harmonize the gallbladder and stomach
調和肝脾 {tiao2 he2 gan1 pi2}, harmonize the liver and spleen
調和肝胃 {tiao2 he2 gan1 wei4}, harmonize the liver and stomach
調和脾胃 {tiao2 he2 pi2 wei4}, harmonize the spleen and stomach
調和氣血 {tiao2 he2 qi4 xue4}, harmonize qi4 and blood
調和營衛 {tiao2 he2 ying2 wei4}, harmonize construction and defense; construction-defense harmonization
調經 {tiao2 jing1}, regulate menstruation
調經草 {tiao2 jing1 cao3}, 中藥正名 Japanese eunymus (Euonymi Japonici Radix)
調經理血 {tiao2 jing1 li3 xue4}, regulation menstruation and rectify the blood
調經散 {tiao2 jing1 san3}, 方名 Channel-Regulating Powder
調經丸 {tiao2 jing1 wan2}, 方名 Menses-Regulating Pill
調經止痛 {tiao2 jing1 zhi3 tong4}, regulate the channels and relieve pain
調理腸胃 {tiao2 li3 chang2 wei4}, regulate the stomach and intestines
調理沖任 {tiao2 li3 chong1 ren4}, regulate the thoroughfare and controlling vessels
調理陰陽 {tiao2 li3 yin1 yang2}, regulate yin1 and yang2
調氣 {tiao2 qi4}, regulate qi4
調水道 {tiao2 shui3 dao4}, regulate the waterways
調胃承氣湯 {tiao2 wei4 cheng2 qi4 tang1}, 方名 Stomach-Regulating Qi4-Infusing Decoction

調養正氣 {tiao2 yang3 zheng4 qi4}, regulate and nourish right qi4
調營飲 {tiao2 ying2 yin3}, 方名 Construction-Regulating Beverage
調元腎氣丸 {tiao2 yuan2 shen4 qi4 tang1}, 方名 Origin-Regulating Kidney Qi4 Pill
調月經 {tiao2 yue4 jing1}, regulate menstruation
調整陰陽偏勝 {tiao2 zheng3 yin1 yang2 pian1 sheng4}, correction of yin1 and yang2 surfeits
調整陰陽偏衰 {tiao2 zheng3 yin1 yang2 pian1 shuai1}, correction of yin1 and yang2 deficits
調中 {tiao2 zhong1}, regulate the center
調中快膈 {tiao2 zhong1 kuai4 ge2}, regulate the center and disinhibit the diaphragm
調中益氣湯 {tiao2 zhong1 yi4 qi4 tang1}, 方名 Center-Regulating Qi4-Boosting Decoction

~~ {tiao4} ~~
【跳】 {tiao4} [Freq. 4] leap.
跳八丈 {tiao4 ba1 zhang3}, 中藥正名 foetid gymnema (Gymnematis Foetidi Radix)
跳躍 {tiao4 yue4}, 腧穴正名 Leap

~~ {tie1} ~~
【貼】 {tie1} [Freq. 3] apply.
貼骨疽 {tie1 gu3 ju1}, bone-clinging tumor
貼骨瘤 {tie1 gu3 liu2}, bone-clinging tumor

~~ {tie3} ~~
【帖】 {tie3} [Freq. 5] packet; number of packets

【鐵】 {tie3} [Freq. 4] iron.
鐵 {tie3}, 中藥正名 iron ore (Ferri Mineral)
鐵棒錘 {tie3 bang4 chui2}, 中藥正名 tiebangchui aconite tuber (Aconiti Tiebangchui Tuber)
鐵棒錘莖葉 {tie3 bang4 chui2 jing1 ye4}, 中藥正名 tiebangchui aconite stem and leaf (Aconiti Tiebangchui Caulis et Folium)
鐵包金 {tie3 bao1 jin1}, 中藥正名 lesser berchemia (Berchemiae Lineatae Radix)
鐵鞭草 {tie3 bian1 cao3}, 中藥正名 iron whip (Lespedezae Floribundae Herba seu Radix)
鐵扁擔 {tie3 bian3 dan1}, 中藥異名 Japanese iris (Iridis Japonicae Herba)
鐵草鞋 {tie3 cao3 xie2}, 中藥正名 hoya (Hoyae Folium)
鐵笛丸 {tie3 di2 wan2}, 方名 Iron Flute Pill
鐵蛾 {tie3 e2}, 中藥異名 iron flakes (Ferri Frusta)
鐵粉 {tie3 fen3}, 中藥正名 iron powder (Ferri Pulvis)

鐵箍散 {tie3 gu1 san3}, 方名 Iron Hoop Powder
鐵箍散 {tie3 gu4 san4}, 中藥正名 Ceylon cynoglossum (Cynoglossi Zeylanici Radicis Cortex et Folium)
鐵罐 {tie3 guan4}, iron cup
鐵海棠 {tie3 hai3 tang2}, 中藥正名 crown of thorns (Euphorbiae Milii Caulis, Folium, Radix et Succus)
鐵海棠花 {tie3 hai3 tang2 hua1}, 中藥正名 crown-of-thorns flower (Euphorbiae Milii Flos)
鐵胡蜂 {tie3 hu2 feng1}, 中藥異名 agrimony (Agrimoniae Herba)
鐵花 {tie3 hua1}, 中藥異名 iron flakes (Ferri Frusta)
鐵華粉 {tie3 hua2 fen3}, 中藥正名 acid iron rust (Ferri Robigo Acida)
鐵漿 {tie3 jiang1}, 中藥正名 iron solution (Ferri Aqua)
鐵角鳳尾草 {tie3 jiao3 feng4 wei3 cao3}, 中藥正名 maidenhair spleenwort (Asplenii Trichomanis Herba cum Radice)
鐵腳梨 {tie3 jiao3 li2}, 中藥異名 chaenomeles (Chaenomelis Fructus)
鐵腳靈仙 {tie3 jiao3 ling2 xian1}, 中藥異名 clematis (Clematidis Radix)
鐵腳威靈仙 {tie3 jiao3 wei1 ling2 xian1}, 中藥異名 clematis (Clematidis Radix)
鐵腳威靈仙葉 {tie3 jiao3 wei1 ling2 xian2 ye4}, 中藥正名 paniculate clematis leaf (Clematidis Paniculatae Folium)
鐵精 {tie3 jing1}, 中藥正名 blast furnace ash (Fornacis Cinis)
鐵蕨雞 {tie3 jue2 ji1}, 中藥正名 woodland abacopteris (Abacopteridis Multilineatae Rhizoma)
鐵筷子 (1) {tie3 kuai4 zi3}, 中藥正名 Japan allspice root and stem (Chimonanthi Radix et Caulis)
鐵筷子 (2) {tie3 kuai4 zi3}, 中藥正名 hellebore (1) (Hellebori Radix)
鐵籬巴果 {tie3 li2 ba1 guo3}, 中藥正名 paliurus fruit (Paliuri Fructus)
鐵靈仙 {tie3 ling2 xian1}, 中藥異名 clematis (Clematidis Radix)
鐵落 {tie3 luo4}, 中藥正名 iron flakes (Ferri Frusta)
鐵馬豆 {tie3 ma3 dou4}, 中藥正名 shuteria (Shuteriae Herba)
鐵拳頭母 {tie3 quan2 tou2 mu3}, 中藥異名 common rabdosia (Rabdosiae Amethystoidis Herba)
鐵掃竹 {tie3 sao3 zhu2}, 中藥正名 iron broom (Indigoferae Bungeanae Herba seu Radix)
鐵扇子 {tie3 shan4 zi3}, 中藥正名 iron-fan fern (Adianti Myriosori Herba)
鐵石 {tie3 shi2}, 中藥異名 loadstone (Magnetitum)
鐵屎 {tie3 shi3}, 中藥異名 iron flakes (Ferri Frusta)
鐵樹果 {tie3 shu4 guo3}, 中藥正名 cycas seed (Cycadis Semen)
鐵樹花 {tie3 shu4 hua1}, 中藥正名 shrubby cordyline flower (Cordylines Flos)
鐵樹葉 {tie3 shu4 ye4}, 中藥正名 shrubby cordyline leaf (Cordylines Folium)
鐵絲七 {tie3 si1 qi1}, 中藥正名 palmate maidenhair (Adianti Pedati Herba)
鐵蘇子 {tie3 su1 zi3}, 中藥異名 perilla fruit (Perillae Fructus)

鐵藤根 {tie3 teng2 gen1}, 中藥正名 craspedolobium root (Craspedolobii Radix)
鐵莧 {tie3 xian4}, 中藥正名 copperleaf (Acalyphae Herba)
鐵線草 (1) {tie3 xian4 cao3}, 中藥正名 Bermuda grass (Cynodonis Dactylonis Herba)
鐵線草 (2) {tie3 xian4 cao3}, 中藥異名 fan-leaved maidenhair (Adianti Flabellulati Herba seu Rhizoma)
鐵線蓮 {tie3 xian4 lian2}, 中藥正名 flowering clematis (Clematidis Floridae Herba)
鐵線夏枯 {tie3 xian4 xia4 ku1}, 中藥異名 prunella (Prunellae Spica)
鐵屑 {tie3 xie4}, 中藥異名 iron flakes (Ferri Frusta) (Ferri Frusta); 中藥異名 iron flakes
鐵鏽 {tie3 xiu4}, 中藥正名 rust (Robigo)
鐵液 {tie3 ye4}, 中藥異名 iron flakes (Ferri Frusta)
鐵胤粉 {tie3 yin4 fen3}, 中藥異名 acid iron rust (Ferri Robigo Acida)
鐵朱 {tie3 zhu1}, 中藥異名 hematite (Haematitum)

~~ {ting1} ~~
【聽】 {ting1} [Freq. 3] hear (v.), hearing (n.); auditory (adj.).
聽道 {ting1 dao4}, 西醫 auditory tube (Eustachian tube)
聽道炎 {ting1 dao4 yan2}, 西醫 eustachian salpingitis
聽宮 {ting1 gong1}, 腧穴正名 SI-19 (Auditory Palace)
聽呵 {ting1 he1}, 腧穴異名 GB-2 (Hearing Laughter)
聽會 {ting1 hui4}, 腧穴正名 GB-2 (Auditory Convergence)
聽力減退 {ting1 li4 jian3 tui4}, poor hearing
聽靈 {ting1 ling2}, 腧穴正名 Hearing Spirit
聽聾間 {ting1 long2 jian1}, 腧穴正名 Between Hearing and Deafness
聽敏 {ting1 min2}, 腧穴正名 Sensitive Hearing
聽聲音 {ting1 sheng1 yin1}, listening to sounds
聽響 {ting1 xiang3}, 腧穴正名 Hear the Sound
聽穴 {ting1 xue2}, 腧穴異名 Hearing Point

~~ {ting2} ~~
【廷】 {ting2} [Freq. 4] court.
廷孔 {ting2 kong3}, court orifice (female meatus urinarius)

【亭】 {ting2} [Freq. 4] pavilion.
亭頭 {ting2 tou2}, 腧穴正名 Pavilion Top

【庭】 {ting2} [Freq. 3] courtyard; court (center of the forehead)

【停】 {ting2} [Freq. 2] collect (v.) (水液內停 {shui3 yi4 nei4 ting2}, water-humor collecting internally; 停飲脅痛 {ting2 yin3 xie2 tong4}, collecting rheum rib-side pain).
停后服 {ting2 hou4 fu2}, cease taking further [doses]
停經 {ting2 jing1}, cessation of menstruation
停屍 {ting2 shi1}, stopping corpse
停食不化 {ting2 shi2 bu4 hua4}, stagnation of food
停飲脅痛 {ting2 yin3 xie2 tong4}, collecting rheum rib-side pain
停飲心悸 {ting2 yin3 xin1 ji4}, collecting rheum palpitations
停飲眩暈 {ting2 yin3 xuan4 yun1}, collecting rheum dizziness

【葶】 {ting2} [Freq. 4] plant name.
葶藶 {ting2 li4}, 中藥異名 lepidium/descurainiae (Lepidii/Descurainiae Semen)
葶藶大棗瀉肺湯 {ting2 li4 da4 zao3 xie4 fei4 tang1}, 方名 Lepidium/Descurainiae and Jujube Lung-Draining Decoction
葶藶丸 {ting2 li4 wan2}, 方名 Lepidium/Descurainiae Pill
葶藶子 {ting2 li4 zi3}, 中藥正名 lepidium/descurainiae (Lepidii/Descurainiae Semen)

【蜓】 {ting2} [Freq. 4] dragonfly

【聤】 {ting2} [Freq. 3] purulent ear.
聤耳 {ting2 er3}, purulent ear

~~ {ting3} ~~
【挺】 {ting3} [Freq. 4] upright.
挺長 {ting3 chang2}, persistent erection

~~ {tong1} ~~
【通】 {tong1} [Freq. 2] free (v.); unstop (v.) (通因通用 {tong1 yin1 tong1 yong4}, treat the \ic{unstopped} by stopping; 不通則痛{bu4 tong1 ze2 tong4}, when there is stoppage, there is pain); promote flow.
通鼻 {tong1 bi2}, free the nose
通鼻竅 {tong1 bi2 qiao4}, free the nasal orifices
通便 {tong1 bian4}, free the stool; 腧穴正名 Bowel Freeing
通菜 {tong1 cai4}, 中藥異名 water spinach (Ipomoeae Aquaticae Caulis et Folium)
通草 {tong1 cao3}, 中藥正名 rice-paper plant pith (Tetrapanacis Medulla)

通腸 {tong1 chang2}, free the intestines
通城虎 {tong1 cheng2 hu3}, 中藥正名 Ford's birthwort (Aristolochiae Fordianae Radix seu Herba)
通大便 {tong1 da4 bian4}, free the stool
通大海 {tong1 da4 hai3}, 中藥異名 sterculia (Sterculiae Lychnophorae Semen)
通導散 {tong1 dao3 san3}, 方名 Freeing Abduction Powder
通督脈之血 {tong1 du1 mai4 zhi1 xue4}, free the blood of the thoroughfare vessel
通耳 {tong1 er3}, improve hearing
通耳道 {tong1 er3 dao4}, 腧穴正名 Ear Freeing
通腑 {tong1 fu3}, free the bowels
通腑排膿 {tong1 fu3 pai2 nong2}, free the bowels and expel pus
通腑泄熱 {tong1 fu3 xie4 re4}, free the bowels and discharge heat
通谷 {tong1 gu3}, 腧穴異名 KI-2 (Grain Connection) (Freeing the Grain); 腧穴異名 KI-20
通谷(腹) {tong1 gu3 (fu4)}, 腧穴正名 KI-20 (Open Valley)
通谷(足) {tong1 gu3 (zu2)}, 腧穴正名 BL-66 (Valley Passage)
通骨消 {tong1 gu3 xiao1}, 中藥正名 thunbergia (Thunbergiae Radix)
通關 {tong1 guan1}, free the gate (jaw, bladder) (Free Passage); 腧穴異名 KI-19
通關散 {tong1 guan1 san3}, 方名 Gate-Freeing Powder
通關丸 {tong1 guan1 wan2}, 方名 Gate-Freeing Pill
通光散 {tong1 guang1 san3}, 中藥正名 marsdenia (Marsdeniae Herba)
通花 {tong1 hua1}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
通花根 {tong1 hua1 gen1}, 中藥正名 rice-paper plant root (Tetrapanacis Radix)
通花花 {tong1 hua1 hua1}, 中藥正名 rice-paper plant flower (Tetrapanacis Flos)
通花五加 {tong1 hua1 wu3 jia1}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
通劑 {tong1 ji4}, freeing formula
通間 {tong1 jian1}, 腧穴異名 TB-8 (Connect Between)
通降 {tong1 jiang4}, free downflow
通睛 {tong1 jing1}, cross-eye
通經 {tong1 jing1}, free the channels; free menstruation
通經草 {tong1 jing1 cao3}, 中藥正名 silver aleuritopteris (Aleuritopteridis Argenteae Herba)
通經導滯湯 {tong1 jing1 dao3 zhi4 tang1}, 方名 Channel-Freeing Stagnation-Abducting
通經活絡 {tong1 jing1 huo2 luo4}, free the channels and quicken the network vessels
通經活絡湯 {tong1 jing1 huo2 luo4 tang1}, 方名 Channel-Freeing Network-Quickening Decoction
通經絡 {tong1 jing1 luo4}, free the channels and network vessels
通可去滯 {tong1 ke3 qu4 zhi4}, freeing [medicinals] can eliminate stagnation
通里 {tong1 li3}, 腧穴正名 HT-5 (Connecting Li3)
通里 {tong1 li3}, free the interior

通理 {tong1 li3}, 腧穴異名 HT-5 (Connecting Grain)
通利大腸積滯 {tong1 li4 da4 chang2 ji1 zhi4}, free large intestinal accumulation and stagnation
通利關節 {tong1 li4 guan1 jie2}, free the joints
通利小便 {tong1 li4 xiao3 bian4}, free urine
通利血脈 {tong1 li4 xue4 mai4}, free the blood vessels
通淋 {tong1 lin2}, free strangury
通淋消石 {tong1 lin4 xiao1 shi2}, free strangury and disperse stones
通絡 {tong1 luo4}, free the network vessels
通絡調經 {tong1 luo4 tiao2 jing1}, free the network vessels and regulate the channels
通絡下乳 {tong1 luo4 xia4 ru3}, free the network vessels and promote lactaction
通絡瀉熱 {tong1 luo4 xie4 re4}, free the network vessels and drain heat
通脈 {tong1 mai4}, free the vessels
通脈四逆湯 {tong1 mai4 si4 ni4 tang1}, 方名 Vessel-Freeing Counterflow Cold Decoction
通門 {tong1 men2}, 腧穴異名 TB-8 (Connecting Gate)
通木 {tong1 mu4}, free wood
通氣 {tong1 qi4}, free qi4
通氣散堅丸 {tong1 qi4 san4 jian1 wan2}, 方名 Qi4-Freeing Hardness-Dissipating Pill
通竅 {tong1 qiao4}, free the orifices
通竅活血湯 {tong1 qiao4 huo2 xue4 tang1}, 方名 Orifice-Freeing Blood-Quickening Decoction
通竅散 {tong1 qiao4 san3}, 方名 Orifice-Freeing Powder
通乳 {tong1 ru3}, free milk
通乳草 {tong1 ru3 cao3}, 中藥異名 lanceolate codonopsis (Codonopsis Lanceolatae Radix)
通乳丹 {tong1 ru3 dan1}, 方名 Lactation Elixir
通乳利經脈 {tong1 ru3 li4 jing1 mai4}, free breast milk and disinhibit the channel vessels
通乳散結湯 {tong1 ru3 san4 jie2 tang1}, 方名 Lactation-Promoting Bind-Dissipating Decoction
通乳消癰 {tong1 ru3 xiao1 yong1}, free milk and disperse welling-abscesses
通乳汁 {tong1 ru3 zhi1}, promote lactation
通上焦之氣 {tong1 shang4 jiao1 zhi1 qi4}, free the qi4 of the upper burner
通天 {tong1 tian1}, 腧穴正名 BL-7 (Celestial Connection)
通天草 {tong1 tian1 cao3}, 中藥正名 water chestnut stem (Heleocharitis Caulis) (Heleocharitis Cormus); 中藥異名 water chestnut (1)
通調失職 {tong1 tiao2 shi1 zhi2}, waterways failed to be governed
通調水道 {tong1 tiao2 shui3 dao4}, regulate the waterways
通脫木花上粉 {tong1 tuo1 mu4 hua1 shang4 fen3}, 中藥正名 rice-paper plant pollen (Tetrapanacis Pollen)
通下 {tong1 xia4}, precipitation

通下大便 {tong1 xia4 da4 bian4}, free the stool
通泄 {tong1 xie4}, free [the bowels] and discharge [heat]
通心竅 {tong1 xin1 qiao4}, free the orifice of the heart
通心陽 {tong1 xin1 yang2}, free heart yang2
通行十二經 {tong1 xing2 shi2 er4 jing1}, free the twelve channels
通行水道 {tong1 xing2 shui3 dao4}, free the waterways
通宣理肺丸 {tong1 xuan1 li3 fei4 wan2}, 方名 Diffusing-Freeing Lung-Rectifying Pill
通玄指要賦 {tong1 xuan2 zhi3 yao4 fu4}, 書名 Ode of the Essentials for Penetrating Mysteries
通血脈 {tong1 xue4 mai4}, free the blood vessels
通陽 {tong1 yang2}, free yang2
通陽化氣 {tong1 yang2 hua4 qi4}, free yang2 and promote qi4 transformation
通陽行痹 {tong1 yang2 xing2 bi4}, free yang2 and move impediment
通因通用 {tong1 yin1 tong1 yong4}, treating the unstopped by unstopping
通幽湯 {tong1 you1 tang1}, 方名 Dark-Gate--Freeing Decoction
通瘀煎 {tong1 yu1 jian1}, 方名 Stasis-Freeing Brew
通瘀破結 {tong1 yu1 po4 jie2}, free stasis and break binds
通瘀滯 {tong1 yu1 zhi4}, free stasis and stagnation
通月經 {tong1 yue4 jing1}, free menstruation

~~ {tong2} ~~
【同】 {tong2} [Freq. 4] like (adj.).
同補藥則補 {tong2 bu3 yao4 ze2 bu3}, supplement when combined with supplementing medicinals
同房 {tong2 fang2}, sexual intercourse
同蒿菜 {tong2 hao1 cai4}, 中藥異名 garland chrysanthemum leaf (Chrysanthemi Coronarii Caulis et Folium)
同降藥則降 {tong2 jiang4 yao4 ze2 jiang4}, dowbear when combined with downbearing medicinals
同經相應取穴法 {tong2 jing1 xiang4 ying4 qu3 xue2 fa3}, selection of same-name channel points of corresponding location
同名經 {tong2 ming2 jing1}, same-name channel
同名經配穴法 {tong2 ming2 jing1 pei4 xue2 fa3}, combining same-name channel points
同名經選穴 {tong2 ming2 jing1 xuan3 xue2}, selection of same-name channel points
同身寸 {tong2 shen1 cun4}, body inch
同升藥則升 {tong2 sheng1 yao4 ze2 sheng1}, upbear when combined with upbearing medicinals
同瀉藥則瀉 {tong2 xie4 yao4 ze2 xie4}, drain when combined with draining medicinals

【峒】 {tong2} [Freq. 5] tong2 (an adiminstrative district. Occurs in the place name 黎峒, Li2 Tong2. 黎峒丸 {li2 tong2 wan2}, Li2 Tong2 Pill)

【桐】 {tong2} [Freq. 4] plant name.
桐鰲子 {tong2 bie1 zi3}, 中藥異名 momordica (Momordicae Semen)
桐根 {tong2 gen1}, 中藥正名 paulownia root (bark) (Paulowniae Radix seu Radicis Cortex)
桐木 {tong2 mu4}, 中藥正名 paulownia wood (Paulowniae Lignum)
桐皮 {tong2 pi2}, 中藥正名 paulownia bark (Paulowniae Cortex)
桐葉 {tong2 ye4}, 中藥正名 paulownia leaf (Paulowniae Folium)
桐油 {tong2 you2}, 中藥正名 tung oil (Aleuritis Seminis Oleum)
桐子花 {tong2 zi3 hua1}, 中藥正名 tung tree flower (Aleuritis Flos)

【童】 {tong2} [Freq. 3] child.
童便 {tong2 bian4}, 中藥正名 child's urine (Infantis Urina)
童便炙 {tong2 bian4 zhi4}, mix-fry with child's urine
童參 {tong2 shen1}, 中藥異名 pseudostellaria (Pseudostellariae Radix)
童玄 {tong2 xuan2}, 腧穴異名 LU-7 (Child Mystery)
童子益母草 {tong2 zi3 yi4 mu3 cao3}, 中藥正名 young leonurus (Leonuri Herba Parva)

【銅】 {tong2} [Freq. 4] bronze.
銅棒錘 {tong2 bang4 chui2}, 中藥正名 narrow-leaved yellow corydalis (Corydalis Linarioidis Tuber)
銅錘草 {tong2 chui2 cao2}, 中藥正名 lavender sorrel (Oxalidis Corymbosae Herba seu Radix)
銅錘玉帶草 {tong2 chui2 yu4 dai4 cao3}, 中藥正名 pratia (Pratiae Herba)
銅棰子 {tong2 chui2 zi3}, 中藥異名 China tea rose (Rosae Chinensis Flos)
銅骨七 {tong2 gu3 qi}, 中藥正名 David's anemone (Anemones Davidii Rhizoma)
銅罐 {tong2 guan4}, brass cup
銅綠 {tong2 lu94}, 中藥正名 copper rust (Aeris Robigo)
銅綠散 {tong2 lu94 san3}, 方名 Green Copper Rust Powder
銅錢麻黃 {tong2 luo2 ma1 huang2}, 中藥正名 Chinese shuteria (Shuteriae Sinensis Radix)
銅羅傘 {tong2 luo2 san3}, 中藥正名 comely indigo (Indigoferae Decorae Radix seu Herba)
銅錢癬 {tong2 qian2 xian3}, copper coin lichen
銅人腧穴針灸圖經 {tong2 ren2 shu1 xue2 zhen1 jiu3 tu2 jing1}, 書名 The Bronze Statue Illustrated Canon of Acupuncture Points (1027 (Song4), Wang2 Wei2-Yi1 王惟一)
銅篩 {tong2 shai1}, copper sieve

【潼】 {tong2} [Freq. 4] short for 潼關 Tong2guan1 in 陝西, Shan3xi1.
潼蒺藜 {tong2 ji2 li2}, 中藥異名 complanate astragalus seed (Astragali Complanati Semen)

【瞳】 {tong2} [Freq. 3] pupil.
瞳孔 {tong2 kong3}, pupil
瞳孔擴散 {tong2 kong3 kuo4 san4}, dilation of the pupils
瞳孔散大 {tong2 kong3 san4 da4}, dilated pupils
瞳孔縮小 {tong2 kong3 suo1 xiao3}, contracted pupils
瞳仁 {tong2 ren2}, pupil (of the eye)
瞳神 {tong2 shen2}, pupil spirit (of the eye); pupil
瞳神反背 {tong2 shen2 fan3 bei4}, backward turned pupil spirit (severe squint)
瞳神干缺 {tong2 shen2 gan1 que1}, pupil contraction
瞳神緊小 {tong2 shen2 jin3 xiao3}, contracted pupils
瞳神散大 {tong2 shen2 san4 da4}, dilated pupils
瞳神縮小 {tong2 shen2 suo1 xiao3}, contracted pupils
瞳子 {tong2 zi3}, pupil (of the eye)
瞳子高 {tong2 zi3 gao1}, upturned pupils
瞳子&&91C3.9ACE|{tong2 zi3 liao2}, 腧穴正名 GB-1 (Pupil Bone-Hole)
瞳子癢 {tong2 zi3 yang3}, itchy pupils
瞳子癢痛 {tong2 zi3 yang3 tong4}, painful itching pupils

【茼】 {tong2} [Freq. 4] plant name (茼蒿 {tong2 hao1}, garland chry).
茼蒿 {tong2 hao1}, 中藥正名 garland chrysanthemum leaf (Chrysanthemi Coronarii Caulis et Folium)
茼蒿菜 {tong2 hao1 cai4}, 中藥異名 garland chrysanthemum leaf (Chrysanthemi Coronarii Caulis et Folium)

~~ {tong3} ~~
【統】{tong3} [Freq. 2] control (v.) (脾不統血 {pi2 bu4 tong3 xue4}, spleen failing to control the blood)

【筒】{tong3} [Freq. 5] container (藥汁炙 {yao4 zhi1 zhi4}, mix-fry with herb juices); cup (藥汁炙 {yao4 zhi1 zhi4}, mix-fry with herb juices).
瞳孔 {tong3 kong3}, 西醫 pupil

~~ {tong4} ~~
【痛】 {tong4} [Freq. 2] pain (n.), painful (adj.) (腹痛 {fu4 tong4}, abdominal pain); sore (adj.) (咽痛 {yan1 tong4}, sore throat); ache (adj.) (頭痛 {tou2 tong4}, headache; 牙齒痛 {ya2 chi3

tong4}, toothache).
痛痹 {tong4 bi4}, painful impediment
痛不可近 {tong4 bu4 ke3 jin4}, pain exacerbated by the slightest pressure
痛楚 {tong4 chu3}, pain
痛風 {tong4 feng1}, pain wind; gout
痛風病 {tong4 feng1 bing4}, 西醫 gout
痛經 {tong4 jing1}, 西醫 dysmenorrhea; menstrual pain; painful menstruation; menalgia
痛靈 {tong4 ling2}, 腧穴正名 Pain Spirit
痛如刀刺 {tong4 ru2 dao1 ci4}, pain like the stabbing of a knife
痛如刀割 {tong4 ru2 dao1 ge1}, pain like the cutting of a knife
痛如針刺 {tong4 ru2 zhen1 ci4}, pain like the stabbing of a needle
痛如錐刺 {tong4 ru2 zhui1 ci4}, pain like the piercing of an awl
痛無定處 {tong4 wu2 ding4 chu4}, pain of unfixed location
痛瀉 {tong4 xie4}, painful diarrhea
痛瀉要方 {tong4 xie4 yao4 fang1}, 方名 Pain and Diarrhea Formula
痛有定處 {tong4 you3 ding4 chu4}, pain of fixed location; pain of fixed location

~~ {tou1} ~~
【偷】 {tou1} [Freq. 4] steal (v.).
偷針 {tou1 zhen1}, sty
偷針窩 {tou1 zhen1 wo1}, sty

~~ {tou2} ~~
【投】 {tou2} [Freq. 4] throw; use (of medicines).
投藥 {tou2 yao4}, use medicines

【頭】 {tou2} [Freq. 3] head.
頭白禿 {tou2 bai2 tu1}, bald white scalp sore
頭半邊痛 {tou2 ban4 bian1 tong4}, hemilateral headache
頭臂靜脈 {tou2 bi4 jing4 mai4}, 西醫 brachiocephalic vein
頭部脹痛 {tou2 bu4 zhang4 tong4}, distention and pain in the head
頭沉 {tou2 chen2}, heavy-headedness
頭沖 {tou2 chong1}, 腧穴異名 LI-14 (Head Surge)
頭沖 {tou2 chong1}, 腧穴異名 LI-14 (Head Thoroughfare)
頭瘡 {tou2 chuang1}, head sore
頭垂欲俯 {tou2 chui2 yu4 fu3}, bowed head

頭頂 {tou2 ding3}, vertex
頭頂疼痛 {tou2 ding3 teng2 tong4}, vertex headache
頭髮干枯打縷 {tou2 fa4 gan1 ku1 da3 lu93}, dry knotted hair
頭髮干枯無光澤 {tou2 fa4 gan1 ku1 wu2 guang1 ze2}, dry sheenless hair
頭髮七 {tou2 fa4 qi1}, 中藥正名 Asiatic alectoria (Alectoria Asiatica)
頭髮稀疏 {tou2 fa4 xi1 shu1}, scant hair
頭髮早白 {tou2 fa4 zao3 bai2}, premature graying of the hair
頭風 {tou2 feng1}, head wind
頭風白屑 {tou2 feng1 bai2 xie4}, head-wind white scaling
頭風眩暈 {tou2 feng1 xuan4 yun1}, head wind dizziness
頭縫不合 {tou2 feng4 bu4 he2}, non-closure of the fontanels
頭光明 {tou2 guang1 ming2}, 腧穴正名 Head Bright Light
頭汗 {tou2 han4}, sweating from the head
頭汗出 {tou2 han4 chu1}, sweating head
頭昏重 {tou2 hun1 zhong4}, clouded heavy head
頭角 {tou2 jiao3}, corners of the head
頭角痛 {tou2 jiao3 tong4}, pain at the corners of the head
頭靜脈 {tou2 jing1 mai4}, 西醫 cephalic vein
頭冷 {tou2 leng3}, cold head
頭臨泣 {tou2 lin2 qi4}, 腧穴正名 GB-15 (Head Overlooking Tears)
頭顱骨 {tou2 lu2 gu3}, parietal bone; skull
頭面瘡 {tou2 mian4 chuang1}, sores of the head and face
頭面風痰之疾 {tou2 mian4 feng1 tan2 zhi1 ji2}, wind-phlegm diseases of the head and face
頭面紅腫 {tou2 mian4 hong2 zhong3}, red swollen head and face
頭面痛 {tou2 mian4 tong4}, pain of the head and face
頭目昏沉 {tou2 mu4 hun1 chen2}, heavy head and clouded vision
頭目昏痛 {tou2 mu4 hun1 tong4}, clouded head and vision with headache and eye pain
頭目&&77A4|{tou2 mu4 run4}, twitching of the head and eyes
頭目眩暈 {tou2 mu4 xuan4 yun1}, dizzy head and vision
頭目脹痛 {tou2 mu4 zhang4 tong4}, distention and pain of the head and eyes
頭腦空痛 {tou2 nao3 kong1 tong4}, empty pain in the head
頭腦鳴響 {tou2 nao3 ming2 xiang3}, ringing in the head
頭顳 {tou2 nie4}, 腧穴正名 Temple of the Head
頭皮 {tou2 pi2}, scalp
頭皮干枯 {tou2 pi2 gan1 ku1}, dry scalp
頭皮癤腫 {tou2 pi2 jie2 zhong3}, swollen boil on the head
頭皮麻木 {tou2 pi2 ma2 mu4}, numbness of the scalp
頭皮脫屑 {tou2 pi2 tuo1 xie4}, dandruff

頭皮屑 {tou2 pi2 xie4}, dandruff
頭前痛 {tou2 qian2 tong4}, frontal headache
頭竅陰 {tou2 qiao4 yin1}, 腧穴正名 GB-11 (Head Orifice Yin1)
頭傾 {tou2 qing1}, bowed head
頭傾視深 {tou2 qing1 shi4 shen1}, bowed head and downcast eyes
頭熱 {tou2 re4}, hot head; head heat [effusion] (fever)
頭熱身不熱 {tou2 re4 shen1 bu4 re4}, head heat without generalized heat [effusion] (fever)
頭身困重 {tou2 shen1 kun4 zhong4}, heavy cumbersome head and body
頭身疼痛 {tou2 shen1 teng2 tong4}, headache and body pain
頭髓 {tou2 sui3}, head marrow
頭痛 {tou2 tong4}, headache
頭痛花 {tou2 tong4 hua1}, 中藥異名 genkwa (Genkwa Flos)
頭痛目痛 {tou2 tong4 mu4 tong4}, headache and eye pain
頭痛且重 {tou2 tong4 qie3 zhong4}, headache and heavy-headedness
頭痛如掣 {tou2 tong4 ru2 che4}, headache with pulling sensation; iron-band headache
頭痛如裹 {tou2 tong4 ru2 guo3}, head heavy as if swathed
頭痛如劈 {tou2 tong4 ru2 pi1}, splitting headache
頭痛如破 {tou2 tong4 ru2 po4}, splitting headache
頭痛如錐刺 {tou2 tong4 ru2 zhui1 ci4}, headache like the piercing of an awl
頭痛身重胸脘堵悶 {tou2 tong4 shen1 zhong4 xiong1 wan3 du3 men4}, headache, generalized heaviness, and blockage and oppression in the stomach duct
頭痛牙痛 {tou2 tong4 ya2 tong4}, headach and toothache
頭痛隱隱 {tou2 tong4 yin3 yin3}, dull headache
頭維 {tou2 wei2}, 腧穴正名 ST-8 (Head Corner)
頭癬 {tou2 xian3}, 西醫 tinea capitis
頭響 {tou2 xiang3}, ringing in the head
頭項強痛 {tou2 xiang4 jiang4 tong4}, headache and painful stiff nape
頭項偏痛 {tou2 xiang4 pian1 tong4}, hemilateral headache and pain in the nape
頭旋 {tou2 xuan2}, spinning head
頭旋目運 {tou2 xuan2 mu4 yun4}, spinning head and dizzy vision
頭旋腦痛 {tou2 xuan2 nao3 tong4}, spinning head and painful brain
頭眩 {tou2 xuan4}, dizzy head
頭眩痛 {tou2 xuan4 tong4}, dizziness and headache
頭顏痛 {tou2 yan2 tong4}, frontal headache
頭搖 {tou2 yao2}, shaking of the head
頭搖風 {tou2 yao2 feng1}, shaking head wind
頭暈 {tou2 yun1}, dizzy head
頭暈目眩 {tou2 yun1 mu4 xuan4}, dizzy head and vision; dizziness

頭脹 {tou2 zhang4}, distention in the head; sensation of pressure in the head
頭脹痛 {tou2 zhang4 tong4}, distention and pain in the head
頭針療法 {tou2 zhen1 liao2 fa3}, scalp acupuncture; head needling
頭正中靜脈 {tou2 zheng4 zhong1 jing4 mai4}, 西醫 median cephalic vein
頭蝨病 {tou2 zhi1 bing4}, 西醫 pediculosis capitis
頭中鳴響 {tou2 zhong1 ming2 xiang3}, ringing inside the head
頭重 {tou2 zhong4}, heavy-headedness
頭重不欲舉 {tou2 zhong4 bu4 yu4 ju3}, heavy head that is difficult to lift
頭重腳輕 {tou2 zhong4 jiao3 qing1}, heavy head and light feet; top-heaviness
頭重如裹 {tou2 zhong4 ru2 guo3}, head heavy as if swathed
頭重如蒙 {tou2 zhong4 ru2 meng2}, clouded heavy head
頭頂疼痛 {tou2 頂 teng2 tong4}, vertex headache
頭頂痛 {tou2 頂 tong4}, vertex headache

~~ {tou4} ~~

【透】 {tou4} [Freq. 2] thrust out(ward) (v.); outthrust (n.) (透表 {tou4 biao3}, outthrust the exterior).
透斑 {tou4 ban1}, outthrust macules
透斑疹 {tou4 ban1 zhen3}, outthrust papules and macules
透表 {tou4 biao3}, outthrust the exterior
透發麻疹 {tou4 fa1 ma2 zhen3}, outthrust measles
透風于熱外 {tou4 feng1 yu2 re4 wai4}, outthrust wind to allow clearing of internal heat
透骨草 {tou4 gu3 cao3}, 中藥正名 speranskia/balsam (Speranskiae seu Impatientis Herba) (Gaultheriae Yunnanensis Caulis et Folium); 中藥異名 Yun2nan2 gaultheria
透骨香 {tou4 gu3 xiang1}, 中藥正名 Yun2nan2 gaultheria (Gaultheriae Yunnanensis Caulis et Folium)
透骨香根 {tou4 gu3 xiang1 gen1}, 中藥正名 Yun2nan2 gaultheria root (Gaultheriae Yunnanensis Radix)
透骨消 (1) {tou4 gu3 xiao1}, 中藥正名 ground ivy (Glechomae Hederaceae Herba)
透骨消 (2) {tou4 gu3 xiao1}, 中藥異名 moneywort (Lysimachiae Herba)
透骨消 (3) {tou4 gu3 xiao1}, 中藥異名 wild buckwheat root (Fagopyri Cymosi Rhizoma et Radix)
透關射甲 {tou4 guan1 she4 jia3}, extension of visible veins through all the bars through to the nail
透經 {tou4 jing1}, channel-joining method
透麻疹 {tou4 ma2 zhen3}, outthrust measles
透明蘆薈 {tou4 ming2 lu2 hui4}, 中藥正名 lucid aloe (Aloe Lucida)

透膿散 {tou4 nong2 san3}, 方名 Pus-Outthrusting Powder
透膿生肌 {tou4 nong2 sheng1 ji1}, outthrust pus and engender flesh
透熱 {tou4 re4}, outthrust heat
透熱轉氣 {tou4 re4 zhuan3 qi4}, outthrust heat to the qi4 aspect
透天涼 {tou4 tian1 liang2}, heaven-penetrating cooling method
透邪 {tou4 xie2}, outthrust evils
透泄 {tou4 xie4}, outthrust and discharge
透穴 {tou4 xue2}, point joining; joining points
透營轉氣 {tou4 ying2 zhuan3 qi4}, outthrust construction heat through qi4
透針 {tou4 zhen1}, joining
透疹 {tou4 zhen3}, outthrust papules

~~ {tu1} ~~
【凸】 {tu1} [Freq. 4] protrude.
凸眼性甲狀腺腫 {tu1 yan3 xing4 jia3 zhuang4 xie4 zhong3}, 西醫 exophthalmic goiter

【禿】 {tu1} [Freq. 3] bald.
禿瘡 {tu1 chuang1}, bald scalp sore; bald scalp sore
禿瘡花 {tu1 chuang1 hua1}, 中藥正名 dicranostigma (Dicranostigmatis Herba cum Radice)
禿瘡油 {tu1 chuang1 you2}, 方名 Bald Sores Oil

【突】 {tu1} [Freq. 4] suddenly.
突出 {tu1 chu1}, 西醫 hernia
突起睛高 {tu1 qi3 jing1 gao1}, sudden bulging of the eyes
突然發作 {tu1 ran2 fa1 zuo4}, occurring in sudden bouts

~~ {tu2} ~~
【塗】 {tu2} [Freq. 3] apply; smear (on the skin).
塗眼藥膏 {tu2 yan3 yao4 gao1}, eye paste

【圖】 {tu2} [Freq. 4] picture.
圖釘針 {tu2 ding4 zhen1}, drawing-pin needle; thumb-tack needle

~~ {tu3} ~~
【土】 {tu3} [Freq. 2] earth (n.) (土生金 {tu3 sheng1 jin1}, earth engenders metal; 培土生金

{pei2 tu3 sheng1 jin1}, bank up {earth} to engender metal; 脾土 {pi2 tu3}, spleen-earth); soil.
土八角 {tu3 ba1 jiao3}, 中藥正名 native star anise (Illicii Fructus)
土白芨 {tu3 bai2 ji2}, 中藥正名 platanthera (Platantherae Tuber)
土白蘞 {tu3 bai2 lian3}, 中藥正名 melothria (Melothriae Tuber)
土白芍 {tu3 bai2 shao2}, 中藥異名 curculigo (Curculiginis Rhizoma)
土百部 {tu3 bai3 bu4}, 中藥正名 fernlike asparagus (Asparagi Filicini Tuber)
土半夏 {tu3 ban4 xia4}, 中藥正名 Tibetan arisaema (Arisaematis Intermedii Tuber)
土貝 {tu3 bei4}, 中藥異名 bolbostemma (Bolbostemmatis Tuber)
土貝母 {tu3 bei4 mu3}, 中藥正名 bolbostemma (Bolbostemmatis Tuber)
土萆 {tu3 bi4}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
土萆薢 {tu3 bi4 xie4}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
土鱉 {tu3 bie1}, 中藥異名 ground beetle (Eupolyphaga seu Steleophaga)
土鱉蟲 {tu3 bie1 chong2}, 中藥異名 ground beetle (Eupolyphaga seu Steleophaga)
土鱉甲 {tu3 bie1 jia3}, 中藥異名 turtle shell (Trionycis Carapax)
土不生金 {tu3 bu4 sheng1 jin1}, earth failing to engender metal
土不制水 {tu3 bu4 zhi4 shui3}, earth failing to dam water
土常山 {tu3 chang2 shan1}, 中藥正名 sweet tea root (Hydrangeae Dulcis Radix)
土炒 {tu3 chao3}, stir-fry with earth
土蟲 {tu3 chong2}, 中藥異名 ground beetle (Eupolyphaga seu Steleophaga)
土蟲草 {tu3 chong2 cao3}, 中藥異名 Chinese artichoke (Stachydis Sieboldii Tuber et Herba)
土大黃 {tu3 da4 huang2}, 中藥正名 Madaio dock root (Rumicis Madaio Radix)
土大黃葉 {tu3 da4 huang2 ye4}, 中藥正名 Madaio dock leaf (Rumicis Madaio Folium)
土當歸 (1) {tu3 dang1 gui1}, 中藥正名 udo (Araliae Cordatae Rhizoma et Radix)
土當歸 (2) {tu3 dang1 gui1}, 中藥正名 giant angelica (Angelicae Gigantis Radix)
土當歸葉 {tu3 dang1 gui1 ye4}, 中藥正名 udo leaf (Araliae Cordatae Folium)
土黨參 {tu3 dang3 shen1}, 中藥正名 Java campanumoea (Campanumoeae Javanicae Radix)
土丁桂 {tu3 ding1 gui4}, 中藥正名 evolvulus (Evolvuli Herba)
土豆 (1) {tu3 dou4}, 中藥異名 potato (Solani Tuberosi Tuber)
土豆 (2) {tu3 dou4}, 中藥異名 peanut (Arachidis Semen)
土阿魏 {tu3 e1 wei4}, 中藥正名 clerodendron root bark paste (Clerodendri Radicis Corticis Pasta)
土風瘡 {tu3 feng1 chuang1}, earth-wind sore
土茯苓 {tu3 fu2 ling2}, 中藥正名 smooth greenbrier (Smilacis Glabrae Rhizoma)
土附 {tu3 fu4}, 中藥正名 dark sleeper (Odontobutis Obscura)
土疳 {tu3 gan1}, earth gan1 (same as sty)
土甘草 {tu3 gan1 cao3}, 中藥異名 hairy mussaenda (Mussaendae Pubescentis Caulis et Folium)
土公英 {tu3 gong1 ying1}, 中藥異名 elephantopus (Elephantopi Herba)

土瓜 {tu3 gua1}, 中藥正名 Yun2nan2 morning glory (Ipomoeae Hungaiensis Tuber)
土瓜根 {tu3 gua1 gen1}, 中藥異名 cucumber gourd root (Trichosanthis Cucumeroidis Radix)
土瓜狠毒 {tu3 gua1 lang2 du2}, 中藥正名 lesser wolfsbane root (Euphorbiae Proliferae Radix)
土紅花 {tu3 hong2 hua1}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
土花粉 {tu3 hua1 fen3}, 中藥異名 cucumber gourd root (Trichosanthis Cucumeroidis Radix)
土黃雞 {tu3 huang2 ji1}, 中藥異名 moghania (Moghaniae Radix)
土黃耆 (1) {tu3 huang2 qi2 (1)}, 中藥異名 moghania (Moghaniae Radix)
土黃耆 (2) {tu3 huang2 qi2 (2)}, 中藥異名 five-finger fig root (Fici Simplicissimae Radix)
土茴香 {tu3 hui2 xiang1}, 中藥異名 fennel (Foeniculi Fructus)
土藿香 {tu3 huo4 xiang1}, 中藥異名 agastache (Agastaches Herba)
土箭&&82AA.8006|{tu3 jian4 qi2}, 中藥正名 long-flowered wikstroemia root (Wikstroemiae Dolichanthae Radix)
土金茶根 {tu3 jin1 cha2 gen1}, 中藥異名 scutellaria (Scutellariae Radix)
土槿皮 {tu3 jin3 pi2}, 中藥異名 golden larch bark (Pseudolaricis Cortex)
土精 {tu3 jing1}, 中藥異名 ginseng (Ginseng Radix)
土荊芥 {tu3 jing1 jie4}, 中藥正名 wormseed (Chenopodii Ambroisioidis Herba)
土荊皮 {tu3 jing1 pi2}, 中藥正名 golden larch bark (Pseudolaricis Cortex)
土克水 {tu3 ke4 shui3}, earth restrains water
土連翹 (1) {tu3 lian2 qiao4}, 中藥正名 pretty hypericum (Hyperici Belli Fructus)
土連翹 (2) {tu3 lian2 qiao4}, 中藥正名 hymenodictyon (Hymenodictyi Cortex)
土連翹葉 {tu3 lian2 qiao4 ye4}, 中藥正名 hymenodictyon leaf (Hymenodictyi Folium)
土良薑 {tu3 liang2 jiang1}, 中藥正名 spicate hedychium rhizome (Hedychii Spicati Rhizoma)
土苓 {tu3 ling2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
土靈芝草 {tu3 ling2 zhi1 cao3}, 中藥異名 Indian aeginetia (Aeginetiae Indicae Herba)
土龍 {tu3 long2}, 中藥異名 earthworm (Pheretima)
土圞兒 {tu3 luan2 er2}, 中藥正名 Fortune's groundnut (Apiotis Fortunei Tuber)
土麥冬 {tu3 mai4 dong1}, 中藥異名 lophatherum (Lophatheri Herba)
土牡蠣 {tu3 mu3 li4}, 中藥正名 freshwater mussel shell (Unionis Concha)
土牡蠣粉 {tu3 mu3 li4 fen3}, 中藥正名 freshwater mussel shell powder (Unionis Concha Pulverata)
土木瓜 {tu3 mu4 gua1}, 中藥異名 Chinese quince fruit (Chaenomelis Sinensis Fructus)
土木賊 {tu3 mu4 zei2}, 中藥正名 weak equisetum (Equiseti Debilis Herba seu Radix)
土牛膝 {tu3 niu2 xi1}, 中藥正名 native achyranthes (Achyranthis Radix)
土牛膝根 {tu3 niu2 xi1 gen1}, 中藥異名 native achyranthes (Achyranthis Radix)
土羌活 {tu3 qiang1 huo2}, 中藥正名 ginger lily (Hedychii Coronarii Rhizoma)
土人參 {tu3 ren2 shen1}, 中藥正名 talinum root (Talini Paniculati Radix)
土人參葉 {tu3 ren2 shen1 ye4}, 中藥正名 talinum leaf (Talini Paniculati Folium)
土三加皮 {tu3 san1 jia1 pi2}, 中藥異名 trifoliate acanthopanax root (Acanthopanacis Trifoliati

Radix)
土殺 {tu3 sha1}, 中藥異名 catfish (Clarias)
土砂仁 {tu3 sha1 ren2}, 中藥正名 Japanese galangal fruit (Alpiniae Japonicae Fructus seu Semen)
土蟺 {tu3 shan4}, 中藥異名 earthworm (Pheretima)
土生金 {tu3 sheng1 jin1}, earth engenders metal
土生萬物 {tu3 sheng1 wan4 wu4}, earth engenders the myriad things
土酥 {tu3 su1}, 中藥異名 radish (Raphani Radix)
土喜溫燥 {tu3 xi3 wen1 zao4}, earth likes warmth and dryness
土細心 {tu3 xi4 xin1}, 中藥異名 Forbes' asarum (Asari Forbesii Herba)
土香榧 {tu3 xiang1 fei3}, 中藥正名 cephalotaxus (Cephalotaxi Semen)
土香薷 {tu3 xiang1 ru2}, 中藥正名 wild marjoram (Origani Herba)
土煙葉 {tu3 yan1 ye4}, 中藥異名 mountain tobacco (Solani Verbascifolii Folium)
土瘍 {tu3 yang2}, earth sore (sty)
土一枝蒿 {tu3 yi1 zhi1 hao1}, 中藥正名 Wilson yarrow (Achilleae Wilsonianae Herba)
土茵陳 (1) {tu3 yin1 chen2}, 中藥異名 wild marjoram (Origani Herba)
土茵陳 (2) {tu3 yin1 chen2}, 中藥異名 siphonostegia (Siphonostegiae Herba)
土銀花葉 {tu3 yin2 hua1 ye4}, 中藥正名 wild honeysuckle (Lonicerae Confusae Folium)
土郁奪之 {tu3 yu4 duo2 zhi1}, depressed earth is treated by despoliation
土元 {tu3 yuan2}, 中藥異名 ground beetle (Eupolyphaga seu Steleophaga)
土爰稼穡 {tu3 yuan2 jia4 se4}, earth is the sowing and reaping
土芝 {tu3 zhi1}, 中藥異名 taro (Colocasiae Tuber)
土中聞 {tu3 zhong1 wen2}, 中藥正名 roscoea (Roscoeae Radix)
土朱 {tu3 zhu1}, 中藥異名 hematite (Haematitum)

【吐】 {tu3} [Freq. 4] spit; exhale.
吐白沫 {tu3 bai2 mo4}, eject white foam
吐白色稀水泡沫狀痰 {tu3 bai2 se4 xi1 shui3 pao4 mo4 zhuang4 tan2}, eject thin bubbly phlegm
吐白痰 {tu3 bai2 tan2}, eject white phlegm
吐故納新 {tu3 gu4 na4 xin1}, exhale the old and inhale the new
吐納 {tu3 na4}, exhale [the old] and inhale [the new]
吐納功 {tu3 na4 gong1}, exhaling-inhaling qi4gong1
吐弄舌 {tu3 nong4 she2}, protrusion and worrying of the tongue
吐氣 {tu3 qi4}, exhale
吐舌 {tu3 she2}, protrusion of the tongue
吐痰不爽 {tu3 tan2 bu4 shuang3}, ungratifying ejection of phlegm
吐鐵 {tu3 tie3}, 中藥正名 bullacta flesh (Bullactae Caro)

吐涎沫 {tu3 xian2 mo4}, drool foaming at the mouth

~~ {tu4} ~~

【吐】 {tu4} [Freq. 2] vomit (v.), vomiting (n.) (嘔吐 {ou3 tu4}, vomiting (and retching)); eject (v.), ejection (n.) (吐法{tu4 fa3}, {ejection})

吐法 {tu4 fa3}, ejection
吐糞 {tu4 fen4}, fecal vomiting
吐蛔 {tu4 hui2}, vomiting of roundworm
吐蚘 {tu4 hui2}, vomiting of roundworm
吐衄 {tu4 nu94}, blood ejection and spontaneous external bleeding
吐乳 {tu4 ru3}, vomiting of milk
吐食 {tu4 shi2}, vomiting of food
吐矢 {tu4 shi3}, fecal vomiting
吐水 {tu4 shui3}, vomiting of water
吐絲子 {tu4 si1 zi3}, 中藥異名 cuscuta (Cuscutae Semen)
吐酸 {tu4 suan1}, acid vomiting; vomiting of sour matter
吐酸病 {tu4 suan1 bing4}, acid vomiting disease
吐酸泛水 {tu4 suan1 fan4 shui3}, vomit acid and water
吐痰涎 {tu4 tan2 xian2}, eject phlegm-drool
吐下 {tu4 xia4}, vomiting and diarrhea
吐瀉 {tu4 xie4}, vomiting and diarrhea
吐瀉不得 {tu4 xie4 bu4 de2}, inability to vomit or defecate (despite the desire)
吐瀉物清稀 {tu4 xie4 wu4 qing1 xi1}, clear thin vomitus and diarrhea
吐血 {tu4 xue4}, blood ejection
吐血衄血 {tu4 xue4 nu94 xue4}, blood ejection and spontaneous external bleeding
吐噦 {tu4 yue1}, vomiting and retching

【兔】 {tu4} [Freq. 4] hare; rabbit.

兔唇 {tu4 chun2}, harelip
兔兒風 {tu4 er2 feng1}, 中藥正名 smooth ainsliaea (Ainsliaeae Glabrae Herba)
兔兒傘 {tu4 er2 san3}, 中藥正名 syneilesis (Syneilesis Radix seu Herba)
兔耳草 {tu4 er3 cao3}, 中藥正名 pecteilis (Pecteilis Tuber)
兔肝 {tu4 gan1}, 中藥正名 hare's or rabbit's liver (Leporis seu Cuniculi Iecur)
兔骨 {tu4 gu3}, 中藥正名 hare's or rabbit's bone (Leporis seu Cuniculi Os)
兔腦 {tu4 nao3}, 中藥正名 hare's or rabbit's brain (Leporis seu Cuniculi Cerebrum)
兔皮毛 {tu4 pi2 mao2}, 中藥正名 rabbit's or hare's pelt (Leporis seu Cuniculi Pellis)
兔缺 {tu4 que1}, hare cleft

兔肉 {tu4 rou4}, 中藥正名 hare's or rabbit's flesh (Leporis seu Cuniculi Caro)
兔矢 {tu4 shi3}, 中藥異名 hare's droppings (Lepi Faeces) (Lepi Faeces); 中藥異名 hare's droppings
兔屎 {tu4 shi3}, 中藥異名 hare's droppings (Lepi Faeces)
兔頭骨 {tu4 tou2 gu3}, 中藥正名 rabbit's or hare's skull (Leporis seu Cuniculi Cranium)
兔血 {tu4 xue4}, 中藥正名 hare's or rabbit's blood (Leporis seu Cuniculi Sanguis)
兔子腸 {tu4 zi3 chang2}, 中藥異名 morinda (Morindae Officinalis Radix)
兔子毛 {tu4 zi3 mao2}, 中藥正名 Siberian tansy (Tanaceti Sibirici Herba)

【菟】 {tu4} [Freq. 4] plant name.
菟葵 {tu4 kui2}, 中藥正名 small-leaved mallow (Malvae Parviflorae Caulis et Folium)
菟縷 {tu4 lu93}, 中藥異名 cuscuta (Cuscutae Semen)
菟絲 {tu4 si1}, 中藥正名 cuscuta (Cuscutae Herba)
菟絲實 {tu4 si1 shi2}, 中藥異名 cuscuta (Cuscutae Semen)
菟絲子 {tu4 si1 zi3}, 中藥正名 cuscuta (Cuscutae Semen)
菟絲子丸 {tu4 si1 zi3 wan2}, 方名 Cuscuta Seed Pill; Cuscuta Seed Pill
菟絲子粥 {tu4 si1 zi3 zhou1}, 方名 Cuscuta Gruel

~~ {tuan1} ~~
【貒】 {tuan1} [Freq. 4] hog-nosed badger.
貒膏 {tuan1 gao1}, 中藥正名 hog-nosed badger's fat (Arctonychis Adeps)
貒骨 {tuan1 gu3}, 中藥正名 hog-nosed badger's bone (Arctonychis Os)
貒肉 {tuan1 rou4}, 中藥正名 hog-nosed badger's flesh (Arctonychis Caro)

~~ {tuan2} ~~
【團】 {tuan2} [Freq. 4] lump.
團頭叫姑魚 {tuan2 tou2 jiao4 gu1 yu2}, 中藥正名 bearded croaker (Johnii Amblycephali Caro)

【摶】 {tuan2} [Freq. 5] dense (散摶 {san4 tuan2}, dissipated or dense)

~~ {tui1} ~~
【推】 {tui1} [Freq. 3] push.
推陳至新 {tui1 chen2 zhi4 xin1}, remove the old and institute the new
推蕩腸胃積滯 {tui1 dang4 chang2 wei4 ji1 zhi4}, shift gastrointestinal accumulation and

stagnation
推法 {tui1 fa3}, pushing
推罐 {tui1 guan4}, push-cupping
推罐法 {tui1 guan4 fa3}, push-cupping
推拿 {tui1 na2}, tui1na2 (massage therapy)
推拿療法 {tui1 na2 liao2 fa3}, tui1na2 therapy
推拿手法法 {tui1 na2 shou3 fa3}, tui1na2 manipulation
推氣法 {tui1 qi4 fa3}, qi4-pushing method
推尋 {tui1 xun2}, pushing an searching (pulse-taking)
推之不動 {tui1 zhi1 bu4 dong4}, not to move when pushed
推之不移 {tui1 zhi1 bu4 yi2}, not to move when pushed; immovable
推之可動 {tui1 zhi1 ke3 dong4}, move when pushed

~~ {tui2} ~~
【&&3FC9‖】 {tui2} [Freq. 2] prominence (n.), prominent (adj.) (&&3FC9‖疝 {tui2 shan4}, prominent mounting).
&&3FC9‖癃疝 {tui2 long2 shan4}, prominent mounting
&&3FC9‖疝 {tui2 shan4}, prominent mounting

【&&3FD7‖】 {tui2} [Freq. 2] bulging (n.).
□疝 {tui2 shan4}, bulging mounting

~~ {tui3} ~~
【腿】 {tui3} [Freq. 2] leg (腰酸腿弱 {yao1 suan1 tui3 ruo4}, aching lumbus and weak legs); lower extremity (n.); thigh.
腿肚 {tui3 du4}, 腧穴異名 KI-9 (Leg Belly)
腿軟腳弱 {tui3 ruan3 jiao3 ruo4}, limp legs and weak feet
腿軟無力 {tui3 ruan3 wu2 li4}, weak legs
腿痛 {tui3 tong4}, leg pain
腿腫痛 {tui3 zhong3 tong4}, painful swollen legs

~~ {tui4} ~~
【退】 {tui4} [Freq. 3] abate (v.); abatement (n.).
退疸 {tui4 dan3}, abate jaundice
退風使者 {tui4 feng1 shi2 zhe3}, 中藥異名 notopterygium (Notopterygii Rhizoma et Radix)

退疳疾發熱 {tui4 gan1 ji2 fa1 re4}, abate gan1 disease heat effusion
退黃 {tui4 huang2}, abate jaundice
退黃疸 {tui4 huang2 dan3}, abate jaundice
退勞熱 {tui4 lao2 re4}, abate taxation heat
退熱 {tui4 re4}, abate heat; abate heat [effusion] (fever)
退熱散 {tui4 re4 san3}, 方名 Heat-Abating Powder
退熱熄風 {tui4 re4 xi1 feng1}, abate heat and extinguish wind
退虛熱 {tui4 xu1 re4}, abates vacuity heat
退翳明目 {tui4 yi1 ming2 mu4}, abate screens and brighten the eyes
退翳 {tui4 yi4}, eliminate eye screens
退翳明目 {tui4 yi4 ming2 mu4}, abate screens and brighten the eyes
退針 {tui4 zhen1}, needle retraction
退腫 {tui4 zhong3}, reduce swelling

~~ {tun1} ~~
【吞】 {tun1} [Freq. 2] swallow (吞酸 {tun1 suan}, acid swallowing; 吞咽困難{tun1 yan4 kun4 nan2}, difficulty in swallowing).
吞劑 {tun1 ji4}, swallowing pills
吞食梗塞 {tun1 shi2 geng3 se4}, blockage when swallowing
吞酸 {tun1 suan1}, acid swallowing
吞咽困難 {tun1 yan4 kun4 nan2}, difficulty in swallowing

~~ {tun2} ~~
【豚】 {tun2} [Freq. 4] piglet.
豚卵 {tun2 luan3}, 中藥正名 pig's testis (Suis Testis)

【臀】 {tun2} [Freq. 3] buttock.
臀部 {tun2 bu4}, buttocks
臀部生癰 {tun2 bu4 sheng1 yong1}, welling-abscess of the buttock
臀大肌 {tun2 da4 ji1}, 西醫 greatest gluteal muscle
臀癰 {tun2 yong1}, welling-abscess of the buttock
臀中 {tun2 zhong1}, 腧穴正名 Buttocks Center
臀中肌 {tun2 zhong1 ji1}, 西醫 middle gluteal muscle

~~ {tuo1} ~~

【托】 {tuo1} [Freq. 3] draw.
托瘡毒 {tuo1 chuang1 du2}, expresses the toxin of sores
托毒護心 {tuo1 du2 hu4 xin1}, express toxin and safeguard the heart
托毒排膿 {tuo1 du2 pai2 nong2}, draw toxin [and expel] pus
托毒透膿 {tuo1 du2 tou4 nong2}, draw toxin and outthrust pus
托毒外出 {tuo1 du2 wai4 chu1}, express toxin outward
托法 {tuo1 fa3}, expressing method (method of treatment)
托疽 {tuo1 ju1}, knee-side flat-abscess
托里 {tuo1 li3}, internal expression
托里定痛湯 {tuo1 li3 ding4 tong4 tang1}, 方名 Internal Expulsion and Pain-Relieving Decoction
托里瘀排膿 {tuo1 li3 pai2 nong2}, expel pus by internal expression
托里透膿湯 {tuo1 li3 tou4 nong2 tang1}, 方名 Internal Expulsion Pus-Expelling Decoction
托里消毒散 {tuo1 li3 xiao1 du2 san3}, 方名 Internal Expulsion Toxin-Dispersing Powder
托里消毒飲 {tuo1 li3 xiao1 du2 yin3}, 方名 Internal Expulsion Toxin-Dispersing Beverage
托盤疔 {tuo1 pan2 ding1}, tray clove sore; tray clove sore
托腰散 {tuo1 yao1 san3}, 中藥正名 officinal cynanchum root (Cynanchi Officinalis Radix)

【拖】 {tuo1} [Freq. 4] drag.
拖泥版 {tuo1 ni2 ban3}, 中藥異名 tortoise plastron (Testudinis Plastrum)

【脫】 {tuo1} [Freq. 2] desert (v.), desertion (n.); slough (v.); dislocate.
脫髮 {tuo1 fa4}, hair loss
脫肛 {tuo1 gang1}, prolapse of the rectum; anal desertion
脫肛不收 {tuo1 gang1 bu4 shou1}, unretractable prolapse of the rectum
脫肛痔 {tuo1 gang1 zhi4}, rectal prolapse hemorrhoids
脫骨疽 {tuo1 gu3 ju1}, sloughing flat-abscess
脫汗 {tuo1 han4}, desertion sweating
脫花煎 {tuo1 hua1 jian1}, 方名 Falling Flower Brew
脫骱 {tuo1 jie4}, dislocation
脫臼 {tuo1 jiu4}, dislocation; 腧穴異名 Dislocation
脫疽 {tuo1 ju1}, sloughing flat-abscess (equivalent to gangrene of the extremities)
脫殼囊癰 {tuo1 ke2 nang2 yong1}, shell-bursting scrotal welling-abscess
脫殼乳癰 {tuo1 ke2 ru3 yong1}, shell-bursting mammary welling-abscess
脫力黃 {tuo1 li4 huang2}, strength desertion yellowing
脫囊 {tuo1 nang2}, sloughing scrotum
脫氣 {tuo1 qi4}, deserting qi4
脫肉 {tuo1 rou4}, shedding of the flesh

脫肉破&&4403|{tuo1 rou4 po4 jun4}, shedding of flesh and loss of bulk (severe emaciation)
脫神 {tuo1 shen2}, desertion of the spirit
脫石 {tuo1 shi2}, 中藥異名 talcum (Talcum)
脫位 {tuo1 wei4}, 西醫 dislocation
脫形 {tuo1 xing2}, shedding of the physical body
脫血 {tuo1 xue4}, blood desertion
脫陽 {tuo1 yang2}, yang2 desertion
脫液 {tuo1 ye4}, humor desertion
脫陰 {tuo1 yin1}, yin1 desertion
脫癰 {tuo1 yong1}, sloughing welling-abscess
脫證 {tuo1 zheng4}, desertion pattern

~~ {tuo2} ~~
【佗】 {tuo2} [Freq. 5] load; a name (華佗 Hua2-Tuo2, a legendary physician of antiquity)

【陀】 {tuo2} [Freq. 4] hillock (used in transcriptions such as 佛陀 {fo2 tuo2}, Buddha).
陀僧膏 {tuo2 seng1 gao1}, 方名 Litharge Paste

【駝】 {tuo2} [Freq. 4] camel.
駝背 {tuo2 bei4}, hunchback
駝背雞胸 {tuo2 bei4 ji1 xiong1}, hunchback and pigeon chest
駝乳 {tuo2 ru3}, 中藥正名 camel's milk (Cameli Lac)

【鼉】 {tuo2} [Freq. 4] alligator.
鼉甲 {tuo2 jia3}, 中藥正名 alligator scales (Alligatoris Squama)
鼉肉 {tuo2 rou4}, 中藥正名 alligator flesh (Alligatoris Caro)

~~ {tuo4} ~~
【唾】 {tuo4} [Freq. 2] spittle (n.); spit.
唾爲腎液 {tuo4 wei2 shen4 ye4}, spittle is the humor of the kidney
唾血 {tuo4 xue4}, spitting of blood

== W ==

~~ {wa1} ~~

【挖】 {wa1} [Freq. 4] dig.

挖耳草 {wa1 er3 cao3}, 中藥正名 drooping carpesium (Carpesii Cernui Herba)

挖耳草根 {wa1 er3 cao3 gen1}, 中藥正名 drooping carpesium root (Carpesii Cernui Radix)

挖耳子草 {wa1 er3 zi3 cao3}, 中藥正名 Lipsky's carpesium (Carpesii Lipskyi Herba)

~~ {wa2} ~~

【娃】 {wa2} [Freq. 4] little child.

娃娃拳 {wa2 wa2 quan2}, 中藥正名 bilobate grewia (Grewiae Bilobae Radix, Caulis et Folium)

~~ {wa3} ~~

【瓦】 {wa3} [Freq. 4] tile.

瓦草 {wa3 cao3}, 中藥正名 Si4chuan1 melandrium (Melandrii Visciduli Radix)

瓦楞子 {wa3 leng2 zi3}, 中藥正名 ark shell (Arcae Concha)

瓦壟蛤皮 {wa3 long3 ge2 pi2}, 中藥異名 ark shell (Arcae Concha)

瓦壟子 {wa3 long3 zi3}, 中藥異名 ark shell (Arcae Concha)

瓦松 {wa3 song1}, 中藥正名 orostachys (Orostachydis Herba)

瓦韋 {wa3 wei2}, 中藥正名 Thunberg lepisorus (Lepisori Thunbergiani Herba)

~~ {wa4} ~~

【膃】 {wa4} [Freq. 4] seal.

膃肭臍 {wa4 na4 qi2}, 中藥異名 seal's genitals (Callorhini Testes et Penis)

膃肭臍散 {wa4 na4 qi2 san3}, 方名 Seal Genitals Powder

~~ {wai1} ~~

【歪】 {wai1} [Freq. 5] deviated (adj.), deviation (n.) (口眼歪斜 {kou3 yan3 wai1 xie2}, deviated eyes and mouth)

【喎】 {wai1} [Freq. 2] deviated (adj.), deviation (口眼喎斜 {kou3 yan3 wai1 xie2}, deviated eyes and mouth).

喎僻 {wai1 pi4}, deviated face

喎僻不遂 {wai1 pi4 bu4 sui4}, deviation and paralysis of the face

喎斜 {wai1 xie2}, deviation (of face); deviated

~~ {wai4} ~~

【外】 {wai4} [Freq. 2] out (adv.), outward (adv.), outer (adj.), outer body (n.) (宗氣外泄 {zong1 qi4 wai4 xie4}, {outward} discharge of ancestral qi; 外有寒，內有熱{wai4 you3 han2, nei4 you3 re4}, cold in the outer body and heat in the inner body); external (adj.) (外感 {wai4 gan3}, external contraction; 外邪 {wai4 xie2}, external evil; 外吹 {wai4 chui1}, external blowing).

外吹 {wai4 chui1}, external blowing

外吹乳癰 {wai4 chui1 ru3 yong1}, external blowing mammary welling-abscess

外定喘 {wai4 ding4 chuan3}, 腧穴正名 Outer Panting Stabilizer

外耳道 {wai4 er3 dao4}, 西醫 external auditory meatus; external ear canal

外耳道癤 {wai4 er3 dao4 jie2}, 西醫 furuncle of external acoustic meatus

外耳道口 {wai4 er3 dao4 kou3}, 腧穴正名 Outer Ear Opening

外耳道炎 {wai4 er3 dao4 yan2}, 西醫 otitis externa

外耳道真菌病 {wai4 er3 dao4 zhen1 jun1 bing4}, 西醫 otitis externa mycotic

外耳濕疹 {wai4 er3 shi1 zhen3}, 西醫 eczema of external ear

外耳炎 {wai4 er3 yan2}, 西醫 otitis externa

外翻肌 {wai4 fan1 ji1}, 西醫 evertor

外風 {wai4 feng1}, external wind

外風證 {wai4 feng1 zheng4}, external wind pattern

外敷 {wai4 fu1}, apply topically; applied topically

外敷膏劑 {wai4 fu1 gao1 ji4}, topically applied paste

外敷接骨散 {wai4 fu1 jie1 gu3 san3}, 方名 Topical Bone-Joining Powder

外敷麻醉藥方 {wai4 fu1 ma2 zui4 yao4 fang1}, 方名 Topical Anesthetic Formula

外輔骨 {wai4 fu3 gu3}, outer assisting bone; fibula

外感 {wai4 gan3}, external contraction

外感表證 {wai4 gan3 biao3 zheng4}, externally contracted exterior pattern

外感病 {wai4 gan3 bing4}, externally contracted disease

外感不得臥 {wai4 gan3 bu4 de2 wo4}, external contraction sleeplessness

外感發熱 {wai4 gan3 fa1 re4}, external contraction heat [effusion] (fever)

外感風寒 {wai4 gan3 feng1 han2}, externally contracted wind-cold

外感風熱 {wai4 gan3 feng1 re4}, externally contracted wind-heat

外感風邪 {wai4 gan3 feng1 xie2}, externally contracted wind evil; external contraction of wind evil

外感寒邪 {wai4 gan3 han2 xie2}, externally contracted cold evil; external contraction of cold evil

外感咳嗽 {wai4 gan3 ke2 sou4}, externally contracted cough

外感六淫 {wai4 gan3 liu4 yin2}, external contraction of [one or more of] the six excesses;

six-excess external contraction
外感熱病 {wai4 gan3 re4 bing4}, externally contracted heat disease; externally contracted febrile disease
外感熱病辨證 {wai4 gan3 re4 bing4 bian4 zheng4}, externally contracted febrile (heat) disease pattern identification
外感熱邪 {wai4 gan3 re4 xie2}, externally contracted heat evil; external contraction of heat evil
外感胃脘痛 {wai4 gan3 wei4 wan3 tong4}, external contraction stomach duct pain
外感腰痛 {wai4 gan3 yao1 tong4}, external contraction lumbar pain
外勾 {wai4 gou1}, 腧穴異名 ST-32 (Outer Hook)
外關 {wai4 guan1}, 腧穴正名 TB-5 (Outer Pass)
外寒 {wai4 han2}, external cold
外寒犯胃 {wai4 han2 fan4 wei4}, external cold invading the stomach
外踝 {wai4 huai2}, outer ankle bone; lateral malleolus
外踝尖 {wai4 huai2 jian1}, 腧穴正名 Tip of the Outer Ankle Bone
外金津 {wai4 jin1 jin1}, 腧穴正名 Outer Golden Liquid
外經 {wai4 jing1}, external channels
外睛明 {wai4 jing1 ming2}, 腧穴異名 Outer Bright Eyes
外科 {wai4 ke1}, external medicine; surgery
外科補法 {wai4 ke1 bu3 fa3}, internal supplementation
外科蟾酥丸 {wai4 ke1 chan2 su1 wan2}, 方名 External Medicine Toad Venom Pill
外科大成 {wai4 ke1 da4 cheng2}, 書名 The Great Compendium of External Medicine (1665 (Qing1), Qi2 Kun1 祁坤) (1665 (Qing1), Qi2 Kun1} 祁坤); 書名 The Great Compendium of External Medicine
外科疾病 {wai4 ke1 ji2 bing4}, external medicine diseases
外科精要 {wai4 ke1 jing1 yao4}, 書名 Essentials of External Medicine
外科樞要 {wai4 ke1 shu1 yao4}, 書名 Pivot of External Medicine (1571 (Ming2), Xue1 Ji3 薛己 [Li4-Zhai1 立齋])
外科消法 {wai4 ke1 xiao1 fa3}, internal dispersion
外科證候 {wai4 ke1 zheng4 hou4}, external medicine patterns
外科證治全生集 {wai4 ke1 zheng4 zhi4 quan2 sheng1 ji2}, 書名 Life-For-All Compendium of External Medicine, Patterns and Treatment (1740 (Qing1), Wang2 Wei2-De2 王維德 [Hong2-Xu4 洪緒])
外科正宗 {wai4 ke1 zheng4 zong1}, 書名 Orthodox Manual of External Medicine (1617 (Qing1), Chen2 Shi2-Gong1 陳實功)
外勞宮 {wai4 lao2 gong1}, 腧穴正名 Outer Palace of Toil
外廉 {wai4 lian2}, outer face (of limbs, etc.)
外&&81C1‖瘡 {wai4 lian2 chuang1}, outer shank sore
外陵 {wai4 ling2}, 腧穴正名 ST-26 (Outer Mound)

外明 {wai4 ming2}, 腧穴正名 Outer Brightness
外命 {wai4 ming4}, 腧穴異名 KI-7 (Outer Life)
外丘 {wai4 qiu1}, 腧穴正名 GB-36 (Outer Hill) (Outer Hill); 腧穴異名 ST-32
外傷 {wai4 shang1}, external damage (by the six excesses, etc.) (knocks and falls, etc.); external injury
外傷出血 {wai4 shang1 chu1 xue4}, bleeding due to external injury
外傷性白內障 {wai4 shang1 xing4 bai2 nei4 zhang1}, 西醫 traumatic cataract
外傷腰痛 {wai4 shang1 yao1 tong4}, external injury lumbar pain
外傷腫痛 {wai4 shang1 zhong3 tong4}, pain and swelling due to external injury
外腎 {wai4 shen4}, external kidney (male genitals)
外腎吊痛 {wai4 shen4 diao4 tong4}, painful pendulous external kidney (male genitals)
外腎縮入 {wai4 shen4 suo1 ru4}, retracted external kidney (male genitals)
外生殖器 {wai4 sheng1 zhi2 qi4}, 西醫 external genitalia
外濕 {wai4 shi1}, external dampness
外樞 {wai4 shu1}, 腧穴異名 GB-28 (Outer Pivot)
外四滿 {wai4 si4 man3}, 腧穴正名 Outer Fourfold Fullness
外台秘要 {wai4 tai2 mi4 yao4}, 書名 Essential Secrets from Outside the Metropolis (752 (Tang2), Wang2 Tao2 王燾)
外脫 {wai4 tuo1}, outward desertion
外膝眼 {wai4 xi1 yan3}, 腧穴異名 Outer Eye of the Knee
外邪 {wai4 xie2}, external evil
外斜視 {wai4 xie2 shi4}, outward squint
外泄 {wai4 xie4}, discharge outward
外翳攀睛 {wai4 yi4 pan1 jing1}, external screen creeping over the eye
外因 {wai4 yin1}, external cause (of disease)
外陰白色病變 {wai4 yin1 bai2 se4 bing4 bian4}, 西醫 white lesions of the vulva
外陰尖銳濕疣 {wai4 yin1 jian1 rui4 shi1 you2}, 西醫 condyloma acuminatum of the vulva
外陰廉 {wai4 yin1 lian2}, 腧穴正名 Outer Yin1 Corner
外陰瘙癢 {wai4 yin1 sao1 yang3}, 西醫 pruritus vulvae
外陰炎 {wai4 yin1 yan2}, 西醫 vulvitis
外陰炎 {wai4 yin1 yan2}, 西醫 vulvitis
外陰癰腫 {wai4 yin1 yong1 zhong3}, genital welling-abscess
外隱靜脈 {wai4 yin3 jing4 mai4}, 西醫 external (short) saphenous vein
外癰 {wai4 yong1}, external welling-abscess
外用 {wai4 yong4}, apply topically
外用洗目 {wai4 yong4 xi3 mu4}, used externally as an eye wash
外用藥 {wai4 yong4 yao4}, topically applied medicinal
外玉液 {wai4 yu4 ye4}, 腧穴正名 Outer Jade Humor

外在性子宮內膜異位症 {wai4 zai4 xing4 zi3 gong1 nei4 mo2 yiu4 wei4 zheng4}, 西醫 external endometriosis
外燥 {wai4 zao4}, external dryness
外燥證 {wai4 zao4 zheng4}, external dryness pattern
外展肌 {wai4 zhan3 ji1}, 西醫 abductor
外障 {wai4 zhang4}, external obstruction (of the eye)
外真寒 {wai4 zhen1 han2}, true external cold
外真熱 {wai4 zhen1 re4}, true external heat
外證 {wai4 zheng4}, external sign
外直立 {wai4 zhi2 li4}, 腧穴正名 Outer Erect Posture
外治 {wai4 zhi4}, external treatment
外痔 {wai4 zhi4}, external hemorrhoid
外治法 {wai4 zhi4 fa3}, external method of treatment
外眥 {wai4 zi4}, outer canthus

~~ {wan1} ~~
【豌】 {wan1} [Freq. 4] pea.
豌豆 {wan1 dou4}, 中藥正名 pea (Pisi Semen)
豌豆莢 {wan1 dou4 jia2}, 中藥正名 sugar pea [pod] (Pisi Saccharati Fructus Immaturus)

【彎】 {wan1} [Freq. 4] bend.
彎巴鉤子 {wan1 ba1 gou1 zi3}, 中藥異名 arctium (Arctii Fructus)
彎針 {wan1 zhen1}, bent needle

【灣】 {wan1} [Freq. 4] bay.
灣豆 {wan1 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)

~~ {wan2} ~~
【丸】 {wan2} [Freq. 2] pill (n.) (蜜丸 {mi4 wan2}, honey pill).
丸劑 {wan2 ji4}, pill preparation; pill (preparation)

【完】 {wan2} [Freq. 4] finish.
完帶湯 {wan2 dai4 tang1}, 方名 Discharge-Ceasing Decoction
完骨 {wan2 gu3}, completion bone (mastoid process) (Completion Bone); 腧穴正名 GB-12
完谷不化 {wan2 gu3 bu4 hua4}, non-transformation of food

【頑】 {wan2} [Freq. 4] stubborn.
頑痹 {wan2 bi4}, insensitive impediment
頑麻 {wan2 ma2}, stubborn numbness
頑木 {wan2 mu4}, stubborn numbness
頑濕聚結 {wan2 shi1 ju4 jie2}, stubbord dampness gathering
頑痰 {wan2 tan2}, stubborn phlegm
頑癬 {wan2 xian3}, stubborn lichen

~~ {wan3} ~~
【宛】 {wan3} [Freq. 4] depression (see also 宛 {yu4}).
宛宛 {wan3 wan3}, depression (an indentation)

【挽】 {wan3} [Freq. 4] rescue.
挽救虛脫 {wan3 jiu4 xu1 tuo1}, stem vacuity desertion
挽指法 {wan3 zhi3 fa3}, hugging (pulse-taking technique)

【晚】 {wan3} [Freq. 4] evening.
晚餐 {wan3 can1}, dinner
晚蠶沙 {wan3 can2 sha1}, 中藥異名 silkworm droppings (Bombycis Faeces)
晚發 {wan3 fa1}, late emergence
晚飯 {wan3 fan4}, dinner
晚服 {wan3 fu2}, take at night
晚上 {wan3 shang4}, evening; night

【蜿】 {wan3} [Freq. 4] wriggle.
蜿蟺 {wan3 shan4}, 中藥異名 earthworm (Pheretima)

【脘】 {wan3} [Freq. 2] stomach duct (n.) (胃脘虛痞 {wei4 wan3 xu1 pi3}, stomach duct vacuity glomus).
脘部堵悶 {wan3 bu4 du3 men4}, blockage and oppression in the stomach duct
脘腹 {wan3 fu4}, stomach duct and abdomen
脘腹飽脹 {wan3 fu4 bao3 zhang4}, bloating of the stomach duct and abdomen
脘腹暴痛 {wan3 fu4 bao4 tong4}, fulminant pain in the stomach duct and abdomen
脘腹拒按 {wan3 fu4 ju4 an4}, pain in the stomach duct and abdomen that refuses pressure
脘腹冷痛 {wan3 fu4 leng3 tong4}, cold pain in the stomach duct and abdomen
脘腹滿悶 {wan3 fu4 man3 men4}, fullness and oppression in the stomach duct
脘腹滿痛 {wan3 fu4 man3 tong4}, fullness and pain in the stomach duct and abdomen

脘腹氣痛 {wan3 fu4 qi4 tong4}, stomach duct qi4 pain and abdomen
脘腹熱痛 {wan3 fu4 re4 tong4}, heat pin the stomach duct
脘腹疼痛 {wan3 fu4 teng2 tong4}, pain in the stomach duct and abdomen
脘腹喜按 {wan3 fu4 xi3 an4}, pain and fullness in the stomach duct and abdomen that likes pressure
脘腹脹滿 {wan3 fu4 zhang4 man3}, distention in stomach duct and abdomen that likes pressure
脘腹脹痛拒按 {wan3 fu4 zhang4 tong4 ju4 an4}, distention and pain in stomach duct and abdomen that likes pressure
脘腹墜脹 {wan3 fu4 zhui4 zhang4}, sagging distention in the stomach duct and abdomen
脘腹灼熱 {wan3 fu4 zhuo2 re4}, scorching heat in the stomach duct and abdomen
脘膈間脹悶多噯 {wan3 ge2 jian1 zhang4 men4 duo1 ai4}, distention and oppression in the stomach duct and diaphragm with frequent belching
脘悶納呆 {wan3 men4 na4 dai1}, oppression in teh stomach duct and torpid intake
脘悶少食 {wan3 men4 shao3 shi2}, oppression in the stomach duct and reduced food intake
脘痞作脹 {wan3 pi3 zuo4 zhang4}, glomus and distention in the stomach duct

~~ {wan4} ~~

【腕】 {wan4} [Freq. 2] wrist; joint (n.).
腕骨 {wan4 gu3}, 西醫 carpal bones (Wrist Bone); 腧穴正名 SI-4
腕關節 {wan4 guan1 jie2}, wrist joint
腕勞 {wan4 lao2}, 腧穴異名 LU-7 (Wrist Taxation)
腕下垂 {wan4 xia4 chui2}, limp wrists; limp wrist

【萬】 {wan4} [Freq. 3] ten thousand; myriad.
萬病回春 {wan4 bing4 hui2 chun1}, 書名 Return-of-Spring for All Diseases
萬點金 {wan4 dian3 jin1}, 中藥異名 rough-leaved holly root (Ilicis Asprellae Radix)
萬荊子 {wan4 jing1 zi3}, 中藥異名 vitex (Viticis Fructus)
萬里 {wan4 li3}, 腧穴正名 Ten Thousand Li
萬靈丹 {wan4 ling2 dan1}, 方名 Unlimited Efficacy Elixir
萬密齋醫學全書 {wan4 mi4 zhai1 yi1 xue2 quan2 shu1}, Wan4 Mi4-Zhai1's Complete Medical Book/Writings
萬年青根 {wan4 nian2 qing1 gen1}, 中藥正名 rohdea root (Rohdeae Rhizoma et Radix)
萬年青花 {wan4 nian2 qing1 hua1}, 中藥正名 rohdea flower (Rohdeae Flos)
萬年青葉 {wan4 nian2 qing1 ye4}, 中藥正名 rohdea leaf (Rohdeae Folium)
萬全 {wan4 quan2}, Wan4 Quan2
萬壽果 {wan4 shou4 guo3}, 中藥異名 papaya (Caricae Papayae Fructus)
萬壽菊 {wan4 shou4 ju2}, 中藥正名 African marigold (Tagetis Erectae Flos)

萬壽菊葉 {wan4 shou4 ju2 ye4}, 中藥正名 African marigold leaf (Tagetis Erectae Folium)
萬桃花 {wan4 tao2 hua1}, 中藥異名 datura flower (Daturae Flos)
萬物之母 {wan4 wu4 zhi1 mu3}, mother of the myriad things
萬應膏 {wan4 ying4 gao1}, 方名 Myriad Applications Paste
萬應丸 {wan4 ying4 wan2}, 方名 Myriad Applications Pill
萬丈深 {wan4 zhang4 shen1}, 中藥正名 woody hawksbeard root (Crepidis Ligneae Radix)
萬丈深莖葉 {wan4 zhang4 shen1 jing1 ye4}, 中藥正名 woody hawksbeard stem and leaf (Crepidis Ligneae Caulis et Folium)

~~ {wang1} ~~
【汪】 {wang1} [Freq. 5] surname.
汪昂 {wang1 ang2}, Wang1 Ang2
汪機 {wang1 ji1}, Wang1 Ji1

【尪】 {wang1} weak; lame.
尪痹 {wang1 bi4}, lame impediment

~~ {wang2} ~~
【亡】 {wang2} [Freq. 2] collapse (v.), (n.) (亡陽虛脫 {wang2 yang2 xu1 tuo1}, yang2-collapse vacuity desertion).
亡津液 {wang2 jin1 ye4}, fluid collapse
亡血 {wang2 xue4}, blood collapse
亡血家 {wang2 xue4 jia1}, person who suffers from blood collapse
亡陽 {wang2 yang2}, yang2 collapse
亡陽虛脫 {wang2 yang2 xu1 tuo1}, yang2-collapse vacuity desertion
亡陽證 {wang2 yang2 zheng4}, yang2 collapse pattern
亡陰 {wang2 yin1}, yin1 collapse
亡陰證 {wang2 yin1 zheng4}, yin1 collapse pattern

【王】 {wang2} [Freq. 4] king; surname.
王冰 {wang2 bing1}, Wang2 Bing1
王不流行 {wang2 bu4 liu2 xing2}, 中藥異名 vaccaria (Vaccariae Semen)
王不留行 {wang2 bu4 liu2 xing2}, 中藥正名 vaccaria (Vaccariae Semen)
王宮 {wang2 gong1}, king's palace (region between the inner canthi)
王瓜 (1) {wang2 gua1}, 中藥正名 cucumber gourd (Trichosanthis Cucumeroidis Fructus)
王瓜 (2) {wang2 gua1}, 中藥異名 cucumber (Cucumeris Sativi Fructus)

王瓜根 {wang2 gua1 gen1}, 中藥正名 cucumber gourd root (Trichosanthis Cucumeroidis Radix)
王瓜子 {wang2 gua1 zi3}, 中藥正名 cucumber gourd seed (Trichosanthis Cucumeroidis Semen)
王好古 {wang2 hao4 gu3}, Wang2 Hao4-Gu3
王洪緒 {wang2 hong2 xu4}, Wang2 Hong2-Xu4
王漿 {wang2 jiang1}, 中藥異名 royal jelly (Apis Gelatinum Regium)
王肯堂 {wang2 ken3 tang1}, Wang2 Ken3-Tang2
王連 {wang2 lian2}, 中藥異名 coptis (Coptidis Rhizoma)
王茅 {wang2 mao2}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
王清任 {wang2 qing1 ren4}, Wang2 Qing1-Ren4
王氏連朴飲 {wang2 shi4 lian2 po4 yin3}, 方名 Wang's Coptis and Officinal Magnolia Bark Beverage
王氏清暑益氣湯 {wang2 shi4 qing1 shu3 yi4 qi4 tang1}, Wang2's Summerheat-Clearing Qi4-Boosting Decoction
王士雄 {wang2 shi4 xiong2}, Wang2 Shi4-Xiong2
王叔和 {wang2 shu1 he1}, Wang2 Shu1-He2
王孫 {wang2 sun1}, 中藥正名 four-leaved paris root (Paridis Tetraphyllae Rhizoma)
王濤 {wang2 tao1}, Wang2 Tao1
王旭高 {wang2 xu4 gao1}, Wang2 Xu4-Gao1

~~ {wang3} ~~
【往】 {wang3} [Freq. 4] go; in the direction of; past.
往來寒熱 {wang3 lai2 han2 re4}, alternating heat [effusion] (fever) and [aversion to] cold; alternating fever and chills; alternating cold and heat

【網】 {wang3} [Freq. 4] net.
網球肘 {wang3 qiu2 zhou3}, 西醫 tennis elbow

~~ {wang4} ~~
【妄】 {wang4} [Freq. 2] frenetic (adj.) (血熱妄行{xue4 re4 wang4 xing2}, frenetic movement of hot blood).
妄動 {wang4 dong4}, frenetic stirring
妄見 {wang4 jian4}, hallucination
妄夢 {wang4 meng4}, wild dreams
妄行 {wang4 xing2}, frenetic movement

妄言 {wang4 yan2}, raving
妄言妄見 {wang4 yan2 wang4 jian4}, raving and hallucination
妄有所見 {wang4 you3 suo3 jian4}, hallucination

【忘】 {wang4} [Freq. 2] forget (健忘 {jian4 wang4}, forgetfulness)

【旺】 {wang4} [Freq. 2] effulgent (adj.), effulgence (n.) (陰虛火旺 {yin1 xu1 huo3 wang4}, effulgent yin vacuity fire).
旺梨草 {wang4 li2 cao3}, 中藥異名 lippia (Lippiae Herba)

【望】 {wang4} [Freq. 2] look (望齒 {wang4 chi3}, inspect the teeth; 望診 {wang4 zhen3}, inspection); inspect (v.), inspection (n.) (望齒 {wang4 chi3}, inspect the teeth; 望診 {wang4 zhen3}, inspection).
望齒 {wang4 chi3}, inspection of the teeth
望二便 {wang4 er4 bian4}, inspection of stool and urine
望果 {wang4 guo3}, 中藥異名 emblic (Phyllanthi Fructus)
望江南 {wang4 jiang1 nan2}, 中藥正名 coffee senna (Cassiae Occidentalis Caulis et Folium)
望江南子 {wang4 jiang1 nan2 zi3}, 中藥正名 coffee senna fruit (Cassiae Occidentalis Fructus)
望經血 {wang4 jing1 xue4}, inspection of menstrual blood
望絡脈 {wang4 luo4 mai4}, inspection of the networkwork vessels
望排出物 {wang4 pai2 chu1 wu4}, inspection of excreta
望皮膚 {wang4 pi2 fu1}, inspection of the skin
望人中 {wang4 ren2 zhong1}, inspection of the philtrum
望色 {wang4 se4}, inspection of the complexion
望色十法 {wang4 se4 shi2 fa3}, ten-principle examination of the complexion
望色澤 {wang4 se4 ze2}, inspection of the complexion
望神 {wang4 shen2}, inspection of the spirit
望痰 {wang4 tan2}, inspection of phlegm
望頭面部 {wang4 tou2 mian4 bu4}, inspection of the head and face
望五官 {wang4 wu3 guan1}, inspection of the five offices
望形態 {wang4 xing2 tai4}, inspection of form and bearing
望眼神 {wang4 yan3 shen2}, inspection of the eye spirit
望月砂 {wang4 yue4 sha1}, 中藥正名 hare's droppings (Lepi Faeces)
望診 {wang4 zhen3}, inspection; looking examination; visual examination

~~ {wei1} ~~
【危】 {wei1} [Freq. 3] dangerous; critical.

危篤 {wei1 du3}, critical (of conditions)
危候 {wei1 hou4}, critical sign
危亦林 {wei1 i4 lin3}, Wei1 Yi4-Lin4
危證 {wei1 zheng4}, critical sign; critical pattern

【威】 {wei1} [Freq. 4] impressive strength.
威靈丸 {wei1 ling2 wan2}, 方名 Clematis Pill
威靈仙 {wei1 ling2 xian1}, 中藥正名 clematis (Clematidis Radix)
威喜丸 {wei1 xi3 wan2}, 方名 Powerful Happiness Pill

【微】 {wei1} [Freq. 2] mild (adj.) (微風 {wei2 feng1}, mild wind); slight (adj.) (微微出汗 {wei2 wei2 chu1 han4}, slight sweating); faint (n.) (微脈 {wei4 mai4}, faint pulse); debilitation (n.) (衰微 {shuai1 wei2}, debilitation).
微炒 {wei1 chao3}, light stir-frying
微喘 {wei1 chuan3}, slight panting
微煩 {wei1 fan2}, slight vexation
微風 {wei1 feng1}, mild wind
微汗 {wei1 han4}, slight sweating
微火 {wei1 huo3}, low flame
微量元素 {wei1 liang4 yuan2 su4}, 西醫 trace elements
微脈 {wei1 mai4}, faint pulse
微熱 {wei1 re4}, slight heat [effusion] (fever)
微甚 {wei1 shen4}, salience (pulse)
微微汗出 {wei1 wei1 han4 chu1}, slight sweating
微邪 {wei1 xie2}, mild evil
微者逆之 {wei1 zhe3 ni4 zhi1}, mild conditions are treated by counteraction

【煨】 {wei1} [Freq. 3] roast (v.).
煨薑 {wei1 jiang1}, 中藥正名 roasted ginger (Zingiberis Rhizoma Tostum)
煨水 {wei1 shui3}, decoct with water; boil
煨水服 {wei1 shui3 fu2}, take decocted with water
煨水洗 {wei1 shui3 xi3}, decoct as a wash
煨制 {wei1 zhi4}, roasting

【薇】 {wei1} [Freq. 4] plant name.
薇草 {wei1 cao3}, 中藥異名 black swallowwort (Cynanchi Atrati Radix)
薇籽 {wei1 zi3}, 中藥正名 baliospermum (Baliospermi Radix et Caulis, seu Folium)

【葳】 {wei1} [Freq. 4] plant name.
葳苓仙 {wei1 ling2 xian1}, 中藥異名 clematis (Clematidis Radix)
葳靈仙 {wei1 ling2 xian1}, 中藥異名 clematis (Clematidis Radix)
葳參 {wei1 shen1}, 中藥異名 Solomon's seal (Polygonati Odorati Rhizoma)

~~ {wei2} ~~
【爲】 {wei2} [Freq. 4] be (v.); make (v.).
爲粗末 {wei2 cu1 mo4}, grind to a rough powder
爲末 {wei2 mo4}, grind to a powder
爲細末 {wei2 xi4 mo4}, grind to a fine powder
爲之 {wei2 zhi1}, 腧穴異名 GV-1 (That's It)

【圍】 {wei2} [Freq. 4] encircle.
圍藥 {wei2 yao4}, encircling
圍針刺 {wei2 zhi4 ci4}, encirclement needling

【維】 {wei2} [Freq. 2] link (v.) (維脈 {wei2 mai4}, linking vessel).
維胞 {wei2 bao1}, 腧穴正名 Womb's Surround
維道 {wei2 dao4}, 腧穴正名 GB-28 (Linking Path)
維會 {wei2 hui4}, 腧穴異名 CV-8 (Linking Convergence) (Linking Convergence); 腧穴異名 GV-20
維生素 {wei2 sheng1 su4}, 西醫 vitamins
維生素 A 缺乏症 {wei2 sheng1 su4 A que1 fa2 zheng4}, 西醫 vitamin A deficiency
維生素 D 缺乏症 {wei2 sheng1 su4 D que1 fa2 zheng4}, 西醫 vitamin D deficiency

~~ {wei3} ~~
【尾】 {wei3} [Freq. 4] tail.
尾翠骨 {wei3 cui4 gu3}, 腧穴異名 GV-1 (Tail Kingfisher Bone)
尾&&9AB6‖骨 {wei3 di3 gu3}, sacrum and coccyx
尾骨 {wei3 gu3}, coccyx; tail bone; coccyx
尾骨旁 {wei3 gu3 pang2}, 腧穴正名 Beside the Coccyx
尾骨下空 {wei3 gu3 xia4 kong1}, 腧穴異名 GV-1 (Hollow Below the Tail Bone)
尾梨 {wei3 li2}, 中藥異名 water chestnut (1) (Heleocharitis Cormus)
尾閭 {wei3 lu92}, coccyx
尾櫚 {wei3 lu92}, 腧穴異名 GV-1 (Tail Palm)
尾閭股 {wei3 lu92 gu3}, coccyx

尾閭痛 {wei3 lu92 tong4}, sacral pain
尾蛆骨 {wei3 qu1 gu3}, 腧穴異名 GV-1 (Tail Maggot Bone)
尾翳 {wei3 yi4}, 腧穴異名 CV-15 (Tail Screen)

【委】 {wei3} [Freq. 4] bend.
委陵菜 {wei3 ling2 cai4}, 中藥正名 Chinese silverweed (Potentillae Chinensis Herba)
委上 {wei3 shang4}, 腧穴正名 Above the Bend
委下 {wei3 xia4}, 腧穴正名 Below the Bend
委陽 {wei3 yang2}, 腧穴正名 BL-39 (BL-53) (Bend Yang2)
委中 {wei3 zhong1}, bend center (popliteal fossa) (Bend Center); 腧穴正名 BL-40
委中毒 {wei3 zhong1 du2}, bend-center toxin [sore]
委中癰 {wei3 zhong1 yong1}, bend-center welling-abscess (welling-abscess of the back of the knee)

【萎】 {wei3} [Freq. 4] withered.
萎黃 {wei3 huang2}, withered-yellow (complexion) (complexion); sallow yellow
萎蕤 {wei3 rui2}, 中藥異名 Solomon's seal (Polygonati Odorati Rhizoma)
萎縮性鼻炎 {wei3 suo1 xing4 bi2 yan2}, 西醫 atrophic rhinitis
萎香 {wei3 xiang1}, 中藥異名 Solomon's seal (Polygonati Odorati Rhizoma)

【痿】 {wei3} [Freq. 2] wilting (n.) (肺痿 {fei4 wei3}, lung wilting).
痿痹 {wei3 bi4}, wilting and impediment
痿躄 {wei3 bi4}, crippling wilt
痿病 {wei3 bing4}, wilting disease
痿厥 {wei3 jue2}, wilting reversal
痿軟舌 {wei3 ruan3 she2}, limp wilting tongue
痿證 {wei3 zheng4}, wilting pattern

【葦】 {wei3} [Freq. 5] phragmites.
葦根 {wei3 gen1}, 中藥異名 phragmites (Phragmitis Rhizoma)
葦莖 {wei3 jing1}, 中藥異名 phragmites stem (Phragmititis Caulis)
葦莖湯 {wei3 jing1 tang1}, 方名 Phragmites Stem Decoction
葦子根 {wei3 zi3 gen1}, 中藥異名 phragmites (Phragmitis Rhizoma)

~~ {wei4} ~~
【&&732C||】 {wei4} [Freq. 5] hedgehog (刺&&732C||皮 {ci4 wei4 pi2}, hedgehog pelt).
&&732C||膽 {wei4 dan3}, 中藥正名 hedgehog's gallbladder (Erinacei Vesica Fellea)

&&732C‖菌 {wei4 jun4}, 中藥異名 hedgehog fungus (Hydnum Erinaceum)
&&732C‖腦 {wei4 nao3}, 中藥正名 hedgehog's brain (Erinacei Cerebrum)
&&732C‖肉 {wei4 rou4}, 中藥正名 hedgehog's flesh (Erinacei Caro)
&&732C‖心肝 {wei4 xin1 gan1}, 中藥正名 hedgehog's heart and liver (Erinacei Cor et Iecur)
&&732C‖脂 {wei4 zhi1}, 中藥正名 hedgehog's fat (Erinacei Adeps)

【未】 {wei4} [Freq. 3] not yet; eighth earthly branch; B8.
未發病前服 {wei4 fa1 bing4 qian2 fu2}, take before attacks
未交即泄 {wei4 jiao1 ji2 xie4}, ejaculation before intercourse
未老先衰 {wei4 lao3 xian1 shuai1}, premature senility
未時 {wei4 shi2}, B8 watch (1--3 p.m.)

【位】{wei4} [Freq. 5] position (位勢形數 {wei4 shi4 xing2 shu4}, position, strength, shape, and pace).
位數形勢 {wei4 shu4 xing2 shi4}, position, pace, form, and dynamic (of the pulse)

【味】 {wei4} [Freq. 2] flavor (n.) (五味 {wu3 wei4}, five flavors); ingredient (n.) (六味地黃丸 {liu4 wei4 di4-huang2 wan2}, Six-Ingredient Rehmannia Pill).
味甘 {wei4 gan1}, sweet in flavor
味甘苦澀 {wei4 gan1 ku3 se4}, sweet, bitter, and astringent in flavor
味厚滋補藥 {wei4 hou4 zi1 bu3 yao4}, richly flavored supplementing medicinals
味連 {wei4 lian2}, 中藥異名 Si4chuan1 coptis (Coptidis Rhizoma *Sichuanense) (Coptidis Rhizoma); 中藥異名 coptis

【畏】 {wei4} [Freq. 2] fear.
畏風惡寒 {wei4 feng1 wu4 han2}, aversion to wind and cold
畏光 {wei4 guang1}, fear of light; photophobia
畏寒 {wei4 han2}, fear of cold
畏寒喜涼 {wei4 han2 xi3 liang2}, fear of cold and liking for warmth
畏冷 {wei4 leng3}, fear of cold
畏人 {wei4 ren2}, fear of people
畏惡風寒 {wei4 wu4 feng1 han2}, aversion to wind and cold

【胃】 {wei4} [Freq. 2] stomach (n.) (胃氣虛寒 {wei4 qi4 xu1 han2}, stomach qi4 vacuity cold); gastric (adj.) (胃汁 {wei4 zhi1}, gastric juices); gastr- (腸胃濕熱 {chang2 wei4 shi1 re4}, gastrointestinal damp-heat); ST.
胃，神，根 {wei4, shen2, gen1}, stomach, spirit, and root (pulse)
胃癌 {wei4 ai2}, stomach cancer; carcinoma of the stomach

胃病 {wei4 bing4}, stomach disease
胃部不適 {wei4 bu4 bu4 shi4}, stomach discomfort
胃不和 {wei4 bu4 he2}, disharmony of the stomach; stomach disharmony
胃不和臥不安 {wei4 bu4 he2 wo4 bu4 an1}, unquiet sleep due to stomach disharmony
胃不和則臥不安 {wei4 bu4 he2 ze2 wo4 bu4 an1}, when the stomach is in disharmony, there is unquiet sleep
胃部喜暖 {wei4 bu4 xi3 nuan3}, liking for warmth in the region of the stomach
胃倉 {wei4 cang1}, 腧穴正名 BL-50 (BL-45) (Stomach Granary)
胃腸 {wei4 chang2}, 西醫 stomach and intestines; gastrointestinal
胃腸分泌 {wei4 chang2 fen1 mi4}, 西醫 gastric and intestinal secretion
胃腸絞痛 {wei4 chang2 jiao3 tong4}, gripping gastrointestinal pain
胃腸蠕動亢進 {wei4 chang2 ru2 dong4 kang4 jin4}, 西醫 gastrointestinal hyperperistalsis
胃腸炎 {wei4 chang2 yan2}, 西醫 gastroenteritis
胃腸脹氣 {wei4 chang2 zhang4 qi4}, gastrointestinal qi4 distention (flatulence)
胃蟲 {wei4 chong2}, stomach worm
胃呆 {wei4 dai1}, torpid stomach
胃動脈 {wei4 dong4 mai4}, 西醫 gastric artery
胃竇炎 {wei4 dou4 yan2}, 西醫 antral gastritis
胃反 {wei4 fan3}, stomach reflux
胃風 {wei4 feng1}, stomach wind
胃風湯 {wei4 feng1 tang1}, 方名 Stomach Wind Decoction
胃腑氣滯 {wei4 fu3 qi4 zhi4}, stomach bowel qi4 stagnation
胃腑血瘀 {wei4 fu3 xue4 yu1}, stomach bowel blood stasis
胃關煎 {wei4 guan1 jian1}, 方名 Stomach Gate Brew
胃管 {wei4 guan3}, 腧穴異名 CV-13 (Stomach Duct)
胃管下俞 {wei4 guan3 xia4 shu1}, 腧穴正名 Below the Stomach Duct
胃寒 {wei4 han2}, stomach cold
胃寒腸熱 {wei4 han2 chang2 re4}, stomach cold and intestinal heat
胃寒呃逆 {wei4 han2 e4 ni4}, stomach cold hiccup
胃寒惡阻 {wei4 han2 e4 zu3}, stomach cold malign obstruction
胃寒嘔吐 {wei4 han2 ou3 tu4}, stomach cold vomiting
胃寒食滯 {wei4 han2 shi2 zhi4}, stomach cold food stagnation
胃寒疼痛 {wei4 han2 teng2 tong4}, stomach cold pain
胃火 {wei4 huo3}, stomach fire
胃火熾盛 {wei4 huo3 chi4 sheng4}, intense stomach fire
胃火熾盛證 {wei4 huo3 chi4 sheng4 zheng4}, pattern of intense stomach fire
胃火燔齒 {wei4 huo3 fan2 chi3}, stomach fire blazing the teeth
胃火燔齒證 {wei4 huo3 fan2 chi3 zheng4}, pattern of stomach fire blazing the teeth

胃火上浮 {wei4 huo3 shang4 fu2}, stomach fire floating upward
胃火上升 {wei4 huo3 shang4 sheng1}, stomach fire bearing upward; upbearing of stomach fire
胃火上壅 {wei4 huo3 shang4 yong1}, stomach fire congesting in the upper body
胃火牙痛 {wei4 huo3 ya2 tong4}, stomach fire toothache
胃家 {wei4 jia1}, stomach domain (stomach and intestines)
胃家實 {wei4 jia1 shi2}, stomach domain repletion
胃家虛 {wei4 jia1 xu1}, stomach domain vacuity
胃降 {wei4 jiang4}, stomach downbearing
胃節律紊亂綜合症 {wei4 jie2 lu4 wen3 luan4 zong4 he2 zheng4}, 西醫 gastric dysrhythmia syndrome
胃津 {wei4 jin1}, stomach liquid
胃津不足 {wei4 jin1 bu4 zu2}, insufficiency of stomach liquid
胃經 {wei4 jing1}, stomach channel; ST
胃經火熱 {wei4 jing1 huo3 re4}, stomach channel fire-heat
胃咳 {wei4 ke2}, stomach cough
胃口不好 {wei4 kou3 bu4 hao3}, poor appetite
胃潰瘍 {wei4 kui4 yang2}, 西醫 stomach ulcers
胃擴張 {wei4 kuo4 zhang1}, 西醫 gastrectasia
胃樂 {wei4 le4}, 腧穴正名 Happy Tummy
胃苓湯 {wei4 ling2 tang1}, 方名 Stomach-Calming Poria Five Decoction
胃募 {wei4 mu4}, 腧穴異名 CV-12 (Stomach Alarm)
胃納不佳 {wei4 na4 bu4 jia1}, poor stomach intake
胃納呆滯 {wei4 na4 dai1 zhi4}, torpid stomach intake
胃納減少 {wei4 na4 jian3 shao3}, reduced food intake
胃納欠佳 {wei4 na4 qian4 jia1}, poor stomach intake
胃內結塊 {wei4 nei4 jie2 kuai4}, 西醫 bezoars in stomach
胃黏膜脫垂症 {wei4 nian2 mo2 tuo1 chui2 zheng4}, 西醫 prolapse of gastric mucosa
胃脾運化 {wei4 pi2 yun4 hua4}, spleen-stomach movement and transforamtion
胃氣 {wei4 qi4}, stomach qi4
胃氣不和 {wei4 qi4 bu4 he2}, disharmony of stomach qi4
胃氣不降 {wei4 qi4 bu4 jiang4}, non-downbearing of stomach qi4; impairment of gastric downbearing
胃氣不足 {wei4 qi4 bu4 zu2}, insufficiency of stomach qi4
胃氣逆 {wei4 qi4 ni4}, counterflow stomach qi4
胃氣弱 {wei4 qi4 ruo4}, weak stomach qi4
胃氣上逆 {wei4 qi4 shang4 ni4}, stomach qi4 ascending counterflow
胃氣上逆證 {wei4 qi4 shang4 ni4 zheng4}, pattern of stomach qi4 ascending counterflow
胃氣虛 {wei4 qi4 xu1}, stomach qi4 vacuity

胃氣虛寒 {wei4 qi4 xu1 han2}, stomach qi4 vacuity cold
胃氣虛證 {wei4 qi4 xu1 zheng4}, pattern of stomach qi4 vacuity
胃氣以和降爲順 {wei4 qi4 yi3 he2 jiang4 wei2 shun4}, stomach qi4 is normal when there is harmonious downbearing
胃以通降爲順 {wei4 qi4 yi3 tong1 jiang4 wei2 shun4}, stomach is normal when there is free downbearing
胃氣陰兩虛 {wei4 qi4 yin1 liang3 xu1}, dual vacuity of stomach qi4 and yin1
胃氣滯 {wei4 qi4 zhi4}, stomach qi4 stagnation
胃氣主降 {wei4 qi4 zhu3 jiang4}, stomach qi4 governs downbearing
胃強脾弱 {wei4 qiang2 pi2 ruo4}, strong stomach and weak spleen
胃切除術 {wei4 qie1 chu2 shu4}, 西醫 gastrectomy
胃熱 {wei4 re4}, stomach heat
胃熱腸寒 {wei4 re4 chang2 han2}, stomach heat and intestinal cold
胃熱乘心 {wei4 re4 cheng2 xin1}, stomach heat exploiting the heart
胃熱呃逆 {wei4 re4 e4 ni4}, stomach heat hiccup
胃熱惡阻 {wei4 re4 e4 zu3}, stomach heat malign obstruction
胃熱亢盛 {wei4 re4 kang4 sheng4}, hyperactive stomach heat
胃熱脾約 {wei4 re4 pi2 yue1}, stomach heat and straitened spleen
胃熱氣盛 {wei4 re4 qi4 sheng4}, exuberant stomach heat and qi4
胃熱殺谷 {wei4 re4 sha1 gu3}, stomach heat with rapid digestion
胃熱食呆 {wei4 re4 shi2 dai1}, torpid food intake due to stomach heat
胃熱消谷 {wei4 re4 xiao1 gu3}, stomach heat with swift digestion
胃熱穴 {wei4 re4 xue2}, 腧穴正名 Stomach Heat Point
胃熱壅盛 {wei4 re4 yong1 sheng4}, exuberant stomach heat
胃弱惡阻 {wei4 ruo4 e4 zu3}, weak stomach malign obstruction
胃上穴 {wei4 shang4 xue2}, 腧穴正名 Above the Stomach Point
胃神根 {wei4 shen2 gen1}, stomach, spirit, and root
胃神經官能症 {wei4 shen2 jing1 guan2 neng2 zheng4}, 西醫 gastric neurosis
胃失和降 {wei4 shi1 he2 jiang4}, impaired harmonious downbearing of the stomach
胃濕熱積滯 {wei4 shi1 re4 ji1 zhi4}, stomach damp-heat accumulation and stagnation
胃石 {wei4 shi2}, 西醫 gastrolith
胃實 {wei4 shi2}, stomach repletion
胃實呃逆 {wei4 shi2 e4 ni4}, stomach repletion hiccup
胃實寒 {wei4 shi2 han2}, stomach repletion cold
胃實熱 {wei4 shi2 re4}, stomach repletion heat
胃手術後遠期併發症 {wei4 shou3 shu4 hou4 yuan3 qi2 bing4 fa1 zheng4}, 西醫 late postgastrectomy sequelae
胃受傷 {wei4 shou4 shang1}, damage to the stomach

胃俞 {wei4 shu1}, 腧穴正名 BL-21 (Stomach Transport)
胃舒 {wei4 shu1}, 腧穴正名 Stomach Soother
胃酸分泌 {wei4 suan1 fen1 mi4}, 西醫 secretion of gastric acid
胃酸過多 {wei4 suan1 guo4 duo1}, 西醫 hypercholorhydria (excessive stomach acid)
胃痛 {wei4 tong4}, 西醫 stomachache; stomach pain
胃痛[病] {wei4 tong4}, stomach pain [disease]
胃痛吐酸 {wei4 tong4 tu4 suan1}, stomach pain and acid vomiting
胃脘 {wei4 wan3}, stomach duct (Stomach Duct); 腧穴異名 CV-12 (Stomach Duct); 腧穴異名 CV-13
胃脘冷痛 {wei4 wan3 leng3 tong4}, cold pain in stomach duct
胃脘滿悶 {wei4 wan3 man3 men4}, fullness and oppression in stomach duct
胃脘痞悶 {wei4 wan3 pi3 men4}, glomus and oppression in the stomach duct
胃脘疼痛 {wei4 wan3 teng2 tong4}, stomach duct pain
胃脘痛 {wei4 wan3 tong4}, stomach duct pain
胃脘虛痞 {wei4 wan3 xu1 pi3}, stomach duct vacuity glomus
胃脘硬脹 {wei4 wan3 ying4 zhang4}, hard distention in the stomach duct
胃脘癰 {wei4 wan3 yong1}, stomach-duct welling-abscess
胃脘脹悶 {wei4 wan3 zhang4 men4}, distention and oppression in the stomach duct
胃維 {wei4 wei2}, 腧穴異名 ST-4 (Stomach Link)
胃爲水谷之海 {wei4 wei2 shui3 gu3 zhi1 hai3}, stomach is the sea of grain and water
胃喜潤惡燥 {wei4 xi3 run4 wu4 zao4}, stomach likes moisture and is averse to dryness
胃下垂 {wei4 xia4 chui2}, 西醫 gastroptosia
胃消 {wei4 xiao1}, stomach dispersion (center dispersion)
胃心痛 {wei4 xin1 tong4}, stomach heart pain
胃虛 {wei4 xu1}, stomach vacuity
胃虛不思食 {wei4 xu1 bu4 si1 shi2}, stomach vacuity with no thought of food
胃虛呃逆 {wei4 xu1 e4 ni4}, stomach vacuity hiccup
胃虛寒 {wei4 xu1 han2}, stomach vacuity cold
胃炎 {wei4 yan2}, 西醫 gastritis
胃陽 {wei4 yang2}, stomach yang2
胃陽虛 {wei4 yang2 xu1}, stomach yang2 vacuity
胃陽虛寒 {wei4 yang2 xu1 han2}, stomach yang2 vacuity cold
胃陰 {wei4 yin1}, stomach yin1
胃陰不足 {wei4 yin1 bu4 zu2}, insufficiency of stomach yin1
胃陰虧虛 {wei4 yin1 kui1 xu1}, stomach yin1 depletion
胃陰傷 {wei4 yin1 shang1}, damage to stomach yin1
胃陰虛 {wei4 yin1 xu1}, stomach yin1 vacuity
胃陰虛證 {wei4 yin1 xu1 zheng4}, pattern of stomach yin1 vacuity

胃陰陽兩虛 {wei4 yin1 yang2 liang3 xu1}, dual vacuity of stomach yin1 and yang2; stomach yin1 and yang2 vacuity
胃癰 {wei4 yong1}, welling-abscess of the stomach
胃友 {wei4 you3}, 中藥正名 sarcococca root (Sarcococcae Radix)
胃燥津傷 {wei4 zao4 jin1 shang1}, stomach dryness and damage to liquid
胃燥津傷證 {wei4 zao4 jin1 shang1 zheng4}, pattern of stomach dryness and damage to liquid
胃脹滿 {wei4 zhang4 man3}, gastric distention and fullness
胃汁 {wei4 zhi1}, stomach juices; gastric juices
胃之大絡 {wei4 zhi1 da4 luo4}, great network vessel of the stomach
胃滯 {wei4 zhi4}, stomach stagnation
胃中寒氣疼痛 {wei4 zhong1 han2 qi4 teng2 tong4}, pain due to cold qi4 in the stomach
胃中熱 {wei4 zhong1 re4}, heat in the stomach
胃中燥矢 {wei4 zhong1 zao4 shi3}, dry stool in the stomach (the intestines)
胃主腐熟 {wei4 zhu3 fu3 shu2}, stomach governs decomposition
胃主降濁 {wei4 zhu3 jiang4 zhuo2}, stomach governs downbearing of the turbid
胃主受納 {wei4 zhu3 shou4 na4}, stomach governs intake

【衛】{wei4} [Freq. 2] defense (n.), defensive (adj.) (衛氣不固 {wei4 qi4 bu2 gu4}, insecurity of defense qi4; 衛氣營血 {wei4 qi4 ying2 xue4}, defense, qi4, construction, and blood).
衛表 {wei4 biao3}, defensive exterior
衛表不固 {wei4 biao3 bu4 gu4}, insecurity of the defensive exterior
衛表不固證 {wei4 biao3 bu4 gu4 zheng4}, insecurity of the defensive exterior pattern
衛分 {wei4 fen4}, defense aspect
衛分證 {wei4 fen4 zheng4}, defense-aspect pattern
衛氣 {wei4 qi4}, defense qi4
衛氣不固 {wei4 qi4 bu4 gu4}, insecurity of defense qi4
衛氣同病 {wei4 qi4 tong2 bing4}, dual disease of defense and qi4
衛氣同病證 {wei4 qi4 tong2 bing4 zheng4}, pattern of dual disease of defense and qi4
衛氣虛 {wei4 qi4 xu1}, defense qi4 vacuity
衛氣營血 {wei4 qi4 ying2 xue4}, defense, qi4, construction, and blood; four aspects
衛氣營血辨證 {wei4 qi4 ying2 xue4 bian4 zheng4}, defense, qi4, construction, and blood pattern identification; four-aspect pattern identification
衛強營弱 {wei4 qiang2 ying2 ruo4}, strong defense and weak construction
衛弱營強 {wei4 ruo4 ying2 qiang2}, weak defense and strong construction
衛生防疫丹 {wei4 sheng1 fang2 yi4 dan1}, 方名 Health-Safeguarding Scourge-Preventing Elixir
衛陽 {wei4 yang2}, defensive yang2
衛陽被遏 {wei4 yang2 bei4 e4}, obstruction of defense yang2

衛陽不固 {wei4 yang2 bu4 gu4}, insecurity of defensive yang2
衛營同病 {wei4 ying2 tong2 bing4}, dual disease of defense and construction

【魏】 {wei4} [Freq. 4] surname; Wei4 (a country in Ancient China. A dynaasty 220--265 A.D.)

【葨】 {wei4} [Freq. 4] schisandra.
葨 {wei4}, 中藥異名 schisandra (Schisandrae Fructus)

~~ {wen1} ~~
【&&69B2||】 {wen1} [Freq. 4] cyodonia.
&&69B2||柠 {wen1 po2}, 中藥正名 cydonia fruit (Cydoniae Fructus)
&&69B2||柠皮 {wen1 po2 pi2}, 中藥正名 cydonia bark (Cydoniae Cortex)

【溫】 {wen1} [Freq. 2] warm (adj.), (v.), warmth (n.) (溫病 {wen1 bing}, warm disease; 風溫 {feng1 wen1}, wind warmth; 溫中散寒 {wen1 zhong1 san4 han2}, warm the center and dissipate cold).
溫病 {wen1 bing4}, warm disease
溫病發斑 {wen1 bing4 fa1 ban1}, warm disease with papules
溫病派 {wen1 bing4 pai4}, warm disease school
溫病熱毒 {wen1 bing4 re4 du2}, warm disease heat toxin
溫病熱入氣分 {wen1 bing4 re4 ru4 qi4 fen1 h}, eat entering the qi4 aspect in warm disease
溫病熱邪 {wen1 bing4 re4 xie2}, warm disease heat evil
溫病條辨 {wen1 bing4 tiao2 bian}, 書名 Systematized Identification of Warm Diseases (1798 (Qing1), Wu2 Tang2 吳瑭 [Ju2-Tong1 鞠通])
溫病學 {wen1 bing4 xue2}, warm diseases
溫病學派 {wen1 bing4 xue2 pai4}, warm disease school
溫病血分毒熱熾盛 {wen1 bing4 xue4 fen1 du2 re4 chi4 sheng4}, warm disease intense blood-aspect heat toxin
溫病證候 {wen1 bing4 zheng4 hou4}, warm disease pattern
溫補肺陽 {wen1 bu3 fei4 yang2}, warm and supplement lung yang2
溫補肝腎 {wen1 bu3 gan1 shen4}, warm and supplement the liver and kidney
溫補命門 {wen1 bu3 ming4 men2}, warm and supplement the life gate
溫補脾胃 {wen1 bu3 pi2 wei4}, warm and supplement the spleen and stomach
溫補脾陽 {wen1 bu3 pi2 yang2}, warm and supplement spleen yang2
溫補氣血 {wen1 bu3 qi4 xue4}, warm and supplement qi4 and the blood
溫補腎陽 {wen1 bu3 shen4 yang2}, warm and supplement kidney yang2
溫補腎元 {wen1 bu3 shen4 yuan2}, warm and supplement the kidney origin

溫補下元 {wen1 bu3 xia4 yuan2}, warm and supplement the lower origin
溫補心肺 {wen1 bu3 xin1 fei4}, warm and supplement the heart and lung
溫補心陽 {wen1 bu3 xin1 yang2}, warm and supplement heart yang2
溫補血分 {wen1 bu3 xue4 fen4}, warm and supplement the blood aspect
溫膽湯 {wen1 dan3 tang1}, 方名 Gallbladder-Warming Decoction
溫毒 {wen1 du2}, warm toxin
溫毒發斑 {wen1 du2 fa1 ban1}, warm toxin macular eruption
溫而不燥 {wen1 er2 bu4 zao4}, warm but not dry
溫法 {wen1 fa3}, warming
溫肺 {wen1 fei4}, warm the lung
溫肺化痰 {wen1 fei4 hua4 tan2}, warm the lung and transform phlegm
溫肺化飲 {wen1 fei4 hua4 yin3}, warm the lung and transform rheum
溫肺化飲湯 {wen1 fei4 hua4 yin3 tang1}, 方名 Lung-Warming Rheum-Transforming Decoction
溫肺散寒 {wen1 fei4 san4 han2}, warm the lung and dissipate cold
溫肺湯 {wen1 fei4 tang1}, 方名 Lung-Warming Decoction
溫肺止流丹 {wen1 fei4 zhi3 liu2 dan1}, 方名 Lung-Warming Nose-Drying Elixir
溫肺逐痰 {wen1 fei4 zhu2 tan2}, warm the lung and expel phlegm
溫肺逐飲 {wen1 fei4 zhu2 yin3}, warm the lung and expel rheum
溫服 {wen1 fu2}, take warm
溫覆 {wen1 fu4}, cover up to keep warm (cover the body with clothes or bed clothes to keep warm)
溫肝補腎 {wen1 gan1 bu3 shen4}, warm the liver and supplement the kidney
溫肝暖脾 {wen1 gan1 nuan3 pi2}, warm the kidney and spleen
溫通陽氣 {wen1 gong1 yang2 qi4}, warm and free yang2 qi4
溫和灸 {wen1 he2 jiu3}, gentle moxibustion
溫化 {wen1 hua4}, warm and transform
溫化寒痰 {wen1 hua4 han2 tan2}, warm and transform cold phlegm
溫化祛瘀 {wen1 hua4 qu1 yu1}, warm and transform static blood; warming transformation of static blood
溫化水濕 {wen1 hua4 shui3 shi1}, warm and transform water-damp
溫化水飲 {wen1 hua4 shui3 yin3}, warm and transform water-rheum
溫化痰結 {wen1 hua4 tan2 jie2}, warm and transform phlegm binds
溫化痰濕 {wen1 hua4 tan2 shi1}, warm and transform phlegm-damp
溫經 {wen1 jing1}, warm the channels; warm the menses
溫經除濕 {wen1 jing1 chu2 shi1}, warm the channels and eliminate dampness
溫經活血 {wen1 jing1 huo2 xue4}, warm the channels and quicken the blood
溫經祛寒 {wen1 jing1 qu1 han2}, warm the channels and dispel cold

溫經散寒 {wen1 jing1 san4 han2}, warm the channels and dissipate cold
溫經湯 {wen1 jing1 tang1}, 方名 Channel-Warming (Menses-Warming) Decoction
溫經通絡 {wen1 jing1 tong1 luo4}, warm the channels and free the networks vessels
溫經通脈 {wen1 jing1 tong1 mai4}, warm the channels and free the vessels
溫經止血 {wen1 jing1 zhi3 xue4}, warm the channels and staunch bleeding
溫灸 {wen1 jiu3}, warm with a moxa pole; poling
溫灸器 {wen1 jiu3}, moxa burner
溫酒送下 {wen1 jiu3 song4 xia4}, swallow with warmed wine
溫開 {wen1 kai1}, warm opening
溫開法 {wen1 kai1 fa3}, warm opening method
溫開水送服 {wen1 kai1 shui3 song4 fu2}, swallow with warm water
溫開水吞服 {wen1 kai1 shui3 tun1 fu2}, swallow with warm water
溫里 {wen1 li3}, warm the interior
溫里法 {wen1 li3 fa3}, interior-warming method
溫里祛寒 {wen1 li3 qu1 han2}, warm the interior and dispel cold
溫里祛寒劑 {wen1 li3 qu1 han2 ji4}, interior-warming cold-dispelling formula
溫里祛寒藥 {wen1 li3 qu1 han2 yao4}, interior-warming cold-dispelling medicinal
溫里瀉下 {wen1 li3 xie4 xia4}, warm the interior and precipitate
溫里藥 {wen1 li3 yao4}, interior-warming medicinal
溫里止血藥 {wen1 li3 zhi3 xue4 yao4}, interior-warming blood-stanching medicinal
溫溜 {wen1 liu4}, 腧穴正名 LI-7 (Warm Dwelling)
溫能補能和 {wen1 neng2 bu3 neng2 he2}, warmth can supplement and harmonize
溫暖腎陽 {wen1 nuan3 shen4 yang2}, warm kidney yang2
溫暖子宮 {wen1 nuan3 zi3 gong1}, warm the uterus
溫瘧 {wen1 nue94}, warm malaria
溫脾 {wen1 pi2}, warm the spleen
溫脾腎 {wen1 pi2 shen4}, warm the spleen and kidney
溫脾湯 {wen1 pi2 tang1}, 方名 Spleen-Warming Decoction
溫脾胃 {wen1 pi2 wei4}, warm the spleen and stomach
溫脾燥濕 {wen1 pi2 zao4 shi1}, warm the spleen and dry dampness
溫脾止泄 {wen1 pi2 zhi3 xie4}, warm the spleen and check diarrhea
溫清並用 {wen1 qing1 bing4 yong4}, use warming and clearing simultaneously
溫清飲 {wen1 qing1 yin3}, 方名 Warm Clearing Beverage
溫熱 {wen1 re4}, warm heat
溫熱病 {wen1 re4 bing4}, warm heat disease
溫熱病后 {wen1 re4 bing4 hou4}, after warm-heat disease
溫熱病后期 {wen1 re4 bing4 hou4 qi1}, advanced stage of warm-heat disease
溫熱毒邪 {wen1 re4 du2 xie2}, warm-heat toxic evil

溫熱經緯 {wen1 re4 jing1 wei3}, 書名 Warp and Weft of Warm Heat (1852 (Qing1), Wang2 Meng4-Ying1 王孟英)
溫熱留戀不退 {wen1 re4 liu2 lian4 bu4 tui4}, lingering warm-heat
溫熱論 {wen1 re4 lun4}, 書名 On Warm Heat (1746, Qing1, Gu4 Jing3-Wen2 顧景文)
溫熱入血 {wen1 re4 ru4 xue4}, warm-heat entering the blood
溫熱藥 {wen1 re4 yao4}, warm and hot medicinals
溫熱蘊脾 {wen1 re4 yun4 pi2}, warm heat brewing in the spleen
溫熱在腸 {wen1 re4 zai4 chang2}, warm-heat in the intestines
溫散 {wen1 san4}, warm and dissipate
溫散肝腎冷氣 {wen1 san4 gan1 shen4 leng3 qi4}, warm and dissipate liver-kidney cold qi4
溫散寒濕 {wen1 san4 han2 shi1}, warm and dissipate cold-damp
溫散水氣 {wen1 san4 shui3 qi4}, warm and dissipate water qi4
溫腎 {wen1 shen4}, warm the kidney
溫腎固攝 {wen1 shen4 gu4 she4}, warm the kidney and promote securing and continence
溫腎健脾 {wen1 shen4 jian4 pi2}, warm the kidney and fortify the spleen
溫腎利水 {wen1 shen4 li4 shui3}, warm the kidney and disinhibit water
溫腎納氣 {wen1 shen4 na4 qi4}, warm the kidney to promote qi4 absorption
溫腎平喘 {wen1 shen4 ping2 chuan3}, warm the kidney and calm panting
溫腎祛寒 {wen1 shen4 qu1 han2}, warm the kidney and dispel cold
溫腎散寒 {wen1 shen4 san4 han2}, warm the kidney and dissipate cold
溫腎縮小便 {wen1 shen4 suo1 xiao3 bian4}, warm the kidney and reduce urine
溫腎助陽 {wen1 shen4 zhu4 yang2}, warm the kidney and assist yang2
溫腎壯陽藥 {wen1 shen4 zhuang4 yang2 yao4}, kidney-warming yang2-invigorating medicinal
溫水 {wen1 shui3}, warm water
溫水臟 {wen1 shui3 zang4}, warm the water viscus (the kidney)
溫通發散 {wen1 tong1 fa1 san4}, warm, free, effuse, and dissipate
溫通湯 {wen1 tong1 tang1}, 方名 Warming and Freeing Decoction
溫通小腸 {wen1 tong1 xiao3 chang2}, warm and free the small intestine
溫胃 {wen1 wei4}, warm the stomach
溫胃固腸 {wen1 wei4 gu4 chang2}, warm the stomach and secure the intestines
溫胃建中 {wen1 wei4 jian4 zhong1}, warm the stomach and fortify the center
溫胃散寒 {wen1 wei4 san4 han2}, warm the stomach and dissipate cold
溫胃行氣 {wen1 wei4 xing2 qi4}, warm the stomach and move qi4
溫胃飲 {wen1 wei4 yin3}, 方名 Stomach-Warming Beverage
溫胃止嘔 {wen1 wei4 zhi3 ou3}, warm the stomach and check vomiting
溫下 {wen1 xia4}, warm precipitation
溫邪 {wen1 xie2}, warm evil
溫邪犯肺 {wen1 xie2 fan4 fei4}, warm evil invading the lung; invasion of the lung by a warm

evil
溫邪上受 {wen1 xie2 shang4 shou4}, warm evils are contracted in the upper body
溫心陽 {wen1 xin1 yang2}, warm heart yang2
溫行胃中寒氣 {wen1 xing2 wei4 zhong1 han2 qi4}, warm and move cold qi4 in the stomach
溫性 {wen1 xing4}, warm nature
溫煦 {wen1 xu3}, warm
溫血 {wen1 xue4}, warm the blood
溫陽 {wen1 yang2}, warm yang2
溫陽化氣 {wen1 yang2 hua4 qi4}, warm yang2 and promote qi4 transformation
溫陽化水 {wen1 yang2 hua4 shui3}, warm yang2 and transform water
溫陽化飲 {wen1 yang2 hua4 yin3}, warm yang2 and transform rheum
溫陽利濕 {wen1 yang2 li4 shi1}, warm yang2 and disinhibit dampness
溫陽利水 {wen1 yang2 li4 shui3}, warm yang2 and disinhibit water
溫陽利水法 {wen1 yang2 li4 shui3 fa3}, yang2-warming water-disinhibiting method
溫陽利水湯 {wen1 yang2 li4 shui3 tang1}, 方名 Yang2-Warming Water-Disinhibiting Decoction
溫陽祛寒 {wen1 yang2 qu1 han2}, warm yang2 and dispel cold
溫陽散寒 {wen1 yang2 san4 han2}, warm yang2 and dissipate cold
溫陽散結 {wen1 yang2 san4 jie2}, warm yang2 and dissipate binds
溫陽通便 {wen1 yang2 tong1 bian4}, warm yang2 and free the stool
溫陽行氣 {wen1 yang2 xing2 qi4}, warm yang2 and move qi4
溫養 {wen1 yang3}, warm and nourish
溫疫 {wen1 yi4}, warm epidemic
溫疫論 {wen1 yi4 lun4}, 書名 On Warm Epidemics (1642 (Ming2), Wu2 You3-Xing4 吳有性 [You4-Ke3 又可])
溫運脾陽 {wen1 yuan4 pi2 yang2}, warm and move spleen yang2
溫運失職 {wen1 yun4 shi1 zhi2}, failure to warm and move
溫臟安蛔 {wen1 zang4 an1 hui2}, warm the viscera and quiet roundworm
溫燥 {wen1 zao4}, warm dryness
溫燥證 {wen1 zao4 zheng4}, warm dryness pattern
溫燥之性 {wen1 zao4 zhi1 xing4}, warm and dry nature
溫針 {wen1 zhen1}, warm needling
溫中 {wen1 zhong1}, warm the center
溫中補虛 {wen1 zhong1 bu3 xu1}, warm the center and supplement vacuity
溫中健脾 {wen1 zhong1 jian4 pi2}, warm the center and fortify the spleen
溫中降逆 {wen1 zhong1 jiang4 ni4}, warm the center and downbear counterflow
溫中祛寒 {wen1 zhong1 qu1 han2}, warm the center and dispel cold
溫中散寒 {wen1 zhong1 san4 han2}, warm the center and dissipate cold

溫中調胃 {wen1 zhong1 tiao2 wei4}, warm the center and regulate the stomach
溫中燥濕 {wen1 zhong1 zao4 shi1}, warm the center and dry dampness
溫中逐寒 {wen1 zhong1 zhu2 han2}, warm the center and expel cold
溫中走里 {wen1 zhong1 zou3 li3}, warm the center and penetrate the interior
溫助腎陽 {wen1 zhu4 shen4 yang2}, warm and assist kidney yang2
溫助心肺 {wen1 zhu4 xin1 fei4}, warm and assist the heart and lung

【瘟】 {wen1} [Freq. 2] scourge (n.) (大頭瘟 {da4 tou2 wen1}, massive head scourge; 疫瘟{ye4 wen1}, epidemic scourge).
瘟毒 {wen1 du2 w}, scourge toxin
瘟毒下注 {wen1 du2 xia4 zhu4}, scourge toxin pouring downward
瘟毒下注證 {wen1 du2 xia4 zhu4 zheng4}, pattern of scourge toxin pouring downward
瘟黃 {wen1 huang2}, scourge jaundice
瘟痧 {wen1 sha1}, scourge sand
瘟疫 {wen1 yi4}, scourge epidemic
瘟疫熱狂 {wen1 yi4 re4 kuang2}, scourge epidemic heat mania

~~ {wen2} ~~
【文】 {wen2} [Freq. 2] writing; literature (中醫文獻學 {zhong1 yi1 wen2 xian4 xue2}, Chinese medical literature); ritual; culture; civil (文痴 {wen2 chi1}, civil madness).
文癡 {wen2 chi1}, civil madness (withdrawal)
文蛤 {wen2 ge2}, 中藥正名 meretrix clam shell (Meretricis Concha)
文冠果 {wen2 guan4 guo3}, 中藥正名 xanthoceras (Xanthoceratis Lignum, Ramulus et Folium)
文火 {wen2 huo3}, civil flame (low flame)
文殊蘭果 {wen2 shu1 lan2 guo3}, 中藥正名 crinum fruit (Crini Fructus)
文頭果 {wen2 tou2 guo3}, 中藥異名 creeping fig fruit (Fici Pumilae Flos)
文武實 {wen2 wu3 shi2}, 中藥異名 mulberry (Mori Fructus)
文武膏 {wen2 wu3 tang1}, 方名 Mulberry Paste

【紋】 {wen2} [Freq. 4] linear markings; constricted vagina.
紋陰 {wen2 yin1}, constricted vagina

【聞】 {wen2} [Freq. 2] smell (v.); hear (v.); listening and smelling (n.) (聞診 {wen2 zhen3}, listening and smelling).
聞診 {wen2 zhen3}, listening and smelling examination; audio-olfactory examination

~~ {wen3} ~~

【吻】 {wen3} [Freq. 3] corners of the mouth.

吻瘡 {wen3 chuang1}, sore at the corner of the mouth

【穩】 {wen3} [Freq. 5] stable (adj.)

~~ {wen4} ~~

【問】 {wen4} [Freq. 2] inquire (v.); inquiry (n.) (問大便 {wen4 da4 bian4}, inquire about stool).

問耳目 {wen4 er3 mu4}, inquiry about hearing and vision

問二便 {wen4 er4 bian4}, inquiry about stool and urine

問寒熱 {wen4 han2 re4}, inquiry about cold and heat

問汗 {wen4 han4}, inquiry about sweating

問荊 {wen4 jing1}, 中藥正名 field equisetum (Equiseti Arvensis Herba)

問舊病 {wen4 jiu4 bing4}, inquiry about old illnesses

問睡眠 {wen4 shui4 mian2}, inquiry about sleep

問頭身 {wen4 tou2 shen1}, inquiry about head and body

問胸腹 {wen4 xiong1 fu4}, inquiry about the chest and abdomen; inquiry about chest and abdomen

問飲食口味 {wen4 yin3 shi2 kou3 wei4}, inquiry about diet and taste in the mouth

問診 {wen4 zhen3}, inquiry

~~ {weng4} ~~

【甕】 {weng4} [Freq. 4] jar for wine-making or picklin.

甕菜&&7640|{weng4 cai4 huang2}, 中藥正名 arrow-leaf violet (Violae Philippicae Herba)

【蓊】 {weng4} [Freq. 4] water spinach.

蓊菜 {weng4 cai4}, 中藥正名 water spinach (Ipomoeae Aquaticae Caulis et Folium)

蓊菜根 {weng4 cai4 gen1}, 中藥正名 water spinach root (Ipomoeae Aquaticae Radix)

蓊菜芽 {weng4 cai4 ya2}, 中藥正名 water spinach sprout (Ipomoeae Aquaticae Semen Germinatum)

【齆】 {weng4} [Freq. 3] nasal congestion (鼻齆 {bi2 weng4}, nasal congestion)

~~ {wo1} ~~

【倭】 {wo1} [Freq. 4] Japanese.
倭瓜 {wo1 gua1}, 中藥異名 pumpkin (Cucurbitae Fructus)

【萵】 {wo1} [Freq. 4] lettuce.
萵菜 {wo1 cai4}, 中藥異名 lettuce (Lactucae Sativae Caulis et Folium)
萵苣 {wo1 ju4}, 中藥正名 lettuce (Lactucae Sativae Caulis et Folium)
萵苣菜 {wo1 ju4 cai4}, 中藥異名 lettuce (Lactucae Sativae Caulis et Folium)
萵苣子 {wo1 ju4 zi3}, 中藥正名 lettuce seed (Lactucae Sativae Semen)
萵苣子粥 {wo1 ju4 zi3 zhou1}, 方名 Lettuce Seed Gruel
萵筍 {wo1 sun3}, 中藥正名 asparagus lettuce (Lactucae Asparaginae Caulis et Folium) (Lactucae Sativae Caulis et Folium); 中藥異名 lettuce
萵仔菜 {wo1 zai3 cai4}, 中藥異名 lettuce (Lactucae Sativae Caulis et Folium)

【窩】 {wo1} [Freq. 5] nest (百蟲窩 {bai3 chong2 wo1}, Hundred Worm Nest).
窩兒七 {wo1 er2 qi1}, 中藥正名 diphylleia (Diphylleiae Rhizoma)
窩瓜 {wo1 gua1}, 中藥異名 pumpkin (Cucurbitae Fructus)

【蝸】 {wo1} [Freq. 4] snail.
蝸兒菜 {wo1 er2 cai4}, 中藥異名 Chinese artichoke (Stachydis Sieboldii Tuber et Herba)
蝸牛 {wo1 niu2}, 中藥正名 snail (Eulota)
蝸牛殼 {wo1 niu2 qiao4 (ke2)}, 中藥正名 snail shell (Eulotae Testa)
蝸牛水 {wo1 niu2 shui3}, 方名 Snail Water

~~ {wo4} ~~
【臥】 {wo4} [Freq. 2] lie (v.) (向里跷臥 {xiang4 li3 quan2 wo4}, curled-up lying posture); sleep (v.) (胃不和則臥不安 {wei4 bu4 he2 ze2 wo4 bu4 an1}, when the stomach is in disharmony, there is unquiet sleep).
臥不安 {wo4 bu4 an1}, unquiet sleep
臥不得覺 {wo4 bu4 de2 jiao4}, lying posture with inability to sleep
臥不得坐 {wo4 bu4 de2 zuo4}, inability to sit up; confinement to lying posture
臥龍丹 {wo4 long2 dan1}, 方名 Sleeping Dragon Elixir
臥起不安 {wo4 qi3 bu4 an1}, fidgetiness whether lying or up
臥則氣急 {wo4 ze2 qi4 ji2}, rapid breathing when lying down
臥針 {wo4 zhen1}, transverse needling

~~ {wu1} ~~

【巫】 {wu1} [Freq. 4] shaman.
巫醫 {wu1 yi1}, shaman healer

【屋】 {wu1} [Freq. 4] house; room; roof.
屋漏脈 {wu1 lou4 mai4}, leaking roof pulse
屋翳 {wu1 yi4}, 腧穴正名 ST-15 (Roof)

【烏】 {wu1} [Freq. 3] black.
烏貝散 {wu1 bei4 san3}, 方名 Cuttlefish bone and Fritillaria Powder
烏薔子 {wu1 biao1 zi3}, 中藥異名 rubus (Rubi Fructus)
烏爹泥 {wu1 die1 ni2}, 中藥異名 cutch (Catechu)
烏疊泥 {wu1 die2 ni2}, 中藥異名 cutch (Catechu)
烏丁 {wu1 ding1}, 中藥異名 cutch (Catechu)
烏疔草 {wu1 ding1 cao3}, 中藥異名 black nightshade (Solani Nigri Herba)
烏丁泥 {wu1 ding1 ni2}, 中藥異名 cutch (Catechu)
烏風 {wu1 feng1}, black wind
烏風蛇 {wu1 feng1 she2}, 中藥異名 black-striped snake (Zaocys)
烏峰蛇 {wu1 feng1 she2}, 中藥異名 black-striped snake (Zaocys)
烏骨雞 {wu1 gu3 ji1}, 中藥正名 black-boned chicken (Gallus Osse Nigro)
烏骨藤 (1) {wu1 gu3 teng2}, 中藥正名 glaucescent fissistigma (Fissistigmatis Glaucescentis Radix)
烏骨藤 (2) {wu1 gu3 teng2}, 中藥異名 marsdenia (Marsdeniae Herba)
烏歸菜 {wu1 gui1 cai4}, 中藥異名 black nightshade (Solani Nigri Herba)
烏胡麻 {wu1 hu2 ma2}, 中藥異名 black sesame (Sesami Semen Nigrum)
烏雞白鳳丸 {wu1 ji1 bai2 feng4 wan2}, 方名 Black Chicken and White Phoenix Pill
烏雞丸 {wu1 ji1 wan2}, 方名 Black Chicken Pill
烏腳綠竹筍 {wu1 jiao3 lu94 zhu2 sun3}, 中藥異名 black-sheathed green bamboo shoot (Bambusae Edulis Surculus)
烏金草 {wu1 jin1 cao3}, 中藥正名 alpine swertia (Swertiae Heteranthae Herba cum Radice)
烏韭 {wu1 jiu3}, 中藥異名 sphenomeris (Sphenomeris Herba seu Rhizoma)
烏&&6855||木根皮 {wu1 jiu4 mu4 gen1 pi2}, 中藥正名 tallow tree root bark (Sapii Sebiferi Radicis Cortex)
烏&&6855||葉 {wu1 jiu4 ye4}, 中藥正名 tallow tree leaf (Sapii Sebiferi Folium)
烏&&6855||子 {wu1 jiu4 zi3}, 中藥正名 tallow tree seed (Sapii Sebiferi Semen)
烏口樹 {wu1 kou3 shu4}, 中藥正名 tarenna [leaf and fruit] (Tarennae Folium et Fructus)
烏蘭一告亞 {wu1 lan2 yi1 gao4 ya3}, 中藥異名 cynomorium (Cynomorii Herba)
烏欖 {wu1 lan3}, 中藥正名 black Chinese olive (Canarii Pimelae Fructus)
烏欖根 {wu1 lan3 gen1}, 中藥正名 black Chinese olive root (Canarii Pimelae Radix)

烏欖仁 {wu1 lan3 ren2}, 中藥正名 black Chinese olive kernel (Canarii Pimelae Semen)
烏欖葉 {wu1 lan3 ye4}, 中藥正名 black Chinese olive leaf (Canarii Pimelae Folium)
烏蕨苺 {wu1 lian3 mu3}, 中藥正名 Japanese cayratia (Cayratiae Japonicae Herba seu Radix)
烏柳根 {wu1 liu3 gen1}, 中藥正名 small-spiked willow (Salicis Microstachyae Radix)
烏龍擺尾 {wu1 long2 bai3 wei3}, 中藥正名 ash raspberry (Rubi Tephrodis Radix et Folium)
烏輪赤暈 {wu1 lun2 chi4 yun1}, red areola surrounding the dark of the eye
烏麻 {wu1 ma2}, 中藥異名 black sesame (Sesami Semen Nigrum)
烏麻子 {wu1 ma2 zi3}, 中藥異名 black sesame (Sesami Semen Nigrum)
烏梅 {wu1 mei2}, 中藥正名 mume (Mume Fructus)
烏梅肉 {wu1 mei2 rou4}, 中藥異名 mume (Mume Fructus)
烏梅丸 {wu1 mei2 wan2}, 方名 Mume Pill
烏梅粥 {wu1 mei2 zhou1}, 方名 Mume Gruel
烏木屑 {wu1 mu4 xie4}, 中藥正名 macassar ebony shavings (Diospyroris Ebeni Lignum in Taenis)
烏奴龍膽 {wu1 nu2 long2 dan3}, 中藥正名 urn gentian (Gentianae Urnulae Herba)
烏殼綠竹筍 {wu1 qiao4 (ke2)}, 中藥正名 black-sheathed green bamboo shoot (Bambusae Edulis Surculus)
烏騷風 {wu1 sao1 feng1}, 中藥正名 pretty-leaved periploca (Periplocae Calophyllae Caulis)
烏痧 {wu1 sha1}, black sand
烏梢蛇 {wu1 shao1 she2}, 中藥異名 black-striped snake (Zaocys)
烏梢蛇肉 {wu1 shao1 she2 rou4}, 中藥正名 black-striped snake's flesh (Zaocydis Caro)
烏蛇 {wu1 she2}, 中藥正名 black-striped snake (Zaocys)
烏蛇膽 {wu1 she2 dan3}, 中藥正名 black striped snakes's gallbladder (Zaocydis Vesica Fellea)
烏蛇膏 {wu1 she2 gao1}, 中藥正名 black-striped snake's fat (Zaocydis Adeps)
烏蛇卵 {wu1 she2 luan3}, 中藥正名 black-striped snake's eggs (Zaocydis Ovulum)
烏蛇皮 {wu1 she2 pi2}, 中藥正名 black-striped snake's skin (Zaocydis Corium)
烏椹 {wu1 shen4}, 中藥異名 mulberry (Mori Fructus)
烏頭 {wu1 tou2}, 中藥異名 wild aconite (Aconiti Kusnezoffii Radix) (Aconiti Radix); 中藥異名 aconite main root
烏頭赤石脂丸 {wu1 tou2 chi4 shi2 zhi1 wan2}, 方名 Aconite Main Tuber and Halloysite Pill
烏頭附子尖 {wu1 tou2 fu4 zi3 jian1}, 中藥正名 aconite tips (Aconiti Radicis Extremitas)
烏頭桂枝湯 {wu1 tou2 gui4 zhi1 tang1}, 方名 Aconite Main Tuber and Cinnamon Twig Decoction
烏頭類中毒 {wu1 tou2 lei4 zhong4 du2}, aconite poisoning
烏頭湯 {wu1 tou2 tang1}, 方名 Aconite Main Tuber Decoction
烏須發 {wu1 xu1 fa3}, blacken the beard and hair
烏須黑髮 {wu1 xu1 hei1 fa4}, blacken the hair and beard
烏鴉 {wu1 ya1}, 中藥正名 crow (Corvi Macrorhynchi Caro)

烏鴉翅羽 {wu1 ya1 chi4 yu3}, 中藥正名 crow's tail feather (Corvi Macrorhynchi Plumae Alae)
烏鴉膽 {wu1 ya1 dan3}, 中藥正名 crow's gallbladder (Corvi Macrorhynchi Vesica Fellea)
烏鴉頭 {wu1 ya1 tou2}, 中藥正名 crow's head (Corvi Macrorhynchi Caput)
烏藥花 {wu1 yao4 hua1}, 中藥正名 Yun2nan2 glory-bower flower (Clerodendri Yunnanensis Flos)
烏藥散 {wu1 yao4 san3}, 方名 Lindera Powder
烏藥順氣散 {wu1 yao4 shun4 qi4 san3}, 方名 Lindera Qi4-Normalizing Powder
烏藥湯 {wu1 yao4 tang1}, 方名 Lindera Decoction
烏藥葉 {wu1 yao4 ye4}, 中藥正名 lindera leaf (Linderae Folium)
烏藥子 {wu1 yao4 zi3}, 中藥正名 lindera fruit (Linderae Fructus)
烏藥 {wu1 yao4, 中藥正名 lindera (Linderae Radix)
烏魚 {wu1 yu2}, 中藥異名 snakehead mullet (Ophicephali Caro)
烏魚蛋 {wu1 yu2 dan4}, 中藥正名 cuttlefish roe (Sepiae Ovulum)
烏賊 {wu1 zei2}, 中藥正名 cuttlefish (Sepiae Caro)
烏賊骨 {wu1 zei2 gu3}, 中藥異名 cuttlefish bone (Sepiae Endoconcha)
烏賊魚腹中墨 {wu1 zei2 yu2 fu4 zhong1 mo4}, 中藥正名 cuttlefish ink (Sepiae Atramentum)
烏賊魚骨 {wu1 zei2 yu2 gu3}, 中藥異名 cuttlefish bone (Sepiae Endoconcha)
烏賊魚肉 {wu1 zei2 yu2 rou4}, 中藥異名 cuttlefish (Sepiae Caro)

~~ {wu2} ~~
【吳】 {wu2} [Freq. 3] Wu2 (a dynasty, 220--280 A.D.).
吳郭魚 {wu2 guo1 yu2}, 中藥正名 niloticus mouthbreeder (Tilapia Nilotica)
吳昆 {wu2 kun1}, Wu2 Kun1
吳謙 {wu2 qian1}, Wu2 Qian1
吳尙先 {wu2 shang4 xian1}, Wu2 Shang4-Xian1
吳瑭 {wu2 tang2}, Wu2 Tang2
吳又可 {wu2 you4 ke3}, Wu2 You4-Ke3
吳萸 {wu2 yu2}, 中藥異名 evodia (Evodiae Fructus)
吳芋 {wu2 yu4}, 中藥異名 evodia (Evodiae Fructus)
吳茱 {wu2 zhu1}, 中藥異名 evodia (Evodiae Fructus)
吳茱萸 {wu2 zhu1 yu2}, 中藥正名 evodia (Evodiae Fructus)
吳茱萸根 {wu2 zhu1 yu2 gen1}, 中藥正名 evodia root (Evodiae Radix)
吳茱萸加附子湯 {wu2 zhu1 yu2 jia1 fu4 zi3 tang1}, 方名 Evodia Decoction with Aconite Decoction
吳茱萸湯 {wu2 zhu1 yu2 tang1}, 方名 Evodia Decoction
吳茱萸葉 {wu2 zhu1 yu2 ye4}, 中藥正名 evodia leaf (Evodiae Folium)
吳茱萸粥 {wu2 zhu1 yu2 zhou1}, 方名 Evodia Gruel

【梧】 {wu2} [Freq. 4] plant name.
梧桐白皮 {wu2 tong2 bai2 pi2}, 中藥正名 firmiana bark (Firmianae Cortex)
梧桐根 {wu2 tong2 gen1}, 中藥正名 firmiana root (Firmianae Radix)
梧桐花 {wu2 tong2 hua1}, 中藥正名 firmiana flower (Firmianae Flos)
梧桐葉 {wu2 tong2 ye4}, 中藥正名 firmiana leaf (Firmianae Folium)
梧桐子 {wu2 tong2 zi3}, 中藥正名 firmiana seed (Firmianae Semen)

【無】 {wu2} [Freq. 4] have not; without.
無癍痕灸 {wu2 ban1 hen2 jiu3}, non-scarring moxibustion
無比山藥丸 {wu2 bi3 shan1 yao4 wan2}, 方名 Matchless Dioscorea Pill
無常 {wu2 chang2}, abnormal
無齒 {wu2 chi3}, 西醫 anodontia
無出 {wu2 chu1}, absence of sweating
無荊根 {wu2 ci4 gen1}, 中藥正名 Cantonese ampelopsis (Ampelopsis Cantoniensis Radix seu Caulis)
無犯胃氣 {wu2 fan4 wei4 qi4}, do not harm stomach qi4
無根苔 {wu2 gen1 tai1}, rootless fur
無汗 {wu2 han4}, absence of sweating; without sweating
無花果 {wu2 hua1 guo3}, 中藥正名 fig (Fici Caricae Receptaculum)
無花果根 {wu2 hua1 guo3 gen1}, 中藥正名 fig root (Fici Caricae Radix)
無花果葉 {wu2 hua1 guo3 ye4}, 中藥正名 fig leaf (Fici Caricae Folium)
無患樹皮 {wu2 huan4 shu4 pi2}, 中藥正名 soapberry bark (Sapindi Cortex)
無患樹□ {wu2 huan4 shu4 qiang2}, 中藥正名 soapberry root (Sapindi Radix)
無患子 {wu2 huan4 zi3}, 中藥正名 soapberry (Sapindi Fructus)
無患子根 {wu2 huan4 zi3 gen1}, 中藥異名 soapberry root (Sapindi Radix)
無患子皮 {wu2 huan4 zi3 pi2}, 中藥正名 soapberry husk (Sapindi Exocarpium)
無患子葉 {wu2 huan4 zi3 ye4}, 中藥正名 soapberry leaf (Sapindi Ramulus et Folium)
無患子中仁 {wu2 huan4 zi3 zhong1 ren2}, 中藥正名 soapberry seed (Sapindi Semen)
無灰酒 {wu2 hui1 jiu3}, limeless wine
無精子 {wu2 jing1 zi3}, 西醫 azoospermia
無力 {wu2 li4}, forceless; feeble
無力抽搐 {wu2 li4 chou1 chu4}, feeble convulsion
無力倦怠 {wu2 li4 juan4 dai4}, fatigue and lack of strength
無漏子 {wu2 lou4 zi3}, 中藥正名 date (Phoenicis Fructus)
無夢而遺 {wu2 meng4 er2 yi2}, seminal emission without dreaming
無夢而遺精 {wu2 meng4 er2 yi2 jing1}, seminal emission without dreaming
無眠 {wu2 mian2}, sleeplessness; insomnia

無名木皮 {wu2 ming2 mu4 pi2}, 中藥正名 pistachio bark (Pistaciae Verae Cortex)
無名穴 {wu2 ming2 xue2}, 腧穴異名 Innominate Point
無名異 {wu2 ming2 yi4}, 中藥正名 pyrolusite (Pyrolusitum)
無名指 {wu2 ming2 zhi3}, ring finger
無名腫毒 {wu2 ming2 zhong3 du2}, innominate toxin swelling
無名子 {wu2 ming2 zi3}, 中藥正名 pistachio (Pistaciae Verae Fructus)
無娘藤米米 {wu2 niang2 teng2 mi3 mi3}, 中藥異名 cuscuta (Cuscutae Semen)
無尿 {wu2 niao4}, 西醫 anuria
無氣滯血滯 {wu2 qi4 zhi4 xue4 zhi4}, absence of qi4 and blood stagnation
無權 {wu2 quan2}, failure to perform its office; breakdown; impairment
無熱 {wu2 re4}, absence of heat
無乳 {wu2 ru3}, 西醫 agalactia
無時冷淚 {wu2 shi2 leng3 lei4}, sporadic cold tearing
無石子 {wu2 shi2 zi3}, 中藥異名 Aleppo gall (Galla Halepensis*)
無食子 {wu2 shi2 zi3}, 中藥異名 Aleppo gall (Galla Halepensis*)
無水羊脂 {wu2 shui3 yang2 zhi1}, 中藥正名 dehydrated goat's (or sheep's) fat (Caprae seu Ovis Adeps Sine Aqua)
無頭疽 {wu2 tou2 ju1}, headless flat-abscess
無胃氣 {wu2 wei4 qi4}, absence of stomach qi4
無心草 {wu2 xin1 cao3}, 中藥異名 equisetum (Equiseti Hiemalis Herba)
無形 {wu2 xing2}, formless; insubstantial; intangible
無爺藤 {wu2 ye2 teng2}, 中藥正名 cassytha (Cassythae Herba)
無音 {wu2 yin1}, loss of voice
無權 {wu2 zhi2}, impairment
無子 {wu2 zi3}, childlessness (infertility)

【蜈】 {wu2} [Freq. 4] centipede.
蜈蚣 {wu2 gong1}, 中藥正名 centipede (Scolopendra)
蜈蚣草 {wu2 gong1 cao3}, 中藥正名 centipede fern (Pteridis Vittatae Herba)
蜈蚣草根 {wu2 gong1 cao3 gen1}, 中藥正名 centipede fern root (Pteridis Vittatae Radix)
蜈蚣蘭 {wu2 gong1 lan2}, 中藥正名 centipede orchid (Sarcanthi Scolopendrifolii Herba)
蜈蚣萍 {wu2 gong1 ping2}, 中藥正名 salvinia (Salviniae Natantis Herba)
蜈蚣七 {wu2 gong1 qi1}, 中藥正名 mocassin flower (Cypripedii Macranthi Radix, Rhizoma, et Flos)
蜈蚣旗根 {wu2 gong1 qi2 gen1}, 中藥正名 woodsia root (Woodsiae Rhizoma)
蜈蚣咬傷 {wu2 gong1 yao3 shang1}, centipede bite
蜈龍散 {wu2 long san3}, 方名 Centipede and House Lizard Powder

【蕪】 {wu2} [Freq. 4] plant name.
蕪菁 {wu2 jing1}, 中藥正名 turnip (Brassicae Rapae Tuber et Folium)
蕪菁花 {wu2 jing1 hua1}, 中藥正名 turnip flower (Brassicae Rapae Flos)
蕪菁子 {wu2 jing1 zi3}, 中藥正名 turnip seed (Brassicae Rapae Semen)
蕪荑 {wu2 yi2}, 中藥正名 elm cake (Ulmi Fructus Praeparatio)
蕪荑醬 {wu2 yi2 jiang4}, 中藥正名 elm fruit liquid (Ulmi Fructus Praeparatio Liquida)

~~ {wu3} ~~
【五】 {wu3} [Freq. 1] five, fifth, fivefold.
五瓣寄生 {wu3 ban4 ji4 sheng1}, 中藥正名 five-petalled loranthus (Loranthi Pentapetali Ramulus et Folium)
五寶散 {wu3 bao3 san3}, 方名 Five-Jewel Powder
五倍子 {wu3 bei4 zi3}, 中藥正名 sumac gallnut (Galla Chinensis Galla)
五倍子苗 {wu3 bei4 zi3 miao2}, 中藥正名 Chinese sumac shoot (Rhois Chinensis Surculus)
五倍子內蟲 {wu3 bei4 zi3 nei4 chong2}, 中藥正名 sumac gallnut grub (Melaphis Larva)
五倍子散 {wu3 bei4 zi3 san3}, 方名 Sumac Gallnut Powder
五倍子湯 {wu3 bei4 zi3 tang1}, 方名 Sumac Gallnut Decoction
五痹 {wu3 bi4}, five impediments
五痹湯 {wu3 bi4 tang1}, 方名 Five Impediment Decoction
五不男 {wu3 bu4 nan2}, five unmanlinesses (five signs of male sterility)
五不女 {wu3 bu4 nu93}, five unwomanlinesses (five signs of female sterility)
五才 {wu3 cai2}, five materials
五彩阿 {wu3 cao3 e1}, 中藥異名 ass hide glue (Asini Corii Colla)
五常 {wu3 chang2}, five constants
五城 {wu3 cheng2}, 腧穴異名 CV-4 (Fifth City)
五遲 {wu3 chi2}, five slownesses
五除葉 {wu3 chu2 ye4}, 中藥正名 southern evodia leaf (Evodiae Trichotomae Folium)
五處 {wu3 chu4}, 腧穴正名 BL-5 (Fifth Place)
五刺 {wu3 ci4}, five needling methods; visceral needling method
五代 {wu3 dai4}, Five Dynasties (907--960 A.D.)
五奪 {wu3 duo2}, five despoliations
五方 {wu3 fang1}, five positions
五方菜 {wu3 fang1 cai4}, 中藥異名 purslane (Portulacae Herba)
五風內障 {wu3 feng1 nei4 zhang4}, five wind-type internal obstructions
五鳳朝陽草 {wu3 feng4 chao2 yang2 cao3}, 中藥正名 king pedicularis (Pedicularis Regis Herba)
五福化毒丹 {wu3 fu2 hua4 du2 dan1}, 方名 Five Happinesses Toxin-Transforming Elixir

五疳 {wu3 gan1}, five gan1; visceral gan1
五更 {wu3 geng1}, five watches (five two hour periods of the night, starting from 8 p.m.) (the fifth two-hour period of the night, i.e., 4--6 a.m.); fifth watch
五更嗽 {wu3 geng1 sou4}, fifth-watch cough
五更泄 {wu3 geng1 xie4}, fifth-watch diarrhea
五谷 {wu3 gu3}, five grains
五穀蟲 {wu3 gu3 chong2}, 中藥正名 screwworm (Chrysomyiae Larva)
五谷之腑 {wu3 gu3 zhi1 fu3}, bowel of the five grains
五官 {wu3 guan1}, five offices (nose, eyes, lips, tongue, and ears; color correspondences of the viscera)
五過 {wu3 guo4}, five errors (treatment)
五核湯 {wu3 he2 tang1}, 方名 Five Pips Decoction
五虎 {wu3 hu3}, 腧穴正名 Five Tigers
五虎拔毒丹 {wu3 hu3 ba2 du2 dan1}, 方名 Five Tigers Toxin-Drawing Elixir
五虎丹 {wu3 hu3 dan1}, 方名 Five Tigers Elixir
五虎湯 {wu3 hu3 tang1}, 方名 Five Tigers Decoction
五虎追風散 {wu3 hu3 zhui1 feng1 san3}, 方名 Five-Tigers-Chasing-the-Wind Powder
五花茶 {wu3 hua1 cha2}, 方名 Five Flowers Tea
五花龍骨 {wu3 hua1 long2 gu3}, 中藥正名 flowery dragon bone (Mastodi Ossis Fossilia Florida)
五華 {wu3 hua2}, five blooms (heart has its bloom in the face; lung, in the body hair; kidney in the hair; liver, in the nails; spleen in the four whites); five blooms
五黃散 {wu3 huang2 san3}, 方名 Five Yellows Powder
五會 {wu3 hui4}, 腧穴異名 GV-20 (Fivefold Confluence) (Fivefold Confluence); 腧穴異名 ST-9
五積 {wu3 ji1}, five accumulations
五積散 {wu3 ji1 san3}, 方名 Five Accumulations Powder
五加風 {wu3 jia1 feng1}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
五加減正氣散 {wu3 jia1 jian3 zheng4 qi4 san3}, 方名 Fifth Variant Qi4-Righting Powder
五加皮 {wu3 jia1 pi2}, 中藥正名 acanthopanax (Acanthopanacis Cortex)
五加皮丸 {wu3 jia1 pi2 wan2}, 方名 Acanthopanax Pill
五加葉 {wu3 jia1 ye4}, 中藥正名 acanthopanax leaf (Acanthopanacis Folium)
五角楓根 {wu3 jiao3 feng1 gen1}, 中藥正名 Chinese maple root (bark) (Aceris Sinensis Radix seu Radicis Cortex)
五角加皮 {wu3 jiao3 jia1 pi2}, 中藥異名 rice-paper plant pith (Tetrapanacis Medulla)
五角葉葡萄 {wu3 jiao3 ye4 pu2 tao2}, 中藥正名 Chinese wild grapevine root bark (Vitis Quinquangularis Radicis Cortex)
五禁 {wu3 jin4}, five contraindications (flavor contraindications)

五决 {wu3 jue2}, five criteria (pulse-taking)
五劳 {wu3 lao2}, five taxations (heart, liver, spleen, lung, kidney taxation)
五劳七情 {wu3 lao2 qi1 qing2}, five taxations and [damage from] seven affects
五劳七傷 {wu3 lao2 qi1 shang1}, five taxations and seven damages
五劳所傷 {wu3 lao2 suo3 shang1}, damage by the five taxations
五棱子 {wu3 leng2 zi3}, 中藥異名 quisqualis (Quisqualis Fructus)
五里 {wu3 li3}, 腧穴異名 PC-8 (Five Li3)
五里 (手) {wu3 li3 shou3}, 腧穴異名 LI-13 (Five Li3 (arm))
五里 (足) {wu3 li3 zu2}, 腧穴異名 LV-10 (Five Li3 (foot))
五粒回春丹 {wu3 li4 hui2 chun1 dan1}, 方名 Five Grains Return-of-Spring Elixir
五淋 {wu3 lin2}, five stranguries (stone, qi4, unctuous, taxation, and blood strangury)
五淋散 {wu3 lin2 san3}, 方名 Five Stranguries Powder
五靈 {wu3 ling2}, 腧穴正名 Five Spirits
五苓散 {wu3 ling2 san3}, 方名 Poria Five Powder
五靈脂 {wu3 ling2 zhi1}, 中藥正名 squirrel's droppings (Trogopteri Faeces)
五癃 {wu3 long2}, five dribbling urinary stoppages
五輪 {wu3 lun2}, five wheels (qi4, blood, flesh, wind, and water wheels of the eye)
五輪八廓 {wu3 lun2 ba1 kuo4}, five wheels and eight belts (qi4, blood, flesh, wind, and water wheels of the eye)
五脈 {wu3 mai4}, five pulses; visceral pulse
五梅子 {wu3 mei2 zi3}, 中藥異名 schisandra (Schisandrae Fructus)
五磨飲子 {wu3 mo4 yin3 zi3}, 方名 Five Milled Ingredients Drink
五木香 {wu3 mu4 xiang1}, 中藥異名 costusroot (Aucklandiae Radix)
五皮散（飲） {wu3 pi2 san3 yin3}, 方名 Five-Peel Powder (Beverage)
五氣朝陽草 {wu3 qi4 chao2 yang2 cao3}, 中藥正名 Haleb avens (Gei Aleppici Radix seu Herba)
五禽戲 {wu3 qin2 xi4}, five animal exercises
五仁橘皮湯 {wu3 ren2 ju2 pi2 tang1}, 方名 Five-Seed Tangerine Peel Decoction
五仁湯 {wu3 ren2 tang1}, 方名 Five Kernels Decoction
五仁丸 {wu3 ren2 wan2}, 方名 Five Kernels Pill
五入 {wu3 ru4}, five entries (flavor entries)
五軟 {wu3 ruan3}, five limpnesses
五色 {wu3 se4}, five colors
五色菜 {wu3 se4 cai4}, 中藥異名 purslane (Portulacae Herba)
五色帶 {wu3 se4 dai4}, five-colored vaginal discharge
五色痢 {wu3 se4 li4}, five-colored dysentery
五色梅 {wu3 se4 mei2}, 中藥正名 red sage (Lantanae Ramulus et Folium)
五色梅根 {wu3 se4 mei2 gen1}, 中藥正名 red sage root (Lantanae Radix)

五色梅花 {wu3 se4 mei2 hua1}, 中藥正名 red sage flower (Lantanae Flos)
五色五味所入 {wu3 se4 wu3 wei4 suo3 ru4}, color and flavor entry
五色診 {wu3 se4 zhen3}, five-color examination
五色主病 {wu3 se4 zhu3 bing4}, diseases governed by the five colors; disease-color correspondences
五善 {wu3 shan4}, five benign signs
五神 {wu3 shen2}, five spirits
五神湯 {wu3 shen2 tang1}, 方名 Five Spirits Decoction
五聲 {wu3 sheng1}, five voices (shouting, laughter, singing, wailing, and groaning)
五勝 {wu3 sheng4}, five overcomings
五時 {wu3 shi2}, five seasons
五實 {wu3 shi2}, five repletions
五十動 {wu3 shi2 dong4}, fifty beats
五十二病方 {wu3 shi2 er4 bing4 fang1}, 書名 Formulas for Fifty-Two Diseases
五十肩 {wu3 shi2 jian1}, fifty-year-old's shoulder
五石散 {wu3 shi2 san3}, five stones powder
五樞 {wu3 shu1}, 腧穴正名 GB-27 (Fifth Pivot)
五輸配穴法 {wu3 shu1 pei4 xue2 fa3}, combining transport points
五俞穴 {wu3 shu1 xue2}, five transport points
五輸穴 {wu3 shu1 xue2}, five transport points
五腧穴 {wu3 shu1 xue2}, five transport points
五水 {wu3 shui3}, five waters; visceral water
五蹄風 {wu3 ti2 feng1}, 中藥異名 agrimony (Agrimoniae Herba)
五體 {wu3 ti3}, five body constituents
五痿湯 {wu3 wei3 tang1}, 方名 Five Wiltings Decoction
五味 {wu3 wei4}, five flavors (Schisandrae Fructus); 中藥異名 schisandra
五味草 {wu3 wei4 cao3}, 中藥正名 straight-flowered corydalis (Corydalis Stenanthae Herba)
五味偏嗜 {wu3 wei4 pian1 shi4}, flavor predilection
五味所禁 {wu3 wei4 suo3 jin4}, flavor contraindications
五味所入 {wu3 wei4 suo3 ru4}, five-flavor entry
五味細辛湯 {wu3 wei4 xi4 xin1 tang1}, 方名 Five-Ingredient Schisandra and Asarum Decoction
五味消毒飲 {wu3 wei4 xiao1 du2 yin3}, 方名 Five-Ingredient Toxin-Dispersing Beverage
五味子散 {wu3 wei4 zi3 san3}, 方名 Schisandra Powder; Schisandra Powder
五味子湯 {wu3 wei4 zi3 tang1}, 方名 Schisandra Decoction
五味子丸 {wu3 wei4 zi3 wan2}, 方名 Schisandra Pill
五味子 {wu3 wei4 zi3, 中藥正名 schisandra (Schisandrae Fructus)
五五丹 {wu3 wu3 dan1}, 方名 Five-To-Five Elixir

五惡 {wu3 wu4}, five aversions
五物解毒散 {wu3 wu4 jie3 du2 san3}, 方名 Five Agents Toxin-Resolving Powder
五物香薷飲 {wu3 wu4 xiang1 ru2 yin3}, 方名 Five Agents Mosla Beverage
五癇 {wu3 xian2}, five epilepsies
五香 {wu3 xiang1}, 中藥異名 costusroot (Aucklandiae Radix)
五香草 {wu3 xiang1 cao3}, 中藥正名 Suzhou mosla (Moslae Soochouensis Herba)
五香血藤 {wu3 xiang1 xue4 teng2}, 中藥正名 long-stalked kadsura (Kadsurae Longipeduculatae Caulis)
五邪 {wu3 xie2}, five evils
五邪脈 {wu3 xie2 mai4}, five evil pulses
五泄 {wu3 xie4}, five diarrheas
五心 {wu3 xin1}, five hearts (two soles, two palms, and center of chest)
五心潮熱 {wu3 xin1 chao2 re4}, tidal heat [effusion] (fever) in the five hearts
五心煩熱 {wu3 xin1 fan2 re4}, vexing heat in the five hearts
五星蒿 {wu3 xing1 hao1}, 中藥正名 echinopsilon (Echinopsilonis Herba)
五行 {wu3 xing2}, five phases
五行草 {wu3 xing2 cao3}, 中藥異名 purslane (Portulacae Herba)
五行相乘 {wu3 xing2 xiang1 cheng2}, overwhelming among the five phases
五行相克 {wu3 xing2 xiang1 ke4}, restraining among the five phases
五行相生 {wu3 xing2 xiang1 sheng1}, engendering among the five phases
五行相侮 {wu3 xing2 xiang1 wu3}, rebellion among the five phases (five phases)
五行學說 {wu3 xing2 xue2 shuo1}, five-phase theory
五形之人 {wu3 xing2 zhi1 ren2}, five human forms
五臭 {wu3 xiu4}, five odors
五虛 {wu3 xu1}, five vacuities
五眼果樹皮 {wu3 yan3 guo3 shu4 pi2}, 中藥正名 hog plum bark (Choerospondiatis Cortex)
五液 {wu3 ye4}, five humors; visceral humor
五葉泡 {wu3 ye4 pao4}, 中藥正名 five-leaved blackberry (Rubi Cochinchinensis Radix seu Folium)
五宜 {wu3 yi2}, five proprieties (dietary requirements of the five viscera)
五音 {wu3 yin1}, five notes
五癭 {wu3 ying3}, five goiters
五硬 {wu3 ying4}, five stiffnesses
五有余，五不足 {wu3 you3 yu2 wu3 bu4 zu2}, five superabundances and five insufficiencies
五郁 {wu3 yu4}, five depressions
五月茶 {wu3 yu4 cha2}, 中藥正名 antidesma (Antidesmae Radix, Folium, seu Fructus)
五月霜 {wu3 yue4 shuang1}, 中藥正名 Hancock's anaphalis (Anaphalis Hancockii Herba)
五運 {wu3 yun4}, five movements; five periods

五運六氣 {wu3 yun4 liu4 qi4}, five movements and six qi4; five periods and six qi4
五臟 {wu3 zang4}, five viscera (heart, lung, spleen, liver, and kidney)
五臟痹 {wu3 zang4 bi4}, impediments of the five viscera; visceral impediment
五臟化液 {wu3 zang4 hua4 ye4}, humors formed by the five viscera; five viscera form humors
五臟六腑咳 {wu3 zang4 liu4 fu3 ke2}, coughs of the five visceral and six bowels; organ cough
五臟所藏 {wu3 zang4 suo3 cang2}, what the five viscera store
五臟所惡 {wu3 zang4 suo3 wu4}, aversions of the five viscera
五臟所主 {wu3 zang4 suo3 zhu3}, governings of the five viscera
五臟系皆屬于心 {wu3 zang4 xi4 jie1 shu3 yu2 xin1}, ties of the five viscera home to the heart
五臟水 {wu3 zang4 zhui3}, five visceral waters
五爪風 {wu3 zhao3 feng1}, 中藥正名 Blin's raspberry (Rubi Blinii Herba)
五爪金龍 {wu3 zhao3 jin1 long2}, 中藥正名 tetrastigma (Tetrastigmatis Caulis seu Radix)
五爪金龍花 {wu3 zhao3 jin1 long2 hua1}, 中藥正名 Cairo morning glory flower (Ipomoeae Cairicae Flos)
五爪龍 (1) {wu3 zhao3 long2}, 中藥正名 Cairo morning glory [root or stem and leaf] (Ipomoeae Cairicae Radix seu Caulis et Folium)
五爪龍 (2) {wu3 zhao3 long2}, 中藥異名 Japanese hop (Humuli Scandentis Herba)
五針刺法 {wu3 zhen1 ci4 fa3}, five-needle method
五蒸 {wu3 zheng1}, five steamings
五汁安中飲 {wu3 zhi1 an1 zhong1 yin3}, 方名 Five Juices Center-Quieting Beverage
五汁飲 {wu3 zhi1 yin3}, 方名 Five Juices Beverage
五指柑 {wu3 zhi3 gan1}, 中藥異名 negundo vitex (Viticis Negundo Folium)
五指毛桃根 {wu3 zhi3 mao2 tao2 gen1}, 中藥正名 five-finger fig root (Fici Simplicissimae Radix)
五指山參 {wu3 zhi3 shan1 shen1}, 中藥正名 arrow-leaf abelmoschus (Abelmoschi Sagittifolii Radix)
五趾穴 {wu3 zhi3 xue2}, 腧穴正名 Five Toes Point
五志 {wu3 zhi4}, five minds (joy, anger, anxiety, thought, fear)
五痔 {wu3 zhi4}, five hemorrhoids
五志過極 {wu3 zhi4 guo4 ji2}, excess among the five minds
五志化火 {wu3 zhi4 hua4 huo3}, five-mind fire formation; fire formation due to excess among the five minds
五中 {wu3 zhong1}, five centers
五主 {wu3 zhu3}, five governings
五柱穴 {wu3 zhu4 xue2}, five pillar points
五轉七 {wu3 zhuan3 qi1}, 中藥正名 Farges' triosteum (Triostei Fargesii Herba)
五子補腎丸 {wu3 zi3 bu3 shen4 wan2}, 方名 Five-Seed Kidney-Supplementing Pill
五子丸 {wu3 zi3 wan2}, 方名 Five-Seed Pill

五子衍宗丸 {wu3 zi3 yan3 zong1 wan2}, 方名 Five-Seed Progeny Pill
五走 {wu3 zou3}, five penetrations

【午】 {wu3} [Freq. 3] seventh earthly branch; noon; B7.
午后 {wu3 hou4}, p.m.; postmeridian
午后潮熱 {wu3 hou4 chao2 re4}, postmeridian tidal heat [effusion] (fever)
午后兩顴發赤 {wu3 hou4 liang3 quan2 fa1 chi4}, postmeridian reddening of the cheeks
午后兩顴紅赤 {wu3 hou4 liang3 quan2 hong2 chi4}, postmeridian reddening of the cheeks
午時 {wu3 shi2}, B7 watch (11 a.m.--1 p.m.)
午時茶 {wu3 shi2 cha2}, 方名 Midday Tea
午夜 {wu3 ye4}, midnight watch (B1 watch 11 p.m.--1 a.m.)

【伍】 {wu3} [Freq. 4] five (same as 五 {wu3}); five-man unit in the army.
伍焦之間 {wu3 jiao1 zhi1 jian1}, 腧穴異名 BL-15 (Within the Fifth Burner)

【武】 {wu3} [Freq. 4] martial; fierce.
武癡 {wu3 chi1}, martial mania (compare civil mania (文癡 {wen2 chi1}))
武侯行軍散 {wu3 hou2 xing2 jun1 san3}, 方名 Warlord's Troop-Marching Powder
武火 {wu3 huo3}, martial fire (fierce or high fire)
武靴藤 {wu3 xue1 teng2}, 中藥正名 gymnema (Gymnematis Radix seu Ramulus et Folium)
武夷 {wu3 yi2}, 中藥異名 elm cake (Ulmi Fructus Praeparatio)

【侮】 {wu3} [Freq. 2] rebellion (n.) (five-phase cycle).
舞蹈病 {wu3 dao4 bing4}, 西醫

【忤】 {wu3} [Freq. 4] hostility (客忤 {ke4 wu3}, visiting hostility)

~~ {wu4} ~~
【戊】 {wu4} [Freq. 3] fifth heavenly stem; S5.
戊己丸 {wu4 ji3 wan2}, 方名 Fifth and Sixth Heavenly Stem Pill
戊土 {wu4 tu3}, S5-earth (the stomach)

【物】 {wu4} [Freq. 2] matter (n.) (受盛化物 {shou4 sheng4 hua4}, receiving plenitude and transforming matter); agent (n.) (四物湯 {si4 wu4 tang1}, Four Agents Decoction).
物損真睛 {wu4 sun3 zhen1 jing1}, damage to the eye proper by external objects

【惡】 {wu4} [Freq. 2] aversion to (n.)-(prep.) (惡風 {wu4 feng1}, aversion to wind; 脾惡濕

{pi2 wu4 shi1}, the spleen ails by dampness).
惡 {wu4}, depotentiated (one of the seven relations)
惡風 {wu4 feng1}, aversion to wind
惡風寒 {wu4 feng1 han2}, aversion to wind or cold
惡光羞明 {wu4 guang1 xiu1 ming2}, aversion to light; aversion to light
惡寒 {wu4 han2}, aversion to cold
惡寒發熱 {wu4 han2 fa1 re4}, aversion to cold with heat [effusion] (fever)
惡寒戰栗 {wu4 han2 zhan4 li4}, aversion to cold with shivering
惡寒肢冷 {wu4 han2 zhi1 leng3}, cold limbs and aversion to cold
惡見燈火 {wu4 jian4 deng1 huo3}, aversion to lights and fire
惡冷 {wu4 leng3}, aversion to cold
惡熱 {wu4 re4}, aversion to heat
惡人 {wu4 ren2}, aversion to people
惡食 {wu4 shi2}, aversion to food
惡水 {wu4 shui3}, aversion to water
惡心欲嘔 {wu4 xin1 yu4 ou3}, nausea and desire to retch
惡子 {wu4 zi3}, aversion to child (same as malign obstruction)

【寤】 {wu4} [Freq. 3] awaken

【誤】 {wu4} [Freq. 3] inappropriate.
誤汗 {wu4 han4}, inappropriate sweating
誤下 {wu4 xia4}, inappropriate precipitation
誤治 {wu4 zhi4}, inappropriate treatment

【霧】 {wu4} [Freq. 4] fog.
霧水葛 {wu4 shui3 ge2}, 中藥正名 pouzolzia (Pouzolziae Herba (cum Radice))

【鶩】 {wu4} [Freq. 3] duck.
鶩溏 {wu4 tang2}, duck's slop
鶩泄 {wu4 xie4}, duck-stool diarrhea

== X ==

~~ {xi1} ~~
【&&90C4‖】 {xi1} [Freq. 2] cleft (n.) (&&90C4‖穴 {xi1 xue4}, cleft point).

&&90C4‖門 {xi1 men2}, 腧穴正名 PC-4 (Cleft Gate)
&&90C4‖穴 {xi1 xue2}, cleft point
&&90C4‖中 {xi1 zhong1}, 腧穴異名 BL-40 (Cleft Center)

【夕】 {xi1} [Freq. 2] setting sun.
夕冷 {xi1 leng3}, 中藥異名 talcum (Talcum)

【西】 {xi1} [Freq. 3] west (position associated with metal).
西當歸 {xi1 dang1 gui1}, 中藥正名 Western tangkuei (Angelicae Sinensis Radix *Occidentalis)
西黨 {xi1 dang3}, 中藥正名 western codonopsis (Codonopsis Radix *Occidentalis)
西方醫學 {xi1 fang1 yi1 xue2}, Western medicine
西防風 {xi1 fang2 feng1}, 中藥正名 western saposhnikovia (Saposhnikoviae Radix *Occidentalis)
西風 {xi1 feng1}, 腧穴異名 GV-17 (West Wind)
西谷米 {xi1 gu3 mi3}, 中藥異名 sago (Sagu Amylum)
西瓜 {xi1 gua1}, 中藥正名 watermelon (Citrulli Fructus)
西瓜翠皮 {xi1 gua1 cui4 pi2}, 中藥異名 watermelon rind (Citrulli Exocarpium)
西瓜根葉 {xi1 gua1 gen1 ye4}, 中藥正名 watermelon root and leaf (Citrulli Radix et Folium)
西瓜皮 {xi1 gua1 pi2}, 中藥正名 watermelon rind (Citrulli Exocarpium)
西瓜霜 {xi1 gua1 shuang1}, 中藥正名 watermelon frost (Citrulli Praeparatio)
西瓜子殼 {xi1 gua1 zi3 qiao4 (ke2)}, 中藥正名 watermelon husk (Citrulli Testa)
西瓜子 {xi1 gua1 zi3 ren2}, 中藥正名 watermelon seed (Citrulli Semen)
西瓜子仁 {xi1 gua1 zi3 ren2}, 中藥正名 husked watermelon seed (Citrulli Semen sine Testa)
西國米 {xi1 guo2 mi3}, 中藥異名 sago (Sagu Amylum)
西漢 {xi1 han4}, Western Han4 (Former an4, 206 B.C.--24 A.D.)
西河柳 {xi1 he2 liu3, 中藥正名 tamarisk (Tamaricis Cacumen)
西紅花 {xi1 hong2 hua1, 中藥正名 saffron (Croci Stigma)
西黃 {xi1 huang2}, 中藥異名 western bovine bezoar (Bovis Bezoar *Occidentale)
西晉 {xi1 jin4}, Western Jin4 (265--316 A.D.)
西蘭花 {xi1 lan2 hua1}, 中藥正名 broccoli (Brassicae Italicae Flos)
西榴皮 {xi1 liu2 pi2}, 中藥異名 pomegranate rind (Granati Pericarpium)
西牛黃 {xi1 niu2 huang2}, 中藥正名 western bovine bezoar (Bovis Bezoar *Occidentale)
西耆 {xi1 qi2}, 中藥正名 Western astragalus (Astragali Radix *Occidentalis)
西芹 {xi1 qin2}, 中藥正名 celery (Apii Herba)
西參 {xi1 shen1}, 中藥異名 American ginseng (Panacis Quinquefolii Radix)
西土藍 {xi1 tu3 lan2}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)
西魏 {xi1 wei4}, Western Wei4 (535--556 A.D.)

西香 {xi1 xiang1}, 中藥異名 frankincense (Olibanum)
西謝 {xi1 xie4}, 中藥異名 cutch (Catechu)
西芎 {xi1 xiong1}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)
西洋菜 {xi1 yang2 cai4}, 中藥正名 watercress (Nasturtii Herba)
西洋菜干 {xi1 yang2 cai4 gan1}, 中藥正名 dried watercress (Nasturtii Herba Exsiccata)
西洋人參 {xi1 yang2 ren2 shen1}, 中藥異名 American ginseng (Panacis Quinquefolii Radix)
西洋參 {xi1 yang2 shen1}, 中藥正名 American ginseng (Panacis Quinquefolii Radix)
西洋蒜 {xi1 yang2 suan4}, 中藥異名 leek (Allii Porri Herba)
西醫 {xi1 yi1}, 西醫 Western medicine; Western medicine (i.e., a doctor practicing Western medicine); Western medical doctor
西月石 {xi1 yue4 shi2}, 中藥異名 borax (Borax)
西周 {xi1 zhou1}, Western Zhou1 (approx. 11th cent. B.C. to 771 B.C.)

【吸】 {xi1} [Freq. 3] inhale.
吸門 {xi1 men2}, breath gate (the epiglottis)
吸氣 {xi1 qi4}, inhale
吸入 {xi1 ru4}, inhale
吸收 {xi1 shou1}, 西醫 absorption
吸鐵石 {xi1 tie3 shi2}, 中藥異名 loadstone (Magnetitum)
吸筒療法 {xi1 tong3 liao2 fa3}, cupping
吸針石 {xi1 zhen1 shi2}, 中藥異名 loadstone (Magnetitum)

【矽】 {xi1} [Freq. 4] silicon.
矽肺 {xi1 fei4}, 西醫 pneumosilicosis

【息】 {xi1} [Freq. 2] breathing (n.) (息粗{xi1 cu4}, rough breathing); respiration (n.) (一息 {yi1 xi1}, one respiration (one inhalation and exhalation)).
息胞 {xi1 bao1}, resting placenta (= retention of the placenta)
息賁 {xi1 ben1}, rushing respiration
息賁湯 {xi1 ben1 tang1}, 方名 Rushing Respiration Decoction
息粗 {xi1 cu1}, rough breathing
息道 {xi1 dao4}, respiratory tract
息高 {xi1 gao1}, high breathing
息積 {xi1 ji1}, breath accumulation
息肉病 {xi1 rou4 bing4}, 西醫 polyposis
息微 {xi1 wei1}, faint breathing

【淅】 {xi1} [Freq. 4] wash rice.

淅二泔 {xi1 er4 gan1}, 中藥異名 rice water (Oryzae Aqua)
淅淅惡風 {xi1 xi1 wu4 feng1}, wetted aversion to wind

【犀】 {xi1} [Freq. 4] rhinoceros.
犀地清絡飲 {xi1 di4 qing1 luo4 yin3}, 方名 Rhinoceros Horn and Rehmannia Network-Clearing Beverage; Rhinoceros Horn and Rehmannia Network-Quickening Beverage
犀黃丸 {xi1 huang2 wan2}, 方名 Rhinoceros Bezoar Pill
犀角 {xi1 jiao3}, 中藥正名 rhinoceros horn (Rhinocerotis Cornu)
犀角地黃湯 {xi1 jiao3 di4 huang2 tang1}, 方名 Rhinoceros Horn and Rehmannia Decoction
犀角散 {xi1 jiao3 san3}, 方名 Rhinoceros Horn Powder
犀角丸 {xi1 jiao3 wan2}, 方名 Rhinoceros Horn Pill
犀牛黃 {xi1 niu2 huang2}, 中藥異名 bovine bezoar (Bovis Calculus)
犀牛皮 {xi1 niu2 pi2}, 中藥正名 rhinoceros skin (Rhinocerotis Corium)
犀肉 {xi1 rou4}, 中藥正名 rhinoceros meat (Rhinocerotis Caro)

【稀】 {xi1} [Freq. 2] thin (大便稀溏 {da4 bian4 xi1 tang2}, thin sloppy stool).
稀飯 {xi1 fan4}, gruel; congee
稀涎降痰 {xi1 xian2 jiang4 tan2}, thin the drool and precipitate phlegm
稀涎散 {xi1 xian2 san3}, 方名 Drool-Thinning Powder

【翕】 {xi1} [Freq. 4] furl.
翕翕發熱 {xi1 xi1 fa1 re4}, feather-warm heat [effusion] (fever)

【溪】 {xi1} [Freq. 3] ravine.
溪毒 {xi1 du2}, stream toxin
溪谷 {xi1 gu3}, ravines and valleys (Ravine Valley); 腧穴異名 ST-29
溪黃草 {xi1 huang2 cao3}, 中藥正名 stream-side rabdosia (Rabdosiae Striati Herba)
溪桃 {xi1 tao2}, 中藥異名 Asian buddleia (Buddlejae Asiaticae Radix, Caulis et Folium)

【熄】 {xi1} [Freq. 2] extinguish (n.) (熄風 {xi1 feng1}, extinguish wind).
熄風 {xi1 feng1}, extinguish wind
熄風定癎 {xi1 feng1 ding4 xian2}, extinguish wind and stabilize epilepsy
熄風化痰 {xi1 feng1 hua4 tan2}, extinguish wind and transform phlegm
熄風劑 {xi1 feng1 ji4}, wind-extinguishing formula
熄風解痙 {xi1 feng1 jie3 jing4}, extinguish wind and resolve tetany
熄風藥 {xi1 feng1 yao4}, wind-extinguishing medicinal

【蜥】 {xi1} [Freq. 4] lizard (蜥蜴 {xi1 yi4}).

蜥蜴 (1) {xi1 yi4}，中藥異名 sand lizard (Eremias)
蜥蜴 (2) {xi1 yi4}，中藥異名 lizard (Eumeces seu Sphenomorphus)

【膝】 {xi1} [Freq. 2] knee (n.).
膝膹 {xi1 bin4}, knee cap; patella
膝髕 {xi1 bin4}, knee cap; patella
膝蓋 {xi1 gai4}, knee cap; patella
膝關 {xi1 guan1}，腧穴正名 LV-7 (Knee Joint)
膝關節 {xi1 guan1 jie2}, knee joint
膝關節結核 {xi1 guang1 jie2 jie2 he2}，西醫 tuberculosis of the knee joint
膝解 {xi1 jie3}, knee joint
膝內痛 {xi1 nei4 tong4}, pain on the inner side of the knee
膝軟無力 {xi1 ruan3 wu2 li4}, limp knees
膝三針 {xi1 san1 zhen1}，腧穴正名 Three Knee Needles
膝痛 {xi1 tong4}, knee pain
膝腿乏力 {xi1 tui3 fa2 li4}, lack of strength in the knees and legs
膝腿無力 {xi1 tui3 wu2 li4}, limp knees and legs
膝眼 {xi1 yan3}，腧穴正名 Eye of the Knee
膝眼風 {xi1 yan3 feng1}, knee's eye wind
膝陽關 {xi1 yang2 guan1}，腧穴正名 GB-33 (Knee Yang2 Joint)
膝游風 {xi1 you2 feng1}, wandering knee wind
膝腫 {xi1 zhong3}, swelling of the knee; swollen knees
膝腫痛 {xi1 zhong3 tong4}, pain and swelling of the knee

【錫】 {xi1} [Freq. 4] tin.
錫 {xi1}，中藥正名 tin (Cassiteritum)
錫粉 {xi1 fen3}，中藥異名 processed galenite (Galenitum Praeparatum)
錫礦 {xi1 kuang4}，中藥正名 cassiterite (Cassiteritum)
錫類散 {xi1 lei4 san3}，方名 Tin-Like Powder
錫生藤 {xi1 sheng1 teng2}，中藥正名 false pareira (Cissampeloris Pareira Herba)
錫葉藤 {xi1 ye4 teng2}，中藥正名 tetracera (Tetracerae Radix seu Folium)

【蟋】 {xi1} [Freq. 4] cricket (蟋蟀 {xi1 shuai4}).
蟋蟀 {xi1 shuai4}，中藥正名 cricket (Gryllulus)
蟋蟀草 {xi1 shuai4 cao3}，中藥異名 yardgrass (Eleusines Indicae Herba et Radix)

【谿】 {xi1} [Freq. 5] ravine.
谿穴 {xi1 xue2}，腧穴異名 ST-1 (Ravine Hole) (Ravine Hole)；腧穴異名 ST-29

【荠】 {xi1} [Freq. 4] pennycress (荠蓂 {xi1 ming2} pennycress).
荠蓂 {xi1 ming2}, 中藥正名 pennycress (Thlaspis Herba)
荠蓂子 {xi1 ming2 zi3}, 中藥正名 pennycress seed (Thlaspis Semen)

【豨】 {xi1} [Freq. 4] hog.
豨苓 {xi1 ling2}, 中藥異名 polyporus (Polyporus)
豨桐丸 {xi1 tong2 wan2}, 方名 Siegesbeckia and Clerodendron Pill
豨莶 {xi1 xian1}, 中藥異名 siegesbeckia (Siegesbeckiae Herba)
豨莶草 {xi1 xian1 cao3}, 中藥正名 siegesbeckia (Siegesbeckiae Herba)
豨莶根 {xi1 xian1 gen1}, 中藥正名 siegesbeckia root (Siegesbeckiae Radix)
豨莶果 {xi1 xian1 guo3}, 中藥正名 siegesbeckia fruit (Siegesbeckiae Fructus)
豨莶丸 {xi1 xian1 wan2}, 方名 Siegesbeckia Pill

【瘜】 {xi1} [Freq. 2] polyp (n.) (鼻息肉 {bi2 xi1 rou4}, nasal polyp).
瘜肉 {xi1 rou4}, polyp
瘜肉痔 {xi1 rou4 zhi4}, anal polyp

【鼷】 {xi1} [Freq. 4] mouse.
鼷穴 {xi1 xue2}, 腧穴異名 ST-1 (Mouse Hole)

【蠵】 {xi1} [Freq. 4] loggerhead turtle.
蠵龜筒 {xi1 gui1 tong2}, 中藥正名 loggerhead turtle's skin (Carettae Corium et Squama)
蠵龜血 {xi1 gui1 xue4}, 中藥正名 loggerhead turtle's blood (Carettae Sanguis)

~~ {xi2} ~~
【席】 {xi2} [Freq. 4] mat (used in transcriptions of foreign terms).
席漢氏病 {xi2 han4 shi4 bing4}, 西醫 Sheehan's disease
席弘賦 {xi2 hong2 fu4}, 書名 Ode of Xi2-Hong2

【習】 {xi2} [Freq. 4] practice.
習慣性便秘 {xi2 guan4 xing4 bian4 bi4}, 西醫 habitual constipation

【蓆】 {xi2} [Freq. 4] bed.
蓆瘡 {xi2 chuang1}, bedsore

【襲】 {xi2} [Freq. 2] assail (v.), assailment (n.) (風邪襲表 {feng1 xie2 xie2 biao3}, wind evil

assailing the exterior)

~~ {xi3} ~~

【洗】 {xi3} [Freq. 3] wash.
洗耳療法 {xi3 er3 liao2 fa3}, ear-washing therapy
洗肝明目湯 {xi3 gan1 ming2 mu4 tang1}, 方名 Liver-Washing Eye-Brightening Decoction
洗鍋羅瓜 {xi3 guo1 luo2 gua1}, 中藥異名 luffa gourd (Luffae Fructus)
洗劑 {xi3 ji4}, wash formula
洗心散 {xi3 xin1 san3}, 方名 Heart-Washing Powder
洗冤錄 {xi3 yuan1 lu4}, 書名 Records for Washing Away Injustice

【徙】 {xi3} [Freq. 4] migrate (v.).
徙薪湯 {xi3 xin1 tang1}, 方名 Firewood-Removing Decoction

【喜】 {xi3} [Freq. 2] joy (n.) (mind associated with heart; also one of the seven affects. 心主喜 {xin1 zhu3 xi3}, the heart governs joy; 土喜溫燥 {tu3 xi3 wen1 zao4}, earth likes warmth and drynesss); like (v.) (腹痛喜按 {fu4 tong4 xi3 an4}, abdominal pain that likes pressure); thrive by.
喜按 {xi3 an4}, like pressure
喜按喜暖 {xi3 an4 xi3 nuan3}, liking for pressure and warmth
喜驚 {xi3 jing1}, susceptibility to fright
喜靜 {xi3 jing4}, liking for quietness
喜冷飲食 {xi3 leng3 yin3 shi2}, liking for cold foods and drinks
喜涼 {xi3 liang2}, liking for coolness
喜涼怕熱 {xi3 liang2 pa4 re4}, liking for coolness and fear of heat
喜馬拉雅紫茉莉 {xi3 ma3 la1 ya2 zi3 mo4 li4}, 中藥正名 Himalayan mirabilis (Mirabilis Himalaicae Radix)
喜夢 {xi3 meng4}, frequent dreaming
喜怒 {xi3 nu4}, susceptibility to anger
喜怒傷氣 {xi3 nu4 shang1 qi4}, joy and anger damage qi4
喜暖 {xi3 nuan3}, liking for warmth
喜暖畏冷 {xi3 nuan3 wei4 leng3}, liking for warmth and fear of cold
喜嘔 {xi3 ou3}, frequent retching
喜欠 {xi3 qian4}, frequent yawning
喜熱 {xi3 re4}, like heat (腹痛洗熱 {fu4 tong4 xi3 re4}, abdominal pain that likes heat)
喜熱敷 {xi3 re4 fu1}, liking for warm compresses
喜熱喜按 {xi3 re4 xi3 an4}, liking for heat and pressure
喜熱飲食 {xi3 re4 yin3 shi2}, liking for hot colds and foods

喜食異物 {xi3 shi2 yi4 wu4}, predilection for strange foods
喜樹 {xi3 shu4}, 中藥異名 camptotheca (Camptothecae Fructus seu Radix)
喜忘 {xi3 wang4}, forgetfulness
喜溫 {xi3 wen1}, that likes warmth
喜笑不休 {xi3 xiao4 bu4 xiu1}, incessant laughing
喜則氣緩 {xi3 ze2 qi4 huan3}, joy causes qi4 to slacken

【枲】 {xi3} [Freq. 4] staminate (male) hemp.
枲耳子 {xi3 er3 zi3}, 中藥異名 xanthium (Xanthii Fructus) (Xanthii Fructus); 中藥異名 xanthium

~~ {xi4} ~~
【系】 {xi4} [Freq. 5] tie (connecting structures of certain organs, e.g., 目系 {mu4 xi4}, eye tie).
系統 {xi4 tong3}, 西醫 system

【細】 {xi4} [Freq. 2] fine (adj.) (脈細而數 {mai4 xi4 er2 shuo4}, the pulse is fine and rapid); thin (adj.).
細胞膜 {xi4 bao1 mo2}, 西醫 cell membrane
細胞器 {xi4 bao1 qi4}, 西醫 organelle
細胞質 {xi4 bao1 zhi4}, 西醫 cytoplasm
細草 {xi4 cao3}, 中藥正名 hornwort (Ceratophylli Herba)
細茶 {xi4 cha2}, 中藥異名 tea (Theae Folium)
細粉 {xi4 fen3}, fine powder
細果角茴香 {xi4 guo3 jiao3 hui2 xiang1}, 中藥正名 slender-fruited hypecoum (Hypecoi Leptocarpi Herba)
細黑豆 {xi4 hei1 dou4}, 中藥異名 wild soybean (Glycines Sojae Semen)
細菌 {xi4 jun1}, 西醫 bacteria
細菌性痢疾 {xi4 jun1 xing4 li4 ji2}, 西醫 bacillary dysentery
細菌性食物中毒 {xi4 jun1 xing4 shi2 wu4 zhong4 du2}, 西醫 bacterial food poisoning
細理石 {xi4 li3 shi2}, 中藥異名 gypsum (Gypsum Fibrosum)
細鱗石鱸 {xi4 lin2 shi2 lu2}, 中藥正名 common thick-lipped grunt (Plectorhynchi Picti Caro)
細脈 {xi4 mai4}, fine pulse
細生地 {xi4 sheng1 di4}, 中藥正名 thin dried rehmannia (Rehmanniae Radix Tenuis)
細石 {xi4 shi2}, 中藥異名 gypsum (Gypsum Fibrosum)
細穗爵床 {xi4 sui4 jue2 chuang2}, 中藥正名 water willow (Justiciae Herba)
細香蔥 {xi4 xiang1 cong1}, 中藥正名 chive (Allii Schoenoprasi Herba seu Caput Radicis)
細辛散 {xi4 xin1 san3}, 方名 Asarum Powder

細辛 {xi4 xin1, 中藥正名 asarum (Asari Herba)
細鹽 {xi4 yan2}, 中藥異名 salt (Sal)
細葉桉葉 {xi4 ye4 an1 ye4}, 中藥正名 forest gray gum leaf (Eucalypti Tereticornis Folium)
細葉馬料梢 {xi4 ye4 ma3 liao4 shao1}, 中藥正名 Chinese lespedeza (Lespedezae Chinensis Radix seu Herba)
細葉青蒿 {xi4 ye4 qing1 hao1}, 中藥異名 virgate wormwood (Artemisiae Scopariae Herba)
細葉碎米蕨 {xi4 ye4 sui4 mi3 jue2}, 中藥正名 Mysore cheilanthes (Cheilanthis Mysuresis Herba)
細支氣管 {xi4 zhi1 qi4 guan3}, 西醫 bronchioles

【戲】 {xi4} [Freq. 4] game.
戲鐵石 {xi4 tie3 shi2}, 中藥異名 loadstone (Magnetitum)

【舄】 {xi4} [Freq. 5] shoe (牛舄 {niu2 xi4}, plantago); land soaked in salt water (same as 潟 {xi4}. 勝舄菜 {sheng4 xi4 cai4}, plantago)

~~ {xia1} ~~
【&&9C15||】 {xia1} [Freq. 4] prawn (same as 蝦 {xia1}, prawn).
&&9C15||虎魚 {xia1 hu3 yu2}, 中藥正名 acanthogobius (Acanthogobii Caro)

【瞎】 {xia1} [Freq. 3] blind.
瞎螞蜂 {xia1 ma3 feng1}, 中藥異名 tabanus (Tabanus)
瞎虻蟲 {xia1 mang2 chong2}, 中藥異名 tabanus (Tabanus)

【蝦】 {xia1} [Freq. 4] prawn (also written as &&9C15||; see also 蝦 {ha2}, toad).
蝦 (1) {xia1}, 中藥異名 freshwater shrimp (Macrobrachium)
蝦 (2) {xia1}, 中藥異名 prawn (Penaeus seu Panulirus)
蝦米 {xia1 mi3}, 中藥正名 dried shrimp meat (Penaei Caro Exsiccata)
蝦皮 {xia1 pi2}, 中藥正名 dried baby shrimp (Penaeus Parvus Exsiccatus)
蝦鬚草 {xia1 xu1 cao3}, 中藥正名 sheareria (Sheareriae Herba)
蝦鬚豆 {xia1 xu1 dou4}, 中藥正名 fordia (Fordiae Radix et Folium)
蝦游脈 {xia1 you2 mai4}, darting shrimp pulse
蝦子花 {xia1 zi3 hua1}, 中藥正名 woodfordia (Woodfordiae Radix et Flos)

~~ {xia2} ~~
【呷】 {xia2} [Freq. 4] wheezing.

呷呀 {xia2 ya2}, wheezing sound

【俠】 {xia2} [Freq. 4] guard.
俠白 {xia2 bai2}, 腧穴正名 LU-4 (Guarding White)
俠谿 {xia2 xi1}, 腧穴正名 GB-43 (Pinched Ravine)
俠瘿 {xia2 ying3}, pearl-string lumps
俠玉泉 {xia2 yu4 quan2}, 腧穴異名 Guarding Jade Spring

【狹】 {xia2} [Freq. 4] narrow.
狹葉敗醬 {xia2 ye4 bai4 jiang4}, 中藥正名 narrow-leaved patrinia (Patriniae Angustifoliae Radix)

【瑕】 {xia2} [Freq. 5] red jade; blemished jade (冰瑕障 {bing1 xia2 zhang4}, ice and jade obstruction)

【霞】 {xia2} [Freq. 4] colorful glow of the morning or even sky.
霞天膏 {xia2 tian1 gao1}, 中藥正名 beef paste (Bovis Pasta Carnis)
霞天麴 {xia2 tian1 qu1}, 中藥正名 medicated leaven with beef paste (Bovis Massa Medicata Fermentata Pastae Carnis)

~~ {xia4} ~~
【下】 {xia4} [Freq. 2] down (adv.), downward (adv.) (濕熱下注 {shi1 re4 xia4 zhu4}, damp-heat pouring downward); descend (v.), descent (n.); precipitate (v.), precipitation (n.) (to cause to descend (forcefully). 下氣 {xia4 qi4}, precipitate qi4); lower (adj.), lower body (n.); swallow.
下巴 {xia4 ba1}, chin
下巴殼 {xia4 ba1 ke2}, chin
下半身 {xia4 ban4 shen1}, lower body
下病上取 {xia4 bing4 shang4 qu3}, treating lower body disease through the upper body
下膊 {xia4 bo2}, forearm
下部[匿/蟲] {xia4 bu4 [?? chong2 ]}, invisible-worm sores of the lower body
下部[匿/蟲]蟲 {xia4 bu4 [?? chong2 ]?峒, invisible worms of the lower body
下部閉塞 {xia4 bu4 bi4 se4}, blockage of the lower body
下部蟲[匿/蟲] {xia4 bu4 chong2 ni4}, invisible sores of the lower body
下部瘡 {xia4 bu4 chuang1}, sores of the lower body
下部卒痛 {xia4 bu4 cu4 tong4}, sudden pain of the lower body
下部疳瘡 {xia4 bu4 gan1 chuang1}, lower body gan1 sores
下部生瘡 {xia4 bu4 sheng1 chuang1}, sores of the lower body

下部蝕瘡 {xia4 bu4 shi2 chuang1}, eroding sores of the lower body
下部脫肛 {xia4 bu4 tuo1 gang1}, prolapse of the rectum
下部虛寒 {xia4 bu4 xu1 han2}, lower body vacuity cold
下部懸癰 {xia4 bu4 xuan2 yong1}, suspended welling-abscess of the lower body
下部癢痛 {xia4 bu4 yang3 tong4}, itching and pain of the lower body
下部痔[匿/蟲] {xia4 bu4 zhi4 [?? chong2 ]}, hemorrhoids and invisible-worm sores of the lower body
下部痔瘡 {xia4 bu4 zhi4 chuang1}, hemorrhoids
下部痔漏 {xia4 bu4 zhi4 lou4}, hemorrhoids and fistulas of the lower body
下部腫滿 {xia4 bu4 zhong3 man3}, swelling and fullness of the lower body
下部諸疾 {xia4 bu4 zhu1 ji2}, all diseases of the lower body
下腸繫膜動脈 {xia4 chang2 xi4 mo2 dong4 mai4}, 西醫 inferior mesenteric artery
下承山 {xia4 cheng2 shan1}, 腧穴正名 Lower Mountain Support
下齒齲 {xia4 chi3 qu3}, decay among the lower teeth
下齒痛 {xia4 chi3 tong4}, aching among the lower teeth
下唇有瘡 {xia4 chun2 you3 chuang1}, sores of the lower lip
下唇腫痛 {xia4 chun2 zhong3 tong4}, painful swelling of the lower lip
下搭手 {xia4 da1 shou3}, reachable sore of the lower back
下丹田 {xia4 dan1 tian2}, lower cinnabar field
下地倉 {xia4 di4 cang1}, 腧穴異名 Lower Earth Granary
下都 {xia4 du1}, 腧穴正名 Lower Metropolis (Lower Metropolis); 腧穴異名 TB-3
下都穴 {xia4 du1 xue2}, lower metropolis point
下發背 {xia4 fa1 bei4}, effusion of the lower back
下法 {xia4 fa3}, precipitation
下風池 {xia4 feng1 chi2}, 腧穴異名 Lower Wind Pond
下扶突 {xia4 fu2 tu1}, 腧穴正名 Lower Protuberance Assistant
下怫郁于上之火 {xia4 fu2 yu4 yu2 shang4 zhi1 huo3}, precipitate depressed upper body fire
下腹 {xia4 fu4}, 西醫 lower abdomen
下疳 {xia4 gan1}, lower body gan1
下疳瘡 {xia4 gan1 chuang1}, lower body gan1 sore
下工 {xia4 gong1}, inferior practitioner
下關 {xia4 guan1}, 腧穴正名 ST-7 (Below the Joint)
下管 {xia4 guan3}, 腧穴異名 CV-10 (Lower Duct)
下果藤 {xia4 guo3 teng2}, 中藥正名 slender-stemmed gouania (Gouaniae Leptostachyae Caulis et Folium)
下頷骨 {xia4 he2 gu3}, 西醫 mandible
下合穴 {xia4 he2 xue2}, lower uniting point
下橫骨 {xia4 heng2 gu3}, lower transverse bone; pubic bone

下肓 {xia4 huang1}, 腧穴異名 CV-4 (Lower Huang) (Lower Huang); 腧穴異名 CV-6
下極 {xia4 ji2}, lower extreme (anus; perineum; root of the nose (regional between the inner canthi)) (Lower Extreme); 腧穴異名 CV-1 (Lower Extreme); 腧穴異名 KI-11
下汲腎陰 {xia4 ji2 shen4 yin1}, sapping of kidney yin1
下極俞 {xia4 ji2 shu1}, 腧穴正名 Lower Extreme Transport
下極之下 {xia4 ji2 zhi1 xia4}, [region] below the lower extreme (stem of the nose)
下紀 {xia4 ji4}, 腧穴異名 CV-4 (Lower Regulator)
下焦 {xia4 jiao1}, lower burner
下焦病 {xia4 jiao1 bing4}, lower burner disease
下焦病證 {xia4 jiao1 bing4 zheng4}, lower burner disease pattern
下焦不固 {xia4 jiao1 bu4 gu4}, insecurity of the lower burner
下焦寒 {xia4 jiao1 han2}, lower burner cold
下焦滑脫 {xia4 jiao1 hua2 tuo1}, lower burner efflux desertion
下焦如瀆 {xia4 jiao1 ru2 du2}, lower burner is like a sluice
下焦濕熱 {xia4 jiao1 shi1 re4}, lower burner damp-heat; lower burner damp-heat
下焦濕熱尿血 {xia4 jiao1 shi1 re4 niao4 xue4}, lower burner damp-heat bloody urine
下焦濕熱痛腫 {xia4 jiao1 shi1 re4 tong4 zhong3}, lower burner damp-heat pain and swelling
下焦濕熱證 {xia4 jiao1 shi1 re4 zheng4}, lower burner damp-heat pattern
下焦濕腫 {xia4 jiao1 shi1 zhong3}, lower burner damp swelling
下焦濕腫及痛 {xia4 jiao1 shi1 zhong3 ji2 tong4}, lower burner damp swelling and pain
下焦水寒 {xia4 jiao1 shui3 han2}, lower burner water-cold
下焦虛寒 {xia4 jiao1 xu1 han2}, lower burner vacuity cold
下焦虛竭 {xia4 jiao1 xu1 jie2}, lower burner exhaustion
下焦虛冷 {xia4 jiao1 xu1 leng3}, lower burner vacuity cold
下焦虛熱 {xia4 jiao1 xu1 re4}, lower burner vacuity heat
下焦蓄風熱毒 {xia4 jiao1 xu4 feng1 re4 du2}, lower burner wind-heat toxin amassment
下焦陽虛 {xia4 jiao1 yang2 xu1}, lower burner yang2 vacuity
下焦有熱 {xia4 jiao1 you3 re4}, heat in the lower burner
下焦主出 {xia4 jiao1 zhu3 chu1}, lower burner governs exit
下焦俞 {xia4 jiao4 shu1}, 腧穴正名 Lower Burner Transport
下睛明 {xia4 jing1 ming2}, 腧穴正名 Lower Bright Eyes
下竟 {xia4 jing4}, running down
下巨虛 {xia4 ju4 xu1}, 腧穴正名 ST-39 (Lower Great Hollow)
下厥上冒 {xia4 jue2 shang4 mao4}, lower body reversal with upper body veiling
下昆侖 {xia4 kun1 lun2}, 腧穴正名 Lower Kunlun Mountains (Lower Kunlun Mountains); 腧穴異名 BL-60
下利 {xia4 li4}, diarrhea; diarrhea and dysentery
下痢 {xia4 li4}, dysentery; dysentery

下利便膿血 {xia4 li4 bian4 nong2 xue4}, diarrhea with pus and blood
下利不止 {xia4 li4 bu4 zhi3}, incessant diarrhea
下痢不止 {xia4 li4 bu4 zhi3}, incessant dysentery
下痢口渴 {xia4 li4 kou3 ke3}, dysentery with thirst
下痢膿血 {xia4 li4 nong2 xue4}, dysentery with pus and blood
下痢膿血不止 {xia4 li4 nong2 xue4 bu4 zhi3}, dysentery with incessant pus and blood
下痢膿血後重 {xia4 li4 nong2 xue4 後 zhong4}, dysentery with pus and blood rectal heaviness (tenesmus)
下利清谷 {xia4 li4 qing1 gu3}, clear-food diarrhea
下利清谷不化 {xia4 li4 qing1 gu3 bu4 hua4}, diarrhea with untransformed food in the stool
下利清血 {xia4 li4 qing1 xue4}, diarrhea with clear blood
下痢脫肛 {xia4 li4 tuo1 gang1}, dysentery with prolapse of the rectum
下利鮮血 {xia4 li4 xian1 xue4}, diarrhea with bright-red blood
下痢虛寒 {xia4 li4 xu1 han2}, dysentery vacuity cold
下廉 {xia4 lian2}, 腧穴正名 LI-8 (Lower Ridge) (Lower Ridge); 腧穴異名 ST-39
下&&91C3.9ACE|{xia4 liao2}, 腧穴正名 BL-34 (Lower Bone-Hole)
下陵 {xia4 ling2}, 腧穴異名 ST-36 (Lower Mound)
下陵三里 {xia4 ling2 san1 li3}, 腧穴異名 ST-36 (Lower Mound Three Li3)
下聾 {xia4 long2}, 腧穴正名 Lower Deafness
下馬仙 {xia4 ma3 xian1}, 中藥異名 euphorbia/knoxia (Euphorbiae seu Knoxiae Radix)
下逆氣 {xia4 ni4 qi4}, precipitate counterflow qi4
下膿 {xia4 nong2}, desent of pus
下品 {xia4 pin3}, low grade
下迫 {xia4 po4}, lower body distress
下氣 {xia4 qi4}, precipitate qi4; flatulence; lower body qi4
下氣海 {xia4 qi4 hai3}, 腧穴異名 CV-6 (Lower Sea of Qi4) (Lower Sea of Qi4); 腧穴異名 ST-36
下氣平喘 {xia4 qi4 ping2 chuan3}, precipitate qi4 and calm panting
下氣消脹 {xia4 qi4 xiao1 zhang4}, precipitate qi4 and disperse distention
下竅 {xia4 qiao4}, lower orifices (the anal and genital orifices)
下泉 {xia4 quan2}, urine
下熱毒 {xia4 re4 du2}, precipitate heat toxin
下乳 {xia4 ru3}, promote lactation
下乳天漿飲 {xia4 ru3 tian1 jiang1 yin3}, 方名 Celestial Fluid Lactation-Promoting Beverage
下乳汁 {xia4 ru3 zhi1}, promote lactation
下三里 {xia4 san1 li3}, 腧穴異名 SP-6 (Lower Three Li3) (Lower Three Li3); 腧穴異名 ST-36
下身癬 {xia4 shen1 xian3}, lichen of the lower body

下石疽 {xia4 shi2 ju1}, lower body stone flat-abscess
下矢狀竇 {xia4 shi3 zhuang4 dou4}, 西醫 inferior sagittal sinus
下損及上 {xia4 sun3 ji2 shang4}, detriment to the lower body affecting the upper body
下胎 {xia4 tai1}, abort the fetus
下體癬瘡 {xia4 ti3 xian3 chuang1}, lichen and sores of the lower body
下田菊 {xia4 tian2 ju2}, 中藥異名 adenostemma (Adenostemmatis Herba)
下脘 {xia4 wan3}, 腧穴正名 CV-10 (Lower Stomach Duct); lower stomach duct
下胃腸熱結 {xia4 wei4 chang2 re4 jie2}, precipitate gastrointestinal heat bind
下溫溜 {xia4 wen1 liu1}, 腧穴正名 Lower Warm Flow
下午 {xia4 wu3}, afternoon
下午潮熱 {xia4 wu3 chao2 re4}, postmeridian tidal heat [effusion] (fever)
下午低熱 {xia4 wu3 di1 re4}, 西醫 low-grade fever
下五里 {xia4 wu3 li3}, 腧穴異名 Lower Five Li
下午顴紅 {xia4 wu3 quan2 hong2}, postmeridian reddening of the cheeks
下午身熱 {xia4 wu3 shen1 re4}, postmeridian generalized heat [effusion]
下俠白 {xia4 xia2 bai2}, 腧穴正名 Lower Standing by White
下陷 {xia4 xian4}, fall; downward fall
下消 {xia4 xiao1}, lower dispersion; lower burner dispersion-thirst
下消化道出血 {xia4 xiao1 hua4 dao4 chu1 xue4}, 西醫 hemorrhage of lower gastrointestinal tract
下新識 {xia4 xin1 shi4}, 腧穴正名 Lower New Knowledge
下行血海 {xia4 xing2 xue4 hai3}, descend to the sea of blood
下虛三里 {xia4 xu1 san1 li3}, 腧穴異名 ST-36 (Lower Hollow Three Li3)
下血 {xia4 xue4}, descent of blood; precipitation of blood
下血崩中 {xia4 xue4 beng1 zhong1}, descent of blood and flooding
下血不絕 {xia4 xue4 bu4 jue2}, incessant descent of blood
下血不止 {xia4 xue4 bu4 zhi3}, incessant descent of blood
下血成痔 {xia4 xue4 cheng2 zhi4}, descent of blood giving rise to heart pain
下血過多 {xia4 xue4 guo4 duo1}, excessive descent of blood
下血連年 {xia4 xue4 lian2 nian2}, descent of blood for years
下血頻痛 {xia4 xue4 pin2 tong4}, descent of blood with frequent pain
下血疼痛滿急 {xia4 xue4 teng2 tong4 man3 ji2}, descent of blood with pain, fullness, and urgency
下血脫肛 {xia4 xue4 tuo1 gang1}, descent of blood with prolapse of the rectum
下血心痛 {xia4 xue4 xin1 tong4}, descent of blood with heart pain
下血虛寒 {xia4 xue4 xu1 han2}, vacuity due to descent of blood
下血血崩 {xia4 xue4 xue4 beng1}, descent of blood and blood flooding
下血痔痢 {xia4 xue4 zhi4 li4}, descent of blood with hemorroids and dysentery

下血後虛 {xia4 xue4 後 xu1}, vacuity after descent of blood
下牙床 {xia4 ya2 chuang2}, lower tooth bed; mandible
下啞門 {xia4 ya3 men2}, 腧穴正名 Lower Mute's Gate
下陰 {xia4 yin1}, lower yin1; genitals
下陰別 {xia4 yin1 bie2}, 腧穴異名 CV-1 (Lower Yin1 Divergence)
下瘀血湯 {xia4 yu1 xue4 tang1}, 方名 Stasis-Precipitating Decoction
下元 {xia4 yuan2}, lower origin (kidney, esp. kidney yang2 and kidney qi4)
下元不固 {xia4 yuan2 bu4 gu4}, insecurity of the lower origin
下元久冷 {xia4 yuan2 jiu3 leng3}, enduring cold of the lower origin
下元虧損 {xia4 yuan2 kui1 sun3}, depletion of the lower origin
下元虛敗 {xia4 yuan2 xu1 bai4}, vanquished lower origin
下元虛憊 {xia4 yuan2 xu1 bei4}, exhaustion of the lower origin
下元虛寒 {xia4 yuan2 xu1 han2}, vacuity cold of the lower origin
下元虛寒證 {xia4 yuan2 xu1 han2 zheng4}, pattern of vacuity cold of the lower origin
下元虛冷 {xia4 yuan2 xu1 leng3}, vacuity cold of the lower origin
下者舉之 {xia4 zhe3 ju3 zhi1}, fall is treated by raising
下肢 {xia4 zhi1}, leg; lower limb; lower extremity; lower limb
下肢覺熱 {xia4 zhi1 jue2 re4}, heat sensation in the lower extremities
下肢流火 {xia4 zhi1 liu2 huo3}, lower limb fire flow
下肢青筋突起 {xia4 zhi1 qing1 jin1 tu1 qi3}, prominent [green-blue] veins on the lower limbs
下之三里 {xia4 zhi1 san1 li3}, 腧穴異名 SP-6 (Lower Three Li3)
下肢生疽 {xia4 zhi1 sheng1 ju1}, flat-abscess of the leg
下肢痿弱 {xia4 zhi1 wei3 ruo4}, weak wilting lower limbs
下中極 {xia4 zhong1 ji2}, 腧穴正名 Lower Central Pole; 腧穴正名 Below Central Pole
下重 {xia4 zhong4}, lower-body heaviness
下注 {xia4 zhu4}, downpour
下注瘡 {xia4 zhu4 chuang1}, downpour sore
下椎 {xia4 zhui1}, 腧穴正名 Below the Vertebra
下後微喘 {xia4 後 wei1 chuan3}, slight panting after descent of blood

【夏】 {xia4} [Freq. 3] summer (season associated with fire); Xia4 (approx. 21st cent. B.C.--16th cent. B.C.).
夏草冬蟲 {xia4 cao3 dong1 chong2}, 中藥異名 cordyceps (Cordyceps)
夏豆 {xia4 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)
夏鉤 {xia4 gou1}, hook pulse of summer
夏瓜 {xia4 gua1}, 中藥異名 watermelon (Citrulli Fructus)
夏洪 {xia4 hong2}, surging in summer (pulse)
夏季熱 {xia4 ji4 re4}, heat in summer

夏枯草膏 {xia4 ku1 cao3 gao1}, 方名 Prunella Paste
夏枯草露 {xia4 ku1 cao3 lu4}, 中藥正名 prunella distillate (Prunellae Herbae Distillatum)
夏枯草湯 {xia4 ku1 cao3 tang1}, 方名 Prunella Decoction; Prunella Decoction
夏枯草 {xia4 ku1 cao3, 中藥正名 prunella (Prunellae Spica)
夏蠟梅 {xia4 la4 mei2}, 中藥正名 sinocalycanthus (Sinocalycanthi Flos et Radix)
夏乳根 {xia4 ru3 gen1}, 中藥異名 stalactite (Stalactitum)
夏石 {xia4 shi2}, 中藥異名 stalactite (Stalactitum)
夏菘 {xia4 song1}, 中藥異名 pakchoi (Brassicae Chinensis Herba)
夏天無 {xia4 tian1 wu2}, 中藥正名 bending corydalis (Corydalis Decumbentis Rhizoma)
夏痿 {xia4 wei3}, summer wilting
夏應中矩 {xia4 ying4 zhong4 ju3}, [in] summer [the pulse] responds like a square
夏至 {xia4 zhi4}, Summer Solstice (10th solar term)
夏至草 {xia4 zhi4 cao3}, 中藥正名 lagopsis (Lagopsis Herba)
夏注 {xia4 zhu4}, summer influx
夏疰 {xia4 zhu4}, summer infixation

【罅】 {xia4} [Freq. 3] depression.
罅陷 {xia4 xian4}, depression (an indentation)

~~ {xian1} ~~
【仙】 {xian1} [Freq. 3] immortal.
仙半夏 {xian1 ban1 xia4}, 中藥正名 pinellia preparation (Pinelliae Praeparatio)
仙草 {xian1 cao3}, 中藥正名 jellywort (Mesonae Herba)
仙豆 {xian1 dou4}, 中藥異名 broad bean (Viciae Fabae Semen)
仙方活命飲 {xian1 fang1 huo2 ming4 yin3}, 方名 Immortal Formula Life-Giving Beverage
仙鶴草 {xian1 he4 cao3}, 中藥正名 agrimony (Agrimoniae Herba)
仙鶴草根芽 {xian1 he4 cao3 gen1 ya2}, 中藥正名 agrimony root sprout (Agrimoniae Rhizoma Pullulatum)
仙靈脾 {xian1 ling2 pi2}, 中藥異名 epimedium (Epimedii Herba)
仙靈脾散 {xian1 ling2 pi2 san3}, 方名 Epimedium Powder
仙靈脾丸 {xian1 ling2 pi2 wan2}, 方名 Epimedium Pill
仙茅 {xian1 mao2}, 中藥正名 curculigo (Curculiginis Rhizoma)
仙茅參 {xian1 mao2 shen1}, 中藥正名 white-stemmed scorzonera root (Scorzonerae Albicaulis Radix)
仙人草 {xian1 ren2 cao3}, 中藥異名 jellywort (Mesonae Herba)
仙人凍 {xian1 ren2 dong4}, 中藥異名 jellywort (Mesonae Herba)
仙人球 {xian1 ren2 qiu2}, 中藥正名 echinopsis (Echinopsis Caulis)

仙人掌 {xian1 ren2 zhang3}, 中藥正名 prickly pear cactus (Opuntiae Radix et Caulis)
仙人杖 {xian1 ren2 zhang4}, 中藥正名 young bamboo stalk (Bambusae Caulis Parvus*)
仙人粥 {xian1 ren2 zhou1}, 方名 Immortality Gruel
仙遺糧 {xian1 yi2 liang2}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
仙掌子 {xian1 zhang3 zi3}, 中藥正名 prickly pear fruit (Opuntiae Fructus)
仙朮 {xian1 zhu2}, 中藥異名 atractylodes (Atractylodis Rhizoma)

【先】 {xian1} [Freq. 3] first; earlier.
先表后里 {xian1 biao3 hou4 li3}, treat the exterior before the interior
先别陰陽 {xian1 bie2 yin1 yang2}, first identify yin1 and yang2
先補后攻 {xian1 bu3 hou4 gong1}, first supplement, then attack; supplementation followed by attack
先補后瀉 {xian1 bu3 hou4 xie4}, supplementation followed by draining
先攻后補 {xian1 gong1 hou4 bu3}, first attack, then supplement; attack followed by supplementation
先煎 {xian1 jian1}, predecoction
先期湯 {xian1 qi1 tang1}, 方名 Premature Periods Decoction
先天 {xian1 tian1}, earlier heaven; congenital; congenital constitution
先天不足 {xian1 tian1 bu4 zu2}, insufficiency of earlier heaven
先天性的 {xian1 tian1 xing4 de}, 西醫 congenital
先天性耳前&&7618.763B‖管 {xian1 tian1 xing4 er3 qian2 lou4 guan3}, 西醫 congenital preariclar fistula
先天之本 {xian1 tian1 zhi1 ben3}, root of earlier heaven
先天之根 {xian1 tian1 zhi1 gen1}, root of earlier heaven
先天之火 {xian1 tian1 zhi1 huo3}, earlier heaven fire
先天之精 {xian1 tian1 zhi1 jing1}, earlier heaven essence
先天之氣 {xian1 tian1 zhi1 qi4}, qi4 of earlier heaven
先天之水 {xian1 tian1 zhi1 shui3}, water of earlier heaven
先硬后軟 {xian1 ying4 hou4 ruan3}, hard first, then soft (of stool)
先兆流產 {xian1 zhao4 liu2 chan3}, threatened miscarriage
先兆子癎 {xian1 zhao4 zi3 xian2}, threatened pregnancy epilepsy

【掀】 {xian1} [Freq. 4] lift.
掀衣 {xian1 yi1}, reject clothing

【鮮】 {xian1} [Freq. 3] fresh.
鮮艾葉 {xian1 ai4 ye4}, 中藥正名 fresh mugwort leaf (Artemisiae Argyi Folium Recens)
鮮荸薺汁 {xian1 bi2 qi2 zhi1}, 中藥正名 water chestnut juice (Heleocharitis Cormi Succus)

鮮扁豆花 {xian1 bian3 dou4 hua1}, 中藥正名 fresh lablab flower (Lablab Flos Recens)
鮮側柏葉 {xian1 ce4 bai3 ye4}, 中藥正名 fresh arborvitae leaf (Platycladi Folium Recens)
鮮車前葉 {xian1 che1 qian2 ye4}, 中藥異名 fresh plantago leaf (Plantaginis Folium Recens)
鮮蔥白 {xian1 cong1 bai2}, 中藥正名 fresh scallion white (Allii Fistulosi Bulbus Recens)
鮮淡竹葉 {xian1 dan4 zhu2 ye4}, 中藥正名 fresh bamboo leaf (1) (Lophatheri Folium Recens)
鮮地黃 {xian1 di4 huang2}, 中藥正名 fresh rehmannia (Rehmanniae Radix Recens)
鮮地龍 {xian1 di4 long2}, 中藥正名 live earthworm (Pheretima Viva*)
鮮鳳仙 {xian1 feng4 xian1}, 中藥正名 fresh garden balsam (Impatientis Balsaminae Herba Recens)
鮮浮萍 {xian1 fu2 ping2}, 中藥正名 fresh duckweed (Spirodelae Herba Recens)
鮮貫眾 {xian1 guan4 zhong4}, 中藥正名 fresh aspidium (Aspidii Rhizoma Recens)
鮮荷葉 {xian1 he2 ye4}, 中藥正名 fresh lotus leaf (Nelumbinis Folium Recens)
鮮黃蓮 {xian1 huang2 lian2}, 中藥正名 jeffersonia (Jeffersoniae Rhizoma)
鮮金銀花 {xian1 jin1 yin2 hua1}, 中藥正名 fresh lonicera (Lonicerae Flos Recens)
鮮韭菜汁 {xian1 jiu3 cai4 zhi1}, 中藥正名 fresh Chinese leek juice (Allii Tuberosi Folii Succus)
鮮萊菔 {xian1 lai2 fu2}, 中藥正名 fresh radish (Raphani Radix Recens)
鮮蘆根 {xian1 lu2 gen1}, 中藥正名 fresh phragmites (Phragmititis Rhizoma Recens)
鮮蘆根汁 {xian1 lu2 gen1 zhi1}, 中藥正名 fresh phragmites sap (Phragmititis Rhizomatis Recentis Succus)
鮮蘿蔔 {xian1 luo2 bo2}, 中藥異名 fresh radish (Raphani Radix Recens)
鮮茅根 {xian1 mao2 gen1}, 中藥正名 fresh imperata root (Imperatae Rhizoma Recens)
鮮茉莉花 {xian1 mo4 li4 hua1}, 中藥正名 fresh jasmine flower (Jasmini Flos Recens)
鮮藕 {xian1 ou3}, 中藥正名 fresh lotus root (Nelumbinis Rhizoma Recens)
鮮藕節汁 {xian1 ou3 jie2 zhi1}, 中藥正名 fresh lotus root node juice (Nelumbinis Rhizomatis Nodi Recentis Succus)
鮮藕汁 {xian1 ou3 zhi1}, 中藥正名 lotus root juice (Nelumbinis Rhizomatis Recentis Succus)
鮮生地 {xian1 sheng1 di4}, 中藥異名 fresh rehmannia (Rehmanniae Radix Recens)
鮮生地黃 {xian1 sheng1 di4 huang2}, 中藥異名 fresh rehmannia (Rehmanniae Radix Recens)
鮮生地汁 {xian1 sheng1 di4 zhi1}, 中藥正名 fresh rehmannia juice (Rehmanniae Radicis Recentis Succus)
鮮生薑汁 {xian1 sheng1 jiang1 zhi1}, 中藥異名 ginger juice (Zingiberis Rhizomatis Succus)
鮮石菖蒲 {xian1 shi2 chang1 pu3}, 中藥正名 fresh acorus (Acori Rhizoma Recens)
鮮石斛 {xian1 shi2 hu2}, 中藥正名 fresh dendrobium (Dendrobii Herba Recens)
鮮首烏 {xian1 shou3 wu1}, 中藥正名 fresh flowery knotweed (Polygoni Multiflori Radix Recens)
鮮絲瓜皮 {xian1 si1 gua1 pi2}, 中藥正名 fresh luffa gourd skin (Luffae Pericarpium Recens)
鮮羊肝 {xian1 yang2 gan1}, 中藥正名 fresh goat's liver (Caprae seu Ovis Iecur Recens)

鮮羊蹄根 {xian1 yang2 ti2 gen1}, 中藥正名 fresh dock root (Rumicis Radix Recens)
鮮銀花 {xian1 yin2 hua1}, 中藥異名 fresh lonicera (Lonicerae Flos Recens)

【纖】 {xian1} [Freq. 4] fibre.
纖維 {xian1 wei2}, 西醫 fiber
纖維顫動 {xian1 wei2 chan4 dong4}, 西醫 fibrillation
&&7C7C.79C8||米 {xian1 mi3}, 中藥正名 xianmi rice (Oryzae Xianmi Semen)

~~ {xian2} ~~
【&&75C3||】 {xian2} [Freq. 2] string (n.).
&&75C3||癖 {xian2 pi3}, strings and aggregations (kinds of abdominal masses)

【弦】 {xian2} [Freq. 2] stringlike (adj.) (弦脈 {xian2 mai4}, stringlike pulse).
弦脈 {xian2 mai4}, stringlike pulse

【咸】 {xian2} [Freq. 2] salty (adj.), saltiness (n.), salted (adj.) (鹹入腎 {xian2 ru4 shen4}, saltiness enters the kidney; 鹹附子{xian2 fu4 zi3}, {salted aconite}).
咸蓯蓉 {xian2 cong1 rong2}, 中藥異名 salted cistanche (Cistanches Herba Salsa)
咸大芸 {xian2 da4 yun2}, 中藥異名 salted cistanche (Cistanches Herba Salsa)
咸豐草 {xian2 feng1 cao3}, 中藥正名 small white-flowered beggar's-ticks (Bidentis Minoris Herba)
咸附子 {xian2 fu4 zi3}, 中藥正名 salted aconite (Aconiti Radix Lateralis Salsa)
咸橄欖核 {xian2 gan3 lan3 he2}, 中藥正名 salty Chinese olive pit (Canarii Albi Endocarpium et Semen Salsi)
咸寒增液 {xian2 han2 zeng1 ye4}, increase humor with cold and saltiness
咸入腎 {xian2 ru4 shen4}, saltiness enters the kidney
咸酸&&8503|{xian2 suan1 qiang2}, 中藥正名 embelia (Embeliae Ribis Radix)
咸味湧泄爲陰 {xian2 wei4 yong3 xie4 wei2 yin1}, salty, upwelling, and discharging [medicinals] are yin1

【涎】 {xian2} [Freq. 2] drool (n.) (涎爲脾液 {xian2 wei2 pi2 ye4}, drool is the humor of the spleen).
涎上昏危 {xian2 shang4 hun1 wei1}, rising drool and critical clouding
涎石病 {xian2 shi2 bing4}, 西醫 sialolithiasis; sialithiasis
涎水 {xian2 shui3}, drool
涎唾 {xian2 tuo4}, drool and spittle; drool-spittle
涎爲脾液 {xian2 wei2 pi2 ye4}, drool is the humor of the spleen

涎下 {xian2 xia4}, drooling

【銜】 {xian2} [Freq. 5] hold in the mouth; title

【賢】 {xian2} [Freq. 3] worthy.
鹹涼潤下 {xian2 liang2 run4 xia4}, moist precipitation with saltiness and coolness

【癇】 {xian2} [Freq. 2] epilepsy (n.).
癇病 {xian2 bing4}, epilepsy
癇病夜發 {xian2 bing4 ye4 fa1}, nocturnal epilepsy
癇氣 {xian2 qi4}, epileptic qi4
癇證 {xian2 zheng4}, epilepsy pattern

~~ {xian3} ~~
【蜆】 {xian3} [Freq. 4] corbicula.
蜆殼 {xian3 qiao4 (ke2)}, 中藥正名 corbicula shell (Corbiculae Concha)
蜆肉 {xian3 rou4}, 中藥正名 corbicula (Corbiculae Caro)
蜆肉海棠 {xian3 rou4 hai3 tang2}, 中藥正名 ever-flowering begonia [flower and leaf] (Begoniae Semperflorentis Flos et Folium)

【癬】 {xian3} [Freq. 2] lichen (n.) (松皮癬 {song1 pi2 xian3}, pine bark lichen};圓癬{yuan2 xian3}, coin lichen; 牛皮癬 {niu2 pi2 xian3}, oxhide lichen).
癬 {xian3}, 西醫 tinea
癬草 {xian3 cao3}, 中藥異名 rhinacanthus (Rhinacanthi Ramulus et Folium)
癬藥 {xian3 yao4}, 中藥異名 Madaio dock root (Rumicis Madaio Radix)
癬藥草 {xian3 yao4 cao4}, 中藥異名 Faber's bauhinia (Bauhiniae Faberi Ramulus seu Radix) (Euphorbiae Hirtae Herba (cum Radice)); 中藥異名 hoary spurge
癬藥水 {xian3 yao4 shui3}, 方名 Lichen Medicinal Water

【顯】 {xian3} [Freq. 4] conspicuous.
顯子草 {xian3 zi3 cao3}, 中藥正名 phaenosperma (Phaenospermae Herba)

~~ {xian4} ~~
【現】 {xian4} [Freq. 4] present.
現病史 {xian4 bing4 shi3}, 西醫 history of present disease
現代醫學 {xian4 dai4 yi1 xue2}, modern medicine

【莧】 {xian4} [Freq. 4] amaranth.
莧 {xian4}, 中藥正名 amaranth (Amaranthi Caulis et Folium)
莧菜 {xian4 cai4}, 中藥異名 amaranth (Amaranthi Caulis et Folium)
莧根 {xian4 gen1}, 中藥正名 amaranth root (Amaranthi Radix)
莧實 {xian4 shi2}, 中藥正名 amaranth seed (Amaranthi Semen)

【陷】 {xian4} [Freq. 2] fall (v.), (n.) (中氣下陷 {zhong1 qi4 xia4 xian4}, center qi4 fall; 邪氣內陷 {xie2 qi4 nei4 xian4}, inward fall of evil qi4).
陷而不起 {xian4 er2 bu4 qi3}, pits without springing back (of water swelling)
陷谷 {xian4 gu3}, 腧穴正名 ST-43 (Sunken Valley)
陷證 {xian4 zheng4}, fall pattern

【腺】 {xian4} [Freq. 4] gland.
腺樣增殖體 {xian4 yang4 zeng1 zhi2 ti3}, 西醫 adenoids

【線】 {xian4} [Freq. 4] cord.
線麻子花 {xian4 ma2 zi3 hua1}, 中藥異名 agrimony (Agrimoniae Herba)
線葉金雞菊 {xian4 ye4 jin1 ji1 ju2}, 中藥正名 coreopsis leaf (Coreopsidis Folium)

【霰】 {xian4} [Freq. 4] graupel; soft hail.
霰粒腫 {xian4 li4 zhong3}, 西醫 chalazion

【&&7C7C.79C8||】 {xian4} [Freq. 4] kind of rice

~~ {xiang1} ~~
【相】 {xiang1} [Freq. 4] each other; mutually.
相搏 {xiang1 bo2}, contend; contention
相乘 {xiang1 cheng2}, overwhelming (five phases)
相反 {xiang1 fan3}, clashing (7 relations; e.g., aconite main tuber clashes (i.e., produces side effects when used) with pinellia)
相反相成 {xiang1 fan3 xiang1 cheng2}, opposite and complementary
相傅之官 {xiang1 fu4 zhi1 guan1}, office of assistant (the lung)
相互絡屬 {xiang1 hu4 luo4 shu3}, inter-netting and inter-homing
相互爲用 {xiang1 hu4 wei2 yong4}, mutually serving
相互影響 {xiang1 hu4 ying3 xiang3}, mutually conducive
相兼 {xiang1 jian1}, combination

相兼脈 {xiang1 jian1 mai4}, concurrent pulse
相兼脈象 {xiang1 jian1 mai4 xiang4}, combined pulses
相克 {xiang1 ke4}, restraining (five phases)
相殺 {xiang1 sha1}, killing (7 relations; e.g., mung bean kills croton, i.e., eliminates its side effects)
相生 {xiang1 sheng1}, engendering (five phases)
相使 {xiang1 shi3}, empowering (7 relations; e.g., apricot kernel empowers tussilago, i.e., makes it more powerful)
相思藤 {xiang1 si1 teng2}, 中藥正名 Chinese rosary pea stem and leaf (Abri Precatorii Caulis et Folium)
相思子 {xiang1 si1 zi3}, 中藥正名 rosary pea (Abri Precatorii Semen)
相思子根 {xiang1 si1 zi3 gen1}, 中藥正名 rosary pea root (Abri Precatorii Radix)
相畏 {xiang1 wei4}, fearing (7 relations; e.g., pinellia fears fresh ginger, i.e., its toxicity is counteracted by it)
相侮 {xiang1 wu3}, rebellion (five phases)
相惡 {xiang1 wu4}, aversion (7 relations; e.g., scutellaria is averse (i.e., depotentiated) by fresh ginger)
相須 {xiang1 xu1}, mutual need (7 relations; e.g., phellodendron and coptis need (i.e., accentuate) each other's action)
相應 {xiang1 ying4}, correspond; correspondence
相爭 {xiang1 zheng1}, struggle

【香】 {xiang1} [Freq. 2] fragrant (adj.), fragrance (n.) (不知香臭{bu4 zhi1 xiang1 chou4}, inability to sense {fragrance or fetor} (loss of smell)); aromatic (adj.), aroma (n.) (芳香開竅 {fang1 xiang1 kai1 qiao4}, to open the orifices with aroma).
香白薇 {xiang1 bai2 wei1}, 中藥異名 black swallowwort (Cynanchi Atrati Radix)
香白芷 {xiang1 bai2 zhi3}, 中藥異名 Dahurian angelica (Angelicae Dahuricae Radix)
香貝養營湯 {xiang1 bei4 yang3 ying2 tang1}, 方名 Cyperus and Fritillaria Construction-Nourishing Decoction
香菜 {xiang1 cai4}, 中藥異名 coriander (Coriandri Herba cum Radice)
香菜頭 {xiang1 cai4 tou2}, 中藥異名 toona shoots (Toonae Surculus)
香茶菜 {xiang1 cha2 cai4}, 中藥異名 common rabdosia (Rabdosiae Amethystoidis Herba)
香豉 {xiang1 chi3}, 中藥異名 fermented soybean (2) (Sojae Semen Fermentatum)
香椿 {xiang1 chun1}, 中藥正名 toona shoots (Toonae Surculus)
香椿頭 {xiang1 chun1 tou2}, 中藥異名 toona shoots (Toonae Surculus)
香椿子 {xiang1 chun1 zi3}, 中藥正名 toona fruit (Toonae Fructus)
香榧草 {xiang1 fei3 cao3}, 中藥正名 delicate eragrostis (Eragrostis Tenellae Herba)
香附 {xiang1 fu4}, 中藥異名 cyperus (Cyperi Rhizoma)

香附米 {xiang1 fu4 mi3}, 中藥異名 cyperus (Cyperi Rhizoma)
香附旋覆花湯 {xiang1 fu4 xuan1 fu4 hua1 tang1}, 方名 Cyperus and Inula Decoction
香附子 {xiang1 fu4 zi3, 中藥正名 cyperus (Cyperi Rhizoma)
香港腳 {xiang1 gang3 jiao3}, Hongkong foot
香根芹 {xiang1 gen1 qin2}, 中藥正名 osmorhiza (Osmorhizae Radix)
香構 {xiang1 gou4}, 中藥正名 small-flowered wikstroemia [bark and root] (Wikstroemiae Micranthae Cortex Caulis et Radix)
香瓜 {xiang1 gua1}, 中藥異名 melon (Melonis Fructus)
香果 {xiang1 guo3}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)
香花菜 {xiang1 hua1 cai4}, 中藥正名 spearmint (Menthae Spicatae Herba)
香槐 {xiang1 huai2}, 中藥正名 cladrastis (Cladrastis Radix et Fructus)
香薺 {xiang1 ji4}, 中藥異名 shepherd's purse (Capsellae Bursa-Pastoris Herba)
香加皮 {xiang1 jia1 pi2}, 中藥正名 periploca (Periplocae Cortex)
香蕉 {xiang1 jiao1}, 中藥正名 banana (Musae Paradisiacae Fructus)
香膠木 {xiang1 jiao1 mu4}, 中藥正名 pilose actinodaphe (Actinodaphnes Pilosae Cortex seu Folium)
香菊 {xiang1 ju2}, 中藥正名 crossostephium leaf (Crossostephii Folium)
香荖 {xiang1 lao3}, 中藥異名 betel pepper (Piperis Betle Fructus)
香稜丸 {xiang1 leng2 wan2}, 方名 Cyperus and Sparganium Pill
香荔枝 {xiang1 li4 zhi1}, 中藥正名 custard apple (Annonae Fructus)
香連化滯丸 {xiang1 lian2 hua4 zhi4 wan2}, 方名 Costusroot and Coptis Stagnation-Transforming Pill
香連丸 {xiang1 lian2 wan2}, 方名 Costusroot and Coptis Pill
香連豬肚丸 {xiang1 lian2 zhu1 du3 wan2}, 方名 Costusroot and Coptis Pig's Stomach Pill
香欒 {xiang1 luan2}, 中藥異名 citron (Citri Fructus)
香茅 {xiang1 mao2}, 中藥正名 lemongrass (Cymbopogonis Citrati Herba)
香茅根 {xiang1 mao2 gen1}, 中藥正名 lemongrass root (Cymbopogonis Citrati Radix)
香墨 {xiang1 mo4}, 中藥異名 ink (Atramentum)
香犀角 {xiang1 niu2 jiao3}, 中藥異名 rhinoceros horn (Rhinocerotis Cornu)
香朴丸 {xiang1 po4 wan2}, 方名 Costusroot and Officinal Magnolia Bark Pill
香蒲 {xiang1 pu2}, 中藥正名 typha (Typhae Herba)
香芹 {xiang1 qin2}, 中藥異名 wild celery (Apii (Agrestris) Herba)
香芹菜 {xiang1 qin2 cai4}, 中藥正名 parsely (Petroselini Caulis et Folium)
香戎 {xiang1 rong2}, 中藥異名 mosla (Moslae Herba)
香茸 {xiang1 rong2}, 中藥異名 mosla (Moslae Herba)
香茸丸 {xiang1 rong2 wan2}, 方名 Musk and Velvet Deerhorn Pill
香柔 {xiang1 rou2}, 中藥異名 mosla (Moslae Herba)
香茹 {xiang1 ru2}, 中藥正名 glossogyne (Glossogynes Herba)

香薷 {xiang1 ru2}, 中藥正名 mosla (Moslae Herba)
香薷草 {xiang1 ru2 cao3}, 中藥異名 mosla (Moslae Herba)
香薷散 {xiang1 ru2 san3}, 方名 Mosla Powder
香薷湯 {xiang1 ru2 tang1}, 方名 Mosla Decoction
香薷飲 {xiang1 ru2 yin3}, 方名 Mosla Beverage
香砂二陳湯 {xiang1 sha1 er4 chen2 tang1}, 方名 Costusroot and Amomum Two Matured Ingredients Decoction
香砂六君子湯 {xiang1 sha1 liu4 jun1 zi3 tang1}, 方名 Costusroot and Amomum Six Gentlemen Decoction
香砂六君子丸 {xiang1 sha1 liu4 jun1 zi3 wan2}, 方名 Costusroot and Amomum Six Gentlemen Pill
香砂平胃散 {xiang1 sha1 ping2 wei4 san3}, 方名 Costusroot and Amomum Stomach-Calming Powder
香砂平胃丸 {xiang1 sha1 ping2 wei4 wan2}, 方名 Costusroot and Amomum Stomach-Calming Pill
香砂養胃湯 {xiang1 sha1 yang3 wei4 tang1}, 方名 Costusroot and Amomum Stomach-Nourishing Decoction
香砂枳朮丸 {xiang1 sha1 zhi3 zhu2 wan2}, 方名 Costusroot, Amomum, Unripe Bitter Orange, and White Atractylodes Pill
香麝子 {xiang1 she4 zi3}, 中藥異名 musk (Moschus)
香水塔花 {xiang1 shui3 ta3 hua1}, 中藥正名 pyramydal billbergia leaf (Billbergiae Pyramidalis Folium)
香松 {xiang1 song1}, 中藥異名 nardostachys (Nardostachydis Radix et Rhizoma)
香蘇 {xiang1 su1}, 中藥異名 Chinese fieldnettle (Stachydis Baicalensis Herba)
香蘇散 {xiang1 su1 san3}, 方名 Cyperus and Perilla Powder
香荽 {xiang1 sui1}, 中藥異名 coriander (Coriandri Herba cum Radice)
香犀角 {xiang1 xi1 jiao3}, 中藥異名 rhinoceros horn (Rhinocerotis Cornu)
香芎湯 {xiang1 xiong1 tang1}, 方名 Cyperus and Chuan1xiong1 Decoction
香蕈 {xiang1 xun4}, 中藥正名 lentinus (Lentinus)
香葉 {xiang1 ye4}, 中藥正名 strong-smelling pelargonium (Pelargonii Graveolentis Herba)
香葉樹 {xiang1 ye4 shu4}, 中藥正名 common lindera (Linderae Communis Cortex et Folium)
香葉子 {xiang1 ye4 zi3}, 中藥正名 fragrant lindera (Linderae Fragrantis Cortex seu Ramulus et Folium)
香油 {xiang1 you2}, 中藥異名 sesame oil (Sesami Oleum)
香芋 {xiang1 yu4}, 中藥正名 steudnera [ruber] (Steudnerae Tuber)
香圓 {xiang1 yuan2}, 中藥異名 citron (Citri Fructus)
香橼 {xiang1 yuan2}, 中藥正名 citron (Citri Fructus)
香橼根 {xiang1 yuan2 gen1}, 中藥正名 citron root (Citri Medicae Radix)

香橼露 {xiang1 yuan2 lu4}, 中藥正名 citron distillate (Citri Fructus Distillatus)
香橼葉 {xiang1 yuan2 ye4}, 中藥正名 citron leaf (Citri Medicae Folium)
香樟 {xiang1 zhang1}, 中藥正名 yellow camphor tree (Cinnamomi Parthenoxylonis Radix seu Caulis)
香樟根 {xiang1 zhang1 gen1}, 中藥正名 camphor root (Cinnamomi Camphorae Radix)
香樟果 {xiang1 zhang1 guo3}, 中藥正名 yellow camphor tree fruit (Cinnamomi Parthenoxylonis Fructus)
香樟葉 {xiang1 zhang1 ye4}, 中藥正名 yellow camphor tree leaf (Cinnamomi Parthenoxylonis Folium)
香枝 {xiang1 zhi1}, 中藥異名 patchouli (Pogostemonis Herba)
香子 {xiang1 zi3}, 中藥異名 fennel (Foeniculi Fructus)

~~ {xiang2} ~~
【翔】 {xiang2} [Freq. 4] circle about without flapping the wings (魚翔脈 {yu2 xiang2 mai4}, waving fish pulse)

~~ {xiang3} ~~
【響】 {xiang3} [Freq. 5] sound (v.).
響鈴草 {xiang3 ling2 cao3}, 中藥正名 rust-brown crotalaria (Crotalariae Ferrugineae Herba (cum Radice))
響聲破笛丸 {xiang3 sheng1 po4 di2 wan2}, 方名 Broken Flute Pill

~~ {xiang4} ~~
【向】 {xiang4} [Freq. 4] toward.
向里跪臥 {xiang4 li3 quan2 wo4}, curled-up lying posture
向農 {xiang4 nong2}, 腧穴異名 For Peasants
向日葵根 {xiang4 ri4 kui2 gen1}, 中藥正名 sunflower root (Helianthi Radix)
向日葵花 {xiang4 ri4 kui2 hua1}, 中藥正名 sunflower (Helianthi Flos)
向日葵花托 {xiang4 ri4 kui2 hua1 tuo1}, 中藥正名 sunflower receptacle (Helianthi Receptaculum)
向日葵莖髓 {xiang4 ri4 kui2 jing1 sui3}, 中藥正名 sunflower stem pith (Helianthi Medulla)
向日葵殼 {xiang4 ri4 kui2 qiao4 (ke2)}, 中藥正名 sunflower seed husk (Helianthi Testa)
向日葵葉 {xiang4 ri4 kui2 ye4}, 中藥正名 sunflower leaf (Helianthi Folium)
向日葵子 {xiang4 ri4 kui2 zi3}, 中藥正名 sunflower seed (Helianthi Semen)
向天蜈蚣 {xiang4 tian1 wu2 gong1}, 中藥正名 sesbania (Sesbaniae Radix et Folium)

向天盞 {xiang4 tian1 zhan3}, 中藥異名 lesser hypericum (Hyperici Japonici Herba)
向陽花 {xiang4 yang2 hua1}, 中藥正名 galinsoga flower (Galinsogae Flos)

【相】 {xiang4} [Freq. 2] minister (n.), ministerial (adj.) (相火{xiang4 huo3}, ministerial fire).
相火 {xiang4 huo3}, ministerial fire
相火上亢 {xiang4 huo3 shang4 kang4}, ascendant hyperactivity of the ministerial fire
相火妄動 {xiang4 huo3 wang4 dong4}, frenetic stirring of the ministerial fire
相火妄動證 {xiang4 huo3 wang4 dong4 zheng4}, pattern of frenetic stirring of the ministerial fire

【象】 {xiang4} [Freq. 2] sign (n.) (象 {re4 xiang4}, heat signs).
象貝 {xiang4 bei4}, 中藥異名 Zhe4jiang1 fritillaria (Fritillariae Thunbergii Bulbus)
象貝母 {xiang4 bei4 mu3}, 中藥異名 Zhe4jiang1 fritillaria (Fritillariae Thunbergii Bulbus)
象膽 {xiang4 dan3}, 中藥正名 elephant's gallbladder (Elephantis Vesica Fellea)
象骨 {xiang4 gu3}, 中藥正名 elephant's bone (Elephantis Os)
象皮 {xiang4 pi2}, 中藥正名 elephant's hide (Elephantis Corium)
象皮膏 {xiang4 pi2 gao1}, 方名 Elephant Hide Paste
象皮木 {xiang4 pi2 mu4}, 中藥正名 common alstonia (Alstoniae Scholaris Cortex seu Folium)
象肉 {xiang4 rou4}, 中藥正名 elephant's flesh (Elephantis Caro)
象形藥物療法 {xiang4 xiang4 yao4 wu4 lun4}, signature therapy
象牙 {xiang4 ya2}, 中藥正名 ivory (Elephantis Dens)
象牙屑 {xiang4 ya2 xie4}, 中藥正名 ivory flakes (Elephantis Dens in Frustra)

【項】 {xiang4} [Freq. 3] nape.
項背強急 {xiang4 bei4 jiang4 ji2}, stiffness of the nape and neck
項背強&&25C7||&&25C7|{xiang4 bei4 jiang4 shu1 shu1}, stretched stiffness of the nape and back
項背拘急 {xiang4 bei4 ju1 ji2}, hypertonicity of the nape and neck
項后生癰 {xiang4 hou4 sheng1 yong1}, welling-abscess of the nape
項強 {xiang4 jiang4}, stiff neck; stiff neck; 腧穴異名 Stiff Neck
項中疽 {xiang4 zhong1 ju1}, mid-nape flat-abscess

【橡】 {xiang4} [Freq. 4] oak.
橡木皮 {xiang4 mu4 pi2}, 中藥正名 oak bark (Quercus Acutissimae Cortex)
橡實 {xiang4 shi2}, 中藥正名 acorn (Quercus Acutissimae Fructus)
橡實殼 {xiang4 shi2 qiao4 (ke2)}, 中藥正名 oak cupule (Quercus Acutissimae Cupula)

~~ {xiao1} ~~

【消】 {xiao1} [Freq. 2] disperse (v.), dispersion (n.) (食導滯 {xiao1 shi2 dao3 zhi4}, disperse and abduct stagnation; 消痞{xiao1 pi3}, {disperse glomus}; 消瘀{xiao1 yu1}, {disperse} stagnation; 消渴{xiao1 ke3}, {dispsersion}-thirst).

消白飲 {xiao1 bai2 yin3}, 方名 Whiteness-Dispersing Beverage

消斑青黛飲 {xiao1 ban1 qing1 dai4 yin3}, 方名 Macule-Dispersing Indigo Beverage

消補兼施 {xiao1 bu3 jian1 shi1}, simultaneous dispersion and supplementation; disperse and supplement simultaneously

消瘡飲 {xiao1 chuang1 yin3}, 方名 Sore-Healing Beverage

消癉 {xiao1 dan4}, pure-heat dispersion-thirst

消導 {xiao1 dao3}, abductive dispersion

消導腸胃積滯 {xiao1 dao3 chang2 wei4 ji1 zhi4}, disperse and abduct gastrointestinal accumulation and stagnation

消導法 {xiao1 dao3 fa3}, abductive dispersion

消導化積 {xiao1 dao3 hua1 ji1}, abductive dispersion and transforming accumulations

消導藥 {xiao1 dao3 yao4}, abductive dispersing medicinal

消法 {xiao1 fa3}, dispersion

消風散 {xiao1 feng1 san3}, 方名 Wind-Dispersing Powder

消風養血湯 {xiao1 feng1 yang3 xue4 tang1}, 方名 Wind-Dispersing Blood-Nourishing Decoction

消腹脹 {xiao1 fu4 zhang4}, disperse abdominal distention

消疳 {xiao1 gan1}, disperse gan1

消疳積 {xiao1 gan1 ji1}, disperse gan1 accumulation

消谷 {xiao1 gu3}, disperse grain (food) (food); dispersion of grain (food); swift digestion

消谷善饑 {xiao1 gu3 shan4 ji1}, swift digestion with rapid hungering

消谷善食 {xiao1 gu3 shan4 shi2}, swift digestion with increased appetite

消谷喜饑 {xiao1 gu3 xi3 ji1}, swift digestion with rapid hungering

消化 {xiao1 hua4}, 西醫 digestion

消化不好 {xiao1 hua4 bu4 hao3}, 西醫 indigestion

消化不良 {xiao1 hua4 bu4 liang2}, indigestion; indigestion

消化道 {xiao1 hua4 dao4}, 西醫 alimentary canal; digestive tract

消化管 {xiao1 hua4 guan3}, 西醫 alimentary canal

消化系統 {xiao1 hua4 xi4 tong3}, 西醫 digestive system

消化性潰瘍 {xiao1 hua4 xing4 kui4 yang2}, 西醫 peptic ulcer; peptic ulcer

消化腫塊 {xiao1 hua4 zhong3 kuai4}, disperse swellings

消積 {xiao1 ji1}, disperse accumulations

消積化滯 {xiao1 ji1 hua4 zhi4}, disperse accumulations and transform stagnation

消積塊 {xiao1 ji1 kuai4}, disperse accumulation lumps

消積破氣 {xiao1 ji1 po4 qi4}, disperse accumulations and break qi4
消積殺蟲 {xiao1 ji1 sha1 chong2}, disperse accumulations and kill worms
消積滯 {xiao1 ji1 zhi4}, disperse accumulation and stagnation
消渴 {xiao1 ke3}, dispersion-thirst
消渴病 {xiao1 ke3 bing4}, dispersion-thirst disease
消渴煩熱 {xiao1 ke3 fan2 re4}, dispersion-thirst with vexation and heat
消渴方 {xiao1 ke3 fang1}, 方名 Wasting-Thirst Formula
消渴引飲 {xiao1 ke3 yin3 yin3}, dispersion thirst with intake of fluid
消渴證 {xiao1 ke3 zheng4}, dispersion-thirst as a sign
消塊 {xiao1 kuai4}, 腧穴正名 Lump Disperser
消瘰丸 {xiao1 luo3 wan2}, 方名 Scrofula-Dispersing Pill
消濼 {xiao1 luo4}, 腧穴正名 TB-12 (Dispersing Riverbed)
消目中赤脈 {xiao1 mu4 zhong1 chi4 mai4}, disperse red vessels in the eyes
消脾 {xiao1 pi2}, dispersion of the spleen (center dispersion)
消痞 {xiao1 pi3}, disperse glomus
消痞阿魏丸 {xiao1 pi3 e1 wei4 wan2}, 方名 Glomus-Dispersing Asafetida Pill
消痞化積 {xiao1 pi3 hua4 ji1}, disperse glomus and transform accumulations
消痞止痛 {xiao1 pi3 zhi3 tong4}, disperse glomus and relieve pain
消乳丸 {xiao1 ru3 wan2}, 方名 Milk-Dispersing Pill
消散積塊 {xiao1 san4 ji1 kuai4}, disperse accumulation lumps
消山虎 {xiao1 shan1 hu3}, 中藥異名 gray vernonia (Vernoniae Cinereae Herba)
消腎 {xiao1 shen4}, dispersion of the kidney (lower dispersion)
消石 {xiao1 shi2}, 中藥異名 niter (Nitrum)
消食 {xiao1 shi2}, disperse food (accumulations)
消食導滯 {xiao1 shi2 dao3 zhi4}, disperse food and abduct stagnation; abductive dispersion of food stagnation
消食化痰 {xiao1 shi2 hua4 tan2}, disperse food and transform phlegm
消食化滯 {xiao1 shi2 hua4 zhi4}, disperse food and transform stagnation
消石灰 {xiao1 shi2 hui1}, 中藥異名 slaked lime (Calx Exstincta)
消食解酒 {xiao1 shi2 jie3 jiu3}, disperse food and resolve liquor
消食理氣 {xiao1 shi2 li3 qi4}, disperse food and rectify qi4
消食下氣 {xiao1 shi2 xia4 qi4}, disperse food and precipitate qi4
消瘦 {xiao1 shou4}, emaciation
消瘦如柴 {xiao1 shou4 ru2 chai2}, thin as brushwood
消瘦神悴 {xiao1 shou4 shen2 cui4}, emaciation and haggard expression
消暑除濕 {xiao1 shu3 chu2 shi1}, disperse summerheat and eliminate dampness
消水 {xiao1 shui3}, disperse water swelling
消水腫 {xiao1 shui3 zhong3}, disperse water swelling

消爍 {xiao1 shuo4}, 腧穴異名 TB-12 (Dispersing Brilliance)
消痰 {xiao1 tan2}, disperse phlegm
消痰積 {xiao1 tan2 ji1}, disperse phlegm accumulations
消痰平喘 {xiao1 tan2 ping2 chuan3}, disperse phlegm and calm panting
消痰軟堅 {xiao1 tan2 ruan3 jian1}, disperse phlegm and soften hardness
消痰散結 {xiao1 tan2 san4 jie2}, disperse phlegm and dissipate binds
消痰行水 {xiao1 tan2 xing2 shui3}, disperse phlegm and move water
消痰止嗽 {xiao1 tan2 zhi3 sou4}, disperse phlegm and suppresses cough
消心 {xiao1 xin1}, dispersion of the heart (center wasting)
消炎解毒丸 {xiao1 yan2 jie3 du2}, 方名 Anti-Inflammatory Toxin-Resolving Pill
消翳障 {xiao1 yi1 zhang4}, disperse screens and obstructions
消癭瘰痰核 {xiao1 ying3 luo2 tan2 he2}, disperse goiter, scrofula, and phlegm nodes
消癭湯 {xiao1 ying3 tang1}, 方名 Goiter-Dispersing Decoction
消癰 {xiao1 yong1}, disperse welling-abscesses
消癰散結 {xiao1 yong1 san4 jie2}, disperse welling-abscesses and dissipate binds
消瘀 {xiao1 yu1}, disperse stasis
消瘀行血 {xiao1 yu1 xing2 xue4}, disperse stasis and move the blood
消瘀飲 {xiao1 yu1 yin3}, 方名 Stasis-Dispersing Beverage
消脹 {xiao1 zhang4}, disperse distention
消脹平喘 {xiao1 zhang4 ping2 chuan3}, disperse distension and calm panting
消脹醒脾 {xiao1 zhang4 xing3 pi2}, disperse distention and arouse the spleen
消癥 {xiao1 zheng1}, disperse concretions
消癥瘕積聚 {xiao1 zheng1 jia3 ji1 ju4}, disperse concretions, conglommerations, accumulations, and gatherings
消癥結 {xiao1 zheng1 jie2}, disperse concretions and binds
消滯 {xiao1 zhi4}, disperse stagnation
消痔丸 {xiao1 zhi4 wan2}, 方名 Hemorrhoid-Dispersing Pill
消痔飲 {xiao1 zhi4 yin3}, 方名 Hemorrhoid-Dispersing Beverage
消中 {xiao1 zhong1}, center dispersion (dispersion-thirst of the center)
消腫 {xiao1 zhong3}, disperse swelling
消腫定痛 {xiao1 zhong3 ding4 tong4}, disperse swelling and settle pain
消腫毒 {xiao1 zhong3 du2}, disperse swelling and toxin
消腫解毒 {xiao1 zhong3 jie3 du2}, disperse swelling and resolve toxin
消腫散結 {xiao1 zhong3 san4 jie2}, disperse swelling and dissipate binds
消腫生肌 {xiao1 zhong3 sheng1 ji1}, disperse swelling and engender flesh
消腫止痛 {xiao1 zhong3 zhi3 tong4}, disperse swelling and relieve pain

【逍】 {xiao1} [Freq. 4] wander freely (逍遙 {xiao1 yao2}).

逍遙樓貝散 {xiao1 yao2 lou2 bei4 san3}, 方名 Free Wanderer Trichosanthes and Fritillaria Powder
逍遙散 {xiao1 yao2 san3}, 方名 Free Wanderer Powder

【硝】 {xiao1} [Freq. 4] mineral name.
硝菔通結湯 {xiao1 fu2 tong1 jie2 tang1}, 方名 Mirabilite and Radish Seed Bind-Freeing Decoction
硝石 {xiao1 shi2}, 中藥正名 niter (Nitrum)
硝石礬石散 {xiao1 shi2 fan2 shi2 san3}, 方名 Niter and Alum Powder

【蛸】 {xiao1} [Freq. 5] mantis egg-case (螵蛸 {piao1 xiao1})

~~ {xiao3} ~~
【小】 {xiao3} [Freq. 1] small (adj.), smaller (adj.) (小脈 {xiao3 mai4}, small pulse; 小腹 {xiao3 fu4} smaller abdomen); minor (adj.) (小青龍湯 {xiao3 qing1 long2 tang1}, Minor Green-Blue Dragon Decoction).
小白菜 {xiao3 bai2 cai4}, 中藥正名 pakchoi (Brassicae Chinensis Herba)
小白花蛇 {xiao3 bai2 hua1 ji4}, 中藥正名 striga (Strigae Herba)
小白薇 {xiao3 bai2 wei1}, 中藥正名 Yun2nan2 tylophora (Tylophorae Yunnanensis Radix)
小百部 {xiao3 bai3 bu4}, 中藥正名 officinal asparagus (Asparagi Officinalis Tuber)
小敗火草 {xiao3 bai4 huo3 cao3}, 中藥正名 Java speedwell (Veronicae Javanicae Herba)
小半夏加茯苓湯 {xiao3 ban4 xia4 jia1 fu2 ling2 tang1}, 方名 Minor Pinellia Decoction Plus Poria
小半夏湯 {xiao3 ban4 xia4 tang1}, 方名 Minor Pinellia Decoction
小被單草 {xiao3 bei4 dan1 cao3}, 中藥正名 cucubalus (Cucubali Herba)
小扁豆 {xiao3 bian3 dou4}, 中藥正名 Simao crotalaria root (Crotalariae Szemoensis Radix)
小便 {xiao3 bian4}, urine (n.); urinary(adj.); urination; lesser convenience
小便閉 {xiao3 bian4 bi4}, urinary block
小便不出 {xiao3 bian4 bu4 chu1}, urinary stoppage
小便不禁 {xiao3 bian4 bu4 jin4}, urinary incontinence
小便不利 {xiao3 bian4 bu4 li4}, inhibited urination
小便不爽 {xiao3 bian4 bu4 shuang3}, ungratifying urination
小便不通 {xiao3 bian4 bu4 tong1}, urinary stoppage
小便赤短 {xiao3 bian4 chi4 duan3}, short voidings of reddish urine
小便赤澀 {xiao3 bian4 chi4 se4}, inhibited voidings of reddish urine; rough voidings of reddish urine
小便出糞 {xiao3 bian4 chu1 fen4}, stool in the urine

小便次數多 {xiao3 bian4 ci4 shu4 duo1}, frequent urination
小便短赤 {xiao3 bian4 duan3 chi4}, short voidings of reddish urine
小便短澀 {xiao3 bian4 duan3 se4}, short inhibited voidings of urine
小便短少 {xiao3 bian4 duan3 shao3}, short voidings of scant urine
小便過多 {xiao3 bian4 guo4 duo1}, scant urine
小便黃赤 {xiao3 bian4 huang2 chi4}, yellow or reddish urine
小便黃短 {xiao3 bian4 huang2 duan3}, short voidings of yellow urine
小便黃如茶汁 {xiao3 bian4 huang2 ru2 cha2 zhi1}, tea-colored yellow urine
小便混濁 {xiao3 bian4 hun2 zhuo2}, turbid urine
小便渾濁 {xiao3 bian4 hun2 zhuo2}, turbid urine
小便渾濁如膏 {xiao3 bian4 hun4 zhuo2 ru2 gao1}, turbid unctuous urine
小便夾精 {xiao3 bian4 jia1 jing1}, semen in the urine
小便緊急 {xiao3 bian4 jin3 ji2}, 西醫 urinary urgency
小便利多 {xiao3 bian4 li4 duo1}, uninhibited copious urine
小便利數 {xiao3 bian4 li4 shuo4}, frequent uninhibited urination
小便淋漓不禁 {xiao3 bian4 lin2 li2 bu4 jin4}, dribbling urinary incontinence
小便淋瀝 {xiao3 bian4 lin2 li4}, dribbling urination
小便難 {xiao3 bian4 nan2}, difficult urination
小便難而白 {xiao3 bian4 nan2 er2 bai2}, difficult voidings of white urine
小便頻繁 {xiao3 bian4 pin2 fan2}, 西醫 urinary frequency
小便頻數 {xiao3 bian4 pin2 shuo4}, frequent urination; urinary frequency
小便清長 {xiao3 bian4 qing1 chang2}, long voidings of clear urine
小便熱赤 {xiao3 bian4 re4 chi4}, hot reddish urine
小便熱痛 {xiao3 bian4 re4 tong4}, painful voidings of hot urine
小便澀 {xiao3 bian4 se4}, difficult urination
小便澀痛 {xiao3 bian4 se4 tong4}, difficult painful urination
小便失禁 {xiao3 bian4 shi1 jin4}, urinary incontinence
小便數 {xiao3 bian4 shuo4}, frequent urination; urinary frequency
小便疼痛 {xiao3 bian4 teng2 tong4}, painful urination
小便通利 {xiao3 bian4 tong1 li4}, uninhibited urination
小便挾精 {xiao3 bian4 xie2 jing1}, semen in the urine
小便遺瀝 {xiao3 bian4 yi2 li4}, dribble after voiding; post-voiding dribble
小便余瀝 {xiao3 bian4 yu2 li4}, dribble after voiding
小便自利 {xiao3 bian4 zi4 li4}, uninhibited urination
小便自調 {xiao3 bian4 zi4 tiao2}, regulated urine
小便淋赤刺痛 {xiao3 bing4 lin2 chi4 ci4 tong4}, dribbling urination with reddish urine and stinging pain
小檗 {xiao3 bo4}, 中藥正名 barberry (Berberidis Radix seu Caulis)

小腹空墜 {xiao3 bu4 kong1 zhui4}, empty sagging in the smaller abdomen
小草 {xiao3 cao3}, 中藥正名 polygala herb (Polygalae Caulis et Folium)
小草鳥 {xiao3 cao3 wu1}, 中藥正名 delphinium tuber (Delphinii Tuber)
小柴胡湯 {xiao3 chai2 hu2 tang1}, 方名 Minor Bupleurum Decoction
小柴胡湯加桔梗石膏 {xiao3 chai2 hu2 tang1 jia1 jie2 geng3 shi2 gao1}, 方名 Minor Bupleurum Decoction Plus Platycodon and Gypsum
小產 {xiao3 chan3}, abortion (after the fetus has formed) (after the fetus has formed); late miscarriage
小腸 {xiao3 chang2}, small intestine; SI; small intestine
小腸病 {xiao3 chang2 bing4}, small intestinal disease
小腸經 {xiao3 chang2 jing1}, small intestine channel
小腸咳 {xiao3 chang2 ke2}, small intestinal cough
小腸氣 {xiao3 chang2 qi4}, small intestinal qi4
小腸氣痛 {xiao3 chang2 qi4 tong4}, small intestinal qi4 pain
小腸氣滯 {xiao3 chang2 qi4 zhi4}, small intestinal qi4 stagnation
小腸疝 {xiao3 chang2 shan4}, small intestinal mounting
小腸疝氣 {xiao3 chang2 shan4 qi4}, small intestinal mounting qi4
小腸實熱 {xiao3 chang2 shi2 re4}, small intestinal repletion heat
小腸實熱證 {xiao3 chang2 shi2 re4 zheng4}, pattern of small intestinal repletion heat
小腸俞 {xiao3 chang2 shu1}, 腧穴正名 BL-27 (Small Intestine Transport)
小腸吸收不良 {xiao3 chang2 xi1 shou1 bu4 liang2}, 西醫 malabsorption
小腸下口 {xiao3 chang2 xia4 kou3}, lower opening of the small intestine
小腸虛寒 {xiao3 chang2 xu1 han2}, small intestinal vacuity cold
小腸虛冷 {xiao3 chang2 xu1 leng3}, small intestinal vacuity cold
小腸癰 {xiao3 chang2 yong1}, small intestinal welling-abscess
小腸有濕熱 {xiao3 chang2 you3 shi1 re4}, damp-heat in the small intestine
小腸者受盛之官也，化物出焉 {xiao3 chang2 zhe3 shou4 sheng4 zhi1 guan1 ye3 hua4 wu4 chu1 yan1}, small intestine holds the office of receiving plenitude;, it is responsible for transforming things
小腸主分別清濁 {xiao3 chang2 zhu3 fen1 bie2 qing1 zhuo2}, small intestine governs separation of the clear and turbid
小腸主受盛 {xiao3 chang2 zhu3 shou4 sheng4}, small intestine governs receiving plenitude
小腸主液 {xiao3 chang2 zhu3 ye4}, small intestine governs humor
小承氣湯 {xiao3 cheng2 qi4 tang1}, 方名 Minor Qi4-Infusing Decoction
小赤麻根 {xiao3 chi4 ma2 gen1}, 中藥正名 spicate boehmeria (Boehmeriae Spicatae Radix)
小刺瓜 {xiao3 ci4 gua1}, 中藥異名 gherkin (Cucumeris Anguriae Fructus)
小刀豆 {xiao3 dao1 dou4}, 中藥異名 lablab (Lablab Semen Album)
小地棕根 {xiao3 di4 zong1 gen1}, 中藥異名 curculigo (Curculiginis Rhizoma)

小豆 {xiao3 dou4}, 中藥正名 black gram (Phaseoli Mungo Semen)
小豆蔻 {xiao3 dou4 kou4}, 中藥正名 Indian cardamom (Elettariae Cardamomi Semen seu Fructus)
小獨蒜 {xiao3 du2 suan4}, 中藥異名 Chinese chive (Allii Macrostemonis Bulbus)
小惡雞婆 {xiao3 e4 ji1 po2}, 中藥異名 field thistle (Cirsii Herba)
小兒 {xiao3 er2}, child (up to about 10 years of age); infant; infantile
小兒閉證 {xiao3 er2 bi4 zheng4}, block pattern in children
小兒病源方論 {xiao3 er2 bing4 yuan2 fang1 lun4}, 書名 Children's Diseases: Remedies and Sources (1254 (Song4), Chen2 Wen2-Zhong1} 陳文中)
小兒重舌 {xiao3 er2 chong2 she2}, double tongue in children
小兒大便不通 {xiao3 er2 da4 bian4 bu4 tong1}, child constipation
小兒丹毒 {xiao3 er2 dan1 du2}, child cinnabar toxin
小兒丹痧 {xiao3 er2 dan1 sha1}, cinnabar sand in children
小兒低熱 {xiao3 er2 di1 re4}, 西醫 low fever in children
小兒鵝口 {xiao3 er2 e2 kou3}, goose mouth sore in children
小兒發黃 {xiao3 er2 fa1 huang2}, yellowing of the complexion in children
小兒發熱 {xiao3 er2 fa1 re4}, heat [effusion] (fever) in children
小兒風疹 {xiao3 er2 feng1 zhen3}, wind papules in children
小兒浮腫 {xiao3 er2 fu2 zhong3}, puffy swelling in children
小兒腹痛 {xiao3 er2 fu4 tong4}, abdominal pain in children
小兒腹瀉 {xiao3 er2 fu4 xie4}, diarrhea in children
小兒疳積 {xiao3 er2 gan1 ji1}, child gan1 accumulation
小兒疳疾 {xiao3 er2 gan1 ji2}, gan1 disease in children
小兒疳疾驚癇 {xiao3 er2 gan1 ji2 jing1 xian2}, gan1 disease and fright epilepsy in children
小兒疳氣攻眼 {xiao3 er2 gan1 qi4 gong1 yan3}, gan1 qi4 attacking the eyes in children
小兒疳眼 {xiao3 er2 gan1 yan3}, eye gan1 in children; child eye gan1
小兒感冒 {xiao3 er2 gan3 mao4}, common coldin children
小兒汗證 {xiao3 er2 han4 zheng4}, sweating pattern in children
小兒蛔蟲病 {xiao3 er2 hui2 chong2 bing4}, roundworm infestation in children
小兒蛔蟲症 {xiao3 er2 hui2 chong2 zheng4}, roundworm infestation in children
小兒回春丹 {xiao3 er2 hui2 chun1 dan1}, 方名 Children's Return-of-Spring Elixir
小兒積食 {xiao3 er2 ji1 shi2}, child food accumulation
小兒雞胸 {xiao3 er2 ji1 xiong1}, 腧穴正名 Child Chicken Breast
小兒雞胸龜背 {xiao3 er2 ji1 xiong1 gui1 bei4}, pigeon chest and turtle's back in children
小兒積滯 {xiao3 er2 ji1 zhi4}, accumulation and stagnation in children
小兒驚風 {xiao3 er2 jing1 feng1}, child fright wind
小兒驚厥 {xiao3 er2 jing1 jue2}, child fright reversal
小兒驚癇 {xiao3 er2 jing1 xian2}, child fright epilepsy

小兒厥證 {xiao3 er2 jue2 zheng4}, reversal pattern in children
小兒科疾病 {xiao3 er2 ke1 ji2 bing4}, children's diseases
小兒咳嗽 {xiao3 er2 ke2 sou4}, cough in children
小兒客忤 {xiao3 er2 ke4 wu3}, child visiting hostility
小兒口瘡 {xiao3 er2 kou3 chuang1}, mouth sores in children
小兒口腔糜爛 {xiao3 er2 kou3 qiang1 mi2 lan4}, erosion of the oral cavity in children
小兒痢疾 {xiao3 er2 li4 ji2}, child dysentery
小兒痲痺症 {xiao3 er2 ma2 bi4 zheng4}, 西醫 infantile paralysis
小兒痲疹 {xiao3 er2 ma2 zhen3}, measles in children
小兒木舌 {xiao3 er2 mu4 she2}, wooden tongue in children
小兒蟯蟲症 {xiao3 er2 nao2 chong2 zheng4}, pinworm infestation in children
小兒尿床 {xiao3 er2 niao4 chuang2}, child bedwetting
小兒牛癇 {xiao3 er2 niu2 xian2}, ox epilepsy in children
小兒瘧疾 {xiao3 er2 nue94 ji2}, malaria in children
小兒嘔吐 {xiao3 er2 ou3 tu4}, vomiting in children
小兒痞塊 {xiao3 er2 pi3 kuai4}, lump glomus in children
小兒臍風口噤 {xiao3 er2 qi2 feng1 kou3 jin4}, infantile umbilical wind clenched jaw
小兒青盲 {xiao3 er2 qing1 mang2}, clear-eye blindness in children
小兒乳蛾 {xiao3 er2 ru3 e2}, child nipple moth
小兒乳積 {xiao3 er2 ru3 ji1}, milk accumulation in infants
小兒乳食停滯 {xiao3 er2 ru3 shi2 ting2 zhi4}, stagnation of milk and food in infants
小兒痧疹不出 {xiao3 er2 sha1 zhen3 bu4 chu1}, non-eruption of sand papules in children
小兒時行感冒 {xiao3 er2 shi2 xing2 gan3 mao4}, seasonal influenza in children
小兒暑溫 {xiao3 er2 shu3 wen1}, summerheat warmth in children
小兒水痘 {xiao3 er2 shui3 dou4}, chicken pox in children
小兒水腫 {xiao3 er2 shui3 zhong3}, water swelling in children
小兒胎疝 {xiao3 er2 tai1 shan4}, infantile fetal mounting
小兒癱瘓 {xiao3 er2 tan1 huan4}, infantile paralysis
小兒啼哭 {xiao3 er2 ti2 ku1}, crying in children
小兒吐乳 {xiao3 er2 tu4 ru3}, vomiting of milk in infants
小兒推拿 {xiao3 er2 tui1 na2}, tui1na2 for children; massage manipulation for children
小兒脫證 {xiao3 er2 tuo1 zheng4}, desertion pattern in children
小兒痿證 {xiao3 er2 wei3 zheng4}, infantile wilting pattern; child wilting pattern; child wilting pattern
小兒五軟 {xiao3 er2 wu3 ruan3}, five infantile limpnesses
小兒五硬 {xiao3 er2 wu3 ying4}, five infantile hardnesses
小兒癎症 {xiao3 er2 xian2 zheng4}, child epilepsy pattern
小兒哮喘 {xiao3 er2 xiao1 chuan3}, wheezing and panting in children

小兒瀉肚 {xiao3 er2 xie4 du3}, diarrhea in children
小兒瀉泄 {xiao3 er2 xie4 xie4}, diarrhea in children
小兒心悸 {xiao3 er2 xin1 ji4}, palpitations in children
小兒囟門不合 {xiao3 er2 xin4 men2 bu4 ge3}, nonclosure of the fontanel gate in infants
小兒藥證直訣 {xiao3 er2 yao4 zheng4 zhi2 jue2}, 書名 Key to Diagnosis and Treatment of Children's Diseases
小兒夜啼 {xiao3 er2 ye4 ti2}, night crying in infants
小兒遺尿 {xiao3 er2 yi2 niao4}, child enuresis
小兒疫毒痢 {xiao3 er2 yi4 du2 li4}, epidemic toxin dysentery in children
小兒語遲 {xiao3 er2 yu3 chi2}, slowness in learning to talk
小兒指診 {xiao3 er2 zhi3 zhen3}, infant's finger examination
小兒至寶丹 {xiao3 er2 zhi4 bao3 dan1}, 方名 Children's Supreme Jewel Elixir
小兒中風 {xiao3 er2 zhong4 feng1}, child wind strike (stroke)
小兒痓夏 {xiao3 er2 zhu4 xia4}, summer infixation in chldren
小兒紫癜 {xiao3 er2 zi3 dian4}, purple patches in children (purpura)
小二仙草 {xiao3 er4 xian1 cao3}, 中藥正名 haloragis (Haloragis Herba)
小方 {xiao3 fang1}, minor formula
小方脈 {xiao3 fang1 mai4}, children's medicine (branch of medicine)
小飛揚草 {xiao3 fei1 yang2 cao3}, 中藥正名 thyme-leaved spurge (Euphorbiae Thymifoliae Herba)
小肺筋草 {xiao3 fei4 jin1 cao3}, 中藥正名 spiked aletris (Aletris Spicatae Herba seu Radix)
小分 {xiao3 fen1}, minor seams
小粉 {xiao3 fen3}, 中藥正名 wheat starch (Tritici Amylum)
小鳳尾草 {xiao3 feng4 wei3 cao3}, 中藥正名 Peking spleenwort (Asplenii Pekinensis Herba)
小腹
小腹&&441C‖滿 {xiao3 fu4 chen1 man3}, smaller-abdominal fullness
小腹寒涼 {xiao3 fu4 han2 liang2}, cold in the smaller abdomen
小腹寒痛 {xiao3 fu4 han2 tong4}, small-abdominal cold pain
小腹空墜 {xiao3 fu4 kong1 zhui4}, empty sagging in the smaller abdomen; empty sagging in the lower abdomen
小腹滿 {xiao3 fu4 man3}, smaller-abdominal fullness
小腹氣逆 {xiao3 fu4 qi4 ni4}, small-abdominal qi4 counterflow
小腹疝假 {xiao3 fu4 shan4 jia3}, smaller-abdominal mounting-conglomeration
小腹墜脹 {xiao3 fu4 shui4 zhang4}, sagging distention in the smaller abdomen
小腹痛 {xiao3 fu4 tong4}, smaller-abdominal pain
小腹引喉痛 {xiao3 fu4 yin3 hou2 tong4}, smaller-abdominal pain with sore throat
小腹有涼感 {xiao3 fu4 you3 liang2 gan3}, cold sensation in the smaller abdomen
小腹有熱 {xiao3 fu4 you3 re4}, heat in the smaller abdomen

小腹脹痛 {xiao3 fu4 zhang4 tong4}, smaller-abdominal distention and pain
小谷 {xiao3 gu3}, 腧穴異名 LI-3 (Small Valley)
小骨空 {xiao3 gu3 kong1}, 腧穴正名 Little Finger Bone Hollow
小瓜 {xiao3 gua1}, 中藥異名 gherkin (Cucumeris Anguriae Fructus)
小關 {xiao3 guan1}, 腧穴異名 CV-7 (Small Pass)
小果倒地鈴 {xiao3 guo3 dao4 di4 ling2}, 中藥正名 small-fruited balloon vine (Cardiospermi Microcarpi Herba)
小果千金榆 {xiao3 guo3 qian1 jin1 yu2}, 中藥正名 carpinus (Carpini Radicis Cortex)
小海 {xiao3 hai3}, 腧穴正名 SI-8 (Small Sea)
小寒 {xiao3 han2}, Slight Cold (23rd solar term)
小紅花 {xiao3 hong2 hua1}, 中藥正名 crimson sage (Salviae Coccineae Herba)
小紅柳 {xiao3 hong2 liu3}, 中藥異名 small-spiked willow (Salicis Microstachyae Radix)
小紅綠豆 {xiao3 hong2 lu94 dou4}, 中藥異名 rice bean (Phaseoli Semen)
小紅參 {xiao3 hong2 shen1}, 中藥正名 Yun2nan2 madder root (Rubiae Yunnanensis Radix)
小胡麻 {xiao3 hu2 ma2}, 中藥異名 black sesame (Sesami Semen Nigrum)
小黃瓜 {xiao3 huang2 gua1}, 中藥異名 gherkin (Cucumeris Anguriae Fructus)
小茴 {xiao3 hui2}, 中藥異名 fennel (Foeniculi Fructus)
小茴香炭 {xiao3 hui2 xiang1 tan4}, 中藥正名 charred fennel (Foeniculi Fructus Carbonisatus)
小茴香 {xiao3 hui2 xiang1, 中藥正名 fennel (Foeniculi Fructus)
小活絡丹 {xiao3 huo2 luo4 dan1}, 方名 Minor Network-Quickening Elixir
小活絡片 {xiao3 huo2 luo4 pian4}, 方名 Minor Network-Quickening Tablet
小吉 {xiao3 ji2}, 腧穴異名 SI-1 (Small Propitiousness)
小薊 {xiao3 ji4}, 中藥正名 field thistle (Cirsii Herba)
小薊草 {xiao3 ji4 cao3}, 中藥異名 field thistle (Cirsii Herba)
小劑量穴位注射 {xiao3 ji4 liang4 xue2 wei4 zhu4 she4}, acupuncture point injection therapy
小薊姆 {xiao3 ji4 mu3}, 中藥異名 field thistle (Cirsii Herba)
小薊炭 {xiao3 ji4 tan4}, 中藥正名 charred field thistle (Cirsii Herba Carbonisata)
小薊芽 {xiao3 ji4 ya2}, 中藥異名 field thistle (Cirsii Herba)
小薊飲子 {xiao3 ji4 yin3 zi3}, 方名 Field Thistle Drink
小薊汁 {xiao3 ji4 zhi1}, 中藥正名 field thistle juice (Cirsii Herbae seu Radicis Succus)
小夾板 {xiao3 jia1 ban3}, splint
小箭草 {xiao3 jian4 cao3}, 中藥正名 bulbiferous stonescrop (Sedi Bulbiferi Herba)
小建中湯 {xiao3 jian4 zhong1 tang1}, 方名 Minor Center-Fortifying Decoction
小接骨丹 {xiao3 jie1 gu3 dan1}, 中藥正名 hop-leaved ampelopsis (Ampelopsis Humulifoliae Radicis Cortex)
小接筋草 {xiao3 jie1 jin1 cao3}, 中藥正名 fir club moss (Lycopodii Selaginis Herba)
小節 {xiao3 jie2}, 西醫 nodule
小結胸 {xiao3 jie2 xiong1}, minor chest bind

小金丹 {xiao3 jin1 dan1}, 方名 Minor Golden Elixir
小筋骨藤 {xiao3 jin1 gu3 teng2}, 中藥正名 tripterospermum (Tripterospermi Herba)
小金片 {xiao3 jin1 pian4}, 方名 Minor Golden Tablet
小金錢草 {xiao3 jin1 qian2 cao3}, 中藥正名 dichondra (Dichondrae Herba)
小金櫻 {xiao3 jin1 ying1}, 中藥正名 small-fruited rose (Rosae Cymosae Radix et Folium)
小金櫻子 {xiao3 jin1 ying1 zi3}, 中藥正名 small-fruited rose fruit (Rosae Cymosae Fructus)
小蕨雞 {xiao3 jue2 ji1}, 中藥正名 Kuhn's aleuritopteris (Aleuritopteridis Kuhnii Rhizoma et Folium)
小喇叭 {xiao3 la3 ba1}, 中藥正名 whorled cladonia (Cladonia Verticillata)
小連翹 {xiao3 lian2 qiao4}, 中藥正名 erect hypericum (Hyperici Erecti Herba)
小羅傘 {xiao3 luo2 san3}, 中藥正名 dotted ardisia (Ardisiae Punctatae Radix seu Frutex)
小脈 {xiao3 mai4}, small pulse
小麥 {xiao3 mai4}, 中藥正名 wheat (Tritici Semen)
小麥粉 {xiao3 mai4 fen3}, 中藥異名 wheat starch (Tritici Amylum)
小麥麩 {xiao3 mai4 fu1}, 中藥正名 wheat bran (Tritici Testa)
小麥麵 {xiao3 mai4 mian4}, 中藥正名 wheat flour (Tritici Farina)
小麥苗 {xiao3 mai4 miao2}, 中藥正名 wheat sprout (Tritici Caulis et Folium)
小麥粥 {xiao3 mai4 zhou1}, 方名 Wheat Gruel
小滿 {xiao3 man3}, Grain Full (8th solar term)
小毛香 {xiao3 mao2 xiang1}, 中藥正名 Japanese leontopodium flower (Leontopodii Japonici Flos)
小茅香 {xiao3 mao2 xiang1}, 中藥正名 goat-ear elecampane root (Inulae Cappae Radix)
小米 {xiao3 mi3}, 中藥異名 millet (Setariae Semen)
小米草 {xiao3 mi3 cao3}, 中藥正名 Regel's euphrasia (Euphrasiae Regelii Herba)
小米柴 {xiao3 mi3 chai2}, 中藥正名 lyonia twig and leaf (Lyoniae Ramulus et Folium)
小木通 {xiao3 mu4 tong1}, 中藥正名 mandarin clematis (Clematidis Lasiandrae Herba)
小腦 {xiao3 nao3}, 西醫 cerebellum
小逆 {xiao3 ni4}, minor error
小萍子 {xiao3 ping2 zi3}, 中藥異名 duckweed (Spirodelae Herba)
小秦艽 {xiao3 qin2 jiao1}, 中藥正名 small gentian (Gentianae Xiaoqinjiao Radix)
小青草 {xiao3 qing1 cao3}, 中藥異名 rostellularia (Rostellulariae Herba)
小青龍加石膏湯 {xiao3 qing1 long2 jia1 shi2 gao1 tang1}, 方名 Minor Green-Blue Dragon Decoction Plus Gypsum
小青龍湯 {xiao3 qing1 long2 tang1}, 方名 Minor Green-Blue Dragon Decoction
小青龍湯合麻杏甘石湯 {xiao3 qing1 long2 tang1 he2 ma2 xing4 gan1 shi2 tang1}, 方名 Minor Green-Blue Dragon Combined with Ephedra, Apricot Kernel, Licorice and Gypsum Decoction
小青藤香 {xiao3 qing1 teng2 xiang1}, 中藥正名 recemose cylcea (Cycleae Racemosae Radix)

小乳汁草 {xiao3 ru3 zhi1 cao3}, 中藥異名 thyme-leaved spurge (Euphorbiae Thymifoliae Herba)
小三棵針 {xiao3 san1 ke1 zhen1}, 中藥正名 Wilson barberry (Berberidis Wilsonae Radix)
小伸筋草 {xiao3 shen1 jin1 cao3}, 中藥正名 sopubia (Sopubiae Herba)
小石榴 {xiao3 shi2 liu2}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
小暑 {xiao3 shu3}, Slight Heat (11th solar term)
小水 {xiao3 shui3}, urine
小水不禁 {xiao3 shui3 bu4 jin4}, urinary incontinence
小水不通 {xiao3 shui3 bu4 tong1}, urinary stoppage
小溲 {xiao3 sou1}, urine
小溲頻數 {xiao3 sou1 pin2 shuo4}, frequent urination
小溲色黃 {xiao3 sou1 se4 huang2}, yellow urine
小蒜 {xiao3 suan4}, 中藥正名 scorodoprasum (Allii Scorodoprasi Bulbus)
小蓑衣藤 {xiao3 suo1 yi1 teng2}, 中藥正名 Gourian clematis (Clematidis Gourianae Radix seu Caulis et Folium)
小天心 {xiao3 tian1 xin1}, 腧穴正名 Small Celestial Heart
小通草 {xiao3 tong1 cao3}, 中藥正名 stachyurus/helwingia (Stachyuri/Helwingiae Medulla)
小腿疽 {xiao3 tui3 ju1}, flat-abscess of the lower leg
小托盤 {xiao3 tuo1 pan2}, 中藥異名 rubus (Rubi Fructus)
小萬年青 {xiao3 wan4 nian2 qing1}, 中藥正名 sinocrassula (Sinocrassulae Herba)
小胃丹 {xiao3 wei4 dan1}, 方名 Minor Stomach Elixir
小溫中丸 {xiao3 wen1 zhong1 wan2}, 方名 Minor Center-Warming Pill
小無心菜 {xiao3 wu2 xin1 cai4}, 中藥正名 thyme-leaved sandwort (Arenariae Serpyllifoliae Herba)
小溪 {xiao3 xi1}, small ravine
小陷胸加枳實湯 {xiao3 xian4 xiong1 jia1 zhi3 shi2 tang1}, 方名 Minor Chest Bind Decoction Plus Unripe Bitter Orange
小陷胸湯 {xiao3 xian4 xiong1 tang1}, 方名 Minor Chest Bind Decoction
小香 {xiao3 xiang1}, 中藥異名 fennel (Foeniculi Fructus)
小心 {xiao3 xin1}, minor heart
小辛 {xiao3 xin1}, 中藥異名 asarum (Asari Herba)
小雄雞 {xiao3 xiong2 ji1}, 中藥正名 young cock (Gallus Masculinus Parvus)
小續命湯 {xiao3 xu4 ming4 tang1}, 方名 Minor Life-Prolonging Decoction
小雪 {xiao3 xue3}, Slight Snow (20th solar term)
小血光藤 {xiao3 xue4 guang1 teng2}, 中藥正名 gardneria stem (Gardneriae Caulis)
小岩白菜 {xiao3 yan2 bai2 cai4}, 中藥正名 oreocharis (Oreocharitis Herba)
小羊桃 {xiao3 yang2 tao2}, 中藥正名 purple actinidia (Actinidiae Purpureae Radix seu Fructus)

小葉愛楠 {xiao3 ye4 ai4 nan2}, 中藥正名 white-flowered agapetes (Agapetis Mannii Tuber)
小葉薄荷 {xiao3 ye4 bo4 he2}, 中藥正名 ziziphora (Ziziphorae Herba)
小葉杜鵑 {xiao3 ye4 du4 juan1}, 中藥正名 capitate rhododendron (Rhododendri Capitati Ramulus et Folium)
小葉鳳凰尾巴草 {xiao3 ye4 feng4 huang2 wei3 ba1 cao3}, 中藥正名 Japanese diplazium (Diplazii Japonici Rhizoma seu Herba)
小葉金花草 {xiao3 ye4 jin1 hua1 cao3}, 中藥正名 onychium (Onychii Herba)
小葉金老梅 {xiao3 ye4 jin1 lao3 mei2}, 中藥正名 small-leaved dasiphora [leaf and flower] (Dasiphorae Parvifoliae Folium et Flos)
小葉枇杷 {xiao3 ye4 pi2 pa2}, 中藥正名 alpine rosebay (Rhododendri Anthopogonoidis Folium)
小葉桑根 {xiao3 ye4 sang1 gen1}, 中藥正名 southern mulberry root (bark) (Mori Australis Radix seu Radicis Cortex)
小葉蛇總管 {xiao3 ye4 she2 zong3 guan3}, 中藥正名 common rabdosia (Rabdosiae Amethystoidis Herba)
小葉石楠 {xiao3 ye4 shi2 nan2}, 中藥正名 small-leaved photinia (Photiniae Parvifoliae Radix)
小葉雙眼龍 {xiao3 ye4 shuang1 yan3 long2}, 中藥正名 small croton [leaf and root] (Crotonis Lachnocarpi Folium et Radix)
小營煎 {xiao3 yin2 jian1}, 方名 Minor Construction Brew
小圓肌 {xiao3 yuan2 ji1}, 西醫 teres minor muscle
小芸木 {xiao3 yun2 mu4}, 中藥正名 micromelum (Micromeli Radix, Caulis, seu Folium)
小澤蘭 {xiao3 ze2 lan2}, 中藥異名 lycopus (Lycopi Herba)
小梔子 {xiao3 zhi1 zi3}, 中藥異名 gardenia (Gardeniae Fructus)
小指 {xiao3 zhi3}, little finger
小趾 {xiao3 zhi3}, little toe
小指次指 {xiao3 zhi3 ci4 zhi3}, finger next to the little finger
小趾次趾 {xiao3 zhi3 ci4 zhi3}, toe next to the little toe
小周天 {xiao3 zhou1 tian1}, small complete qi4 cycle

~~ {xiao4} ~~
【孝】 {xiao4} [Freq. 4] filial piety.
孝扇草根 {xiao4 shan4 cao3 gen1}, 中藥正名 seashore calystegia root (Calystegiae Soldanellae Radix)

【哮】 {xiao4} [Freq. 2] wheezing (n.) (熱哮 {re4 xiao1}, heat wheezing).
哮病 {xiao4 bing4}, wheezing disease
哮喘 {xiao4 chuan3}, wheezing and panting

哮喘痰嗽 {xiao4 chuan3 chuan3 tan2 sou4}, wheezing and panting and phlegm cough
哮喘敷治方 {xiao4 chuan3 fu4 zhi4 fang1}, 方名 Wheezing and Panting External Application Formula
哮鳴 {xiao4 ming2}, wheezing; wheezing
哮證 {xiao4 zheng4}, wheezing pattern

【效】 {xiao4} [Freq. 4] effectivessness.
效果 {xiao4 guo3}, effect; effectiveness

【校】 {xiao4} [Freq. 4] school (see also 校 {jiao4})

【笑】 {xiao4} [Freq. 3] laughter (voice of the heart).
笑不休 {xiao4 bu4 xiu1}, incessant laughing
笑靨花 {xiao4 ye4 hua1}, 中藥正名 plum-leaved meadowsweet root (Spiraeae Prunifoliae Radix)

【酵】 {xiao4} [Freq. 4] ferment.
酵母 {xiao4 mu3}, 中藥正名 yeast (Fermentum)

~~ {xie1} ~~
【歇】 {xie1} [Freq. 4] rest.
歇止脈 {xie1 zhi3 mai4}, resting pulse

【蠍】 {xie1} [Freq. 4] scorpion.
蠍 {xie1}, 中藥異名 scorpion (Scorpio)
蠍梢 {xie1 shao1}, 中藥正名 scorpion tail (Scorpionis Caudex)
蠍尾 {xie1 wei3}, 中藥異名 scorpion tail (Scorpionis Caudex)

【蝎】 {xie1} [Freq. 4] scorpion.
蝎梢 {xie1 shao1}, 中藥異名 scorpion tail (Scorpionis Caudex)
蝎子七 {xie1 zi3 qi1}, 中藥正名 serpent grass (Polygoni Vivipari Rhizoma)
蝎子螫傷 {xie1 zi3 shi4 shang1}, 西醫 scorpion sting

~~ {xie2} ~~
【邪】 {xie2} [Freq. 2] evil (n.) (邪氣 {xie2 qi4}, evil qi4).
邪犯衛分 {xie2 fan4 wei4 fen4}, evil invading the defense aspect

邪伏膜原 {xie2 fu2 mo2 yuan2}, evil hidden in the membrane-source
邪伏膜原證 {xie2 fu2 mo2 yuan2 zheng4}, pattern of evil hidden in the membrane-source
邪害空竅 {xie2 hai4 kong1 qiao4}, evils harm the empty orifices
邪寒 {xie2 han2}, evil cold
邪蒿 {xie2 hao1}, 中藥正名 seseli (Seseli Herba)
邪火 {xie2 huo3}, evil fire
邪戀心包 {xie2 lian4 xin1 bao1}, evil lodged in the pericardium
邪留三焦 {xie2 liu2 san1 jiao1}, evil lodged in the triple burner
邪留陰分 {xie2 liu2 yin1 fen4}, evil lodged in the yin1 aspect
邪氣 {xie2 qi4}, evil qi4
邪氣強盛 {xie2 qi4 qiang2 sheng4}, strong evil qi4
邪氣盛 {xie2 qi4 sheng4}, exuberant evil qi4
邪氣盛實 {xie2 qi4 sheng4 shi2}, exuberant evil qi4
邪氣盛則實 {xie2 qi4 sheng4 ze2 shi2}, when evil qi4 is exuberant, there is repletion
邪侵犯脾胃 {xie2 qin1 fan4 pi2 wei4}, evil invading the spleen and stomach
邪去 {xie2 qu4}, evil abates
邪熱 {xie2 re4}, evil heat
邪熱熾盛 {xie2 re4 chi4 sheng4}, intense evil heat
邪熱內郁 {xie2 re4 nei4 yu4}, evil heat depressed internally
邪熱入營 {xie2 re4 ru4 ying2}, evil heat entering construction
邪熱迫血 {xie2 rer4 po4 xue4}, evil heat hurrying the blood
邪傷肺衛 {xie2 shang1 fei4 wei4}, evil damaging lung-defense
邪盛正虛 {xie2 sheng4 zheng4 xu1}, exuberant evil and vacuous right
邪實 {xie2 shi2}, evil repletion
邪水 {xie2 shui3}, evil water
邪郁少陽 {xie2 yu4 shao4 yang2}, evil lying depressed in the lesser yang2
邪在衛表 {xie2 zai4 wei4 biao3}, evil in the defense exterior
邪在衛分 {xie2 zai4 wei4 fen1}, evil in the defense aspect
邪正盛衰 {xie2 zheng4 sheng4 shuai1}, exuberance and debilitation of right and evil
邪之所湊，其氣必虛 {xie2 zhi1 suo3 cou4, qi2 qi4 bi4 xu1}, for evil to encroach, qi4 must be vacuous

【協】 {xie2} [Freq. 4] cooperate; * complex.
協熱痢 {xie2 re4 li4}, complex dysentery
協熱下痢 {xie2 re4 xia4 li4}, complex dysentery

【挾】 {xie2} [Freq. 3] clasp (under the arm); confine; pinch; complicated by; with.
挾持進針法 {xie2 chi2 jin4 zhen1 fa3}, two-finger press needle insertion

挾寒 {xie2 han2}, with cold
挾火 {xie2 huo3}, with fire
挾劍豆 {xie2 jian4 dou4}, 中藥異名 sword bean (Canavaliae Semen)
挾臍急痛 {xie2 qi2 ji2 tong4}, acute pain either side of the umbilicus
挾熱 {xie2 re4}, with heat
挾濕 {xie2 shi1}, with dampness
挾血虛 {xie2 xue4 xu1}, with blood vacuity
挾燥 {xie2 zao4}, with dryness

【脅】 {xie2} [Freq. 2] rib-side (n.) (胸脅脹滿 {xiong1 xie2 zhang4 man3}, distention and fullness in the chest and rib-side).
脅腹 {xie2 fu4}, rib-side and abdomen
脅腹疼痛 {xie2 fu4 teng2 tong4}, rib-side and abdominal pain
脅肋 {xie2 lei4}, rib-side
脅肋疽 {xie2 lei4 ju1}, rib-side flat-abscess
脅肋疼痛 {xie2 lei4 teng2 tong4}, rib-side pain
脅肋痛脹 {xie2 lei4 tong4 zhang4}, rib-side pain and distention
脅肋隱痛 {xie2 lei4 yin3 tong4}, dull rib-side pain
脅肋脹痛 {xie2 lei4 zhang4 tong4}, rib-side distention and pain; rib-side distending pain
脅窌 {xie2 liao2}, 腧穴異名 LV-13 (Rib-Side Bone-Hole)
脅&&91C3.9ACE|{xie2 liao2}, 腧穴異名 LV-13 (Rib-Side Bone-Hole)
脅旁 {xie2 pang2}, rib-side
脅疼 {xie2 teng2}, rib-side pain
脅痛 {xie2 tong4}, rib-side pain; pain in the rib-side
脅爲肝之府 {xie2 wei2 gan1 zhi1 fu3}, rib-side is the house of the liver
脅下 {xie2 xia4}, under the rib-side
脅下滿痛 {xie2 xia4 man3 tong4}, pain and fullness in the rib-side
脅下逆搶心 {xie2 xia4 ni4 qiang1 xin1}, counterflow under the rib-side prodding the heart; rib-side pain
脅下脹痛 {xie2 xia4 zhang4 tong4}, distending pain in the rib-side
脅脹 {xie2 zhang4}, rib-side distention

【斜】 {xie2} [Freq. 2] oblique (adj.) (斜刺 {xie2 ci4}, oblique insertion); deviated (adj.), deviation (n.) (口眼歪斜 {kou3 yan3 wai1 xie2}, deviated eyes and mouth).
斜刺 {xie2 ci4}, oblique insertion
斜方肌 {xie2 fang1 ji1}, 西醫 trapezius muscle
斜飛脈 {xie2 fei1 mai4}, oblique-running pulse
斜片 {xie2 pian4}, oblique slice

斜切 {xie2 qie1}, cut obliquely
斜視 {xie2 shi4}, squint; strabismus

【鞋】 {xie2} [Freq. 4] shoe.
鞋帶 {xie2 dai4}, 腧穴異名 ST-41 (Shoe Lace)

【纈】 {xie2} [Freq. 4] silk knite goods with decorative patterns.
纈草 {xie2 cao3}, 中藥正名 valerian root (Valerianae Officinalis Radix et Rhizoma)

~~ {xie4} ~~
【泄】 {xie4} [Freq. 2] discharge (v.), (n.) (泄熱 {xie4 re4}, discharge heat).
泄風 {xie4 feng1}, discharge of wind
泄肝 {xie4 gan1}, discharge the liver
泄后重 {xie4 hou4 zhong4}, heaviness after diarrhea
泄劑 {xie4 ji4}, discharging formula
泄精 {xie4 jing1}, seminal discharge
泄可去閉 {xie4 ke3 qu4 bi4}, discharging [medicinals] can eliminate blocks
泄痢 {xie4 li4}, diarrhea
泄痢下重 {xie4 li4 xia4 zhong4}, dysentery with rectal heaviness
泄熱 {xie4 re4}, discharge heat
泄衛透熱 {xie4 wei4 tou4 re4}, discharge defense and outthrust heat
泄瀉 {xie4 xie4}, diarrhea
泄瀉清谷 {xie4 xie4 qing1 gu3}, diarrhea with clear food (in the stool)
泄注 {xie4 zhu4}, outpour diarrhea

【屑】 {xie4} [Freq. 5] flake (鐵屑 {tie3 xie4}, iron flakes); scale (白屑風 {bai2 xie4 feng1}, white scaling wind)

【解】 {xie4} [Freq. 2] fatigued (same as 懈 {xie4}).
解 YI4+ {xie4 yi4}, fatigued

【懈】 {xie4} [Freq. 4] sluggish.
懈言 {xie4 yan2}, sluggish speech

【瀉】 {xie4} [Freq. 2] drain (v.), drainage (n.) (清熱瀉火 {qing1 re4 xie4 huo3}, clear heat and drain fire).
瀉白 {xie4 bai2}, drain the white (the lung)

瀉白散 {xie4 bai2 san3}, 方名 White-Draining Powder
瀉白益元散 {xie4 bai2 yi4 yuan2 san3}, 方名 White-Draining Origin-Boosting Powder
瀉腸胃之火 {xie4 chang2 wei4 zhi1 huo3}, drain gastrointestinal fire
瀉肚 {xie4 du4}, diarrhea
瀉肚子 {xie4 du4 zi3}, diarrhea
瀉法 {xie4 fa3}, draining [method]
瀉肺 {xie4 fei4}, drain the lung
瀉肺火 {xie4 fei4 huo3}, drain lung fire
瀉肺熱 {xie4 fei4 re4}, drain lung heat
瀉肺散 {xie4 fei4 san3}, 方名 Lung-Draining Powder
瀉肺行水 {xie4 fei4 xing2 shui3}, drain the lung and move water
瀉肺飲 {xie4 fei4 yin3}, 方名 Lung-Clearing Beverage
瀉肺逐飲 {xie4 fei4 zhu2 yin3}, drain the lung and expel rheum
瀉肝 {xie4 gan1}, drain the liver
瀉肝安神丸 {xie4 gan1 an1 shen2 wan2}, 方名 Liver-Draining Spirit-Quieting Pill
瀉肝火 {xie4 gan1 huo3}, drain liver fire
瀉肝經郁火 {xie4 gan1 jing1 yu4 huo3}, drain depressed heat in liver channel
瀉化熱結 {xie4 hua4 re4 jie2}, drain and transform heat binds
瀉黃散 {xie4 huang2 san3}, 方名 Yellow-Draining Powder
瀉火 {xie4 huo3}, drain fire
瀉火劑 {xie4 huo3 ji4}, fire-draining formula
瀉火解毒 {xie4 huo3 jie3 du2}, drain fire and resolve toxin
瀉火清肺湯 {xie4 huo3 qing1 fei4 tang1}, 方名 Fire-Draining Lung-Clearing Decoction
瀉火清熱 {xie4 huo3 qing1 re4}, drain fire and clear heat
瀉火熄風 {xie4 huo3 xi1 feng1}, drain fire and extinguish wind
瀉火藥 {xie4 huo3 yao4}, fire-draining medicinal
瀉痢 {xie4 li4}, diarrhea
瀉痢草 {xie4 li4 cao3}, 中藥異名 agrimony (Agrimoniae Herba)
瀉痢后重 {xie4 li4 hou4 zhong4}, diarrhea with rectal heaviness (with tenesmus)
瀉南補北 {xie4 nan2 bu3 bei3}, drain the south (i.e., the heart) and supplement the north (i.e., the kidney)
瀉脾散 {xie4 pi2 san3}, 方名 Spleen-Draining Powder
瀉清各半湯 {xie4 qing1 ge4 ban4 tang1}, 方名 Green-Blue--Draining Half-and-Half Decoction
瀉青丸 {xie4 qing1 wan2}, 方名 Green-Blue--Draining Pill
瀉熱解毒 {xie4 re4 jie3 du2}, drain fire and resolve toxin
瀉濕湯 {xie4 shi1 tang1}, 方名 Dampness-Draining Decoction
瀉胃火 {xie4 wei4 huo3}, drain stomach fire
瀉下 {xie4 xia4}, draining precipitation

瀉下不爽 {xie4 xia4 bu4 shuang3}, ungratifying diarrhea
瀉下禁例 {xie4 xia4 jin4 li4}, contraindications for draining precipitation
瀉下藥 {xie4 xia4 yao4}, precipitating medicinal
瀉下逐水 {xie4 xia4 zhu2 shui3}, drain and precipate to expel water
瀉心 {xie4 xin1}, drain the heart
瀉心導赤散 {xie4 xin1 dao3 chi4 san3}, 方名 Heart-Draining Red-Abducting Powder
瀉心火 {xie4 xin1 huo3}, drain heart fire
瀉心湯 {xie4 xin1 tang1}, 方名 Heart-Draining Decoction
瀉藥 {xie4 yao4}, draining medicinal
瀉葉 {xie4 ye4}, 中藥異名 senna (Sennae Folium)
瀉中焦實火 {xie4 zhong1 jiao1 shi2 huo3}, drain center burner repletion fire
瀉中、上二焦的火熱 {xie4 zhong1、shang4 er4 jiao1 de huo3 re4}, drain heat-fire from the lower and upper burners

【蟹】 {xie4} [Freq. 4] crab.
蟹 {xie4}, 中藥正名 crab (Eriocheiris Caro et Viscera)
蟹睛 {xie4 jing1}, crab's eye
蟹睛疼痛外障 {xie4 jing1 teng2 tong4 wai4 zhang4}, crab's eye painful external obstruction
蟹目 {xie4 mu4}, crab's eye
蟹殼 {xie4 qiao4 (ke2)}, 中藥正名 crabshell (Eriocheiris Crusta)
蟹殼末 {xie4 qiao4 (ke2)}, 中藥正名 powdered crabshell (Eriocheiris Crusta Pulverata)
蟹爪 {xie4 zhao3}, 中藥正名 crab's claw (Eriocheiris Chela)
蟹爪紋路 {xie4 zhao3 wen2 lu4}, crab claw markings
蟹足腫 {xie4 zu2 zhong3}, crab's-foot swelling; keloid

【薤】 {xie4} [Freq. 4] Chinese chive.
薤白 {xie4 bai2}, 中藥正名 Chinese chive (Allii Macrostemonis Bulbus)
薤白頭 {xie4 bai2 tou2}, 中藥異名 Chinese chive (Allii Macrostemonis Bulbus)
薤根 {xie4 gen1}, 中藥異名 Chinese chive (Allii Macrostemonis Bulbus)
薤葉 {xie4 ye4}, 中藥正名 Chinese chive leaf (Allii Folium)

【齘】 {xie4} [Freq. 4] grind (the teeth).
齘齒 {xie4 chi3}, bruxism; grinding of the teeth

~~ {xin1} ~~
【心】 {xin1} [Freq. 2] heart (n.) (心藏神 {xin1 cang2 shen2}, the heart stores the spirit); cardiac (adj.) (心下 {xin1 xia4}, infracardiac); HT; core.

心臟神經官能症 {xin1 ang4 shen2 jing1 guan1 neng2 zheng4}, 西醫 cardioneurosis
心包 {xin1 bao1}, 西醫 pericardium; pericardium; PC
心包經 {xin1 bao1 jing1}, pericardium channel; PC
心包絡 {xin1 bao1 luo4}, pericardium; pericardiac network
心包絡合三焦 {xin1 bao1 luo4 he2 san1 jiao1}, pericardium connects with the triple burner
心包炎 {xin1 bao1 yan2}, 西醫 pericarditis
心包證 {xin1 bao1 zheng4}, pericardiac pattern
心痹 {xin1 bi4}, heart impediment
心病 {xin1 bing4}, heart disease
心搏過速 {xin1 bo2 guo4 su4}, 西醫 tachycardia
心搏快速 {xin1 bo2 kuai4 su4}, 西醫 tachycardia
心藏神 {xin1 cang2 shen2}, heart stores the spirit
心掣 {xin1 che4}, pulling heart
心蟲病 {xin1 chong2 bing4}, heart worm disease
心大靜脈 {xin1 da4 jing4 mai4}, 西醫 great cardiac vein
心膽不寧 {xin1 dan3 bu4 ning2}, disquieting of the heart and gallbladder
心膽氣虛 {xin1 dan3 qi4 xu1}, heart-gallbladder qi4 vacuity
心膽虛怯 {xin1 dan3 xu1 que4}, heart-gallbladder vacuity timidity
心的證候 {xin1 de zheng4 hou4}, heart patterns
心得 {xin1 de2}, heart-perception (insightful understanding based on experience and reflection; often seen in book titles)
心電圖 {xin1 dian4 tu2}, 西醫 electrocardiograph; electrocardiogram (ECG, EKG)
心動悸 {xin1 dong4 ji4}, stirring heart palpitations
心法 {xin1 fa3}, heart-approach (usually seen in book title, an approach to a topic based on personal experience and reflection)
心煩 {xin1 fan2}, vexation; heart vexation
心煩不寐 {xin1 fan2 bu4 mei4}, vexation and sleeplessness
心煩不眠 {xin1 fan2 bu4 mian2}, vexation and sleeplessness
心房顫動 {xin1 fang2 chan4 dong4}, 西醫 atrial fibrillation
心肺兩虛 {xin1 fei4 liang3 xu1}, dual vacuity of the heart and lung; heart-lung vacuity
心肺氣虧 {xin1 fei4 qi4 kui1}, heart-lung qi4 depletion
心肺氣虛 {xin1 fei4 qi4 xu1}, heart-lung qi4 vacuity
心肺氣虛證 {xin1 fei4 qi4 xu1 zheng4}, pattern of heart-lung qi4 vacuity
心肺陽虛 {xin1 fei4 yang2 xu1}, heart-lung yang2 vacuity
心肺陰虛 {xin1 fei4 yin1 xu1}, heart-lung yin1 vacuity
心肺之寒 {xin1 fei4 zhi1 han2}, heart-lung cold
心肺之氣 {xin1 fei4 zhi1 qi4}, heart and lung qi4
心腹 {xin1 fu4}, heart [region] and abdomen

心腹冷痛 {xin1 fu4 leng3 tong4}, cold pain in the heart [region] and abdomen
心腹疼痛 {xin1 fu4 teng2 tong4}, pain in heart [region] and abdomen
心腹痛 {xin1 fu4 tong4}, pain in the heart [region] and abdomen
心腹脹滿 {xin1 fu4 zhang4 man3}, distention and fullness in the heart [region] and abdomen
心腹諸痛 {xin1 fu4 zhu1 tong4}, all pain in the heart [region] and abdomen
心疳 {xin1 gan1}, gan1 of the heart
心肝火盛 {xin1 gan1 huo3 sheng4}, exuberant heart-liver fire
心肝火旺 {xin1 gan1 huo3 wang4}, effulgent heart-liver fire
心肝兩虛 {xin1 gan1 liang3 xu1}, dual vacuity of the heart and liver
心肝虛損 {xin1 gan1 xu1 sun3}, heart-liver vacuity detriment
心肝血虛 {xin1 gan1 xue4 xu1}, heart-liver blood vacuity
心肝陰虛 {xin1 gan1 yin1 xu1}, heart-liver yin1 vacuity
心肝之血 {xin1 gan1 zhi1 xue4}, heart and liver blood
心功能不全 {xin1 gong1 neng2 bu4 quan2}, 西醫 cardiac insufficiency
心汗 {xin1 han4}, sweating from the heart; heart sweating
心合脈 {xin1 he2 mai4}, heart is connected with the vessels
心合小腸 {xin1 he2 xiao3 chang2}, heart is connected with the small intestine
心慌 {xin1 huang1}, flusteredness
心恍不安 {xin1 huang3 bu4 an1}, flusteredness
心火 {xin1 huo3}, heart fire; heart-fire
心火熾盛 {xin1 huo3 chi4 sheng4}, intense heart fire
心火熾盛證 {xin1 huo3 chi4 sheng4 zheng4}, pattern of intense heart fire
心火亢盛 {xin1 huo3 kang4 sheng4}, hyperactive heart fire
心火內熾 {xin1 huo3 nei4 chi4}, intense internal heart fire
心火內焚 {xin1 huo3 nei4 fen2}, heart fire deflagrating internally
心火內盛 {xin1 huo3 nei4 sheng4}, exuberant internal heart fire
心火上炎 {xin1 huo3 shang4 yan2}, heart fire flaming upward; upflaming heart fire
心火盛 {xin1 huo3 sheng4}, exuberant heart fire; exuberant heart fire
心火太盛 {xin1 huo3 tai4 sheng4}, excessively exuberant heart heat
心火旺 {xin1 huo3 wang4}, effulgent heart fire
心火旺盛 {xin1 huo3 wang4 sheng4}, effulgent heart fire
心火移熱于小腸 {xin1 huo3 yi2 re4 yu2 xiao3 chang2}, heart fire spreading heat to the small intestine
心肌 {xin1 ji1}, 西醫 cardiac muscle; myocardium
心積 {xin1 ji1}, heart accumulation
心肌梗塞 {xin1 ji1 geng3 se4}, 西醫 myocardial infarction; myocardial infarction
心機能不全 {xin1 ji1 neng2 bu4 quan2}, 西醫 cardiac insufficiency
心肌炎 {xin1 ji1 yan2}, 西醫 myocarditis

心及小腸辨證 {xin1 ji2 xiao3 chang2 bian4 zheng4}, heart and small intestine pattern identification
心悸 {xin1 ji4}, palpitations; heart palpitations
心絞痛 {xin1 jiao3 tong4}, 西醫 angina pectoris; angina pectoris
心絞痛方 {xin1 jiao3 tong4 fang1}, 方名 Angina Formula
心經 {xin1 jing1}, heart channel; HT
心驚 {xin1 jing1}, frightened heart
心驚膽怯 {xin1 jing1 dan3 qie4}, frightenable heart and timid gallbladder
心經咳嗽 {xin1 jing1 ke2 sou4}, heart channel cough
心經有寒 {xin1 jing1 you3 han2}, cold in the heart channel
心厥 {xin1 jue2}, heart reversal
心開竅于舌 {xin1 kai1 qiao4 yu2 she2}, heart opens at the tongue
心咳 {xin1 ke2}, heart cough
心憒憒 {xin1 kui4 kui4}, fretting heart
心勞 {xin1 lao2}, heart taxation
心律失常 {xin1 lu4 shi1 chang2}, 西醫 cardiac arrhythmia
心脈 {xin1 mai4}, heart and vessels
心脈痹阻 {xin1 mai4 bi4 zu3}, heart vessel obstruction
心脈痹阻證 {xin1 mai4 bi4 zu3 zheng4}, pattern of heart vessel obstruction
心脈洪 {xin1 mai4 hong2}, heart pulse is surging
心脈瘀阻 {xin1 mai4 yu1 zu3}, stasis obstruction of the heart vessels
心募 {xin1 mu4}, 腧穴異名 CV-14 (Heart Alarm)
心內膜 {xin1 nei4 mo2}, 西醫 endocardium
心內膜炎 {xin1 nei4 mo2 yan2}, 西醫 endocarditis
心脾俱虛 {xin1 pi2 ju4 xu1}, dual vacuity of the heart and spleen
心脾兩虛 {xin1 pi2 liang3 xu1}, dual vacuity of the heart and spleen; heart-spleen vacuity
心脾兩虛證 {xin1 pi2 liang3 xu1 zheng4}, patternofdual vacuity of the heart and spleen
心脾氣虛 {xin1 pi2 qi4 xu1}, heart-spleen qi4 vacuity
心脾血虛 {xin1 pi2 xue4 xu1}, heart-spleen blood vacuity
心脾陽虛 {xin1 pi2 yang2 xu1}, heart-spleen yang2 vacuity
心，其華在面 {xin1 qi2 hua2 zai4 mian4}, heart, its bloom is in the face
心氣 {xin1 qi4}, heart qi4
心氣不固 {xin1 qi4 bu4 gu4}, insecurity of heart qi4
心氣不寧 {xin1 qi4 bu4 ning2}, disquieting of heart qi4
心氣不收 {xin1 qi4 bu4 shou1}, non-contraction of heart qi4
心氣不足 {xin1 qi4 bu4 zu2}, insufficiency of heart qi4
心氣熱 {xin1 qi4 re4}, heart qi4 heat
心氣盛 {xin1 qi4 sheng4}, exuberant heart qi4

心氣虛 {xin1 qi4 xu1}, heart qi4 vacuity
心氣虛不得臥 {xin1 qi4 xu1 bu4 de2 wo4}, heart qi4 vacuity sleeplessness
心氣虛血瘀 {xin1 qi4 xu1 xue4 yu1}, heart qi4 vacuity and blood stasis
心氣虛血瘀證 {xin1 qi4 xu1 xue4 yu1 zheng4}, pattern of heart qi4 vacuity and blood stasis
心氣虛證 {xin1 qi4 xu1 zheng4}, pattern of heart qi4 vacuity
心氣血不足 {xin1 qi4 xue4 bu4 zu2}, insufficiency of heart qi4 and blood
心氣血兩虧 {xin1 qi4 xue4 liang3 kui1}, dual depletion of heart qi4 and blood
心氣血兩虛 {xin1 qi4 xue4 liang3 xu1}, dual vacuity of heart qi4 and blood; heart qi4 and blood vacuity
心氣血兩虛證 {xin1 qi4 xue4 liang3 xu1 zheng4}, pattern of dual vacuity of heart qi4 and blood
心氣陰不足 {xin1 qi4 yin1 bu4 zu2}, insufficiency of heart qi4 and yin1
心氣陰兩虛 {xin1 qi4 yin1 liang3 xu1}, dual vacuity of heart qi4 and yin1; heart qi4 and yin1 vacuity
心氣陰兩虛證 {xin1 qi4 yin1 liang3 xu1 zheng4}, pattern of dual vacuity of heart qi4 and yin1
心竅 {xin1 qiao4}, orifices of the heart
心竅被蒙 {xin1 qiao4 bei4 meng2}, clouding of the orifices of the heart
心怯 {xin1 qie4}, timid heart (i.e., apprehension)
心熱 {xin1 re4}, heart heat
心熱多驚 {xin1 re4 du1 jing1}, heart heat susceptibility to fright
心熱多驚 {xin1 re4 duo1 jing1}, heart heat susceptibility to fright
心疝 {xin1 shan4}, heart mounting
心神 {xin1 shen2}, heart spirit
心神不安 {xin1 shen2 bu4 an1}, disquieted heart spirit
心神不斂 {xin1 shen2 bu4 lian3}, unconstrained heart spirit
心神不寧 {xin1 shen2 bu4 ning2}, disquieted heart spirit
心神不寧證 {xin1 shen2 bu4 ning2 zheng4}, pattern of disquieted heart spirit
心神浮越 {xin1 shen2 fu2 yue4}, heart spirit floating astray
心神失守 {xin1 shen2 shi1 shou3}, heart spirit failing to keep its composure
心神失養 {xin1 shen2 shi1 yang3}, heart spirit deprived of nourishment
心腎不交 {xin1 shen4 bu4 jiao1}, non-interaction of the heart and kidney
心腎不交證 {xin1 shen4 bu4 jiao1 zheng4}, pattern of non-interaction of the heart and kidney
心腎氣虛 {xin1 shen4 qi4 xu1}, heart-kidney qi4 vacuity
心腎丸 {xin1 shen4 wan2}, 方名 Heart-Kidney Pill
心腎相交 {xin1 shen4 xiang1 jiao1}, heart and kidney interact; heart-kidney interaction
心腎血虛 {xin1 shen4 xue4 xu1}, heart-kidney blood vacuity
心腎陽氣不足 {xin1 shen4 yang2 qi4 bu4 zu2}, insufficiency of heart and kidney yang2 qi4
心腎陽虛 {xin1 shen4 yang2 xu1}, heart-kidney yang2 vacuity
心腎陽虛欲絕 {xin1 shen4 yang2 xu1 yu4 jue2}, heart-kidney yang2 vacuity on the verge of

expiration
心腎陽虛證 {xin1 shen4 yang2 xu1 zheng4}, pattern of heart-kidney yang2 vacuity
心腎陰虛 {xin1 shen4 yin1 xu1}, heart-kidney yin1 vacuity
心腎陰虛證 {xin1 shen4 yin1 xu1 zheng4}, pattern of heart-kidney yin1 vacuity
心俞 {xin1 shu1}, 腧穴正名 BL-15 (Heart Transport)
心舒（一） {xin1 shu1 1}, 腧穴異名 Heart Soother \#1
心舒（二） {xin1 shu1 2}, 腧穴異名 Heart Soother \#2
心水 {xin1 shui3}, heart water (a kind of water swelling)
心疼 {xin1 teng2}, heart pain
心跳 {xin1 tiao4}, throbbing of the heart
心痛 {xin1 tong4}, heart pain
心痛徹背 {xin1 tong4 che4 bei4}, heart pain stretching through to the back
心痛血滯 {xin1 tong4 xue4 zhi4}, heart pain and blood stagnation
心外膜 {xin1 wai4 mo2}, 西醫 epicardium
心爲汗 {xin1 wei2 han4}, heart forms sweat
心痿 {xin1 wei3}, heart wilting
心胃火盛 {xin1 wei4 huo3 sheng4}, exuberant heart-stomach fire
心胃氣痛 {xin1 wei4 qi4 tong4}, qi4 pain in the region of the heart and stomach
心胃實火 {xin1 wei4 shi2 huo3}, heart-stomach repletion fire
心惡熱 {xin1 wu4 re4}, heart is averse to heat
心悟透膿散 {xin1 wu4 tou4 nong2 san3}, 方名 Medical Insights Pus-Outthrusting Powder
心系 {xin1 xi4}, heart tie
心下 {xin1 xia4}, below the heart
心下澹澹 {xin1 xia4 dan4 dan4}, rolling sensation below the heart
心下急 {xin1 xia4 ji2}, distress below the heart
心下悸 {xin1 xia4 ji4}, palpitations below the heart
心下堅築 {xin1 xia4 jian1 zhu4}, hardness and pounding below the heart
心下空虛 {xin1 xia4 kong1 xu1}, emptiness below the heart
心下滿 {xin1 xia4 man3}, fullness below the heart
心下逆滿 {xin1 xia4 ni4 man3}, counterflow fullness below the heart
心下痞 {xin1 xia4 pi3}, glomus below the heart
心下痞硬 {xin1 xia4 pi3 ying4}, hard glomus below the heart
心下痛 {xin1 xia4 tong4}, pain below the heart
心下溫溫欲吐 {xin1 xia4 yun4 yun4 yu4 tu4}, seething below the heart with desire to vomit
心下怔忡 {xin1 xia4 zheng1 chong1}, fearful throbbing below the heart
心下支結 {xin1 xia4 zhi1 jie2}, propping bind below the heart
心胸 {xin1 xiong1}, heart and chest
心胸憋悶 {xin1 xiong1 bie1 men4}, stifling oppression in the heart and chest

心胸刺痛 {xin1 xiong1 ci4 tong4}, stabbing pian in the heart [region] and chest
心胸汗出 {xin1 xiong1 han4 chu1}, sweating from the chest and heart [region]
心胸郁悶 {xin1 xiong1 yu4 men4}, oppression in the heart and chest
心虛 {xin1 xu1}, heart vacuity
心虛膽怯 {xin1 xu1 dan3 qie4}, heart vacuity and gallbladder timidity
心虛肝郁 {xin1 xu1 gan1 yu4}, heart vacuity and liver depression
心血 {xin1 xue4}, heart blood
心血不足 {xin1 xue4 bu4 zu2}, insufficiency of heart blood
心血失養 {xin1 xue4 shi1 yang3}, heart blood deprived of nourishment
心血虛 {xin1 xue4 xu1}, heart blood vacuity
心血虛不得臥 {xin1 xue4 xu1 bu4 de2 wo4}, heart blood vacuity sleeplessness
心血虛證 {xin1 xue4 xu1 zheng4}, heart blood vacuity pattern
心血瘀阻 {xin1 xue4 yu1 zu3}, heart blood stasis obstruction
心陽 {xin1 yang2}, heart yang2
心陽暴脫 {xin1 yang2 bao4 tuo1}, fulminant desertion of heart yang22
心陽暴脫證 {xin1 yang2 bao4 tuo1 zheng4}, pattern of fulminant desertion of heart yang22
心陽不振 {xin1 yang2 bu4 zhen4}, devitalized heart yang2
心陽盛 {xin1 yang2 shang4}, exuberant heart yang2
心陽下交於腎 {xin1 yang2 xia4 jiao1 yu2 shen4}, heart yang2 failing to interact with the kidney
心陽虛 {xin1 yang2 xu1}, heart yang2 vacuity
心陽虛脫 {xin1 yang2 xu1 tuo1}, heart yang2 vacuity desertion
心陽虛證 {xin1 yang2 xu1 zheng4}, pattern of heart yang2 vacuity
心陽血虛 {xin1 yang2 xue4 xu1}, heart yang2 and blood vacuity
心陽血虛證 {xin1 yang2 xue4 xu1 zheng4}, heart yang2 and blood vacuity pattern
心陽暴脫 {xin1 yang4 bao4 tuo1}, fulminant desertion of heart qi4
心移熱小腸證 {xin1 yi2 re4 xiao3 chang2 zheng4}, pattern of heart heat spreading to the small intestine
心移熱于小腸 {xin1 yi2 re4 yu2 xiao3 chang2}, heart heat spreading to the small intestine
心陰 {xin1 yin1}, heart yin1
心陰不足 {xin1 yin1 bu4 zu2}, insufficiency of heart yin1
心陰虛 {xin1 yin1 xu1}, heart yin1 vacuity
心陰虛證 {xin1 yin1 xu1 zheng4}, heart yin1 vacuity pattern
心陰陽兩虛 {xin1 yin1 yang2 liang3 xu1}, dual vacuity of heart yin1 and yang2; heart yin1 and yang2 vacuity
心陰陽兩虛證 {xin1 yin1 yang2 liang3 xu1 zheng4}, pattern of dual vacuity of heart yin1 and yang2
心營 {xin1 ying2}, heart construction
心營不足 {xin1 ying2 bu4 zu2}, insufficiency of heart construction

心營過耗 {xin1 ying2 guo4 hao4}, excessive wearing of heart construction
心與小腸相表里 {xin1 yu3 xiao3 chang2 xiang1 biao3 li3}, heart and small intestine stand in interior-exterior relationship
心雜音 {xin1 zai2 yin1}, 西醫 heart murmur
心臟導管插入 {xin1 zang4 dao3 guan3 cha1 ru4}, 西醫 cardiac catheterization
心臟麻痺 {xin1 zang4 ma2 bi4}, 西醫 heart attack
心臟性水腫 {xin1 zang4 xing4 shui3 zhong3}, 西醫 cardiac edema
心臟血管系統 {xin1 zang4 xue4 guan3 xi4 tong3}, 西醫 cardiovascular system
心臟移植 {xin1 zang4 yi2 zhi2}, 西醫 heart transplant
心脹 {xin1 zhang4}, heart distention
心者君主之官也，神明出焉 {xin1 zhe3 jun1 zhu3 zhi1 guan1 ye3 shen2 ming2 chu1 yan1}, heart holds the office of monarch, whence the spirit light emanates
心之俞 {xin1 zhi1 shu1}, 腧穴異名 BL-15 (Heart's Transport)
心之液爲汗 {xin1 zhi1 ye4 wei2 han4}, humor of the heart is sweat
心志爲喜 {xin1 zhi4 wei2 xi3}, joy is the mind of the heart
心中懊&&61B9|{xin1 zhong1 ao4 nong2}, anguish in the heart
心中憺憺 {xin1 zhong1 dan4 dan4}, thudding of the heart
心中憺憺大動 {xin1 zhong1 dan4 dan4 da4 dong4}, great thudding of the heart
心中煩 {xin1 zhong1 fan2}, vexation in the heart
心中煩熱 {xin1 zhong1 fan2 re4}, heat vexation in the heart
心中結痛 {xin1 zhong1 jie2 tong4}, gripping pain in the heart
心中疼熱 {xin1 zhong1 teng2 re4}, pain and heat in the heart
心主汗 {xin1 zhu3 han4}, heart governs sweating
心主脈 {xin1 zhu3 mai4}, heart governs the vessels
心主舌 {xin1 zhu3 she2}, heart governs the tongue
心主神明 {xin1 zhu3 shen2 ming2}, heart governs the spirit light
心主血 {xin1 zhu3 xue4}, heart governs the blood
心主血脈 {xin1 zhu3 xue4 mai4}, heart governs the blood and vessels
心主言 {xin1 zhu3 yan2}, heart governs speech

【辛】{xin1} [Freq. 2] acrid (adj.), acridity (n.) (辛入肺 {xin1 ru4 fei4}, acridity enters the lung); eighth heavenly stem; S8.
辛甘發散爲陽 {xin1 gan1 fa1 san4 wei2 yang2}, sweet and acrid effusing and dissipating [medicinals] are yang2
辛甘化陽 {xin1 gan1 hua4 yang2}, form yang2 with sweetness and acridity
辛寒清氣 {xin1 han2 qing1 qi4}, clear qi4 with cold and acridity
辛寒生津 {xin1 han2 sheng1 jin1}, engender liquid with cold and acridity
辛金 {xin1 jin1}, S8-metal (the lung)

辛開 {xin1 kai1}, acrid opening
辛開苦降 {xin1 kai1 ku3 jiang4}, open with acridity and downbear with bitterness; acrid opening and bitter downbearing
辛開苦泄 {xin1 kai1 ku3 xie4}, open with acridity and discharge with bitterness; acrid opening and bitter discharge
辛開散痞 {xin1 kai1 san4 pi3}, dissipate glomus with opening acridity
辛涼解表 {xin1 liang2 jie3 biao3}, resolve the exterior with coolness and acridity; cool acrid exterior resolution
辛涼解表法 {xin1 liang2 jie3 biao3 fa3}, cool acrid exterior-resolving method
辛涼解表劑 {xin1 liang2 jie3 biao3 ji4}, cool acrid exterior-resolving formula
辛涼解表藥 {xin1 liang2 jie3 biao3 yao4}, cool acrid exterior-resolving medicinal
辛涼清熱 {xin1 liang2 qing1 re4}, clear heat with coolness and acridity
辛入肺 {xin1 ru4 fei4}, acridity enters the lung
辛散透發 {xin1 san1 tou4 fa1}, promote outthrust and effusion of dissipating acridity
辛散透發 {xin1 san4 tou4 fa1}, promote outthrust and effusion with dissipating acridity
辛散宣肺 {xin1 san4 xuan1 fei4}, diffuse the lung with dissipating acridity
辛散宣透 {xin1 san4 xuan1 tou4}, promote diffusion and outthrust with dissipating acridity
辛散滯氣 {xin1 san4 zhi4 qi4}, dissipate stagnant qi4 with acridity
辛溫解表 {xin1 wen1 jie3 biao3}, resolve the exterior with warmth and acridity; warm acrid exterior resolution
辛溫解表法 {xin1 wen1 jie3 biao3 fa3}, warm acrid exterior-resolving method
辛溫解表劑 {xin1 wen1 jie3 biao3 ji4}, warm acrid exterior-resolving formula
辛溫解表藥 {xin1 wen1 jie3 biao3 yao4}, warm acrid exterior-resolving medicinal
辛溫開竅 {xin1 wen1 kai1 qiao4}, open the orifices with warmth and acridity
辛溫通陽 {xin1 wen1 tong1 yang2}, free yang2 with warmth and acridity
辛溫走竄 {xin1 wen1 zou3 cuan4}, warm acrid mobile and penetrating
辛香化濁 {xin1 xiang1 hua4 zhuo2}, transform turbidity with acridity and aroma
辛香暖胃 {xin1 xiang1 nuan3 wei4}, warming the stomach with acridity and aroma
辛夷 {xin1 yi2}, 中藥正名 magnolia flower (1) (Magnoliae Flos)
辛夷花 {xin1 yi2}, 中藥異名 magnolia flower (1) (Magnoliae Flos)
辛夷清肺散 {xin1 yi2 qing1 fei4 san3}, 方名 Magnolia Flower Lung-Clearing Powder
辛夷清肺湯 {xin1 yi2 qing1 fei4 tang1}, 方名 Magnolia Flower Lung-Clearing Decoction
辛夷散 {xin1 yi2 san3}, 方名 Magnolia Flower Powder
辛夷桃 {xin1 yi2 tao2}, 中藥異名 magnolia flower (1) (Magnoliae Flos)

【新】 {xin1} [Freq. 3] new.
新病 {xin1 bing4}, new disease; disease of recent onset
新陳代謝 {xin1 chen2 dai4 xie4}, 西醫 metabolism

新感 {xin1 gan3}, new contraction
新感溫病 {xin1 gan3 wen1 bing4}, new contraction warm disease
新感引動伏邪 {xin1 gan3 yin3 dong4 fu2 xie2}, new contraction stirring latent evil
新會橘皮 {xin1 hui4 ju2 pi2}, 中藥異名 Xinhui tangerine peel (Citri Reticulatae Pericarpium *Xinhuiensis)
新會皮 {xin1 hui4 pi2}, 中藥正名 Xinhui tangerine peel (Citri Reticulatae Pericarpium *Xinhuiensis)
新加 {xin1 jia1}, newly supplemented
新加黃龍湯 {xin1 jia1 huang2 long2 tang1}, 方名 Newly Supplemented Yellow Dragon Decoction
新加參歸承氣湯 {xin1 jia1 shen1 gui1 cheng2 qi4 tang1}, 方名 Newly Supplemented Ginseng and Chinese Angelica Qi4-Infusing Decoction
新加香薷飲 {xin1 jia1 xiang1 ru2 yin3}, 方名 Newly Supplemented Mosla Beverage
新疆木通 {xin1 jiang1 mu4 tong1}, 中藥正名 Siberian clematis (Clematidis Sibiricae Ramus)
新木檣子 {xin1 mu4 jiang1 zi3}, 中藥正名 neolitea (Neolitseae Radix seu Cortex)
新生兒敗血症 {xin1 sheng1 er2 bai4 xue4 zheng4}, 西醫 neonatal sepsis
新生兒肝炎綜合症 {xin1 sheng1 er2 gan1 yan2 zong4 he2}, 西醫 neonatal heptatitis syndrome
新生兒溶血病 {xin1 sheng1 er2 rong2 xue4 bing4}, 西醫 hemolytic disease of newborn
新生兒硬腫症 {xin1 sheng1 er2 ying4 zhong3 zheng4}, 西醫 scleredema neonatorum
新頭痛 {xin1 tou2 tong4}, headache of recent onset
新鮮車前葉 {xin1 xian1 che1 qian2 ye4}, 中藥正名 fresh plantago leaf (Plantaginis Folium Recens)
新鮮芋頭 {xin1 xian1 yu4 tou2}, 中藥正名 fresh taro (Colocasiae Tuber Recens)
新修本草 {xin1 xiu1 ben3 cao3}, 書名 Newly Revised Herbal Foundation
新針灸學 {xin1 zhen1 jiu3 xue2}, 書名 New Acupuncture
新制橘皮竹茹湯 {xin1 zhi4 ju2 pi2 zhu2 ru2 tang1}, 方名 New Tangerine Peel and Bamboo Shavings Decoction

【薪】 {xin1} [Freq. 5] firewood (釜底抽薪 {fu3 di3 chou1 xin1}, raking the firewood from beneath the cauldron)

~~ {xin4} ~~
【信】 {xin4} [Freq. 4] trust; letter.
信砒 {xin4 pi1}, 中藥異名 arsenic (Arsenicum)
信前胡 {xin4 qian2 hu2}, 中藥異名 peucedanum (Peucedani Radix)
信石 {xin4 shi2}, 中藥異名 arsenic (Arsenicum)
信棗散 {xin4 zao3 san3}, 方名 Arsenic-Jujube Powder

【囟】 {xin4} [Freq. 2] fontanel (n.); frontal region (of the head).
囟會 {xin4 hui4}, 腧穴正名 GV-22 (Fontanel Meeting)
囟解 {xin4 jie3}, ununited fontanels
囟開不合 {xin4 kai1 bu4 he2}, non-closure of the fontanels
囟門 {xin4 men2}, fontanel gate (Fontanel Gate); 腧穴異名 GV-22
囟門不合 {xin4 men2 bu4 he2}, non-closure of the fontanel gate
囟門遲閉 {xin4 men2 chi2 bi4}, retarded closure of the fontanel gate
囟門高突 {xin4 men2 gao1 tu1}, bulging fontanel gate
囟門凸起 {xin4 men2 tu2 qi3}, bulging fontanel gate
囟門下陷 {xin4 men2 xia4 xian4}, depressed fontanel gate
囟上 {xin4 shang4}, 腧穴異名 GV-22 (Top of the Fontanel)
囟填 {xin4 tian2}, bulging fontanels
囟陷 {xin4 xian4}, depressed fontanels
囟腫 {xin4 zhong3}, bulging fontanels

【炘】 {xin4} [Freq. 3] scorching hot, scorching heat.
炘紅 {xin4 hong2}, scorching redness

~~ {xing1} ~~
【星】 {xing1} [Freq. 4] star.
星笛鯛 {xing1 di2 diao1}, 中藥正名 blue-banded sea perch (Lutjanus)
星附散 {xing1 fu4 san3}, 方名 Arisaema and Aconite Powder
星雞魚 {xing1 ji1 yu2}, 中藥正名 star grunter (Pomadasys Hasta)
星鱠 {xing1 kuai4}, 中藥正名 yellow-margined grouper (Variola Louti)
星香湯 {xing1 xiang1 tang1}, 方名 Arisaema and Costusroot Decoction
星宿菜 {xing1 xiu4 cai4}, 中藥正名 Fortune's lysimachia (Lysimachiae Fortunei Herba (cum Radice))

【惺】 {xing1} [Freq. 4] clear-headed; clever.
惺惺 {xing1 xing1}, 腧穴異名 GV-16 (Clearheadedness)
惺惺散 {xing1 xing1 san3}, 方名 Clever Powder

【猩】 {xing1} [Freq. 4] gorilla.
猩紅熱 {xing1 hong2 re4}, 西醫 scarlet fever

【腥】 {xing1} [Freq. 2] fishy-smelling (adj.).

腥臭氣 {xing1 chou4 qi4}, fishy smell
腥臭味 {xing1 chou4 wei4}, fishy smell
腥臊氣 {xing1 sao1 qi4}, fishy and animal smells

【興】 {xing1} [Freq. 4] revive.
興奮 {xing1 fen4}, 腧穴正名 Excitation
興陽 {xing1 yang2}, revive yang2

~~ {xing2} ~~
【刑】 {xing2} [Freq. 5] torment (v.) (木火刑金 {mu4 huo3 xing2 jin1}, wood fire tormenting metal)

【行】 {xing2} [Freq. 2] move (v.) (行氣 {xing2 qi4}, move qi4).
行痹 {xing2 bi4}, moving impediment
行腸胃滯氣 {xing2 chang2 wei4 zhi4 qi4}, move gastrointestinal qi4 stagnation
行遲 {xing2 chi2}, slowness to walk (one of the five slownesses)
行大腸氣 {xing2 da4 chang2 qi4}, move large intestinal qi4
行房 {xing2 fang2}, perform bedroom [activities]; sexual intercourse
行間 {xing2 jian1}, 腧穴正名 LV-2 (Moving Between)
行經不暢 {xing2 jing1 bu4 chang4}, inhibited menstruation
行經腹痛 {xing2 jing1 fu4 tong4}, abdominal pain during menstruation
行經期 {xing2 jing1 qi1}, menstrual period
行軍散 {xing2 jun1 san3}, 方名 Troop-Marching Powder
行氣 {xing2 qi4}, move qi4
行氣法 {xing2 qi4 fa3}, qi4-moving technique
行氣活血 {xing2 qi4 huo2 xue4}, move qi4 and quicken the blood
行氣降逆 {xing2 qi4 jiang4 ni4}, move qi4 and downbear counterflow
行氣開胃 {xing2 qi4 kai1 wei4}, move qi4 and open the stomach
行氣寬脹 {xing2 qi4 kuan1 zhang4}, move qi4 and loosen distention
行氣散寒 {xing2 qi4 san4 han2}, move qi4 and dissipate cold
行氣散滯 {xing2 qi4 san4 zhi4}, move qi4 and dissipate stagnation
行氣調中 {xing2 qi4 tiao2 zhong1}, move qi4 and regulate the center
行氣通滯 {xing2 qi4 tong1 zhi4}, move qi4 and free stagnation
行氣溫燥化濕 {xing2 qi4 wen1 zao4 hua4 shi1}, move qi4, warm dryness, and transform dampness
行氣香蘇散 {xing2 qi4 xiang1 su1 san3}, 方名 Qi4-Moving Cyperus and Perilla Powder
行氣藥 {xing2 qi4 yao4}, qi4-moving medicinal

行散氣滯 {xing2 san4 qi4 zhi4}, move qi4 and dissipate stagnation
行濕補氣養血湯 {xing2 shi1 bu3 qi4 yang3 xue4 tang1}, 方名 Dampness-Moving Qi4-Supplementing Blood-Nourishing Decoction
行濕化飲 {xing2 shi1 hua4 yin3}, move dampness and transform rheum
行水 {xing2 shui3}, move water
行水氣 {xing2 shui3 qi4}, move water qi4
行痰下水 {xing2 tan2 xia4 shui3}, move phlegm and precipitate water
行血脈 {xing2 xue4 mai4}, move the blood vessels
行血滯 {xing2 xue4 zhi4}, moves blood stagnation
行血中濕氣 {xing2 xue4 zhong1 shi1 qi4}, move damp qi4 in the blood
行夜 {xing2 ye4}, 中藥正名 pheropsophus (Pheropsophus)
行針指要歌 {xing2 zhen1 zhi3 yao4 yao1}, Song of the Essentials of Needle Practice
行走不利 {xing2 zou3 bu4 li4}, inhibited walking

【形】 {xing2} [Freq. 2] form (n.); physical form/body (n.).
形不足者溫之以氣 {xing2 bu4 zu2 zhe3 wen1 zhi1 yi3 qi4}, insufficiency of the physical body is warmed with qi4
形寒 {xing2 han2}, physical cold
形寒怕冷 {xing2 han2 pa4 leng3}, physical cold and fear of cold
形寒怯冷 {xing2 han2 qie4 leng3}, physical cold and fear of cold
形寒肢冷 {xing2 han2 zhi1 leng3}, physical cold and cold limbs
形倦神怠 {xing2 juan4 shen2 dai4}, physical fatigue and lassitude of spirit
形倦神疲 {xing2 juan4 shen2 pi2}, physical fatigue and lassitude of spirit
形氣俱實 {xing2 qi4 ju4 shi2}, replete physique and qi4
形氣相得 {xing2 qi4 xiang1 de2}, congruence between body and qi4
形氣相失 {xing2 qi4 xiang1 shi1}, incongruence between body and qi4
形勝氣 {xing2 sheng4 qi4}, body prevailing over qi4
形盛氣虛 {xing2 sheng4 qi4 xu1}, exuberant physique and vacuous qi4
形瘦色蒼 {xing2 shou4 se4 cang1}, thin body and somber complexion
形態 {xing2 tai4}, form and bearing; bearing
形體 {xing2 ti3}, formal body
形體肥胖 {xing2 ti3 fei2 pang4}, obesity; obesity
形體瘦削 {xing2 ti3 shou4 xue4}, emaciation
形體消瘦 {xing2 ti3 xiao1 shou4}, emaciation
形臟 {xing2 zang4}, physical viscus (viscus)
形腫 {xing2 zhong3}, swollen body; generalized swelling

【型】 {xing2} [Freq. 4] type (證型 {zheng4 xing2}, pattern type)

~~ {xing3} ~~
【醒】 {xing3} [Freq. 3] rouse (v.).
醒酒 {xing3 jiu3}, sober; dispel the effects of liquor
醒腦 {xing3 nao3}, arouse the brain
醒腦靜 {xing3 nao3 jing4}, 方名 Xingnaojing
醒脾 {xing3 pi2}, arouse the spleen
醒脾開胃 {xing3 pi2 kai1 wei4}, arouse the spleen and open the stomach
醒脾丸 {xing3 pi2 wan2}, 方名 Spleen-Arousing Pill
醒脾燥濕 {xing3 pi2 zao4 shi1}, arouse the spleen and dry dampness
醒神 {xing3 shen2}, rouse the spirit; arouse the spirit
醒消丸 {xing3 xiao1 wan2}, 方名 Awake to Dispersion Pill

【擤】 {xing3} [Freq. 4] blow (the nose).
擤鼻涕 {xing3 bi2 ti4}, blow the nose

~~ {xing4} ~~
【杏】 {xing4} [Freq. 4] apricot.
杏核仁 {xing4 he2 ren2}, 中藥異名 apricot kernel (Armeniacae Semen)
杏花 {xing4 hua1}, 中藥正名 apricot flower (Armeniacae Flos)
杏林 {xing4 lin2}, apricot grove (the medical world)
杏梅仁 {xing4 mei2 ren2}, 中藥異名 apricot kernel (Armeniacae Semen)
杏仁 {xing4 ren2}, 中藥正名 apricot kernel (Armeniacae Semen)
杏仁滑石湯 {xing4 ren2 hua2 shi2 tang1}, 方名 Apricot Kernel and Talcum Decoction
杏仁霜 {xing4 ren2 shuang1}, 中藥正名 apricot kernel frost (Armeniacae Seminis Pulvis)
杏實 {xing4 shi2}, 中藥異名 apricot (Armeniacae Fructus)
杏樹根 {xing4 shu4 gen1}, 中藥正名 apricot root (Armeniacae Radix)
杏樹皮 {xing4 shu4 pi2}, 中藥正名 apricot bark (Armeniacae Cortex)
杏蘇散 {xing4 su1 san3}, 方名 Apricot Kernel and Perilla Powder
杏葉 {xing4 ye4}, 中藥正名 apricot leaf (Armeniacae Folium)
杏葉防風 {xing4 ye4 fang2 feng1}, 中藥正名 Candolle's pimpinella (Pimpinellae Candolleanae Radix seu Herba)
杏枝 {xing4 zhi1}, 中藥正名 apricot twig (Armeniacae Ramus)
杏子 {xing4 zi3}, 中藥正名 apricot (Armeniacae Fructus)

【性】 {xing4} [Freq. 3] nature.

性機能減退 {xing4 ji1 neng2 jian3 tui4}, 西醫 reduced sexual function
性急易怒 {xing4 ji2 yi4 nu4}, rashness and irascibility
性冷 {xing4 leng3}, frigidity
性能 {xing4 neng2}, characteristic
性情 {xing4 qing2}, temperament; nature
性情急躁 {xing4 qing2 ji2 zao4}, rash and impatient nature
性味 {xing4 wei4}, nature and flavor
性腺 {xing4 xian4}, 西醫 sex glands

【荇】 {xing4} [Freq. 4] floating heart.
荇菜 {xing4 cai4}, 中藥正名 floating heart (Nymphoidis Herba)

~~ {xiong1} ~~
【凶】 {xiong1} [Freq. 5] unfavorable

【胸】 {xiong1} [Freq. 2] chest (n.); thoracic.
胸痹 {xiong1 bi4}, chest impediment
胸痹刺痛 {xiong1 bi4 ci4 tong4}, chest impediment with stabbing pain
胸部氣滯 {xiong1 bu4 qi4 zhi4}, qi4 stagnation in the chest
胸部脹滿 {xiong1 bu4 zhang4 man3}, fullness in the chest; thoracic fullness
胸部脹痛 {xiong1 bu4 zhang4 tong4}, distention and pain in the chest; thoracic distention and pain
胸大肌 {xiong1 da4 ji1}, 西醫 greater pectoral muscle; 腧穴正名 Greater Pectoral Muscle
胸腹俱冷痛 {xiong1 fu4 ju4 leng3 tong4}, cold pain in the chest and abdomen
胸腹滿悶 {xiong1 fu4 man3 men4}, fullness and oppression in the chest and abdomen
胸腹氣脹 {xiong1 fu4 qi4 zhang4}, qi4 distention in the chest and abdomen
胸腹脹悶 {xiong1 fu4 zhang4 men4}, distention and oppression in the chest and abdomen
胸腹脹痛 {xiong1 fu4 zhang4 tong4}, distention and pain in the chest and abdomen
胸高 {xiong1 gao1}, raised chest
胸膈 {xiong1 ge2}, chest and diaphragm
胸膈不利 {xiong1 ge2 bu4 li4}, inhibited chest and diaphragm
胸膈滿悶 {xiong1 ge2 man3 men4}, fullness and oppression in the chest and diaphragm
胸膈氣脹 {xiong1 ge2 qi4 zhang4}, qi4 distention in the chest and diaphragm
胸膈熱郁 {xiong1 ge2 re4 yu4}, chest and diaphragm heat depression
胸膈滯悶 {xiong1 ge2 zhi4 men4}, stagnation and oppression in the chest and diaphragm
胸膈滯塞 {xiong1 ge2 zhi4 se4}, stagnation and blockage in the chest and diaphragm
胸骨 {xiong1 gu3}, chest bones; sternum

胸汗 {xiong1 han4}, sweating from the chest
胸痢 {xiong1 li4}, glomus in the chest
胸滿 {xiong1 man3}, fullness in the chest; thoracic fullness
胸滿咳喘 {xiong1 man3 ke2 chuan3}, fullness in the chest, cough, and panting
胸滿痞悶 {xiong1 man3 pi3 men4}, fullness, glomus, and oppression in the chest; thoracic fullness, glomus, and oppression
胸滿脅痛 {xiong1 man3 xie2 tong4}, fullness in the chest and pain in the rib-side; thoracic fullness and rib-side pain
胸悶 {xiong1 men4}, oppression in the chest; thoracic oppression
胸悶不暢 {xiong1 men4 bu4 chang4}, oppression in the chest
胸悶不食 {xiong1 men4 bu4 shi2}, oppression in the chest and inability to eat
胸悶嘔吐 {xiong1 men4 ou3 tu4}, oppression in the chest, retching, and vomiting
胸悶如窒 {xiong1 men4 ru2 zhi4}, stifling oppression in the chest
胸悶喜長吁 {xiong1 men4 xi3 chang2 hu1}, oppression in the chest with a liking for long exhalation
胸膜 {xiong1 mo2}, 西醫 pleura
胸膜腔 {xiong1 mo2 qiang1}, 西醫 pleural cavity
胸膜滲液 {xiong1 mo2 shen4 ye4}, 西醫 pleural effusion
胸膜炎 {xiong1 mo2 yan2}, 西醫 pleurisy; pleurisy
胸痞 {xiong1 pi3}, thoracic glomus; glomus in the chest
胸前憋悶 {xiong1 qian2 bie1 men4}, oppression in the anterior chest
胸腔 {xiong1 qiang1}, 西醫 thoracic cavity
胸腔穿刺術 {xiong1 qiang1 chuan1 ci4 shu4}, 西醫 thoracentesis
胸水 {xiong1 shui3}, 西醫 hydrothorax
胸鎖乳突肌 {xiong1 suo3 ru3 tu2 ji1}, 西醫 sternocleidomastoid muscle
胸堂 {xiong1 tang2}, 腧穴異名 CV-17 (Chest Hall)
胸痛 {xiong1 tong4}, chest pain; pain in the chest
胸脘 {xiong1 wan3 (guan3)}, chest and stomach duct
胸脘滿悶 {xiong1 wan3 (guan3) man3 men4}, fullness and oppression in the chest and stomach duct
胸脘痞悶 {xiong1 wan3 (guan3) pi3 men4}, glomus and oppression in the chest and stomach duct
胸脘堵悶 {xiong1 wan3 du3 men4}, blockage and oppression in the chest and stomch duct
胸脘發悶 {xiong1 wan3 fa1 men4}, oppression in the chest and stomach duct
胸下結硬 {xiong1 xia4 jie2 ying4}, hard bind below the chest
胸腺 {xiong1 xian4}, 西醫 thymus
胸鄉 {xiong1 xiang1}, 腧穴正名 SP-19 (Chest Village)
胸脅 {xiong1 xie2}, chest and rib-side

胸脅苦滿 {xiong1 xie2 ku3 man3}, fullness in the chest and rib-side
胸脅肋旁 {xiong1 xie2 lei4 pang2}, chest and rib-side
胸脅滿 {xiong1 xie2 man3}, chest and rib-side fullness
胸脅悶痛 {xiong1 xie2 men4 tong4}, oppression and pain in the chest and rib-side84
胸脅逆滿 {xiong1 xie2 ni4 ma3}, counterflow fullness in the chest and rib-side
胸脅逆滿 {xiong1 xie2 ni4 man3}, counterflow fullness in the chest and rib-side
胸脅痛 {xiong1 xie2 tong4}, chest and rib-side pain
胸脅脹滿 {xiong1 xie2 zhang4 man3}, painful distention in the chest and rib-side
胸脅支滿 {xiong1 xie2 zhi1 man3}, propping fullness in the chest and rib-side
胸陽 {xiong1 yang2}, chest yang2; thoracic yang2
胸陽不運 {xiong1 yang2 bu4 yun4}, chest yang2 failing to move
胸陽阻痹 {xiong1 yang2 zu3 bi4}, obstruction of chest yang2
胸膺 {xiong1 ying1}, anterior chest
胸中澹澹 {xiong1 zhong1 dan4 dan4}, rolling sensation in the chest
胸中煩熱 {xiong1 zhong1 fan2 re4}, heat vexation in the chest
胸中滿 {xiong1 zhong1 man3}, fullness in the chest; thoracic fullness
胸中膨膨然 {xiong1 zhong1 peng2 peng2 ran2}, feeling of inflation in the chest
胸中痞硬 {xiong1 zhong1 pi3 ying4}, hard glomus in the chest
胸中氣少 {xiong1 zhong1 qi4 shao3}, shortage of qi4 in the chest
胸中郁郁 {xiong1 zhong1 yu4 yu4}, depression in the chest
胸中之府 {xiong1 zhong1 zhi1 fu3}, house of [that] within the chest (the back)
胸中窒 {xiong1 zhong1 zhi4}, stuffiness in the chest
胸椎骨 {xiong1 zhui1 gu3}, 西醫 thoracic vertebrae

【芎】 {xiong1} [Freq. 4] chuanxiong.
芎歸二陳湯 {xiong1 gui1 er4 chen2 tang1}, 方名 Chuan1xiong1 and Chinese Angelica Two Matured Ingredients Decoction
芎歸膠艾湯 {xiong1 gui1 jiao1 ai4 tang1}, 方名 Chuan1xiong1, Chinese Angelica, Ass Hide Glue, and Mugwort Decoction
芎歸散 {xiong1 gui1 san3}, 方名 Chuan1xiong1 and Chinese Angelica Powder
芎歸調血飲 {xiong1 gui1 tiao2 xue4 yin3}, 方名 Chuan1xiong1 and Chinese Angelica Blood-Harmonizing Beverage
芎黃散 {xiong1 huang2 san3}, 方名 Chuan1xiong1 and Rhubarb Powder
芎茂 {xiong1 mao4}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)
芎藭 {xiong1 qiong2}, 中藥異名 chuanxiong (Chuanxiong Rhizoma)
芎辛導痰湯 {xiong1 xin1 dao3 tan2 tang1}, 方名 Chuan1xiong1 and Asarum Phlegm-Abducting Decoction
芎辛湯 {xiong1 xin1 tang1}, 方名 Chuan1xiong1 and Asarum Decoction

芎芷石膏湯 {xiong1 zhi3 shi2 gao1 tang1}, 方名 Chuan1xiong1, Dahurian Angelica, and Gypsum Decoction
芎朮丸 {xiong1 zhu2 wan2}, 方名 Chuan1xiong1 and Atractylodes Pill

~~ {xiong2} ~~
【雄】 {xiong2} [Freq. 4] male (of birds).
雄丁香 {xiong2 ding1 xiang1}, 中藥異名 clove (Caryophylli Flos)
雄黃 {xiong2 huang2}, 中藥正名 realgar (Realgar)
雄黃豆 {xiong2 huang2 dou4}, 中藥正名 Indochinese cassia fruit (Cassiae Indochinensis Fructus)
雄黃解毒丸, 方名 Realgar Toxin-Resolving Pill
雄雞 {xiong2 ji1}, 中藥正名 cock (Gallus Masculinus)
雄雞口涎 {xiong2 ji1 kou3 xian2}, 中藥正名 cock's spittle (Galli Masculini Saliva)
雄精 {xiong2 jing1}, 中藥異名 lucid realgar (Realgar Lucidum)
雄片 {xiong2 pian4}, 中藥異名 white sliced aconite (Aconiti Radix Lateralis Alba)
雄鴨 {xiong2 ya1}, 中藥正名 male duck (Anas Masculina)

【熊】 {xiong2} [Freq. 4] bear.
熊膽 {xiong2 dan3}, 中藥正名 bear's gall (Ursi Fel)
熊膽丸 {xiong2 dan3 wan2}, 方名 Bear's Gall Pill
熊骨 {xiong2 gu3}, 中藥正名 bear's bone (Ursi Os)
熊筋 {xiong2 jin1}, 中藥正名 bear's sinew (Ursi Musculus)
熊腦 {xiong2 nao3}, 中藥正名 bear's brain (Ursi Cerebrum)
熊肉 {xiong2 rou4}, 中藥正名 bear meat (Ursi Caro)
熊掌 {xiong2 zhang3}, 中藥正名 bear's paw (Ursi Pes)
熊脂 {xiong2 zhi1}, 中藥正名 bear's fat (Ursi Adeps)

~~ {xiu1} ~~
【休】 {xiu1} [Freq. 4] rest.
休克 {xiu1 ke4}, 西醫 shock
休瘧飲 {xiu1 nue94 yin3}, 方名 Malaria-Checking Beverage
休息痢 {xiu1 xi1 li4}, intermittent dysentery

【修】 {xiu1} [Freq. 4] enhance.
修脆 {xiu1 cui4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
修肝湯 {xiu1 gan1 tang1}, 方名 Liver-Repairing Decoction

修合藥所 {xiu1 he2 yao4 suo3}, medicinal processing establishment
修事 {xiu1 shi4}, processing of medicinals
修治 {xiu1 zhi4}, processing of medicinals

【羞】 {xiu1} [Freq. 3] shy; aversion to.
羞明 {xiu1 ming2}, aversion to light
羞明流淚 {xiu1 ming2 liu2 lei4}, aversion to light and tearing
羞明怕熱 {xiu1 ming2 pa4 re4}, aversion to light and heat
羞明怕日 {xiu1 ming2 pa4 ri4}, aversion to light and the sun

~~ {xiu4} ~~
【秀】 {xiu4} [Freq. 4] elegant.
秀麗野海棠 {xiu4 li4 ye3 hai3 tang2}, 中藥正名 bredia (Brediae Herba cum Radice)

【袖】 {xiu4} [Freq. 4] sleeve.
袖口疳 {xiu4 kou3 gan1}, gan1 of the cuff

【嗅】 {xiu4} [Freq. 3] smell (*to detect odors).
嗅鼻 {xiu4 bi2}, sniffing
嗅鼻瓜蒂散 {xiu4 bi2 gua1 di4 san3}, Melon-Stalk Sniffing Powder
嗅氣味 {xiu4 qi4 wei4}, smelling odors

【繡】 {xiu4} [Freq. 4] embroider.
繡球風 {xiu4 qiu2 feng1}, bobble wind
繡線菊根 {xiu4 xian4 ju2 gen1}, 中藥正名 Japanese meadowsweet root (Spiraeae Japonicae Radix)
繡線菊葉 {xiu4 xian4 ju2 ye4}, 中藥正名 Japanese meadowsweet leaf (Spiraeae Japonicae Folium)
鏽釘子 {xiu4 ding1 zi3}, 中藥正名 hairy clover shrub (Campylotropis Hirtellae Radix)

【&&35DC||】 {xiu4} [Freq. 2] insufflate (v.), insufflation (n.).
&&35DC||鼻 {xiu4 bi2}, nasal insufflation
&&35DC||鼻碧云散 {xiu4 bi2 bi4 yu2 nsan3}, 方名 Nasal Insufflation Jasper Clouds Powder

~~ {xu1} ~~
【戌】 {xu1} [Freq. 3] eleventh earthly branch; B11.

戌時 {xu1 shi2}, B11 watch

【虛】 {xu1} [Freq. 2] vacuous (adj.), vacuity (n.) (虛脈{xu1 mai4}, vacuous pulse; 心脾氣虛{xin1 pi2 qi4 xu1}, heart-spleen qi4 vacuity).
虛斑 {xu1 ban1}, vacuity macules
虛憊 {xu1 bei4}, vacuity fatigue; exhaustion
虛秘 {xu1 bi4}, vacuity constipation
虛喘 {xu1 chuan3}, vacuity panting
虛呃 {xu1 e4}, vacuity hiccup
虛煩 {xu1 fan2}, vacuity vexation
虛煩不得眠 {xu1 fan2 bu4 de mian2}, vacuity vexation and insomnia
虛風內動 {xu1 feng1 nei4 dong4}, vacuity wind stirring internally
虛浮 {xu1 fu2}, vacuity puffiness
虛寒 {xu1 han2}, vacuity cold
虛寒久痢 {xu1 han2 jiu3 li4}, enduring dysentery due to vacuity cold
虛寒痢 {xu1 han2 li4}, vacuity cold dysentery
虛寒泄 {xu1 han2 xie4}, vacuity cold diarrhea
虛寒泄瀉 {xu1 han2 xie4 xie4}, vacuity cold diarrhea
虛寒性痛經 {xu1 han2 xing4 tong4 jing1}, vacuity-cold--type menstrual pain
虛寒證 {xu1 han2 zheng4}, vacuity cold pattern
虛汗 {xu1 han4}, vacuity sweating
虛汗不止 {xu1 han4 bu4 zhi3}, persistent vacuity sweating
虛火灼齦 {xu1 ho1 zhuo2 yin2}, vacuity fire scorching the gums; vacuity fire scorching the gums
虛黃 {xu1 huang2}, vacuity jaundice
虛火 {xu1 huo3}, vacuity fire
虛火喘急 {xu1 huo3 chuan3 ji2}, vacuity fire rapid panting
虛火煉喉 {xu1 huo3 lian4 hou2}, vacuity fire condensing in the throat
虛火上浮 {xu1 huo3 shang4 fu2}, vacuity heat floating upward
虛火上浮證 {xu1 huo3 shang4 fu2 zheng4}, pattern of vacuity heat floating upward
虛火上炎 {xu1 huo3 shang4 yan2}, upflaming vacuity fire; vacuity fire flaming upward
虛積痢 {xu1 ji1 li4}, vacuity accumulation dysentery
虛家 {xu1 jia1}, person who suffers from vacuity
虛驚 {xu1 jing1}, vacuity fright
虛痙 {xu1 jing4}, vacuity tetany
虛咳喘促 {xu1 ke2 chuan3 cu4}, vacuity cough and hasty panting
虛勞 {xu1 lao2}, vacuity taxation
虛癆 {xu1 lao2}, vacuity consumption

虛勞癟瘦 {xu1 lao2 bie3 shou4}, vacuity taxation with marked emaciation
虛勞精少 {xu1 lao2 jing1 shao3}, vacuity-taxation scant semen
虛勞咳嗽 {xu1 lao2 ke2 sou4}, vacuity-taxation cough
虛勞羸弱 {xu1 lao2 lei2 ruo4}, vacuity taxation with emaciation and weakness
虛勞羸瘦 {xu1 lao2 lei2 sou4}, vacuity taxation with marked emaciation
虛勞腰痛 {xu1 lao2 yao4 tong4}, vacuity-taxation lumbar pain
虛勞陰冷 {xu1 lao2 yin1 leng3}, vacuity-taxation genital cold
虛勞盜汗 {xu1 lao2 yin1 leng3}, vacuity-taxation night sweating
虛勞蒸熱 {xu1 lao2 zheng1 re4}, vacuity-taxation steaming heat [effusion] (fever)
虛冷 {xu1 leng3}, vacuity cold
虛里 {xu1 li3}, vacuous li; apical pulse; pain at vacuous li
虛痢 {xu1 li4}, vacuity dysentery
虛聾 {xu1 long2}, vacuity deafness
虛脈 {xu1 mai4}, evacuate the vessels; vacuous vessel; vacuous pulse
虛瘧 {xu1 nue94}, vacuity malaria
虛胖 {xu1 pang4}, vacuity obesity
虛痞 {xu1 pi3}, vacuity glomus
虛熱 {xu1 re4}, vacuity heat
虛熱不清 {xu1 re4 bu4 qing1}, vacuity heat failing to clear
虛熱盜汗 {xu1 re4 da4 han4}, vacuity heat night sweating
虛熱經行先期 {xu1 re4 jing1 xing2 xian1 qi1}, vacuity heat advanced menstruation
虛熱證 {xu1 re4 zheng4}, vacuity heat pattern
虛人 {xu1 ren2}, vacuous patients
虛人痰壅胸膈 {xu1 ren2 tan2 yong1 xiong1 ge2}, phlegm congestion in the chest and diaphragm in vacuity patients
虛弱 {xu1 ruo4}, vacuous; vacuity
虛弱干瘦 {xu1 ruo4 gan1 shou4}, vacuity and emaciation
虛燒不退 {xu1 shao1 bu4 tui4}, persistent vacuity heat [effusion] (fever)
虛實 {xu1 shi2}, vacuity and repletion
虛實辨證 {xu1 shi2 bian4 zheng4}, vacuity-repletion pattern identification
虛實並見 {xu1 shi2 bing4 jian4}, concurrence of vacuity and repletion
虛實寒熱 {xu1 shi2 han2 re4}, vacuity, repletion, cold, and heat
虛實寒熱證交錯 {xu1 shi2 han2 re4 zheng4 jiao1 cuo4}, complex patterns of vacuity, repletion, cold, and heat
虛實夾雜 {xu1 shi2 jia1 za2}, vacuity-repletion complex
虛實夾雜證 {xu1 shi2 jia1 za2 zheng4}, vacuity-repletion complex pattern
虛實真假 {xu1 shi2 zhen1 jia3}, true and false vacuity and repletion
虛損 {xu1 sun3}, vacuity detriment

虛損勞傷 {xu1 sun3 lao2 shang1}, vacuity-detriment taxation damage
虛痰 {xu1 tan2}, vacuity phlegm
虛脫 {xu1 tuo1}, vacuity desertion
虛癇 {xu1 xian2}, vacuity epilepsy
虛陷 {xu1 xian4}, vacuity fall
虛邪 {xu1 xie2}, vacuity evil
虛邪賊風 {xu1 xie2 zei2 feng1}, vacuity evil and bandit wind
虛瀉 {xu1 xie4}, vacuity diarrhea
虛心痛 {xu1 xin1 tong4}, vacuity heart pain
虛虛實實 {xu1 xu1 shi2 shi2}, evacuate vacuity and replenish repletion
虛眩 {xu1 xuan4}, vacuity dizziness
虛陽不斂 {xu1 yang2 bu4 lian3}, vacuous yang2 failing to constrain
虛陽浮越 {xu1 yang2 fu2 yue4}, vacuous yang2 floating astray
虛陽上浮 {xu1 yang2 shang4 fu2}, vacuous yang2 floating upward; upfloating of vacuous yang2
虛則補其母 {xu1 ze2 bu3 qi2 mu3}, in vacuity, supplement the mother; vacuity is treated by supplementing the mother
虛則補之 {xu1 ze2 bu3 zhi1}, in vacuity, supplement; vacuity is treated by supplementing
虛則太陰 {xu1 ze2 tai4 yin1}, vacuity indicates greater yin1
虛脹 {xu1 zhang4}, vacuity distention
虛者補其母 {xu1 zhe3 bu3 qi2 mu3}, in vacuity, supplement the mother; vacuity is treated by supplementing the mother
虛者補其母，實者瀉其子 {xu1 zhe3 bu3 qi2 mu3, shi2 zhe3 xie4 qi2 zi3}, in vacuity, supplement the mother; in repletion, drain the child; vacuity is treated by supplementing the mother; repletion is treated by draining the child
虛者補之 {xu1 zhe3 bu3 zhi1}, vacuity is treated by supplementing
虛證 {xu1 zheng4}, vacuity pattern
虛滯 {xu1 zhi4}, vacuity stagnation
虛中夾實 {xu1 zhong1 jia1 shi2}, vacuity with repletion complication
虛腫 {xu1 zhong3}, vacuity swelling
虛中 {xu1 zhong4}, vacuity stroke
虛坐努責 {xu1 zuo4 nu3 ze2}, vain straining

【須】 {xu1} [Freq. 3] need; await.
須 {xu1}, whiskers; beard; moustache
須發枯白 {xu1 fa3 ku1 bai2}, dry white beard and hair
須發早白 {xu1 fa4 zao3 bai2}, premature graying
須髮早白 {xu1 fa4 zao3 bai2}, premature graying (of the hair)
須黃 {xu1 huang2}, yellowing of the whiskers

須臾又發 {xu1 yu2 you4 fa1}, occurring again after a short interval
鬚丸 {xu1 wan2}, 中藥異名 hematite (Haematitum)
鬚癬 {xu1 xian3}, 西醫 tinea barbae

~~ {xu2} ~~
【徐】 {xu2} [Freq. 3] slow.
徐長卿 {xu2 chang2 qing1}, 中藥正名 paniculate cynanchum (Cynanchi Paniculati Radix)
徐春甫 {xu2 chun1 fu3}, Xu2 Chun1-Fu3
徐大椿 {xu2 da4 chun1}, Xu2 Da4-Chun1
徐發 {xu2 fa1}, gradual onset
徐疾補瀉 {xu2 ji2 bu3 xie4}, quick and slow supplementation and drainage
徐靈胎醫學全書 {xu2 ling2 tai1 yi1 xue2 quan2 shu1}, Xu2 Ling2-Tai1's Complete Medical Book
徐之才 {xu2 zhi1 cai3}, Xu2 Zhi1-Cai2

~~ {xu3} ~~
【許】 {xu3} [Freq. 4] allow; possibly; approximately; surname.
許叔微 {xu3 shu1 wei1}, Xu3 Shu1-Wei1
許學士神朮散 {xu3 xue2 shi4 shen2 zhu2 san3}, 方名 Xu's Wondrous Atractylodes Powder

【煦】 {xu3} [Freq. 5] warm (溫煦 {wen1 xu3}, to warm. Also pronounced {xu4})

~~ {xu4} ~~
【畜】 {xu4} [Freq. 4] livestock.
畜辯 {xu4 bian4}, 中藥異名 knotgrass (Polygoni Avicularis Herba)
畜門 {xu4 men2}, nostril

【絮】 {xu4} [Freq. 3] wadding.
絮瓜瓤 {xu4 gua1 rang2}, 中藥異名 loofah (Luffae Fructus Retinervus)

【煦】 {xu4} [Freq. 5] warm (see 煦 {xu3})

【蓄】 {xu4} [Freq. 2] amass (v.), amassment (n.) (蓄血 {xu4 xue4}, blood amassment).
蓄水 {xu4 shui3}, water amassment
蓄水證 {xu4 shui3 zheng4}, water amassment pattern

蓄痰停飲 {xu4 tan2 ting2 yin3}, amassed phlegm and collecting rheum
蓄血 {xu4 xue4}, blood amassment
蓄血發黃 {xu4 xue4 fa1 huang2}, blood amassment yellowing
蓄血臌 {xu4 xue4 gu3}, water amassment drum distention
蓄血證 {xu4 xue4 zheng4}, blood amassment patterns

【續】 {xu4} [Freq. 4] continue.
續斷 {xu4 duan4}, 中藥正名 dipsacus (Dipsaci Radix)
續斷丸 {xu4 duan4 wan2}, 方名 Dipsacus Pill
續筋骨 {xu4 jin1 gu3}, join sinew and bones
續筋接骨 {xu4 jin1 jie1 gu3}, join sinew and bones
續名醫類案 {xu4 ming2 yi1 lei4 an4}, 書名 Supplement to the Classified Case Histories of Famous Physicians
續命湯 {xu4 ming4 tang1}, 方名 Life-Prolonging Decoction
續隨子莖中白汁 {xu4 sui2 zi3 jing1 zhong1 bai2 zhi1}, 中藥正名 caper spurge sap (Euphorbiae Lathyridis Succus)
續隨子霜 {xu4 sui2 zi3 shuang1}, 中藥正名 caper spurge seed frost (Euphorbiae Semen Pulveratum)
續隨子丸 {xu4 sui2 zi3 wan2}, 方名 Caper Spurge Seed Pill
續隨子葉 {xu4 sui2 zi3 ye4}, 中藥正名 caper spurge leaf (Euphorbiae Lathyridis Folium)

~~ {xuan1} ~~
【宣】 {xuan1} [Freq. 2] diffuse (v.), diffusion (n.) (宣肺 {xuan1 fei4}, diffuse the lung); perfuse (v.), perfusion (n.) (宣通陽氣 {xuan1 tong1 yang2 qi4}, perfuse yang2 qi4).
宣白 {xuan1 bai2}, diffuse the white (the lung)
宣白承氣湯 {xuan1 bai2 cheng2 qi4 tang1}, 方名 White-Diffusing Qi4-Infusing Decoction
宣痹湯 {xuan1 bi4 tang1}, 方名 Impediment-Diffusing Decoction
宣導血脈 {xuan1 dao3 xue4 mai4}, free the blood vessels
宣毒發表湯 {xuan1 du2 fa1 biao3 tang1}, 方名 Toxin-Diffusing Exterior-Effusing Decoction
宣毒散 {xuan1 du2 san3}, 方名 Toxin-Dispersing Powder
宣發散邪 {xuan1 fa1 san4 xie2}, promote diffusion and effusion and dissipate evil
宣肺 {xuan1 fei4}, diffuse the lung
宣肺化痰 {xuan1 fei4 hua4 tan2}, diffuse the lung and transform phlegm
宣肺降逆 {xuan1 fei4 jiang4 ni4}, diffuse the lung and downbear counterflow
宣肺利水 {xuan1 fei4 li4 shui3}, diffuse the lung and disinhibit water
宣肺利水法 {xuan1 fei4 li4 shui3 fa3}, lung-diffusing water-disinhibiting method
宣肺利水藥 {xuan1 fei4 li4 shui3 yao4}, lung-diffusing water-disinhibiting medicinal

宣肺平喘 {xuan1 fei4 ping2 chuan3}, diffuse the lung and calm panting
宣肺祛痰 {xuan1 fei4 qu1 tan2}, diffuse the lung and dispel phlegm
宣肺通氣 {xuan1 fei4 tong1 qi4}, diffuse the lung and free qi4
宣劑 {xuan1 ji4}, diffusing formula
宣降肺氣 {xuan1 jiang4 fei4 qi4}, diffuse and downbear lung qi4
宣降失司 {xuan1 jiang4 zhi1 si1}, disturbance of diffusion and downbearing
宣解表邪 {xuan1 jie3 biao3 xie2}, diffuse and resolve exterior evil
宣可去壅 {xuan1 ke3 qu4 yong1}, diffusing [medicinals] can eliminate congestion
宣明論方 {xuan1 ming2 lun4 fang1}, 書名 An Elucidation of Formulas
宣明丸 {xuan1 ming2 wan2}, 方名 Brightness Pill
宣木瓜 {xuan1 mu4 gua1}, 中藥異名 chaenomeles (Chaenomelis Fructus)
宣氣化濕 {xuan1 qi4 hua4 shi1}, diffuse qi4 and transform dampness
宣竅 {xuan1 qiao4}, perfuse the orifices
宣散 {xuan1 san4}, diffuse; diffusion
宣散肺中滯氣 {xuan1 san4 fei4 zhong1 zhi4 qi4}, diffuse stagnant qi4 in the lung
宣散氣郁 {xuan1 san4 qi4 yu4}, diffuse qi4 depression
宣通 {xuan1 tong1}, perfuse; perfusion
宣通鼻竅 {xuan1 tong1 bi2 qiao4}, free the nasal orifices
宣通肺氣 {xuan1 tong1 fei4 qi4}, diffuse lung qi4
宣通水道 {xuan1 tong1 shui3 dao4}, free the waterways
宣通五臟 {xuan1 tong1 wu3 zang4}, free the five viscera
宣通氣分 {xuan1 tong4 qi4 fen4}, diffuse the qi4 aspect
宣透 {xuan1 tou4}, outthrust
宣壅 {xuan1 yong1}, diffuse congestion

【喧】 {xuan1} [Freq. 4] clamor.
喧擾不寧 {xuan1 rao3 bu4 ning2}, noisy behavior

【萱】 {xuan1} [Freq. 4] daylily.
萱草 {xuan1 cao3}, 中藥異名 day lily (Hemerocallis Flos)
萱草根 {xuan1 cao3 gen1}, 中藥正名 day lily root (Hemerocallis Radix)
萱草嫩苗 {xuan1 cao3 nen4 miao2}, 中藥正名 day lily shoot (Hemerocallis Surculus)

~~ {xuan2} ~~
【玄】 {xuan2} [Freq. 2] mysterious (adj.) (common substitute for 元 {yuan2}).
玄府 {xuan2 fu3}, mysterious mansion (sweat pore) (sweat pore); mysterious house
玄胡 {xuan2 hu2}, 中藥異名 corydalis (Corydalis Rhizoma)

玄胡索 {xuan2 hu2 suo3}, 中藥異名 corydalis (Corydalis Rhizoma)
玄及 {xuan2 ji2}, 中藥異名 schisandra (Schisandrae Fructus)
玄精石 {xuan2 jing1 shi2}, 中藥正名 selenite (Selenitum)
玄明粉 {xuan2 ming2 fen3}, 中藥正名 refined mirabilite (Natrii Sulfas Exsiccatus)
玄參解毒湯 {xuan2 shen1 jie3 du2 tang1}, 方名 Scrophularia Toxin-Resolving Decoction
玄參散 {xuan2 shen1 san3}, 方名 Scrophularia Powder
玄參升麻湯 {xuan2 shen1 sheng1 ma2 tang1}, 方名 Scrophularia and Cimicifuga Decoction
玄參 {xuan2 shen1, 中藥正名 scrophularia (Scrophulariae Radix)
玄石 {xuan2 shi2}, 中藥異名 loadstone (Magnetitum)
玄台 {xuan2 tai2}, 中藥異名 scrophularia (Scrophulariae Radix)
玄英石 {xuan2 ying1 shi2}, 中藥異名 selenite (Selenitum)

【旋】 {xuan2} [Freq. 4] revolve.
旋耳瘡 {xuan2 er3 chuang1}, ear-turning sore
旋覆代赭湯 {xuan2 fu4 dai4 zhe3 tang1}, 方名 see 旋覆花代赭石湯
旋覆梗 {xuan2 fu4 geng3}, 中藥異名 inula (Inulae Herba)
旋覆花 {xuan2 fu4 hua1}, 中藥正名 inula flower (Inulae Flos)
旋覆花代赭石湯 {xuan2 fu4 hua1 dai4 zhe3 shi2 tang1}, 方名 Inula and Hematite Decoction
旋覆花湯 {xuan2 fu4 hua1 tang1}, 方名 Inula Decoction
旋覆花根 {xuan2 fu4 hua4 gen1}, 中藥正名 inula root (Inulae Radix)
旋後肌 {xuan2 hou4 ji1}, 西醫 supinator
旋機 {xuan2 ji1}, 腧穴異名 CV-21 (Swivel Mechanism)
旋雞尾 {xuan2 ji1 wei3}, 中藥正名 microsorium (Microsorii Herba (cum Radice))
旋仆 {xuan2 pu1}, spinning collapse
旋前肌 {xuan2 qian2 ji1}, 西醫 pronator
旋俞 {xuan2 shu1}, 腧穴異名 BL-29 (Return Transport)
旋轉法 {xuan2 zhuan3 fa3}, rotating
旋轉肌 {xuan2 zhuang3 ji1}, 西醫 rotator

【懸】 {xuan2} [Freq. 4] suspend.
懸漿 {xuan2 jiang1}, 腧穴異名 CV-24 (Suspended Sauce)
懸厘 {xuan2 li2}, 腧穴正名 GB-6 (Suspended Tuft)
懸顱 {xuan2 lu2}, 腧穴正名 GB-5 (Suspended Skull)
懸旗風 {xuan2 qi2 feng1}, suspended flag wind
懸&&25C7‖風 {xuan2 qi2 feng1}, suspended flag wind
懸旗癰 {xuan2 qi2 yong1}, suspended flag welling-abscess
懸球 {xuan2 qiu2}, suspended ball (a form of eyelid swelling)
懸泉 {xuan2 quan2}, 腧穴異名 LV-4 (Suspended Spring)

懸樞 {xuan2 shu1}，腧穴正名 GV-5 (Suspended Pivot)
懸飲 {xuan2 yin3}, suspended rheum
懸雍 {xuan2 yong1}, uvula
懸癰 {xuan2 yong1}, suspended welling-abscess
懸雍垂 {xuan2 yong1 chui2}, uvula
懸壅垂 {xuan2 yong1 chui2}，西醫 uvula
懸雍下垂 {xuan2 yong1 xia4 chui2}, pendulous uvula
懸鐘 {xuan2 zhong1}，腧穴正名 GB-39 (Suspended Bell)
懸珠痔 {xuan2 zhu1 zhi4}, suspended pear hemorrhoid

【璇】 {xuan2} [Freq. 4] fine jade; an astronomical instrument (璇璣 {xuan2 ji1}).
璇璣 {xuan2 ji1}，腧穴正名 CV-21 (Jade Swivel)

~~ {xuan3} ~~
【選】 {xuan3} [Freq. 4] select.
選方 {xuan3 fang1}, selected formula
選穴 {xuan3 xue2}, point selection

~~ {xuan4} ~~
【眩】 {xuan4} [Freq. 3] dizziness.
眩掉 {xuan4 diao4}, dizziness and shaking
眩冒 {xuan4 mao4}, veiling dizziness
眩僕 {xuan4 pu2}, dizzy collapse
眩暈 {xuan4 yun1}, dizziness
眩暈欲倒 {xuan4 yun1 yu4 dao3}, dizziness that upsets balance

【眴】 {xuan4} [Freq. 5] roll the eyes; dizziness (same as 眩 {xuan4}, dizziness)

~~ {xue1} ~~
【薛】 {xue1} [Freq. 4] surname.
薛己 {xue1 ji3}, Xue3 Ji3
薛氏五葉蘆根湯 {xue1 shi4 wu3 ye4 lu2 gen1 tang1}，方名 Xue's Five-Leaf Phragmites Decoction
薛雪 {xue1 xue3}, Xue1 Xue3

~~ {xue2} ~~

【穴】 {xue2} [Freq. 2] acupuncture point (n.) (穴道 {xue2}, acupuncture point); point (n.) (經穴 {jing1 xue2}, channel point); hole (n.).

穴道 {xue2 dao4}, acupuncture point; point; hole

穴道代號 {xue2 dao4 dai4 hao4}, acupuncture point alphanumeric code

穴位 {xue2 wei4}, point; acupuncture point

穴位注射療法 {xue2 wei4 zhu4 she4 liao2 fa3}, acupuncture point injection therapy

~~ {xue3} ~~

【雪】 {xue3} [Freq. 4] snow.

雪茶 {xue3 cha2}, 中藥正名 thamnolia (Thamnoliae Lichen)

雪膽 {xue3 dan3}, 中藥異名 hemsleya (Hemsleyae Tuber)

雪豆 {xue3 dou4}, 中藥異名 pea (Pisi Semen)

雪礬 {xue3 fan2}, 中藥異名 alum (Alumen)

雪羹湯 {xue3 geng1 tang1}, 方名 Snow Soup Decoction

雪見草根 {xue3 jian4 cao3 gen1}, 中藥正名 plebeian sage root (Salviae Plebeiae Radix)

雪口 {xue3 kou3}, snow mouth

雪裡紅 {xue3 li3 hong2}, 中藥正名 leafy mustard (Brassicae Foliosae Caulis et Folium)

雪裡蕻 {xue3 li3 hong4}, 中藥異名 mustard leaf (Sinapis Folium)

雪裡開 {xue3 li3 kai1}, 中藥正名 Henry's clematis (Clematidis Henryi Radix et Folium)

雪靈芝 {xue3 ling2 zhi1}, 中藥正名 Gansu sandwort (Arenariae Kansuensis Herba)

雪鳥 {xue3 niao3}, 中藥正名 Tangut aconite (Aconiti Tangutici Herba)

雪山林 {xue3 shan1 lin2}, 中藥正名 Japanese spurge (Pachysandrae Herba (cum Radice))

雪山一枝蒿 {xue3 shan1 yi1 zhi1 hao1}, 中藥正名 Kongbo aconite (Aconiti Kongboensis Tuber)

雪上一枝蒿 {xue3 shang4 yi1 zhi1 hao1}, 中藥正名 Yun2nan2 alpine aconite (Aconiti Brachypodi Radix)

雪豬骨 {xue3 zhu1 gu3}, 中藥正名 marmot limbs (Marmotae Os Membri)

雪豬肉 {xue3 zhu1 rou4}, 中藥正名 marmot meat (Marmotae Caro)

雪豬油 {xue3 zhu1 you2}, 中藥正名 marmot fat (Marmotae Adeps)

~~ {xue4} ~~

【血】 {xue4} [Freq. 2] blood (n.), bloody (adj.) (氣血 {qi4 xue4}, qi4 and blood; 尿血 {niao4 xue4}, bloody urine); bleeding (n.).

血斑大眼鯛 {xue4 ban1 da4 yan3 diao1}, 中藥正名 glass-eye snapper (Priacanthus Cruentatus)

血崩 {xue4 beng1}, flooding
血崩腹痛 {xue4 beng1 fu4 tong4}, flooding with abdominal pain
血崩昏暗 {xue4 beng1 hun1 an4}, flooding with clouding vision
血閉 {xue4 bi4}, blood block
血痹 {xue4 bi4}, blood impediment
血閉無子 {xue4 bi4 wu2 zi3}, blood block infertility
血便 {xue4 bian4}, bloody stool
血病 {xue4 bing4}, blood disease
血病及氣 {xue4 bing4 ji2 qi4}, blood disease affecting qi4
血病證候 {xue4 bing4 zheng4 hou4}, blood disease pattern; blood disease patterns
血不歸經 {xue4 bu4 gui1 jing1}, blood failing to stay in the channels
血不循經 {xue4 bu4 xun2 jing1}, blood failing to stay in the channels
血不養筋 {xue4 bu4 yang3 jin1}, blood failing to nourish the sinews
血不足 {xue4 bu4 zu2}, insufficiency of the blood
血愁 {xue4 chou2}, 腧穴正名 Blood Worry
血出如注 {xue4 chu1 ru2 zhu4}, pouring discharge of blood
血的證候 {xue4 de zheng4 hou4}, blood patterns
血鯛 {xue4 diao1}, 中藥正名 golden-skinned pargo (Evynnis Cardinalis)
血多膿少 {xue4 duo1 nong2 shao3}, copious blood and scant pus
血分 {xue4 fen4}, blood aspect
血分毒熱壅滯 {xue4 fen4 du2 re4 yong1 zhi4}, congestion of toxic heat in the blood aspect
血分熱 {xue4 fen4 re4}, blood aspect heat
血分熱毒 {xue4 fen4 re4 du2}, blood-aspect heat toxin
血分瘀熱 {xue4 fen4 yu1 re4}, blood-aspect stasis heat
血分證 {xue4 fen4 zheng4}, blood-aspect pattern
血分有熱 {xue4 fen4you3 re4}, heat in the blood aspect
血分燥熱 {xue4 fen4zao4 re4}, blood-aspect dryness heat
血風藤 {xue4 feng1 teng2}, 中藥正名 ventilago (Ventilaginis Radix et Caulis)
血府 {xue4 fu3}, 腧穴正名 House of Blood
血府逐瘀湯 {xue4 fu3 zhu2 yu1 tang1}, 方名 House of Blood Stasis-Expelling Decoction
血蛤皮 {xue4 ge2 pi2}, 中藥異名 ark shell (Arcae Concha)
血枸子 {xue4 gou3 zi3}, 中藥異名 lycium (Lycii Fructus)
血鼓 {xue4 gu3}, blood drum
血蠱 {xue4 gu3}, blood gu
血臌 {xue4 gu3}, blood drum distention
血管 {xue4 guan3}, 西醫 blood vessels
血管減壓藥 {xue4 guan3 jian3 ya1 yao4}, 西醫 vasodepressor
血管舒張藥 {xue4 guan3 shu1 zhang1 yao4}, 西醫 vasodilator

血海 {xue4 hai3}, sea of blood (the thoroughfare vessel, liver, or SP-10) (Sea of Blood); 腧穴正名 SP-10 (Sea of Blood); 腧穴異名 CV-4
血海空虛 {xue4 hai3 kong1 xu1}, emptiness of the sea of blood
血寒 {xue4 han2}, blood cold
血寒經行后期 {xue4 han2 jing1 xing2 hou4 qi1}, blood cold delayed menstruation
血寒月經過少 {xue4 han2 yue4 jing1 guo4 shao3}, blood cold scant menstruation
血寒證 {xue4 han2 zheng4}, blood cold pattern
血琥珀 {xue4 hu3 po4}, 中藥正名 blood amber (Succinum Sanguineum)
血會 {xue4 hui4}, meeting point of the blood (BL-17)
血積 {xue4 ji1}, blood accumulation
血極 {xue4 ji2}, extreme of the blood
血瘕 {xue4 jia3}, blood conglomeration
血箭 {xue4 jian4}, blood arrow (spurting of blood from the anus)
血見愁 {xue4 jian4 chou2}, 中藥正名 hybrid goosefoot (Chenopodii Hybridi Herba) (Galii Herba); 中藥異名 galium
血漿 {xue4 jiang1}, 西醫 plasma
血竭 {xue4 jie2}, 中藥正名 dragon's blood (Daemonoropis Resina)
血結胸 {xue4 jie2 xiong1}, blood chest bind
血精 {xue4 jing1}, bloody semen; hemospermia
血厥 {xue4 jue2}, blood reversal
血渴 {xue4 ke3}, blood thirst
血枯 {xue4 ku1}, blood desiccation
血枯經閉 {xue4 ku1 jing1 bi4}, blood desiccation menstrual block
血塊 {xue4 kuai4}, blood clot
血虧 {xue4 kui1}, blood depletion
血虧經閉 {xue4 kui1 jing1 bi4}, blood depletion menstrual block
血冷 {xue4 leng3}, blood cold
血痢 {xue4 li4}, blood dysentery
血淋 {xue4 lin2}, blood strangury
血瘤 {xue4 liu2}, blood tumor
血鹿茸 {xue4 lu4 rong2}, 中藥正名 bloody velvet deer antler (Cervi Cornu Parvum cum Sanguine)
血輪 {xue4 lun2}, blood wheel (inner and outer canthi)
血輪實熱 {xue4 lun2 shi2 re4}, blood wheel repletion heat
血輪虛熱 {xue4 lun2 xu1 re4}, blood wheel vacuity heat
血絡 {xue4 luo4}, blood network vessel
血脈 {xue4 mai4}, blood vessel
血母塊 {xue4 mu3 kuai4}, mother's blood lump

血尿 {xue4 niao4}, bloody urine; hematuria; hematuria
血癖 {xue4 pi3}, blood aggregation
血杞子 {xue4 qi3 zi3}, 中藥異名 lycium (Lycii Fructus)
血清 {xue4 qing1}, 西醫 serum
血去過多 {xue4 qu4 guo4 duo1}, excessive blood loss
血熱 {xue4 re4}, blood heat
血熱崩漏 {xue4 re4 beng1 lou4}, blood heat flooding and spotting
血熱腸燥 {xue4 re4 chang2 zao4}, blood heat and intestinal dryness; blood heat and intestinal dryness
血熱腸燥證 {xue4 re4 chang2 zao4 zheng4}, pattern of blood heat and intestinal dryness
血熱赤斑 {xue4 re4 chi4 ban1}, red macules due to blood heat
血熱動風 {xue4 re4 dong4 feng1}, blood heat stirring wind
血熱動風證 {xue4 re4 dong4 feng1 zheng4}, pattern of blood heat stirring wind
血熱動血 {xue4 re4 dong4 xue4}, blood heat stirring the blood
血熱發斑 {xue4 re4 fa1 ban1}, macules due to blood heat
血熱肝旺 {xue4 re4 gan1 wang4}, blood heat and liver effulgence
血熱滑胎 {xue4 re4 hua2 tai1}, blood heat habitual miscarriage
血熱經行先期 {xue4 re4 jing1 xing2 xian1 qi1}, blood heat advanced menstruation
血熱尿赤淋痛 {xue4 re4 niao4 chi4 lin4 tong4}, blood heat with red urine, strangury, and pain
血熱肉腐 {xue4 re4 rou4 fu3}, heat in the blood and rotting flesh
血熱傷陰 {xue4 re4 shang1 yin1}, blood heat damaging yin1
血熱妄行 {xue4 re4 wang4 xing2}, frenetic movement of hot blood; frenetic blood heat
血熱蓄血 {xue4 re4 xu4 xue4}, blood heat blood amassment
血熱月經過多 {xue4 re4 yue4 jing1 guo4 duo1}, blood heat profuse menstruation
血熱證 {xue4 re4 zheng4}, blood heat pattern
血人參 {xue4 ren2 shen1}, 中藥正名 Buerger's lespedeza root (Lespedezae Buergeri Radix)
血肉有情之品 {xue4 rou4 you3 qing2 zhi1 pin3}, medicinal with affinity to flesh and blood
血疝 {xue4 shan4}, blood mounting
血參 {xue4 shen1}, 中藥正名 Wallich's wedelia (Wedeliae Wallichii Herba)
血參根 {xue4 shen1 gen1}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)
血師 {xue4 shi1}, 中藥異名 hematite (Haematitum)
血失所藏 {xue4 shi1 suo3 cang2}, blood fails to be stored; blood storage failure
血室 {xue4 shi4}, blood chamber (the uterus, liver, or thoroughfare vessel) (Blood Chamber); 腧穴異名 CV-4
血栓 {xue4 shuan1}, 西醫 thrombosis
血栓閉塞性脈管炎 {xue4 shuan1 bi4 se4 xing4 mai4 guan3 yan2}, 西醫 thromboangitis obliterans
血栓性靜脈炎 {xue4 shuan1 xing4 jing4 mai4 yan2}, 西醫 thrombophlebitis

血隨氣逆 {xue4 sui2 qi4 ni4}, blood flowing counterflow with blood
血隨氣散 {xue4 sui2 qi4 san4}, blood dissipating with qi4
血隨氣脫 {xue4 sui2 qi4 tuo1}, blood deserting with qi4
血隨氣陷 {xue4 sui2 qi4 xian4}, blood falling with qi4
血碳酸過度 {xue4 tan4 suan1 guo4 du4}, 西醫 hypercapnia
血糖 {xue4 tang2}, 西醫 blood sugar
血糖過少 {xue4 tang2 guo4 shao3}, 西醫 hypoglycemia
血藤 (1) {xue4 teng2}, 中藥正名 schisandra stem and root (Schisandrae Caulis et Radix)
血藤 (2) {xue4 teng2}, 中藥正名 large-fruited mucuna (Mucunae Macrocarpae Caulis)
血脫 {xue4 tuo1}, blood desertion
血脫氣脫 {xue4 tuo1 qi4 tuo1}, blood desertion with qi4 desertion
血脫先益氣 {xue4 tuo1 xian1 yi4 qi4}, first priority in blood desertion is to boost qi4
血脫證 {xue4 tuo1 zheng4}, blood desertion pattern
血妄行 {xue4 wang4 xing2}, frenetic blood movement
血爲肝所藏 {xue4 wei2 gan1 suo3 cang2}, blood is stored by the liver
血爲氣之母 {xue4 wei2 qi4 zhi1 mu3}, blood is the mother of qi4
血爲心所行 {xue4 wei2 xin1 suo3 xing2}, blood is moved by the heart
血&&90C4|{xue4 xi1}, 腧穴異名 BL-40 (Blood Cleft) (Blood Cleft); 腧穴異名 SP-10
血吸蟲病 {xue4 xi1 chong2 bing4}, 西醫 schistosomiasis
血小板 {xue4 xiao3 ban3}, 西醫 platelet
血泄 {xue4 xie4}, bloody discharge (= bloody stool)
血行不利 {xue4 xing2 bu4 li4}, inhibited flow of blood
血行風自滅 {xue4 xing2 feng1 zi4 mie4}, when blood moves, the wind naturally disappears
血胸 {xue4 xiong1}, 西醫 hemothorax
血虛 {xue4 xu1}, blood vacuity
血虛痹 {xue4 xu1 bi4}, blood vacuity impediment
血虛痹痛 {xue4 xu1 bi4 tong4}, blood vacuity impediment pain
血虛不孕 {xue4 xu1 bu4 yun4}, blood vacuity infertility
血虛腸燥 {xue4 xu1 chang2 zao4}, blood vacuity and intestinal dryness
血虛腸燥證 {xue4 xu1 chang2 zao4 zheng4}, pattern of blood vacuity and intestinal dryness
血虛盜汗 {xue4 xu1 dao4 han4}, blood vacuity night sweating
血虛動風 {xue4 xu1 dong4 feng1}, blood vacuity stirring wind
血虛動風證 {xue4 xu1 dong4 feng1 zheng4}, pattern of blood vacuity stirring wind
血虛耳聾 {xue4 xu1 er3 long2}, blood vacuity deafness
血虛發熱 {xue4 xu1 fa1 re4}, blood vacuity heat [effusion] (fever)
血虛風動 {xue4 xu1 feng1 dong4}, blood vacuity stirring wind
血虛風燥 {xue4 xu1 feng1 zao4}, blood vacuity and wind-dryness
血虛風燥證 {xue4 xu1 feng1 zao4 zheng4}, pattern of blood vacuity and wind-dryness

血虛腹痛 {xue4 xu1 fu4 tong4}, blood vacuity abdominal pain
血虛過少 {xue4 xu1 guo4 shao3}, blood vacuity scant menstruation
血虛寒凝 {xue4 xu1 han2 ning2}, blood vacuity and congealing cold
血虛寒凝證 {xue4 xu1 han2 ning2 zheng4}, pattern of blood vacuity and congealing cold
血虛滑胎 {xue4 xu1 hua2 tai1}, blood vacuity habitual miscarriage
血虛津虧 {xue4 xu1 jin1 kui1}, blood vacuity and liquid depletion
血虛津虧證 {xue4 xu1 jin1 kui1 zheng4}, pattern blood vacuity and liquid depletion
血虛經行后期 {xue4 xu1 jing1 xing2 hou4 qi1}, blood vacuity delayed menstruation
血虛氣虛濕盛 {xue4 xu1 qi4 xu1 shi1 sheng4}, blood and qi4 vacuity with exuberant phlegm
血虛生風 {xue4 xu1 sheng1 feng1}, blood vacuity engendering wind
血虛受風 {xue4 xu1 shou4 feng1}, contraction of wind in blood vacuity
血虛受寒 {xue4 xu1 shou4 han2}, contract cold in blood vacuity
血虛頭痛 {xue4 xu1 tou2 tong4}, blood vacuity headache
血虛痿 {xue4 xu1 wei3}, blood vacuity wilting
血虛心悸 {xue4 xu1 xin1 ji4}, blood vacuity palpitations
血虛眩暈 {xue4 xu1 xuan4 yun1}, blood vacuity dizziness
血虛腰痛 {xue4 xu1 yao1 tong4}, blood vacuity lumbar pain
血虛證 {xue4 xu1 zheng4}, blood vacuity pattern
血虛自汗 {xue4 xu1 zi4 han4}, blood vacuity spontaneous sweating
血循環 {xue4 xun2 huan2}, 西醫 blood circulation
血壓 {xue4 ya1}, 西醫 blood pressure
血壓點 {xue4 ya1 dian3}, 腧穴正名 Blood Pressure Point
血壓高 {xue4 ya1 gao1}, 西醫 hypertension
血液凝固 {xue4 ye4 ning2 gu4}, congealing blood
血液循環 {xue4 ye4 xun2 huan2}, 西醫 blood circulation
血液 {xue4 yi4}, 西醫 blood
血翳包睛 {xue4 yi4 bao1 jing1}, blood screen enveloping the eye
血癭 {xue4 ying3}, blood goiter
血友病 {xue4 you3 bing4}, 西醫 hemophilia
血友病 A {xue4 you3 bing4 A}, 西醫 hemophilia A
血瘀 {xue4 yu1}, blood stasis
血瘀包塊 {xue4 yu1 bao1 kuai4}, stasis bump
血瘀崩漏 {xue4 yu1 beng1 lou4}, blood stasis flooding and spotting
血瘀不孕 {xue4 yu1 bu4 yun4}, blood stasis infertility
血瘀耳竅 {xue4 yu1 er3 qiao4}, blood stasis in the ear orifice
血瘀耳竅證 {xue4 yu1 er3 qiao4 zheng4}, pattern of blood stasis in the ear orifice
血瘀經閉 {xue4 yu1 jing1 bi4}, blood stasis menstrual block
血瘀經行后期 {xue4 yu1 jing1 xing2 hou4 qi1}, blood stasis delayed menstruation

血瘀氣滯 {xue4 yu1 qi4 zhi4}, blood stasis and qi4 stagnation
血瘀氣滯證 {xue4 yu1 qi4 zhi4 zheng4}, pattern of blood stasis and qi4 stagnation
血瘀舌下 {xue4 yu1 she2 xia4}, blood stasis under the tongue; blood stasis under the tongue
血瘀痛 {xue4 yu1 tong4}, blood stasis pain
血瘀痛經 {xue4 yu1 tong4 jing1}, blood stasis menstrual pain
血瘀痿 {xue4 yu1 wei3}, blood stasis wilting
血瘀腰痛 {xue4 yu1 yao1 tong4}, blood stasis lumbar pain
血瘀月經過少 {xue4 yu1 yue4 jing1 guo4 shao3}, blood stasis scant menstruation
血瘀證 {xue4 yu1 zheng4}, blood stasis pattern
血瘀腫痛 {xue4 yu1 zhong3 tong4}, pain and swelling from static blood
血余 {xue4 yu2}, 中藥正名 hair (Crinis Crinis)
血余炭 {xue4 yu2 tan4}, 中藥正名 charred hair (Crinis Carbonisatus Crinis Carbonisatus)
血郁 {xue4 yu4}, blood depression
血郁湯 {xue4 yu4 tang1}, 方名 Blood Depression Decoction
血暈 {xue4 yun1}, blood dizziness
血運 {xue4 yun4}, blood dizziness
血燥 {xue4 zao4}, blood dryness
血燥生風 {xue4 zao4 sheng1 feng1}, blood dryness engendering wind
血脹 {xue4 zhang4}, blood distention
血癥 {xue4 zheng1}, blood concretion
血證 {xue4 zheng4}, blood pattern
血症論 {xue4 zheng4 lun4}, 書名 On Blood Pathoconditions
血證論 {xue4 zheng4 lun4}, 書名 On Blood Patterns (1884 (Qing1), Tang2 Rong2-Chuan1 唐容川)
血之府 {xue4 zhi1 fu3}, house of the blood (the vessels)
血痔 {xue4 zhi4}, blood hemorrhoid
血痣 {xue4 zhi4}, blood mole
血滯腹痛 {xue4 zhi4 fu4 tong4}, blood stagnation abdominal pain
血滯經閉 {xue4 zhi4 jing1 bi4}, blood stagnation menstrual block
血中氣藥 {xue4 zhong1 qi4 yao4}, qi4-in-blood medicinal
血中氣滯 {xue4 zhong1 qi4 zhi4}, qi4 stagnation in the blood
血腫 {xue4 zhong3}, blood swelling; hematoma
血主濡之 {xue4 zhu3 ru2 zhi1}, blood governs moistening

【削】 {xue4} [Freq. 5] whittle (v.)

~~ {xun1} ~~

【熏（薰）】 {xun1} [Freq. 3] fume.
熏草 {xun1 cao3}, 中藥異名 fenugreek lysimachia (Lysimachiae Foeni-Graeci Herba cum Radice)
熏陸 {xun1 lu4}, 中藥異名 frankincense (Olibanum)
熏梅 {xun1 mei2}, 中藥異名 mume (Mume Fructus)
熏洗 {xun1 xi3}, steam-wash
熏洗療法 {xun1 xi3 liao2 fa3}, fumigation and wash therapy
熏香 {xun1 xiang1}, 中藥異名 fenugreek lysimachia (Lysimachiae Foeni-Graeci Herba cum Radice)
熏香療法 {xun1 xiang1 liao2 fa3}, incense-fumigation therapy
熏牙子 {xun1 ya2 zi3}, 中藥異名 henbane seed (Hyoscyami Semen)
熏蒸 {xun1 zheng1}, fuming and steaming (methods of treatment) (pathology); steam (pathology); swelter; fume and steam
熏蒸療法 {xun1 zheng1 liao2 fa3}, fumigation and steaming therapy

~~ {xun2} ~~
【尋】 {xun2} [Freq. 3] searching (pulse-taking).
尋常性銀屑病 {xun2 chang xing4 yin2 xie4 bing4}, 西醫 psoriasis vulgaris
尋常性魚鱗病 {xun2 chang2 xing4 yu2 lin2 bing4}, 西醫 ichthyosis vulgaris
尋常疣 {xun2 chang2 you2}, 西醫 verruca vulgaris
尋骨風 {xun2 gu3 feng1}, 中藥正名 mollissima (Aristolochiae Mollissimae Herba)

【循】 {xun2} [Freq. 3] follow; channel rubbing.
循際 {xun2 ji4}, 腧穴異名 ST-25 (Cycle Border)
循經傳 {xun2 jing1 chuan2}, sequential passage (of an evil through the channels)
循經取穴 {xun2 jing1 qu3 xue2}, selection of points by the affected channel
循經穴 {xun2 jing1 xue2}, affected-channel point
循攝法 {xun2 she4 fa3}, channel-freeing manipulation
循衣摸床 {xun2 yi1 mo1 chuang2}, picking at bedclothes; carphology; carphologia

【蕁】 {xun2} [Freq. 4] nettle (also pronounced as {qian2}).
蕁麻 {xun2 ma2}, 中藥異名 nettle (Urticae Herba)
蕁麻根 {xun2 ma2 gen1}, 中藥異名 nettle root (Urticae Radix)
蕁麻疹 {xun2 ma2 zhen3}, 西醫 urticaria

【鱘】 {xun2} [Freq. 4] sturgeon.
鱘魚 {xun2 yu2}, 中藥正名 sturgeon (Acipenseri Caro)

~~ {xun4} ~~
【蕈】 {xun4} [Freq. 5] fungus (n.)

== Y ==

~~ {ya1} ~~
【丫】 {ya1} [Freq. 5] branching (足丫 {zu2 ya1}, foot)

【呀】 {ya1} [Freq. 5] wheezing (呷呀 {xia2 ya2}, wheezing sound)

【押】 {ya1} [Freq. 4] press (押手 {ya1 shou3}, pressing hand).
押手 {ya1 shou3}, pressing hand

【鴉】 {ya1} [Freq. 4] crow.
鴉蔥 {ya1 cong1}, 中藥正名 scorzonera root (Scorzonerae Radix)
鴉膽 {ya1 dan3}, 中藥異名 brucea (Bruceae Fructus)
鴉膽子 {ya1 dan3 zi3}, 中藥正名 brucea (Bruceae Fructus)
鴉蛋子 {ya1 dan4 zi3}, 中藥異名 brucea (Bruceae Fructus)
鴉片 {ya1 pian4}, 中藥正名 opium (Papaveris Praeparatio)
鴉片煙果果 {ya1 pian4 yan1 guo3 guo3}, 中藥異名 poppy husk (Papaveris Pericarpium)

【鴨】 {ya1} [Freq. 2] duck (n.) (大便鴨溏 {da4 bian4 ya1 tang2}, duck's slop stool).
鴨船層紙 {ya1 chuan2 ceng2 zhi3}, 中藥異名 oroxylum (Oroxyli Semen)
鴨膽 {ya1 dan3}, 中藥正名 duck's gallbladder (Anatis Vesica Fellea)
鴨膽子 {ya1 dan3 zi3}, 中藥異名 brucea (Bruceae Fructus)
鴨蛋子 {ya1 dan4 zi3}, 中藥異名 brucea (Bruceae Fructus)
鴨兒芹 {ya1 er2 qin2}, 中藥正名 honewort stem and leaf (Cryptotaeniae Caulis et Folium)
鴨皂樹根 {ya1 er2 qin2 gen1}, 中藥正名 cassie root (Acaciae Radix)
鴨兒芹根 {ya1 er2 qin2 gen1}, 中藥正名 honewort root (Cryptotaeniae Radix)
鴨兒芹果 {ya1 er2 qin2 guo3}, 中藥正名 honewort fruit (Cryptotaeniae Fructus)
鴨肪 {ya1 fang2}, 中藥正名 duck's fat (Anatis Adeps)
鴨腳艾 {ya1 jiao3 ai4}, 中藥正名 white mugwort (Artemisiae Lactiflorae Herba)
鴨腳板草 {ya1 jiao3 ban3 cao3}, 中藥正名 crowfoot (Ranunculi Sieboldii Herba)
鴨腳木根 {ya1 jiao3 mu4 gen1}, 中藥正名 eight-leaved schefflera root (Schefflerae

Octophyllae Radix)
鴨腳木皮 {ya1 jiao3 mu4 pi2}, 中藥正名 eight-leaved schefflera bark (Schefflerae Octophyllae Cortex (Radicis))
鴨腳木葉 {ya1 jiao3 mu4 ye4}, 中藥正名 eight-leaved schefflera leaf (Schefflerae Octophyllae Folium)
鴨腳掌 {ya1 jiao3 zhang3}, 中藥異名 dayflower (Commelinae Herba)
鴨卵 {ya1 luan3}, 中藥正名 duck's egg (Anatis Ovum)
鴨舌草 {ya1 she2 cao3}, 中藥正名 monochoria (Monochoriae Vaginalis Herba)
鴨舌頭 {ya1 she2 tou2}, 中藥正名 dwarf sagittaria (Sagittariae Pygmaeae Herba)
鴨食草 {ya1 shi2 cao3}, 中藥異名 dayflower (Commelinae Herba)
鴨溏 {ya1 tang2}, duck's slop
鴨頭 {ya1 tou2}, 中藥正名 duck's head (Anatis Caput)
鴨涎 {ya1 xian2}, 中藥正名 duck's saliva (Anatis Saliva)
鴨血 {ya1 xue4}, 中藥正名 duck's blood (Anatis Sanguis)
鴨皂樹皮 {ya1 zao4 shu4 pi2}, 中藥正名 cassie bark (Acaciae Cortex)
鴨跖草 {ya1 zhi2 cao3}, 中藥正名 dayflower (Commelinae Herba)
鴨屎瓜子 {ya1 zhi3 gua1 zi3}, 中藥異名 momordica (Momordicae Semen)
鴨粥 {ya1 zhou1}, 方名 Duck Gruel
鴨肫衣 {ya1 zhun1 yi1}, 中藥正名 duck's gizzard lining (Anatis Gigerii Endothelium)
鴨子 {ya1 zi3}, 中藥異名 duck's egg (Anatis Ovum)
鴨嘴&&7640|{ya1 zui3 huang2}, 中藥正名 duck-bill lindernia (Linderniae Ruelliodis Herba)

【壓】 {ya1} [Freq. 4] press.
壓片機 {ya1 pian4 ji1}, tablet presser
壓榨 {ya1 zha4}, press

~~ {ya2} ~~
【牙】 {ya2} [Freq. 2] tooth (n.).
牙車 {ya2 che1}, tooth carriage (jaw)
牙齒 {ya2 chi3}, tooth
牙齒蟲 {ya2 chi3 chong2}, tooth worms (causing tooth decay)
牙齒動搖 {ya2 chi3 dong4 yao2}, loosening of the teeth
牙齒浮動 {ya2 chi3 fu2 dong4}, loose teeth
牙齒干枯 {ya2 chi3 gan1 ku1}, desiccated teeth
牙齒干燥如枯骨 {ya2 chi3 gan1 zao4 ru2 ku1 gu3}, teeth dry as desiccated bones
牙齒光燥如石 {ya2 chi3 guang1 zao4 ru2 shi2}, teeth smooth and dry as pebbles
牙齒焦黑 {ya2 chi3 jiao1 hei1}, blackening of the teeth

牙齒枯槁 {ya2 chi3 ku1 gao3}, desiccated teeth
牙齒鬆動 {ya2 chi3 song1 dong4}, loosening of the teeth
牙齒酸弱 {ya2 chi3 suan1 ruo4}, sore weak teeth
牙齒痛 {ya2 chi3 tong4}, toothache
牙蟲 {ya2 chong2}, tooth worms (causing tooth decay)
牙床 {ya2 chuang2}, tooth bed (mandible)
牙疔 {ya2 ding1}, clove sore of the tooth and gum
牙疳 {ya2 gan1}, gan1 of the teeth and gums
牙根宣露 {ya2 gen1 xuan1 lu4}, exposure of the roots of the teeth
牙垢 {ya2 gou4}, 西醫 tartar
牙關緊閉 {ya2 guan1 jin3 bi4}, clenched jaw
牙關噤急 {ya2 guan1 jin4 ji2}, clenched jaw
牙衄 {ya2 nu94}, bleeding gums; spontaneous bleeding of the gum
牙石 {ya2 shi2}, 西醫 tartar
牙髓炎 {ya2 sui3 yan2}, 西醫 pulpitis
牙痛 {ya2 tong4}, toothache; 腧穴正名 Toothache
牙痛子 {ya2 tong4 zi3}, 中藥異名 henbane seed (Hyoscyami Semen)
牙消 (1) {ya2 xiao1}, 中藥異名 horse-tooth mirabilite (Natrii Sulfas Equidens)
牙消 (2) {ya2 xiao1}, 中藥異名 horse-tooth niter (Nitrum Equidens)
牙宣 {ya2 xuan1}, gaping gums
牙宣出血 {ya2 xuan1 chu1 xue4}, bleeding gaping gums
牙岩 {ya2 yan2}, tooth rock
牙齦 {ya2 yin2}, gum
牙斷 {ya2 yin2}, gum
牙齦出血 {ya2 yin2 chu1 xue4}, bleeding gums
牙齦腐爛 {ya2 yin2 fu3 lan4}, putrefying gums
牙齦潰爛 {ya2 yin2 kui4 lan4}, ulcerated gums
牙齦萎縮 {ya2 yin2 wei3 suo1}, gingival atrophy
牙齦宣露 {ya2 yin2 xuan1 lou4}, gaping gums
牙齦腫痛 {ya2 yin2 zhong3 tong4}, painful swollen gums
牙癰 {ya2 yong1}, welling-abscess of the gum
牙癰草 {ya2 yong1 cao3}, 中藥正名 lanceolate cynoglossum (Cynoglossi Lanceolati Herba)
牙皂 {ya2 zao4}, 中藥異名 small gleditsia (Gleditsiae Fructus Abnormalis)
牙周病 {ya2 zhou1 bing4}, 西醫 periodontosis
牙周炎 {ya2 zhou1 yan2}, 西醫 periodontitis

【芽】 {ya2} [Freq. 3] shoot (sprout).
崖棕根 {ya2 zong1 gen1}, 中藥正名 palm sedge (Caricis Siderostictae Radix)

亞羅椿 {ya3 luo2 chun1}, 中藥正名 berry-bearing cipadessa (Cipadessae Bacciferae Radix seu Folium)
亞麻 {ya3 ma2}, 中藥正名 flax (Lini Radix, Caulis et Folium)
亞麻仁 {ya3 ma2 ren2}, 中藥異名 flax seed (Lini Semen)
亞麻子 {ya3 ma2 zi3, 中藥正名 flax seed (Lini Semen)

~~ {ya3} ~~
【啞】 {ya3} [Freq. 3] mute.
啞門 {ya3 men2}, 腧穴正名 GV-15 (Mute's Gate)
啞鳴 {ya3 ming2}, 腧穴正名 Mute Call
啞穴 {ya3 xue2}, 腧穴正名 Mute Point

【雅】 {ya3} [Freq. 4] elegant.
雅連 {ya3 lian2}, 中藥正名 Hongya coptis (Coptidis Rhizoma *Hongyaensis)

~~ {yan1} ~~
【咽】 {yan1} [Freq. 2] pharynx (n.), pharyngeal (adj.); throat.
咽干 {yan1 gan1}, dry throat; dry pharynx
咽干口渴 {yan1 gan1 kou3 ke3}, dry throat and thirst
咽干少痰 {yan1 gan1 shao3 tan2}, dry throat with scant phlegm
咽干舌燥 {yan1 gan1 she2 zao4}, dry throat and tongue
咽喉 {yan1 hou2}, throat
咽喉白腐 {yan1 hou2 bai2 fu3}, white putrid throat
咽喉病 {yan1 hou2 bing4}, disease of the throat
咽喉不利 {yan1 hou2 bu4 li4}, inhibited throat
咽喉發紅疼痛 {yan1 hou2 fa1 hong2 teng2 tong4}, red sore throat
咽喉干毛 {yan1 hou2 gan1 mao2}, tickly dry throat
咽喉干痛 {yan1 hou2 gan1 tong4}, sore dry throat
咽喉干癢 {yan1 hou2 gan1 yang3}, dry itchy throat
咽喉干燥 {yan1 hou2 gan1 zao4}, dry throat
咽喉骨哽 {yan1 hou2 gu3 geng3}, bones stuck in the throat
咽喉紅爛 {yan1 hou2 hong2 lan4}, red putrifying throat
咽喉紅痛 {yan1 hou2 hong2 tong4}, red sore throat
咽喉紅腫 {yan1 hou2 hong2 zhong3}, red swollen throat
咽喉紅腫疼痛 {yan1 hou2 hong2 zhong3 teng2 tong4}, sore red swollen throat
咽喉紅腫痛 {yan1 hou2 hong2 zhong3 tong4}, red sore swollen throat

咽喉菌 {yan1 hou2 jun4}, throat mushroom
咽喉科 {yan1 hou2 ke1}, throat department
咽喉爛痛 {yan1 hou2 lan4 tong4}, putrefying sore throat
咽喉痛 {yan1 hou2 tong4}, sore throat
咽喉燥痛 {yan1 hou2 zao4 tong4}, sore dry throat
咽喉腫痛 {yan1 hou2 zhong3 tong4}, sore swollen throat
咽后癰 {yan1 hou4 yong1}, welling-abscess of the back of the throat
咽菌 {yan1 jun4}, pharyngeal mushroom
咽門 {yan1 men2}, gate of the throat
咽痛 {yan1 tong4}, sore pharynx
咽炎 {yan1 yan2}, 西醫 pharyngitis; pharyngitis
咽癢 {yan1 yang3}, itchy pharynx
咽燥 {yan1 zao4}, dry pharynx
咽中常有異物感 {yan1 zhong1 chang2 you3 yi4wu4 gan3}, subjective feeling of a lump in the throat
咽腫 {yan1 zhong3}, swollen throat; swollen pharynx

【胭】 {yan1} [Freq. 4] rouge (胭脂 {yan1 zhi1}, rouge).
胭脂 {yan1 zhi1}, 中藥正名 rouge (Fucus)
胭脂豆 {yan1 zhi1 dou4}, 中藥異名 Malabar spinach (Basellae Rubrae Folium seu Herba)
胭脂障 {yan1 zhi1 zhang4}, rouge obstruction

【煙】 {yan1} [Freq. 4] smoke.
煙草 {yan1 cao3}, 中藥正名 tobacco (Nicotianae Folium)
煙斗斗 {yan1 dou3 dou3}, 中藥異名 poppy husk (Papaveris Pericarpium)
煙膏 {yan1 gao1}, 中藥異名 pipe tar (Pipae Depositum); Pipe Tar Paste
煙鍋草 {yan1 guo1 cao3}, 中藥正名 Thunberg meadow rue (Thalictri Thunbergii Radix)
煙膠 {yan1 jiao1}, 中藥正名 tannery tar (Coriarii Fuligo Oleacea)
煙燻 {yan1 xun1}, fumigate
煙油 {yan1 you2}, 中藥正名 pipe tar (Pipae Depositum)
煙仔魚 {yan1 zai3 yu2}, 中藥異名 oceanic bonito (Katsuwonus Pelamis)

【醃】 {yan1} [Freq. 4] pickle.
醃冬瓜 {yan1 dong1 gua1}, 中藥異名 soft pickled wax gourd (Benincasae Fructus)
醃豆薯 {yan1 dou4 shu3}, 中藥異名 pickled yam bean (Pachyrhizi Tuber)
醃刈薯 {yan1 yi4 shu3}, 中藥異名 pickled yam bean (Pachyrhizi Tuber)

~~ {yan2} ~~

【言】 {yan2} [Freq. 4] speech.

言語不能 {yan2 yu3 bu4 neng2}, loss of speech

言語錯亂 {yan2 yu3 cuo4 luan4}, deranged speech

言語低微 {yan2 yu3 di1 wei1}, faint low voice

言語蹇澀 {yan2 yu3 jian3 se4}, sluggish speech

言語清晰 {yan2 yu3 qing1 xi1}, clear coherent speech

【岩】 {yan2} [Freq. 2] rock (n.) (腎岩 {shen4 yan2}, kidney rock).

岩池 {yan2 chi2}, 腧穴正名 Rock Pool

岩風 {yan2 feng1}, 中藥異名 peucedanum (Peucedani Radix)

【延】 {yan2} [Freq. 4] prolong (遷延 {qian1 yan2}, prolonged).

延草 {yan2 cao3}, 中藥異名 dioscorea (Dioscoreae Rhizoma)

延胡 {yan2 hu2}, 中藥異名 corydalis (Corydalis Rhizoma)

延胡索 {yan2 hu2 suo3}, 中藥正名 corydalis (Corydalis Rhizoma)

延胡索干浸膏 {yan2 hu2 suo3 gan1 jin4 gao1}, 中藥正名 liquid extract of corydalis (Corydalis Rhizomatis Extractum Liquidum)

延胡索湯 {yan2 hu2 suo3 tang1}, 方名 Corydalis Decoction

延緩衰老 {yan2 huan3 shuai1 lao3}, decelerate aging

延年益壽 {yan2 nai2 yi4 shou4}, prolong life

延年 {yan2 nian2}, prolong life

延年半夏湯 {yan2 nian2 ban4 xia4 tang1}, 方名 Life-Stretcher Pinellia Decoction

【沿】 {yan2} [Freq. 4] along; rim.

沿肛痔 {yan2 gang1 zhi4}, anal rim hemorrohoids

沿籬豆 {yan2 li2 dou4}, 中藥異名 lablab (Lablab Semen Album)

沿爪疔 {yan2 zhao3 ding1}, nail-side clove sore

【炎】 {yan2} [Freq. 2] flame (肝火上炎 {gan1 huo3 shang4 yan2}, liver fire flaming upward).

炎性的 {yan2 xing4 de}, 西醫 inflammatory

炎性滲出物 {yan2 xing4 shen4 chu1 wu4}, 西醫 inflammatory exudate

炎症 {yan2 zheng4}, 西醫 inflammation

【研】 {yan2} [Freq. 3] grind finely.

研缽 {yan2 bo1}, porcelain mortar

研磨 {yan2 mo2}, grind

研末 {yan2 mo4}, grind to a powder

研末敷 {yan2 mo4 fu1}, apply ground to a powder
研末調敷 {yan2 mo4 tiao2 fu1}, grind and apply mixed
研末油調敷 {yan2 mo4 you2 tiao2 fu1}, grind and apply mixed with oil
研碎 {yan2 sui4}, grind
研細末 {yan2 xi4 mo4}, grind to a fine powder

【癌】 {yan2} (see 癌 {ai2})

【顏】 {yan2} [Freq. 3] forehead; center of the forehead; face.
顏面 {yan2 mian4}, face
顏面潮紅 {yan2 mian4 chao2 hong2}, tidal reddening of the face
顏面抽搐 {yan2 mian4 chou1 chu4}, convulsion of the face
顏面疔瘡 {yan2 mian4 ding1 chuang1}, clove sore of face
顏面浮腫 {yan2 mian4 fu2 zhong3}, puffy swelling of the face
顏面牽掣 {yan2 mian4 qian1 che4}, tension in the face
顏面神經性麻痺 {yan2 mian4 shen2 jing1 xing4 ma2 bi4}, 西醫 neuroparalysis of the face

【巖】 {yan2} rock (same as 岩 {yan2}).
巖白菜 {yan2 bai2 cai4}, 中藥正名 yanbaicai (Yanbaicai Herba)
巖敗醬 {yan2 bai4 jing4}, 中藥正名 rock patrinia (Patriniae Rupestris Herba)
巖菖蒲 {yan2 chang1 pu2}, 中藥正名 purple bergenia (Bergeniae Purpurascentis Rhizoma)
巖豆根 {yan2 dou4 gen1}, 中藥正名 Diels's millettia root (Millettiae Dielsianae Radix)
巖豆藤根 {yan2 dou4 teng2 gen1}, 中藥正名 Guizhou millettia root (Millettiae Kweichowensis Radix)
巖豆藤花 {yan2 dou4 teng2 hua1}, 中藥正名 Guizhou millettia flower (Millettiae Kweichowensis Flos)
巖谷傘 {yan2 gu3 san3}, 中藥正名 rhodobryum (Rhodobryi Gigantei Herba)
巖蒿 {yan2 hao1}, 中藥正名 short-lobed artemisia (Artemisiae Brachylobae Herba)
巖黃連 {yan2 huang2 lian2}, 中藥正名 meadowrue corydalis (Corydalis Thalictrifoliae Radix)
巖豇豆 {yan2 jiang1 dou4}, 中藥正名 fleshy lysionotus (Lysionoti Carnosae Herba)
巖椒草 {yan2 jiao1 cao3}, 中藥正名 white chinaure (Boenninghauseniae Albiflorae Herba)
巖筋菜 {yan2 jing1 cai4}, 中藥正名 Tibetan berneuxia (Berneuxiae Thibeticae Herba)
巖蘭花根 {yan2 lan2 hua1 gen1}, 中藥正名 violet bellflower (Campanulae Coloratae Radix)
巖青蘭 {yan2 qing1 lan2}, 中藥正名 rock dragon's-head (Dracocephali Rupestris Herba)
巖人參 {yan2 ren2 shen1}, 中藥正名 purple codonpsis (Codonopsis Purpureae Herba)
巖掃把 {yan2 sao3 ba3}, 中藥正名 Yichang meadow rue (Thalictri Ichangensis Herba seu Radix)
巖山枝 {yan2 shan1 zhi1}, 中藥正名 Henry's molodinus (Melodini Henryi Fructus)

巖筍 {yan2 sun3}，中藥正名 thunia (Thuniae Herba)
巖萵苣 {yan2 wo1 ju4}，中藥正名 Fritsch's briggsia (Briggsiae Fritschii Herba)
巖指甲花 {yan2 zhi3 jia3 hua1}，中藥正名 David's impatiens (Impatientis Davidii Herba et Radix)

【鹽】 {yan2} [Freq. 4] salt.
鹽 {yan2}，中藥正名 salt (Sal)
鹽炒 {yan2 chao3}, stir-fry with salt
鹽蓯蓉 {yan2 cong1 rong2}，中藥正名 salted cistanche (Cistanches Herba Salsa)
鹽大芸 {yan2 da4 yun2}，中藥異名 salted cistanche (Cistanches Herba Salsa)
鹽膽水 {yan2 dan3 shui3}，中藥正名 bittern (Butio)
鹽麩根白皮 {yan2 fu1 gen1 bai2 pi2}，中藥正名 Chinese sumac root bark (Rhois Chinensis Radicis Cortex)
鹽麩木花 {yan2 fu1 mu4 hua1}，中藥正名 Chinese sumac flower (Rhois Chinensis Flos)
鹽麩樹白皮 {yan2 fu1 shu4 bai2 pi2}，中藥正名 Chinese sumac bark (Rhois Chinensis Cortex)
鹽麩葉 {yan2 fu1 ye4}，中藥正名 Chinese sumac leaf (Rhois Chinensis Folium)
鹽膚子 {yan2 fu1 zi3}，中藥異名 Chinese sumac fruit (Rhois Chinensis Fructus)
鹽麩子 {yan2 fu1 zi3}，中藥正名 Chinese sumac fruit (Rhois Chinensis Fructus)
鹽麩子根 {yan2 fu1 zi3 gen1}，中藥正名 Chinese sumac root (Rhois Chinensis Radix)
鹽根 {yan2 gen1}，中藥異名 glauberite (Gypsum seu Calcitum)
鹽滷水 {yan2 lu3 shui3}，中藥異名 bittern (Butio)
鹽水 {yan2 shui3}, brine
鹽水炒 {yan2 shui3 chao3}, stir-fry with brine
鹽湯 {yan2 tang1}, brine
鹽湯探吐法 {yan2 tang1 tan4 tu4 fa3}, mchanical eection with brine
鹽湯探吐方 {yan2 tang1 tan4 tu4 fang1}，方名 Mechanical Ejection Brine
鹽哮 {yan2 xiao1}, salt wheezing
鹽消 {yan2 xiao1}，中藥異名 impure mirabilite (Natrii Sulfas Non-Purus)
鹽枕 {yan2 zhen3}，中藥異名 glauberite (Gypsum seu Calcitum)
鹽炙 {yan2 zhi4}, mix-fry with brine

【芫】 {yan2} [Freq. 4] plant name.
芫荽 {yan2 sui1}，中藥異名 coriander (Coriandri Herba cum Radice)
芫荽仁 {yan2 sui1 ren2}，中藥異名 coriander seed (Coriandri Fructus)
芫荽子 {yan2 sui1 zi3}，中藥異名 coriander seed (Coriandri Fructus)

~~ {yan3} ~~

【&&9F39.9F34||】 {yan3} [Freq. 5] mole.
&&9F39.9F34||鼠 {yan3 shu3}, 中藥正名 mole (Mogera)
&&9F39.9F34||鼠霜 {yan3 shu3 shuang1}, 中藥正名 charred mole (Mogera Carbonisata)

【奄】 {yan3} [Freq. 4] cover.
奄瓜脯 {yan3 gua1 fu3}, 中藥異名 green pickled melon (Cucumeris Conomonis Salsamen Viride)

【兗】 {yan3} [Freq. 5] short for 兗州 Yan3zhou1, a place in Shan1dong1 Province.
兗州捲柏 {yan3 zhou1 juan3 bai3}, 中藥正名 Yanzhou spikemoss (Selaginellae Involventis Herba)

【偃】 {yan3} [Freq. 4] lie (v.); supine.
偃刀脈 {yan3 dao1 mai4}, upturned knife pulse
偃氣 {yan3 qi4}, hold one's breath
偃臥 {yan3 wo4}, supine posture

【眼】 {yan3} [Freq. 2] eye (n.) (眼睛紅腫 {yan3 jing1 hong2 zhong3}, red swollen eyes).
眼暗 {yan3 an4}, dim vision
眼胞 {yan3 bao1}, eyelid; palpebral
眼胞菌毒 {yan3 bao1 jun4 du2}, eyelid mushroom toxin [sore]
眼胞痰核 {yan3 bao1 tan2 he2}, phlegm node of the eyelid
眼胞瘀痛 {yan3 bao1 yu1 tong4}, stasis pain in the eyelids; black eye
眼保健按摩 {yan3 bao3 jian4 an4 mo2}, eye-care massage
眼眵 {yan3 chi1}, eye discharge
眼帶 {yan3 dai4}, eye straps (external muscles of the eye)
眼丹 {yan3 dan1}, cinnabar eye
眼疳 {yan3 gan1}, eye gan
眼合 {yan3 he2}, closed eyes
眼花 {yan3 hua1}, flowery vision
眼昏暗 {yan3 hun1 an4}, dim vision
眼疾 {yan3 ji2}, eye disease
眼瞼 {yan3 jian3}, eyelid; palpebral
眼瞼帶狀 A&&75B1||疹 {yan3 jian3 dai4 zhuang4 pao4 zhen3}, 西醫 herpes zoster ophthalmicus
眼瞼丹毒 {yan3 jian3 dan1 du2}, cinnabar toxin of the eyelid
眼瞼&&77A4||動 {yan3 jian3 run4 dong4}, twitching of the eyelids
眼瞼下垂 {yan3 jian3 xia4 chui2}, drooping eyelid

眼睛 {yan3 jing1}, eye
眼睛不想睜開 {yan3 jing1 bu4 xiang3 zheng1 kai1}, reluctance to open the eyes
眼睛發紅 {yan3 jing1 fa1 hong2}, reddening of the eyes
眼睛紅腫痛 {yan3 jing1 hong2 zhong3 tong4}, red sore swollen eyes
眼睛羞明澀痛 {yan3 jing1 xiu1 ming2 se4 tong4}, sore dry eyes with aversion to light
眼鏡蛇 {yan3 jing4 she2}, 中藥正名 cobra (Naja)
眼科 {yan3 ke1}, eye diseases department (branch of medicine)
眼科證候 {yan3 ke1 zheng4 hou4}, eye patterns
眼眶魚 {yan3 kuang1 yu2}, 中藥異名 spotted moonfish (Menes Maculatae Caro)
眼輪匝肌 {yan3 lun2 za1 ji1}, 西醫 orbicular muscle of the eye
眼目竄視 {yan3 mu4 cuan4 shi4}, piercing eyes (fixed eyes)
眼目昏花 {yan3 mu4 hun1 hua1}, clouded flowery vision
眼皮跳 {yan3 pi2 tiao4}, twitching of the eyelids
眼前房出血 {yan3 qian2 fang2 chu1 xue4}, 西醫 hyphema
眼球外突 {yan3 qiu2 wai4 tu1}, bulging eyes
眼圈晦暗 {yan3 quan1 hui4 an4}, dark rings around the eyes
眼圈青紫 {yan3 quan1 qing1 zi3}, green-blue or purple rings around the eyes
眼澀不爽 {yan3 se4 bu4 shuang3}, dry eyes
眼神經 {yan3 shen2 jing1}, 西醫 optic nerve
眼生黑花 {yan3 sheng1 hei1 hua1}, black flowers in the vision
眼生痰核 {yan3 sheng1 tan2 he2}, phlegm node of the eye
眼生偷針 {yan3 sheng1 tou1 zhen1}, sty of the eye
眼無光彩 {yan3 wu2 guang1 cai3}, dull eyes
眼弦 {yan3 xian2}, eyelid rim; palpebral margin
眼弦赤爛 {yan3 xian2 chi4 lan4}, ulceration of the eyelid rim
眼珠疼痛 {yan3 zhu1 teng2 tong4}, eye pain
眼子菜 {yan3 zi3 cai4}, 中藥正名 Franchet's pondweed (Potamogetonis Franchetii Herba)

【罨】 {yan3} [Freq. 3] compress

~~ {yan4} ~~
【咽】{yan4} [Freq. 2] swallow (v.) (吞咽困難 {tun1 yuan4 kun4 nan2}, difficulty in swallowing; 咽酸 {yan4 suan1}, acid swallowing).
咽酸 {yan4 suan1}, acid swallowing; acid regurgitation
咽腨困難 {yan4 xia4 kun4 nan2}, difficulty in swallowing

【焰】 {yan4} [Freq. 4] flame.

焰消 {yan4 xiao1}，中藥異名 niter (Nitrum)
焰硝 {yan4 xiao1}，中藥異名 niter (Nitrum)

【雁】 {yan4} [Freq. 4] wild goose.
雁來紅 {yan4 lai2 hong2}，中藥正名 three-colored amaranth (Amaranthi Tricoloris Herba)
雁肉 {yan4 rou4}，中藥正名 wild goose (Anseris Albifrontis Caro)
雁頭 {yan4 tou2}，中藥異名 euryale (Euryales Semen)
雁脂 {yan4 zhi1}，中藥正名 wild goose fat (Anseris Albifrontis Adeps)

【厭】 {yan4} [Freq. 4] aversion to.
厭舌 {yan4 she2}，腧穴異名 GV-15 (Repressed Tongue)
厭食 {yan4 shi2}, aversion to food
厭聞食臭 {yan4 wen2 shi2 xiu4}, aversion to the smell of food

【燕】 {yan4} [Freq. 4] swallow.
燕窠土 {yan4 ke1 tu3}，中藥正名 swallow's nest (Hirundonis Dauricae Nidus)
燕口 {yan4 kou3}，腧穴正名 Swallow's Mouth
燕麥 {yan4 mai4}，中藥異名 bromegrass (Bromi Caulis et Folium)
燕麥草 {yan4 mai4 cao3}，中藥正名 wild oat straw (Avenae Fatuae Caulis et Folium)
燕麥靈 {yan4 mai4 ling2}，中藥正名 Yun2nan2 ainsliaea (Ainsliaeae Yunnanensis Herba)
燕窩 {yan4 wo1}，中藥正名 swift's nest (Collocaliae Nidus)
燕脂豆 {yan4 zhi1 dou4}，中藥異名 Malabar spinach (Basellae Rubrae Folium seu Herba)

【嚥】 {yan4} [Freq. 4] swallow.
嚥物困難 {yan4 wu4 kun4 nan2}，西醫 dysphagia

【驗】 {yan4} [Freq. 4] experiment.
驗齒辨病 {yan4 chi3 bian4 bing4}, identification of disease through examination of the teeth
驗方新編 {yan4 fang1 xin1 bian1}，書名 New Compilation of Empirical Formulas

【豔】 {yan4} [Freq. 4] gorgeously colorful.
豔雪紅 {yan4 xue3 hong2}，中藥異名 China tea rose (Rosae Chinensis Flos)

【鶠】 {yan4} [Freq. 4] button quail.
鶠 {yan4}，中藥正名 button quail (Turnicis Caro)

~~ {yang1} ~~

【秧】 {yang1} [Freq. 4] seedling.
秧雞 {yang1 ji1}, 中藥正名 water rail (Ralli Aquatici Caro)
秧青 {yang1 qing1}, 中藥正名 Yun2nan2 dalbergia (Dalbergiae Yunnanensis Radix)

~~ {yang2} ~~
【羊】 {yang2} [Freq. 4] goat; sheep.
羊刺蜜 {yang2 ci4 mi4}, 中藥異名 manna (Alhagi Succus Condensatus)
羊膽 {yang2 dan3}, 中藥正名 goat's gallbladder (Caprae seu Ovis Vesica Fellea)
羊癲風 {yang2 dian1 feng1}, epilepsy
羊肚 {yang2 du3}, 中藥正名 goat's stomach (Caprae seu Ovis Stomachus)
羊肚石 {yang2 du4 shi2}, 中藥異名 costazia bone/pumice (Costaziae Os/Pumex)
羊耳朵葉 {yang2 er3 duo3 ye4}, 中藥正名 buddleia leaf (Buddlejae Folium)
羊耳蒜 {yang2 er3 suan4}, 中藥正名 goat-ear liparis (Liparis Japonicae Herba cum Radice)
羊肺 {yang2 fei4}, 中藥正名 goat's lung (Caprae seu Ovis Pulmo)
羊胲子 {yang2 gai3 zi3}, 中藥正名 grass from goat's stomach (Caprae seu Ovis Stomachi Herba)
羊肝 {yang2 gan1}, 中藥正名 goat's liver (Caprae seu Ovis Iecur)
羊肝石 {yang2 gan1 shi2}, 中藥異名 calamine (Calamina)
羊肝丸 {yang2 gan1 wan2}, 方名 Goat's Liver Pill
羊骨 {yang2 gu3}, 中藥正名 goat's bones (Caprae seu Ovis Os)
羊骨粥 {yang2 gu3 zhou1}, 方名 Goat's Bone Gruel
羊鬍髭草 {yang2 hu2 zi1 cao3}, 中藥正名 lanceolate sedge (Caricis Lanceolatae Herba)
羊黃 {yang2 huang2}, 中藥正名 goat's bezoar (Caprae seu Ovis Bezoar)
羊藿 {yang2 huo4}, 中藥異名 epimedium (Epimedii Herba)
羊角 {yang2 jiao3}, 中藥異名 fetid cassia (Cassiae Semen)
羊角草 {yang2 jiao3 cao3}, 中藥正名 narrow-leaved lindernia (Linderniae Angustifoliae Herba)
羊角刺 {yang2 jiao3 ci4}, 中藥異名 Chinese holly leaf (Ilicis Cornutae Folium)
羊角紐花 {yang2 jiao3 niu3 hua1}, 中藥正名 strophanthus seed hair (Strophanthi Pilus Seminis)
羊角拗 {yang2 jiao3 niu4}, 中藥正名 strophanthus (Strophanthi Radix seu Caulis et Folium)
羊角拗子 {yang2 jiao3 niu4 zi3}, 中藥正名 strophanthus seed (Strophanthi Semen)
羊角藤 {yang2 jiao3 teng2}, 中藥正名 umbellate morinda (Morindae Umbellatae Cortex)
羊毛草根 {yang2 mao2 cao3 gen1}, 中藥正名 laggera root (Laggerae Radix)
羊毛瘡 {yang2 mao2 chuang1}, goat's hair sore
羊奶 {yang2 nai3}, 中藥異名 taro (Colocasiae Tuber)
羊奶痔 {yang2 nai3 zhi4}, goat's-udder hemorrhoid

羊腦 {yang2 nao3}, 中藥正名 goat's brain (Caprae seu Ovis Cerebrum)
羊脬 {yang2 pao1}, 中藥正名 goat's bladder (Caprae seu Ovis Vesica)
羊皮 {yang2 pi2}, 中藥正名 goat's skin (Caprae seu Ovis Corium)
羊起石 {yang2 qi3 shi2}, 中藥異名 actinolite (Actinolitum)
羊梂 {yang2 qiu2}, 中藥異名 crataegus (Crataegi Fructus)
羊肉 {yang2 rou4}, 中藥正名 goat meat (Caprae seu Ovis Caro)
羊乳 {yang2 ru3}, 中藥正名 goat's milk (Caprae seu Ovis Lac)
羊腎 {yang2 shen4}, 中藥正名 goat's kidney (Caprae seu Ovis Renes)
羊矢 {yang2 shi3}, 腧穴異名 LV-12 (Goat Arrow)
羊屎 {yang2 shi3}, 腧穴異名 ST-30 (Sheep's Droppings)
羊屎木 {yang2 shi3 mu4}, 中藥正名 goat-dung tree [leaf and bark] (Osmanthi Matsumurani Folium et Cortex)
羊屎條根 {yang2 shi3 tiao2 gen1}, 中藥正名 arrow wood (Viburni Utilis Radix)
羊酥 {yang2 su1}, 中藥正名 goat's butter (Caprae seu Ovis Byturum)
羊髓 {yang2 sui3}, 中藥正名 goat's bone marrow (Caprae seu Ovis Medulla)
羊胎 {yang2 tai1}, 中藥正名 goat's fetus (Caprae seu Ovis Foetus)
羊桃 {yang2 tao2}, 中藥異名 Chinese gooseberry (Actinidiae Chinensis Fructus)
羊蹄 {yang2 ti2}, 中藥正名 dock root (Rumicis Radix)
羊蹄暗消 {yang2 ti2 an4 xiao1}, 中藥正名 Yun2nan2 passion flower (Passiflorae Altebilobatae Radix et Caulis)
羊蹄草 {yang2 ti2 cao3}, 中藥正名 emilia (Emiliae Herba (cum Radice))
羊蹄根散 {yang2 ti2 gen1 san3}, 方名 Curled Dock Root Powder
羊蹄肉 {yang2 ti2 rou4}, 中藥正名 goat's foot flesh (Caprae seu Ovis Caro Pedis)
羊蹄實 {yang2 ti2 shi2}, 中藥正名 dock fruit (Rumicis Fructus)
羊蹄葉 {yang2 ti2 ye4}, 中藥正名 dock leaf (Rumicis Folium)
羊外腎 {yang2 wei4 shen4}, 中藥正名 goat's penis (Caprae seu Ovis Penis)
羊癇風 {yang2 xian2 feng1}, epilepsy
羊心 {yang2 xin1}, 中藥正名 goat's heart (Caprae seu Ovis Cor)
羊鬚 {yang2 xu1}, 中藥正名 goat's whiskers (Caprae seu Ovis Capilli)
羊須瘡 {yang2 xu1 chuang1}, goat's whiskers sore
羊血 {yang2 xue4}, 中藥正名 goat's blood (Caprae seu Ovis Sanguis)
羊腰子 {yang2 yao1 zi3}, 中藥異名 goat's kidney (Caprae seu Ovis Renes)
羊靨 {yang2 ye4}, 中藥正名 goat's thyroid gland (Caprae seu Ovis Glandula Thyroidea)
羊胰 {yang2 yi2}, 中藥正名 goat's pancreas (Caprae seu Ovis Pancreas)
羊脂 {yang2 zhi1}, 中藥正名 goat's fat (Caprae seu Ovis Adeps)
羊脂炙 {yang2 zhi1 zhi4}, mix-fry with sheep fat
羊躑躅 {yang2 zhi2 zhuo2}, 中藥異名 yellow azalea (Rhododendri Mollis Flos)
羊躑躅根 {yang2 zhi2 zhuo2 gen1}, 中藥正名 yellow azalea root (Rhododendri Mollis Radix)

【洋】 {yang2} [Freq. 4] ocean; overseas.
洋白菜 {yang2 bai2 cai4}, 中藥異名 white cabbage (Brassicae Capitatae Caulis et Folium)
洋蔥 {yang2 cong1}, 中藥正名 onion (Allii Cepae Bulbus)
洋蔥頭 {yang2 cong1 tou2}, 中藥異名 onion (Allii Cepae Bulbus)
洋干漆 {yang2 gan1 qi1}, 中藥異名 lac (Lacciferi Secretio)
洋菇 {yang2 gu1}, 中藥異名 meadow mushroom (Agaricus Campestris) (Agaricus Campestris); 中藥異名 meadow mushroom
洋故紙 {yang2 gu4 zhi3}, 中藥異名 oroxylum (Oroxyli Semen)
洋金花 {yang2 jin1 hua1}, 中藥正名 datura flower (Daturae Flos)
洋蘑菇 {yang2 mo2 gu1}, 中藥異名 meadow mushroom (Agaricus Campestris)
洋芹菜 {yang2 qin2 cai4}, 中藥異名 celery (Apii Herba)
洋蓍草 {yang2 shi1 cao3}, 中藥正名 yarrow (Achilleae Millefolii Herba)
洋柿子 {yang2 shi4 zi3}, 中藥異名 tomato (Lycopersicontis Fructus)
洋蒜 {yang2 suan4}, 中藥異名 leek (Allii Porri Herba)
洋香菜 {yang2 xiang1 cai4}, 中藥異名 parsely (Petroselini Caulis et Folium)
洋芫荽 {yang2 yan2 sui1}, 中藥異名 parsely (Petroselini Caulis et Folium)
洋眼豆 {yang2 yan3 dou4}, 中藥異名 lablab (Lablab Semen Album)
洋芋 {yang2 yu4}, 中藥正名 potato (Solani Tuberosi Tuber)

【烊】 {yang2} [Freq. 4] render (fat).
烊化 {yang2 hua4}, melt; render

【揚】 {yang2} [Freq. 4] raise.
揚刺 {yang2 ci4}, raising up needling (one of the twelve needling methods)
揚氏家藏方 {yang2 shi4 jia1 cang2 fang1}, 書名 Yang2's Familiy Heritage Formulas
揚手擲足 {yang2 shou3 zhi2 zu2}, flailing of the arms and legs
揚手躑足 {yang2 shou3 zhi2 zu2}, flailing of the arms and legs

【陽】 {yang2} [Freq. 2] yang2 (n.), (adj.).
陽白 {yang2 bai2}, 腧穴正名 GB-14 (Yang2 White)
陽斑 {yang2 ban1}, yang2 macules
陽閉 {yang2 bi4}, yang2 block
陽病 {yang2 bing4}, yang2 disease
陽病入陰 {yang2 bing4 ru4 yin1}, yang2 disease entering yin1
陽病治陰 {yang2 bing4 zhi4 yin1}, yang2 disease is treated through yin1
陽不化氣 {yang2 bu4 hua4 qi4}, yang2 failing to form qi4
陽常有余陰常不足 {yang2 chang2 you3 yu2 yin1 chang2 bu4 zu2}, yang2 is often

superabundant, yin1 is often insufficient
陽池 {yang2 chi2}, 腧穴正名 TB-4 (Yang2 Pool)
陽春砂仁 {yang2 chun1 sha1 ren2}, 中藥正名 Yangchun amomum (Amomi Xanthioidis Semen seu Fructus)
陽&&ci4|{yang2 ci4}, yang2 tetany
陽旦 {yang2 dan4}, yang2 dawn
陽旦湯 {yang2 dan4}, 方名 Yang2 Dawn Decoction
陽輔 {yang2 fu3}, 腧穴正名 GB-38 (Yang2 Assistance)
陽剛 {yang2 gang1}, 腧穴異名 Strong Yang2
陽綱 {yang2 gang1}, 腧穴正名 BL-48 (BL-43) (Yang2 Headrope)
陽谷 {yang2 gu3}, 腧穴正名 SI-5 (Yang2 Valley)
陽和解凝膏 {yang2 he2 jie3 ning2 gao1}, 方名 Harmonious Yang2 Decongealing Plaster
陽和湯 {yang2 he2 tang1}, 方名 Harmonious Yang2 Decoction
陽化氣 {yang2 hua4 qi4}, yang2 transform into qi4
陽黃 {yang2 huang2}, yang2 jaundice; yang2 yellowing
陽強 {yang2 jiang4}, rigid yang2 (permanent erection with seminal efflux)
陽交 {yang2 jiao1}, 腧穴正名 GB-35 (Yang2 Intersection)
陽矯 {yang2 jiao3}, 腧穴異名 BL-59 (Yang2 Correction)
陽結 {yang2 jie2}, yang2 bind
陽經 {yang2 jing1}, yang2 channel
陽痙 {yang2 jing4}, yang2 tetany
陽厥 {yang2 jue2}, yang2 reversal
陽絕 {yang2 jue2}, yang2 expiry
陽亢 {yang2 kang4}, yang2 hyperactivity; 腧穴正名 Yang2 Surfeit
陽陵 {yang2 ling2}, 腧穴異名 GB-33 (Yang2 Mound) (Yang2 Mound); 腧穴異名 GB-34
陽陵泉 {yang2 ling2 quan2}, 腧穴正名 GB-34 (Yang2 Mound Spring)
陽絡 {yang2 luo4}, yang2 network vessel
陽絡傷則血外溢 {yang2 luo4 shang1 ze2 xue4 wai4 yi4}, when yang2 network vessels are damaged, blood spills out
陽脈 {yang2 mai4}, yang2 pulse; yang2 vessel
陽脈之海 {yang2 mai4 zhi1 hai3}, sea of the yang2 vessels (the governing vessel)
陽明 {yang2 ming2}, yang2 brightness
陽明病 {yang2 ming2 bing4}, yang2 brightness disease
陽明病腑證 {yang2 ming2 bing4 fu3 zheng4}, bowel pattern in yang2 brightness disease
陽明病經證 {yang2 ming2 bing4 jing1 zheng4}, channel pattern in yang2 brightness disease
陽明病證 {yang2 ming2 bing4 zheng4}, yang2 brightness disease pattern
陽明多氣多血 {yang2 ming2 duo1 qi4 duo1 xue4}, yang2 brightness has copious qi4 and copious blood

陽明腑實 {yang2 ming2 fu3 shi2}, yang2 brightness bowel repletion
陽明腑證 {yang2 ming2 fu3 zheng4}, yang2 brightness bowel pattern
陽明經熱 {yang2 ming2 jing1 re4}, yang2 brightness channel heat
陽明經證 {yang2 ming2 jing1 zheng4}, yang2 brightness channel pattern
陽明居中 {yang2 ming2 ju1 zhong1}, yang2 brightness resides in the center
陽明熱實證 {yang2 ming2 re4 shi2 zheng4}, yang2 brightness heat repletion pattern
陽明濕熱 {yang2 ming2 shi1 re4}, yang2 brightness damp-heat
陽明濕熱兼表 {yang2 ming2 shi1 re4 jian1 biao3}, yang2 brightness damp-heat with an exterior pattern
陽明濕熱里實 {yang2 ming2 shi1 re4 li3 shi2}, yang2 brightness damp-heat interior repletion
陽明頭痛 {yang2 ming2 tou2 tong4}, yang2 brightness headache
陽明爲合 {yang2 ming2 wei2 he2}, yang2 brightness is the closing
陽明爲燥土 {yang2 ming2 wei2 zao4 tu3}, yang2 brightness is dry earth
陽明虛寒 {yang2 ming2 xu1 han2}, yang2 brightness vacuity cold
陽明蓄血 {yang2 ming2 xu4 xue4}, yang2 brightness blood amassment
陽明瘀血 {yang2 ming2 yu1 xue4}, yang2 brightness static blood
陽明燥熱 {yang2 ming2 zao4 re4}, yang2 brightness dryness-heat
陽起石 {yang2 qi3 shi2}, 中藥正名 actinolite (Actinolitum)
陽起石丸 {yang2 qi3 shi2 wan2}, 方名 Actinolite Pill
陽氣 {yang2 qi4}, yang2 qi4
陽氣暴絕 {yang2 qi4 bao4 jue2}, fulminant expiration of yang2 qi4
陽氣暴脫 {yang2 qi4 bao4 tuo1}, fulminant desertion of yang2 qi4
陽氣暴脫證 {yang2 qi4 bao4 tuo1 zheng4}, fulminant desertion of yang2 qi4 pattern
陽氣并于下 {yang2 qi4 bing4 yu2 xia4}, yang2 qi4 concentrating in the upper body
陽氣不化 {yang2 qi4 bu4 hua4}, yang2 qi4 failing to perform transformation; yang2 qi4 failing to perform qi4 transformation
陽氣不通 {yang2 qi4 bu4 tong1}, stoppage of yang2 qi4
陽氣不足 {yang2 qi4 bu4 zu2}, insufficiency of yang2 qi4
陽氣浮越于上 {yang2 qi4 fu2 yue4 yu2 shang4}, yang2 qi4 floating to the upper body
陽氣將脫 {yang2 qi4 jiang1 tuo1}, yang2 qi4 about to desert
陽氣伸展 {yang2 qi4 shen1 zhan3}, yang2 qi4 stretches
陽氣盛 {yang2 qi4 sheng4}, exuberant yang2 qi4
陽氣虛 {yang2 qi4 xu1}, yang2 qi4 vacuity
陽氣虛衰 {yang2 qi4 xu1 shuai1}, debilitation of yang2 qi4
陽氣虛脫 {yang2 qi4 xu1 tuo1}, yang2 qi4 vacuity desertion
陽氣欲脫 {yang2 qi4 yu4 tuo1}, yang2 qi4 on the verge of desertion
陽氣失于依附 {yang2 qi4 zhi1 yu2 yi1 fu4}, yang2 qi4 is deprived of its foundation
陽氣重 {yang2 qi4 zhong4}, weighted yang2 qi4

陽強 {yang2 qiang2}, persistent erection
陽強不倒 {yang2 qiang2 bu4 dao3}, persistent erection
陽強不能密，陰氣乃絕 {yang2 qiang2 bu4 neng2 mi4, yin1 qi4 nai3 jue2}, when yang2 is overstrong and does not constrain itself, yin1 qi4 expires
陽蹺 {yang2 qiao1}, yang2 springing; YAS (Yang2 Springing 穴異名 BL-62
陽蹺脈 {yang2 qiao1 mai4}, yang2 springing vessel
陽蹻 {yang2 qiao2}, 腧穴異名 BL-62 (Yang2 Springing)
陽雀花根 {yang2 qu4 hua1 gen1}, 中藥正名 Franchet's pea tree root (Caraganae Franchetianae Radix)
陽雀花 {yang2 que4 hua1}, 中藥正名 Franchet's pea tree flower (Caraganae Franchetianae Flos)
陽熱 {yang2 re4}, yang2 heat
陽殺陰藏 {yang2 sha1 yin1 cang2}, when yang2 abates, yin1 hides
陽生陰長 {yang2 sheng1 yin1 zhang3}, when yang2 arises, yin1 grows
陽生于陰 {yang2 sheng1 yu2 yin1}, yang2 is engendered by yin1
陽盛 {yang2 sheng4}, exuberant yang2; yang2 exuberance
陽盛格陰證 {yang2 sheng4 ge2 yin1 zheng4}, exuberant yang2 repelling yin1 pattern
陽盛陰傷 {yang2 sheng4 yin1 shang1}, exuberant yang2 damages yin1
陽勝則熱 {yang2 sheng4 ze2 re4}, when yang2 prevails, there is heat
陽盛則外熱 {yang2 sheng4 ze2 wai4 re4}, when yang2 is exuberant, there is external heat
陽勝則陰病 {yang2 sheng4 ze2 yin1 bing4}, when yang2 prevails, yin1 ails
陽事 {yang2 shi4}, yang2 matter (male sexual performance; penis); penis
陽事不舉 {yang2 shi4 bu4 ju3}, yang2 matter failing to rise; impotence
陽事堅而不久 {yang2 shi4 jian1 er2 bu4 jiu3}, hard erection that does not last
陽事舉而不堅 {yang2 shi4 ju3 er2 bu4 jian1}, incomplete erection
陽事易興 {yang2 shi4 yi4 xing1}, frequent erections
陽暑 {yang2 shu3}, yang2 summerheat
陽水 {yang2 shui3}, yang2 water (a kind of water swelling)
陽損及陰 {yang2 sun3 ji2 yin1}, detriment to yang2 affects yin1
陽損及陰證 {yang2 sun3 ji2 yin1 zheng4}, pattern of detriment to yang2 affecting yin1
陽縮 {yang2 suo1}, retracted genitals
陽塔克西克爾 {yang2 ta3 ke4 er3}, 中藥異名 manna (Alhagi Succus Condensatus)
陽桃 {yang2 tao2}, 中藥正名 carambola fruit (Carambolae Fructus)
陽桃根 {yang2 tao2 gen1}, 中藥正名 carambola root (Carambolae Radix)
陽桃花 {yang2 tao2 hua1}, 中藥正名 carambola flower (Carambolae Flos)
陽桃葉 {yang2 tao2 ye4}, 中藥正名 carambola leaf (Carambolae Folium)
陽明頭痛 {yang2 tou2 tong4}, yang2 brightness headache
陽脫 {yang2 tuo1}, yang2 desertion

陽維 {yang2 wei2}, yang2 linking vessel; YAL
陽維脈 {yang2 wei2 mai4}, yang2 linking vessel
陽萎 {yang2 wei3}, impotence (impotence); yang2 wilt; impotence
陽痿 {yang2 wei3}, 西醫 sexual importence; impotence (impotence); yang2 wilt
陽痿（一） {yang2 wei3 (1)}, 腧穴正名 Impotence \#1
陽痿（二） {yang2 wei3 (2)}, 腧穴正名 Impotence \#2
陽痿（三） {yang2 wei3 (3)}, 腧穴正名 Impotence \#3
陽萎不舉 {yang2 wei3 bu4 ju3}, impotence
陽無所附 {yang2 wu2 suo3 fu4}, yang2 has no support
陽谿 {yang2 xi1}, 腧穴正名 LI-5 (Yang2 Ravine)
陽癇 {yang2 xian2}, yang2 epilepsy
陽邪 {yang2 xie2}, yang2 evil
陽性藥 {yang2 xing4 yao4}, yang2-natured medicinal
陽虛 {yang2 xu1}, yang2 vacuity
陽虛便秘 {yang2 xu1 bian4 bi4}, yang2 vacuity constipation
陽虛發熱 {yang2 xu1 fa1 re4}, yang2 vacuity heat [effusion] (fever)
陽虛寒凝 {yang2 xu1 han2 ning2}, yang2 vacuity with exuberant cold
陽虛寒凝證 {yang2 xu1 han2 ning2 zheng4}, yang2 vacuity and exuberant cold pattern
陽虛寒盛 {yang2 xu1 han2 sheng4}, yang2 vacuity with exuberant cold
陽虛氣滯 {yang2 xu1 qi4 zhi4}, yang2 vacuity and qi4 stagnation pattern
陽虛生寒 {yang2 xu1 sheng1 han2}, vacuity vacuity engenders cold
陽虛水泛 {yang2 xu1 shui3 fan4}, yang2 vacuity water flood
陽虛水泛證 {yang2 xu1 shui3 fan4 zheng4}, yang2 vacuity water flood pattern
陽虛痰凝 {yang2 xu1 tan2 ning2}, yang2 vacuity and congealing phlegm
陽虛痰凝證 {yang2 xu1 tan2 ning2 zheng4}, yang2 vacuity and congealing phlegm pattern
陽虛頭痛 {yang2 xu1 tou2 tong4}, yang2 vacuity headache
陽虛外感 {yang2 xu1 wai4 gan3}, yang2 vacuity and external contraction
陽虛外感證 {yang2 xu1 wai4 gan3 zheng4}, pattern of yang2 vacuity and external contraction
陽虛外寒 {yang2 xu1 wai4 han2}, yang2 vacuity external cold
陽虛眩暈 {yang2 xu1 xuan4 yun1}, yang2 vacuity dizziness
陽虛血瘀 {yang2 xu1 xue4 yu1}, yang2 vacuity and blood stasis
陽虛血瘀證 {yang2 xu1 xue4 yu1 zheng4}, yang2 vacuity and blood stasis pattern
陽虛陰盛 {yang2 xu1 yin1 sheng4}, exuberance of yin1 due to yang2 vacuity; yang2 vacuity yin1 exuberance
陽虛有寒 {yang2 xu1 you3 han2}, yang2 vacuity with cold
陽虛則外寒 {yang2 xu1 ze2 wai4 han2}, when yang2 is vacuous, there is external cold
陽虛證 {yang2 xu1 zheng4}, yang2 vacuity pattern
陽虛自汗 {yang2 xu1 zi4 han2}, yang2 vacuity spontaneous sweating

陽藥 {yang2 yao4}, yang2 medicinal
陽越于外 {yang2 yue4 yu2 wai4}, yang2 straying outward
陽臟 {yang2 zang4}, yang2 viscus
陽澤 {yang2 ze2}, 腧穴異名 LI-11 (Yang2 Marsh)
陽證 {yang2 zheng4}, yang2 pattern
陽證似陰 {yang2 zheng4 si4 yin1}, yang2 pattern resembling yin1
陽之陵泉 {yang2 zhi1 ling2 quan2}, 腧穴異名 GB-34 (Yang2's Mound Spring)
陽中求陰 {yang2 zhong1 qiu2 yin1}, seek yin1 in yang2
陽中之陽 {yang2 zhong1 zhi1 yang2}, yang2 within yang2
陽中之陰 {yang2 zhong1 zhi1 yin1}, yin1 within yang2

【楊】 {yang2} [Freq. 4] poplar; surname.
楊柏散 {yang2 bai3 san3}, 方名 Myrica and Phellodendron Powder
楊繼洲 {yang2 ji4 zhou1}, Yang2 Ji4-Zhou1
楊櫨耳 {yang2 lu2 er3}, 中藥正名 weigela wood ear (Weigelae Auricularia )
楊梅 {yang2 mei2}, 中藥正名 bayberry (Myricae Fructus)
楊梅斑 {yang2 mei2 ban1}, red bayberry macules
楊梅瘡 {yang2 mei2 chuang1}, red bayberry sore (syphilitic sore)
楊梅豆 {yang2 mei2 dou4}, red bayberry pox
楊梅根 {yang2 mei2 gen1}, 中藥正名 bayberry root (Myricae Radix)
楊梅核仁 {yang2 mei2 he2 ren2}, 中藥正名 bayberry seed (Myricae Semen)
楊梅結毒 {yang2 mei2 jie2 du2}, red bayberry toxin bind
楊梅皮 {yang2 mei2 pi2}, 中藥正名 bayberry bark (Myricae Cortex)
楊梅樹 {yang2 mei2 shu4}, 中藥正名 edible bayberry bark (Myricae Esculentae Cortex)
楊梅疹 {yang2 mei2 zhen3}, red bayberry papules
楊上善 {yang2 shang4 shan4}, Yang2 Shang4-Shan4
楊士瀛 {yang2 shi4 ying2}, Yang2 Shi4-Ying2

【瘍】 {yang2} [Freq. 2] sore (n.); open sore (n.).
瘍科心得集 {yang2 ke1 xin1 de2 ji2}, 書名 Sores Branch Collected Heart-Perceptions
瘍勞 {yang2 lao2}, taxation of sores
瘍醫 {yang2 yi1}, sores doctor; sores and wounds specialist
瘍癰 {yang2 yong1}, sores and welling-abscesses

~~ {yang3} ~~
【仰】 {yang3} [Freq. 3] supine; bend backward.
仰視 {yang3 shi4}, upward looking [eyes] (a kind of squint)

仰臥 {yang3 wo4}, lie supine; supine

【氧】 {yang3} [Freq. 4] oxygen.
氧不足 {yang3 bu4 zu2}, 西醫 hypoxia
氧過少 {yang3 guo4 shao3}, 西醫 hypoxia
氧化鋅 {yang3 hua4 xin1}, 中藥正名 zinc oxide

【養】 {yang3} [Freq. 2] nourish (v.), nourishment (n.).
養肝 {yang3 gan1}, nourish the liver
養肝明目 {yang3 gan1 ming2 mu4}, nourish the liver and brighten the eyes
養津液 {yang3 jin1 ye4}, nourish the fluids
養精種玉湯 {yang3 jing1 zhong4 yu4 tang1}, 方名 Essence-Nourishing Jade-Planting Decoction
養老 {yang3 lao3}, 腧穴正名 SI-6 (Nursing the Aged)
養榮壯腎湯 {yang3 rong2 zhuang4 shen4 tang1}, 方名 Construction-Nourishing Kidney-Invigorating Decoction
養生 {yang3 sheng1}, cultivate life; life cultivation; cultivate health; health cultivation
養胎 {yang3 tai1}, nourish the fetus
養胃 {yang3 wei4}, nourish the stomach
養胃湯 {yang3 wei4 tang1}, 方名 Stomach-Nourishing Decoction
養胃陰 {yang3 wei4 yin1}, nourish stomach yin1
養心 {yang3 xin1}, nourish the heart
養心安神 {yang3 xin1 an1 shen2}, nourish the heart and quiet the spirit
養心安神藥 {yang3 xin1 an1 shen2 yao4}, heart-nourishing spirit-quieting medicinal
養心湯 {yang3 xin1 tang1}, 方名 Heart-Nourishing Decoction
養血 {yang3 xue4}, nourish the blood
養血安心 {yang3 xue4 an1 xin1}, nourish the blood and quiet the heart
養血安心藥 {yang3 xue4 an1 xin1 yao4}, blood-nourishing heart-quieting medicinal
養血當歸地黃散 {yang3 xue4 dang1 gui1 di4 huang2 san3}, 方名 Blood-Nourishing Chinese Angelica and Rehmannia Powder
養血當歸地黃湯 {yang3 xue4 dang1 gui1 di4 huang2 tang1}, 方名 Blood-Nourishing Chinese Angelica and Rehmannia Decoction
養血解表 {yang3 xue4 jie3 biao3}, nourish the blood and resolve the exterior
養血明目 {yang3 xue4 ming2 mu4}, nourish the blood and brighten the eyes
養血榮筋 {yang3 xue4 rong2 jin1}, nourish the blood and enhance the sinews
養血柔肝 {yang3 xue4 rou2 gan1}, nourish the blood and emolliate the liver
養血潤燥 {yang3 xue4 run4 zao4}, nourish the blood and moisten dryness
養血生肌 {yang3 xue4 sheng1 ji1}, nourish the blood and engender flesh

養血調經 {yang3 xue4 tiao2 jing1}, nourish the blood and regulate menstruation
養血通脈 {yang3 xue4 tong1 mai4}, nourish the blood and free the vessels
養血熄風 {yang3 xue4 xi1 feng1}, nourish the blood and extinguish wind
養血藥 {yang3 xue4 yao4}, blood-nourishing medicinal
養血益精 {yang3 xue4 yi4 jing1}, nourish the blood and boost essence
養血鎮逆 {yang3 xue4 zhen4 ni4}, nourish the blood and settle counterflow
養血滋陰 {yang3 xue4 zi1 yin1}, nourish the blood and enrich yin
養陰 {yang3 yin1}, nourish yin1
養陰解表 {yang3 yin1 jie3 biao3}, nourish yin1 and resolve the exterior
養陰潛陽 {yang3 yin1 qian2 yang2}, nourish yin1 and subdue yang2
養陰清肺 {yang3 yin1 qing1 fei4}, nourish yin1 and clear the lung
養陰清肺湯 {yang3 yin1 qing1 fei4 tang1}, 方名 Yin1-Nourishing Lung-Clearing Decoction
養陰潤燥 {yang3 yin1 run4 zao4}, nourish yin1 and moisten dryness
養陰生肌 {yang3 yin1 sheng1 ji1}, nourish yin1 and engender flesh
養陰生津 {yang3 yin1 sheng1 jin1}, nourish yin1 and engender liquid
養陰益精 {yang3 yin1 yi4 jing1}, nourishes yin1 and boosts essence
養臟湯 {yang3 zang4 tang1}, 方名 Viscus-Nourishing Decoction

【癢】 {yang3} [Freq. 2] itch (v.), (n.), itchy (adj.) (陰癢 {yin1 yang3}, pudendal itch; 耳癢 {er3 yang3}, itchy ear).
癢疹 {yang3 zhen3}, itchy papules

~~ {yang4} ~~
【羕】 {yang4} [Freq. 4] brimming; far-reaching.
羕泣 {yang4 qi4}, 腧穴異名 ST-1 (Brimming Tears)

~~ {yao1} ~~
【夭】 {yao1} [Freq. 2] perish (v.).
夭疽 {yao1 ju1}, perished flat-abscess
夭然不澤 {yao1 ran2 bu4 ze2}, sheenless perished look
夭色 {yao1 se4}, perished complexion

【腰】 {yao1} [Freq. 2] lumbus (n.), lumbar (adj.); waist (n.).
腰背 {yao1 bei4}, lumbus and back
腰背強直 {yao1 bei4 jiang4 zhi2}, rigid lumbus and back
腰背僂俯 {yao1 bei4 lou2 fu3}, humpback

腰背酸楚 {yao1 bei4 suan1 chu3}, aching pain of the lumbus and back
腰背疼痛 {yao1 bei4 teng2 tong4}, lumbar and back pain
腰背痛 {yao1 bei4 tong4}, lumbar and back pain
腰部慢性勞損 {yao1 bu4 man4 xing4 lao2 sun3}, 西醫 chronic lumbar strain
腰反折 {yao1 fan3 zhe2}, arched-back rigidity
腰腹沉重 {yao1 fu4 chen2 zhong4}, heaviness in the lumbus and abdomen
腰腹覺冷 {yao1 fu4 jue2 leng3}, cold sensation in the lumbus and abdomen
腰腹重墜 {yao1 fu4 zhong4 shui4}, sagging heaviness in the lumbus and abdomen
腰根 {yao1 gen1}, 腧穴正名 Lumbar Root
腰骨痛 {yao1 gu3 tong4}, pain in the lumbar spine
腰戶 {yao1 hu4}, 腧穴異名 GV-2 (Lumbar Door)
腰黃 {yao1 huang2}, 中藥異名 lucid realgar (Realgar Lucidum)
腰脊 {yao1 ji3}, lumbar spine
腰脊強 {yao1 ji3 jiang4}, stiffness of the lumbar spine
腰脊冷痛 {yao1 ji3 leng3 tong4}, cold pain in the lumbar spine
腰脊酸軟 {yao1 ji3 suan1 ruan3}, limp aching lumbar spine
腰脊疼 {yao1 ji3 teng2}, pain in the lumbar spine
腰脊痛 {yao1 ji3 tong4}, pain in the lumbar spine
腰髁骨 {yao1 ke1 gu3}, lumbar bone
腰胯痛 {yao1 kua4 tong4}, lumbar and hip pain
腰髖疼痛 {yao1 kuan1 teng2 tong4}, lumbar and hip pain
腰冷 {yao1 leng3}, coldness the lumbus
腰冷重 {yao1 leng3 zhong4}, coldness and heaviness in the lumbar region
腰奇 {yao1 qi2}, 腧穴正名 Lumbar Extra
腰如繩束 {yao1 ru2 sheng2 shu4}, waist as if girthed with rope
腰軟無力 {yao1 ruan3 wu2 li4}, limp lumbus
腰俞 {yao1 shu1}, 腧穴正名 GV-2 (Lumbar Transport)
腰痠 {yao1 suan1}, aching lumbus
腰酸 {yao1 suan1}, aching lumbus
腰酸背痛 {yao1 suan1 bei4 tong4}, lumbar and back pain
腰酸腳弱 {yao1 suan1 jiao3 ruo4}, aching lumbus and weak legs
腰酸腿冷 {yao1 suan1 tui3 leng3}, aching lumbus and cold legs
腰酸腿軟 {yao1 suan1 tui3 ruan3}, aching lumbus and limp legs; aching lumbus and limp legs
腰酸膝軟 {yao1 suan1 xi1 ruan3}, aching lumbus and limp knees; aching lumbus and limp knees
腰酸肢冷 {yao1 suan1 zhi1 leng3}, aching lumbus and cold limbs
腰酸足軟 {yao1 suan1 zu2 ruan3}, aching lumbus and limp legs
腰痛 {yao1 tong4}, lumbar pain 穴正名 Lumbar Pain
腰痛如折 {yao1 tong4 ru2 zhe2}, lumbus painful as fit to break

腰腿凉 {yao1 tui3 liang2}, cold lumbus and legs
腰腿酸軟 {yao1 tui3 suan1 ruan3}, limp aching lumbus and legs
腰腿酸痛 {yao1 tui3 suan1 tong4}, aching lumbus and leg pain
腰腿酸痛 {yao1 tui3 suan1 tong4}, aching pain in the lumbus and legs
腰腿痛 {yao1 tui3 tong4}, lumbar and leg pain
腰爲腎之府 {yao1 wei2 shen4 zhi1 fu3}, lumbus is the house of the kidney
腰爲腎之外府 {yao1 wei2 shen4 zhi1 wai4 fu3}, lumbus is the external house of the kidney
腰膝乏力 {yao1 xi1 fa2 li4}, lack of strength in the lumbus and knees
腰膝冷痛 {yao1 xi1 leng3 tong4}, cold pain in the lumbus and knees
腰膝軟弱 {yao1 xi1 ruan3 ruo4}, limp lumbus and knees
腰膝軟弱無力 {yao1 xi1 ruan3 ruo4 wu2 li4}, limp lumbus and knees
腰膝酸楚 {yao1 xi1 suan1 chu3}, aching lumbus and knees
腰膝酸冷 {yao1 xi1 suan1 leng3}, cold aching lumbus and knees
腰膝酸軟 {yao1 xi1 suan1 ruan3}, limp aching lumbus and knees
腰膝酸痛 {yao1 xi1 suan1 tong4}, aching lumbus and knees
腰膝痿軟 {yao1 xi1 wei3 ruan3}, limp wilting lumbus and knees
腰膝痿弱 {yao1 xi1 wei3 ruo4}, weak wilting lumbus and knee; weak wilting lumbus and knees
腰膝無力 {yao1 xi1 wu2 li4}, lack of strength in the lumbus and knees
腰眼 {yao1 yan3}, 腧穴正名 Lumbar Eye
腰陽關 {yao1 yang2 guan1}, 腧穴正名 GV-3 (Lumbar Yang2 Pass)
腰宜 {yao1 yi2}, 腧穴正名 Lumbus's Need
腰以下腫 {yao1 yi3 xia4 zhong3}, swelling from lumbus (waist) downward
腰重 {yao1 zhong4}, heaviness in the lumbus
腰柱 {yao1 zhu4}, lumbar support (used to set lumbar fractures) (Lumbar Pillar); 腧穴異名 GV-2
腰椎骨 {yao1 zhui1 gu3}, 西醫 lumbar vertebrae
腰椎後關節骨錯縫 {yao1 zhui1 hou4 guan1 jie2 gu3 cuo4 feng4}, 西醫 fissure in hind joints of lumbar vertebra

~~ {yao2} ~~
【搖】 {yao2} [Freq. 4] shake; wabble; rock.
搖法 {yao2 fa3}, rocking (manipulation method)
搖頭 {yao2 tou2}, shaking of the head
搖針 {yao2 zhen1}, needle waggling (of the needle); waggling

【遙】 {yao2} [Freq. 5] wander freely (逍遙 {xiao1 yao2})

【蕘】 {yao2} [Freq. 4] plant name.
蕘花 {yao2 hua1}, 中藥正名 gray wikstroemia (Wikstroemiae Canescentis Flos)

~~ {yao3} ~~
【咬】 {yao3} [Freq. 4] bite; grind (the teeth).
咬合面 {yao3 he2 mian4}, 西醫 occlusal surface
咬牙 {yao3 ya2}, grinding of the teeth; bruxism
咬牙吊眼 {yao3 ya2 diao4 yan3}, grinding of the teeth and hoisted (i.e., upturned) eyes

~~ {yao4} ~~
【瘧】 {yao4} [Freq. 3] malaria (see 瘧 {nue94}, malaria)

【藥】 {yao4} [Freq. 2] medicinal (n.), (adj.) (補藥 {bu3 yao4}, supplementing medicinal); drug (n.).
藥本 {yao4 ben3}, 中藥異名 squirrel's droppings (Trogopteri Faeces)
藥匾 {yao4 bian3}, tray
藥材 {yao4 cai2}, medicinal material; crude medicinal
藥草 {yao4 cao3}, medicinal herbs
藥兜療法 {yao4 dou1 liao2 fa3}, medicinal bag therapy
藥毒疹 {yao4 du2 zhen3}, drug toxicity rash
藥方 {yao4 fang1}, prescription
藥膏 {yao4 gao1}, medicinal paste (applied topically)
藥膏療法 {yao4 gao1 liao2 fa3}, medicinal paste therapy (applied topically)
藥罐 {yao4 guan4}, medicated cupping
藥茴香 {yao4 hui2 xiang1}, 中藥正名 montane parsely (Pleurospermi Herba)
藥劑 {yao4 ji4}, preparation
藥酒 {yao4 jiu3}, medicinal wine
藥菊 {yao4 ju2}, 中藥異名 chrysanthemum (Chrysanthemi Flos)
藥老 {yao4 lao3}, 中藥正名 inebriate achnatherum (Achnatheri Inebriantis Herba et Radix)
藥力 {yao4 li4}, medicinal strength; strength of the medicinals
藥力猛 {yao4 li4 meng3}, fiercely strong in effect (of agents)
藥量 {yao4 liang4}, dosage
藥料 {yao4 liao4}, medicinal material
藥露 {yao4 lu4}, distillate; medicinal dew
藥綿引流 {yao4 mian2 yin3 liu2}, medicated thread drainage
藥品 {yao4 pin3}, medicinal (item)

藥舖 {yao4 pu4}, medicine shop; Chinese pharmacy
藥芹 {yao4 qin2}, 中藥異名 wild celery (Apii (Agrestris) Herba)
藥膳 {yao4 shan4}, medicinal food
藥石 {yao4 shi2}, herbs and minerals
藥栓療法 {yao4 shuan1 liao2 fa3}, medicinal suppository therapy
藥水 {yao4 shui3}, medicinal water
藥筒拔法 {yao4 tong3 ba2 fa3}, medicated cupping
藥王 {yao4 wang2}, 人名 King of Medicine
藥王茶 {yao4 wang2 cha2}, 中藥正名 bushy dasiphora leaf (Dasiphorae Fruticosae Folium)
藥味 {yao4 wei4}, flavor of medicinals
藥物 {yao4 wu4}, medicinal
藥物艾卷 {yao4 wu4 ai4 juan3}, medicated moxa stick
藥物發泡 {yao4 wu4 fa1 pao4}, medicinal-induced blistering
藥物發泡灸 {yao4 wu4 fa1 pao4 jiu3}, medicinal-induced blister moxibustion
藥物灸 {yao4 wu4 jiu3}, medicinal moxibustion
藥物鮮汁 {yao4 wu4 xian1 zhi1}, fresh herb juice
藥物性皮炎 {yao4 wu4 xing4 pi2 yan2}, 西醫 dermatitis medicamentosa
藥物用法 {yao4 wu4 yong4 fa3}, directions for use of medicinals
藥線療法 {yao4 xian4 liao2 fa3}, medicated thread therapy
藥線引流 {yao4 xian4 yin3 liu2}, medicated thread drainage
藥用倒提壺 {yao4 yong2 dao3 ti2 hu2}, 中藥正名 hounds'-tongue (Cynoglossi Officinalis Radix)
藥用植物學 {yao4 yong4 zhi2 wu4 xue2}, pharmaceutical botany
藥浴療法 {yao4 yu4 liao2 fa3}, medicinal bath therapy
藥熨療法 {yao4 yun4 liao2 fa3}, hot medicinal compress therapy
藥棗 {yao4 zao3}, 中藥異名 cornus (Corni Fructus)
藥枕療法 {yao4 zhen3 liao3 fa3}, medicinal pillow therapy
藥汁炙 {yao4 zhi1 zhi4}, mix-fry with herb juices

【葯】 {yao4} [Freq. 2] medicine

~~ {ye1} ~~
【耶】{ye1} [Freq. 4] final particle; used in the transcription of foreign terms (耶魯大學 {ye1 lu3 da4 xue2}, Yale University).
耶爾買他格 {ye1 er3 ma3 ta1 ge2}, 中藥異名 cynomorium (Cynomorii Herba)

【椰】 {ye1} [Freq. 4] coconut; coconut.

椰菜花 {ye1 cai4 hua1}, 中藥正名 cauliflower (Brassicae Botrytidis Flos)
椰子漿 {ye1 zi3 jiang1}, 中藥正名 coconut milk (Cocoris Fructus Succus)
椰子皮 {ye1 zi3 pi2}, 中藥正名 coconut root bark (Cocoris Radicis Cortex)
椰子殼 {ye1 zi3 qiao4 (ke2)}, 中藥正名 coconut husk (Cocoris Endocarpium)
椰子瓤 {ye1 zi3 rang2}, 中藥正名 copra (Cocoris Caro Endospermii)
椰子油 {ye1 zi3 you2}, 中藥正名 coconut oil (Cocoris Oleum)

【噎】 {ye1} [Freq. 3] gullet; dysphagia.
噎膈 {ye1 ge2}, dysphagia-occlusion
噎塞 {ye1 sai1}, dysphagia
噎食 {ye1 shi2}, dysphagia

【&&882E||】 {ye1} [Freq. 4] potter wasp.
&&882E||蝓 {ye1 weng1}, 中藥正名 potter wasp (Eumenes)

～ {ye3} ～
【野】 {ye3} [Freq. 2] wild.
野芭蕉 {ye3 ba1 jiao1}, 中藥異名 camptotheca (Camptothecae Fructus seu Radix)
野巴子 {ye3 ba1 zi3}, 中藥正名 wrinkled elsholtzia (Elsholtziae Rugulosae Herba)
野白薯 {ye3 bai2 shu3}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
野白紙扇 {ye3 bai2 zhi3 shan4}, 中藥異名 hairy mussaenda (Mussaendae Pubescentis Caulis et Folium)
野百合 {ye3 bai3 he2}, 中藥正名 narrow-leaved rattlebox (Crotolariae Sessiliflorae Herba)
野扁豆 {ye3 bian3 dou4}, 中藥正名 dunbaria (Dunbariae Herba seu Semen)
野檳榔 {ye3 bin1 lang2}, 中藥正名 lithocarpus (Lithocarpi Flos)
野茶子 {ye3 cha2 zi3}, 中藥正名 eurya fruit (Euryae Fructus)
野慈姑 {ye3 ci2 gu1}, 中藥正名 three-leaved sagittaria (Sagittariae Trifoliae Herba)
野刺菜 {ye3 ci4 cai4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
野蔥 {ye3 cong1}, 中藥正名 wild scallion (Allii Pratii Herba)
野大豆藤 {ye3 da4 dou4 teng2}, 中藥正名 wild soybean plant (Glycines Sojae Caulis, Folium et Radix)
野顛茄 {ye3 dian1 qie2}, 中藥正名 toxic nightshade (Solani Surattensis Frutex)
野靛青 {ye3 dian4 qing1}, 中藥正名 peristrophe (Peristrophes Bivalvis Herba)
野丁香 (1) {ye3 ding1 xiang1}, 中藥正名 wild lilac (Syringae Persicae Flos)
野丁香 (2) {ye3 ding1 xiang1}, 中藥正名 luculia fruit (Luculiae Flos et Fructus)
野丁香根 {ye3 ding1 xiang1 gen1}, 中藥正名 luculia (Luculiae Radix)
野冬菊 {ye3 dong1 ju2}, 中藥正名 mountain aster (Asteris Oreophili Flos)

野冬青果 {ye3 dong1 qing1 guo3}, 中藥正名 syzygium fruit (Syzygii Fructus)
野冬青皮 {ye3 dong1 qing1 pi2}, 中藥正名 syzygium bark (Syzygii Cortex)
野杜仲 {ye3 du4 zhong4}, 中藥正名 large-flowered euonymus root (bark) (Euonymi Grandiflori Cortex (Radicis))
野鳳仙花 {ye3 feng4 xian1 hua1}, 中藥正名 snapweed (Impatientis Textori Herba)
野甘草 {ye3 gan1 cao3}, 中藥正名 scoparia (Scopariae Herba)
野高粱 {ye3 gao1 liang2}, 中藥正名 brookside astilbe (Astilbes Rivularis Radix seu Herba)
野葛 {ye3 ge2}, 中藥異名 yellow jessamine (Gelsemii Herba)
野菰 {ye3 gu1}, 中藥正名 Indian aeginetia (Aeginetiae Indicae Herba)
野海椒 {ye3 hai3 jiao1}, 中藥正名 chili nightshade (Solani Capsicastri Herba)
野核桃仁 {ye3 he2 tao2 ren2}, 中藥正名 wild walnut (Juglandis Cathayensis Semen)
野花椒 {ye3 hua1 jiao1}, 中藥正名 Tibetan zanthoxylum fruit (Zanthoxyli Tibetani Pericarpium seu Semen)
野花生 {ye3 hua1 sheng1}, 中藥正名 fetid cassia herb (Cassiae Torae Herba seu Folium)
野槐 {ye3 huai2}, 中藥異名 flavescent sophora (Sophorae Flavescentis Radix)
野黃瓜 {ye3 huang2 gua1}, 中藥正名 dichocarpum (Dichocarpi Fargesii Herba)
野黃菊 {ye3 huang2 ju2}, 中藥異名 wild chrysanthemum (Chrysanthemi Indici Flos)
野黃連 {ye3 huang2 lian2}, 中藥正名 wild coptis (Coptidis Rhizoma *Sichuanense)
野黃皮 {ye3 huang2 pi2}, 中藥正名 wild wampee leaf and root (Clausenae Dentatae Folium et Radix)
野茴香 {ye3 hui2 xiang1}, 中藥異名 fennel (Foeniculi Fructus)
野藿香 {ye3 huo4 xiang1}, 中藥正名 microteona (Microteonae Herba)
野雞草 {ye3 ji1 cao3}, 中藥正名 star grass (Hypoxis Herba)
野雞冠花子 {ye3 ji1 guan hua1 zi3}, 中藥異名 celosia (Celosiae Semen)
野酒花 {ye3 jiu3 hua1}, 中藥正名 wild hop (Humuli Cordifolii Flos)
野菊 {ye3 ju2}, 中藥正名 wild chrysanthemum (Chrysanthemi Indici Flos)
野菊花 {ye3 ju2 hua1}, 中藥正名 wild chrysanthemum flower (Chrysanthemi Indici Flos)
野決明 {ye3 jue2 ming2}, 中藥正名 thermopsis [stem, leaf, and seed] (Thermopsis Caulis, Folium et Semen)
野苦梨根 {ye3 ku3 duo3 gen1}, 中藥正名 leathery-leaved cotoneaster (Cotoneastri Coriacei Radix)
野辣子 {ye3 la4 zi3}, 中藥正名 hypoestes (Hypoestis Poilanei Herba)
野梨枝葉 {ye3 li2 zhi1 ye4}, 中藥正名 wild pear twig and leaf (Pyri Calleryanae Ramulus et Folium)
野荔枝 {ye3 li4 zhi1}, 中藥正名 Chinese dogwood flower and leaf (Corni Kousa Flos et Folium)
野料豆 {ye3 liao4 dou4}, 中藥正名 wild soybean (Glycines Sojae Semen)
野綠麻 {ye3 lu94 ma2}, 中藥正名 bulbiferous laportea (Laporteae Bulbiferae Herba seu Radix)

野馬肉 {ye3 ma3 rou4}, 中藥正名 wild horse meat (Equi Przewalskii Caro)
野馬追 {ye3 ma3 zhui1}, 中藥正名 three-leaved eupatorium (Eupatorii Trifoliati Herba)
野麥冬 {ye3 mai4 dong1}, 中藥異名 lophatherum (Lophatheri Herba)
野麥子 {ye3 mai4 zi3}, 中藥正名 wild oat (Avenae Fatuae Semen)
野棉花 {ye3 mian2 hua1}, 中藥正名 grape-leaved anemone stem and leaf (Anemones Vitifoliae Caulis et Folium)
野棉花根 {ye3 mian2 hua1 gen1}, 中藥正名 grape-leaved anemone root (Anemones Vitifoliae Radix)
野牡丹 {ye3 mu3 dan1}, 中藥正名 melastome (Melastomatis Herba)
野牡丹根 {ye3 mu3 dan1 gen1}, 中藥正名 melastome root (Melastomatis Radix)
野牡丹子 {ye3 mu3 dan1 zi3}, 中藥正名 melastome seed (Melastomatis Fructus)
野枇杷 {ye3 pi1 pa1}, 中藥正名 velvet machilus [leaf or root] (Machili Velutinae Folium seu Radix)
野葡萄根 (1) {ye3 pu2 tao2 gen1}, 中藥正名 wild grape (1) (Vitis Radix)
野葡萄根 (2) {ye3 pu2 tao2 gen1}, 中藥正名 wild grape (2) (Vitis Wilsonae Radix)
野葡淘藤 {ye3 pu2 tao2 teng2}, 中藥異名 Chinese wild grapevine root bark (Vitis Quinquangularis Radicis Cortex)
野葡萄藤 {ye3 pu2 tao2 teng2}, 中藥正名 Chinese wild grapevine (Vitis Quinquangularis Caulis et Folium)
野漆樹根 {ye3 qi1 shu4 gen1}, 中藥正名 Oriental poison sumac root (Rhois Sylvestris Radix)
野漆樹葉 {ye3 qi1 shu4 ye4}, 中藥正名 Oriental poison sumac leaf (Rhois Sylvestris Folium)
野前胡 {ye3 qian2 hu2}, 中藥正名 spurless columbine (Aquilegiae Ecalcaratae Radix seu Herba)
野薔薇根 {ye3 qiang2 wei1 gen1}, 中藥異名 multiflora rose root (Rosae Multiflorae Radix)
野蕎麥 {ye3 qiao2 mai4}, 中藥異名 wild buckwheat root (Fagopyri Cymosi Rhizoma et Radix)
野蕎子 {ye3 qiao2 zi3}, 中藥異名 wild buckwheat root (Fagopyri Cymosi Rhizoma et Radix)
野山菊 {ye3 shan1 ju2}, 中藥異名 wild chrysanthemum (Chrysanthemi Indici Flos)
野山參 {ye3 shan1 shen1}, 中藥正名 wild ginseng (Ginseng Radix *Ferum)
野扇花果 {ye3 shan4 hua1 guo3}, 中藥正名 sarcococca fruit (Sarcococcae Fructus)
野升麻 {ye3 sheng1 ma2}, 中藥正名 wild cimicifuga (Cimicifugae Simplicis Rhizoma)
野石榴 {ye3 shi2 liu2}, 中藥異名 Cherokee rose fruit (Rosae Laevigatae Fructus)
野蘇子根 {ye3 su1 zi3 gen1}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)
野素馨 {ye3 su4 xin1}, 中藥正名 wild jessamine (Jasmini Polyanthi Herba et Flos)
野蒜 {ye3 suan4}, 中藥異名 Chinese chive (Allii Macrostemonis Bulbus)
野梧桐 {ye3 wu2 tong2}, 中藥正名 Japanese mallotus (Malloti Japonici Cortex)
野西瓜苗 {ye3 xi1 gua1 miao2}, 中藥正名 annual hibiscus (Hibisci Trioni Radix seu Herba)
野席草根 {ye3 xi2 cao3 gen1}, 中藥正名 Si4chuan1 rush root (Junci Setchuensis Rhizoma)
野香菜根 {ye3 xiang1 cai4 gen1}, 中藥異名 glehnia (Glehniae Radix)

野香茅 {ye3 xiang1 mao2}, 中藥正名 wild camel hay (Cymbopogonis Goeringii Herba)
野香薷 {ye3 xiang1 ru2}, 中藥異名 Cavalerie's mosla (Moslae Cavaleriei Herba)
野苋菜 {ye3 xiang4 cai4}, 中藥正名 ascendant amaranth (Amaranthi Ascendentis Herba et Semen)
野鴉椿根 {ye3 ya1 chun1 gen1}, 中藥正名 euscaphis root (Euscaphis Radix)
野鴉椿花 {ye3 ya1 chun1 hua1}, 中藥正名 euscaphis flower (Euscaphis Flos)
野鴉椿子 {ye3 ya1 chun1 zi3}, 中藥正名 euscaphis seed (Euscaphis Fructus seu Semen)
野煙葉 {ye3 yan1 ye4}, 中藥正名 mountain tobacco (Solani Verbascifolii Folium)
野洋煙根 {ye3 yang2 yan1 gen1}, 中藥正名 tall lettuce root (Lactucae Elatae Radix)
野罂粟 {ye3 ying1 su4}, 中藥正名 wild poppy (Papaveris Nudicaulis Herba)
野櫻桃 {ye3 ying1 tao2}, 中藥正名 wild cherry (Pruni Discadeniae Fructus et Semen)
野櫻桃根 {ye3 ying1 tao2 gen1}, 中藥正名 wild cherry root (Pruni Discadeniae Radix)
野油麻 {ye3 you2 ma2}, 中藥正名 Chinese hedge nettle (Stachydis Oblongifoliae Herba seu Radix)
野芋 {ye3 yu4}, 中藥正名 wild taro (Colocasiae Antiquorum Rhizoma)
野芋實 {ye3 yu4 shi2}, 中藥正名 alocasia fruit (Alocasiae Fructus)
野芋葉 {ye3 yu4 ye4}, 中藥正名 wild taro leaf (Colocasiae Antiquorum Folium)
野芝麻 {ye3 zhi1 ma2}, 中藥正名 bearded dead nettle (Lamii Barbati Flos seu Herba)
野芝麻根 {ye3 zhi1 ma2 gen1}, 中藥正名 bearded dead nettle root (Lamii Barbati Radix)
野豬膽 {ye3 zhu1 dan3}, 中藥正名 wild hog's gallbladder (Suis *Ferae Vesica Fellea)
野豬黃 {ye3 zhu1 huang2}, 中藥正名 wild hog's bezoar (Suis *Ferae Secretio)
野豬皮 {ye3 zhu1 pi2}, 中藥正名 wild hog's skin (Suis *Ferae Corium)
野豬肉 {ye3 zhu1 rou4}, 中藥正名 wild hog's flesh (Suis *Ferae Caro)
野豬食 {ye3 zhu1 shi2}, 中藥異名 polyporus (Polyporus)
野豬屎 {ye3 zhu1 shi3}, 中藥異名 polyporus (Polyporus)
野豬蹄 {ye3 zhu1 ti2}, 中藥正名 wild hog's trotter (Suis *Ferae Pes)
野豬頭骨 {ye3 zhu1 tou2 gu3}, 中藥正名 wild hog's skull (Suis *Ferae Cranium)
野豬外腎 {ye3 zhu1 wai4 shen4}, 中藥正名 wild hog's testis (Suis *Ferae Testis)
野豬脂 {ye3 zhu1 zhi1}, 中藥正名 wild hog's fat (Suis *Ferae Adeps)
野竹蘭 {ye3 zhu2 lan2}, 中藥正名 epipactis (Epipactinis Radix)
野苧麻 {ye3 zhu4 ma2}, 中藥正名 Siamese boehmeria (Boehmeriae Siamensis Herba)
野棕 {ye3 zong1}, 中藥正名 didymosperma root (Didymospermatis Radix)

~~ {ye4} ~~
【夜】 {ye4} [Freq. 4] night.
夜半 {ye4 ban4}, midnight watch (B1 watch, 11 p.m.--1 a.m.)
夜不安寐 {ye4 bu4 an1 mei4}, unquiet sleep at night

夜不能寐 {ye4 bu4 neng2 mei4}, inability to sleep at night
夜多尿 {ye4 duo1 niao4}, profuse urination at night
夜關門 {ye4 guan1 men2}, 中藥正名 sericea lespedeza (Lespedezae Cuneatae Herba (cum Radice))
夜光 {ye4 guang1}, 腧穴異名 BL-2 (Night Light)
夜合 {ye4 he2}, 中藥異名 flowery knotweed (Polygoni Multiflori Radix)
夜合花 {ye4 he2 hua1}, 中藥正名 dwarf magnolia (Magnoliae Coco Flos)
夜合皮 {ye4 he2 pi2}, 中藥異名 silk tree bark (Albizziae Cortex)
夜花藤 {ye4 hua1 teng2}, 中藥正名 hypserpia (Hypserpae Herba)
夜間 {ye4 jian1}, night
夜間多尿 {ye4 jian1 duo1 niao4}, profuse urination at night
夜間煩躁 {ye4 jian1 fan2 zao4}, vexation and agitation at night
夜間口渴 {ye4 jian1 kou3 ke3}, thirst at night
夜間尿多 {ye4 jian1 niao4 duo1}, profuse urination at night
夜間牙痛 {ye4 jian1 ya2 tong4}, toothache at night
夜交藤 {ye4 jiao1 teng2}, 中藥異名 flowery knotweed stem (Polygoni Multiflori Caulis)
夜盲 {ye4 mang2}, night blindness
夜寐不安 {ye4 mei4 bu4 an1}, restless sleep
夜寐不酣 {ye4 mei4 bu4 han1}, failure to sleep soundly
夜夢顛倒 {ye4 meng4 dian1 dao3}, dreams in deranged sequence
夜夢鬼交 {ye4 meng4 gui3 jiao1}, dreaming of intercourse with ghosts
夜明砂 {ye4 ming2 sha1}, 中藥正名 bat's droppings (Vespertilionis Faeces)
夜尿 {ye4 niao4}, 腧穴正名 Nocturia
夜尿症 {ye4 niao4 zheng4}, 西醫 nocturia (nycturia)
夜熱 {ye4 re4}, night heat [effusion] (fever)
夜熱早涼 {ye4 re4 zao3 liang2}, night heat [effusion] (fever) abating at dawn
夜熱晝涼 {ye4 re4 zhou4 liang2}, night heat [effusion] (fever) abating in the daytime
夜石 {ye4 shi2}, 中藥異名 talcum (Talcum)
夜視罔見 {ye4 shi4 wang3 jian4}, inability to see at night
夜嗽 {ye4 sou4}, night cough
夜啼 {ye4 ti2}, night crying
夜晚肛癢 {ye4 wan3 gang1 yang3}, nighttime anal itch
夜晚胡言亂語 {ye4 wan3 hu2 yan2 luan4 yu3}, nonsensical talk at night
夜臥不安 {ye4 wo4 bu4 an1}, unquiet sleep
夜臥則驚 {ye4 wo4 ze2 jing1}, awakening with fright during the night
夜游 {ye4 you2}, night walking

【拽】 {ye4} [Freq. 5] see 拽 {zhuai4}

【掖】 {ye4} [Freq. 4] clasp under the arm; armpit (same as 腋 {ye4}).
掖門 {ye4 men2}, 腧穴異名 TB-2 (Armpit Gate)

【液】 {ye4} [Freq. 2] humor (n.) (津液 {jin1 ye4}, liquid and humor; 五液 {wu3 ye4}, five humors).
液干便結 {ye4 gan1 bian4 jie2}, dry humor bound stool
液干便血 {ye4 gan1 bian4 xue4}, dry humor bloody stool
液門 {ye4 men2}, 腧穴正名 TB-2 (Humor Gate) (Humor Gate); 腧穴異名 GB-22 (Humor Gate); 腧穴異名 ST-27
液脫 {ye4 tuo1}, humor desertion
液脫證 {ye4 tuo1 zheng4}, patttern of humor desertion
液燥生風 {ye4 zao4 sheng1 feng1}, dryness of humor engendering wind

【腋】 {ye4} [Freq. 2] armpit (n.) (腋下癰 {yi4 xia4 yong1}, armpit welling-abscess); axilla (n.), axillary (adj.) (腋下痛 {yi4 xia4 tong4}, axillary pain).
腋臭 {ye4 chou4}, armpit odor
腋臭散 {ye4 chou4 san3}, 方名 Armpit Odor Powder
腋動脈 {ye4 dong4 mai4}, 西醫 axillary artery
腋汗 {ye4 han4}, sweating from the armpits; axillary perspiration
腋靜脈 {ye4 jing4 mai4}, 西醫 axillary vein
腋疽 {ye4 ju1}, armpit flat-abscess
腋靈 {ye4 ling2}, 腧穴正名 Armpit Spirit
腋門 {ye4 men2}, TB-2 (Armpit Gate) (Armpit Gate); 腧穴異名 GB-22 (Armpit Gate); 腧穴異名 ST-27
腋窩 {ye4 wo1}, armpit; axilla; axillary
腋窩紅腫 {ye4 wo1 hong2 zhong3}, red swollen armpit
腋下痛 {ye4 xia4 tong4}, axillary pain
腋下腫 {ye4 xia4 zhong3}, axillary swelling
腋下腫痛 {ye4 xia4 zhong3 tong4}, axillary pain and swelling
腋脅痛 {ye4 xie2 tong4}, axillary and rib-side pain
腋癰 {ye4 yong1}, armpit welling-abscess

【暍】 {ye4} [Freq. 5] thermoplegia

【葉】 {ye4} [Freq. 3] leaf; lobe.
葉桂 {ye4 gui4}, Ye4 Gui4
葉合草 {ye4 he2 cao3}, 中藥異名 phyllanthus (Phyllanthi Urinariae Herba (cum Radice))

葉後珠 {ye4 hou4 zhu1}, 中藥異名 phyllanthus (Phyllanthi Urinariae Herba (cum Radice))
葉切除術 {ye4 qie1 chu2 shu4}, 西醫 lobectomy
葉上果根 {ye4 shang4 guo3 gen1}, 中藥正名 linden root (Tiliae Radix)
葉上珠 {ye4 shang4 zhu1}, 中藥正名 helwingia leaf and fruit (Helwingiae Folium et Fructus)
葉上珠根 {ye4 shang4 zhu1 gen1}, 中藥正名 helwingia root (Helwingiae Radix)
葉下紅 {ye4 xia4 hong2}, 中藥異名 emilia (Emiliae Herba (cum Radice))
葉下珠 {ye4 xia4 zhu1}, 中藥異名 phyllanthus (Phyllanthi Urinariae Herba (cum Radice))
葉香牛 {ye4 xiang1 niu2}, 中藥異名 gray vernonia (Vernoniae Cinereae Herba)
葉像花 {ye4 xiang4 hua1}, 中藥正名 summer poinsettia (Euphorbiae Heterophyllae Herba)
葉用芥菜 {ye4 yong4 jie4 cai4}, 中藥異名 mustard leaf (Sinapis Folium)
葉子花 {ye4 zi3 hua1}, 中藥正名 bougainvillea flower (Bougainvilleae Flos)

~~ {yi1} ~~
【一】 {yi1} [Freq. 1] one; first; unity.
一白二白 {yi1 bai2 er4 bai2}, 中藥異名 Chinese lizardtail (Saururi Herba seu Rhizoma)
一百六十種惡風鬼疰 {yi1 bai3 liu4 shi2 zhong3 e4 feng1 gui3 zhu4}, hundred and sixty kinds of evil malign wind and demonic infixations
一側扁桃腺紅腫 {yi1 ce4 bian3 tao2 xian4 hong2 zhong3}, 西醫 hemilateral swelling of the tonsils
一點紅 (1) {yi1 dian3 hong2}, 中藥異名 snake strawberry (Duchesneae Herba)
一點紅 (2) {yi1 dian3 hong2}, 中藥異名 emilia (Emiliae Herba (cum Radice))
一點紅 (3) {yi1 dian3 hong2}, 中藥異名 Japanese lady's slipper (Cypripedii Japonici Radix seu Herba cum Radice)
一點龍占 {yi1 dian3 long2 zhan4}, 中藥正名 black-spotted emperor (Lethrinus Frenatus)
一點血 {yi1 dian3 xue4}, 中藥正名 Wilson's begonia (Begoniae Wilsonii Rhizoma)
一朵雲葉 {yi1 duo3 yun2 ye4}, 中藥正名 pittosporum leaf (Pittospori Folium)
一夫法 {yi1 fu1 fa3}, hand standard
一服散 {yi1 fu2 san3}, 方名 One Dose Powder
一貫煎 {yi1 guan4 jian1}, 方名 All-the-Way-Through Brew
一號癬藥水 {yi1 hao4 xian3 yao4 shui3}, 方名 No.~1 Lichen Medicinal Water
一加減正氣散 {yi1 jia1 jian3 zheng4 qi4 san3}, 方名 First Variant Qi4-Righting Powder
一甲復脈湯 {yi1 jia3 fu4 mai4 tang1}, 方名 Single-Armored Pulse-Restorative Decoction
一箭球 {yi1 jian4 qiu2}, 中藥正名 kyllinga (Kyllingae Herba)
一見喜 {yi1 jian4 xi3}, 中藥異名 andrographis (Andrographis Herba)
一顆血 {yi1 ke1 xue4}, 中藥正名 shamrock pea (Parocheti Herba)
一逆 {yi1 ni4}, one adverse treatment
一年蓬 {yi1 nian2 peng2}, 中藥正名 annual erigeron (Erigerontis Annui Herba cum Radice)

一匹草 {yi1 pi3 cao3, 中藥正名 cirrhopetalum (Cirrhopetali Herba)
一切 {yi1 qie4}, all
一切風痰 {yi1 qie4 feng1 tan2}, all wind phlegm
一切風血 {yi1 qie4 feng1 xue4}, all wind blood
一切浮翳 {yi1 qie4 fu2 yi4}, all floating screens
一切冷氣 {yi1 qie4 leng3 qi4}, all cold qi4
一切氣疾 {yi1 qie4 qi4 ji2}, all qi4 disease
一切氣痛 {yi1 qie4 qi4 tong4}, all qi4 pain
一切食毒 {yi1 qie4 shi2 du2}, all food poison
一切食停 {yi1 qie4 shi2 ting2}, all food stagnation
一切痰氣 {yi1 qie4 tan2 qi4}, all phlegm qi4
一切血痛 {yi1 qie4 xue4 tong4}, all blood pain
一切障翳 {yi1 qie4 zhang4 yi4}, all obstructions and screens
一切折傷 {yi1 qie4 zhe2 shang1}, all fractures
一切腫痛 {yi1 qie4 zhong3 tong4}, all swelling and pain
一日量 {yi1 ri4 liang4}, daily dosage
一掃光 {yi1 sao3 guang1}, 方名 Gone-In-One-Sweep
一身 {yi1 shen1}, whole body; generalized
一身盡痛 {yi1 shen1 jin4 tong4}, generalized pain
一身盡痛悶 {yi1 shen1 jin4 tong4 men4}, generalized pain 悶
一身上下諸痛 {yi1 shen1 shang4 xia4 zhu1 tong4}, generalized upper and lower body pain
一十二痹 {yi1 shi2 er4 bi4}, twelve impediments
一碗水 {yi1 wan3 shui3}, 中藥正名 lotus-leaved ligularia (Ligulariae Nelumbifoliae Radix)
一味藥 {yi1 wei4 yao4}, 中藥正名 pseudotinctorial indigo (Indigoferae Pseudotinctoriae Herba)
一味藥根 {yi1 wei4 yao4 gen1}, 中藥正名 pseudotinctorial indigo root (Indigoferae Pseudotinctoriae Radix)
一文錢 {yi1 wen2 qian2}, 中藥正名 graciliflora (Stephaniae Graciliflorae Radix)
一陽 {yi1 yang2}, all yang2 channels (lesser yang2); first yang2 [channel]
一葉萩 {yi1 ye4 qiu1}, 中藥正名 securinega (Securinegae Ramulus et Radix)
一陰 {yi1 yin1}, all yin1 channels (reverting yin1); first yin1 [channel]
一陰煎 {yi1 yin1 jian1}, 方名 All Yin1 Brew
一枝蒿 {yi1 zhi1 hao1}, 中藥正名 achillea (Achilleae Herba)
一枝黃花 {yi1 zhi1 huang2 hua1}, 中藥正名 solidago (Solidaginis Herba (cum Radice))
一支箭 {yi1 zhi1 jian4}, 中藥正名 ophioglossum (Ophioglossi Herba cum Radice)

【衣】 {yi1} [Freq. 4] clothing.
衣被不斂 {yi1 bei4 bu4 lian3}, failure to keep clothing and bedclothes on

衣被重疊 {yi1 bei4 chong2 die2}, patient keeps himself well wrapped up
衣蝨病 {yi1 shi1 bing4}, 西醫 pediculosis corporis
衣魚 {yi1 yu2}, 中藥正名 silverfish (Lepisma)

【噫】 {yi1} [Freq. 3] belching (n.).
噫噯頻作 {yi1 ai4 pin2 zuo4}, frequent belching
噫氣 {yi1 qi4}, belching
噫酸 {yi1 suan1}, belching of sour fluid

【醫】 {yi1} [Freq. 3] medicine; healing; healer; physician; doctor; treat (disease); cure (disease).
醫案 {yi1 an4}, case histories
醫博士 {yi1 bo2 shi4}, scholar of medicine
醫醇賸義 {yi1 chun2 sheng4 yi4}, 書名 Enriching the Meaning of the Wine of Medicine (1863 (Qing1}), Fei4 Bo2-Xiong2 費伯雄)
醫道 {yi1 dao4}, Dao4 of healing
醫方集解 {yi1 fang1 ji2 jie3}, 書名 Medical Formulas Gathered and Explained (1682 (Qing1), Wang1 Ang2 汪昂)
醫方考 {yi1 fang1 kao3}, 書名 Medical Remedies Researched (1584 (Ming2), Wu2 Kun1 吳崑)
醫方考} {yi1 fang1 kao3}, 書名 Medical Remedies Researched (1584 (Ming2), Wu2 Kun1 吳崑)
醫工 {yi1 gong1}, practitioner
醫貫 {yi1 guan4}, 書名 Thorough Knowledge of Medicine (1687 (Qing1), Zhao4 Xian4-Ke3 趙獻可)
醫好 {yi1 hao3}, cure
醫和 {yi1 he2}, Yi1 He2
醫話 {yi1 hua4}, medical discussion
醫家 {yi1 jia1}, healer
醫經 {yi1 jing1}, medical classic
醫經醫史 {yi1 jing1 yi1 shi3}, medical classics and medical history
醫理 {yi1 li3}, principles of medicine
醫療 {yi1 liao2}, health care
醫林 {yi1 lin2}, medical circles; medical world
醫林改錯 {yi1 lin2 gai3 cuo4}, 書名 Correction of Errors in Medical Classics
醫聾 {yi1 long2}, 腧穴異名 Treatment for Deafness
醫論 {yi1 lun4}, medical treatise
醫門法律 {yi1 men2 fa3 lu94}, 書名 Axioms of Medicine (1658 (Qing1), Yu4 Chang1 喻昌)
醫門黑錫丹 {yi1 men2 hei1 xi1 dan1}, 方名 Gateway to Medicine Galenite Elixir

醫生 {yi1 sheng1}, physician
醫聖 {yi1 sheng4}, 人名 medical sage
醫師 {yi1 shi1}, doctor (esp. as a term of address); physician
醫史文獻 {yi1 shi3 wen2 xian4}, history of medicinal and medical literature
醫士 {yi1 shi4}, healing practitioner (with secondary medical school education)
醫書 {yi1 shu1}, medical book
醫述 {yi1 shu4}, 書名 Account of Medicine (1826 (Qing1), Cheng2 Wen2-You4 程文囿)
醫術 {yi1 shu4}, art of healing
醫物 {yi1 wu4}, medical matters
醫悟柴葛解肌湯 {yi1 wu4 chai2 ge2 jie3 ji1 tang1}, 方名 Medical Insights Bupleurum and Pueraria Flesh-Resolving Decoction
醫學發明 {yi1 xue2 fa1 ming2}, 書名 Elucidation of Medicine
醫學綱目 {yi1 xue2 gang1 mu4}, 書名 Compendium of Medicine
醫學入門 {yi1 xue2 ru4 men2}, 書名 The Gateway to Medicine (1515 (Ming2), Li3 Chan1 李梴)
醫學心悟 {yi1 xue2 xin1 wu4}, 書名 Medical Insights (1732 (Qing1), Cheng2 Guo2-Peng2 程國彭)
醫學正傳 {yi1 xue2 zheng4 zhuan4}, 書名 The Orthodox Tradition of Medicine (1515 (Ming2), Yu2 Tuan2} 虞摶)
醫院 {yi1 yuan4}, 西醫 hospital
醫囑 {yi1 zhu3}, doctor's instructions
醫宗必讀 {yi1 zong1 bi4 du2}, 書名 Indispensable Medical Reading (1637 (Ming2}), Li3 Zhong1-Zi3} 李中梓 [Shi4-Cai2 士材])
醫宗金鑑 {yi1 zong1 jin1 jian4}, 書名 The Golden Mirror of Medicine (1742 (Qing1), Wu2 Qian1 吳謙 ed.)

【&&8B69‖】 {yi1} [Freq. 2] exclamation (also pronounced [yi4}).
&&8B69‖譆 {yi1 xi3}, 腧穴正名 BL-45 (Yi Xi)

【&&25C7‖】 {yi1} [Freq. 4] tree name

~~ {yi2} ~~
【宜】 {yi2} [Freq. 5] appropriate; proper (adj.); propriety (n.) (烹調失宜 {peng1 tiao2 shi1 yi2}, improper cooking; 五宜 {wu3 yi2}, five proprieties); need (左宜 {zuo3 yi2}, Left's Need).
宜男花 {yi2 nan2 hua1}, 中藥異名 day lily (Hemerocallis Flos)

【胰】 {yi2} [Freq. 4] pancreas.

胰癌 {yi2 ai2}, carcinoma of the pancreas
胰的 {yi2 de}, 西醫 pancreatic
胰俞 {yi2 shu1}, 腧穴異名 Pancreas Transport
胰臟 {yi2 zang4}, 西醫 pancreas
胰臟炎 {yi2 zang4 yan2}, 西醫 pancreatitis

【痍】 {yi2} [Freq. 4] sore (風赤瘡痍 {feng1 chi4 chuang1 yi2}, wind red sore)

【移】 {yi2} [Freq. 4] shift; move.
移&&25C7|{yi2 yi1}, 中藥正名 docynia (Docyniae Cortex Caulis et Folium)
移&&25C7‖果 {yi2 yi1 guo3}, 中藥正名 docynea fruit (Docyniae Fructus)
移指法 {yi2 zhi3 fa3}, finger shifting

【飴】 {yi2} [Freq. 4] malt sugar.
飴糖 {yi2 tang2}, 中藥正名 malt sugar (Maltosum)

【遺】 {yi2} [Freq. 4] loss; emission; enuresis.
遺滑 {yi2 hua2}, seminal emission or efflux
遺精 {yi2 jing1}, 西醫 spermatorrhea; seminal emission; 腧穴正名 Seminal Emission
遺精尿黃 {yi2 jing1 niao4 huang2}, seminal emission and yellow urine
遺精早泄 {yi2 jing1 zao3 xie4}, seminal emission and premature ejaculation
遺尿 {yi2 niao4}, 西醫 enuresis; enuresis
遺溺 {yi2 niao4}, enuresis
遺矢 {yi2 shi3}, fecal incontinence
遺泄 {yi2 xie4}, seminal emission
遺泄 {yi2 xie4}, seminal emission
遺泄頻頻 {yi2 xie4 pin2 pin2}, frequent seminal emission
遺濁 {yi2 zhuo2}, turbid urine

【頤】 {yi2} [Freq. 3] jowl (lower cheek).
頤養 {yi2 yang3}, keep fit
頤腫 {yi2 zhong3}, swollen jowl

【洟】 {yi2} [Freq. 4] snivel.
洟涕 {yi2 ti4}, snivel

~~ {yi3} ~~

【乙】 {yi3} [Freq. 2] second heavenly stem (n.); S2.
乙癸敗絕 {yi3 gui3 bai4 jue2}, expiry of S2 (liver) and S10 (kidney)
乙癸同源 {yi3 gui3 tong2 yuan2}, S2 (liver) and S10 (kidney) are of the same source
乙木 {yi3 mu4}, S2-wood (the liver)
乙狀結腸 {yi3 zhuang4 jie2 chang2}, 西醫 sigmoid colon
乙字湯 {yi3 zi4 tang1}, 方名 One Zi4 Decoction

【已】 {yi3} [Freq. 4] already.
已潰 {yi3 kui4}, already ruptured

【以】 {yi3} [Freq. 4] by; in order to.
以毒攻毒 {yi3 du2 gong1 du2}, attacking toxin with toxin
以方測證 {yi3 fang1 ce4 zheng4}, determining the signs/pattern from the formula
以脈測證 {yi3 mai4 ce4 zheng4}, determining the pulse from the signs/pattern
以痛爲俞 {yi3 tong4 wei2 shu1}, pain indicates the point
以藥測證 {yi3 yao4 ce4 zheng4}, determing the signs/pattern from the medicinals
以右治左 {yi3 you4 zhi4 zuo3}, treat the left through the right
以證測方 {yi3 zheng4 ce4 fang1}, determining the formula from the pattern
以左治右 {yi3 zuo3 zhi4 you4}, treat the right through the left

【倚】 {yi3} [Freq. 4] prop (up against).
倚息 {yi3 xi1}, propped breathing

【蟻】 {yi3} [Freq. 4] ant.
蟻姆刺 {yi3 mu3 ci4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)

【苡】 {yi3} [Freq. 4] coix.
苡米 {yi3 mi3}, 中藥異名 coix (Coicis Semen)
苡仁 {yi3 ren2}, 中藥異名 coix (Coicis Semen)

~~ {yi4} ~~
【刈】 {yi4} [Freq. 2] cut (weeds or crops).
刈根 {yi4 gen1}, 中藥異名 pueraria (Puerariae Radix)

【亦】 {yi4} [Freq. 5] also

【抑】 {yi4} [Freq. 2] repress (v.).

抑肝 {yi4 gan1}, repress the liver
抑肝扶脾 {yi4 gan1 fu2 pi2}, repress the liver and support the spleen
抑肝散 {yi4 gan1 san3}, 方名 Liver-Repressing Powder
抑肝散加陳皮半夏 {yi4 gan1 san3 jia1 chen2 pi2 ban4 xia4}, 方名 Liver-Repressing Powder Plus Tangerine Peel and Pinellia
抑菌 {yi4 jun1}, 西醫 suppresses bacteria
抑氣散 {yi4 qi4 san3}, 方名 Qi4-Repressing Powder
抑制作用 {yi4 zhi4 zuo4 yong4}, 西醫 inhibitory effect

【易】 {yi4} [Freq. 4] easy.
易出 {yi4 chu1}, easy to expectorate
易餓多食 {yi4 e4 duo1 shi2}, swift hungering and increased appetite
易發瘀斑綜合症 {yi4 fang1 yu1 ban1 zong4 he2 zheng4}, 西醫 easy bruising syndrome
易汗 {yi4 han4}, tendency to sweat easily
易患感冒 {yi4 huan4 gan3 mao4}, susceptibility to cold and flu
易黃散 {yi4 huang2 san3}, 方名 Transforming Yellow Powder; Transforming Yellow Powder
易黃湯 {yi4 huang2 tang1}, 方名 Transforming Yellow Decoction
易筋經 {yi4 jin1 jing1}, 書名 Sinew-Transformation Canon
易驚 {yi4 jing1}, susceptibility to fright
易怒 {yi4 nu4}, irascibility
易怒多驚 {yi4 nu4 duo1 jing1}, irascibility and susceptibility to fright
易受 {yi4 shou4}, susceptibility to
易忘 {yi4 wang4}, forgetfulness
易于感冒 {yi4 yu2 gan3 mao4}, susceptibility to the common cold

【弈】 {yi4} [Freq. 4] zestful.
弈弈有神 {yi4 yi4 you3 shen2}, zestful spiritedness

【疫】 {yi4} [Freq. 2] epidemic (n.), (adj.) (瘟疫 {wen1 yi4}, warm epidemic).
疫疔 {yi4 ding1}, epidemic clove sore
疫毒痢 {yi4 du2 li4}, epidemic toxin dysentery
疫毒內閉 {yi4 du2 nei4 bi4}, epidemic toxin internal block
疫毒內閉證 {yi4 du2 nei4 bi4 zheng4}, pattern of epidemic toxin internal block
疫毒侵襲 {yi4 du2 qin1 xi2}, epidemic toxin invasion
疫毒侵襲證 {yi4 du2 qin1 xi2 zheng4}, pattern of epidemic toxin invasion
疫喉 {yi4 hou2}, epidemic throat
疫喉痧 {yi4 hou2 sha1}, epidemic throat sand
疫咳 {yi4 ke2}, epidemic cough (whooping cough)

疫痢 {yi4 li4}, epidemic dysentery
疫癘 {yi4 li4}, epidemic pestilence
疫癘之氣 {yi4 li4 zhi1 qi4}, epidemic pestilential qi4
疫瘧 {yi4 nue94}, epidemic malaria
疫疹一得 {yi4 zhen3 yi1 de2}, 書名 A View of Epidemics Characterized by Papules

【益】 {yi4} [Freq. 2] boost (v.) (益氣生津 {yi4 qi4 sheng1 jin1}, boost qi4 and engender liquid).
益肺固表 {yi4 fei4 gu4 biao3}, boost the lung and secure the exterior
益肺氣 {yi4 fei4 qi4}, boost lung qi4
益肝煎 {yi4 gan1 jian1}, 方名 Liver-Boosting Brew
益黃散 {yi4 huang2 san3}, 方名 Yellow-Boosting Powder
益火生土 {yi4 huo3 sheng1 tu3}, boost fire to engender earth
益火消陰 {yi4 huo3 xiao1 yin1}, boost fire to disperse yin1
益火之原以消陰翳 {yi4 huo3 zhi1 yuan2 yi3 xiao1 yin1 yi4}, boost the source of fire to disperse the shroud of yin1
益精 {yi4 jing1}, boost essence
益精明目 {yi4 jing1 ming2 mu4}, boost essence and brighten the eyes
益精生血 {yi4 jing1 sheng1 xue4}, boost essence and engender blood
益精血 {yi4 jing1 xue4}, boost essence blood
益米 {yi4 mi3}, 中藥異名 coix (Coicis Semen)
益明 {yi4 ming2}, 中藥異名 leonurus (Leonuri Herba)
益母 {yi4 mu3}, 中藥異名 leonurus (Leonuri Herba)
益母草 {yi4 mu3 cao3}, 中藥正名 leonurus (Leonuri Herba)
益母草膏 {yi4 mu3 cao3 gao1}, 方名 Leonurus (Motherwort) Paste
益母草花 {yi4 mu3 cao3 hua1}, 中藥正名 leonurus flower (Leonuri Flos)
益母草清膏 {yi4 mu3 cao3 qing1 gao1}, 中藥正名 leonurus paste (Leonuri Herbae Pasta)
益母草汁 {yi4 mu3 cao3 zhi1}, 中藥正名 leonurus juice (Leonuri Herbae Succus)
益母草汁粥 {yi4 mu3 cao3 zhi1 zhou1}, 方名 Leonurus (Motherwort) Juice Gruel
益母膏 {yi4 mu3 gao1}, 中藥正名 leonurus paste (Leonuri Herbae Pasta)
益母蒿 {yi4 mu3 hao1}, 中藥異名 leonurus (Leonuri Herba)
益母勝金丹 {yi4 mu3 sheng4 jin1 dan1}, 方名 Leonurus (Motherwort) Metal-Overcoming Elixir
益脾 {yi4 pi2}, boost the spleen
益脾餅 {yi4 pi2 bing3}, 方名 Spleen-Boosting Cake
益氣 {yi4 qi4}, boost qi4
益氣安神 {yi4 qi4 an1 shen2}, boost qi4 and quiet the spirit
益氣聰明湯 {yi4 qi4 cong1 ming2 tang1}, 方名 Qi4-Boosting Sharp and Bright Decoction
益氣導尿湯 {yi4 qi4 dao3 niao4 tang1}, 方名 Qi4-Boosting Urine-Abducting Decoction

益氣和胃 {yi4 qi4 he2 wei4}, boost qi4 and harmonize the stomach
益氣化水 {yi4 qi4 hua4 shui3}, boost qi4 and transform water
益氣活血 {yi4 qi4 huo2 xue4}, boost qi4 and quicken the blood
益氣健胃 {yi4 qi4 jian4 wei4}, boost qi4 and fortify the stomach
益氣解表 {yi4 qi4 jie3 biao3}, boost qi4 and resolve the exterior
益氣攝精 {yi4 qi4 she4 jing1}, boost qi4 and contain essence
益氣生肌 {yi4 qi4 sheng1 ji1}, boost qi and engender flesh
益氣生津 {yi4 qi4 sheng1 jin1}, boost qi4 and engender liquid
益氣通陽 {yi4 qi4 tong1 yang2}, boost qi4 and free yang2
益氣養陰 {yi4 qi4 yang3 yin1}, boost qi4 and nourish yin1
益氣藥 {yi4 qi4 yao4}, qi4-boosting medicinal
益氣止汗 {yi4 qi4 zhi3 han4}, boost qi4 and check sweating
益氣止淋湯 {yi4 qi4 zhi3 lin2 tang1}, 方名 Qi4-Boosting Strangury- Decoction
益氣滋陰 {yi4 qi4 zi1 yin1}, boost qi4 and enrich yin1
益腎 {yi4 shen4}, boost the kidney
益腎納氣 {yi4 shen4 na4 qi4}, boost the kidney to absorb qi4
益胃 {yi4 wei4}, boost the stomach
益胃湯 {yi4 wei4 tang1}, 方名 Stomach-Boosting Decoction
益下入尺中 {yi4 xia4 ru4 chi3 zhong1},
益血潤腸丸 {yi4 xue4 run4 chang2 wan2}, 方名 Blood-Boosting Intestine-Moistening Pill
益血助氣 {yi4 xue4 zhu4 qi4}, boost blood and assist qi4
益腰膝 {yi4 yao1 xi1}, boost the lumbus and knees
益陰 {yi4 yin1}, boost yin1
益陰潤燥 {yi4 yin1 run4 zao4}, boost yin1 and moisten dryness
益元散 {yi4 yuan2 san3}, 方名 Origin-Boosting Powder
益元湯 {yi4 yuan2 tang1}, 方名 Origin-Boosting Decoction
益智 {yi4 zhi4}, sharpen the wits
益智 (1) {yi4 zhi4}, 中藥異名 alpinia (Alpiniae Oxyphyllae Fructus)
益智 (2) {yi4 zhi4}, 中藥異名 longan flesh (Longan Arillus)
益智仁 {yi4 zhi4 ren2}, 中藥正名 alpinia (Alpiniae Oxyphyllae Fructus)
益智散 {yi4 zhi4 san3}, 方名 Alpinia Powder
益智子 {yi4 zhi4 zi3}, 中藥異名 alpinia (Alpiniae Oxyphyllae Fructus)

【異】 {yi4} [Freq. 4] unlike (異病同治 {yi4 bing4 tong2 zhi4}, like treatment of unlike disease); opposite (異經選穴 {yi4 jing1 xuan3 xue2}, selection of opposite-channel points); abnormal (異氣 {yi4 qi4}, abnormal qi4); strange (喜食異物 {xi3 shi2 yi4 wu4}, predilection for strange foods); special (異功散 {yi4 gong1 san3}, Special Achievement Powder).
異病同治 {yi4 bing4 tong2 zhi4}, like treatment of unlike disease

異風頸草 {yi4 feng1 jing3 cao3}, 中藥異名 agrimony (Agrimoniae Herba)
異功散 {yi4 gong1 san3}, 方名 Special Achievement Powder
異經選穴 {yi4 jing1 xuan3 xue2}, selection of opposite-channel points
異木患 {yi4 mu4 huan4}, 中藥正名 green allophylus (Allophyli Radix, Caulis et Folium)
異氣 {yi4 qi4}, abnormal qi4
異嗜 {yi4 shi4}, strange predilections
異位妊娠 {yi4 wei4 ren4 shen1}, 西醫 extrauterine pregnancy; ectopic pregnancy
異物梗喉 {yi4 wu4 geng3 hou2}, foreign body blocking the throat
異物入耳 {yi4 wu4 ru4 er3}, foreign body in the ear
異物入目 {yi4 wu4 ru4 mu4}, foreign bodies in the eye

【逸】 {yi4} [Freq. 3] stray; run away; drift.
逸者行之 {yi4 zhe3 xing2 zhi1}, straying is treated by moving

【意】 {yi4} [Freq. 3] reflection (stored by the spleen).
意大利芥蘭 {yi4 da4 li4 jie4 lan2}, 中藥異名 broccoli (Brassicae Italicae Flos)
意氣功 {yi4 qi4 gong1}, will-power qi4gong1
意舍 {yi4 she4}, 腧穴正名 BL-49 (Mentation Abode)
意守 {yi4 shou3}, mental concentration

【溢】 {yi4} [Freq. 2] spill (v.), spillage (n.) (溢飲 {yi4 yin3}, spillage rheum).
溢血 {yi4 xue4}, blood spillage
溢飲 {yi4 yin3}, spillage rheum

【蜴】 {yi4} [Freq. 5] lizard (蜥蜴 {xi1 yi4})

【翳】 {yi4} [Freq. 2] screen (n.) (目翳 {mu4 yi4}, eye screen); shroud (n.) (益火之原以消陰翳 {yi4 huo3 zhi1 yuan2 yi3 xiao1 yin1 yi4}, boost the source of fire to disperse the shroud of yin).
翳風 {yi4 feng1}, 腧穴正名 TB-17 (Wind Screen)
翳明 {yi4 ming2}, 腧穴正名 Shielding Brightness
翳明下 {yi4 ming2 xia4}, 腧穴正名 Below Shielding Brightness
翳障 {yi4 zhang4}, eye screen
翳子 {yi4 zi3}, eye screen

【翼】 {yi4} [Freq. 4] wing.
翼豆 {yi4 dou4}, 中藥正名 Goa bean (Psophocarpi Tetragonolobi Fructus)
翼首草 {yi4 shou3 cao3}, 中藥正名 pterocephalum (Pterocephali Radix)

【臆】 {yi4} [Freq. 3] bosom; breast.
臆前 {yi4 qian2}，膻穴異名 CV-15 (Anterior Breast)

【囈】 {yi4} [Freq. 4] talk indistinctly

【懿】 {yi4} [Freq. 4] choke (風懿 {feng1 yi4}, wind choke)

【嗌】 {yi4} [Freq. 3] upper esophageal opening; throat (n.).
嗌干 {yi4 gan1}, dry throat
嗌燥 {yi4 zao4}, dry throat
嗌腫 {yi4 zhong3}, swollen throat

【薏】 {yi4} [Freq. 4] coix; lotus embryo.
薏 {yi4}，中藥異名 lotus plumule (Nelumbinis Plumula)
薏米 {yi4 mi3}，中藥異名 coix (Coicis Semen)
薏米仁 {yi4 mi3 ren2}，中藥異名 coix (Coicis Semen)
薏苡附子敗醬散 {yi4 yi3 fu4 zi3 bai4 jiang4 san3}，方名 Coix, Aconite, and Patrinia Powder; Coix, Aconite, and Patrinia Powder
薏苡根 {yi4 yi3 gen1}，中藥正名 coix root (Coicis Radix)
薏苡仁湯 {yi4 yi3 ren2 tang1}，方名 Coix Decoction
薏苡仁 {yi4 yi3 ren2，中藥正名 coix (Coicis Semen)
薏苡葉 {yi4 yi3 ye4}，中藥正名 coix leaf (Coicis Folium)
薏苡竹葉散 {yi4 yi3 zhu2 ye4 san3}，方名 Coix and Lophatherum Powder
薏珠子 {yi4 zhu1 zi3}，中藥異名 coix (Coicis Semen)

【&&7654||】 {yi4} [Freq. 4] 西醫 hysteria.
&&7654||病 {yi4 bing4}，西醫 hysteria
&&7654||性咽喉異感症 {yi4 xing4 yan1 hou2 yi4 gan3 zheng4}，西醫 hysterical throat paresthesia syndrome

【&&8B69||】 {yi4} [Freq. 2] see &&8B69|{yi1}

~~ {yin1} ~~
【因】 {yin1} [Freq. 2] cause (n.) (三因 {san1 yin1}, the three causes (of disease)).
因塵 {yin1 chen2}，中藥異名 virgate wormwood (Artemisiae Scopariae Herba)
因地制宜 {yin1 di4 zhi4 yi2}, act(ion) according to place
因怒脅痛 {yin1 nu4 xie2 tong4}, rib-side pain due to anger

因其輕而揚之 {yin1 qi2 qing1 er2 yang2 zhi1}, lightness is treated by lifting
因其衰而彰之 {yin1 qi2 shuai1 er2 zhang1 zhi1}, debilitation is treated by brightening
因其重而減之 {yin1 qi2 zhong4 er2 jian3 zhi1}, heaviness is treated by letting
因人制宜 {yin1 ren2 zhi4 yi2}, act(ion) according to person
因時因地因人制宜 {yin1 shi2 yin1 di4 yin1 ren2 zhi4 yi2}, act according to time, place, and person
因時制宜 {yin1 shi2 zhi4 yi2}, act(ion) according to time
因勢利導 {yin1 shi4 li4 dao3}, help [it] along its course
因陣 {yin1 zhen4}, adaptation array

【音】 {yin1} [Freq. 2] note (n.) (五音 {wu3 yin1}, the five notes); sound (n.) (聲音 {sheng1 yin1}, sound, voice).
音啞 {yin1 ya3}, loss of voice

【殷】 {yin1} [Freq. 4] abundance; Yin1 (1324--1066 B.C.).
殷門 {yin1 men2}, 腧穴正名 BL-37 (BL-51) (Gate of Abundance)
殷上 {yin1 shang4}, 腧穴正名 Above Abundance
殷下 {yin1 xia4}, 腧穴正名 Below Abundance

【茵】 {yin1} [Freq. 4] mat; plant name.
茵陳 {yin1 chen2}, 中藥異名 virgate wormwood (Artemisiae Scopariae Herba)
茵陳蒿 {yin1 chen2 hao1}, 中藥正名 virgate wormwood (Artemisiae Scopariae Herba)
茵蔯蒿 {yin1 chen2 hao1}, 中藥異名 virgate wormwood (Artemisiae Scopariae Herba)
茵陳蒿湯 {yin1 chen2 hao1 tang1}, 方名 Virgate Wormwood Decoction
茵陳四苓湯 {yin1 chen2 si4 ling2 tang1}, 方名 Virgate Wormwood and Poria Four Decoction
茵陳四逆湯 {yin1 chen2 si4 ni4 tang1}, 方名 Virgate Wormwood Counterflow Cold Decoction
茵陳五苓散 {yin1 chen2 wu3 ling2 san3}, 方名 Virgate Wormwood and Poria Five Powder
茵陳粥 {yin1 chen2 zhou1}, 方名 Virgate Wormwood Gruel
茵陳朮附湯 {yin1 chen2 zhu2 fu4 tang1}, 方名 Virgate Wormwood, Atractylodes, and Aconite Decoction
茵芋 {yin1 yu4}, 中藥正名 skimmia (Skimmiae Caulis et Folium)

【陰】 {yin1} [Freq. 2] yin1 (n.), (adj.) (陰邪 {yin1 xie2}, yin1 evil); genitals (n.), genital (adj.) (陰&&460C|{yin1 ni4}, invisible worm sore of the {genitals}); pudenda (n.), pudendal (adj.) (陰癢 {yin1 yang3}, pudendal itch).
陰吹 {yin1}, yin1 flatulence
陰白 {yin1 bai2}, 腧穴異名 SP-1 (Yin1 White)
陰斑 {yin1 ban1}, yin1 macule

陰包 {yin1 bao1}, 腧穴正名 LV-9 (Yin1 Bladder)
陰胞 {yin1 bao1}, uterus (Yin1 Bladder); 腧穴異名 LV-9
陰胞有寒 {yin1 bao1 you3 han2}, cold in the uterus
陰暴跳起 {yin1 bao4 tiao4 qi3}, sudden erection
陰閉 {yin1 bi4}, yin1 block
陰痹 {yin1 bi4}, yin1 impediment
陰邊 {yin1 bian1}, 腧穴正名 Beside Yin1
陰病 {yin1 bing4}, yin1 disease
陰病出陽 {yin1 bing4 chu1 yang2}, yin1 disease passing out to the yang2
陰病治陽 {yin1 bing4 zhi4 yang2}, yin1 disease is treated through yang2
陰搏陽別 {yin1 bo2 yang2 bie2}, yin1 beating differently from yang2 (the yin1 ({chi3}) pulse beating like the yang2 ({cun4}) pulse, but with a difference)
陰部 {yin1 bu4}, yin1 region; genitals; pudendum
陰不抱陽 {yin1 bu4 bao4 yang2}, yin1 failing to embrace yang2
陰不從陽 {yin1 bu4 cong2 yang2}, yin1 insubservient to yang2
陰部寒冷 {yin1 bu4 han2 leng3}, genital cold
陰郜冷汗 {yin1 bu4 leng3 han4}, cold sweating from the genitals
陰部生瘡 {yin1 bu4 sheng1 chuang1}, genital sores
陰部濕癢 {yin1 bu4 shi1 yang3}, genital damp itch
陰部痛 {yin1 bu4 tong4}, pain in the genital region
陰成形 {yin1 cheng2 xing2}, yin1 becomes form
陰瘡 {yin1 chuang1}, genital sore
陰吹 {yin1 chui1}, yin1 flatulence; vaginal flatulence
陰唇 {yin1 chun2}, 西醫 labia
陰刺 {yin1 ci4}, yin1 needling (one of the twelve needling methods)
陰道 {yin1 dao4}, vagina; vagina
陰道癌 {yin1 dao4 ai2}, 西醫 vaginal carcinoma
陰道滴蟲 {yin1 dao4 di1 chong2}, 西醫 trichomonas vaginalis
陰道縫合術 {yin1 dao4 feng2 he2 shu4}, 西醫 colporrhaphy
陰道尖銳濕疣 {yin1 dao4 jiang1 rui4 shi1 you2}, 西醫 condyloma acuminatum of the vagina
陰道毛滴蟲 {yin1 dao4 mao2 di1 chong2}, 西醫 trichomonas vaginalis
陰道炎 {yin1 dao4 yan2}, 西醫 vaginitis; colpitis (vaginitis)
陰道炎症 {yin1 dao4 yan2 zheng4}, 西醫 colpitis (vaginitis)
陰道坐藥 {yin1 dao4 zuo4 yao4}, vaginal bath medicinal
陰蒂 {yin1 di4}, 西醫 clitoris
陰地蕨 {yin1 di4 jue2}, 中藥正名 tender moonwort (Botrychii Ternati Herba)
陰鼎 {yin1 ding3}, 腧穴異名 ST-33 (Yin1 Tripod)
陰都 {yin1 du1}, 腧穴正名 KI-19 (Yin1 Metropolis)

陰分余邪未清 {yin1 fen1 yu2 gang1 hi4 o4 qing1}, residual yin1-aspect evil failing to clear
陰阜 {yin1 fu4}, 西醫 mons pubis
陰干 {yin1 gan1}, dry in the shade
陰&&4D76|{yin1 gou1}, 中藥正名 huge-headed freshwater turtle (Platysternon)
陰谷 {yin1 gu3}, 腧穴正名 KI-10 (Yin1 Valley) (Yin1 Valley); 腧穴異名 KI-1
陰股 {yin1 gu3}, groin; inguinal region
陰關 {yin1 guan1}, 腧穴異名 BL-36 (Yin1 Joint) (Yin1 Gate); 腧穴異名 KI-12
陰寒 {yin1 han2}, genital cold; yin1 cold
陰寒凝結 {yin1 han2 ning2 jie2}, congealing yin1 cold
陰寒凝滯 {yin1 han2 ning2 zhi4}, congealing yin1 cold
陰寒太盛 {yin1 han2 tai4 sheng4}, excessively exuverant yin1 cold
陰汗 {yin1 han4}, yin1 sweating; genital sweating
陰戶 {yin1 hu4}, yin1 door (equivalent to WM orificium vaginae)
陰戶腫痛 {yin1 hu4 zhong3 tong4}, painful swelling of the yin1 door
陰黃 {yin1 huang2}, yin1 jaundice; yin1 yellowing
陰火 {yin1 huo3}, yin1 fire
陰交 {yin1 jiao1}, 腧穴正名 CV-7 (Yin1 Intersection)
陰結 {yin1 jie2}, yin1 bind
陰竭陽脫 {yin1 jie2 yang2 tuo1}, exhaustion of yin1 and desertion of yang2
陰竭陽脫證 {yin1 jie2 yang2 tuo1 zheng4}, exhaustion of yin1 and desertion of yang2 pattern
陰筋 {yin1 jin1}, yin1 sinew
陰津不足 {yin1 jin1 bu4 zu2}, insufficiency of yin1 liquid
陰津枯槁 {yin1 jin1 ku1 gao3}, desiccation of the yin1 liquid
陰精石 {yin1 jin1 shi2}, 中藥異名 selenite (Selenitum)
陰莖 {yin1 jing1}, penis; penis
陰經 {yin1 jing1}, yin1 channel (Yin1 Channel); 腧穴異名 SP-7
陰莖潰爛 {yin1 jing1 kui4 lan4}, ulceration of the penis
陰莖強硬不衰 {yin1 jing1 qiang2 ying4 bu4 shuai1}, persistent erection
陰精石 {yin1 jing1 shi2}, 中藥異名 selenite (Selenitum)
陰莖易舉 {yin1 jing1 yi4 ju3}, frequent erections
陰痙 {yin1 jing4}, yin1 tetany
陰靜陽躁 {yin1 jing4 yang2 zao4}, yin1 is still, while yang2 is agitated
陰疽不紅不痛 {yin1 ju1 bu4 hong2 bu4 tong4}, yin1 flat-abscesses that are neither hot nor painful
陰舉不衰 {yin1 ju3 bu4 shuai1}, persistent erection
陰絕 {yin1 jue2}, yin1 expiry
陰菌 {yin1 jun4}, prolapse of the uterus; yin1 mushroom
陰亢 {yin1 kang4}, 腧穴正名 Yin1 Surfeit

陰虧 {yin1 kui1}, yin1 depletion
陰虧火旺 {yin1 kui1 huo3 wang4}, effulgent yin1 depletion fire
陰冷 {yin1 leng3}, yin1 cold; genital cold
陰廉 {yin1 lian2}, 腧穴正名 LV-11 (Yin1 Corner)
陰陵泉 {yin1 ling2 quan2}, 腧穴正名 SP-9 (Yin1 Mound Spring)
陰卵 {yin1 luan3}, testicle; testis
陰絡 {yin1 luo4}, yin1 network vessel
陰絡傷則血內溢 {yin1 luo4 shang1 ze2 xue4 nei4 yi4}, internal blood spillage due to damage to yin1 network vessels
陰脈 {yin1 mai4}, yin1 vessel
陰脈之海 {yin1 mai4 zhi1 hai3}, sea of the yin1 vessels (conception vessel)
陰毛 {yin1 mao2}, 西醫 pubic hair
陰門 {yin1 men2}, yin1 door
陰囊 {yin1 nang2}, yin1 sac; scrotum; scrotum
陰囊多汗 {yin1 nang2 duo1 han4}, copious scrotal sweating
陰囊風 {yin1 nang2 feng1}, scrotal wind
陰囊瘙癢 {yin1 nang2 sao1 yang3}, scrotal itch
陰囊上縮 {yin1 nang2 shang4 suo1}, retracted scrotum
陰囊濕冷 {yin1 nang2 shi1 leng3}, cold damp scrotum
陰囊濕癢 {yin1 nang2 shi1 yang3}, scrotal damp itch
陰囊濕疹 {yin1 nang2 shi1 zhen3}, 西醫 scrotal eczema
陰囊縮 {yin1 nang2 suo1}, retracted scrotum
陰&&460C|{yin1 ni4}, invisible worm sore of the genitals
陰平陽秘 {yin1 ping2 yang2 mi4}, yin1 is calm and yang2 is sound; calm yin1 and sound yang2
陰氣 {yin1 qi4}, yin1 qi4
陰器 {yin1 qi4}, genitals; yin1 organ
陰氣并于上 {yin1 qi4 bing4 yu2 shang4}, yin1 qi4 concentrating in the upper body
陰器不用 {yin1 qi4 bu4 yong4}, ineffectiveness of the yin1 organ (impotence); inability to produce an erection
陰器紐痛 {yin1 qi4 niu3 tong4}, wringing pain in the genitals
陰器下縱痛 {yin1 qi4 xia4 zong4 tong4}, painful protraction of the genitals
陰器下縱引痛 {yin1 qi4 xia4 zong4 yin3 tong4}, painful protraction of the genitals
陰氣縱挺不收 {yin1 qi4 zong4 ting3 bu4 shou1}, persistent erection
陰強 {yin1 qiang2}, rigid yin1; persistent erection
陰強不倒 {yin1 qiang2 bu4 dao3}, persistent erection
陰蹺 {yin1 qiao1}, yin1 springing vessel; YIS (Yin1 Springing 穴異名 KI-6
陰蹻 {yin1 qiao1}, 腧穴異名 KI-6 (Yin1 Springing)
陰蹺脈 {yin1 qiao1 mai4}, yin1 springing vessel

陰茄 {yin1 qie2}, eggplant yin1 (prolapse of the uterus)
陰熱 {yin1 re4}, yin1 heat [effusion] (fever); yin1 heat
陰柔藥物 {yin1 rou2 yao4 wu4}, soft yin1 medicinals
陰疝 {yin1 shan4}, yin1 mounting
陰上橫骨 {yin1 shang4 heng2 gu3}, pubic bone
陰生瘡 {yin1 sheng1 chuang1}, genital sore
陰生于陽 {yin1 sheng1 yu2 yang2}, yin1 is engendered by yang2
陰盛 {yin1 sheng4}, exuberant yin1; yin1 exuberance
陰盛格陽 {yin1 sheng4 ge2 yang2}, exuberant yin1 repelling yang2
陰盛格陽證 {yin1 sheng4 ge2 yang2 zheng4}, exuberant yin1 repelling yang2 pattern
陰盛內寒 {yin1 sheng4 nei4 han2}, exuberant yin1 internal cold
陰勝其陽 {yin1 sheng4 qi2 yang2}, yin1 prevailing over the yang2
陰盛陽衰 {yin1 sheng4 yang2 shuai1}, yin1 exuberance with yang2 debilitation
陰盛陽衰證 {yin1 sheng4 yang2 shuai1 zheng4}, yin1 exuberance with yang2 debilitation pattern
陰盛陽虛 {yin1 sheng4 yang2 xu1}, yin1 exuberance with yang2 vacuity
陰盛則寒 {yin1 sheng4 ze2 han2}, when yin1 is exuberant, there is cold
陰勝則寒 {yin1 sheng4 ze2 han2}, when yin1 prevails, there is cold
陰盛內寒 {yin1 sheng4 ze2 nei4 han2}, when yin1 is exuberant, there is internal cold
陰勝則陽病 {yin1 sheng4 ze2 yang2 bing4}, when yin1 prevails, yang2 ails
陰蝨病 {yin1 shi1 bing4}, 西醫 pediculosis pubis; phthiriasis
陰蝨瘡 {yin1 shi1 chuang1}, pubic louse sore
陰濕瘡 {yin1 shi1 chuang1}, genital damp sore
陰濕如牛鼻上汗 {yin1 shi1 ru2 niu2 bi2 shang4 han4}, damp genitals like the sweaty nose of an ox
陰蝕 {yin1 shi2}, genital erosion
陰市 {yin1 shi4}, 腧穴正名 ST-33 (Yin1 Market)
陰暑 {yin1 shu3}, yin1 summerheat
陰水 {yin1 shui3}, yin1 water (a kind of water swelling)
陰損及陽 {yin1 sun3 ji2 yang2}, detriment to yin1 affects yang2
陰損及陽證 {yin1 sun3 ji2 yang2 zheng4}, pattern of detriment to yin1 affecting yang2
陰縮 {yin1 suo1}, retracted genitals
陰天 {yin1 tian1}, yin1-type weather (wet, damp, dull, cold)
陰挺 {yin1 ting3}, vaginal protrusion (prolapse of the uterus)
陰挺長 {yin1 ting3 chang2}, yin1 extension (persistent erection)
陰挺出 {yin1 ting3 chu1}, vaginal protrusion (prolapse of the uterus)
陰痛 {yin1 tong4}, genital pain
陰頭 {yin1 tou2}, yin1 head (glans penis); glans penis

陰頭寒 {yin1 tou2 han2}, yin1 head cold; cold in the glans penis
陰頭痛 {yin1 tou2 tong4}, yin1 head pain; pain in the glans penis
陰頭癰 {yin1 tou2 yong1}, yin1 head welling-abscess (a welling-abscess of the glans penis)
陰&&3FD7|{yin1 tui2}, yin1 bulging
陰脫 {yin1 tuo1}, yin1 desertion; prolapse of the uterus
陰丸 {yin1 wan2}, testicle; testis
陰丸上縮 {yin1 wan2 shang4 suo1}, retracted testicles
陰丸痛 {yin1 wan2 tong4}, painful testicles
陰維 {yin1 wei2}, yin1 linking vessel; YIL (Yin1 Link); 腧穴異名 KI-12
陰維脈 {yin1 wei2 mai4}, yin1 linking vessel
陰痿 {yin1 wei3}, impotence (impotence); yin1 wilt
陰委（一） {yin1 wei3 (1)}, 腧穴正名 Yin1 Bend \#1
陰委（二） {yin1 wei3 (2)}, 腧穴正名 Yin1 Bend \#2
陰委（三） {yin1 wei3 (3)}, 腧穴正名 Yin1 Bend \#3
陰尾骨 {yin1 wei3 gu3}, tailbone
陰&&90C4|{yin1 xi1}, 腧穴正名 HT-6 (Yin1 Cleft) (Yin1 Cleft); 腧穴異名 GV-1
陰下濕癢 {yin1 xia4 shi1 yang3}, genital damp itch
陰癎 {yin1 xian2}, yin1 epilepsy
陰癬 {yin1 xian3}, yin1 lichen
陰邪 {yin1 xie2}, yin1 evil
陰性藥 {yin1 xing4 yao4 yao4}, yin1-natured medicinal
陰虛 {yin1 xu1}, yin1 vacuity
陰虛腸燥 {yin1 xu1 chang2 zao4}, yin1 vacuity and intestinal dryness
陰虛腸燥證 {yin1 xu1 chang2 zao4 zheng4}, pattern of yin1 vacuity and intestinal dryness
陰虛潮熱 {yin1 xu1 chao2 re4}, yin1-vacuity tidal heat [effusion] (fever)
陰虛齒燥 {yin1 xu1 chi3 zao4}, yin1 vacuity drying the teeth
陰虛齒燥證 {yin1 xu1 chi3 zao4 zheng4}, pattern of yin1 vacuity drying the teeth
陰虛喘 {yin1 xu1 chuan3}, yin1 vacuity panting
陰虛盜汗 {yin1 xu1 dao4 han4}, yin1 vacuity night sweating
陰虛動風 {yin1 xu1 dong4 feng1}, yin1 vacuity stirring wind; yin1 vacuity stirring wind
陰虛動血 {yin1 xu1 dong4 xue4}, yin1 vacuity stirring blood
陰虛動血證 {yin1 xu1 dong4 xue4 zheng4}, yin1 vacuity stirring blood pattern
陰虛發熱 {yin1 xu1 fa1 re4}, yin1-vacuity heat [effusion] (fever)
陰虛煩熱 {yin1 xu1 fan2 re4}, yin1 vacuity with heat vexation
陰虛肺燥 {yin1 xu1 fei4 zao4}, yin1 vacuity lung dryness
陰虛肺燥證 {yin1 xu1 fei4 zao4 zheng4}, pattern of yin1 vacuity lung dryness
陰虛風動 {yin1 xu1 feng1 dong4}, yin1 vacuity stirring wind
陰虛腑實 {yin1 xu1 fu3 shi2}, yin1 vacuity and bowel repletion

陰虛喉痹 {yin1 xu1 hou2 bi4}, yin1 vacuity throat impediment
陰虛喉癬 {yin1 xu1 hou2 xian3}, yin1-vacuity throat lichen
陰虛火熾 {yin1 xu1 huo3 chi4}, intense yin1 vacuity fire
陰虛火動 {yin1 xu1 huo3 dong4}, yin1 vacuity stirring fire
陰虛火盛 {yin1 xu1 huo3 sheng4}, exuberant yin1 vacuity fire
陰虛火旺 {yin1 xu1 huo3 wang4}, effulgent yin1 vacuity fire
陰虛火旺證 {yin1 xu1 huo3 wang4 zheng4}, effulgent yin1 vacuity fire pattern
陰虛及陽 {yin1 xu1 ji2 yang2}, yin1 vacuity affecting yang2
陰虛津虧 {yin1 xu1 jin1 kui1}, yin1 vacuity and depletion of liquid
陰虛津虧證 {yin1 xu1 jin1 kui1 zheng4}, yin1 vacuity and depletion of liquid pattern
陰虛勞熱 {yin1 xu1 lao2 re4}, yin1 vacuity with taxation heat
陰虛內熱 {yin1 xu1 nei4 re4}, yin1 vacuity internal heat
陰虛內熱證 {yin1 xu1 nei4 re4 zheng4}, yin1 vacuity internal heat pattern
陰虛有熱 {yin1 xu1 ou3 re4}, yin1 vacuity with heat
陰虛生風 {yin1 xu1 sheng1 feng1}, yin1 vacuity engendering wind
陰虛濕熱 {yin1 xu1 shi1 re4}, yin1 vacuity and damp-heat
陰虛濕熱證 {yin1 xu1 shi1 re4 zheng4}, yin1 vacuity and damp-heat pattern
陰虛頭痛 {yin1 xu1 tou2 tong4}, yin1 vacuity headache
陰虛外感 {yin1 xu1 wai4 gan3}, yin1 vacuity with external contraction
陰虛外感證 {yin1 xu1 wai4 gan3 zheng4}, yin1 vacuity with external contraction pattern
陰虛痿 {yin1 xu1 wei3}, yin1 vacuity wilting
陰虛相火易動 {yin1 xu1 xiang4 huo3 yi4 dong4}, yin1 vacuity with ministerial fire tending to stir
陰虛血虧 {yin1 xu1 xue4 kui1}, yin1 vacuity and blood depletion
陰虛血熱 {yin1 xu1 xue4 re4}, yin1 vacuity blood heat
陰虛血熱證 {yin1 xu1 xue4 re4 zheng4}, yin1 vacuity blood heat pattern
陰虛血瘀 {yin1 xu1 xue4 yu1}, yin1 vacuity and blood stasis
陰虛血瘀證 {yin1 xu1 xue4 yu1 zheng4}, yin1 vacuity and blood stasis pattern
陰虛血燥 {yin1 xu1 xue4 zao4}, yin1 vacuity blood dryness
陰虛血燥證 {yin1 xu1 xue4 zao4 zheng4}, yin1 vacuity blood dryness pattern
陰虛咽喉失濡 {yin1 xu1 yan1 hou2 shi1 ru2}, yin1 vacuity depriving the throat of moisture
陰虛咽喉失濡證 {yin1 xu1 yan1 hou2 shi1 ru2 zheng4}, pattern of yin1 vacuity depriving the throat of moisture
陰虛陽浮 {yin1 xu1 yang2 fu2}, floating of yang2 due to yin1 vacuity
陰虛陽亢 {yin1 xu1 yang2 kang4}, yin1 vacuity with yang2 hyperactivity; hyperactivity of yang2 due to yin1 vacuity
陰虛陽亢證 {yin1 xu1 yang2 kang4 zheng4}, yin1 vacuity with yang2 hyperactivity pattern
陰虛有實熱 {yin1 xu1 you3 shi2 re4}, yin1 vacuity with repletion heat

陰虛則內熱 {yin1 xu1 ze2 nei4 re4}, when yin1 is vacuous, there is internal heat
陰虛證 {yin1 xu1 zheng4}, yin1 vacuity pattern
陰血 {yin1 xue4}, yin1-blood
陰血不足 {yin1 xue4 bu4 zu2}, insufficiency of yin1-blood
陰陽 {yin1 yang2}, yin1 and yang2; yin1-yang
陰陽辨證 {yin1 yang2 bian4 zheng4}, yin1-yang2 pattern identification
陰陽毒 {yin1 yang2 du2}, yin1 and yang2 toxin
陰陽對立 {yin1 yang2 dui4 li4}, opposition yin1 and yang2
陰陽對立統一 {yin1 yang2 dui4 li4 tong3 yi1}, antagonism and unity of yin1 and yang2
陰陽格拒 {yin1 yang2 ge2 ju4}, yin1-yang2 repulsion
陰陽乖戾 {yin1 yang2 guai1 li4}, perversion of yin1 and yang2
陰陽互根 {yin1 yang2 hu4 gen1}, yin1 and yang2 are rooted in each other; mutual rooting of yin1 and yang2
陰陽交 {yin1 yang2 jiao1}, intermingling of yin1 and yang2
陰陽俱補 {yin1 yang2 ju4 bu3}, supplement both yin1 and yang2
陰陽俱損 {yin1 yang2 ju4 sun3}, detriment to both yin1 and yang2
陰陽俱微 {yin1 yang2 ju4 wei2}, debilitation of yin1 and yang2
陰陽可分而不可離 {yin1 yang2 ke3 fen1 er2 bu4 ke3 li2}, yin1 and yang2 are divisible but inseparable
陰陽離決 {yin1 yang2 li2 jue2}, separation of yin1 and yang2
陰陽離決，精氣乃絕 {yin1 yang2 li2 jue2, jing1 qi4 nai3 jue2}, when yin1 and yang2 separate, essential qi4 expires
陰陽兩虧 {yin1 yang2 liang3 kui1}, dual depletion of yin1 and yang2
陰陽兩虛 {yin1 yang2 liang3 xu1}, dual vacuity of yin1 and yang2; yin1 and yang2 vacuity
陰陽兩虛證 {yin1 yang2 liang3 xu1 zheng4}, dual vacuity of yin1 and yang2 pattern
陰陽偏盛 {yin1 yang2 pian1 sheng4}, abnormal exuberance of yin1 and yang2
陰陽偏衰 {yin1 yang2 pian1 shuai1}, abnormal debilitation of yin1 and yang2
陰陽勝復 {yin1 yang2 sheng4 fu4}, yin1-yang2 retaliation
陰陽失調 {yin1 yang2 shi1 tiao2}, yin1-yang2 disharmony
陰陽雙補藥 {yin1 yang2 shuang1 bu3 yao4}, yin1- and yang2-supplementing medicinals
陰陽水 {yin1 yang2 shui3}, yin1-yang2 water (Aqua Yin-Yang); 中藥正名 yin-yang water
陰陽相成相反 {yin1 yang2 xiang1 cheng2 xiang1 fan3}, complementarity and opposition of yin1 and yang2
陰陽相互依存 {yin1 yang2 xiang1 hu4 yi1 cun2}, yin1 and yang2 are interdependent; interdependence of yin1 and yang2
陰陽消長 {yin1 yang2 xiao1 zhang3}, waxing and waning of yin1 and yang2; natural flux of yin1 and yang2
陰陽學說 {yin1 yang2 xue2 shuo1}, yin1-yang2 theory

陰陽制約 {yin1 yang2 zhi4 yue1}, yin1 and yang2 counterbalance each other
陰陽轉化 {yin1 yang2 zhuan3 hua4}, mutual convertibility of yin1 and yang2; yin1-yang2 conversion
陰陽自和 {yin1 yang2 zi4 he2}, yin1 and yang2 spontaneously harmonize; spontaneous harmonization of yin1 and yang2
陰癢 {yin1 yang3}, pudendal itch
陰藥 {yin1 yao4 yao4}, yin1 medicinal
陰液 {yin1 ye4}, yin1 humor
陰液爆竭 {yin1 ye4 bao4 jie2}, fulminant exhaustion of yin1 humor
陰液不足 {yin1 ye4 bu4 zu2}, insufficiency of yin1 humor
陰液耗傷 {yin1 ye4 hao4 shang1}, damage to yin1 humor
陰液暴脫 {yin1 ye4 qi4 bao4 jue2}, fulminant desertion of yin11 humor
陰臟 {yin1 zang4}, yin1 viscus
陰燥 {yin1 zao4}, pudendal dryness
陰躁 {yin1 zao4}, yin1 agitation
陰證 {yin1 zheng4}, yin1 pattern
陰證發斑 {yin1 zheng4 fa1 ban1}, yin1-pattern macules
陰證傷寒 {yin1 zheng4 shang1 han2}, yin1-pattern cold damage
陰證似陽 {yin1 zheng4 si4 yang2}, yin1 pattern resembling yang2
陰之陵泉 {yin1 zhi1 ling2 quan2}, 腧穴異名 SP-9 (Yin1's Mound Spring)
陰痔 {yin1 zhi4}, yin1 pile (prolapse of the uterus)
陰中濕癢 {yin1 zhong1 shi1 yang3}, damp itch in the genital region
陰中之陽 {yin1 zhong1 zhi1 yang2}, yang2 within yin1
陰中之陰 {yin1 zhong1 zhi1 yin1}, yin1 within yin1
陰腫 {yin1 zhong3}, genital swelling
陰縱 {yin1 zong4}, yin1 protraction (persistent erection, prolapse of the uterus)
陰縱不收 {yin1 zong4 bu4 shou1}, yin1 protraction (persistent erection)

【喑】 {yin1} [Freq. 5] loss of voice (n.) (same as 瘖 {yin1})

【瘖】 {yin1} [Freq. 2] loss of voice (n.) (same as 喑 {yin1}).
瘖病 {yin1 bing4}, loss of voice
瘖不能言 {yin1 bu4 neng2 yan2}, loss of voice
瘖痱 {yin1 fei4}, loss of speech and use of limbs
瘖門 {yin1 men2}, 腧穴異名 GV-15 (Loss-of-Voice Gate)

~~ {yin2} ~~

【寅】 {yin2} [Freq. 3] third earthly branch; B3.
寅時 {yin2 shi2}, B3 watch (3--5 a.m.)

【淫】 {yin2} [Freq. 2] ooze (v.) (浸淫瘡 {jin4 yin2 chuang1}, wet spreading sore); spread (v.) (浸淫瘡 {jin4 yin2 chuang1}, wet spreading sore); excess (n.) (excessive or untimely environmental qi. 六淫{liu4 yin2}, the six {excesses}); lasciviousness (n.) (excessive or untimely environmental qi. 六淫{liu4 yin2}, the six {excesses}).
淫濼 {yin2 bo2}, pain and weakness
淫濼脛酸 {yin2 bo2 jing4 suan1}, pain and weakness in the lower leg
淫羊藿 {yin2 yang2 huo4}, 中藥正名 epimedium (Epimedii Herba)
淫羊藿根 {yin2 yang2 huo4 gen1}, 中藥正名 epimedium root (Epimedii Radix)

【銀】 {yin2} [Freq. 4] silver.
銀扁擔 {yin2 bian3 dan1}, 中藥正名 incurved columbine (Aquilegiae Incurvatae Radix)
銀箔 {yin2 bo2}, 中藥正名 silver leaf (Argenti Lamina)
銀不換 {yin2 bu2 huan4}, 中藥正名 bearded cyclea (Cycleae Barbatae Radix et Caulis)
銀柴 {yin2 chai2}, 中藥異名 stellaria (Stellariae Radix)
銀柴胡 {yin2 chai2 hu2}, 中藥正名 stellaria (Stellariae Radix)
銀耳 {yin2 er3}, 中藥異名 tremella (Tremella)
銀粉 {yin2 fen3}, 中藥異名 calomel (Calomelas)
銀瓜 {yin2 gua1}, 中藥異名 melon (Melonis Fructus)
銀胡 {yin2 hu2}, 中藥異名 stellaria (Stellariae Radix)
銀花 {yin2 hua1}, 中藥異名 lonicera (Lonicerae Flos)
銀花甘草湯 {yin2 hua1 gan1 cao3 tang1}, 方名 Lonicera and Licorice Decoction
銀花湯 {yin2 hua1 tang1}, 方名 Lonicera Decoction
銀花藤 {yin2 hua1 teng2}, 中藥異名 lonicera stem (Lonicerae Caulis)
銀花提取物 {yin2 hua1 ti2 qu3 wu4}, 中藥正名 lonicera extract (Lonicerae Floris Extractum)
銀花子 {yin2 hua1 zi3}, 中藥正名 lonicera seed (Lonicerae Fructus)
銀黃片 {yin2 huang2 pian4}, 方名 Lonicera and Scutellaria Tablet
銀口 {yin2 kou3}, 腧穴正名 Silver Mouth
銀老梅 {yin2 lao3 mei2}, 中藥正名 Dahurian dasiphora (Dasiphorae Davuricae Caulis, Folium et Flos)
銀翹紅醬解毒湯 {yin2 qiao4 hong2 jiang4 jie3 du2 tang1}, 方名 Lonicera, Forsythia, Sargentadoxa, and Patrinia Toxin-Resolving Decoction
銀翹馬勃散 {yin2 qiao4 ma3 bo2 san3}, 方名 Lonicera, Forsythia, and Puffball Powder
銀翹散 {yin2 qiao4 san3}, 方名 Lonicera and Forsythia Powder
銀翹湯 {yin2 qiao4 tang1}, 方名 Lonicera and Forsythia Decoction
銀棯 {yin2 ren3}, 中藥異名 dracontomelon fruit (Dracontomelonis Fructus)

銀條參 {yin2 tiao2 shen1}, 中藥異名 glehnia (Glehniae Radix)
銀葦合劑 {yin2 wei3 he2 ji4}, 方名 Lonicera and Phragmites Mixture
銀紋笛鯛 {yin2 wen2 di2 diao1}, 中藥正名 gray snapper (Lutjanus Argentimaculatus)
銀線草 {yin2 xian4 cao3}, 中藥正名 Japanese chloranthus (Chloranthi Japonici Herba)
銀線草根 {yin2 xian4 cao3 gen1}, 中藥正名 Japanese chloranthus root (Chloranthi Japonici Radix)
銀硝 {yin2 xiao1}, 中藥異名 niter (Nitrum)
銀星獨見 {yin2 xin1 du2 jian4}, lone silver star
銀杏 {yin2 xing4}, 中藥異名 ginkgo (Ginkgo Semen)
銀杏肉 {yin2 xing4 rou4}, 中藥異名 ginkgo (Ginkgo Semen)
銀杏無憂散 {yin2 xing4 wu2 you1 san3}, 方名 Mercury and Apricot Kernel Carefree Powder
銀黝 {yin2 you3}, 中藥正名 silver residue (Argenti Residuum)
銀魚 {yin2 yu2}, 中藥正名 icefish (Hemisalanx )
銀朱 {yin2 zhu1}, 中藥正名 vermilion (Yinzhu)

【齦】 {yin2} [Freq. 2] gum (牙齦 {ya2 yin2}, gum).
齦縫筋中 {yin2 feng4 jin1 zhong1}, 腧穴異名 GV-28 (Gum Crevice Sinew Center)
齦交 {yin2 jiao1}, 腧穴正名 GV-28 (Gum Intersection)

【斷】 {yin2} [Freq. 5] gum (see 齦 {yin2})

~~ {yin3} ~~
【引】 {yin3} [Freq. 3] conduct (v.), conductor (n.); taut (adj.); tautness (n.) (寒則收引 {han2 ze2 shou1 yin3}, cold causes contracture and tautness); drawing (n.) (其下者引而竭之 {qi2 xia4 zhe3 yin3 er2 jie2 zhi1}, draw out and exhaust what is low).
引肺氣下行 {yin3 fei4 qi4 xia4 xing2}, conduct lung qi4 downward
引火歸元 {yin3 huo3 gui1 yuan2}, return fire to the origin
引火歸原 {yin3 huo3 gui1 yuan2}, return fire to its source
引經報使 {yin3 jing1 bao4 shi3}, channel conduction
引經藥 {yin3 jing1 yao4}, channel conductor
引流 {yin3 liu2}, drainage therapy
引逆氣下行 {yin3 ni4 qi4 xia4 xing2}, conduct counterflow downward
引皮 {yin3 pi2}, 中藥異名 snake slough (Serpentis Periostracum)
引氣歸腎 {yin3 qi4 gui1 shen4}, return qi4 to the kidney
引熱從小便排出 {yin3 re4 cong2 xiao3 bian4 pai2 chu1}, conduct heat out through the urine
引熱下行 {yin3 re4 xia4 xing2}, conduct the heat downward
引手 {yin3 shou3}, rebounding

引水下行 {yin3 shui3 xia4 xing2}, conduct water downward
引血分藥入血中氣分 {yin3 xue4 fen1 yao4 ru4 xue4 zhong1 qi4 fen1}, conducts blood-aspect medicinals into the qi4 aspect of the blood
引藥下行 {yin3 yao4 xia4 xing2}, conduct medicinals downward
引針 {yin3 zhen1}, needle extraction
引諸藥至肝經 {yin3 zhu1 yao4 zhi4 gan1 jing1}, conduct all medicinals into the liver channel
引子 {yin3 zi}, conductor

【飲】 {yin3} [Freq. 2] drink (v.), (n.) (飲食少思 {yin3 shi2 shao4 si1}, little thought of food and drink); fluid intake (n.) (渴飲 {ke3 yin3}, thirst with fluid intake); rheum (n.) (痰飲 {tan2 yin3}, phlegm-rheum).
飲不解渴 {yin3 bu4 jie3 ke3}, intake of fluid failing resolve thirst
飲家 {yin3 jia1}, person who suffers from rheum; person who suffers from rheum
飲酒過多 {yin3 jiu3 guo4 duo1}, excessive liquor consumption
飲留胃腸 {yin3 liu2 wei4 chang2}, rheum lodged in the stomach and intestines
飲留胃腸證 {yin3 liu2 wei4 chang2 zheng4}, pattern of rheum lodged in the stomach and intestines
飲癖 {yin3 pi3}, rheum aggregation
飲片 {yin3 pian4}, decocting pieces
飲熱 {yin3 re4}, rheum-heat
飲入 {yin3 ru4}, imbibe
飲善正要 {yin3 shan4 zheng4 yao4}, 書名 Principles of Correct Diet
飲食 {yin3 shi2}, food and drink; food; diet
飲食不甘美 {yin3 shi2 bu4 gan1 mei3}, no pleasure in food
飲食不化 {yin3 shi2 bu4 hua4}, non-transformation of food (as seen from the stool)
飲食不節 {yin3 shi2 bu4 jie2}, dietary irregularities
飲食不潔 {yin3 shi2 bu4 jie2}, unclean food
飲食不爲肌肉 {yin3 shi2 bu4 wei2 ji1 rou4}, food failing to be transformed into flesh
飲食不喜 {yin3 shi2 bu4 xi3}, no pleasure in eating and drinking
飲食不下 {yin3 shi2 bu4 xia4}, inability to get food down
飲食不香 {yin3 shi2 bu4 xiang1}, no pleasure in eating
飲食不消 {yin3 shi2 bu4 xiao1}, non-dispersion of food (as seen from the stool)
飲食不振 {yin3 shi2 bu4 zhen4}, loss of appetite
飲食禁忌 {yin3 shi2 jin4 ji4}, dietary contraindication
飲食起居 {yin3 shi2 qi3 ju1}, diet and way of life
飲食如故 {yin3 shi2 ru2 gu4}, eating and drinking as normal
飲食入而不運 {yin3 shi2 ru4 er2 bu4 yun4}, ability to take in, but not to move food
飲食少思 {yin3 shi2 shao3 si1}, little thought of food and drink

飲食失調 {yin3 shi2 shi1 tiao2}, dietary irregularities; dietary imbalance
飲食所傷 {yin3 shi2 suo3 shang1}, damage due to food and drink
飲食調理 {yin3 shi2 tiao2}, dietary therapy
飲食無味 {yin3 shi2 wu2 wei4}, inability to taste food
飲水則嗆 {yin3 shui3 ze2 qiang1}, choking when drinking
飲水作呃 {yin3 shui3 zuo4 e4}, hiccup after drinking
飲停胸脅 {yin3 ting2 xiong1 xie2}, rheum collecting int he chest and rib-side
飲停胸脅證 {yin3 ting2 xiong1 xie2 zheng4}, pattern of rheum collecting int he chest and rib-side
飲邪 {yin3 xie2}, rheum evil
飲邪壅肺 {yin3 xie2 yong1 fei4}, rheum evil congesting the lung
飲一溲二 {yin3 yi1 sou1 er4}, passing of twice as much fluid as is drunk
飲溢四肢 {yin3 yi4 si4 zhi1}, rheum spilling into the limbs
飲溢四肢證 {yin3 yi4 si4 zhi1 zheng4}, pattern of rheum spilling into the limbs
飲證 {yin3 zheng4}, rheum pattern
飲子 {yin3 zi}, drink

【隱】{yin3} [Freq. 2] dull (adj.) (隱隱作痛 {yin3 yin3 zuo4 tong4}, dull pain); faint (adj.) (斑疹隱約可見 {ban1 zhen3 yin3 yue1 ke3 jian4}, faintly visible macules or papules).
隱白 {yin3 bai2}, 腧穴正名 SP-1 (Hidden White)
隱睾症 {yin3 gao1 zheng4}, 西醫 cryptorchidism
隱疾 {yin3 ji2}, unmentionable disease
隱匿性腎小球腎炎 {yin3 nuo4 xing4 shen4 xiao3 qiu2 shen4 yan2}, 西醫 latent glomerulonephritis
隱痛 {yin3 tong4}, dull pain
隱性冠心病 {yin3 xing4 guan1 xin1 bing4}, 西醫 latent coronary heart disease
隱隱作痛 {yin3 yin3 zuo4 tong4}, dull pain
隱元豆 {yin3 yuan2 dou4}, 中藥異名 kidney bean (Phaseoli Vulgaris Semen)

【癮】 {yin3} [Freq. 2] dormant papules (n.) (癮疹 {yin3 zhen3}, dormant papules).
癮疹 {yin3 zhen3}, dormant papules (equivalent to urticaria)

~~ {yin4} ~~
【印】 {yin4} [Freq. 4] impress.
印度海鯡鯉 {yin4 du4 hai3 fei1 li3}, 中藥正名 Indian goat fish (Parupeneus Indicus)
印度牛尾魚 {yin4 du4 niu2 wei3 yu2}, 中藥正名 Indian flathead (Platycephali Indici Caro)
印度菩提樹皮 {yin4 du4 pu2 ti2 shu4 pi2}, 中藥正名 bodhi tree bark (Fici Religiosae Cortex)

印度秋哥魚 {yin4 du4 qiu1 ge1 yu2}, 中藥正名 swarthy-headed goat fish (Parupeneus Barberinoides)
印度棗 {yin4 du4 zao3}, 中藥正名 Indian jujube (Ziziphi Mauritianae Fructus)
印堂 {yin4 tang2}, glabella (region between the eyebrows); hall of impression; 腧穴正名 Hall of Impression
印頭 {yin4 tou2}, 中藥異名 scutellaria (Scutellariae Radix)

【蔭】 {yin4} [Freq. 4] shade; keep in a dark place.
蔭豉 {yin4 chi3}, 中藥異名 fermented soybean (2) (Sojae Semen Fermentatum)
蔭冬瓜 {yin4 dong1 gua1}, 中藥異名 soft pickled wax gourd (Benincasae Fructus)
蔭豆薯 {yin4 dou4 shu3}, 中藥異名 pickled yam bean (Pachyrhizi Tuber)
蔭風輪 {yin4 feng1 lun2}, 中藥正名 many-headed savory (Clinopodii Polycephali Herba)
蔭瓜 {yin4 gua1}, 中藥異名 soft pickled gourd (Cucumeris Salsamen Molle)
蔭刈薯 {yin4 yi4 shu3}, 中藥異名 pickled yam bean (Pachyrhizi Tuber)

~~ {ying1} ~~
【嬰】 {ying1} [Freq. 3] infant.
嬰兒 {ying1 er2}, infant
嬰幼兒腹瀉 {ying1 you4 er2 fu4 xie4}, 西醫 infantile diarrhea

【膺】 {ying1} [Freq. 3] bosom.
膺窗 {ying1 chuang1}, 腧穴正名 ST-16 (Breast Window)
膺俞 {ying1 shu1}, 腧穴異名 LU-1 (Breast Transport)
膺胸 {ying1 xiong1}, anterior chest
膺中 {ying1 zhong1}, bosom
膺中俞 {ying1 zhong1 shu1}, 腧穴異名 LU-1 (Breast Center Transport)

【罂】 {ying1} [Freq. 4] small-mouthed jar.
罂粟 {ying1 su4}, 中藥正名 poppy seed (Papaveris Semen)
罂粟嫩苗 {ying1 su4 nen4 miao2}, 中藥正名 poppy shoot (Papaveris Surculus)
罂粟殼 {ying1 su4 qiao4}, 中藥異名 poppy husk (Papaveris Pericarpium) (Papaveris Pericarpium); 中藥正名 poppy husk

【櫻】 {ying1} [Freq. 4] cherry.
櫻草根 {ying1 cao3 gen1}, 中藥正名 primrose (Primulae Patentis Radix)
櫻額 {ying1 e2}, 中藥正名 bird cherry (Pruni Padi Fructus)
櫻額梨 {ying1 e2 li2}, 中藥異名 bird cherry (Pruni Padi Fructus)

櫻皮 {ying1 pi2}, 中藥正名 Japanese cherry bark (Pruni Cortex)
櫻桃 {ying1 tao2}, 中藥正名 cherry (Pruni Pseudocerasi Fructus)
櫻桃根 {ying1 tao2 gen1}, 中藥正名 cherry root (Pruni Pseudocerasi Radix)
櫻桃核 {ying1 tao2 he2}, 中藥正名 cherry pit (Pruni Pseudocerasi Endocarpium et Semen)
櫻桃水 {ying1 tao2 shui3}, 中藥正名 cherry juice (Pruni Pseudocerasi Fructus Succus)
櫻桃葉 {ying1 tao2 ye4}, 中藥正名 cherry leaf (Pruni Pseudocerasi Folium)
櫻桃枝 {ying1 tao2 zhi1}, 中藥正名 cherry twig (Pruni Pseudocerasi Ramulus)
櫻珠 {ying1 zhu1}, 中藥異名 cherry (Pruni Pseudocerasi Fructus)

【鶯】 {ying1} [Freq. 4] oriole.
鶯 {ying1}, 中藥正名 oriole (Orioli Caro)

【鷹】 {ying1} [Freq. 4] eagle.
鷹不泊 {ying1 bu4 bo2}, 中藥正名 prickly ash root (Zanthoxyli Avicennae Radix)
鷹不撲 {ying1 bu4 pu1}, 中藥正名 spiny aralia (Araliae Armatae Radix seu Ramulus et Folium)
鷹骨 {ying1 gu3}, 中藥正名 eagle's bone (Accipiteri Os)
鷹上 {ying1 shang4}, 腧穴正名 Above the Olecranon
鷹頭 {ying1 tou2}, 中藥正名 eagle's head (Accipiteri Caput)
鷹下 {ying1 xia4}, 腧穴正名 Below the Olecranon
鷹眼睛 {ying1 yan3 jing1}, 中藥正名 eagle's eye (Accipiteri Occulus)
鷹嘴豆 {ying1 zui3 dou4}, 中藥異名 chick-pea (Ciceris Arietini Semen)
鷹嘴骨 {ying1 zui3 gu3}, 西醫 olecranon
鷹嘴爪 {ying1 zui3 zhao3}, 中藥正名 eagle's beak and claw (Accipiteri Rostrum et Ungula)

【鸚】 {ying1} [Freq. 4] parrot.
鸚哥魚 {ying1 ge1 yu2}, 中藥正名 parrot fish (Calotomus Japonicus)
鸚鵡 {ying1 wu3}, 中藥正名 parrot (Psittaculae Caro)
鸚鵡菜 {ying1 wu3 cai4}, 中藥異名 spinach (Spinaciae Herba cum Radice)

【蘡】 {ying1} [Freq. 4] Thurnberg gapevine.
蘡薁 {ying1 yu4}, 中藥正名 Thunberg grapevine (Vitis Thunbergii Caulis et Folium)
蘡薁根 {ying1 yu4 gen1}, 中藥正名 Thunberg grapevine root (Vitis Thunbergii Radix)

~~ {ying2} ~~
【迎】 {ying2} [Freq. 4] receive (guests); meet head-on.
迎風冷淚 {ying2 feng1 leng3 lei4}, cold tearing on exposure to wind

迎降流淚 {ying2 feng1 liu2 lei4}, tearing on exposure to wind
迎隨補瀉法 {ying2 sui2 bu3 xie4 fa3}, directional supplementation and drainage (needling method)
迎香 {ying2 xiang1}, 腧穴正名 LI-20 (Welcome Fragrance)

【螢】 {ying2} [Freq. 4] firefly.
螢火 {ying2 huo3}, 中藥正名 firefly (Luciola)

【營】 {ying2} [Freq. 2] cycle (n.) (營氣 {ying2 qi4}, construction qi4); construction (n.) (營氣 {ying2 qi4}, construction qi4).
營分 {ying2 fen4}, construction aspect
營分證 {ying2 fen4 zheng4}, construction-aspect pattern
營宮 {ying2 gong1}, 腧穴異名 PC-8 (Construction Palace)
營氣 {ying2 qi4}, construction qi4
營實 {ying2 shi2}, 中藥正名 multiflora rose fruit (Rosae Multiflorae Fructus)
營衛 {ying2 wei4}, construction and defense
營衛不和 {ying2 wei4 bu4 he2}, construction-defense disharmony
營衛兩虛 {ying2 wei4 liang3 xu1}, dual vacuity of construction and defense
營衛氣血 {ying2 wei4 qi4 xue4}, construction, defense, qi4, and blood
營血 {ying2 xue4}, construction-blood
營血熱熾 {ying2 xue4 re4 chi4}, intense heat in construction-blood
營養不良 {ying2 yang3 bu4 liang2}, 西醫 malnutrition
營陰 {ying2 yin1}, construction-yin1
營陰耗損 {ying2 yin1 hao4 sun3}, wear on construction-yin
營陰損傷 {ying2 yin1 sun3 shang1}, damage to construction-yin

【蠅】 {ying2} [Freq. 4] fly (insect).
蠅翅黑花 {ying2 chi4 hei1 hua1}, flies wings and black flowers (mouches volantes)
蠅虎 {ying2 hu3}, 中藥正名 jumping spider (Menemerus)

【滎】 {ying2} [Freq. 2] brook (n.) (one of the five transport points. 滎穴 {ying2 xue2}, brook point); brook point (one of the five transport points)

~~ {ying3} ~~
【癭】 {ying3} [Freq. 2] goiter (n.) (氣癭 {qi4 ying3}, qi4 goiter; 肉癭 {rou4 ying3}, flesh goiter).
癭瘤 {ying3 liu2}, goiters and tumors of the neck; goiter

癭氣 {ying3 qi4}, goiter

~~ {ying4} ~~

【硬】 {ying4} [Freq. 3] hard.
硬飯 {ying4 fan4}, 中藥異名 smooth greenbrier (Smilacis Glabrae Rhizoma)
硬滑石 {ying4 hua2 shi2}, 中藥異名 talcum (Talcum)
硬膜 {ying4 mo2}, 西醫 dura mater
硬皮病 {ying4 pi2 bing4}, 西醫 scleroderma
硬飄拂草 {ying4 piao1 fu2 cao3}, 中藥正名 rigid fimbristylis (Fimbristylidis Rigidulae Radix)
硬葉女婁菜 {ying4 ye4 nu93 lou2 cai4}, 中藥正名 firm-leaved melandrium (Melandrii Firmi Herba)
硬紫草 {ying4 zi3 cao3}, 中藥正名 hard puccoon (Lithospermi Radix)

【應】 {ying4} [Freq. 4] respond to.
應激性潰瘍 {ying4 ji1 xing4 kui4 yang2}, 西醫 irritable ulcer
應指 {ying4 zhi3}, rebounding
應鐘散 {ying4 zhong1 san3}, 方名 Bell Powder

~~ {yong1} ~~

【庸】 {yong1} [Freq. 4] commonplace; mediocre.
庸醫 {yong1 yi1}, vulgar healer

【雍】 {yong1} [Freq. 4] harmonious; congest (same 壅 {yong1}, congest, as in 懸雍垂 {xuan2 yong1 chui2}, uvula)

【壅】 {yong1} [Freq. 2] congest (v.), congestion (n.) (飲邪壅肺 {yin3 xie2 yong1 fei4}, rheum evil congesting the lung; 痰涎壅盛 {tan2 xian2 yong1 sheng4}, phlegm-drool congestion)

【臃】 {yong1} [Freq. 4] gross (adj.); grossness (n.) (臃腫 {yong1 zhong3}, grossness).
臃腫 {yong1 zhong3}, grossness

【癰】 {yong1} [Freq. 2] welling-abscess (n.) (腸癰 {chang2 yong1}, intestinal welling-abscess).
癰瘡疥癬 {yong1 chuang1 jie4 xian3}, welling-abscesses, sores, scab, and lichen
癰瘡潰爛 {yong1 chuang1 kui4 lan4}, ulcerating welling-abscess and sores
癰疽 {yong1 ju1}, welling- and flat-abscesses
癰疽疔腫 {yong1 ju1 ding1 zhong3}, swollen welling-abscesses, flat-abscesses, and clove sores;

swelling of welling-abscesses, flat-abscesses, and clove sores
癰疽潰爛 {yong1 ju1 kui4 lan4}, ruptured welling- and flat-abscesses
癰疽腫毒 {yong1 ju1 zhong3 du2}, swelling and toxin of welling-abscess and flat-abscess
癰膿 {yong1 nong2}, welling-abscess with pus
癰腫 {yong1 zhong3}, swollen welling-abscess; welling-abscess swelling
癰腫瘡毒 {yong1 zhong3 chuang1 du2}, swelling and toxin of welling-abscess and sores
癰腫瘡瘍 {yong1 zhong3 chuang1 yang2}, welling-abscess swellings and sores
癰腫疔瘡 {yong1 zhong3 ding1 chuang1}, swollen welling-abscess and clove sores
癰腫毒瘡 {yong1 zhong3 du2 chuang1}, welling-abscess swellings and toxin [sores]

【&&9CD9.9C45||】 {yong1} [Freq. 2] fish name.
&&9CD9.9C45||魚 {yong1 yu2}, 中藥正名 variegated carp (Aristichthydis Nobilis Caro)

~~ {yong3} ~~
【涌】 {yong3} [Freq. 4] gush.
涌吐法 {yong3 tu4 fa3}, ejection

【湧】 {yong3} [Freq. 2] eject (v.), ejection (n.).
湧泉 {yong3 quan2}, 腧穴正名 KI-1 (Gushing Spring)
湧泉疔 {yong3 quan2 ding1}, Gushing Spring clove sore (clove sore at KI-1)
湧泉散 {yong3 quan2 san3}, 方名 Gushing Spring Powder
湧痰醒腦 {yong3 tan2 xing3 nao3}, eject phlegm and arouse the brain
湧吐 {yong3 tu4}, eject; ejection
湧吐禁例 {yong3 tu4 jin4 li4}, contraindications for ejection

~~ {yong4} ~~
【用】 {yong4} [Freq. 4] use.
用法 {yong4 fa3}, directions
用量 {yong4 liang4}, dosage
用紗布包煎 {yong4 sha1 bu4 bao1 jian1}, decoct wrapped in gauze
用心過多 {yong4 xin1 guo4 duo1}, excessive mental work
用眼過多 {yong4 yan2 guo4 duo1}, eye strain
用藥 {yong4 yao4}, medication
用藥不當 {yong4 yao4 bu4 dang4}, inappropriate use of medicines

~~ {you1} ~~

【幽】 {you1} [Freq. 4] secluded.

幽門 {you1 men2}, dark gate; pylorus (Dark Gate); 腧穴正名 KI-21 (Dark Gate); 腧穴異名 CV-10

幽門狹窄 {you1 men2 xia2 zhai3}, 西醫 pyloric stenosis

【憂】 {you1} [Freq. 2] anxiety (n.) (mind or emotion of the lung; also one of the seven affects).

憂慮不決 {you1 lu94 bu4 jue2}, anxiety and indecision

憂思 {you1 si1}, anxiety and thought

~~ {you2} ~~

【尤】 {you2} [Freq. 2] outstanding.

尤在涇 {you2 zai4}, You2 Zai4-Jing1

【由】 {you2} [Freq. 4] from; by.

由表入里 {you2 biao3 ru4 li3}, pass from the exterior to interior

由里出表 {you2 li3 chu1 biao3}, pass from the interior to the exterior

由實轉虛 {you2 shi2 zhuan3 xu1}, repletion converting into vacuity

由虛轉實 {you2 xu1 zhuan3 shi2}, vacuity converting into repletion

【油】 {you2} [Freq. 3] oil.

油白菜 {you2 bai2 cai4}, 中藥異名 pakchoi (Brassicae Chinensis Herba)

油菜 {you2 cai4}, 中藥異名 oil rape (Brassicae Oleiferae Caulis et Folium)

油菜芽 {you2 cai4 ya2}, 中藥正名 rape seed sprout (Brassicae Oleiferae Semen Germinatum)

油菜子油 {you2 cai4 zi3 you2}, 中藥正名 rape seed oil (Brassicae Oleiferae Seminis Oleum)

油草 {you2 cao3}, 中藥正名 leptochloa (Leptochloae Herba)

油茶根皮 {you2 cha2 gen1 pi2}, 中藥正名 oiltea camellia root bark (Camelliae Oleiferae Radicis Cortex)

油炒 {you2 chao3}, stir-fry with oil

油當歸 {you2 dang1 gui1}, 中藥正名 oily tangkuei (Angelicae Sinensis Radix Pinguis)

油耳朵 {you2 er3 duo}, oily ears

油風 {you2 feng1}, glossy scalp wind

油風脫髮 {you2 feng1 tuo1 fa4}, oil wind hair loss (equivalent to alopecia sehorrhoeica)

油柑蟲節 {you2 gan1 chong2 jie2}, 中藥正名 emblic gallnut (Phyllanthi Emblicae Galla)

油柑根 {you2 gan1 gen1}, 中藥正名 emblic root (Phyllanthi Emblicae Radix seu Radicis Cortex)

油柑木皮 {you2 gan1 mu4 pi2}, 中藥正名 emblic bark (Phyllanthi Emblicae Cortex)

油柑葉 {you2 gan1 ye4}, 中藥正名 emblic leaf (Phyllanthi Emblicae Folium)
油甘子 {you2 gan1 zi3}, 中藥異名 emblic (Phyllanthi Fructus)
油膏 {you2 gao1}, oil paste
油汗 {you2 han4}, oily sweat
油胡桃 {you2 hu2 tao2}, 中藥正名 blackened walnut (Juglandis Semen Denigratum)
油灰指甲 {you2 hui1 zhi3 jia3}, oily ashen nail
油麻 {you2 ma2}, 中藥異名 black sesame (Sesami Semen Nigrum)
油麵筋 {you2 mian4 jin1}, 中藥正名 fried wheat gluten (Tritici Gluten Praeparatum Frictum)
油松節 {you2 song1 jie2}, 中藥異名 knotty pine wood (Pini Nodi Lignum)
油桐根 {you2 tong2 gen1}, 中藥正名 tung tree root (Aleuritis Radix)
油桐葉 {you2 tong2 ye4}, 中藥正名 tung tree leaf (Aleuritis Folium)
油桐子 {you2 tong2 zi3}, 中藥正名 tung tree seed (Aleuritis Semen)
油炸 {you2 zha4}, deep-fry
油炙 {you2 zhi4}, mix-fry with fat

【疣】 {you2} [Freq. 2] wart (n.).
疣 {you2}, 西醫 wart (verruca)
疣贅 {you2 zhui4}, wart

【游】 {you2} [Freq. 2] wandering (n.) (赤游風 {chi4 you2 feng1}, red wandering wind).
游草 {you2 cao3}, 中藥正名 ricegrass (Leersiae Hexandrae Herba)
游風 {you2 feng1}, wandering wind
游走 {you2 zou3}, wandering (as of pain)
游走疼痛 {you2 zou3 teng2 tong4}, wandering pain

【魷】 {you2} [Freq. 4] squid.
魷魚 {you2 yu2}, 中藥正名 squid (Doryteuthidis seu Loliginis Caro)

【蝤】 {you2} [Freq. 4] swimming crab (swimming crab 蝤蛑 {you2 mou2}, swimming crab).
蝤蛑 {you2 mou2}, 中藥正名 swimming crab (Charybdis Caro)

【蕕】 {you2} [Freq. 4] plant name.
蕕 {you2}, 中藥正名 single-flowered bluebeard (Caryopteridis Nepetaefoliae Herba)

~~ {you3} ~~
【有】 {you3} [Freq. 4] have.
有根 {you3 gen1}, having root; rootedness; presence of root

有根苔 {you3 gen1 tai1}, rooted fur
有汗 {you3 han4}, sweating
有汗而熱不退 {you3 han4 er2 re4 bu4 tui4}, sweating but no abatement of heat [effusion]
有汗骨蒸 {you3 han4 gu3 zheng1}, sweating and steaming bones
有力 {you3 li4}, forceful
有神 {you3 shen2}, spirited; spiritedness; presence of spirit
有頭疽 {you3 tou2 ju1}, headed flat-abscess
有胃 {you3 wei4}, presence of stomach
有胃氣 {you3 wei4 qi4}, presence of stomach qi4
有效成分 {you3 xiao4 cheng2 fen4}, active constituents
有形 {you3 xing2}, having form; substantial; tangible
有余 {you3 yu2}, superabundance
有余于外不足于內 {you3 yu2 yu2 wai4 bu4 zu2 yu2 nei4}, superabundance in the outer body and insufficiency in the inner body

【酉】 {you3} [Freq. 3] tenth earthly branch; B10.
酉時 {you3 shi2}, B10 watch (5--7 p.m.)

~~ {you4} ~~
【右】 {you4} [Freq. 4] right.
右歸丸 {you4 gui1 wan2}, 方名 Right-Restoring [Life Gate] Pill
右歸飲 {you4 gui1 yin3}, 方名 Right-Restoring [Life Gate] Beverage
右宜 {you4 yi2}, 腧穴正名 Right's Need

【幼】 {you4} [Freq. 4] young.
幼科 {you4 ke1}, children's medicine
幼科證治準繩 {you4 ke1 zheng4 zhi4 zhun3 sheng2}, 書名 The Level-Line of Pediatric Pattern Identification and Treatment (1602 (Ming2), Wang2 Ken3-Tang2 王肯堂)
幼科準繩 {you4 ke1 zhun3 sheng2}, 書名 The Level-Line of Pediatrics
幼油草 {you4 you2 cao3}, 中藥正名 Japanese nanocnide (Nanocnides Japonicae Herba)
幼幼集成 {you4 you4 ji2 cheng2}, 書名 A Compendium of Pediatrics (1750 (Qing1}), Chen2 Fu4-Zheng4 陳復正)
幼幼新書 {you4 you4 xin1 shu1}, 書名 A New Book of Pediatrics (1750 (Qing1), Chen2 Fu4-Zheng4 陳復正)

【柚】 {you4} [Freq. 4] pomelo.
柚 {you4}, 中藥正名 pomelo (Citri Grandis Fructus)

柚根 {you4 gen1}, 中藥正名 pomelo root (Citri Grandis Radix)
柚核 {you4 he2}, 中藥正名 pomelo pip (Citri Grandis Semen)
柚花 {you4 hua1}, 中藥正名 pomelo flower (Citri Grandis Flos)
柚皮 {you4 pi2}, 中藥正名 pomelo skin (Citri Grandis Pericarpium)
柚樹寄生 {you4 shu4 ji4 sheng1}, 中藥正名 Oriental mistletoe (Visci Orientalis Ramulus et Folium)
柚葉 {you4 ye4}, 中藥正名 pomelo leaf (Citri Grandis Folium)
柚子 {you4 zi3}, 中藥異名 pomelo (Citri Grandis Fructus)

【釉】 {you4} [Freq. 4] glazing; enamel.
釉質 {you4 zhi4}, 西醫 enamel

【鼬】 {you4} [Freq. 4] Japanese mink.
鼬鼠肉 {you4 shu3 rou4}, 中藥正名 Japanese mink flesh (Mustelae Caro)

~~ {yu1} ~~
【瘀】 {yu1} [Freq. 2] stasis (n.), static (adj.) (血瘀 {xue4 yu1}, blood stasis; 瘀血 {yu1 xue4}, static blood).
瘀斑 {yu1 ban1}, stasis macule
瘀點 {yu1 dian3}, stasis speckle
瘀呃 {yu1 e4}, stasis hiccup
瘀積 {yu1 ji1}, stasis accumulation
瘀塊 {yu1 kuai4}, stasis clot
瘀熱 {yu1 re4}, stasis heat
瘀熱入絡 {yu1 re4 ru4 luo4}, stasis heat entering the network vessels
瘀熱入絡證 {yu1 re4 ru4 luo4 zheng4}, pattern stasis heat entering the network vessels
瘀熱相搏 {yu1 re4 xiang1 bo2}, stasis and heat contending with each other
瘀熱在里 {yu1 re4 zai4 li3}, stasis heat in the interior
瘀肉攀睛 {yu1 rou4 pan1 jing1}, stasis flesh creeping over the eye
瘀痛 {yu1 tong4}, stasis pain
瘀血 {yu1 xue4}, static blood
瘀血斑 {yu1 xue4 ban1}, stasic blood macules
瘀血發黃 {yu1 xue4 fa1 huang2}, static blood yellowing
瘀血腹痛 {yu1 xue4 fu4 tong4}, static blood abdominal pain
瘀血灌眼睛方 {yu1 xue4 guan4 yan3 jing1 fang1}, 方名 Eye Stasis Formula
瘀血結胃 {yu1 xue4 jie2 wei4}, static blood binding in the stomach
瘀血咳 {yu1 xue4 ke2}, static blood cough

瘀血流注 {yu1 xue4 liu2 zhu4}, static blood streaming sore
瘀血內郁 {yu1 xue4 nei4 yu1}, internal depression of static blood
瘀血內阻 {yu1 xue4 nei4 zu3}, internal static blood obstruction
瘀血疝 {yu1 xue4 shan4}, static blood mounting
瘀血頭痛 {yu1 xue4 tou2 tong4}, static blood headache
瘀血未盡 {yu1 xue4 wei4 jin4}, incomplete elimination of static blood
瘀血胃脘痛 {yu1 xue4 wei4 wan3 (guan3) tong4}, static blood stomach duct pain
瘀血腰痛 {yu1 xue4 yao1 tong4}, static blood lumbar pain
瘀血郁積 {yu1 xue4 yu4 ji1}, depressed accumulation of static blood
瘀血阻絡 {yu1 xue4 zu3 luo4}, static blood obstructing the network vessels
瘀血阻絡證 {yu1 xue4 zu3 luo4 zheng4}, pattern of static blood obstructing the network vessels
瘀血作痛 {yu1 xue4 zuo4 tong4}, static blood pain
瘀滯 {yu1 zhi4}, stasis
瘀腫 {yu1 zhong3}, stasis swelling
瘀濁 {yu1 zhuo2}, stasis turbidity
瘀阻胞宮 {yu1 zu3 bao1 gong1}, stasis obstructing the uterus
瘀阻胞宮證 {yu1 zu3 bao1 gong1 zheng4}, pattern of stasis obstructing the uterus
瘀阻胞脈 {yu1 zu3 bao1 mai4}, stasis obstructing uterine vessels
瘀阻胞脈證 {yu1 zu3 bao1 mai4 zheng4}, pattern of stasis obstructing uterine vessels
瘀阻腦絡 {yu1 zu3 nao3 luo4}, stasis obstructing the network vessels of the brain
瘀阻腦絡證 {yu1 zu3 nao3 luo4 zheng4}, pattern of stasis obstructing the network vessels of the brain
瘀阻胃絡 {yu1 zu3 wei4 luo4}, stasis obstructing the network vessels of the stomach; stasis obstructing the network vessels of the stomach
瘀阻咽喉 {yu1 zu3 yan1 hou2}, stasis obstructing the throat; stasis obstructing the throat

~~ {yu2} ~~
【于】 {yu2} [Freq. 4] at; to

【余】{yu2} [Freq. 4] I; surname; superabundant (adj.), superabundance (n.) (瀉其有余 {xie4 qi2 you3 yu2}, drain the superabundance); residual (余熱 {yu2 re4}, residual heat); surplus (n.) (髮爲血之余 {xie4 qi2 you3 yu2}, the hair is the surplus of the blood).
余毒未清 {yu2 du2 wei4 qing1}, residual toxin
余毒未清證 {yu2 du2 wei4 qing1 zheng4}, residual toxin pattern
余甘 {yu2 gan1}, 中藥異名 emblic (Phyllanthi Fructus)
余甘子 {yu2 gan1 zi3, 中藥正名 emblic (Phyllanthi Fructus)
余熱不清 {yu2 re4 bu4 qing1}, surplus heat failing to clear

余熱未盡 {yu2 re4 wei4 jin4}, residual heat
余熱未清 {yu2 re4 wei4 qing1}, residual heat
余熱未清證 {yu2 re4 wei4 qing1 zheng4}, residual heat pattern
余氏清心涼膈散 {yu2 shi4 qing1 xin1 liang2 ge2 san3}, Yu2's Heart-Clearing Diaphragm-Cooling Powder

【於】 {yu2} [Freq. 4] at; to.
於朮 {yu2 zhu2}, 中藥異名 white atractylodes (Atractylodis Macrocephalae Rhizoma)

【臾】 {yu2} [Freq. 4] plant name; same as 萸 {yu2}.
臾肉 {yu2 rou4}, 中藥異名 cornus (Corni Fructus)

【魚】 {yu2} [Freq. 3] fish (thenar eminence).
魚鰾 {yu2 biao4}, 中藥正名 swim bladder (Piscis Vesica Aeris)
魚草 {yu2 cao3}, 中藥正名 chara (Charae Herba)
魚刺鯁喉 {yu2 ci4 geng3 hou2}, fish bones stuck in the throat
魚膽眼膏 {yu2 dan3 yan3 gao1}, 方名 Fish Bile Eye Paste
魚肚疔 {yu2 du4 ding1}, fish's-belly clove sore
魚腹 {yu2 fu4}, fish belly (Fish Belly); 腧穴異名 BL-57
魚狗 {yu2 gou3}, 中藥正名 kingfisher (Alcedo Atthis)
魚骨 {yu2 gu3}, 中藥異名 cuttlefish bone (Sepiae Endoconcha)
魚骨鯁喉 {yu2 gu3 geng3 hou2}, fish bones stuck in the throat
魚際 {yu2 ji4}, fish's margin (thenar eminence) (Fish Border); 腧穴正名 LU-10
魚睛不夜 {yu2 jing1 bu4 ye4}, nightless fish eyes
魚口 {yu2 kou3}, fish mouth
魚鱗癬 {yu2 lin2 xian3}, fish scale lichen
魚絡 {yu2 luo4}, fish network vessels (thenar eminence)
魚木果 {yu2 mu4 guo3}, 中藥異名 emblic (Phyllanthi Fructus)
魚腦膏 {yu2 nao3 gao1}, 方名 Fish Brain Paste
魚腦石 {yu2 nao3 shi2}, 中藥正名 otolith (Pseudosciaenae Otolithum)
魚蝨子 {yu2 shi1 zi3}, 中藥正名 fish louse (Ichthyoxenus)
魚首石 {yu2 shou3 shi2}, 中藥異名 otolith (Pseudosciaenae Otolithum)
魚藤 {yu2 teng2}, 中藥正名 three-leaved derris (Derris Trifoliatae Radix seu Herba)
魚尾 {yu2 wei3}, 腧穴正名 Fish's Tail (Fish Tail); 腧穴異名 GV-1
魚下 {yu2 xia4}, 腧穴異名 Below the Fish
魚香草 {yu2 xiang1 cao3}, 中藥正名 round-leaved mint (Menthae Rotundifoliae Caulis et Folium)
魚香根 {yu2 xiang1 gen1}, 中藥正名 round-leaved mint leaf (Menthae Rotundifoliae Radix)

魚翔脈 {yu2 xiang2 mai4}, waving fish pulse
魚蟹中毒 {yu2 xie4 zhong1 du2}, poisoning from fish and crabs
魚腥草 {yu2 xing1 cao3}, 中藥正名 houttuynia (Houttuyniae Herba)
魚眼草根 {yu2 yan3 cao3 gen1}, 中藥正名 dichrocephala root (Dichrocephalae Radix)
魚腰 {yu2 yao1}, 腧穴正名 Fish's Lumbus (Fish's Lumbus); 腧穴異名 BL-57
魚眼草 {yu2 zhen1 cao3}, 中藥正名 dichrocephala (Dichrocephalae Herba)

【萸】 {yu2} [Freq. 4] plant name.
萸連丸 {yu2 lian2 wan2}, 方名 Evodia and Coptis Pill
萸肉 {yu2 rou4}, 中藥異名 cornus (Corni Fructus)

【隅】 {yu2} [Freq. 4] corner (曲隅 {qu1 yu2}, curved corner); outlying.
隅中 {yu2 zhong1}, outlying region (B6 watch, 9--11 a.m.)

【榆】 {yu2} [Freq. 4] elm.
榆白皮 {yu2 bai2 pi2}, 中藥正名 dwarf elm bark (Ulmi Pumilae Cortex)
榆花 {yu2 hua1}, 中藥正名 dwarf elm flower (Ulmi Pumilae Flos)
榆莢仁 {yu2 jia2 ren2}, 中藥正名 dwarf elm fruit (Ulmi Pumilae Fructus)
榆蘑 {yu2 mo2}, 中藥正名 elm tree agaric (Pleurotus (Ulmi) )
榆皮 {yu2 pi2}, 中藥異名 dwarf elm bark (Ulmi Pumilae Cortex)
榆仁醬 {yu2 ren2 jiang4}, 中藥正名 dwarf elm fruit jam (Ulmi Pumilae Fructus Praeparatio)
榆葉 {yu2 ye4}, 中藥正名 dwarf elm leaf (Ulmi Pumilae Folium)

【逾】 {yu2} [Freq. 4] cross (jump) over.
逾垣上屋 {yu2 yuan2 shang4 wu1}, jumping over walls and climbing onto roofs

【&&9AC3||】 {yu2} [Freq. 2] collar bone.
&&9AC3||骨 {yu2 gu3}, 腧穴異名 LI-15 (Collarbone)

~~ {yu3} ~~
【羽】 {yu3} [Freq. 3] yu3 (note of the kidney).
羽涅 {yu3 nie4}, 中藥異名 alum (Alumen)
羽葉丁香 {yu3 ye4 ding1 xiang1}, 中藥正名 pinnate-leaved lilac (Syringae Pinnatifoliae Radix seu Ramus)
羽葉三七 {yu3 ye4 san1 qi1}, 中藥正名 cut-leaved ginseng (Panacis Bipinnatifidi Rhizoma)
羽澤 {yu3 ze2}, 中藥異名 alum (Alumen)

【雨】 {yu3} [Freq. 4] rain.
雨韭 {yu3 jiu3}, 中藥正名 Korsakow's monochoria (Monochoriae Korsakowii Herba)
雨水 {yu3 shui3}, Rain Water (2nd solar term)

【禹】 {yu3} [Freq. 5] Yu3.
禹白附 {yu3 bai2 fu4}, 中藥正名 giant typhonium rhizome (Typhonii Gigantei Rhizoma)
禹功散 {yu3 gong1 san3}, 方名 Water Controller Yu Powder
禹余糧 {yu3 yu2 liang2}, 中藥正名 limonite (Limonitum)
禹余石 {yu3 yu2 shi2}, 中藥異名 limonite (Limonitum)
禹州漏蘆 {yu3 zhou1 lou4 lu2}, 中藥正名 echinops (Echinopsis Radix)

【與】 {yu3} [Freq. 4] with; give.
與酒同服 {yu3 jiu3 tong2 fu2}, take with wine

【語】 {yu3} [Freq. 3] speak (v.) speech (n.) (譫語 {zhan1 yu3}, delirious speech).
語遲 {yu3 chi2}, slowness to speak (one of the five slownesses)
語澀 {yu3 se4}, difficult speech
語聲 {yu3 sheng1}, sound of the voice
語聲粗壯 {yu3 sheng1 cu1 zhuang4}, rough strident voice
語聲低怯 {yu3 sheng1 di1 qie4}, timid low voice
語聲低微 {yu3 sheng1 di1 wei1}, faint low voice
語聲洪亮 {yu3 sheng1 hong2 liang4}, sonorous voice
語聲重濁 {yu3 sheng1 zhong4 zhuo2}, deep turbid voice
語無倫次 {yu3 wu2 lun2 ci4}, incoherent speech
語言 {yu3 yan2}, speech
語言不利 {yu3 yan2 bu4 li4}, inhibited speech
語言不休 {yu3 yan2 bu4 xiu1}, incessant talking; garrulousness
語言錯亂 {yu3 yan2 cuo4 luan4}, deranged speech
語言顛倒 {yu3 yan2 dian1 dao3}, topsy-turvy speech
語言蹇澀 {yu3 yan2 jian3 se4}, difficult sluggish speech
語言善惡,不避親疏 {yu3 yan2 shan4 e4, bu4 bi4 qin1 shu1}, speaking kindly or malevolently regardless of whom is being addressed
語言時斷時續 {yu3 yan2 shi2 duan4 shi2 xu4}, halting speech
語言無力 {yu3 yan2 wu2 li4}, feeble enunciation
語音低微 {yu3 yin1 di1 wei1}, faint low voice

【傴】 {yu3} [Freq. 4] stoop.
傴僂 {yu3 lou2}, stoop

~~ {yu4} ~~

【玉】 {yu4} [Freq. 3] jade.

玉柏 {yu4 bai3}, 中藥正名 tree clubmoss (Lycopodii Obscuri Herba)

玉蔥 {yu4 cong1}, 中藥異名 onion (Allii Cepae Bulbus)

玉帶根 {yu4 dai4 gen1}, 中藥正名 pedilanthus (Pedilanthi Frutex)

玉房俞 {yu4 fang2 shu1}, 腧穴異名 BL-30 (Jade House Transport)

玉芙蓉 {yu4 fu2 rong2}, 中藥正名 dried prickly pear sap (Opuntiae Succus Exsiccatus) (Crossostephii Folium); 中藥異名 crossostephium leaf

玉桂 {yu4 gui4}, 中藥異名 cinnamon bark (Cinnamomi Cortex)

玉海 {yu4 hai3}, sea of jade (the bladder)

玉紅膏 {yu4 hong2 gao1}, 方名 Jade and Red Paste

玉蝴蝶 {yu4 hu2 die2}, 中藥異名 oroxylum (Oroxyli Semen)

玉戶 {yu4 hu4}, jadedoor (Jade Door); 腧穴異名 CV-22

玉環俞 {yu4 huan2 shu1}, 腧穴異名 BL-30 (Jade Ring Transport)

玉椒 {yu4 jiao1}, 中藥異名 pepper (Piperis Fructus)

玉莖 {yu4 jing1}, jade stem (penis); penis

玉蘭花 {yu4 lan2 hua1}, 中藥正名 yulan flower (Magnoliae Denudatae Flos)

玉龍鞭 {yu4 long2 bian1}, 中藥正名 Jamaica vervain (Stachytarphetae Herba seu Radix)

玉龍賦 {yu4 long2 fu4}, 書名 Ode of the Jade Dragon

玉露散 {yu4 lu4 san3}, 方名 Jade Dew Powder

玉麥鬚 {yu4 mai4 xu1}, 中藥異名 corn silk (Maydis Stigma)

玉門 {yu4 men2}, jade gates (opening of the vagina)

玉門不閉 {yu4 men2 bu4 bi4}, non-closure of the jade gate

玉米筍 {yu4 mi3 sun3}, 中藥正名 baby corn (Maydis Spica Immatura)

玉米鬚 {yu4 mi3 xu1}, 中藥正名 corn silk (Maydis Stigma)

玉米軸 {yu4 mi3 zhou3}, 中藥正名 corn cob (Maydis Rhachis)

玉女煎 {yu4 nu93 jian1}, 方名 Jade Lady Brew

玉屏風散 {yu4 ping2 feng1 san3}, 方名 Jade Wind-Barrier Powder

玉泉 {yu4 quan2}, 腧穴異名 CV-3 (Jade Spring)

玉泉散 {yu4 quan2 san3}, 方名 Jade Spring Powder

玉泉丸 {yu4 quan2 wan2}, 方名 Jade Spring Pill

玉乳 {yu4 ru3}, 中藥異名 pear (Pyri Fructus)

玉珊瑚根 {yu4 shan1 hu2 gen1}, 中藥正名 Jerusalem cherry root (Solani Pseudo-Capsici Radix)

玉樞丹 {yu4 shu1 dan1}, 中藥正名 Jade Axis Elixir; Jade Pivot Elixir

玉蜀黍 {yu4 shu3 shu3}, 中藥正名 corn (Maydis Semen)

玉蜀黍根 {yu4 shu3 shu3 gen1}, 中藥正名 corn root2 (Maydis Radix)
玉蜀黍蕊 {yu4 shu3 shu3 rui3}, 中藥異名 corn silk (Maydis Stigma)
玉蜀黍葉 {yu4 shu3 shu3 ye4}, 中藥正名 corn leaf (Maydis Folium)
玉鎖丹 {yu4 suo3 dan1}, 方名 Jade Lock Elixir
玉堂 {yu4 tang2}, 腧穴正名 CV-18 (Jade Hall)
玉田 {yu4 tian2}, 腧穴正名 Jade Field
玉屑 {yu4 xie4}, 中藥正名 nepherite (Nepheritum)
玉延 {yu4 yan2}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
玉鑰匙 {yu4 yao4 shi2}, 方名 Jade Key
玉液 {yu4 ye4}, 腧穴正名 Jade Humor
玉葉金花 {yu4 ye4 jin1 hua1}, 中藥正名 Taihoku mussaenda (Mussaendae Parviflorae Radix) (Mussaendae Pubescentis Caulis et Folium); 中藥異名 hairy mussaenda
玉液湯 {yu4 ye4 tang1}, 方名 Jade Humor Decoction
玉英 {yu4 ying1}, 腧穴異名 CV-18 (Jade's Beauty)
玉簪花 {yu4 zan1 hua1}, 中藥正名 plantain lily (Hostae Plantagineae Flos)
玉簪花根 {yu4 zan1 hua1 gen1}, 中藥正名 plantain lily root (Hostae Plantagineae Rhizoma)
玉簪葉 {yu4 zan1 ye4}, 中藥正名 plantain lily leaf (Hostae Plantagineae Folium seu Herba)
玉真散 {yu4 zhen1 san3}, 方名 True Jade Powder
玉枕 {yu4 zhen3}, 腧穴正名 BL-9 (Jade Pillow)
玉枕骨 {yu4 zhen3 gu3}, jade pillow bone (occipital bone); occipital bone
玉朮 {yu4 zhu2}, 中藥異名 Solomon's seal (Polygonati Odorati Rhizoma)
玉竹 {yu4 zhu2}, 中藥正名 Solomon's seal (Polygonati Odorati Rhizoma)
玉燭散 {yu4 zhu2 san3}, 方名 Jade Candle Powder
玉竹飲 {yu4 zhu2 yin3}, 方名 Solomon's Seal Beverage
玉竹粥 {yu4 zhu2 zhou1}, 方名 Solomon's Seal Gruel

【育】 {yu4} [Freq. 2] foster (v.) (育陰 {yu4 yin1}, foster yin1).
育陰 {yu4 yin1}, foster yin1
育陰涵陽 {yu4 yin1 han2 yang2}, foster yin1 to nourish yang2
育陰潛陽 {yu4 yin1 qian2 yang2}, foster yin1 and subdue yang2

【芋】 {yu4} [Freq. 4] taro.
芋 {yu4}, 中藥異名 taro (Colocasiae Tuber)
芋兒七 {yu4 er2 qi1}, 中藥正名 trillium (Trillii Rhizoma)
芋根 {yu4 gen1}, 中藥異名 taro (Colocasiae Tuber)
芋梗 {yu4 geng3}, 中藥正名 taro stalk (Colocasiae Petiolus)
芋奶 {yu4 nai3}, 中藥異名 taro (Colocasiae Tuber)
芋艿 {yu4 nai3}, 中藥異名 taro (Colocasiae Tuber)

芋芳丸 {yu4 nai3 wan2}, 方名 Taro Pill
芋頭 {yu4 tou2}, 中藥正名 taro (Colocasiae Tuber)
芋頭花 {yu4 tou2 hua1}, 中藥正名 taro flower (Colocasiae Flos)
芋葉 {yu4 ye4}, 中藥正名 taro leaf (Colocasiae Folium)
芋仔 {yu4 zai3}, 中藥異名 taro (Colocasiae Tuber)
芋粥 {yu4 zhou1}, 方名 Taro Gruel

【宛】 {yu4} [Freq. 5] depression (see also 宛 {wan3}, 郁 {yu4})

【郁】 {yu4} [Freq. 2] depression (n.), (lie) depressed (adj.) (肝郁 {gan1 yu4}, liver depression).
郁病 {yu4 bing4}, depression disease
郁火 {yu4 huo3}, depressed fire
郁金 {yu4 jin1}, 中藥正名 curcuma (Curcumae Radix)
郁金散 {yu4 jin1 san3}, 方名 Curcuma Powder
郁金飲子 {yu4 jin1 yin3 zi3}, 方名 Curcuma Drink
郁金香 {yu4 jing1 xiang1}, 中藥正名 tulip (Tulipae Gesnerianae Herba)
郁金香根 {yu4 jing1 xiang1 gen1}, 中藥正名 tulip root (Tulipae Gesnerianae Radix)
郁厥 {yu4 jue2}, depression reversal
郁李根 {yu4 li3 gen1}, 中藥正名 bush cherry plum root (Pruni Radix) (Pruni Radix); 中藥異名 bush cherry plum root
郁里仁 {yu4 li3 ren2}, 中藥異名 bush cherry kernel (Pruni Semen)
郁李仁粥 {yu4 li3 ren2 zhou1}, 方名 Bush Cherry Kernel Gruel
郁李仁 {yu4 li3 ren2, 中藥正名 bush cherry kernel (Pruni Semen)
郁冒 {yu4 mao4}, depression veiling
郁怒傷肝 {yu4 nu4 shang1 gan1}, depressed anger damaging the liver
郁熱遺精 {yu4 re4 yi2 jing1}, depressed heat seminal emission
郁證 {yu4 zheng4}, depression pattern
郁子 {yu4 zi3}, 中藥異名 bush cherry kernel (Pruni Semen)

【浴】 {yu4} [Freq. 4] bath.
浴劑 {yu4 ji4}, bath preparation

【域】 {yu4} [Freq. 4] land within certain boundaries.
域中 {yu4 zhong1}, 腧穴異名 KI-26 (Within Bounds)

【御】 {yu4} [Freq. 4] ride a carriage; imperial.
御菜 {yu4 cai4}, 中藥異名 Malabar spinach (Basellae Rubrae Folium seu Herba)
御米殼 {yu4 mi3 ke2}, 中藥異名 poppy husk (Papaveris Pericarpium)

御藥院 {yu4 yao4 yuan4}, Imperial Drug Museum
御醫 {yu4 yi1}, imperial physician
御苑匀氣散 {yu4 yuan4 yun2 qi4 san3}, 方名 Imperial Garden Qi4-Evening Powder

【欲】 {yu4} [Freq. 2] desire (v.), (n.) (欲吐 {yu4 tu4}, desire to vomit); verging on (v.)-(prep.) (脈微欲絕 {mai4 wei1 yu4 jue2}, faint pulse verging on expiry).
欲便不得 {yu4 bian4 bu4 de2}, ungratified desire to defecate
欲便而不得便 {yu4 bian4 er2 bu4 de2 bian4}, desire but inability to defecate
欲傳 {yu4 chuan2}, imminent passage (of an evil from one channel to another)
欲揭衣被 {yu4 jie1 yi1 bei4}, desire to throw off clothing or bedclothes
欲念妄動 {yu4 nian4 wang4 dong4}, stirring of wild desires
欲食不下 {yu4 shi2 bu4 xia4}, desire to eat with inability to get food down
欲吐 {yu4 tu4}, desire to vomit
欲吐不吐,欲瀉不瀉 {yu4 tu4 bu4 tu4, yu4 xie4 bu4 xie4}, desire to vomit without vomiting and desire for diarrhea without diarrhea
欲脫 {yu4 tuo1}, verging on desertion

【喻】 {yu4} [Freq. 4] surname.
喻昌 {yu4 chang1}, Yu4 Chang1

【愈】 {yu4} [Freq. 3] cure; recover.
愈帶丸 {yu4 dai4 wan2}, 方名 Discharge-Curing Pill

【毓】 {yu4} [Freq. 4] rear (same as 育 {yu4}).
毓麟珠 {yu4 lin2 zhu1}, 方名 Unicorn-Rearing Pill

【裕】 {yu4} [Freq. 4] abundant.
裕米 {yu4 mi3}, 中藥異名 coix (Coicis Semen)

【遇】 {yu4} [Freq. 4] encounter.
遇寒加劇 {yu4 han2 jia1 ju4}, exacerbated by exposure to cold
遇寒加重 {yu4 han2 jia1 zhong4}, exacerbated by exposure to cold
遇寒痛加重 {yu4 han2 tong4 jia1 zhong4}, pain exacerbated by exposure to cold
遇勞即發 {yu4 lao2 ji2 fa1}, brought on by taxation
遇冷加劇 {yu4 leng3 jia1 ju4}, exacerbated by exposure to cold
遇冷加重 {yu4 leng3 jia1 zhong4}, exacerbated by exposure to cold
遇熱加劇 {yu4 re4 jia1 ju4}, exacerbated by exposure to heat
遇熱加重 {yu4 re4 jia1 zhong4}, exacerbated by exposure to heat

【預】 {yu4} [Freq. 4] beforehand.
預后 {yu4 hou4}, prognosis
預知子 {yu4 zhi1 zi3}, 中藥正名 akebia seed (Akebiae Fructus)

【彧】 {yu4} [Freq. 4] exuberant.
彧中 {yu4 zhong1}, 腧穴正名 KI-26 (Lively Center)

【礜】 {yu4} [Freq. 4] arenopyrite.
礜石 {yu4 shi2}, 中藥正名 arsenopyrite (Arsenopyritum)

【鷸】 {yu4} [Freq. 4] sandsniper.
鷸肉 {yu4 rou4}, 中藥正名 sandpiper (Tringae Caro)

~~ {yuan1} ~~
【冤】 {yuan1} [Freq. 5] grievance

【淵】 {yuan1} [Freq. 3] abyss; deep-source.
淵刺 {yuan1 ci4}, deep-source needling
淵疽 {yuan1 ju1}, armpit flat-abscess
淵液 {yuan1 ye4}, 腧穴異名 GB-22 (Abyss Humor)
淵腋 {yuan1 ye4}, 腧穴正名 GB-22 (Armpit Abyss)

【鳶】 {yuan1} [Freq. 4] kite (kind of bird).
鳶翅骨 {yuan1 chi4 gu3}, 中藥正名 kite's wing bone (Milvi Os Alae)
鳶腳爪 {yuan1 jiao3 gua1}, 中藥正名 kite's talon (Milvi Ungula)
鳶鱠 {yuan1 kuai4}, 中藥正名 melon-seed grouper (Trisotropis Dermopterus)
鳶腦髓 {yuan1 nao3 sui3}, 中藥正名 kite's brain (Milvi Cerebrum)
鳶膽 {yuan1 tou2}, 中藥正名 kite's gallbladder (Milvi Vesica Fellea)
鳶尾 {yuan1 wei3}, 中藥正名 iris (Iridis Rhizoma)
鳶油 {yuan1 you2}, 中藥正名 kite's fat (Milvi Adeps)
鳶嘴 {yuan1 zui3}, 中藥正名 kite's beak (Milvi Rostrum)

【鴛】 {yuan1} [Freq. 4] mandarin duck.
鴛鴦 {yuan1 yang1}, 中藥正名 mandarin duck (Aicis Caro)

~~ {yuan2} ~~

【元】 {yuan2} [Freq. 2] origin (n.), original (adj.) (下元 {xia4 yuan2}, lower origin; 元氣 {yuan2 qi4}, original qi4); Yuan2 (1274--1368 A.D.).

元寸香 {yuan2 cun4 xiang1}, 中藥異名 musk (Moschus)

元兒 {yuan2 er2}, 腧穴異名 CV-17 (Original Child)

元府 {yuan2 fu3}, origin house (sweat pore) (sweat pore); origin mansion

元胡 {yuan2 hu2}, 中藥異名 corydalis (Corydalis Rhizoma)

元胡索 {yuan2 hu2 suo3}, 中藥異名 corydalis (Corydalis Rhizoma)

元見 {yuan2 jian4}, 腧穴異名 CV-17 (The Source)

元明粉 {yuan2 ming2 fen3}, 中藥異名 refined mirabilite (Natrii Sulfas Exsiccatus)

元氣 {yuan2 qi4}, original qi4

元氣不足 {yuan2 qi4 bu4 zu2}, insufficiency of original qi4

元氣大虛 {yuan2 qi4 da4 xu1}, major vacuity of original qi4

元氣虛 {yuan2 qi4 xu1}, original qi4 vacuity

元氣虛弱 {yuan2 qi4 xu1 ruo4}, original qi4 vacuity

元芩 {yuan2 qin2}, 中藥異名 scutellaria (Scutellariae Radix)

元參 {yuan2 shen1}, 中藥異名 scrophularia (Scrophulariae Radix)

元神之府 {yuan2 shen2 zhi1 fu3}, house of the original spirit

元武版 {yuan2 wu3 ban3}, 中藥異名 tortoise plastron (Testudinis Plastrum)

元武石 {yuan2 wu3 shi2}, 中藥異名 loadstone (Magnetitum)

元陽 {yuan2 yang2}, original yang2

元陰 {yuan2 yin1}, original yin1

元元草 {yuan2 yuan2 cao3}, 中藥正名 low-growing Indian scutellaria (Scutellariae Indicae Humilis Herba)

元柱 {yuan2 zhu4}, 腧穴異名 BL-2 (Origin Pillar)

【爰】 {yuan2} [Freq. 5] say; mean (same as 曰 {yue}; 土爰稼穡 {tu3 yuan2 jia4 se4}, earth is the sowing and reaping)

【原】 {yuan2} [Freq. 2] source (n.) (原氣 {yuan2 qi4}, source qi4); principle (n.) (原則 {yuan2 ze2}, principle).

原蠶蛾 {yuan2 can2 e2}, 中藥正名 silkworm moth (Bombycis Papilio)

原蠶沙 {yuan2 can2 sha1}, 中藥正名 silkworm droppings (Bombycis Faeces)

原蠶子 {yuan2 can2 zi3}, 中藥正名 silk seed (Bombycis Ovum)

原丹皮 {yuan2 dan1 pi2}, 中藥正名 unshaved moutan (Moutan Radicis Cortex Non Rasus)

原發性膽汁性肝硬化 {yuan2 fa1 xing4 dan3 zhi1 xing4 gan1 ying4 hua4}, 西醫 primary biliary cirrhosis

原發性多汗症 {yuan2 fa1 xing4 duo1 han4 zheng4}, 西醫 primary hyperhidrosis

原發性青光眼 {yuan2 fa1 xing4 qing1 guang1 yan3}, 西醫 primay glaucoma
原發性血小板減少性紫癜 {yuan2 fa1 xing4 xue4 xiao3 ban3 jian3 shao3 xing4 zi3 dian4}, 西醫 idiopathic thrombocytopenic purpura
原發性血小板增多症 {yuan2 fa1 xing4 xue4 xiao3 ban3 zeng1 duo1 zheng4}, 西醫 thrombocythemia
原絡配穴法 {yuan2 luo4 pei4 xue2 fa3}, combining source and network points
原氣 {yuan2 qi4}, source qi4
原乳香 {yuan2 ru3 xiang1}, 中藥正名 coarse frankincense (Olibanum Rude)
原生地 {yuan2 sheng1 di4}, 中藥異名 dried rehmannia (Rehmanniae Radix)
原穴 {yuan2 xue2}, source point
原則 {yuan2 ze2}, principle
原枝歸 {yuan2 zhi1 gui1}, 中藥異名 whole tangkuei (Angelicae Sinensis Radix Integra)

【員】 {yuan2} [Freq. 4] person; round (same as 圓 {yuan2}, round).
員利針 {yuan2 li4 zhen1}, rounded sharp needle (one of the nine needles); sharp round needle
員在 {yuan2 zai4}, 腧穴異名 BL-2 (Man Present)
員針 {yuan2 zhen1}, rounded needle
員柱 {yuan2 zhu4}, 腧穴異名 BL-2 (Pillar Border)

【援】 {yuan2} [Freq. 4] rescue.
援土固胎湯 {yuan2 tu3 gu4 tai1 tang1}, 方名 Earth-Rescuing Fetus-Securing Decoction

【園】 {yuan2} [Freq. 4] garden

【圓】 {yuan2} [Freq. 4] round.
圓柏葉 {yuan2 bai3 ye4}, 中藥正名 Przewalski's savin leaf (Sabinae Przewalskii Folium)
圓菜頭 {yuan2 cai4 tou2}, 中藥異名 turnip (Brassicae Rapae Tuber et Folium)
圓桂型皮內針 {yuan2 gui4 xing2 pi2 nei4 zhen1}, wheat-grain needle
圓椒 {yuan2 jiao1}, 中藥異名 sweet pepper (Capsici Grossi Fructus)
圓圈型皮內針 {yuan2 quan1 xing2 pi2 nei4 zhen1}, tack needle
圓肉 {yuan2 rou4}, 中藥異名 longan flesh (Longan Arillus)
圓癬 {yuan2 xian3}, coin lichen (equivalent to tinea circinata)
圓翳 {yuan2 yi4}, coin screen
圓翳內障 {yuan2 yi4 nei4 zhang4}, coin screen internal obstruction
圓錐形角膜 {yuan2 zhui1 xing1 jiao3 mo2}, 西醫 keratoconus

【源】 {yuan2} [Freq. 4] source (生化之源 {sheng1 hua1 zhi1 yuan2}, source of engendering transformation)

【緣】 {yuan2} [Freq. 4] along; reason; edge; climb.
緣桑螺 {yuan2 sang1 luo2}, 中藥正名 limnaea (Limnaea)
緣緣 {yuan2 yuan2}, continuous (面色緣緣正赤 {mian4 se4 yuan2 yuan2 zheng4 chi4}, continuously full red facial complexion)

【芫】 {yuan2} [Freq. 4] plant name.
芫 {yuan2}, 中藥異名 genkwa (Genkwa Flos)
芫花 {yuan2 hua1}, 中藥正名 genkwa (Genkwa Flos)
芫花根 {yuan2 hua1 gen1}, 中藥正名 genkwa root (Genkwa Radix)
芫青 {yuan2 qing1}, 中藥異名 lytta (Lytta )
芫條花 {yuan2 tiao2 hua1}, 中藥異名 genkwa (Genkwa Flos)
芫萎粥 {yuan2 wei1 zhou1}, 方名 Rice Bean Gruel

【黿】 {yuan2} [Freq. 4] giant soft-shelled turtle.
黿膽 {yuan2 dan3}, 中藥正名 giant soft-shelled turtle's gallbladder (Pelochelydis Vesica Fellea)
黿膏 {yuan2 gao1}, 中藥正名 giant soft-shelled turtle's fat (Pelochelydis Adeps)
黿甲 {yuan2 jia3}, 中藥正名 giant soft-shelled turtle shell (Pelochelydis Carapax)
黿肉 {yuan2 rou4}, 中藥正名 giant soft-shelled turtle's flesh (Pelochelydis Caro)

~~ {yuan3} ~~
【遠】 {yuan3} [Freq. 4] distal; far; distant.
遠痹 {yuan3 bi4}, persistent impediment
遠部選穴 {yuan3 bu4 xuan3 xue2}, selection of distant points
遠側面 {yuan3 ce4 mai4}, 西醫 distal surface
遠道刺 {yuan3 dao4 ci4}, distant needling (one of the nine needling methods)
遠道取穴 {yuan3 dao4 qu3 xue2}, selection of distant points
遠近配穴法 {yuan3 jin4 pei4 xue2 fa3}, combining local and distant points
遠視 {yuan3 shi4}, farsightedness; hyperopia
遠視&&402E||&&402E|{yuan3 shi4 huang1 huang1}, seeing dimly afar; nearsightedness
遠血 {yuan3 xue4}, distal bleeding (far from anus)
遠志流浸膏 {yuan3 zhi4 liu2 jin4 gao1}, 中藥正名 liquid extract of polygala (Polygalae Radicis Extractum Liquidum)
遠志木藍 {yuan3 zhi4 mu4 lan2}, 中藥正名 polygala indigo (Indigoferae Neopolygaloidis Herba)
遠志肉 {yuan3 zhi4 rou4}, 中藥異名 polygala (Polygalae Radix)

遠志筒 {yuan3 zhi4 tong3}, 中藥異名 polygala (Polygalae Radix)
遠志丸 {yuan3 zhi4 wan2}, 方名 Polygala Pill
遠志飲 {yuan3 zhi4 yin3}, 方名 Polygala Beverage
遠志 {yuan3 zhi4, 中藥正名 polygala (Polygalae Radix)

~~ {yuan4} ~~
【院】 {yuan4} [Freq. 4] college; institute (太醫院 {tai4 yi1 yuan4}, Imperial Institute of Medicine); museum (御藥院 {yu4 yao4 yuan4}, Imperial Drug Museum)

~~ {yue1} ~~
【曰】 {yue1} [Freq. 5] say; mean (金曰從革 {yin1 yue1 cong2 ge2}, metal is the working of change)

【約】{yue1} [Freq. 2] retain (v.); constrain (v.); straiten (v.) (脾約 {pi2 yue1}, straitened spleen).
約束 {yue1 shu4}, retainer; eyelid; sphincter muscle
約紋 {yue1 wen2}, crease
約制 {yue1 zhi4}, restrain

【噦】 {yue1} [Freq. 5] vomit (v.); hiccup (n.), (v.); dry retching (n.)

~~ {yue4} ~~
【月】{yue4} [Freq. 3] moon; month (n.), monthly (adj.) (月經 {yue4 jing1}, the monthly courses (periods)); mens(t)- from L. {mensis}, month (月經 {yue4 jing1}, menstruation).
月光花 {yue4 guang1 hua1}, 中藥異名 China tea rose (Rosae Chinensis Flos)
月貴花 {yue4 gui4 hua1}, 中藥異名 China tea rose (Rosae Chinensis Flos)
月桂子 {yue4 gui4 zi3}, 中藥正名 laurel seed (Lauri Nobilis Fructus)
月華丸 {yue4 hua2 wan2}, 方名 Moonlight Pill
月記 {yue4 ji4}, 中藥異名 China tea rose (Rosae Chinensis Flos)
月季紅 {yue4 ji4 hong2}, 中藥異名 China tea rose (Rosae Chinensis Flos)
月季花 {yue4 ji4 hua1}, 中藥正名 China tea rose (Rosae Chinensis Flos)
月季花根 {yue4 ji4 hua1 gen1}, 中藥正名 China tea rose root (Rosae Chinensis Radix)
月季花葉 {yue4 ji4 hua1 ye4}, 中藥正名 China tea rose leaf (Rosae Chinensis Folium)
月家病 {yue4 jia1 bing4}, menstruant's morbidity
月見草 {yue4 jian4 cao3}, 中藥正名 evening primrose (Oenotherae Erythrosepalae Radix)
月經 {yue4 jing1}, 西醫 menstruation; menstruation

月經閉止 {yue4 jing1 bi4 zhi3}, menstrual block
月經病 {yue4 jing1 bing4}, menstrual disease
月經不潮 {yue4 jing1 bu4 chao2}, absence of menstruation
月經不利 {yue4 jing1 bu4 li4}, inhibited menstruation
月經不調 {yue4 jing1 bu4 tiao2}, menstrual irregularities; menstrual disorder
月經不通 {yue4 jing1 bu4 tong1}, absence of menses
月經不準 {yue4 jing1 bu4 zhun3}, untimely menstruation
月經過多 {yue4 jing1 guo4 duo1}, profuse menstruation
月經過少 {yue4 jing1 guo4 shao3}, scant menstruation
月經后錯 {yue4 jing1 hou4 cuo4}, delayed menstruation
月經后期 {yue4 jing1 hou4 qi1}, delayed menstruation
月經困難 {yue4 jing1 kun4 nan2}, 西醫 dysmenorrhea
月經量少 {yue4 jing1 liang4 shao3}, scant menstrual flow
月經期 {yue4 jing1 qi1}, menstrual period; menstrual period
月經期前 {yue4 jing1 qi1 qian2}, premature periods; advanced menstruation
月經愆期 {yue4 jing1 qian1 qi1}, menstruation at irregular intervals
月經前后不定期 {yue4 jing1 qian2 hou4 bu4 ding4 qi1}, menstruation at irregular intervals
月經色黑有塊 {yue4 jing1 se4 hei1 you3 kuai4}, black menstrual flow with clots
月經澀少 {yue4 jing1 se4 shao3}, scant inhibited menstruation
月經色紫 {yue4 jing1 se4 zi3}, purple menstrual flow
月經失調 {yue4 jing1 shi1 tiao2}, menstrual irregularities; menstrual disorder
月經停閉 {yue4 jing1 ting2 bi4}, menstrual block
月經先后無定期 {yue4 jing1 xian1 hou4 wu2 ding4 qi1}, menstruation at irregular intervals
月經先期 {yue4 jing1 xian1 qi1}, early periods; advanced menstruation
月經先期而至 {yue4 jing1 xian1 qi1 er2 zhi4}, advanced menstruation; early periods
月經欲行不行 {yue4 jing1 yu4 xing2 bu4 xing2}, menses about to come but not coming
月經周期 {yue4 jing1 zhou1 qi1}, menstrual cycle
月經週期 {yue4 jing1 zhou1 qi1}, 西醫 menstrual cycle
月&&91C3.9ACE|{yue4 liao2}, 腧穴異名 TB-23 (Moon Bone-Hole)
月漏 {yue4 lou4}, menstrual spotting
月母草 {yue4 mu3 cao3}, 中藥異名 leonurus (Leonuri Herba)
月石 {yue4 shi2}, 中藥異名 borax (Borax)
月事 {yue4 shi4}, monthly matters
月事不來 {yue4 shi4 bu4 lai2}, absence of menses
月水 {yue4 shui3}, moon water; monthly water; menstruation
月水不斷 {yue4 shui3 bu4 duan4}, continuous menstruation
月水不絕 {yue4 shui3 bu4 jue2}, incessant menstruation; continuous menstruation
月水不利 {yue4 shui3 bu4 li4}, inhibited menstruation

月水不通 {yue4 shui3 bu4 tong1}, menstrual stoppage
月信 {yue4 xin4}, monthly news; menstruation
月月紅 {yue4 yue4 hong2}, 中藥異名 China tea rose (Rosae Chinensis Flos)
月月花 {yue4 yue4 hua1}, 中藥異名 China tea rose (Rosae Chinensis Flos)
月月開 {yue4 yue4 kai1}, 中藥異名 China tea rose (Rosae Chinensis Flos)

【越】 {yue4} [Freq. 2] stray (v.), astray (adj.) (孤陽浮越 {gu1 yang2 fu2 yue4}, solitary yang2 floating astray); skip.
越婢加半夏湯 {yue4 bi4 jia1 ban4 xia4 tang1}, 方名 Spleen-Effusing Decoction Plus Pinellia
越婢加朮湯 {yue4 bi4 jia1 zhu2 tang1}, 方名 Spleen-Effusing Decoction Plus White Atractylodes
越婢湯 {yue4 bi4 tang1}, 方名 Spleen-Effusing Decoction
越瓜 {yue4 gua1}, 中藥正名 Oriental pickling melon (Cucumeris Conomonis Fructus)
越瓜脯 {yue4 gua1 fu3}, 中藥正名 green pickled melon (Cucumeris Conomonis Salsamen Viride)
越經傳 {yue4 jing1 chuan2}, skipping channels (of channels in cold damage)
越鞠丸 {yue4 ju2 wan2}, 方名 Depression-Overcoming Pill
越南安息香 {yue4 nan2 an1 xi1 xiang1}, 中藥正名 Siam benzoin (Benzoinum *Siamense)
越墻上屋 {yue4 qiang2 shang4 wu1}, climbing over walls and onto roofs
越桃 {yue4 tao2}, 中藥異名 gardenia (Gardeniae Fructus)
越王余算 {yue4 wang2 yu2 suan4}, 中藥正名 virgularia coral (Virgulariae Corallium)
越西木香 {yue4 xi1 mu4 xiang1}, 中藥正名 south-western saussurea (Vladimiriae Denticulatae Radix)
越獻可 {yue4 xian4 ke3}, Yue4 Xian4-Ke3

【粵】 {yue4} [Freq. 4] Guang3zhou1.
粵絲瓜 {yue4 si1 gua1}, 中藥正名 angled luffa gourd (Luffae Acutangulae Fructus)
粵萬年青 {yue4 wan4 nian2 qing1}, 中藥正名 Chinese evergreen root and leaf (Aglaonematis Rhizoma et Folium)

~~ {yun1} ~~
【暈】{yun1} [Freq. 2] dizzy (adj.), dizziness (n.) (頭暈目眩 {tou2 yun1 mu4 xuan4}, dizzy head and vision).
暈倒 {yun1 dao3}, faint (to lose consciousness)
暈厥 {yun1 jue2}, clouding reversal (loose consciousness); faint

~~ {yun2} ~~

【云】 {yun2} [Freq. 2] cloud; short for 雲南, Yun2nan2 Province.

云耳 {yun2 er3}, 中藥異名 wood ear (Auricularia)

云苓 {yun2 ling2}, 中藥異名 poria (Poria)

云門 {yun2 men2}, 腧穴正名 LU-2 (Cloud Gate)

云南白藥 {yun2 nan2 bai2 yao4}, 方名 Yun2nan2 White

云霧移睛 {yun2 wu4 yi2 jing1}, clouds and mist moving over the eye; clouds and mist floating across the eye

云翳 {yun2 yi4}, nebulous eye screen

云翳遮睛 {yun2 yi4 zhe1 jing1}, nebulous screen covering the eye

【芸】 {yun2} [Freq. 4] plant name.

芸香草 {yun2 xiang1 cao3}, 中藥正名 Chinese citronella (Cymbopogonis Distantis Herba)

雲當歸 {yun2 dang1 gui1}, 中藥正名 Yun2nan2 tangkuei (Angelicae Sinensis Radix *Yunnanensis)

雲豆 {yun2 dou4}, 中藥異名 kidney bean (Phaseoli Vulgaris Semen)

雲茯苓 {yun2 fu2 ling2}, 中藥異名 poria (Poria)

雲故紙 {yun2 gu4 zhi3}, 中藥異名 oroxylum (Oroxyli Semen)

雲歸 {yun2 gui1}, 中藥異名 Yun2nan2 tangkuei (Angelicae Sinensis Radix *Yunnanensis)

雲連 {yun2 lian2}, 中藥正名 Yun2nan2 coptis (Coptidis Rhizoma *Yunnanensis)

雲苓 {yun2 ling2}, 中藥異名 poria (Poria)

雲母 {yun2 mu3}, 中藥正名 muscovite (Muscovitum)

雲母礬 {yun2 mu3 fan2}, 中藥異名 alum (Alumen)

雲母石 {yun2 mu3 shi2}, 中藥異名 muscovite (Muscovitum)

雲木香 {yun2 mu4 xiang1}, 中藥正名 Yun2nan2 saussurea (Saussureae Radix *Sichuanensis)

雲南茴香 {yun2 nan2 hui2 xiang1}, 中藥正名 Yun2nan2 star anise (Illicii Yunnanensis Fructus)

雲南茜草 {yun2 nan2 qian4 cao3}, 中藥正名 Yun2nan2 madder (Rubiae Yunnanensis Radix seu Herba)

雲牛膝 {yun2 niu2 xi1}, 中藥正名 Yun2nan2 achyranthes (Achyranthis Rubrafuscae Radix)

雲實 {yun2 shi2}, 中藥正名 Mysore thorn seed (Caesalpiniae Sepiariae Semen)

雲實根 {yun2 shi2 gen1}, 中藥正名 Mysore thorn root (Caesalpiniae Sepiariae Radix seu Radicis Cortex)

雲實蛀蟲 {yun2 shi2 zhu4 chong2}, 中藥正名 Mysore thorn seed grub (Caesalpiniae Sepiariae Vermiculus)

雲霧七 {yun2 wu4 qi1}, 中藥正名 Tsinling larkspur root (Delphinii Giraldii Radix)

【蕓】 {yun2} [Freq. 4] oil rape.

蕓苔 {yun2 tai2}, 中藥正名 oil rape (Brassicae Oleiferae Caulis et Folium)
蕓苔子 {yun2 tai2 zi3}, 中藥正名 oil rape seed (Brassicae Oleiferae Semen)

~~ {yun4} ~~
【孕】 {yun4} [Freq. 2] pregnant (adj.), pregnancy (n.) (孕婦 {yun4 fu4}, pregnant women).
孕婦 {yun4 fu4}, pregnant woman
孕婦禁用 {yun4 fu4 jin4 yong4}, contraindicated in pregnancy
孕癰 {yun4 yong1}, welling-abscess in pregnancy

【暈】 {yun4} [Freq. 4] dizzy (adj.), dizziness (n.).
暈車 {yun4 che1}, car sickness
暈船 {yun4 chuan2}, boat sickness; seasickness
暈船暈車 {yun4 chuan2 yun4 che1}, motion sickness
暈機 {yun4 ji1}, airsickness
暈針 {yun4 zhen1}, needle sickness

【運】 {yun4} [Freq. 2] move (v.).
運遲 {yun4 chi2}, sluggish movement of food
運化失職 {yun4 hua4 shi1 zhi2}, movement and transformation failure
運脾 {yun4 pi2}, move the spleen
運氣 {yun4 qi4}, movement (periods) and qi4
運氣不及 {yun4 qi4 bu4 ji2}, deficiency of movements (periods) and qi4
運氣脅痛 {yun4 qi4 xie2 tong4}, moving qi4 rib-side pain
運氣學說 {yun4 qi4 xue2 shuo1}, movement and qi4 theory
運濕 {yun4 shi1}, move dampness

【熨】 {yun4} [Freq. 4] press with something hot.
熨法 {yun4 fa3}, hot medicinal compress
熨風散 {yun4 feng1 san3}, 方名 Wind-Smoothing Powder

【蘊】 {yun4} [Freq. 2] brew (v.) (濕熱蘊結 {shi1 re4 yun4 jie2}, damp-heat brewing (and binding)); smolder.
蘊積熱毒 {yun4 ji1 re4 du2}, accumulated heat toxin
蘊郁 {yun4 yu4}, brewing (in)

== Z ==

~~ {za1} ~~

【匝】 {za1} [Freq. 4] circumference.

匝風 {za1 feng1}, 腧穴異名 GV-17 (Circumference Wind)

~~ {za2} ~~

【雜】 {za2} [Freq. 4] miscellaneous.

雜病 {za2 bing4}, miscellaneous disease

雜病穴法歌 {za2 bing4 xue2 fa3 ge1}, 書名 Song of Point Applications for Miscellaneous Disease

雜病源流犀燭 {za2 bing4 yuan2 liu2 xi1 zhu2}, 書名 Incisive Light on the Source of Miscellaneous Disease (1773 (Qing1), Shen3 Jin1-Ao2 沈金鰲)

雜氣 {za2 qi4}, miscellaneous qi4

雜醫科 {za2 yi1 ke1}, miscellaneous diseases (branch of medicine)

雜症 {za2 zheng4}, miscellaneous pathoconditions

雜證謨 {za2 zheng4 mo2}, 書名 Schema of Miscellaneous Patterns

~~ {zai3} ~~

【仔】 {zai3} [Freq. 4] equivalent of 子 {zi3} in certain dialects

~~ {zai4} ~~

【再】 {zai4} [Freq. 4] second; again; twice.

再傳 {zai4 chuan2}, pass onward (of evils through the channels) (through the channels); begin a second passage

再經 {zai4 jing1}, pass to another channel; begin a new channel circuit

再逆 {zai4 ni4}, second error; double error

再生稻 {zai4 sheng1 dao4}, 中藥正名 regrown rice plant (Oryzae Herba Recreta)

再生障礙性貧血 {zai4 sheng1 zhang4 ai4 xing4 pin2 xue4}, 西醫 aplastic anemia

再造散 {zai4 zao4 san3}, 方名 Renewal Powder

【在】 {zai4} [Freq. 4] located at.

在泉 {zai4 quan2}, 腧穴異名 ST-26 (At the Spring)

~~ {zan3} ~~

【攢】 {zan3} [Freq. 4] gather.

攢竹 {zan3 zhu2}, 腧穴正名 BL-2 (Bamboo Gathering)

~~ {zan4} ~~

【暫】 {zan4} [Freq. 4] temporarily; temporary (adj.); temporari.

暫起僵仆 {zan4 qi3 jiang1 pu1}, collapse on attempting to stand up

暫時性腦缺血發作 {zan4 shi2 xing4 nao3 que1 xue4 fa1 zuo4}, 西醫 transient ischemic attacks (TIA)

【贊】 {zan4} [Freq. 4] assist.

贊刺 {zan4 ci4}, assistance needling (one of the twelve needling methods)

贊育丹 {zan4 yu4 dan1}, 方名 Procreation Elixir

~~ {zang4} ~~

【藏】 {zang4} [Freq. 2] treasury; store(house).

藏紅花 {zang4 hong2 hua1}, 中藥異名 saffron (Croci Stigma)

藏茴香 {zang4 hui2 xiang1}, 中藥正名 caraway seed (Cari Carvi Fructus)

藏茄 {zang4 qie2}, 中藥正名 Tangut anisodum (Anisodi Tangutici Radix et Semen)

藏青果 {zang4 qing1 guo3}, 中藥正名 unripe chebule (Chebulae Fructus Immaturus)

【臟】 {zang4} [Freq. 2] viscus (n.), viscera (pl.), visceral (adj.) (plural viscera. 五臟{wu3 zang4}, the five {viscera}; {a\zn 臟氣{zang4 qi4}, {visceral} qi); treasury; store(house).

臟病及腑 {zang4 bing4 ji2 fu3}, disease of the viscera affecting the bowels

臟毒 {zang4 du2}, visceral toxin

臟毒便血 {zang4 du2 bian4 xue4}, visceral toxin bloody stool

臟腑 {zang4 fu3}, bowels and viscera; treasuries and houses; organs

臟腑辨證 {zang4 fu3 bian4 zheng4}, bowel and visceral pattern identification; organ pattern identification

臟腑兼病辨證 {zang4 fu3 jian1 bing4 bian4 zheng4}, bowel and visceral pattern identification

臟腑驚證 {zang4 fu3 jing1 zheng4}, bowel and visceral fright patterns

臟腑相合 {zang4 fu3 xiang1 he2}, bowel-viscus interconnection

臟腑相兼證候 {zang4 fu3 xiang1 jian1 zheng4 hou4}, organ combination pattern

臟腑學說 {zang4 fu3 xue2 shuo1}, bowels and viscera theory; organ theory

臟腑證候 {zang4 fu3 zheng4 hou4}, bowel and visceral patterns; organ patterns

臟腑之氣 {zang4 fu3 zhi1 qi4}, bowel and visceral qi4; organ qi4

臟寒 {zang4 han2}, visceral cold
臟會 {zang4 hui4}, meeting point of the viscera (LV-13)
臟結 {zang4 jie2}, visceral bind
臟連丸 {zang4 lian2 wan2}, 方名 Pig's Intestines and Coptis Pill
臟氣 {zang4 qi4}, visceral qi4
臟氣之獨 {zang4 qi4 zhi1 du2}, singularity of visceral qi4
臟俞五十穴 {zang4 shu1 wu3 shi2 xue2}, fifty viscus-associated points
臟象 {zang4 xiang4}, visceral manifestation
臟象學說 {zang4 xiang4 xue2 shuo1}, visceral manifestation theory
臟行氣于腑 {zang4 xing2 qi4 yu2 fu3}, viscera move qi4 to the bowels
臟陰 {zang4 yin1}, visceral yin1
臟躁 {zang4 zao4}, visceral agitation
臟俞 {zang4 zhu1}, 腧穴異名 GV-11 (Visceral Transport)

~~ {zao3} ~~

【早】 {zao3} [Freq. 3] morning (早服 {zao3 fu2}, take in the morning); early; premature (早泄 {zao3 xie4}, premature ejaculation).
早餐 {zao3 can1}, breakfast
早產 {zao3 chan3}, premature delivery
早晨 {zao3 chen2}, moringing
早飯 {zao3 fan4}, breakfast
早服 {zao3 fu2}, take in the morning
早谷蘗 {zao3 gu3 biao1}, 中藥正名 nameless raspberry root (Rubi Innominati Radix)
早年白髮 {zao3 nian2 bai2 fa4}, premature graying (of the hair)
早熱暮涼 {zao3 re4 mu4 liang2}, heat [effusion] (fever) in the morning that abates by the evening
早上 {zao3 shang4}, morning
早泄 {zao3 xie4}, 西醫 prospermia; premature ejaculation
早洩 {zao3 xie4}, premature ejaculation

【蚤】 {zao3} [Freq. 4] flea.
蚤休 {zao3 xiu1}, 中藥正名 paris (Paridis Rhizoma)

【棗】 {zao3} [Freq. 4] jujube.
棗 {zao3}, 中藥異名 jujube (Jujubae Fructus)
棗檳榔 {zao3 bin1 lang2}, 中藥正名 unripe areca (Arecae Semen Immaturum)
棗礬丸 {zao3 fan2 wan2}, 方名 Jujube and Melanterite Pill

棗核 {zao3 he2}, 中藥正名 jujube pit (Jujubae Endocarpium et Semen) (Ziziphi Spinosi Semen); 中藥異名 spiny jujube
棗皮 {zao3 pi2}, 中藥異名 cornus (Corni Fructus)
棗仁 {zao3 ren2}, 中藥異名 spiny jujube (Ziziphi Spinosi Semen)
棗肉 {zao3 rou4}, 中藥正名 jujube flesh (Jujubae Pericarpium)
棗樹根 {zao3 shu4 gen1}, 中藥正名 jujube root (Jujubae Radix)
棗樹皮 {zao3 shu4 pi2}, 中藥正名 jujube bark (Jujubae Cortex)
棗葉 {zao3 ye4}, 中藥正名 jujube leaf (Jujubae Folium)
棗葉飲子 {zao3 ye4 yin3 zi3}, 方名 Jujube Leaf Beverage
棗子 (1) {zao3 zi3}, 中藥異名 jujube (Jujubae Fructus)
棗子 (2) {zao3 zi3}, 中藥異名 Indian jujube (Ziziphi Mauritianae Fructus)

~~ {zao4} ~~
【灶】 {zao4} [Freq. 4] stove; oven.
灶心黃土 {zao4 xin1 huang2 tu3}, 中藥異名 oven earth (Terra Flava Usta)
灶心土 {zao4 xin1 tu3}, 中藥異名 oven earth (Terra Flava Usta)
灶中黃土 {zao4 zhong1 huang2 tu3}, 中藥異名 oven earth (Terra Flava Usta)

【皂】 {zao4} [Freq. 4] gleditsia.
皂刺 {zao4 ci4}, 中藥異名 gleditsia thorn (Gleditsiae Spina)
皂礬 {zao4 fan2}, 中藥異名 melanterite (Melanteritum)
皂莢 {zao4 jia2}, 中藥正名 gleditsia (Gleditsiae Fructus)
皂莢刺 {zao4 jia2 ci4}, 中藥異名 gleditsia thorn (Gleditsiae Spina)
皂莢根皮 {zao4 jia2 gen1 pi2}, 中藥正名 gleditsia root bark (Gleditsiae Radicis Cortex)
皂莢丸 {zao4 jia2 wan2}, 方名 Gleditsia Fruit Pill
皂莢葉 {zao4 jia2 ye4}, 中藥正名 gleditsia leaf (Gleditsiae Folium)
皂莢子 {zao4 jia2 zi3}, 中藥正名 gleditsia seed (Gleditsiae Semen)
皂角 {zao4 jiao3}, 中藥異名 gleditsia (Gleditsiae Fructus)
皂角刺 {zao4 jiao3 ci4}, 中藥正名 gleditsia thorn (Gleditsiae Spina)
皂角針 {zao4 jiao3 zhen1}, 中藥異名 gleditsia thorn (Gleditsiae Spina)
皂針 {zao4 zhen1}, 中藥異名 gleditsia thorn (Gleditsiae Spina)

【燥】 {zao4} [Freq. 2] dry (adj.), dryness (n.), dryness evil).
燥腸胃 {zao4 chang2 wei4}, dry the intestine and stomach
燥腸胃濕熱 {zao4 chang2 wei4 shi1 re4}, dry gastrointestinal damp-heat
燥的證候 {zao4 de zheng4 hou4}, dryness patterns
燥干清竅 {zao4 gan1 qing1 qiao4}, dryness affecting the clear orifices

燥化脾經濕氣 {zao4 hua4 pi2 jing1 shi1 qi4}, dry and transform spleen channel damp-heat
燥火 {zao4 huo3}, dryness-fire
燥火身腫 {zao4 huo3 shen1 zhong3}, dryness-fire generalized swelling
燥火眩暈 {zao4 huo3 xuan4 yun1}, dryness-fire dizziness
燥劑 {zao4 ji4}, dry formula
燥結 {zao4 jie2}, dryness bind
燥痙 {zao4 jing4}, dryness tetany
燥咳 {zao4 ke2}, dryness cough
燥可去濕 {zao4 ke3 qu4 shi1}, dry [medicinals] can eliminate dampness
燥裂苔 {zao4 lie4 tai1}, dry and cracked fur
燥烈之氣 {zao4 lie4 zhi1 qi4}, dry harsh qi4
燥脾濕 {zao4 pi2 shi1}, dry spleen dampness
燥氣 {zao4 qi4}, dryness qi4
燥氣犯肺 {zao4 qi4 fan4 fei4}, dryness qi4 invading the lung
燥氣傷肺 {zao4 qi4 shang1 fei4}, dryness qi4 damaging the lung; dryness qi4 damages the lung
燥熱 {zao4 re4}, dryness-heat
燥熱犯肺 {zao4 re4 fan4 fei4}, dryness-heat invading the lung
燥熱咳嗽 {zao4 re4 ke2 sou4}, dryness-heat cough
燥熱傷肺 {zao4 re4 shang1 fei4}, dryness-heat damaging the lung
燥熱痿 {zao4 re4 wei3}, dryness-heat wilting
燥傷鼻竅 {zao4 shang1 bi2 qiao4}, dryness damaging the nasal orifice
燥傷鼻竅證 {zao4 shang1 bi2 qiao4 zheng4}, pattern of dryness damaging the nasal orifice
燥傷肺胃 {zao4 shang1 fei4 wei4}, dryness damaging the lung and stomach
燥勝則干 {zao4 sheng4 ze2 gan1}, when dryness prevails, there is aridity
燥濕 {zao4 shi1}, dry dampness
燥濕除滿 {zao4 shi1 chu2 man3}, dry dampness and eliminate fullness
燥濕和胃 {zao4 shi1 he2 wei4}, dry dampness and harmonize the stomach
燥濕和中 {zao4 shi1 he2 zhong1}, dry dampness and harmonize the center
燥濕化痰 {zao4 shi1 hua4 tan2}, dry dampness and transform phlegm
燥濕化濁 {zao4 shi1 hua4 zhuo2}, dry dampness and transform turbidity
燥濕斂瘡 {zao4 shi1 lian3 chuang1}, dry dampness and close sores
燥濕清熱 {zao4 shi1 qing1 re4}, dry dampness and clear heat
燥濕藥 {zao4 shi1 yao4}, dampness-drying medicinal
燥濕治泄 {zao4 shi1 zhi4 xie4}, dry dampness and treat diarrhea
燥矢 {zao4 shi3}, dry stool
燥苔 {zao4 tai1}, dry fur
燥痰 {zao4 tan2}, dryness phlegm
燥痰證 {zao4 tan2 zheng4}, dryness phlegm pattern

燥邪 {zao4 xie2}, dryness evil
燥邪犯肺 {zao4 xie2 fan4 fei4}, dryness evil invading the lung
燥邪犯肺證 {zao4 xie2 fan4 fei4 zheng4}, pattern of dryness evil invading the lung
燥邪傷肺 {zao4 xie2 shang1 fei4}, dryness evil damaging the lung
燥性干澀 {zao4 xing4 gan1 se4}, dryness by nature is dry and astringent
燥咽干 {zao4 yan1 gan1}, dry throat
燥易傷肺 {zao4 yi4 shang1 fei4}, dryness easily damages the lung
燥者濡之 {zao4 zhe3 ru2 zhi1}, dryness is treated by moistening
燥證 {zao4 zheng4}, dryness pattern

【躁】 {zao4} [Freq. 2] agitation (n.), agitated (adj.) (煩躁 {fan2 zao4}, vexation and agitation; 臟躁{zang4 zao4}, visceral agitation).
躁動不安 {zao4 dong4 bu4 an1}, agitation
躁煩 {zao4 fan2}, agitated vexation
躁疾脈 {zao4 ji2 mai4}, agitated racing pulse
躁狂 {zao4 kuang2}, agitated mania

~~ {ze2} ~~
【則】 {ze2} [Freq. 5] principle

【責】 {ze2} [Freq. 5] demand (虛坐努責 {xu1 zuo4 nu3 ze2}, lit. sit in vain and demand with great effort, i.e., vain straining [on the toilet])

【澤】 {ze2} [Freq. 3] marsh (n.) (曲澤 {qu1 ze2}, Marsh at the Bend (PC-3)); moisturize (n.) (澤肌 {ze2 ji1}, moisturize the skin); sheen (髮無澤 {fa4 wu2 ze2}, sheenless hair).
澤肌 {ze2 ji1}, moisturize the skin
澤廓 {ze2 kuo4}, marsh belt
澤蘭 {ze2 lan2}, 中藥正名 lycopus (Lycopi Herba)
澤蘭湯 {ze2 lan2 tang1}, 方名 Lycopus Decoction
澤蘭葉 {ze2 lan2 ye4}, 中藥異名 lycopus (Lycopi Herba)
澤漆 {ze2 qi1}, 中藥正名 sun spurge (Euphorbiae Helioscopiae Herba)
澤漆湯 {ze2 qi1 tang1}, 方名 Sun Spurge Decoction
澤前 {ze2 qian2}, 腧穴正名 Before the Marsh
澤瀉實 {ze2 xi4 shi2}, 中藥正名 alisma fruit (Alismatis Fructus)
澤瀉湯 {ze2 xie4 tang1}, 方名 Alisma Decoction
澤瀉葉 {ze2 xie4 ye4}, 中藥正名 alisma leaf (Alismatis Folium)
澤瀉 {ze2 xie4, 中藥正名 alisma (Alismatis Rhizoma)

澤芝 {ze2 zhi1}, 中藥異名 alisma (Alismatis Rhizoma)
澤下 {ze3 xia4}, 腧穴正名 Below the Marsh

~~ {zei2} ~~
【賊】 {zei2} [Freq. 4] bandit.
賊風 {zei2 feng1}, bandit wind
賊邪 {zei2 xie2}, bandit evil

~~ {zeng1} ~~
【增】 {zeng1} [Freq. 2] increase (v.) (增液行舟 {zeng1 ye4 xing2 zhou1}, increase humor to move the grounded ship).
增進食慾 {zeng1 jin4 shi2 yu4}, enhance the appetite
增快 {zeng1 kuai4}, accelerate
增明 {zeng1 ming2 \#2}, 腧穴正名 Increase Brightness \#2
增乳 {zeng1 ru3}, increase milk
增生性脊柱炎 {zeng1 sheng1 xing4 ji3 zhu4 yan2}, 西醫 metaplastic spondylitis
增水行舟 {zeng1 shui3 xing2 zhou1}, refloat the grounded ship
增速 {zeng1 su4}, 西醫 accelerate
增液 {zeng1 ye4}, increase humor
增液承氣湯 {zeng1 ye4 cheng2 qi4 tang1}, 方名 Humor-Increasing Qi4-Infusing Decoction
增液潤下 {zeng1 ye4 run4 xia4}, increase humor and precipitate with moistness; humor-increasing moist precipitation
增液湯 {zeng1 ye4 tang1}, 方名 Humor-Increasing Decoction
增液瀉下 {zeng1 ye4 xie4 xia4}, humor-increasing draining precipitation
增液行舟 {zeng1 ye4 xing2 zhou1}, increase humor to move the grounded ship (move hard stool)

【憎】 {zeng1} [Freq. 4] abhor.
憎寒 {zeng1 han2}, abhorrence of cold

~~ {zha1} ~~
【渣】 {zha1} [Freq. 4] dregs.
渣瘤 {zha1 liu2}, bean curd dregs tumor

【楂】 {zha1} [Freq. 4] crataegus.

楂曲平胃散 {zha1 qu1 ping2 wei4 san3}, 方名 Crataegus and Medicated Leaven Stomach-Calming Powder

【楂】 {zha1} [Freq. 4] plant name.
楂子 {zha1 zi3}, 中藥正名 Cathay quince (Chaenomelis Cathayensis Fructus)

【齇】 {zha1} [Freq. 5] drinker's nose (酒齇鼻 {jiu3 zha1 bi2}, drinker's nose)

~~ {zha2} ~~
【紮】 {zha2} [Freq. 5] ligate (結紮法 {jie2 za1 fa3}, ligation therapy)

~~ {zha3} ~~
【眨】 {zha3} [Freq. 5] blink (札 {zha2} and 劄 {zha2} are sometimes incorrectly used for 眨 {zha3})

~~ {zha4} ~~
【乍】 {zha4} [Freq. 2] suddenly; first (for the first time).
乍見鬼神 {zha4 jian4 gui3 shen2}, sudden seeing of ghosts and spirits
乍交即泄 {zha4 jiao1 ji2 xie4}, ejaculation at the beginning of intercourse
乍疏乍數 {zha4 shu1 zha4 shuo4}, now relaxed, now rapid (pulse) (pulse); abruptly fluctuating pace

【炸】 {zha4} [Freq. 3] deep-fry

【蚱】 {zha4} [Freq. 5] grasshopper.
蚱蜢 {zha4 meng3}, 中藥正名 grasshopper (Oxya)

【榨】 {zha4} [Freq. 4] squeeze.
榨菜 {zha4 cai4}, 中藥正名 pressed mustard (Brassicae Tumidae Tuber Pressus)

【痄】 {zha4} [Freq. 4] mumps.
痄腮 {zha4 sai1}, mumps

~~ {zhai2} ~~

【宅】 {zhai2} [Freq. 4] residence.
宅蒜 {zhai2 suan4}, 中藥異名 Chinese chive (Allii Macrostemonis Bulbus)

~~ {zhai3} ~~
【窄】 {zhai3} [Freq. 4] narrow.
窄葉大戟 {zhai3 ye4 da4 ji3}, 中藥正名 narrow-leaved spurge (Euphorbiae Kaleniczenkii Herba)
窄葉飄帶草 {zhai3 ye4 piao1 dai4 cao3}, 中藥正名 Candolle's bupleurum (Bupleuri Candollei Herba)

~~ {zhai4} ~~
【瘵】 {zhai4} [Freq. 5] consumption (n.) (癆瘵 {lao2 zhai4}, consumption)

~~ {zhan1} ~~
【瞻】 {zhan1} [Freq. 5] gaze (視瞻昏渺 {shi4 zhan1 hun1 miao3}, indistinct vision)

【譫】 {zhan1} [Freq. 2] delirium (n.), delirious (adj.).
譫狂 {zhan1 kuang2}, delirious mania
譫妄 {zhan1 wang4}, delirious raving
譫言 {zhan1 yan2}, delirious speech
譫語 {zhan1 yu3}, delirious speech
譫語發狂 {zhan1 yu3 fa1 kuang2}, delirious speech and mania
譫語如狂 {zhan1 yu3 ru2 kuang2}, manic ous speech

【粘】 {zhan1} [Freq. 3] stick

【鱣】 {zhan1} [Freq. 4] huso sturgeon.
鱣魚 {zhan1 yu2}, 中藥正名 huso sturgeon (Husonis Caro)
鱣魚肝 {zhan1 yu2 gan1}, 中藥正名 huso sturgeon's liver (Husonis Iecur)

~~ {zhan3} ~~
【斬】 {zhan3} [Freq. 4] chop.
斬龍劍 {zhan3 long2 jian4}, 中藥正名 Siberian veronicastrum (Veronicastri Sibirici Herba)

【輾】 {zhan3} [Freq. 4] toss about.
輾轉不安 {zhan3 zhuan3 bu4 an1}, tossing and turning
輾轉反側 {zhan3 zhuan3 fan ce4}, tossing and turning
輾轉指法 {zhan3 zhuan3 zhi3 fa3}, rolling finger technique (pulse-taking)

~~ {zhan4} ~~
【站】 {zhan4} [Freq. 4] stand.
站樁 {zhan4 zhuang1}, standing stake excerise

【戰】 {zhan4} [Freq. 2] shiver (v.); shivering(n.).
戰國 {zhan4 guo2}, Warring States (475 B.C.--221 B.C.)
戰汗 {zhan4 han4}, shiver sweating
戰栗 {zhan4 li4}, shiver
戰舌 {zhan4 she2}, trembling tongue
戰癱 {zhan4 tan1}, 腧穴正名 Paralysis Fighter

【蘸】 {zhan4} [Freq. 5] dip

~~ {zhang1} ~~
【張】 {zhang1} [Freq. 4] stretch; surname.
張公魚 {zhang1 gong1 yu2}, 中藥正名 Asiatic snakehead (Channae Asiatici Caro)
張肌 {zhang1 ji1}, 西醫 tensor
張景岳 {zhang1 jing3 yue4}, Zhang1 Jing3-Yue4
張口抬肩 {zhang1 kou3 tai2 jian1}, gaping mouth and raised shoulders
張璐 {zhang1 lu4}, Zhang1 Lu4
張氏醫通 {zhang1 shi4 yi1 tong1}, 書名 Zhang's Clear View of Medicine (1695 (Qing1), Zhang1 Lu4 張璐 [Lu4-Yu4 路玉])
張元素 {zhang1 yuan2 su4}, Zhang1 Yuan2-Su4
張仲景 {zhang1 zhong4 jing3}, Zhang1 Zhong4-Jing3
張子和 {zhang1 zi3 he2}, Zhang1 Zi3-He2

【章】 {zhang1} [Freq. 4] same as 樟 {zhang1}, camphor.
章柳根 {zhang1 liu3 gen1}, 中藥異名 phytolacca (Phytolaccae Radix)
章門 {zhang1 men2}, 腧穴正名 LV-13 (Camphorwood Gate)
章魚 {zhang1 yu2}, 中藥正名 octopus (Octopi Caro)

【彰】 {zhang1} [Freq. 4] shine out (因其衰而彰之 {yin1 qi2 shuai1 er2 zhang1 zhi1}, debilitation is treated by brightening)

【獐】 {zhang1} [Freq. 4] river deer.
獐骨 {zhang1 gu3}, 中藥正名 water deer's bone (Hydropotis Os)
獐肉 {zhang1 rou4}, 中藥正名 water deer's flesh (Hydropotis Caro)
獐髓 {zhang1 sui3}, 中藥正名 water deer's marrow (Hydropotis Medulla)
獐牙菜 {zhang1 ya2 cai4}, 中藥異名 swertia (Swertiae Herba)

【樟】 {zhang1} [Freq. 4] camphor.
樟材 {zhang1 cai2}, 中藥異名 camphor wood (Cinnamomi Camphorae Lignum)
樟梨 {zhang1 li2}, 中藥異名 avocado (Perseae Fructus)
樟柳頭 {zhang1 liu3 tou2}, 中藥正名 crape ginger (Costi Rhizoma)
樟木 {zhang1 mu4}, 中藥正名 camphor wood (Cinnamomi Camphorae Lignum)
樟腦 {zhang1 nao3}, 中藥正名 camphor (Camphora)
樟樹皮 {zhang1 shu4 pi2}, 中藥正名 camphor bark (Cinnamomi Camphorae Cortex)
樟樹葉 {zhang1 shu4 ye4}, 中藥正名 camphor leaf (Cinnamomi Camphorae Folium)
樟樹子 {zhang1 shu4 zi3}, 中藥正名 camphor fruit (Cinnamomi Camphorae Fructus)

【蟑】 {zhang1} [Freq. 4] cockroach.
蟑螂 {zhang1 lang2}, 中藥正名 cockroach (Blatta )

~~ {zhang3} ~~
【長】 {zhang3} [Freq. 4] grow (陽生陰長 {yang2 sheng1 yin1 zhang3}, when yang2 arises, yin1 grows; see also 長 {chang2}); promote growth (長骨 {zhang3 gu3}, promote bone growth); chief (n.) (風爲百病之長 {feng1 wei2 bai3 bing4 zhi1 zhang3}, wind is the chief of the hundred diseases).
長骨 {zhang3 gu3}, promote bone growth

【掌】 {zhang3} [Freq. 4] palm.
掌側靜脈弓 {zhang3 ce4 jing4 mai4 gong1}, 西醫 palmar arch
掌側指靜脈 {zhang3 ce4 zhi3 jing4 mai4}, 西醫 palmar digital veins
掌骨 {zhang3 gu3}, 西醫 metacarpal bones
掌心毒 {zhang3 xin1 du2}, palm heart toxin [sore]
掌心風 {zhang3 xin1 feng1}, palm heart wind
掌中 {zhang3 zhong1}, 腧穴異名 PC-8 (Center of the Palm)
掌中熱 {zhang3 zhong1 re4}, heat in the palms

~~ {zhang4} ~~
【杖】 {zhang4} [Freq. 5] club (刀杖金瘡 {dao1 zhang4 jin1 chuang1}, knife, club, and incised wounds)

【脹】 {zhang4} [Freq. 2] distention (n.), distended (adj.), distending (adj.) (腹脹 {fu4 zhang4}, abdominal distention).
脹病 {zhang4 bing4}, distention disease
脹氣 {zhang4 qi4}, distention qi4
脹痛 {zhang4 tong4}, distending pain; distention and pain

【障】 {zhang4} [Freq. 5] obstruction (垂簾障 {chui2 lian2 zhang4}, falling curtain obstruction)

【瘴】 {zhang4} [Freq. 2] miasma (n.) (山嵐瘴氣 {shan1 lan2 zhang4 qi4}, mountain forest miasmic qi4).
瘴毒 {zhang4 du2}, miasmic toxin
瘴瘧 {zhang4 nue94}, miasmic malaria

~~ {zhao1} ~~
【朝】 {zhao1} [Freq. 4] morning.
朝涼暮熱 {zhao1 liang2 mu4 re4}, evening heat [effusion] (fever) abating in the morning
朝熱暮涼 {zhao1 re4 mu4 liang4}, morning heat [effusion] (fever) abating the evening
朝食幕吐 {zhao1 shi2 mu4 tu4}, vomiting in the evening of food eaten in the morning

~~ {zhao2} ~~
【&&7740||】 {zhao2} [Freq. 4] catch (see also &&7740|{zhuo2}).
&&7740||涼 {zhao2 liang2}, catch cold

~~ {zhao3} ~~
【爪】 {zhao3} [Freq. 3] nail (n.); claw (n.).
爪甲 {zhao3 jia3}, nail
爪甲不榮 {zhao3 jia3 bu4 rong2}, lusterless nails
爪甲干枯 {zhao3 jia3 gan1 ku1}, dry nails
爪甲枯脆 {zhao3 jia3 ku1 cui4}, dry brittle nails

爪甲色淡 {zhao3 jia3 se4 dan4}, pale nails
爪枯 {zhao3 ku1}, dry nails
爪切進針法 {zhao3 qie4 jin4 zhen1 fa3}, nail-press needle insertion
爪爲筋之余 {zhao3 wei2 jin1 zhi1 yu2}, nails are the surplus of the sinews

~~ {zhao4} ~~
【照】 {zhao4} [Freq. 4] shine.
照海 {zhao4 hai3}, 腧穴正名 KI-6 (Shining Sea)

【趙】 {zhao4} [Freq. 5] surname.
趙學敏 {zhao4 xue2 min3}, Zhao4 Xue2-Min3

~~ {zhe1} ~~
【蜇】 {zhe1} sting (same as 螫 {shi4}, {zhe1})

【螫】 {zhe1} [Freq. 5] sting (Also pronounced {shi4}, and same as 蜇 {zhe1})

~~ {zhe2} ~~
【&&6F10||】 {zhe2} [Freq. 4] drizzle.
&&6F10||&&6F10||汗出 {zhe2 zhe2 han4 chu1}, drizzly sweating

【折】 {zhe2} [Freq. 4] break.
折髀 {zhe2 bi4}, excruciating thigh pain
折沖飲 {zhe2 chong1 yin3}, 方名 Thoroughfare Beverage
折傷 {zhe2 shang1}, fracture
折針 {zhe2 zhen1}, needle breakage

【輒】 {zhe2} [Freq. 5] side parts of a carriage (輒筋 {zhe2 jin1}, Sinew Seat {GB-23}); conjunction, same as 即 {ji2} (動輒氣急 {dong4 zhe2 qi4 ji2}, rapid breathing at the slightest exertion).
輒筋 {zhe2 jin1}, 腧穴正名 GB-23 (Sinew Seat)

~~ {zhe3} ~~
【者】 {zhe3} [Freq. 5] particle marking the subject of a sentence (諸血者街屬于心 {zhu1 xue4

zhe3 jie1 shu3 yu2 xin1}, all blood belongs to the heart); a nominalizing particle (患者 {huan4 zhe3}, patient)

【赭】 {zhe3} [Freq. 4] hematite.
赭石 {zhe3 shi2, 中藥正名 hematite (Haematitum)

~~ {zhe4} ~~
【浙】 {zhe4} [Freq. 4] short for 浙江 Zhe4jiang1 (old name for 錢塘江, River Qian2tiang2; Zhe4jiang1 Province).
浙貝 {zhe4 bei4}, 中藥異名 Zhe4jiang1 fritillaria (Fritillariae Thunbergii Bulbus)
浙貝母 {zhe4 bei4 mu3}, 中藥正名 Zhe4jiang1 fritillaria (Fritillariae Thunbergii Bulbus)

【蔗】 {zhe4} [Freq. 4] sugar can.
蔗雞 {zhe4 ji1}, 中藥正名 cane shoot (Sacchari Sinensis Surculus)
蔗漿 {zhe4 jiang1}, 中藥異名 sugar cane juice (Sacchari Caulis Succus)

【鷓】 {zhe4} [Freq. 4] bird name.
鷓鴣 {zhe4 gu1}, 中藥正名 francolin's flesh (Francolini Caro)
鷓鴣菜 (1) {zhe4 gu1 cai4}, 中藥正名 caloglossa (Caloglossa)
鷓鴣菜 (2) {zhe4 gu1 cai4}, 中藥異名 digenea (Digenea)
鷓鴣菜湯 {zhe4 gu1 cai4 tang1}, 方名 Digenea Decoction
鷓鴣腳 {zhe4 gu1 jiao3}, 中藥正名 francolin's claw (Francolini Pes)
鷓鴣血 {zhe4 gu1 xue4}, 中藥正名 francolin's blood (Francolini Sanguis)
鷓鴣脂 {zhe4 gu1 zhi1}, 中藥正名 francolin's fat (Francolini Adeps)

【柘】 {zhe4} [Freq. 4] plant name; tricuspid cudrania.
柘耳 {zhe4 er3}, 中藥正名 tricuspid cudrania wood ear (Cudraniae Tricuspidatae Auricularia Auricula)
柘木 {zhe4 mu4}, 中藥正名 cudrania (Cudraniae Lignum)
柘木白皮 {zhe4 mu4 bo2 pi2}, 中藥正名 tricuspid cudrania (root) bark (Cudraniae Tricuspidatae Cortex seu Radicis Cortex)
柘樹果實 {zhe4 shu4 guo3 shi2}, 中藥正名 tricuspid cudranea fruit (Cudraniae Tricuspidatae Fructus)
柘樹莖葉 {zhe4 shu4 jing1 ye4}, 中藥正名 tricuspid cudrania (Cudraniae Tricuspidatae Caulis et Folium)

【跮】 {zhe4} [Freq. 5] bottom of foot

【蟅】 {zhe4} [Freq. 4] ground beetle.
蟅蟲 {zhe4 chong2}, 中藥正名 ground beetle (Eupolyphaga seu Steleophaga)

~~ {zhen1} ~~
【珍】 {zhen1} [Freq. 2] gem (八珍湯 {ba1 zhen1 tang1}, Eight-Gem Decoction).
珍珠 {zhen1 zhu1}, 中藥正名 pearl (Margarita)
珍珠菜 (1) {zhen1 zhu1 cai4}, 中藥正名 summer-sweet lysimachia (Lysimachiae Clethroidis Radix seu Herba)
珍珠草 {zhen1 zhu1 cao3}, 中藥正名 phyllanthus (Phyllanthi Urinariae Herba (cum Radice))
珍珠風 {zhen1 zhu1 feng1}, 中藥正名 Bodinier beauty-berry (Callicarpae Bodinieri Radix seu Ramulus et Folium)
珍珠風子 {zhen1 zhu1 feng1 zi3}, 中藥正名 Bodinier beauty-berry seed (Callicarpae Bodinieri Semen)
珍珠蓮根 {zhen1 zhu1 lian2 gen1}, 中藥正名 sarmentose fig root (Fici Sarmentosae Radix)
珍珠梅 {zhen1 zhu1 mei2}, 中藥正名 sorbaria root bark (Sorbariae Cortex Caulis)
珍珠母 {zhen1 zhu1 mu3}, 中藥正名 mother-of-pearl (Concha Margaritifera )
珍珠母丸 {zhen1 zhu1 mu3 wan2}, 方名 Mother-of-Pearl Pill
珍珠傘 {zhen1 zhu1 san3}, 中藥正名 mottled ardisia [stem bark] (Ardisiae Maculosae Cortex Caulis)

【真】 {zhen1} [Freq. 2] true (adj.) (真氣 {zhen1 qi4}, true qi4; 真原下虛 {zhen1 yuan2}, true origin; 真熱假寒{zhen1 re4 jia3 han2}, {true} heat and false cold; 真心痛{zhen1 xin1 tong4}, true heart pain).
真北沙參 {zhen1 bei3 sha1 shen1}, 中藥異名 glehnia (Glehniae Radix)
真丹 {zhen1 dan1}, 中藥異名 minium (Minium)
真寒假熱 {zhen1 han2 jia3 re4}, true cold and false heat
真寒假熱證 {zhen1 han2 jia3 re4 zheng4}, true cold and false heat pattern
真火 {zhen1 huo3}, true fire
真睛破損 {zhen1 jing1 po4 sun3}, true eye damage; physical damage to the eye
真菊 {zhen1 ju2}, 中藥異名 chrysanthemum (Chrysanthemi Flos)
真君粥 {zhen1 jun1 zhou1}, 方名 True Gentleman Gruel
真皮 {zhen1 pi2}, 西醫 dermis
真氣 {zhen1 qi4}, true qi4
真熱假寒 {zhen1 re4 jia3 han2}, true heat and false cold
真熱假寒證 {zhen1 re4 jia3 han2 zheng4}, true heat and false cold pattern
真人活命飲 {zhen1 ren2 huo2 ming4 yin3}, 方名 True Man Life-Giving Beverage

真人養臟湯 {zhen1 ren2 yang3 zang4 tang1}, 方名 True Man Viscus-Nourishing Decoction
真實假虛 {zhen1 shi2 jia3 xu1}, true repletion and false vacuity
真實假虛證 {zhen1 shi2 jia3 xu1 zheng4}, true repletion and false vacuity pattern
真水 {zhen1 shui3}, true water
真檀 {zhen1 tan2}, 中藥異名 sandalwood (Santali Albi Lignum)
真頭痛 {zhen1 tou2 tong4}, true headache
真武湯 {zhen1 wu3 tang1}, 方名 True Warrior Decoction
真香 {zhen1 xiang1}, 中藥異名 dalbergia (Dalbergiae Odiferae Lignum)
真心痛 {zhen1 xin1 tong4}, true heart pain
真性紅細胞增多症 {zhen1 xing4 hong2 xi4 bao1 zeng1 duo1 zheng4}, 西醫 polycythemia vera (PV)
真虛假實 {zhen1 xu1 jia3 shi2}, true vacuity and false repletion
真虛假實證 {zhen1 xu1 jia3 shi2 zheng4}, true vacuity and false repletion pattern
真血竭 {zhen1 xue4 jie2}, 中藥異名 dragon's blood (Daemonoropis Resina)
真牙 {zhen1 ya2}, wisdom tooth
真陽 {zhen1 yang2}, true yang2
真陽不足 {zhen1 yang2 bu4 zu2}, insufficiency of true yang2
真陽虛憊 {zhen1 yang2 xu1 bei4}, exhaustion of true yang2
真陰 {zhen1 yin1}, true yin1
真陰不足 {zhen1 yin1 bu4 zu2}, insufficiency of true yin1
真陰耗損 {zhen1 yin1 hao4 sun3}, wear on true yin1
真元 {zhen1 yuan2}, true origin
真元不足 {zhen1 yuan2 bu4 zu2}, insufficiency of the true origin
真元耗損喘 {zhen1 yuan2 hao4 sun3 chuan3}, true origin vacuity panting
真元下虛 {zhen1 yuan2 xia4 xu1}, vacuity of true origin in the lower body
真臟脈 {zhen1 zang4 mai4}, true visceral pulse
真臟色 {zhen1 zang4 se4}, true visceral color
真中風 {zhen1 zhong4 feng1}, true wind strike (stroke)
真朱 {zhen1 zhu1}, 中藥異名 pearl (Margarita)
真珠 {zhen1 zhu1}, 中藥異名 pearl (Margarita)
真珠菇 {zhen1 zhu1 gu1}, 中藥正名 sticky pholiota (Pholiota Nameko)
真珠母 {zhen1 zhu1 mu3}, 中藥異名 abalone shell (Haliotidis Concha)
真珠散 {zhen1 zhu1 san3}, 方名 Pearl Powder

【砧】 {zhen1} [Freq. 4] anvil; chopping block.
砧骨 {zhen1 gu3}, 西醫 incus

【針】 {zhen1} [Freq. 2] needle (n.), (v.) (also 鍼 {zhen1}. 毫針 {hao2 zhen1}, filiform needle;

三稜針 {san1 leng2 zhen1}, three-edged needle).
針博士 {zhen1 bo2 shi4}, scholar of acupuncture
針刺 {zhen1 ci4}, acupuncture
針刺不痛 {zhen1 ci4 bu4 tong4}, painless needling
針刺麻醉 {zhen1 ci4 ma2 zui4}, acuanesthesia
針刺手法 {zhen1 ci4 shou3 fa3}, needle manipulation (technique)
針法 {zhen1 fa3}, acupuncture
針感 {zhen1 gan3}, needle sensation
針感走向 {zhen1 gan3 zou3 xiang4}, direction of the needle sensation
針過 {zhen1 guo4}, excessive needling; excessive needle stimulation
針劑 {zhen1 ji4}, injection fluid
針灸 {zhen1 jiu3}, acumoxatherapy
針灸大成 {zhen1 jiu3 da4 cheng2}, 書名 The Great Compendium of Acupuncture and Moxibustion (1601 (Ming2), Yang2 Ji4-Zhou1 楊繼洲)
針灸集成 {zhen1 jiu3 ji2 cheng2}, 書名 A Compilation of Acupuncture and Moxibustion (1874 (Qing1), Liao4 Run4-Hong2 廖潤鴻)
針灸甲乙經 {zhen1 jiu3 jia3 yi3 jing1}, 書名 The Systematized Canon of Acupuncture and Moxibustion (259 (?) (Three Kingdoms), {Huang2-Fu3 Mi4]! 皇甫謐)
針灸聚英 {zhen1 jiu3 ju4 ying1}, 書名 Gathered Blooms of Acupuncture and Moxibustion (1529 (Ming2), Gao1 Wu3} 高武)
針灸科 {zhen1 jiu3 ke1}, acumoxatherapy department (branch of medicine)
針灸療法 {zhen1 jiu3 liao2 fa3}, acumoxatherapy; acupuncture and moxibustion
針灸器材 {zhen1 jiu3 qi4 cai2}, acupuncture equipment
針灸銅人 {zhen1 jiu3 tong2 ren2}, bronze acupuncture figure
針灸學 {zhen1 jiu3 xue2}, acumoxatherapy
針麻 {zhen1 ma2}, acuanesthesia
針芒補瀉 {zhen1 mang2 bu3 xie4}, supplementation and drainage according to needle direction
針砂 {zhen1 sha1}, 中藥正名 needle filings (Acus Pulvis)
針頭補瀉 {zhen1 tou2 bu3 xie4}, supplementation and drainage according to needle direction
針瀉 {zhen1 xie4}, drain (with a needle in acupuncture)
針眼 {zhen1 yan3}, 西醫 sty; sty

【榛】 {zhen1} [Freq. 4] plant name.
榛蘑 {zhen1 mo2}, 中藥正名 shoestring fungus (Armillaria)
榛子 {zhen1 zi3}, 中藥正名 hazelnut (Coryli Semen)

【胗】 {zhen1} [Freq. 5] papule

【鍼】 {zhen1} [Freq. 5] needle (same as 針 {zhen1})

【&&9C75||】 {zhen1} [Freq. 4] halfbeak.
&&9C75||魚 {zhen1 yu2}, 中藥正名 halfbeak (Hemirhamphi Caro)

【&&441C||】 {zhen1} [Freq. 4] bloating.
&&441C||脹 {zhen1 zhang4}, bloating distention

~~ {zhen3} ~~
【枕】 {zhen3} [Freq. 4] pillow.
枕材 {zhen3 cai2}, 中藥正名 umbellate lindera wood (Linderae Umbellatae Lignum)
枕骨 {zhen3 gu3}, 西醫 occipital bone; pillow bone; occipital bone (Occipital Bone); 腧穴異名 GB-11 (Pillow Bone); 腧穴異名 GB-11
枕瓜 {zhen3 gua1}, 中藥異名 wax gourd (Benincasae Fructus)
枕肌 {zhen3 ji1}, 西醫 occipitalis muscle
枕禿 {zhen3 tu1}, pillow baldness
枕中丹 {zhen3 zhong1 dan1}, 方名 Pillow Elixir

【疹】 {zhen3} [Freq. 2] papule (n.) (斑疹 {ban1 zhen3}, macules and papules).
疹出不暢 {zhen3 chu1 bu4 chang4}, inhibited emergence of papules
疹出不利 {zhen3 chu1 bu4 li4}, inhibited emergence of papules
疹出即收 {zhen3 chu1 ji2 shou1}, disappearance of papules immediately after eruption
疹發不出 {zhen3 fa1 bu4 chu1}, non-eruption of papules
疹回 {zhen3 hui2}, disappearance of papules
疹子 {zhen3 zi3}, papules

【診】 {zhen3} [Freq. 2] examine (v.), examination (n.) (四診 {si4 zhen3}, the four examinations).
診尺膚 {zhen3 chi3 fu1}, cubit skin examination
診斷 {zhen3 duan4}, diagnosis; diagnosis
診法 {zhen3 fa3}, examination
診籍 {zhen3 ji2}, case record
診脈 {zhen3 mai4}, examine the pulse; pulse examination
診胸腹 {zhen3 xiong1 fu4}, examination of the chest and abdomen
診虛里 {zhen3 xu1 li3}, vacuous li examination; xu li examination; apical pulse examination
診指紋 {zhen3 zhi3 wen2}, finger vein examination

~~ {zhen4} ~~

【振】 {zhen4} [Freq. 3] shake; quiver; rouse.

振胞瘀痛 {zhen4 bao1 yu1 tong4}, eyelid tremor with stasis pain

振法 {zhen4 fa3}, thumping

振奮陽氣 {zhen4 fen4 yang2 qi4}, vitalize yang2 qi4; vitalize yang2 qi4

振寒 {zhen4 han2}, quivering with cold

振栗 {zhen4 li4}, shivering; quivery (adj.)

【陣】 {zhen4} [Freq. 4] short time; spell; gust; paryoxism.

陣發痛 {zhen4 fa1 tong4}, paroxysmal pain

陣發性睡眠性血紅蛋白尿 {zhen4 fa1 xing4 shui4 min2 xing4 xue4 hong2 dan4 bai2 niao4}, 西醫 paroxysmal nocturnal hemoglobinuria

陣發性心動過速方 {zhen4 fa1 xing4 xin1 dong4 guo4 su4 fang1}, 方名 Paroxysmal Tachycardia Formula

陣發性心搏過速 {zhen4 fa1 xing4 xin1 ho2 guo4 su4}, 西醫 paroxysmal tachycardia

【震】 {zhen4} [Freq. 2] tremble (v.); tremor (n.) (震顫 {zhen4 chan4}, tremor); shake.

震顫 {zhen4 chan4}, tremor

震顫痲痺 {zhen4 chan4 ma2 bi4}, 西醫 paralysis agitans

震靈丹 {zhen4 ling2 dan1}, 方名 Rousing Spirit Elixir

【鎮】 {zhen4} [Freq. 2] settle (v.) (鎮肝熄風 {zhen4 gan1 xi1 feng1}, settle the liver and extinguish wind}; 鎮驚{zhen4 jing1}, {settle} fright; 重真藥{zhong4 zhen4 yao4}, heavy settling medicinals).

鎮喘 {zhen4 chuan3}, settle panting

鎮肝 {zhen4 gan1}, settle the liver

鎮肝潛陽 {zhen4 gan1 qian2 yang2}, settle the liver and subdue yang2

鎮肝熄風 {zhen4 gan1 xi1 feng1}, settle the liver and extinguish wind

鎮肝熄風湯 {zhen4 gan1 xi1 feng1 tang1}, 方名 Liver-Settling Wind-Extinguishing Decoction

鎮江醋 {zhen4 jiang1 cu4}, 中藥正名 Zhenjiang vinegar (Acetum Zhenjiangensis)

鎮降肝陽 {zhen4 jiang4 gan1 yang2}, settle and downbear kidney yang2

鎮驚 {zhen4 jing1}, settle fright

鎮驚安神 {zhen4 jing1 an1 shen2}, settle fright and quiet the spirit

鎮痙 {zhen4 jing4}, settle tetany

鎮靜 {zhen4 jing4}, tranquilize

鎮靜安神 {zhen4 jing4 an1 shen2}, tranquilize and quiet the spirit

鎮靜催眠 {zhen4 jing4 cui1 mian2}, tranquilize and induce sleep

鎮咳 {zhen4 ke2}, settle cough
鎮降腎氣 {zhen4 meng2 iu3 hen4 qi4}, settle and downbear kidney qi4
鎮納 {zhen4 na4}, settle and promote absorption; settling and promoting absorption
鎮納法 {zhen4 na4 fa3}, settling and promoting absorption
鎮逆白虎湯 {zhen4 ni4 bai2 hu3 tang1}, 方名 Counterflow-Settling White Tiger Decoction
鎮潛 {zhen4 qian2}, settle and subdue
鎮腎決明丸 {zhen4 shen4 jue2 ming2 wan2}, 方名 Kidney-Settling Abalone Shell Pill
鎮心 {zhen4 xin1}, settle the heart
鎮心通竅而安神 {zhen4 xin1 tong1 qiao4 er2 an1 shen2}, settle the heart, free the orifices, and quiet the spirit

~~ {zheng1} ~~
【怔】 {zheng1} [Freq. 3] fearful (怔忡 {zheng1 chong1}, fearful throbbing).
怔忡 {zheng1 chong1}, fearful throbbing

【爭】 {zheng1} [Freq. 4] struggle (正邪相爭 {zheng4 xie2 xiang1 zheng1}, struggle between right and evil)

【蒸】 {zheng1} [Freq. 2] steam (v.) (骨蒸潮熱 {gu3 zheng1 chao2 re4}, steaming bone tidal fever; 酒蒸{steam} with liquor; 暑濕郁蒸{shu3 shi1 yu4 zheng1}, depressed {steaming} summerheat-damp).
蒸餅 {zheng1 bing3}, 中藥正名 steamed wheat cake (Tritici Placenta Vaporata)
蒸化 {zheng1 hua4}, distill
蒸餾水 {zheng1 liu2 shui3}, 中藥正名 distilled water (Aqua Distillata)
蒸露 {zheng1 lu4}, distill
蒸氣吸入療法 {zheng1 qi4 xu1 ru4 liao2 fa3}, steam inhaling therapy
蒸食 {zheng1 shi2}, steam and eat; eat steamed
蒸眼一方 {zheng1 yan3 yi1 fang1}, 方名 Eye Steaming Formula
蒸制 {zheng1 zhi4}, steam

【徵】 {zheng1} [Freq. 3] zheng1 (note of heart-fire).
徵象 {zheng1 xian4}, sign

【癥】 {zheng1} [Freq. 2] concretion (n.) (癥瘕 {zheng1 jia3}, concretions and conglomerations; 酒癥 {jiu3 zheng1}, drinker's {concretion}).
癥瘕 {zheng1 jia3}, concretions and conglomerations
癥瘕積聚 {zheng1 jia3 ji1 ju4}, concretions, conglomerations, accumulations, and gatherings

(abbreviation for concretions, conglomerations, accumulations, and gatherings); concretions and gatherings
癥瘕癖塊 {zheng1 jia3 pi3 kuai4}, concretions, conglomerations, and aggregation lumps
癥塊 {zheng1 kuai4}, concretion lumps
癥癖 {zheng1 pi3}, concretions and aggregations
癥疝 {zheng1 shan4}, concretion mounting

~~ {zheng3} ~~
【整】 {zheng3} [Freq. 4] whole; correct (v.).
整體觀念 {zheng3 ti3 guan1 nian4}, holism
整體治療 {zheng3 ti3 zhi4 liao2}, holistic treatment

~~ {zheng4} ~~
【正】 {zheng4} [Freq. 2] right (adj.), (n.) (正氣 {zheng4 qi4}, right qi4); regular (adj.) (正經 {zheng4 jing1}, regular channel); straight (adj.) (正治 {zheng4 zhi4}, straight treatment); medial (正頭痛 {medial headache}, medial headache).
正常脈 {zheng4 chang2 mai4}, normal pulse
正常舌苔 {zheng4 chang2 she2 tai1}, normal tongue fur
正常舌象 {zheng4 chang2 she2 xiang4}, normal tongue
正骨 {zheng4 gu3}, ulna (bone setting and relocation); bone righting
正骨工具 {zheng4 gu3 gong1 ju4}, bone-righting equipment
正骨科 {zheng4 gu3 ke1}, bone righting department (branch of medicine)
正骨手法 {zheng4 gu3 shou3 fa3}, bone-righting manipulation
正骨燙藥 {zheng4 gu3 tang4 yao4}, 方名 Bone-Righting Hot Pack
正骨推拿 {zheng4 gu3 tui1 na2}, bone-righting tui1na2
正骨紫金丹 {zheng4 gu3 zi3 jin1 dan1}, 方名 Bone-Righting Purple Gold Elixir
正鰹 {zheng4 jian1}, 中藥正名 oceanic bonito (Katsuwonus Pelamis)
正睛 {zheng4 jing1}, eyes looking straight ahead
正經 {zheng4 jing1}, regular channel
正面 {zheng4 mian4}, 腧穴異名 GV-25 (Center of the Face)
正偏頭痛 {zheng4 pian1 tou2 tong4}, unbiased and hemilateral headache; ambilateral and hemilateral headache
正氣 {zheng4 qi4}, right qi4
正氣不足 {zheng4 qi4 bu4 zu2}, insufficiency of right qi4
正氣大虛 {zheng4 qi4 da4 xu1}, major vacuity of right qi4
正氣天香散 {zheng4 qi4 tian1 xiang1 san3}, 方名 Qi4-Righting Lindera and Cyperus Powder

正氣虛 {zheng4 qi4 xu1}, vacuity of right qi4
正容湯 {zheng4 rong2 tang1}, 方名 Face-Righting Decoction
正色 {zheng4 se4}, right complexion
正水 {zheng4 shui3}, regular water
正頭痛 {zheng4 tou2 tong4}, medial headache
正邪 {zheng4 xie2}, regular evil
正邪相爭 {zheng4 xie2 xiang1 zheng1}, struggle between right and evil
正虛邪戀證 {zheng4 xu1 xie2 lian4 zheng4}, pattern of right vacuity and abiding evil
正虛邪實 {zheng4 xu1 xie2 shi2}, right vacuity and evil repletion
正虛飲結 {zheng4 xu1 yin3 jie2}, right vacuity and rheum bind
正陽散 {zheng4 yang2 san3}, 方名 Yang2-Righting Powder
正營 {zheng4 ying2}, 腧穴正名 GB-17 (Upright Construction)
正治 {zheng4 zhi4}, straight treatment (e.g., treating cold with heat)
正治法 {zheng4 zhi4 fa3}, straight treatment (e.g., treating cold with heat)
正佐藥 {zheng4 zuo3 yao4}, direct assistant

【症】 {zheng4} [Freq. 2] pathocondition (n.) (interchangeable with 證 {zheng4}. 熱症 {re4 zheng4}, heat pathocondition).
症因脈治 {zheng4 yin1 mai4 zhi4}, 書名 Pathoconditions: Causes, Pulses, and Treatments (1641 (Ming2), Qin2 Jing3-Ming2 秦景明)
症狀 {zheng4 zhuang4}, symptom

【鄭】 {zheng4} [Freq. 4] repeated; surname.
鄭梅澗 {zheng4 mei2 jian4}, Zheng4 Mei2-Jian4
鄭聲 {zheng4 sheng1}, muttering
鄭語 {zheng4 yu3}, mussitation

【證】 {zheng4} [Freq. 2] sign (n.) (熱證 {re4 zheng4}, a heat sign); pattern (n.) (熱證 {re4 zheng4}, heat pattern).
證候 {zheng4 hou4}, pattern; sign
證候錯雜 {zheng4 hou4 cuo4 za2}, complex patterns
證候相兼 {zheng4 hou4 xiang1 jian1}, concurrent patterns
證候真假 {zheng4 hou4 zhen1 jia3}, true and false patterns
證型 {zheng4 xing2}, pattern type
證治要訣 {zheng4 zhi4 yao4 jue2}, 書名 Essential Rhymes for Patterns and Treatment (Ming2 (1368--1644), Dai4 Si1-Gong1 戴思恭 [Yuan2-Li3 原禮])
證治準繩 {zheng4 zhi4 zhun3 sheng2}, 書名 The Level-Line of Pattern Identification and Treatment (1602 (Ming2), Wang2 Ken3-Tang2} 王肯堂)

~~ {zhi1} ~~

【之】 {zhi1} [Freq. 5] third person object pronoun (him, her, it, them); subordinating particle corresponding to the English 's

【支】 {zhi1} [Freq. 2] prop (n.).
支膈 {zhi1 ge2}, propped diaphragm
支溝 {zhi1 gou1}, 腧穴正名 TB-6 (Branch Ditch)
支解香 {zhi1 jie3 xiang1}, 中藥異名 clove (Caryophylli Flos)
支連 {zhi1 lian2}, 中藥異名 coptis (Coptidis Rhizoma)
支滿 {zhi1 man3}, propping fullness
支氣管 {zhi1 qi4 guan3}, 西醫 bronchi
支氣管肺炎 {zhi1 qi4 guan3 fei4 yan2}, 西醫 bronchopneumonia
支氣管痙攣 {zhi1 qi4 guan3 jing4 luan2}, 西醫 bronchospasm
支氣管擴張 {zhi1 qi4 guan3 kuo4 zhang1}, 西醫 bronchiectasis; bronchiectasis
支氣管炎 {zhi1 qi4 guan3 yan2}, 西醫 bronchitis
支氣管炎哮喘 {zhi1 qi4 guan3 yan2 xiao4 chuan3}, 西醫 bronchial asthma
支飲 {zhi1 yin3}, propping rheum
支飲家 {zhi1 yin3 jia1}, person who suffers from propping rheum
支正 {zhi1 zheng4}, 腧穴正名 SI-7 (Branch to the Correct)
支子 {zhi1 zi3}, 中藥異名 gardenia (Gardeniae Fructus)

【汁】 {zhi1} [Freq. 3] juice

【枝】 {zhi1} [Freq. 3] branch; twig.
枝豆 {zhi1 dou4}, 中藥異名 soybean (Sojae Semen)
枝兒條 {zhi1 er2 tiao2}, 中藥正名 Dahurian lespedeza (Lespedezae Davuricae Herba)
枝核 {zhi1 he2}, 中藥異名 litchee pit (Litchi Semen)
枝子 {zhi1 zi3}, 中藥異名 gardenia (Gardeniae Fructus)

【知】 {zhi1} [Freq. 4] know.
知柏八味丸 {zhi1 bai3 ba1 wei4 wan2}, 方名 Anemarrhena and Phellodendron Eight-Ingredient Pill
知柏地黃丸 {zhi1 bai3 di4 huang2 wan2}, 方名 Anemarrhena, Phellodendron, and Rehmannia Pill
知柏四物湯 {zhi1 bai3 si4 wu4 tang1}, 方名 Anemarrhena and Phellodendron Four Agents Decoction

知力遲鈍 {zhi1 li4 chi2 dun4}, intellectual torpor
知利介 {zhi1 li4 jie4}, 腧穴異名 GV-12 (Wisdom's Advantage Armor)
知利氣 {zhi1 li4 qi4}, 腧穴異名 GV-12 (Wisdom's Advantage Qi4)
知母肉 {zhi1 mu3 rou4}, 中藥異名 anemarrhena (Anemarrhenae Rhizoma)
知母飲 {zhi1 mu3 yin3}, 方名 Anemarrhena Beverage
知母 {zhi1 mu3, 中藥正名 anemarrhena (Anemarrhenae Rhizoma)

【肢】 {zhi1} [Freq. 2] limb (n.) (四肢 {si4 zhi1}, the [four] limbs).
肢體困重 {zhi1 Ti3 kun4 zhong4}, heavy cumbersome limbs
肢端動脈痙攣病 {zhi1 duan1 dong4 mai4 jing4 luan2 bing4}, 西醫 Raynaud's disease
肢端肥大病 {zhi1 duan1 fei2 da4 bing4}, 西醫 acromegaly
肢節煩疼 {zhi1 jie2 fan2 teng2}, vexing pain in the limb joints
肢節疼痛 {zhi1 jie2 teng2 tong4}, painful limb joints
肢節疼痛腫大 {zhi1 jie2 teng2 tong4 zhong3 da4}, pain, swelling, and enlargement of the limb joints
肢節痛 {zhi1 jie2 tong4}, pain in the limb joints
肢倦 {zhi1 juan4}, fatigued limbs
肢倦乏力 {zhi1 juan4 fa2 li4}, fatigued limbs and lack of strength
肢厥 {zhi1 jue2}, limb reversal
肢冷 {zhi1 leng3}, cold limbs
肢冷畏寒 {zhi1 leng3 wei4 han2}, cold limbs and fear of cold
肢酸 {zhi1 suan1}, aching limbs
肢體 {zhi1 ti3}, limb; limbs and body
肢體變形 {zhi1 ti3 bian4 xing}, deformity of the limbs
肢體冰冷 {zhi1 ti3 bing1 leng3}, icy cold limbs
肢體不遂 {zhi1 ti3 bu4 sui4}, paralysis of the limbs
肢體拘攣 {zhi1 ti3 ju1 luan2}, hypertonicity of the limbs
肢體困倦 {zhi1 ti3 kun4 juan4}, cumbersome fatigued limbs
肢體麻木 {zhi1 ti3 ma2 mu4}, numbness of the limbs
肢體難伸 {zhi1 ti3 nan2 shen1}, difficulty in stretching the limbs
肢體酸重疼痛 {zhi1 ti3 suan1 zhong4 teng2 tong4}, heavy aching limbs
肢體疼痛 {zhi1 ti3 teng2 tong4}, pain in the limbs; limb pain
肢體痿癈 {zhi1 ti3 wei3 fei4}, disabled wilted limbs
肢體痿軟無力 {zhi1 ti3 wei3 ruan3 wu2 li4}, limp wilting limbs
肢腫按之沒指 {zhi1 ti3 zhong3 an4 zhi1 mo4 zhi3}, swelling of the limbs that rebounds on release of pressure
肢體重&&7740|{zhi1 ti3 zhong4 zhuo2}, fixed heavy limbs
肢顫 {zhi1 zhan4}, trembling limbs

【芝】 {zhi1} [Freq. 4] plant name.
芝麻 {zhi1 ma2}, 中藥異名 sesame (Sesami Semen)
芝麻殼 {zhi1 ma2 qiao4 (ke2)}, 中藥正名 sesame husk (Sesami Pericarpium)

【胝】 {zhi1} [Freq. 4] callus (胼胝 {pian2 zhi1}, callus)

【砥】 {zhi1} [Freq. 4] grindstone.
砥母 {zhi1 mu3}, 中藥異名 anemarrhena (Anemarrhenae Rhizoma)

【脂】 {zhi1} [Freq. 3] fat; resin.
脂瘤 {zhi1 liu2}, fatty tumor
脂麻 {zhi1 ma2}, 中藥正名 sesame (Sesami Semen)
脂肉 {zhi1 rou4}, fat and flesh

【梔】 {zhi1} [Freq. 4] gardenia.
梔連二陳湯 {zhi1 lian2 er4 chen2 tang1}, 方名 Gardenia and Coptis Two Matured Ingredients Decoction
梔子 {zhi1 zi3}, 中藥異名 gardenia (Gardeniae Fructus)
梔子柏皮湯 {zhi1 zi3 bai3 pi2 tang1}, 方名 Gardenia and Phellodendron Decoction
梔子豉湯 {zhi1 zi3 chi3 tang1}, 方名 Gardenia and Fermented Soybean Decoction
梔子大黃湯 {zhi1 zi3 da4 huang2 tang1}, 方名 Gardenia and Rhubarb Decoction
梔子豆豉湯 {zhi1 zi3 dou4 chi3 tang1}, 方名 Gardenia and Fermented Soybean Decoction
梔子甘草豉湯 {zhi1 zi3 gan1 cao3 chi3 tang1}, 方名 Gardenia, Licorice, and Fermented Soybean Decoction
梔子干薑湯 {zhi1 zi3 gan1 jiang1 tang1}, 方名 Gardenia and Dried Ginger Decoction
梔子厚朴湯 {zhi1 zi3 hou4 po4 tang1}, 方名 Gardenia and Officinal Magnolia Bark Decoction
梔子花 {zhi1 zi3 hua1}, 中藥異名 gardenia flower (Gardeniae Flos)
梔子花根 {zhi1 zi3 hua1 gen1}, 中藥異名 gardenia root (Gardeniae Radix)
梔子清肝湯 {zhi1 zi3 qing1 gan1 tang1}, 方名 Gardenia Liver-Draining Decoction
梔子仁粥 {zhi1 zi3 ren2 zhou1}, 方名 Gardenia Gruel
梔子生薑豉湯 {zhi1 zi3 sheng1 jiang1 chi3 tang1}, 方名 Gardenia, Fresh Ginger, and Fermented Soybean Decoction
梔子炭 {zhi1 zi3 tan4}, 中藥異名 charred gardenia (Gardeniae Fructus Carbonisatus)
梔子葉 {zhi1 zi3 ye4}, 中藥異名 gardenia leaf (Gardeniae Folium)

【蜘】 {zhi1} [Freq. 4] spider.
蜘蛛 {zhi1 zhu1}, 中藥正名 spider (Aranea)

蜘蛛抱蛋 {zhi1 zhu1 bao4 dan4}, 中藥正名 aspidistra root (Aspidistrae Elatioris Rhizoma)
蜘蛛瘡 {zhi1 zhu1 chuang1}, spider sore
蜘蛛鼓 {zhi1 zhu1 gu3}, spider drum
蜘蛛臌 {zhi1 zhu1 gu3}, spider drum distention
蜘蛛果 {zhi1 zhu1 guo3}, 中藥正名 long-leaved campanumoea (Campanumoeae Lancifoliae Radix)
蜘蛛膜 {zhi1 zhu1 mo2}, 西醫 arachnoid
蜘蛛蛻殼 {zhi1 zhu1 tui4 qiao4 (ke2)}, 中藥正名 spider's molting (Araneae Periostracum)
蜘蛛網 {zhi1 zhu1 wang3}, 中藥正名 spider's web (Araneae Araneum)
蜘蛛香 {zhi1 zhu1 xiang1}, 中藥正名 valeriana root (Valerianae Rhizoma)

~~ {zhi2} ~~
【直】 {zhi2} [Freq. 3] straight; direct; perpendicular.
直腸 {zhi2 chang2}, 西醫 rectum (Rectum); 腧穴異名 BL-56
直腸息肉 {zhi2 chang2 xi1 rou4}, 西醫 proctopolypus (rectal polyp, polyp of rectum)
直刺 {zhi2 ci4}, perpendicular insertion
直寸 {zhi2 cun4}, vertical inch
直火&&7145|{zhi2 huo3 duan4}, direct calcination
直接灸 {zhi2 jie1 jiu3}, direct moxibustion
直立 {zhi2 li4}, 腧穴正名 Erect Posture
直視 {zhi2 shi4}, forward-staring eyes
直壓指法 {zhi2 ya1 zhi3 fa3}, lengthwise palpation
直針刺 {zhi2 zhen1 ci4}, direct subcutaneous needling (one of the twelve needling methods)
直中 {zhi2 zhong4}, direct strike
直中三陰 {zhi2 zhong4 san1 yin1}, direct strike on the triple yin1
直中陰經 {zhi2 zhong4 yin1 jing1}, directly striking the yin1 channels

【植】 {zhi2} [Freq. 4] plant.
植物名實圖考 {zhi2 wu4 ming2 shi2 tu2 kao3}, 書名 Plants and Their Names Illustrated
植物油 {zhi2 wu4 you2}, 中藥正名 vegetable oil (Oleum Vegetale)

【殖】 {zhi2} [Freq. 5] reproduce (生殖之精 {sheng1 zhi2 zhi1 jing1}, reproductive essence)

【職】 {zhi2} [Freq. 5] office (official post) (失職 {shi1 zhi2}, failure to perform its office, i.e., impairment)

【躑】 {zhi2} [Freq. 4] walk to and fro (躑躅 {zhi2 zhu2}, walk to and fro).

躑躅花 {zhi2 zhu2 hua1}, 中藥異名 yellow azalea (Rhododendri Mollis Flos)

【跖】 {zhi2} [Freq. 3] bottom of the foot; distal portion of the inferior aspect of the great toe.
跖疣 {zhi2 you2}, 西醫 verruca plantaris

【蹠】 {zhi2} [Freq. 4] metatarsus; sole of foot.
蹠骨 {zhi2 gu3}, 西醫 metatarsal bones

~~ {zhi3} ~~
【止】 {zhi3} [Freq. 2] suppress (v.) (止咳 {zhi3 ke2}, suppress cough); check (v.) (止帶 {zhi3 dai4}, check vaginal discharge); allay (v.) (止渴 {zhi3 ke3}, allay thirst); stanch (v.) (止血 {zhi3 xue4}, stanch bleeding); relieve (止痛 {zhi3 tong4}, relieve pain); stop (祛風止抽 {qu1 feng1 zhi3 chou1}, dispel wind and stop convulsions).
止白帶 {zhi3 bai2 dai4}, check vaginal discharge
止搐 {zhi3 chu4}, check convulsions
止大便下血 {zhi3 da4 bian4 xia4 xue4}, check descent of the blood with the stool
止帶 {zhi3 dai4}, check vaginal discharge; checks vaginal discharge
止帶方 {zhi3 dai4 fang1}, 方名 Discharge-Checking Formula
止帶片 {zhi3 dai4 pian4}, 方名 Discharge-Checking Tablet
止帶下 {zhi3 dai4 xia4}, check vaginal discharge
止呃逆 {zhi3 e4 ni4}, check belching
止腹瀉 {zhi3 fu4 xie4}, check diarrhea
止寒嘔 {zhi3 han2 ou3}, check cold retching
止汗 {zhi3 han4}, check sweating
止汗散 {zhi3 han4 san3}, 方名 Perspiration-Checking Powder
止汗藥 {zhi3 han4 yao4}, sweat-checking medicinals
止驚 {zhi3 jing1}, check fright
止痙 {zhi3 jing4}, check tetany
止痙散 {zhi3 jing4 san3}, 方名 Tetany-Relieving Powder
止咳 {zhi3 ke2}, suppress cough
止咳化痰 {zhi3 ke2 hua4 tan2}, suppress cough and transform phlegm
止咳化痰收斂藥 {zhi3 ke2 hua4 tan2 shou1 lian3 yao4}, cough-suppressing, phlegm-transforming, and astriction-promoting medicinal
止咳化痰藥 {zhi3 ke2 hua4 tan2 yao4}, cough-suppressing phlegm-transforming medicinal
止咳平喘劑 {zhi3 ke2 ping2 chuan3 ji4}, cough-suppressing panting-calming formula
止咳平喘藥 {zhi3 ke2 ping2 chuan3 yao4}, cough-suppressing panting-calming medicinal
止咳藥 {zhi3 ke2 yao4}, cough-suppressing medicinal

止渴 {zhi3 ke3}, allay thirst
止淚散 {zhi3 lei4 san3}, 方名 Tear-Checking Powder
止痢 {zhi3 li4}, check dysentery
止尿頻 {zhi3 niao4 pin2}, check urinary frequency
止嘔 {zhi3 ou3}, check retching; check vomiting; 腧穴正名 Retching Stopper
止嘔吐 {zhi3 ou3 tu4}, check vomiting and retching
止嗽化痰定喘丸 {zhi3 sou4 hua4 tan2 ding4 chuan3 wan2}, 方名 Cough-Suppressing Phlegm-Transforming Panting-Stabilizing Pill
止嗽散 {zhi3 sou4 san3}, 方名 Cough-Stopping Powder
止疼痛 {zhi3 teng2 tong4}, relieve pain
止痛 {zhi3 tong4}, relieve pain
止痛如神湯 {zhi3 tong4 ru2 shen2 tang1}, 方名 Divine Pain-Relief Decoction
止痛穴 {zhi3 tong4 xue2}, 腧穴異名 Pain Relief Point
止吐 {zhi3 tu4}, arrest vomiting
止泄 {zhi3 xie4}, check diarrhea
止瀉 {zhi3 xie4}, check diarrhea; 腧穴正名 Diarrhea Stopper
止瀉木皮 {zhi3 xie4 mu4 pi2}, 中藥正名 holarrhena (Holarrhenae Cortex)
止泄瀉 {zhi3 xie4 xie4}, check diarrhea
止心痛 {zhi3 xin1 tong4}, relieve heart pain
止血 {zhi3 xue4}, stanch bleeding
止血安胎 {zhi3 xue4 an1 tai1}, stanch bleeding and quiet the fetus
止血崩 {zhi3 xue4 beng1}, stanch flooding
止血粉 {zhi3 xue4 fen3}, 方名 Blood-Stanching Powder
止血劑 {zhi3 xue4 ji4}, blood-stanching formula
止血散 {zhi3 xue4 san3}, 方名 Blood-Stanching Powder
止血湯 {zhi3 xue4 tang1}, 方名 Blood-Stanching Decoction
止血消瘀 {zhi3 xue4 xiao1 yu1}, staunch bleeding and disperse stasis
止血藥 {zhi3 xue4 yao4}, blood-stanching medicinal
止癢 {zhi3 yang3}, relieve itching; 腧穴正名 Itch Reliever
止癢穴 {zhi3 yang3 xue2}, 腧穴異名 Itch-Relieving Point
止遺精 {zhi3 yi2 jing1}, check seminal emission
止遺尿 {zhi3 yi2 niao4}, check enuresis

【芷】 {zhi3} [Freq. 4] plant name.
芷 {zhi3}, 中藥異名 Dahurian angelica (Angelicae Dahuricae Radix)

【指】 {zhi3} [Freq. 3] finger.
指寸法 {zhi3 cun4 fa3}, finger standard

指疔 {zhi3 ding1}, clove sore of the finger
指動脈 {zhi3 dong4 mai4}, 西醫 digital arteries
指法 {zhi3 fa3}, finger technique (pulse taking)
指縫濕爛 {zhi3 feng4 shi1 lan4}, damp erosion between the fingers
指骨 {zhi3 gu3}, 西醫 phalanges
指甲變薄 {zhi3 jia3 bian4 bo2}, thin nails
指甲變脆 {zhi3 jia3 bian4 cui4}, brittle nails
指甲變形 {zhi3 jia3 bian4 xing2}, deformed nails
指甲發脆 {zhi3 jia3 fa1 cui4}, brittle nails
指甲花 {zhi3 jia3 hua1}, 中藥異名 garden balsam flower (Impatientis Balsaminae Flos)
指甲花葉 {zhi3 jia3 hua1 ye4}, 中藥正名 henna (Lawsoniae Folium)
指甲桃花 {zhi3 jia3 tao2 hua1}, 中藥異名 garden balsam flower (Impatientis Balsaminae Flos)
指甲易折 {zhi3 jia3 yi4 zhe2}, brittle nails
指甲色淡 {zhi3 jiao3 se4 dan4}, pale-colored nails
指節黑爛 {zhi3 jie2 hei1 lan4}, black putrefying knuckles
指井 {zhi3 jing3}, 腧穴異名 BL-67 (Digit Well)
指迷茯苓丸 {zhi3 mi2 fu2 ling2 wan2}, 方名 Pathfinder Poria Pill
指迷七氣湯 {zhi3 mi2 qi1 qi4 tang1}, 方名 Pathfinder Seven Qi4 Decoction
指目 {zhi3 mu4}, eye of the finger; digital eye
指切進針法 {zhi3 qie4 jin4 zhen1 fa3}, finger-press needle insertion
指三關 {zhi3 san1 guan1}, three bars of the finger
指天椒 {zhi3 tian1 jiao1}, 中藥正名 red cluster pepper (Capsici Fasciculati Fructus)
指頭腫痛 {zhi3 tou2 zhong3 tong4}, painful swelling of the fingers
指壓 {zhi3 ya1}, shiatsu; acupressure
指壓推拿 {zhi3 ya1 tui1 na2}, finger-pressing tui1na2; shiatsu tui1na2
指掌 {zhi3 zhang3}, 腧穴正名 Metacarpophalangeal
指針 {zhi3 zhen1}, acupressure

【紙】 {zhi3} [Freq. 4] paper.
紙漿煨 {zhi3 jiang1 wei1}, paper-wrap roast
紙肉 {zhi3 rou4}, 中藥異名 oroxylum (Oroxyli Semen)

【趾】 {zhi3} [Freq. 3] toe.
趾長屈肌 {zhi3 chang2 qu1 ji1}, 西醫 long flexor muscle of the toes
趾長伸肌 {zhi3 chang2 shen1 ji1}, 西醫 long extensor muscle of the toes
趾疔 {zhi3 ding1}, clove sore of the toe
趾骨 {zhi3 gu3}, 西醫 phalanges; phalanges
趾平 {zhi3 ping2}, 腧穴正名 Flat Toes

趾紋 {zhi3 wen2}, 腧穴正名 Toe Crease

【枳】 {zhi3} [Freq. 4] bitter orange.
枳根皮 {zhi3 gen1 pi2}, 中藥正名 poncirus root bark (Ponciri Trifoliatae Radicis Cortex)
枳橘湯 {zhi3 ju2 tang1}, 方名 Bitter Orange and Tangerine Peel Decoction
枳椇根 {zhi3 ju4 gen1}, 中藥正名 honey tree root (Hoveniae Radix)
枳椇木皮 {zhi3 ju4 mu4 pi2}, 中藥正名 honey tree bark (Hoveniae Cortex)
枳椇木汁 {zhi3 ju4 mu4 zhi1}, 中藥正名 honey tree sap (Hoveniae Succus)
枳椇葉 {zhi3 ju4 ye4}, 中藥正名 honey tree leaf (Hoveniae Folium)
枳椇粥 {zhi3 ju4 zhou1}, 方名 Hovenia Gruel
枳椇子 {zhi3 ju4 zi3}, 中藥正名 honey tree fruit (Hoveniae Fructus seu Semen)
枳殼散 {zhi3 ke2 san3}, 方名 Bitter Orange Powder
枳殼 {zhi3 qiao4 (ke2), 中藥正名 bitter orange (Aurantii Fructus)
枳茹 {zhi3 ru2}, 中藥正名 poncirus bark (Ponciri Trifoliatae Cortex)
枳實導滯丸 {zhi3 shi2 dao3 zhi4 wan2}, 方名 Unripe Bitter Orange Stagnation-Abducting Pill
枳實瓜樓桂枝湯 {zhi3 shi2 gua1 lou2 gui4 zhi1 tang1}, 方名 Unripe Bitter Orange, Trichosanthes, and Cinnamon Twig Decoction
枳實理中丸 {zhi3 shi2 li3 zhong1 wan2}, 方名 Unripe Bitter Orange Center-Rectifying Pill
枳實消痞丸 {zhi3 shi2 xiao1 pi3 wan2}, 方名 Unripe Bitter Orange and Glomus-Dispersing Pill
枳實薤白桂枝湯 {zhi3 shi2 xie4 bai2 gui4 zhi1 tang1}, 方名 Unripe Bitter Orange, Chinese Chive, and Cinnamon Twig Decoction
枳實梔子豉湯 {zhi3 shi2 zhi1 zi3 chi3 tang1}, 方名 Unripe Bitter Orange, Gardenia, and Fermented Soybean Decoction
枳實 {zhi3 shi2, 中藥正名 unripe bitter orange (Aurantii Fructus Immaturus)
枳縮二陳湯 {zhi3 suo1 er4 chen2 tang1}, 方名 Unripe Bitter Orange and Amomum Two Matured Ingredients Decoction
枳棗 {zhi3 zao3}, 中藥異名 honey tree fruit (Hoveniae Fructus seu Semen)
枳朮湯 {zhi3 zhu2 tang1}, 方名 Unripe Bitter Orange and White Atractylodes Decoction
枳朮丸 {zhi3 zhu2 wan2}, 方名 Unripe Bitter Orange and White Atractylodes Pill

~~ {zhi4} ~~
【至】 {zhi4} [Freq. 3] supreme; consummate.
至寶丹 {zhi4 bao3 dan1}, 方名 Supreme Jewel Elixir
至榮 {zhi4 rong2}, 腧穴異名 GB-16 (Arriving at Splendor)
至虛有盛候 {zhi4 xu1 you3 sheng4 hou4}, consummate vacuity producing signs of exuberance
至陽 {zhi4 yang2}, consummate yang2 (Extremity of Yang2); 腧穴正名 GV-9

至陰 {zhi4 yin1}, consummate yin1 (Reaching Yin1); 膀穴正名 BL-67
至掌 {zhi4 zhang3}, 中藥異名 leech (Hirudo)

【志】 {zhi4} [Freq. 2] mind (n.); record (n.).
志室 {zhi4 shi4}, 膀穴正名 BL-52 (BL-47) (Will Chamber)
志通 {zhi4 tong1}, 中藥異名 polygala (Polygalae Radix)

【制】 {zhi4} [Freq. 2] restrain (v.) (壯水制陽 {zhung4 shui3 zhi4 yang2}, invigorate water to restrain yang2); dam (v.) (培土制水 {pei2 tu3 zhi4 shui3}, bank up earth to dam water); control (v.) (制胃酸 {zhi4 wei4 suan1}, control stomach acid); process (制劑 {zhi4 ji4}, preparation of medicinals).
制高 {zhi4 gao1}, 膀穴正名 Controlling High
制高俞 {zhi4 gao1 shu1}, 膀穴異名 Controlling High Transport
制化 {zhi4 hua4}, restraining and engendering transformation
制劑 {zhi4 ji4}, preparation of medicinals
制絨 {zhi4 rong2}, flossing (drug processing)
制霜 {zhi4 shuang1}, frosting (drug processing)
制酸 {zhi4 suan1}, control acid
制丸機 {zhi4 wan2 ji1}, pill machine
制胃酸 {zhi4 wei4 suan1}, control stomach acid
制性存用 {zhi4 xing4 cun2 yong4}, counteract each other's nature without detracting from each other's effect

【治】 {zhi4} [Freq. 2] treat (v.), treatment (n.) (治法 {zhi4 fa3}, method of treatment; 治療 {zhi4 liao2}, treat); control (v.) (治風化痰 {zhi4 feng1 hua4 tan2}, control wind und transform phlegm).
治白血病方 {zhi4 bai2 xue4 bing4 fang1}, 方名 Leukemia Formula
治本 {zhi4 ben3}, treat the root
治崩證極驗方 {zhi4 beng1 zheng4 ji2 yan4 fang1}, 方名 Well-Tested Uterine Bleeding Formula
治標 {zhi4 biao1}, treat the tip
治標不如治本 {zhi4 biao1 bu4 ru2 zhi4 ben3}, treatment of the tip is less important than treatment of the root
治病 {zhi4 bing4}, treat disease
治病必求于本 {zhi4 bing4 bi4 qiu2 yu2 ben3}, to treat disease, it is necessary to seek the root
治病法則 {zhi4 bing4 fa3 ze2}, principle of treatment; therapeutic principle
治病求本 {zhi4 bing4 qiu2 ben3}, in treating disease, determine the root
治腸癰 {zhi4 chang2 yong1}, treat intestinal welling-abscess

治喘 {zhi4 chuan3}, 腧穴異名 Panting Cure
治打撲一方 {zhi4 da3 pu3 yi1 fang1}, 方名 No.~1 Falls Formula
治帶下 {zhi4 dai4 xia4}, treat vaginal discharge
治疔毒 {zhi4 ding1 du2}, treat clove-sore toxin
治呃逆 {zhi4 e4 ni4}, treats hiccup
治法 {zhi4 fa3}, method of treatment
治法機要 {zhi4 fa3 ji1 yao4}, 書名 Essentials of Treatment Methods
治肺癰 {zhi4 fei4 yong1}, treat pulmonary welling-abcess
治風法 {zhi4 feng1 fa3}, wind-controlling method
治風化痰 {zhi4 feng1 hua4 tan2}, control wind and transform phlegm
治風痰 {zhi4 feng1 tan2}, treat wind-phlegm
治風先治血 {zhi4 feng1 xian1 zhi4 xue4}, to treat wind, first treat the blood
治風先治血，血行風自滅 {zhi4 feng1 xian1 zhi4 xue4, xue4 xing2 feng1 zi4 mie4}, to treat wind first treat the blood; when the blood moves wind naturally disappears
治腹內蟲方 {zhi4 fu4 nei4 chong2 fang1}, 方名 Abdominal Worm Formula
治肝胃氣滯 {zhi4 gan1 wei4 qi4 zhi4}, treat liver-stomach qi4 stagnation
治喉痛藥 {zhi4 hou2 tong4 yao4}, medicinical treating sore throat
治腳氣 {zhi4 jiao3 qi4}, treat leg qi4
治節不利 {zhi4 jie2 bu4 li4}, inhibited management and regulation
治咳 {zhi4 ke2}, treat cough
治痢 {zhi4 li4}, treat dysentery
治療範圍 {zhi4 lian2 fan4 wei2}, scope of treatment
治療 {zhi4 liao2}, treat (disease); treatment
治療原則 {zhi4 liao2 yuan2 ze2}, principle of treatment; therapeutic principle
治聾（一） {zhi4 long2 (1)}, 腧穴異名 Deafness Cure \#1
治聾（二） {zhi4 long2 (2)}, 腧穴異名 Deafness Cure \#2
治聾（三） {zhi4 long2 (3)}, 腧穴異名 Deafness Cure \#3
治聾（四） {zhi4 long2 (4)}, 腧穴異名 Deafness Cure \#4
治聾新１號 {zhi4 long2 xin1 (2)}, 腧穴正名 New Deafness Cure \#1
治聾新２號 {zhi4 long2 xin1 (2)}, 腧穴正名 New Deafness Cure \#2
治聾新３號 {zhi4 long2 xin1 (3)}, 腧穴異名 New Deafness Cure \#3
治聾新４號 {zhi4 long2 xin1 (4)}, 腧穴異名 New Deafness Cure \#4
治聾新５號 {zhi4 long2 xin1 (5)}, 腧穴異名 New Deafness Cure \#5
治聾新６號 {zhi4 long2 xin1 (6)}, 腧穴異名 New Deafness Cure \#6
治聾新７號 {zhi4 long2 xin1 (7)}, 腧穴異名 New Deafness Cure \#7
治聾新８號 {zhi4 long2 xin1 (8)}, 腧穴異名 New Deafness Cure \#8
治梅毒瘡方 {zhi4 mei2 du2 chuang1 fang1}, 方名 Syphilitic Sores Formula
治腦（一） {zhi4 nao3 (1)}, 腧穴正名 Brain Cure \#1

治腦（二） {zhi4 nao3 (2)}, 腧穴正名 Brain Cure \#2
治腦（三） {zhi4 nao3 (3)}, 腧穴正名 Brain Cure \#3
治腦（四） {zhi4 nao3 (4)}, 腧穴正名 Brain Cure \#4
治膿胸方 {zhi4 nong2 xiong1 fang1}, 方名 Pyothorax Formula
治瘧 {zhi4 nue94}, control malaria
治瘧疾 {zhi4 nue94 ji2}, treat malaria
治求其屬 {zhi4 qiu2 qi2 shu3}, treatment demands [correct] attribution [of signs]
治乳癰 {zhi4 ru3 yong1}, treat mammary welling-abscesses
治疝 {zhi4 shan4}, treat mounting
治疝氣疼痛 {zhi4 shan4 qi4 teng2 tong4}, treats mounting qi4 pain
治疝痛 {zhi4 shan4 tong4}, treat mounting pain
治傷消瘀丸 {zhi4 shang1 xiao1 yu2 wan2}, 方名 Injury Stasis-Dispersing Pill
治癱（一） {zhi4 tan1 (1)}, 腧穴正名 Paralysis Cure \#1
治癱（二） {zhi4 tan1 (2)}, 腧穴正名 Paralysis Cure \#2
治癱（三） {zhi4 tan1 (3)}, 腧穴正名 Paralysis Cure \#3
治癱（四） {zhi4 tan1 (4)}, 腧穴正名 Paralysis Cure \#4
治癱（五） {zhi4 tan1 (5)}, 腧穴異名 Paralysis Cure \#7
治癱（六） {zhi4 tan1 (6)}, 腧穴正名 Paralysis Cure \#6
治癱（七） {zhi4 tan1 (7)}, 腧穴異名 Paralysis Cure \#7
治痰熱結滯 {zhi4 tan2 re4 jie2 zhi4}, treat phlegm-heat binding stagnation
治頭瘡一方 {zhi4 tou2 chuang1 yi1 fang1}, 方名 Head Sores Formula
治未病 {zhi4 wei4 bing4}, treat disease before it arises
治削 {zhi4 xue4}, sorting and sizing (drug processing)
治遺精 {zhi4 yi2 jing1}, treat seminal emission
治乙腦方 {zhi4 yi3 nao3 fang1}, 方名 Encephalitis Formula
治癰瘍法 {zhi4 yong1 yang2 fa3}, method for treating welling-abscesses and sores
治則 {zhi4 ze2}, principle of treatment; therapeutic principle
治則八法 {zhi4 ze2 ba1 fa3}, eight methods of treatment
治折傷方 {zhi4 zhe2 shang1 fang1}, 方名 Fracture Formula
治中湯 {zhi4 zhong1 tang1}, 方名 Center-Ordering Decoction
治轉筋 {zhi4 zhuan3 jin1}, 腧穴正名 Cramp Cure
治濁固本丸 {zhi4 zhuo2 gu4 ben3 wan2}, 方名 Anti-Turbidity Root-Securing Pill

【炙】 {zhi4} [Freq. 2] mix-fry (v.) (炙甘草 {zhi4 gan1 cao3}, mix-fried licorice).
炙甘草湯 {zhi4 gan1 cao3 tang1}, 方名 Honey-Fried Licorice Decoction

【秩】 {zhi4} [Freq. 3] order; sequence.
秩邊 {zhi4 bian1}, 腧穴正名 BL-54 (Sequential Limit)

【痔】 {zhi4} [Freq. 2] hemorrhoid (n.), usually (pl.), hemorrhoids (葡萄痔 {pu2 tao2 zhi4}, grape hemorrhoids); pile (n.) (耳痔 {er3 zhi4}, ear pile).
痔瘡 {zhi4 chuang1}, hemorrhoid; pile; hemorrhoids
痔瘡便血 {zhi4 chuang1 bian4 xue4}, hemorrhoids with blood stool
痔瘡出血 {zhi4 chuang1 chu1 xue4}, bleeding from hemorrhoids
痔瘡疼痛 {zhi4 chuang1 teng2 tong4}, painful hemorrhoids
痔瘡下血 {zhi4 chuang1 xia4 xue4}, hemorrhoids with descent of blood
痔瘡腫痛 {zhi4 chuang1 zhong3 tong4}, painful swollen hemorrhoids
痔核 {zhi4 he2}, hemorrhoid
痔疾 {zhi4 ji2}, hemorrhoidal disease; diseases of the anus
痔漏 {zhi4 lou4}, hemorrhoids and fistulas
痔痛出血 {zhi4 tong4 chu1 xue4}, painful, bleeding hemorrhoids
痔血 {zhi4 xue4}, hemorrhoidal bleeding; bleeding hemorrhoids

【窒】 {zhi4} [Freq. 4] 西醫 asphyxiation.
窒息 {zhi4 xi1}, 西醫 asphyxiation

【智】 {zhi4} [Freq. 4] wisdom.
智齒 {zhi4 chi3}, wisdom tooth
智利毛 {zhi4 li4 mao2}, 腧穴異名 GV-12 (Wisdom's Advantage Hair)
智能落後 {zhi4 neng2 luo4 hou4}, 西醫 mental retardation

【痣】 {zhi4} [Freq. 5] mole (of the skin, e.g., 血痣 {xue4 zhi4}, blood mole)

【蛭】 {zhi4} [Freq. 5] leech

【稚】 {zhi4} [Freq. 4] young.
稚陰稚陽 {zhi4 yin1 zhi4 yang2}, tender yin1 and tender yang2
雉 {zhi4}, 中藥正名 ring-necked pheasant (Phasiani Colchici Torquati Caro)
雉肝 {zhi4 gan1}, 中藥正名 ring-necked pheasant's liver (Phasiani Colchici Torquati Iecur)
雉腦 {zhi4 nao3}, 中藥正名 ring-necked pheasant's brain (Phasiani Colchici Torquati Cerebrum)
雉尾 {zhi4 wei3}, 中藥正名 ring-necked pheasant's tail (Phasiani Colchici Torquati Pluma Caudae)

【滯】 {zhi4} [Freq. 2] stagnate (v.), stagnation (n.), stagnant (adj.) (氣滯 {qi4 zhi4}, qi4 stagnation).

滯產 {zhi4 chan3}, delivery stagnation (difficult delivery)
滯積 {zhi4 ji1}, stagnation and accumulation
滯膩 {zhi4 ni4}, stagnating and slimy
滯下 {zhi4 xia4}, stagnant diarrhea
滯頤 {zhi4 yi2}, dribbling (in infants)
滯針 {zhi4 zhen1}, stuck needle

【製】 {zhi4} [Freq. 4] make; process.
製成片劑 {zhi4 cheng2 pian4 ji4}, make into tablets

【質】 {zhi4} [Freq. 4] substance.
質重 {zhi4 zhong4}, heavy in substance
質子 {zhi4 zi3}, 西醫 proton

【猘】 {zhi4} [Freq. 4] rabid.
猘犬咬傷毒不出 {zhi4 quan3 yao3 shang1 du2 bu4 chu1}, rabid dog bite toxin failing to come out

【猘】 {zhi4} [Freq. 4] rabid.
猘犬 {zhi4 quan3}, rabid dog

【瘈】 {zhi4} [Freq. 5] tugging (n.) (see 瘛 {chi4})

~~ {zhong1} ~~
【中】 {zhong1} [Freq. 2] center (n.), central (n.) (in the five phases, position associated with earth; in the body, the stomach and spleen. 補中益氣{bu3 zhong1 yi4 qi4}, supplement the {center} and boost qi); middle (n.), (adj.) (中焦 {zhong1 jiao1}, middle burner).
中按 {zhong1 an4}, feel the mid-level (pulse)
中草藥 {zhong1 cao3 yao4}, Chinese medicinals and herbal medicines
中成藥 {zhong1 cheng2 yao4}, ready-prepared Chinese medicine; proprietary Chinese medicine
中沖 {zhong1 chong1}, 腧穴正名 PC-9 (Central Hub)
中搭手 {zhong1 da1 shou3}, reachable sore of the middle back
中丹田 {zhong1 dan1 tian2}, middle cinnabar field
中都 {zhong1 du1}, 腧穴正名 LV-6 (Central Metropolis) (Central Metropolis); 腧穴異名 HT-7; 腧穴異名 Central Metropolis
中都穴 {zhong1 du1 xue2}, central metropolis point
中瀆 {zhong1 du2}, 腧穴正名 GB-32 (Central River)

中耳 {zhong1 er3}, 西醫 middle ear
中耳腔 {zhong1 er3 qiang1}, 西醫 cavity of the middle ear
中耳炎 {zhong1 er3 yan2}, 西醫 otitis media
中發背 {zhong1 fa1 bei4}, effusion of the middle of the back
中飯 {zhong1 fan4}, lunch
中封 {zhong1 feng1}, 腧穴正名 LV-4 (Mound Center)
中風 {zhong1 feng1}, 西醫 stroke
中風不省人事 {zhong1 feng1 bu4 xing3 ren2 shi4}, wind strike (stroke) with failure to recognize people
中風痱 {zhong1 feng1 fei2}, wind strike (stroke) disability
中風口眼歪斜 {zhong1 feng1 kou3 yan3 wai1 xie2}, wind strike (stroke) with deviated eyes and mouth
中風痰盛 {zhong1 feng1 tan2 sheng4}, wind strike (stroke) with exuberant phlegm
中府 {zhong1 fu3}, 腧穴正名 LU-1 (Central Treasury)
中管 {zhong1 guan3}, 腧穴異名 CV-12 (Central Duct)
中國針灸學會 {zhong1 gui2 zhen1 jiu3 xue2 hui4}, China Association of Acupuncture and Moxibustion
中國鵝莓 {zhong1 guo2 e2 mei2}, 中藥異名 Chinese gooseberry (Actinidiae Chinensis Fructus)
中國黃點鮪 {zhong1 guo2 huang2 dian3 fu3}, 中藥正名 thornback ray (Platyrhina Sinensis)
中國民族醫藥學會 {zhong1 guo2 min2 zu2 yi1 yao4 xue2 hui4}, Chinese Association of Minority Medicine
中國藥膳 {zhong1 guo2 yao4 shan4}, Chinese medicinal food
中國醫學大詞典 {zhong1 guo2 yi1 xue2 da4 ci2 dian3}, 書名 Greater Dictionary of Chinese Medicine
中國醫學史 {zhong1 guo2 yi1 xue2 shi3}, Chinese medical history
中國中西醫結合學會 {zhong1 guo2 zhong1 xi1 yi1 jie2 he2 xue2 hui4}, Chinese Association of the Integration of Traditional and Western Medicine
中寒 {zhong1 han2}, center cold
中行 {zhong1 hang2}, midline
中和湯 {zhong1 he2 tang1}, 方名 Center Harmony Decoction
中華中醫藥學會 {zhong1 hua2 zhong1 yi1 yao4 xue2 hui4}, China Association of Traditional Chinese Mdicine and Pharmacy
中黃膏 {zhong1 huang2 gao1}, 方名 Center Yellow Paste
中極 {zhong1 ji2}, 腧穴正名 CV-3 (Central Pole)
中肩井 {zhong1 jian1 jing3}, 腧穴異名 LI-15 (Central Shoulder Well)
中焦 {zhong1 jiao1}, center burner
中焦病 {zhong1 jiao1 bing4}, center burner disease

中焦病證 {zhong1 jiao1 bing4 zheng4}, center burner disease pattern
中焦寒濕 {zhong1 jiao1 han2 shi1}, center burner cold-damp
中焦寒性腹痛 {zhong1 jiao1 han2 xing4 fu4 tong4}, center burner cold-type abdominal pain
中焦脾胃 {zhong1 jiao1 pi2 wei4}, center burner and the spleen and stomach
中焦氣滯 {zhong1 jiao1 qi4 zhi4}, center burner qi4 stagnation
中焦如漚 {zhong1 jiao1 ru2 ou1}, center burner is like foam
中焦濕熱 {zhong1 jiao1 shi1 re4}, center burner damp-heat; center burner damp-heat
中焦濕熱證 {zhong1 jiao1 shi1 re4 zheng4}, center burner damp-heat pattern
中焦濕盛 {zhong1 jiao1 shi1 sheng4}, exuberant dampness in the center burner
中焦實熱 {zhong1 jiao1 shi2 re4}, center burner repletion heat
中焦實熱證 {zhong1 jiao1 shi2 re4 zheng4}, center burner repletion heat pattern
中焦俞 {zhong1 jiao1 shu1}, 腧穴正名 Central Burner Transport
中焦虛寒 {zhong1 jiao1 xu1 han2 c}, center burner vacuity cold
中焦陽虛 {zhong1 jiao1 yang2 xu1}, center burner yang2 vacuity
中焦有濕 {zhong1 jiao1 you3 shi1}, dampness in the center burner
中焦燥熱 {zhong1 jiao1 zao4 re4}, center burner dryness-heat
中焦主化 {zhong1 jiao1 zhu3 hua4}, center burner governs transformation
中接 {zhong1 jie1}, 腧穴正名 Center Connection
中精之腑 {zhong1 jing1 zhi1 fu3}, bowel of center essence (the gallbladder)
中空 {zhong1 kong1}, 腧穴正名 Center Hollow (Central Hole); 腧穴異名 BL-33
中魁 {zhong1 kui2}, 腧穴正名 Central Eminence (Central Eminence); 腧穴異名 LI-5
中&&91C3.9ACE|{zhong1 liao2}, 腧穴正名 BL-33 (Central Bone-Hole)
中靈草 {zhong1 ling2 cao3}, 中藥異名 codonopsis (Codonopsis Radix)
中膂 {zhong1 lu93}, 腧穴異名 BL-29 (Central Backbone)
中膂內俞 {zhong1 lu93 nei4 shu1}, 腧穴異名 BL-29 (Central Backbone Inner Transport)
中膂俞 {zhong1 lu93 shu1}, 腧穴正名 BL-29 (Central Backbone Transport)
中滿 {zhong1 man3}, center fullness
中滿分消湯 {zhong1 man3 fen1 xiao1 tang1}, 方名 Center Fullness Separating and Dispersing Decoction
中滿分消丸 {zhong1 man3 fen1 xiao1 wan2}, 方名 Center Fullness Separating and Dispersing Pill
中滿者瀉之于內 {zhong1 man3 zhe3 xie4 zhi1 yu2 nei4}, center fullness is treated by draining the inner body
中品 {zhong1 pin3}, medium grade
中平 (足) {zhong1 ping2}, 腧穴正名 Central Balance (Foot)
中平(手) {zhong1 ping2 shou3}, 腧穴正名 Central Balance (Hand)
中氣 {zhong1 qi4}, center qi4
中氣不足 {zhong1 qi4 bu4 zu2}, insufficiency of center qi4

中氣怯弱 {zhong1 qi4 qie4 ruo4}, timidity of center qi4
中氣下陷 {zhong1 qi4 xia4 xian4}, center qi4 fall
中氣虛弱 {zhong1 qi4 xu1 ruo4}, center qi4 vacuity
中清之腑 {zhong1 qing1 zhi1 fu3}, bowel of center clearness (the gallbladder)
中取 {zhong1 qu3}, feel the mid-level (pulse)
中泉 {zhong1 quan2}, 腧穴正名 Central Spring
中石疽 {zhong1 shi2 ju1}, middle-body stone flat-abscess
中守 {zhong1 shou3}, 腧穴異名 CV-9 (Central Guard)
中樞 {zhong1 shu1}, 腧穴正名 GV-7 (Central Pivot)
中樞神經系統 {zhong1 shu1 shen2 jing1 xi4 tong4}, 西醫 central nervous system
中樞神經興奮 {zhong1 shu1 shen2 jing1 xing1 fen4}, 西醫 excitation of the central nervous system
中庭 {zhong1 ting2}, 腧穴正名 CV-16 (Center Palace)
中土 {zhong1 tu3}, center-earth
中土氣敗 {zhong1 tu3 qi4 bai4}, vanquished center-earth qi4
中醫推拿學 {zhong1 tui1 na2 xue2}, Chinese tui1na2 (massage therapy)
中脘 {zhong1 wan3}, 腧穴正名 CV-12 (Central Stomach Duct); middle stomach duct
中&&90C4|{zhong1 xi1}, 腧穴異名 BL-40 (Central Cleft) (Central Cleft); 腧穴異名 LV-6
中西醫結合 {zhong1 xi1 yi1 jie2 he2}, integration of Chinese and Western medicine
中線面 {zhong1 xian4 mian4}, 西醫 mesial surface
中消 {zhong1 xiao1}, center dispersion; center dispersion; center burner dispersion-thirst
中陽不振 {zhong1 yang2 bu4 zhen4}, devitalized center yang2
中陽不足 {zhong1 yang2 bu4 zu2}, insufficiency of center yang2
中藥 {zhong1 yao4}, Chinese medicinal
中藥化學 {zhong1 yao4 hua4 xue2}, Chinese medicinal chemistry
中藥鑑別學 {zhong1 yao4 jian4 bie2 xue2}, identification of Chinese medicinals
中藥炮製學 {zhong1 yao4 pao4 zhi4 xue2}, identification of Chinese medicinals
中藥師 {zhong1 yao4 shi1}, Chinese medical pharmacist
中藥學 {zhong1 yao4 xue2}, Chinese pharmacy
中藥藥劑學 {zhong1 yao4 yao4 ji4 xue2}, Chinese pharmaceutics
中藥藥理學 {zhong1 yao4 yao4 li3 xue2}, pharmacology of Chinese medicinals
中藥製劑分析 {zhong1 yao4 zhi4 ji4 fen1 xi1}, analysis of Chinese medicinal forms
中藥製劑學 {zhong1 yao4 zhi4 ji4 xue2}, Chinese pharmaceutics
中醫 {zhong1 yi1}, Chinese medicine
中醫兒科 {zhong1 yi1 er2 ke1}, Chinese pediatrics
中醫兒科學 {zhong1 yi1 er2 ke1 xue2}, Chinese pediatrics
中醫耳鼻喉科 {zhong1 yi1 er3 bi2 hou2 ke1}, Chinese otorhinolaryngology
中醫耳鼻喉科學 {zhong1 yi1 er3 bi2 hou2 ke1 xue2}, Chinese otorhinolaryngology

中醫婦科 {zhong1 yi1 fu4 ke1}, Chinese gynecology
中醫婦科學 {zhong1 yi1 fu4 ke1 xue2}, Chinese gynecology
中醫肛腸科 {zhong1 yi1 gang1 chang2 ke1}, Chinese proctology
中醫肛腸學 {zhong1 yi1 gang1 chang2 xue2}, Chinese proctology
中醫各家學說 {zhong1 yi1 ge4 jia1 xue2 shuo1}, schools of Chinese medical theory
中醫骨傷科 {zhong1 yi1 gu3 shang1 ke1}, Chinese osteo-traumatology
中醫骨傷科學 {zhong1 yi1 gu3 shang1 ke1 xue2}, Chinese osteo-traumatology
中醫護理學 {zhong1 yi1 hu4 li3 xue2}, Chinese nursing
中醫基礎理論 {zhong1 yi1 ji1 chu3 li3 lun4}, basic theory of Chinese medicine
中醫急診學 {zhong1 yi1 ji2 zhen3 xue2}, Chinese emergency treatment
中醫康復學 {zhong1 yi1 kang1 fu4 xue2}, Chinese rehabilitation
中醫內科 {zhong1 yi1 nei4 ke1}, Chinese internal medicine
中醫內科學 {zhong1 yi1 nei4 ke1 xue2}, Chinese internal medicine
中醫皮膚科 {zhong1 yi1 pi2 fu1 ke1}, Chinese dermatology
中醫師 {zhong1 yi1 shi1}, Chinese medical physician
中醫外科 {zhong1 yi1 wai4 ke1}, Chinese external medicine; Chinese surgery
中醫文獻學 {zhong1 yi1 wen2 xian4 xue2}, Chinese medical literature
中醫學 {zhong1 yi1 xue2}, Chinese medicine
中醫眼科 {zhong1 yi1 yan3 ke1}, Chinese ophthalmology
中醫養生學 {zhong1 yi1 yang3 sheng1 xue2}, Chinese health cultivation
中醫藥 {zhong1 yi1 yao4}, Chinese medicine (and pharmacy)
中醫藥學 {zhong1 yi1 yao4 xue2}, Chinese medicine (and pharmacy)
中醫診斷學 {zhong1 yi1 zhen3 duan4 xue2}, Chinese medical diagnostics
中運不健 {zhong1 yun4 bu4 jian4}, center failing to move and transform
中藏經 {zhong1 zang4 jing1}, 書名 Central Treasury Canon (2nd century (Eastern Han4}), attributed to Hua4 Tuo2 華佗 (?))
中正之官 {zhong1 zheng4 zhi1 guan1}, office of justice (the gallbladder)
中指 {zhong1 zhi3}, middle finger
中指同身寸 {zhong1 zhi3 tong2 shen1 cun4}, center finger body inch
中渚 {zhong1 zhu3}, 腧穴正名 TB-3 (Central Islet)
中注 {zhong1 zhu4}, 腧穴正名 KI-15 (Central Flow)

【鐘】 {zhong1} [Freq. 4] bell.
鐘乳 {zhong1 ru3}, 中藥異名 stalactite (Stalactitum)
鐘乳鵝管石 {zhong1 ru3 e2 guan3 shi2}, 中藥正名 stalactite goose quill stone (Stalactitum Eguanshi)
鐘乳粉 {zhong1 ru3 fen3}, 中藥正名 powdered stalactite (Stalactitum Pulveratum)
鐘乳石 {zhong1 ru3 shi2}, 中藥正名 stalactite (Stalactitum)

鐘乳丸 {zhong1 ru3 wan2}, 方名 Stalactite Pill

~~ {zhong3} ~~

【腫】 {zhong3} [Freq. 2] swelling (n.) (水腫 {shui3 zhong3}, water swelling; 咽喉腫痛{yan1 hou2 zhong3 tong4}, sore swollen throat).

腫牛截秘方 {zhong3 ban4 jie2 mi4 fang1}, 方名 Swelling Formula

腫毒 {zhong3 du2}, toxin swelling

腫節風 {zhong3 jie2 feng1}, 中藥異名 sarcandra (Sarcandrae Ramulus et Folium)

腫塊 {zhong3 kuai4}, swelling

腫手花根 {zhong3 shou3 hua1 gen1}, 中藥異名 kansui (Kansui Radix)

腫瘍 {zhong3 yang2}, swollen sore

腫脹 {zhong3 zhang4}, swelling; swelling and distention; swollen and distended

腫脹舌 {zhong3 zhang4 she2}, swollen tongue

【種】{zhong3} [Freq. 5] kind (九種心痛 {jiu3 zhong3 xin1 tong4}, nine kinds of heart pain. See also 種 {zhong4})

【踵】 {zhong3} [Freq. 5] heel

~~ {zhong4} ~~

【中】 {zhong4} [Freq. 2] strike (v.), (n.), stroke (n.) (直中三陰 {zhi2 zhong4 san1 yin1}, direct strike on the triple yin); stroke (中風 {zhong4 feng1}, wind strike).

中病 {zhong4 bing4}, strike the disease (i.e., eliminate it)

中毒 {zhong4 du2}, toxin stroke

中惡 {zhong4 e4}, malignity stroke

中風 {zhong4 feng1}, wind strike (stroke)

中風閉證 {zhong4 feng1 bi4 zheng4}, wind strike (stroke) block pattern

中風不語 {zhong4 feng1 bu4 yu3}, wind strike (stroke) with loss of speech

中風後遺症 {zhong4 feng1 hou4 yi2 zheng4}, sequelae of wind strike

中風口噤 {zhong4 feng1 kou3 jin4}, wind strike (stroke) clenched jaw

中風氣塞 {zhong4 feng1 qi4 sai1}, wind strike (stroke) qi4 blockage

中風舌強不語 {zhong4 feng1 she2 jiang4 bu4 yu3}, wind strike (stroke) with stiffness of the tongue preventing speech

中風脫證 {zhong4 feng1 tuo1 zheng4}, wind strike (stroke) desertion pattern

中腑 {zhong4 fu3}, bowel stroke

中寒 {zhong4 han2}, cold stroke

中經 {zhong4 jing1}, channel stroke
中經絡 {zhong4 jing1 luo4}, channel and network stroke
中絡 {zhong4 luo4}, network stroke
中人 {zhong4 ren2}, strike-on-person
中暑 {zhong4 shu3}, summerheat stroke
中暍 {zhong4 ye4}, thermoplegia
中臟 {zhong4 zang4}, visceral stroke
中臟腑 {zhong4 zang4 fu3}, bowel and visceral stroke; organ stroke
中燥 {zhong4 zao4}, dryness stroke
中暑眩暈 {zhong4 zhu3 xuan4 yun1}, summerheat stroke dizziness

【重】 {zhong4} [Freq. 2] heavy (adj.), heaviness (n.) (重鎮安神 {zhong4 zhen4 an1 shen2}, to quiet the spirit with {heavy settlers}; 四肢困重{si4 zhi1 kun4 zhong4} {heavy} cumbersome limbs; 頭重如裹{tou2 zhong4 ru2 guo3}, head heavy as if swathed).
重按 {zhong4 an4}, press heavily; apply heavy pressure
重方 {zhong4 fang1}, heavy formula (an even-number formula used after an odd-number formula has failed)
重劑 {zhong4 ji4}, heavy formula
重漿 {zhong4 jiang4}, 腧穴異名 CV-24 (Heavy Sauce)
重可去怯 {zhong4 ke3 qu4 qie4}, heavy [medicinals] can eliminate timidity
重皮 {zhong4 pi2}, 中藥異名 officinal magnolia bark (Magnoliae Officinalis Cortex)
重傷陽氣 {zhong4 shang1 yang2 qi4}, severely damage yang2 qi4
重身 {zhong4 shen1}, pregnancy
重聽 {zhong4 ting1}, hardness of hearing
重痛 {zhong4 tong4}, heavy pain
重用 {zhong4 yong4}, make heavy use of
重鎮安神 {zhong4 zhen4 an1 shen2}, quiet the spirit with heavy settlers
重鎮安神收斂藥 {zhong4 zhen4 an1 shen2 shou1 lian3 yao4}, heavy settling spirit-quieting astringent medicinal
重鎮安心藥 {zhong4 zhen4 an1 xin1 yao4}, heavy settling heart-quieting formula
重鎮藥 {zhong4 zhen4 yao4}, heavy settling medicinal; heavy settler
重鎮之品 {zhong4 zhen4 zhi1 pin3}, heavy settling products
重證 {zhong4 zheng4}, severe pattern
重鎮安神藥 {zhong4 zheng4 an1 shen2 yao4}, heavy settling spirit-quieting medicinal
重症肌無力 {zhong4 zheng4 ji1 wu2 li2}, 西醫 myasthenia gravis

【種】 {zhong4} [Freq. 5] plant (seeds) (v.) (開郁種玉湯 {kai1 yu4 zhong4 yu4 tang1}, Depression-Opening Jade-Planting Decoction. See also 種 {zhong3})

~~ {zhou1} ~~

【州】 {zhou1} [Freq. 4] an administrative division.

州都之官 {zhou1 du1 zhi1 guan1}, river island official; Regional Rectifier

【舟】 {zhou1} [Freq. 4] boat.

舟車丸 {zhou1 che1 (ju1) wan2}, 方名 Boats and Carts Pill

舟楫 {zhou1 ji2}, oar; boat

舟楫之劑 {zhou1 ji2 zhi1 ji4}, boat medicinal (one that conduct others up to the upper burner)

舟楫之藥 {zhou1 ji2 zhi1 yao4}, boat medicinal (one that conducts others up to the upper burner)

【周】{zhou1} [Freq. 3] whole (approx. 11th cent. B.C.--221 B.C.); generalized (approx. 11th cent. B.C.--221 B.C.); Zhou1 (approx. 11th cent. B.C.--221 B.C.).

周痹 {zhou1 bi4}, generalized impediment

周谷 {zhou1 gu3}, 腧穴異名 LI-2 (Whole Valley)

周麻 {zhou1 ma2}, 中藥異名 cimicifuga (Cimicifugae Rhizoma)

周榮 {zhou1 rong2}, 腧穴正名 SP-20 (All-Round Flourishing)

周身 {zhou1 shen1}, whole body; generalized

周身不舒 {zhou1 shen1 bu4 shu1}, generalized discomfort

周身松 {zhou1 shen1 song1}, 中藥異名 Chinese glochidion root (Glochidionis Puberi Radix)

周升麻 {zhou1 sheng1 ma2}, 中藥異名 cimicifuga (Cimicifugae Rhizoma)

周圍神經系統 {zhou1 wei2 shen2 jing1 xi4 tong3}, 西醫 peripheral nervous system

周圍血管擴張 {zhou1 wei2 xue4 guan3 kuo4 zhang1}, 西醫 dilatatation peripheral blood vessels

周營 {zhou1 ying2}, 腧穴異名 SP-20 (All-Round Construction)

【粥】 {zhou1} [Freq. 5] gruel (n.) (龍眼肉粥 {long2 yan3 rou4 zhou1}, Longan Gruel); congee.

週時 {zhou1 shi2}, daily cycle

~~ {zhou3} ~~

【肘】 {zhou3} [Freq. 2] elbow.

肘關節 {zhou3 guan1 jie2}, elbow joint

肘后備急方 {zhou3 hou4 bei4 ji2 fang1}, 書名 Emergency Standby Remedies (Ge3 Hong2 葛洪 (281--341, Jin4))

肘后歌 {zhou3 hou4 ge1}, 書名 Song to Keep Up Your Sleeve

肘尖 {zhou3 jian1}, 腧穴正名 Tip of the Elbow (Tip of the Elbow); 腧穴異名 LI-12 (Tip of the Elbow); 腧穴異名 LV-13
肘勞 {zhou3 lao2}, elbow taxation
肘&&91C3.9ACE|{zhou3 liao2}, 腧穴正名 LI-12 (Elbow Bone-Hole)
肘俞 {zhou3 shu1}, 腧穴正名 Elbow Transport
肘腕 {zhou3 wan4}, elbow

~~ {zhou4} ~~
【咒】 {zhou4} [Freq. 4] incantation; curse.
咒禁博士 {zhou4 jin4 bo2 shi4}, doctor of incantations

【晝】 {zhou4} [Freq. 4] daytime.
晝夜無度 {zhou4 ye4 wu2 du4}, days and night without measure

【皺】 {zhou4} [Freq. 3] wrinkle (n.); wrinkled (adj.); crease.
皺肌 {zhou4 ji1}, 西醫 corrugator
皺腳 {zhou4 jiao3}, wrinkly foot
皺紋 {zhou4 wen2}, wrinkle; crease
皺葉芥 {zhou4 ye4 jie4}, 中藥異名 mustard leaf (Sinapis Folium)
皺葉羊蹄 {zhou4 ye4 yang2 ti2}, 中藥正名 maritime dock (Rumicis Maritimis Herba)

~~ {zhu1} ~~
【朱】 {zhu1} [Freq. 3] vermilion (n.), (adj.).
朱赤豆 {zhu1 chi4 dou4}, 中藥異名 rice bean (Phaseoli Semen)
朱丹 {zhu1 dan1}, 中藥異名 minium (Minium)
朱丹溪 {zhu1 dang1 xi1}, Zhu1 Dan1-Xi1
朱粉 {zhu1 fen3}, 中藥異名 minium (Minium)
朱茯神 {zhu1 fu2 shen2}, 中藥正名 cinnabar root poria (Poria cum Pini Radice et Cinnabare)
朱姑 {zhu1 gu1}, 中藥異名 cremastra/pleione [pseudobulb] (Cremastrae seu Pleiones Pseudobulbus)
朱果 {zhu1 guo3}, 中藥異名 cherry (Pruni Pseudocerasi Fructus)
朱雀丸 {zhu1 que4 wan2}, 方名 Red Birdie Pill
朱砂 {zhu1 sha1}, 中藥正名 cinnabar (Cinnabaris)
朱砂安神丸 {zhu1 sha1 an1 shen2 wan2}, 方名 Cinnabar Spirit-Quieting Pill
朱砂草 {zhu1 sha1 cao3}, 中藥正名 Cavalerie's sage (Salviae Cavaleriei Herba)
朱砂根 {zhu1 sha1 gen1}, 中藥正名 coral ardisia (Ardisiae Crenatae Radix)

朱砂根葉 {zhu1 sha1 gen1 ye4}, 中藥正名 coral ardisia leaf (Ardisiae Crenatae Folium)
朱砂蓮 {zhu1 sha1 lian2}, 中藥正名 Kaempfer's aristolochia (Aristolochiae Kaempferi Tuber)
朱砂手 {zhu1 sha1 shou3}, cinnabar hand
朱砂掌 {zhu1 sha1 zhang3}, cinnabar hand
朱桃 {zhu1 tao2}, 中藥異名 cherry (Pruni Pseudocerasi Fructus)
朱小豆 {zhu1 xiao3 dou4}, 中藥異名 rice bean (Phaseoli Semen)
朱子參 {zhu1 zi3 shen1, 中藥正名 greater ginseng (Panacis Majoris Rhizoma)

【侏】 {zhu1} dwarf 侏儒.
侏儒 {zhu1 ru2}, dwarfism
侏儒病 {zhu1 ru2 bing4}, 西醫 dwarfism

【珠】 {zhu1} [Freq. 3] pearl; zhu1 (a unit of measure equal to one twenty-fourth of a liang3).
珠半夏 {zhu1 ban4 xia4}, 中藥異名 pinellia (Pinelliae Rhizoma)
珠燈心 {zhu1 deng1 xin1}, 中藥正名 cinnabar (Junci Medulla cum Cinnabare)
珠頂 {zhu1 ding3}, 腧穴正名 Pearl Top
珠兒參 {zhu1 er2 shen1}, 中藥正名 pearl ginseng (Panacis Majoris Rhizoma Globuliforme)
珠黃散 {zhu1 huang2 san3}, 方名 Pearl and Bezoar Powder
珠蘭 {zhu1 lan2}, 中藥正名 spicate chloranthus stem and leaf (Chloranthi Spicati Caulis et Folium)
珠蘭根 {zhu1 lan2 gen1}, 中藥正名 spicate chloranthus root (Chloranthi Spicati Radix)
珠鹿茸 {zhu1 lu4 rong2}, 中藥異名 velvet deerhorn (Cervi Cornu Pantotrichum)
珠母 {zhu1 mu3}, 中藥異名 mother-of-pearl (Concha Margaritifera )
珠牡 {zhu1 mu3}, 中藥異名 mother-of-pearl (Concha Margaritifera )
珠玉二寶粥 {zhu1 yue4 er4 bao3 zhou1}, 方名 Pearls and Jade Gruel
珠子 {zhu1 zi3}, 中藥異名 pearl (Margarita)

【茱】 {zhu1} [Freq. 4] plant name.
茱苓草 {zhu1 ling2 cao3}, 中藥正名 Qingling gentian (Gentianae Tsinglingensis Herba)
茱萸 {zhu1 yu2}, 中藥異名 evodia (Evodiae Fructus)

【硃】 {zhu1} [Freq. 4] cinnabar.
硃砂 {zhu1 sha1}, 中藥異名 cinnabar (Cinnabaris)
硃砂根 {zhu1 sha1 gen1}, 中藥異名 coral ardisia (Ardisiae Crenatae Radix)

【蛛】 {zhu1} [Freq. 5] spider (蜘蛛 {zhi1 zhu1}, spider).
蛛網膜下腔出血 {zhu1 wang3 mo2 xia4 qiang1 chu1 xue4}, 西醫 subarachnoid hemorrhage

【諸】 {zhu1} [Freq. 3] all.

諸暴強直，皆屬于風 {zhu1 bao4 jiang4 zhi2, jie1 shu3 yu2 feng1}, all fulminant rigidity is ascribed to wind (one of the 19 pathomechanisms)

諸病跗腫，疼酸驚駭，皆屬于火 {zhu1 bing4 fu4 zhong3, teng2 suan1 jing1 hai4, jie1 shu3 yu2 huo3}, all diseases with aching pain and swelling of the instep, and fright are ascribed to fire (one of the 19 pathomechanisms)

諸病水液澄澈清冷，皆屬于寒 {zhu1 bing4 shui3 ye4 sheng2 che4 qing1 leng3, jie1 shu3 yu2 han2}, all disease with watery humors that are clear, pure, and cold is ascribed to cold (one of the 19 pathomechanisms)

諸病有聲，鼓之如鼓，皆屬于熱 {zhu1 bing4 you3 sheng1, gu3 zhi1 ru2 gu3, jie1 shu3 yu2 re4}, all diseases with [abdominal] sounds, where tapping makes a drum-like sound, are ascribed to heat (one of the 19 pathomechanisms)

諸病源候論 {zhu1 bing4 yuan2 hou4 lun4}, 書名 The Origin and Indicators of Disease (610 (Sui2), Chao2 Yuan2-Fang1 巢元方)

諸蟲 {zhu1 chong2}, worms

諸風掉眩，皆屬于肝 {zhu1 feng1 diao4 xuan4, jie1 shu3 yu2 gan1}, all wind with shaking and dizzy vision is ascribed to the liver (one of the 19 pathomechanisms)

諸腹脹大，皆屬于熱 {zhu1 fu4 zhang4 da4, jie1 shu3 yu2 re4}, all major abdominal distention is ascribed to heat (one of the 19 pathomechanisms)

諸葛行軍散 {zhu1 ge3 xing2 jun1 san3}, 方名 Zhuge's Troop-Marching Powder

諸寒收引，皆屬于腎 {zhu1 han2 shou1 yin3, jie1 shu3 yu2 shen4}, all cold with contracture and tautness is ascribed to the kidney (one of the 19 pathomechanisms)

諸禁鼓栗，如喪神守，皆屬于火 {zhu1 jin4 gu3 li4, ru2 sang1 shen2 shou3, jie1 shu3 yu2 huo3}, all clenching, shuddering, and chattering [of the jaws] with the seeming loss of the spirit's presence is ascrib (one of the 19 pathomechanisms)

諸痙項強，皆屬于濕 {zhu1 jing4 xiang4 jiang4, jie1 shu3 yu2 shi1}, all tetany and rigidity of the neck is ascribed to dampness (one of the 19 pathomechanisms)

諸厥固泄，皆屬于下 {zhu1 jue2 gu4 xie4, jie1 shu3 yu2 xia4}, all reversal with constipation or diarrhea is ascribed to the lower body (one of the 19 pathomechanisms)

諸逆沖上，皆屬于火 {zhu1 ni4 chong1 shang4, jie1 shu3 yu2 huo3}, all counterflow upsurging is ascribed to fire (one of the 19 pathomechanisms)

諸嘔吐酸，暴注下迫，皆屬于熱 {zhu1 ou3 tu4 suan, bao4 zhu4 xia4 po4, jie1 shu3 yu2 re4}, all sour retching and vomiting, and fulminant downpour with lower-body distress are ascribed to heat (one of the 19 pathomechanisms)

諸氣臌郁，皆屬于肺 {zhu1 qi4 fen4 yu4, jie1 shu3 yu2 fei4}, all qi4 huffing and depression is ascribed to the lung (one of the 19 pathomechanisms)

諸熱瞀瘛，皆屬于火 {zhu1 re4 mao4 chi4, jie1 shu3 yu2 huo3}, all heat with visual distortion and tugging is ascribed to fire (one of the 19 pathomechanisms)

諸濕腫滿，皆屬于脾 {zhu1 shi1 zhong3 man3, jie1 shu3 yu2 pi2}, all dampness with swelling and fullness is ascribed to the spleen (one of the 19 pathomechanisms)
諸痰爲病 {zhu1 tan2 wei2 bing4}, diseases caused by phlegm
諸痛癢瘡，皆屬于心 {zhu1 tong4 yang3 chuang1, jie1 shu3 yu2 xin1}, all painful and itching sores are ascribed to the liver (one of the 19 pathomechanisms)
諸痿喘嘔，皆屬于上 {zhu1 wei3 chuan3 ou3, jie1 shu3 yu2 shang4}, all wilting, panting, and retching are ascribed to the upper body (one of the 19 pathomechanisms)
諸溫夾毒 {zhu1 wen1 jia1 du2}, warmth with toxin
諸血者皆屬于心 {zhu1 xue4 zhe3 jie1 shu3 yu2 xin1}, all blood belongs to the heart
諸陽之會 {zhu1 yang2 zhi1 hui4}, confluence of the yang2 [channels] (the head)
諸燥狂越，皆屬于火 {zhu1 zao4 kuang2 yue4, jie1 shu3 yu2 huo3}, all excessive agitation and mania is ascribed to fire (one of the 19 pathomechanisms)
諸轉反戾，水液渾濁，皆屬于熱 {zhu1 zhuan3 fan3 li4, shui3 ye4 hun2 zhuo2, jie1 shu3 yu2 re4}, all cramp, arched-back rigidity, and turbid watery humors are ascribed to heat (one of the 19 pathomechanisms)

【豬】 {zhu1} [Freq. 3] pig; pork.
豬鼻孔 {zhu1 bi2 kong3}, 中藥異名 houttuynia (Houttuyniae Herba)
豬腸 {zhu1 chang2}, 中藥正名 pig's intestines (Suis Intestina)
豬大腸 {zhu1 da4 chang2}, 中藥正名 pig's large intestine (Suis Intestinum Crassum)
豬膽 {zhu1 dan3}, 中藥正名 pig's gallbladder (Suis Vesica Fellea)
豬膽干粉 {zhu1 dan3 gan1 fen3}, 中藥正名 pig's gallbladder powder (Suis Fel Exsiccatum)
豬膽汁 {zhu1 dan3 zhi1}, 中藥正名 pig's bile (Suis Bilis)
豬膽汁導 {zhu1 dan3 zhi1 dao3}, pig's bile enema
豬膽汁導法 {zhu1 dan3 zhi1 dao3 fa3}, 方名 Pig's Bile Enema
豬肚 {zhu1 du3}, 中藥正名 pig's stomach (Suis Stomachus)
豬肚丸 {zhu1 du3 wan2}, 方名 Pig's Stomach Pill; Pig's Stomach Pill
豬肺 {zhu1 fei4}, 中藥正名 pig's lung (Suis Pulmo)
豬粉腸 {zhu1 fen3 chang2}, 中藥正名 pig's ileum (Suis Ileum)
豬膚 {zhu1 fu1}, 中藥正名 pig skin (Suis Corium)
豬肝 {zhu1 gan1}, 中藥正名 pig's liver (Suis Iecur)
豬肝散 {zhu1 gan1 san3}, 方名 Pig's Liver Powder
豬膏 {zhu1 gao1}, 中藥異名 pork lard (Suis Adeps)
豬骨 {zhu1 gu3}, 中藥正名 pig's bone (Suis Os)
豬脊肉 {zhu1 ji3 rou4}, 中藥正名 pork spine flesh (Suis Caro Vertebralis)
豬脊髓 {zhu1 ji3 sui3}, 中藥正名 pig's spine marrow (Suis Spinae Medulla)
豬獠參 {zhu1 liao3 shen1}, 中藥正名 lesser platanthera (Platantherae Minoris Herba (cum Radice))

豬苓湯 {zhu1 ling2 tang1}, 方名 Polyporus Decoction
豬苓湯合四逆湯 {zhu1 ling2 tang1 he2 si4 ni4 tang1}, 方名 Polyporus Decoction Combined with Counterflow Cold Decoction
豬苓丸 {zhu1 ling2 wan2}, 方名 Polyporus Pill
豬苓 {zhu1 ling2, 中藥正名 polyporus (Polyporus)
豬籠草 {zhu1 long2 cao3}, 中藥正名 pitcher plant (Nepenthis Caulis et Folium)
豬卵 {zhu1 luan3}, 中藥異名 pig's testis (Suis Testis)
豬媽菜 {zhu1 ma1 cai4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
豬毛 {zhu1 mao2}, 中藥正名 pig's hair (Suis Pili)
豬毛菜 {zhu1 mao2 cai4}, 中藥正名 salsola (Salsolae Herba)
豬毛蕨 {zhu1 mao2 jue2}, 中藥正名 phymatodes (Phymatodis Rhizoma)
豬姆刺 {zhu1 mu3 ci4}, 中藥異名 Japanese thistle (Cirsii Japonici Herba seu Radix)
豬腦 {zhu1 nao3}, 中藥正名 pig's brain (Suis Cerebrum)
豬脬 {zhu1 pao1}, 中藥正名 pig's bladder (Suis Vesica)
豬皮 {zhu1 pi2}, 中藥異名 pig skin (Suis Corium)
豬脾 {zhu1 pi2}, 中藥正名 pig's spleen (Suis Lien)
豬婆菜 {zhu1 po2 cai4}, 中藥異名 spinach beet (Betae Ciclae Caulis et Folium)
豬肉 {zhu1 rou4}, 中藥正名 pork (Suis Caro)
豬腎 {zhu1 shen4}, 中藥正名 pig's kidney (Suis Renes)
豬屎苓 {zhu1 shi3 ling2}, 中藥異名 polyporus (Polyporus)
豬髓 {zhu1 sui3}, 中藥正名 pig's bone marrow (Suis Medulla)
豬蹄 {zhu1 ti2}, 中藥正名 pig's trotter (Suis Pes)
豬蹄甲 {zhu1 ti2 jia3}, 中藥正名 pig's hoof (Suis Ungula)
豬蹄粥 {zhu1 ti2 zhou1}, 方名 Pig's Trotter Gruel
豬小腸 {zhu1 xiao3 chang2}, 中藥正名 pig's small intestine (Suis Intestinum Tenue)
豬心 {zhu1 xin1}, 中藥正名 pig's heart (Suis Cor)
豬血 {zhu1 xue4}, 中藥正名 pig's blood (Suis Sanguis)
豬牙皂 {zhu1 ya2 zao4}, 中藥正名 small gleditsia (Gleditsiae Fructus Abnormalis)
豬殃殃 {zhu1 yang1 yang1}, 中藥異名 galium (Galii Herba)
豬羊叫聲 {zhu1 yang2 jiao4 sheng1}, squeal like a pig's or goat's
豬腰子 (1) {zhu1 yao1 zi3}, 中藥異名 pig's kidney (Suis Renes)
豬腰子 (2) {zhu1 yao1 zi3}, 中藥異名 thick-fruited millettia seed (Millettiae Pachycarpae Semen seu Fructus)
豬靨 {zhu1 ye4}, 中藥正名 pig's thyroid gland (Suis Glandula Thyroidea)
豬胰 {zhu1 yi2}, 中藥正名 pig's pancreas (Suis Pancreas)
豬油 {zhu1 you2}, 中藥異名 pork lard (Suis Adeps)
豬油脂 {zhu1 you2 zhi1}, 中藥異名 pork lard (Suis Adeps)
豬仔笠 {zhu1 zai3 li4}, 中藥正名 Chinese eriosema (Eriosematis Chinensis Tuber)

豬臟 {zhu1 zang4}, 中藥異名 pig's intestines (Suis Intestina)
豬臟丸 {zhu1 zang4 wan2}, 方名 Pig's Intestine Pill
豬脂 {zhu1 zhi1}, 中藥異名 pork lard (Suis Adeps)
豬脂膏 {zhu1 zhi1 gao1}, 中藥正名 pork lard (Suis Adeps)
豬鬃草 {zhu1 zong1 cao3}, 中藥正名 maidenhair (Adianti Herba)

【薥】 {zhu1} [Freq. 4] plant name.
薥 {zhu1}, 中藥異名 dioscorea (Dioscoreae Rhizoma)
薥蒅 {zhu1 yu4}, 中藥異名 dioscorea (Dioscoreae Rhizoma)

【瀦】 {zhu1} [Freq. 4] accumulate.
瀦留 {zhu1 liu2}, accumulate

【櫧】 {zhu1} [Freq. 4] chinquapin.
櫧子 {zhu1 zi3}, 中藥正名 chinquapin seed (Castanopsidis seu Quercus Semen)
櫧子皮葉 {zhu1 zi3 pi2 ye4}, 中藥正名 chinquapin bark and leaf (Castanopsidis seu Quercus Cortex et Folium)

~~ {zhu2} ~~
【朮】 {zhu2} [Freq. 4] actractylodes.
朮 {zhu2}, 中藥異名 white atractylodes (Atractylodis Macrocephalae Rhizoma)
朮礬丸 {zhu2 fan2 wan2}, 方名 Atractylodes and Melanterite Pill
朮附湯 {zhu2 fu4 tang1}, 方名 White Atractylodes and Aconite Decoction
朮桂湯 {zhu2 gui4 tang1}, 方名 Atractylodes and Cinnamon Twig Decoction
朮苗 {zhu2 miao2}, 中藥正名 ovate atractylodes leaf (Atractylodis Ovatae Folium)

【竹】 {zhu2} [Freq. 3] bamboo.
竹匾 {zhu2 bian3}, bamboo tray
竹蠹蟲柱末 {zhu2 du4 chong1 zhu4 mo4}, 中藥正名 bamboo borer's powder (Lycti Bambusae Pulvis)
竹蠹蟲 {zhu2 du4 chong2}, 中藥正名 bamboo borer (Lycti Larva)
竹二青 {zhu2 er4 qing1}, 中藥異名 bamboo shavings (Bumbusae Caulis in Taenia)
竹蜂 {zhu2 feng1}, 中藥正名 carpenter bee (Xylocopa)
竹膏 {zhu2 gao1}, 中藥異名 shiraia (Shiraiae)
竹根七 {zhu2 gen1 qi1}, 中藥正名 Chinese tupistra (Tupistrae Chinensis Rhizoma)
竹罐 {zhu2 guan4}, bamboo cup
竹黃 (1) {zhu2 huang2}, 中藥異名 bamboo sugar (Bambusae Concretio Silicea*)

竹黃 (2) {zhu2 huang2}，中藥正名 shiraia (Shiraiae)
竹雞 {zhu2 ji1}，中藥正名 bamboo partridge (Bambusicolae Caro)
竹筴魚 {zhu2 jia2 yu2}，中藥正名 savrel (Trachurus Japonicus)
竹節草 {zhu2 jie2 cao3}，中藥正名 diffuse dayflower (Commelinae Diffusae Herba)
竹節蓼 {zhu2 jie2 liao3}，中藥正名 homalocladium (Homalocladii Herba)
竹節七 {zhu2 jie2 qi1}，中藥正名 sword-leaved tupistra (Tupistrae Ensifoliae Rhizoma)
竹節羌 {zhu2 jie2 qiang1}，中藥異名 notopterygium (Notopterygii Rhizoma et Radix)
竹節香附 {zhu2 jie2 xiang1 fu4}，中藥異名 Radde's anemone (Anemones Raddeanae Rhizoma)
竹精 {zhu2 jing1}，中藥正名 bamboo essence (Bambusae Caulis Recentis Essentia*)
竹捲心 {zhu2 juan3 xin1}，中藥正名 young bamboo leaf (Bambusae Folium Immaturum)
竹瀝 {zhu2 li4}，中藥正名 bamboo sap (Bambusae Succus)
竹瀝半夏 {zhu2 li4 ban4 xia4}，中藥正名 bamboo sap pinellia (Pinelliae Rhizoma cum Succo Bambusae Preparatum)
竹瀝達痰丸 {zhu2 li4 da2 tan2 wan2}，方名 Bamboo Sap Phlegm-Outthrusting Pill
竹瀝運痰丸 {zhu2 li4 yun4 tan2 wan2}，方名 Bamboo Sap Phlegm-Moving Pill
竹林標 {zhu2 lin2 biao1}，中藥正名 tecomaria (Tecomaria Radix seu Folium)
竹林消 {zhu2 lin2 xiao1}，中藥正名 streptopus (Streptopi Radix)
竹林寺女科 {zhu2 ling2 si4 nu93 ke1}，書名 Bamboo Grove Temple Gynecology
竹&&4D89‖肉 {zhu2 liu2 rou4}，中藥正名 bamboo rat's (Rhizomydis Caro)
竹&&4D89‖子牙 {zhu2 liu2 zi3 ya2}，中藥正名 bamboo rat's tooth (Rhizomydis Dens)
竹&&4D89‖子油 {zhu2 liu2 zi3 you2}，中藥正名 bamboo rat's fat (Rhizomydis Adeps)
竹皮 {zhu2 pi2}，中藥異名 bamboo shavings (Bumbusae Caulis in Taenia)
竹茹 {zhu2 ru2}，中藥正名 bamboo shavings (Bumbusae Caulis in Taenia)
竹茹湯 {zhu2 ru2 tang1}，方名 Bamboo Shavings Decoction
竹茹溫膽湯 {zhu2 ru2 wen1 dan3 tang1}，方名 Bamboo Shavings Gallbladder-Warming Decoction
竹篩 {zhu2 shai1}, bamboo sieve
竹笙 {zhu2 sheng1}，中藥異名 net-bearing dictyophora (Dictyophora Indusiata)
竹實 {zhu2 shi2}，中藥正名 bamboo fruit (Bumbusae Fructus)
竹薯 {zhu2 shu3}，中藥正名 arrowroot (Marantae Arundinaceae Rhizoma)
竹蓀 {zhu2 sun1}，中藥正名 net-bearing dictyophora (Dictyophora Indusiata)
竹筍 {zhu2 sun3}，中藥正名 bamboo shoot (Bambusae Surculus)
竹糖 {zhu2 tang2}，中藥異名 bamboo sugar (Bambusae Concretio Silicea*)
竹葉 (1) {zhu2 ye4}，中藥正名 black bamboo leaf (Bambusae Folium*)
竹葉 (2) {zhu2 ye4}，中藥異名 lophatherum (Lophatheri Herba)
竹葉菜 {zhu2 ye4 cai4}，中藥正名 Bengal dayflower (Commelinae Benghalensis Herba) (Commelinae Herba)；中藥異名 dayflower

竹葉檉蒡湯 {zhu2 ye4 cheng1 bang4 tang1}, 方名 Lophatherum, Tamarisk, and Arctium Decoction
竹葉卷心 {zhu2 ye4 juan3 xin1}, 中藥異名 tender lophatherum leaf (Lophatheri Folium Immaturum)
竹葉蓮 {zhu2 ye4 lian2}, 中藥正名 Japanese pollia (Polliae Japonicae Rhizoma seu Herba)
竹葉柳蒡湯 {zhu2 ye4 liu3 bang4 tang1}, 方名 Lophatherum, Tamarisk, and Arctium Decoction
竹葉馬豆 {zhu2 ye4 ma3 dou4}, 中藥正名 marsh pea (Lathyri Palustris Herba)
竹葉麥冬 {zhu2 ye4 mai4 dong1}, 中藥異名 lophatherum (Lophatheri Herba)
竹葉麥冬青 {zhu2 ye4 mai4 dong1 qing1}, 中藥異名 lophatherum (Lophatheri Herba)
竹葉參 {zhu2 ye4 shen1}, 中藥正名 Cantonese disporum (Dispori Cantoniensis Radix seu Rhizoma)
竹葉石膏湯 {zhu2 ye4 shi2 gao1 tang1}, 方名 Lophatherum and Gypsum Decoction
竹葉水草 {zhu2 ye4 shui3 cao3}, 中藥異名 dayflower (Commelinae Herba)
竹葉湯 {zhu2 ye4 tang1}, 方名 Lophatherum Decoction
竹葉瀉經湯 {zhu2 ye4 xie4 jing1 tang1}, 方名 Lophatherum Channel-Draining Decoction
竹葉心 {zhu2 ye4 xin1}, 中藥正名 tender lophatherum leaf (Lophatheri Folium Immaturum)
竹葉粥 {zhu2 ye4 zhou1}, 方名 Lophatherum Gruel
竹油 {zhu2 you2}, 中藥異名 bamboo sap (Bambusae Succus)
竹杖 {zhu2 zhang4}, 腧穴正名 Bamboo Stick (Bamboo Stick); 腧穴異名 GV-4
竹汁 {zhu2 zhi1}, 中藥異名 bamboo sap (Bambusae Succus)

【逐】 {zhu2} [Freq. 2] expel (v.) (逐水 {zhu2 shui3}, expel water).
逐寒 {zhu2 han2}, expel cold
逐寒蕩驚湯 {zhu2 han2 dang4 jing1 tang1}, 方名 Cold-Dispelling Fright-Assuaging Decoction
逐寒開竅 {zhu2 han2 kai1 qiao4}, expel cold and open the orifices
逐寒濕 {zhu2 han2 shi1}, expel cold-damp
逐寒燥濕 {zhu2 han2 zao4 shi1}, expel cold and dry dampness
逐水 {zhu2 shui3}, expel water
逐水瀉火 {zhu2 shui3 xie4 huo3}, expel water and drain fire
逐水藥 {zhu2 shui3 yao4}, water-expelling medicinal
逐痰 {zhu2 tan2}, expel phlegm
逐瘀 {zhu2 yu1}, expel stasis

【躅】 {zhu2} [Freq. 5] walk to and fro (躑躅 {zhi2 zhu2}, walk to and fro)

【炷】 {zhu2} [Freq. 5] wick; cone (of moxa) (艾炷 {ai4 zhu4}, moxa cone)

【&&8481||】 {zhu2} [Freq. 4] zedoary (same as 朮 {zhu2}).
&&8481||藥 {zhu2 yao4}, 中藥異名 curcuma rhizome (Curcumae Rhizoma)

~~ {zhu3} ~~
【主】 {zhu3} [Freq. 2] govern (v.), governing (n.), governor (n.) (心主血脈 {xin1 zhu3 xie4 mai4}, the heart {governs} the blood and vessels; 脾之主運化{pi2 zhu1 zhu3 yun4 hua4}, the spleen's governing of movement and transformation;); host (n.) (客主 {ke4 zhu3}, Guest-Host (GB-3)); chief (n.) (主輔佐引 {zhu3 fu3 zuo3 yin3}, chief, support, assistant, and conductor).
主動脈 {zhu3 dong4 mai4}, 西醫 aorta
主動脈瓣 {zhu3 dong4 mai4 ban4}, 西醫 aortic valve
主輔佐引 {zhu3 fu3 zuo3 yin3}, chief, support, assistant, and conductor; medicinal roles
主氣 {zhu3 qi4}, host qi4
主色 {zhu3 se4}, governing complexion
主訴 {zhu3 su4}, 西醫 chief complaint
主心 {zhu3 xin1}, 膻穴異名 PC-7 (Heart Governor)
主運 {zhu3 yun4}, host movement (or period)
主證 {zhu3 zheng4}, chief sign
主治 {zhu3 zhi4}, indication (of drugs)

【煮】 {zhu3} [Freq. 3] boil (v.); decoctum (Latin).
煮散 {zhu3 san3}, boiling powder
煮食 {zhu3 shi2}, boil and eat; cook as food

【囑】 {zhu3} [Freq. 5] instructions

~~ {zhu4} ~~
【助】 {zhu4} [Freq. 2] assist (v.) (助陽 {zhu4 yang2}, assist yang2); reinforce (v.) (助陽 {zhu4 yang2}, reinforce yang2).
助腎陽 {zhu4 shen4 yang2}, assist kidney yang2
助水臟 {zhu4 shui3 zang4}, assist the water viscus
助消化 {zhu4 xiao1 hua4}, aid digestion
助心陽 {zhu4 xin1 yang2}, assist heart yang2
助胸陽 {zhu4 xiong1 yang2}, assist chest yang2
助陽 {zhu4 yang2}, reinforce yang2
助陽活血 {zhu4 yang2 huo2 xue4}, assist yang2 and quicken the blood
助陽解表 {zhu4 yang2 jie3 biao3}, reinforce yang2 and resolve the exterior

助陽驅蟲藥 {zhu4 yang2 qu1}, yang2-reinforcing worm-expelling medicinal
助陽通便 {zhu4 yang2 tong1 bian4}, assist yang2 and free the stool
助陽藥 {zhu4 yang2 yao4}, yang2-reinforcing medicinal

【杼】 {zhu4} [Freq. 5] shuttle.
杼骨 {zhu4 gu3}, shuttle bone

【注】{zhu4} [Freq. 2] pour (v.) (濕熱下注 {shi1 re4 xia4 zhu4}, damp-heat pouring downward); influx (n.) (注夏 {zhu4 xia4}, summer influx; 注心痛 {zhu4 xin1 tong4}, influx heart pain).
注射劑 {zhu4 she4 ji4}, injection fluid; injection fluid
注射液 {zhu4 she4 ye4}, injection fluid
注下 {zhu4 xia4}, downpour diarrhea
注夏 {zhu4 xia4}, summer influx
注泄 {zhu4 xie4}, outpour diarrhea
注心痛 {zhu4 xin1 tong1}, influx heart pain
注意事項 {zhu4 yi4 shi4 xiang4}, cautions

【柱】 {zhu4} [Freq. 2] pillar.
柱側 {zhu4 ce4}, 腧穴正名 Pillar Side
柱骨 {zhu4 gu3}, pillar bone (collar bone)

【苧】 {zhu4} [Freq. 4] plant name.
苧根 {zhu4 gen1}, 中藥異名 ramie (Boehmeriae Radix)
苧根散 {zhu4 gen1 san3}, 方名 Ramie (Boehmeria) Powder
苧根湯 {zhu4 gen1 tang1}, 方名 Ramie (Boehmeria) Decoction
苧麻根 {zhu4 ma2 gen1}, 中藥正名 ramie (Boehmeriae Radix)
苧麻花 {zhu4 ma2 hua1}, 中藥正名 ramie flower (Boehmeriae Flos)
苧麻皮 {zhu4 ma2 pi2}, 中藥正名 ramie stem bark (Boehmeriae Cortex Caulis)
苧麻葉 {zhu4 ma2 ye4}, 中藥正名 ramie leaf (Boehmeriae Folium)

【祝】 {zhu4} [Freq. 4] talk to gods and spirits.
祝由 {zhu4 you2}, psychic explanation
祝由科 {zhu4 you2 ke1}, psychic explanation department (branch of medicine)

【蛀】 {zhu4} [Freq. 4] moth or other insect that eats wood, cloth, or paper; eat (into wood, paper, or cloth).
蛀節疔 {zhu4 jie2 ding1}, clove sore of the knuckle

【著】 {zhu4} [Freq. 5] prominent (著名 {zhu4 ming2}, prominent, famous); works (著作 {zhu4 zuo4}, works writings)

【註】 {zhu4} [Freq. 4] annotate.
註解傷寒論 {zhu4 jie3 shang1 han2 lun4}, 書名 The Annotated Cold Damage (1144 (Jin1), Cheng2 Wu2-Ji3 成無己)

【駐】 {zhu4} [Freq. 4] stop.
駐車丸 {zhu4 che1 wan2}, 方名 Carriage-Halting Pill
駐景丸 {zhu4 jing3 wan2}, 方名 Long Vistas Pill
駐景丸加減方 {zhu4 jing3 wan2 jia1 jian3 fang1}, 方名 Long Vistas Pill Variant Formula

【築】 {zhu4} [Freq. 4] build (v.); building (n.); (心下堅築 {xin1 xia4 jian1 zhu4}, hardness and pounding below the heart).
築賓 {zhu4 bin1}, 腧穴正名 KI-9 (Guest House)

【疰】 {zhu4} [Freq. 2] infixation (n.).
疰嗽 {zhu4 sou4}, infixation cough
疰夏 {zhu4 xia4}, summer infixation

~~ {zhua1} ~~
【抓】 {zhua1} [Freq. 4] grab; scratch.
抓破 {zhua1 po4}, scratch open; rupture by scratching

~~ {zhua3} ~~
【爪】 {zhua3} [Freq. 2] nail (n.) (see {zhao3} 爪); claw (n.) (see {zhao3} 爪).
爪甲 {zhua3 jia3}, 西醫 nails

~~ {zhuai4} ~~
【拽】 {zhuai4} [Freq. 5] pull forcefully (Literary pronunciation {ye4}. 聲如拽鋸 {sheng1 ru2 zhuai4 ju4}, sound like the rasping of a saw)

~~ {zhuan1} ~~
【專】 {zhuan1} [Freq. 4] specialized (adj.); speciality (n.).

專科證候 {zhuan1 ke1 zheng4 hou4}, specialty patterns

【磚】 {zhuan1} [Freq. 5] brick (攀索疊磚 {pan1 suo3 die2 zhuan1}, rope climbing on a pile of bricks).
磚子苗 {zhuan1 zi3 miao2}, 中藥正名 compact mariscus (Marisci Compacti Herba)

~~ {zhuan3} ~~
【轉】 {zhuan3} [Freq. 3] turn (不得轉側 {bu4 de2 zhuan3 ce4}, inability to turn sides); twirl (捻轉補瀉 {nian3 zhuan3 bu3 xie4}, twirling supplementation and drainage%20); rotate (v.); rotation (n.) (轉針 {zhuan3 zhen1}, needle rotation); convert (v.); conversion (n.) (陰陽轉化 {yin1 yang2 zhuan3 hua4}, yin1-yang2 conversion); shift (轉胞 {zhuan3 bao1}, shifted bladder); spin (轉丸脈 {zhuan3 wan2 mai4}, spinning pill pulse).
轉胞 {zhuan3 bao1}, shifted bladder
轉變 {zhuan3 bian4}, transmutation
轉豆脈 {zhuan3 dou4 mai4}, spinning bean pulse
轉歸 {zhuan3 gui1}, outcome
轉化 {zhuan3 hua4}, conversion
轉筋 {zhuan3 jin1}, cramp
轉脬 {zhuan3 pao1}, shifted bladder
轉舌丸 {zhuan3 she2 wan2}, 方名 Tongue-Moving Pill
轉胎方 {zhuan3 tai1 fang1}, 方名 Fetus-Turning Formula
轉丸脈 {zhuan3 wan2 mai4}, spinning pill pulse
轉針 {zhuan3 zhen1}, needle rotation

~~ {zhuan4} ~~
【撰】 {zhuan4} [Freq. 4] write

~~ {zhuang4} ~~
【壯】 {zhuang4} [Freq. 2] vigorous (adj.), invigorate (v.) (壯火 {zhuang4 huo3}; 壯熱 {zhuang4 re4}, vigorous fever; 壯陽{zhuang4 yang2}, invigorate yang2); invigorate (adj.) (壯陽 {zhuang4 yang2}, invigorate yang2); strengthen (v.) (壯筋強骨 {zhuang4 jin1 qiang2 gu3}, strenghthen sinew and bone); cone (n.) (of moxa, sequentially burnt on one spot. 灸三壯 {jiu3 san1 zhuang4}, burn three cones of moxa).
壯膽 {zhuang4 dan3}, invigorate the gallbladder
壯根本 {zhuang4 gen1 ben3}, invigorate the root

壯骨 {zhuang4 gu3}, 腧穴異名 GV-27 (Bone Strengthener)
壯火 {zhuang4 huo3}, invigorate fire; vigorous fire
壯火食氣 {zhuang4 huo3 shi2 qi4}, vigorous fire consuming qi4
壯筋 {zhuang4 jin1}, strengthen sinew
壯筋草 {zhuang4 jin1 cao3}, 中藥正名 large-fruited clover shrub (Campylotropis Macrocarpae Radix)
壯筋骨 {zhuang4 jin1 gu3}, strengthen sinew and bone
壯筋養血湯 {zhuang4 jin1 yang3 xue4 tang1}, 方名 Sinew-Strengthening Blood-Nourishing Decoction
壯熱 {zhuang4 re4}, vigorous heat [effusion] (fever)
壯數 {zhuang4 shu4}, number of cones (of moxa burnt or to be burnt)
壯水之主以制陽光 {zhuang4 shui3 zhi1 zhu3 yi3 zhi4 yang2 guang1}, invigorate the governor of water to restrain the brilliance of yang2
壯水制陽 {zhuang4 shui3 zhi4 yang2}, invigorate water to restrain yang2
壯陽 {zhuang4 yang2}, invigorate yang2
壯陽草 {zhuang4 yang2 cao3}, 中藥異名 Chinese leek (Allii Tuberosi Folium)
壯腰膝 {zhuang4 yao1 xi1}, strengthen the lumbus and knees

【狀】 {zhuang4} [Freq. 3] state (症狀 {zheng4 zhuang4}, symptom)

【撞】 {zhuang4} [Freq. 4] hit; damage to eye by external impact.
爪甲癬 {zhuao3 jia3 xian3}, 西醫 tinea unguium

~~ {zhui1} ~~
【追】 {zhui1} [Freq. 3] expel (v.).
追蟲丸 {zhui1 chong2 wan2}, 方名 Worm-Expelling Pill
追風傘 {zhui1 feng1 san3}, 中藥正名 star-flower lysimachia (Lysimachiae Trientoidis Radix seu herba)
追骨風 {zhui1 gu3 feng1}, 中藥正名 broad-leaved echinops (Echinopsis Latifolii Radix)

【椎】 {zhui1} [Freq. 4] hammer.
椎骨弓 {zhui1 gu3 gong1}, 西醫 vertebral arch
椎&&91C3.9ACE|{zhui1 liao2}, 腧穴異名 SI-18 (Hammer Bone-Hole)

【錐】 {zhui1} [Freq. 4] awl.
錐栗 {zhui1 li4}, 中藥正名 Chinese castanopsis seed (Castanopsidis Chinensis Semen)
錐栗果殼 {zhui1 li4 guo3 qiao4 (ke2)}, 中藥正名 Chinese castanopsis shell (Castanopsidis

Chinensis Exocarpium)

~~ {zhui4} ~~
【墜】 {zhui4} [Freq. 2] sag (v.), sagging (adj.) (少腹墜脹 {shao4 fu4 zhui4 zhang4}, sagging distention in the lesser abdomen); drop; downbear (v.) (墜痰 {zhui4 tan2}, downbear phlegm).
墜睛 {zhui4 jing1}, dropped eye (a kind of squint)
墜痰 {zhui4 tan2}, downbear phlegm
墜痰下氣 {zhui4 tan2 xia4 qi4}, downbear phlegm and precipitate qi4
墜血明目飲 {zhui4 xue4 ming2 mu4 yin3}, 方名 Blood-Downbearing Eye-Brightening Beverage

【贅】 {zhui4} [Freq. 4] superfluous.
贅疣 {zhui4 you2}, wart

~~ {zhun3} ~~
【準】 {zhun3} [Freq. 4] center of an archery target.
準人瓜 {zhun3 ren2 gua1}, 中藥異名 chayote (Sechii Edulis Fructus)
準頭 {zhun3 tou2}, tip of the nose (Nose Tip); 腧穴異名 GV-25

~~ {zhuo1} ~~
【捉】 {zhuo1} [Freq. 5] grasp.
捉不得 {zhuo1 bu4 de2}, inability to grasp objects

【&&4ABC||】 {zhuo1} [Freq. 3] cheek.
&&4ABC|{zhuo1}, facial prominence
&&4ABC||骨 {zhuo1 gu3}, facial prominence bone (bone below the eye)

~~ {zhuo2} ~~
【灼】 {zhuo2} [Freq. 2] scorch (v.) (灼熱 {zhuo2 re4}, scorching heat).
灼熱 {zhuo2 re4}, scorching hot; palpably hot
灼痛 {zhuo2 tong4}, scorching pain

【酌】 {zhuo2} [Freq. 4] judiciously.
酌加 {zhuo2 jia1}, with judicious addition of; judicious addition

【啄】 {zhuo2} [Freq. 5] peck (雀啄脈 {que4 zhuo2 mai4}, pecking sparrow pulse).
啄木鳥 {zhuo2 mu4 niao3}, 中藥正名 woodpecker (Pici Caro)

【&&7740||】 {zhuo2} [Freq. 2] fixed (adj.), fixity (n.) (&&7740||痹 {zhuo2 bi4}, fixed impediment; 腎&&7740|{shen4 zhuo2}, kidney {fixity}; see also &&7740|{zhao2}).
&&7740||痹 {zhuo2 bi4}, fixed impediment
&&7740||痹驗方 {zhuo2 bi4 yan4 fang1}, 方名 Fixed Impediment Empirical Formula

【濁】 {zhuo2} [Freq. 2] turbid (adj.), turbidity (n.) (痰濁 {tan2 zhuo2}, phlegm turbidity; 白濁 {bai2 zhuo2}, white turbidity; 聲音重濁 {zheng1 yin1 zhong4 zhuo2}, heavy turbid voice).
濁淋 {zhuo2 lin2}, turbid strangury
濁膩苔 {zhuo2 ni4 tai1}, turbid slimy fur
濁氣 {zhuo2 qi4}, turbid qi4
濁氣不降 {zhuo2 qi4 bu4 jiang4}, turbid qi4 failing to bear downward; non-downbearing turbid qi4
濁氣歸心 {zhuo2 qi4 gui1 xin1}, turbid qi4 goes to the heart
濁苔 {zhuo2 tai1}, turbid tongue fur
濁邪 {zhuo2 xie2}, turbid evil
濁邪害清 {zhuo2 xie2 hai4 qing1}, turbid evils harm the clear
濁藥輕投 {zhuo2 yao4 qing1 tou2}, turbid medicinals are utilized sparingly
濁陰 {zhuo2 yin1}, turbid yin1
濁陰不降 {zhuo2 yin1 bu4 jiang4}, turbid yin1 failing to bear downward; non-downbearing of turbid yin1
濁陰出下竅 {zhuo2 yin1 chu1 xia4 qiao4}, turbid yin1 passes out through the lower orifices
濁陰歸六腑 {zhuo2 yin1 gui1 liu4 fu3}, turbid yin1 goes to the six bowels
濁陰走五臟 {zhuo2 yin1 zou3 wu3 zang4}, turbid yin1 penetrates the five viscera
濁浴 {zhuo2 yu4}, 腧穴正名 Turbid Bath

~~ {zi1} ~~
【茲】 {zi1} [Freq. 5] this; hereby; straw mat; dead grass (青如草茲 {qing1 ru2 cao3 zi1}, green-blue as the color of dead grass)

【滋】 {zi1} [Freq. 2] enrich (v.) (滋陰 {zi1 yin1}, enrich yin1).
滋補 {zi1 bu3}, enriching and supplementing
滋補肺腎 {zi1 bu3 fei4 shen4}, enrich the lung and kidney
滋補肺胃 {zi1 bu3 fei4 wei4}, enrich the lung and stomach

滋補肺陰 {zi1 bu3 fei4 yin1}, enrich liver yin1
滋補肝腎 {zi1 bu3 gan1 shen4}, enrich the liver and kidney
滋補肝腎藥 {zi1 bu3 gan1 shen4 yao4}, medicinals that supplement the liver and kidney
滋補肝胃 {zi1 bu3 gan1 wei4}, enrich the liver and stomach
滋補肝陰 {zi1 bu3 gan1 yin1}, enrich liver yin1
滋補斂邪 {zi1 bu3 lian3 xie2}, supplement to constrain the evil
滋補脾胃 {zi1 bu3 pi2 wei4}, enrich the spleen and stomach
滋補脾陰 {zi1 bu3 pi2 yin1}, enrich spleen yin1
滋補片 {zi1 bu3 pian4}, 方名 Enriching Supplementation Tablet
滋補強壯藥 {zi1 bu3 qiang2 zhuang4 yao4}, enriching and invigorating medicinals
滋補腎精 {zi1 bu3 shen4 jing1}, enrich kidney essence
滋補腎陰 {zi1 bu3 shen4 yin1}, enrich kidney yin1
滋補心肺 {zi1 bu3 xin1 fei4}, enrich kidney yin1
滋補心腎 {zi1 bu3 xin1 shen4}, enrich the heart and kidney
滋補藥 {zi1 bu3 yao4}, enriching medicinals
滋膵飲 {zi1 cui4 yin3}, 方名 Pancreas-Enriching Beverage
滋而不膩 {zi1 er2 bu4 ni4}, enriching but not slimy
滋肺清腸 {zi1 fei4 qing1 chang2}, ernich the lung and and clear the intestine
滋肺陰 {zi1 fei4 yin1}, enrich lung yin1
滋肝明目 {zi1 gan1 ming2 mu4}, enrich yin1 and brighten the eyes
滋肝榮筋 {zi1 gan1 rong2 jin1}, enrich the liver and enhanc the sinews
滋膏 {zi1 gao1}, orally taken paste
滋補心陰 {zi1 gu3 xin1 yin1}, enrich heart yin1
滋膩害胃 {zi1 ni4 hai4 wei4}, rich and slimy, and damaging to the stomach
滋榮活絡湯 {zi1 rong2 huo2 luo4 tang1}, 方名 Construction-Enriching Network-Quickening Decoction
滋榮益氣復神湯 {zi1 rong2 yi4 qi4 fu4 shen2 tang1}, 方名 Construction-Enriching Qi4-Boosting Spirit-Returning Decoction
滋潤通便 {zi1 run4 tong1 bian4}, free the stool by moistening
滋潤藥 {zi1 run4 yao4}, enriching and moistening medicinal
滋腎 {zi1 shen4}, kidney enrichment
滋腎固齒 {zi1 shen4 gu4 chi3}, enrich the kidney and secure the teeth
滋腎固沖湯 {zi1 shen4 gu4 chong1 tang1}, 方名 Kidney-Enriching Thoroughfare-Securing Decoction
滋腎降火 {zi1 shen4 jiang4 huo3}, enrich the kidney and downbear fire
滋腎明目湯 {zi1 shen4 ming2 mu4 tang1}, 方名 Kidney-Enriching Eye-Brightening Decoction
滋腎通耳湯 {zi1 shen4 tong1 er3 tang1}, 方名 Kidney-Enriching Ear-Freeing Decoction
滋腎通關丸 {zi1 shen4 tong1 guan1 wan2}, 方名 Kidney Enriching Gate-Opening Pill

滋腎丸 {zi1 shen4 wan2}, 方名 Kidney-Enriching Pill
滋腎養肝 {zi1 shen4 yang3 gan1}, enrich the kidney and nourish the liver
滋腎陰 {zi1 shen4 yin1}, enrich kidney yin1
滋水涵木 {zi1 shui3 han2 mu4}, enrich water to moisten wood
滋水清肝飲 {zi1 shui3 qing1 gan1 yin3}, 方名 Water-Enriching Liver-Clearing Beverage
滋水制火 {zi1 shui3 zhi4 huo3}, enrich water to restrain fire
滋血潤腸湯 {zi1 xue4 run4 chang2 tang1}, 方名 Blood-Enriching Intestine-Moistening Decoction
滋養肝腎 {zi1 yang3 gan1 shen4}, enrich (and nourish) the liver and kidney
滋養精血 {zi1 yang3 jing1 xue4}, enrich and nourish essence-blood
滋養氣血 {zi1 yang3 qi4 xue4}, nourish qi4 and blood
滋養胃陰 {zi1 yang3 wei4 yin1}, enrich (and nourish) stomach yin1
滋養陰津 {zi1 yang3 yin1 jin1}, nourish yin1 liquid
滋益肝腎 {zi1 yi4 gan1 shen4}, enrich the liver and kidney
滋陰 {zi1 yin1}, enrich yin1
滋陰安神 {zi1 yin1 an1 shen2}, enrich yin11 and quite the spirit
滋陰補腎 {zi1 yin1 bu3 shen4}, enrich yin1 and supplement the kidney
滋陰補血 {zi1 yin1 bu3 xue4}, enrich yin1 and supplement the blood
滋陰補陽 {zi1 yin1 bu3 yang2}, enrich yin1 and supplement yang2
滋陰大補丸 {zi1 yin1 da4 bu3 wan2}, 方名 Yin1-Enriching Major Supplementation Pill
滋陰地黃丸 {zi1 yin1 di4 huang2 wan2}, 方名 Yin1-Enriching Rehmannia Pill
滋陰涵陽 {zi1 yin1 han2 yang2}, enrich yin1 and moisten yang2
滋陰降火 {zi1 yin1 jiang4 huo3}, enrich yin1 and downbear fire
滋陰降火湯 {zi1 yin1 jiang4 huo3 tang1}, 方名 Yin1-Enriching Fire-Downbearing Decoction
滋陰解表 {zi1 yin1 jie3 biao3}, enrich yin1 and resolve the exterior
滋陰利濕 {zi1 yin1 li4 shi1}, enrich yin1 and disinhibit dampness
滋陰平肝 {zi1 yin1 ping2 gan1}, enrich yin1 and calm the liver
滋陰平肝潛陽 {zi1 yin1 ping2 gan1 qian2 yang2}, enrich yin1, calm the liver, and subdue yang2
滋陰潛陽 {zi1 yin1 qian2 yang2}, enrich yin1 and subdue yang2
滋陰清肺 {zi1 yin1 qing1 fei4}, enrich yin1 and clear the lung
滋陰清化丸 {zi1 yin1 qing1 hua4 wan2}, 方名 Yin1-Enriching Clearing Transforming Pill
滋陰清熱 {zi1 yin1 qing1 re4}, enrich yin1 and clear heat
滋陰清熱劑 {zi1 yin1 qing1 re4 ji4}, yin1-enriching heat-clearing formula
滋陰柔肝 {zi1 yin1 rou2 gan1}, enrich yin1 and emolliate the liver
滋陰潤肺 {zi1 yin1 run4 fei4}, enrich yin1 and moisten the lung
滋陰潤燥 {zi1 yin1 run4 zao4}, enrich yin1 and moisten dryness
滋陰生津 {zi1 yin1 sheng1 jin1}, enrich yin1 and engender liquid
滋陰收澀 {zi1 yin1 shou1 se4 yao4}, enrich yin1 and promote astriction

滋陰疏肝 {zi1 yin1 shu1 gan1}, enrich yin1 and course the liver
滋陰熄風 {zi1 yin1 xi1 feng1}, enrich yin1 and extinguish wind
滋陰養血 {zi1 yin1 yang3 xue4}, enrich yin1 and nourish the blood
滋陰藥 {zi1 yin1 yao4}, yin1-enriching medicinal
滋陰益氣 {zi1 yin1 yi4 qi4}, enrich yin1 and boost qi4
滋陰益胃 {zi1 yin1 yi4 wei4}, enrich yin1 and boost the stomach
滋陰止血 {zi1 yin1 zhi3 xue4}, enrich yin1 and stanch bleeding
滋陰至寶湯 {zi1 yin1 zhi4 bao3 tang1}, 方名 Yin1-Enriching Supreme Jewel Decoction
滋燥養營湯 {zi1 zao4 yang3 ying2 tang1}, 方名 Dryness-Enriching Construction-Nourishing Decoction
滋燥飲 {zi1 zao4 yin3}, 方名 Dryness-Enriching Beverage

【資】 {zi1} [Freq. 4] support.
資脈 {zi1 mai4}, 腧穴異名 TB-18 (Supporting Vessel)
資生健脾丸 {zi1 sheng1 jian4 pi2 wan2}, 方名 Life-Promoting Spleen-Fortifying Pill
資生丸 {zi1 sheng1 wan2}, 方名 Life-Promoting Pill
資壽解語湯 {zi1 shou4 jie3 yu3 tang1}, 方名 Life-Prolonging Speech-Returning Decoction

【髭】 {zi1} [Freq. 4] moustach.
髭鯛 {zi1 diao4}, 中藥正名 striped sweetlips (Hapologenys Maculatus)

【鰦】 {zi1} [Freq. 4] mullet.
鰦魚 {zi1 yu2}, 中藥正名 striped mullet (Mugil Cephali Caro)

~~ {zi3} ~~
【子】 {zi3} [Freq. 3] son; child; filial; seed; first earthly branch; B1; testicle.
子病 {zi3 bing4}, pregnancy sickness
子病及母 {zi3 bing4 ji2 mu3}, disease of the child affects the mother
子不離母 {zi3 bu4 li2 mu3}, 中藥異名 agrimony (Agrimoniae Herba)
子菜 {zi3 cai4}, 中藥異名 laver (Porphyra)
子腸 {zi3 chang2}, 腧穴異名 CV-4 (Infant's Intestine)
子腸不收 {zi3 chang2 bu4 shou1}, prolapse of the uterus
子處 {zi3 chu4}, child's place (uterus) (Infant's Place); 腧穴異名 CV-4
子盜母氣 {zi3 dao4 mu3 qi4}, child stealing the mother's qi4
子煩 {zi3 fan2}, pregnancy vexation
子宮 {zi3 gong1}, womb; uterus; uterus; 腧穴正名 Infant's Palace (Infant's Palace); 腧穴異名 CV-4

子宮出血 {zi3 gong1 chu1 xue4}, 西醫 uterine bleeding; metrorrhagia; uterine bleeding
子宮發育不全 {zi3 gong1 fa1 yu4 bu4 quan2}, 西醫 hypoplasia of the uterus
子宮寒冷 {zi3 gong1 han2 leng3}, uterine cold
子宮肌瘤 {zi3 gong1 ji1 liu2}, 西醫 myoma of uterus
子宮肌炎 {zi3 gong1 ji1 yan2}, 西醫 myometritis
子宮頸 {zi3 gong1 jing3}, 西醫 cervix uteri; 腧穴正名 Cervix
子宮頸癌 {zi3 gong1 jing3 ai2}, 西醫 carcinoma of the uterine cervix
子宮頸炎症 {zi3 gong1 jing3 yan2 zheng4}, 西醫 cervicitis
子宮內膜癌 {zi3 gong1 nei4 mao2 ai2}, 西醫 endometrial carcinoma
子宮內膜 {zi3 gong1 nei4 mo2}, 西醫 endometrium
子宮內膜炎 {zi3 gong1 nei4 mo2 yan2}, 西醫 endometritis
子宮內膜異位症 {zi3 gong1 nei4 mo2 yi4 wei4 zheng4}, 西醫 endometriosis
子宮平滑肌 {zi3 gong1 ping2 hua2 ji1}, 西醫 smooth muscle of the uterus
子宮平滑肌瘤 {zi3 gong1 ping2 hua2 ji1 liu2}, 西醫 leiomyoma uteri
子宮切除術 {zi3 gong1 qi1 chu2 shu4}, 西醫 hysterectomy
子宮脫垂 {zi3 gong1 tuo1 chui2}, prolapse of the uterus; prolapse of uterus
子宮外妊娠 {zi3 gong1 wai4 ren4 shen1}, 西醫 extrauterine pregnancy
子宮萎縮 {zi3 gong1 wei3 suo1}, 西醫 uterine atrophy
子宮下垂 {zi3 gong1 xia4 chui2}, prolapse of the uterus
子宮下墜 {zi3 gong1 xia4 zhui4}, sagging of the uterus
子宮性閉經 {zi3 gong1 xing4 bi4 jing1}, 西醫 uterine amenorrhea
子戶 {zi3 hu4}, 腧穴異名 CV-4 (Infant's Door) (Infant's Door (right)); 腧穴異名 KI-13
子淋 {zi3 lin2}, strangury of pregnancy
子龍丸 {zi3 long2 wan2}, 方名 Young Dragon Pill
子滿 {zi3 man3}, fullness of pregnancy
子冒 {zi3 mao4}, pregnancy veiling
子門 {zi3 men2}, infant's gate (orificium uteri)
子母草 {zi3 mu3 cao3}, 中藥異名 agrimony (Agrimoniae Herba)
子能令母實 {zi3 neng2 ling4 mu3 shi2}, child can make the mother replete
子氣 {zi3 qi4}, pregnancy qi4; filial qi4
子芩 {zi3 qin2}, 中藥異名 young scutellaria (Scutellariae Radix Nova)
子上沖心 {zi3 shang4 chong1 xin1}, fetus surging up into the heart; upsurge of the fetus into the heart
子舌 {zi3 she2}, baby tongue
子時 {zi3 shi2}, B1 watch (11 p.m.--1 a.m)
子死腹中 {zi3 si3 fu4 zhong1}, death {in utero}
子嗽 {zi3 sou4}, cough of pregnancy
子痰 {zi3 tan2}, testicular phlegm

子午流注 {zi3 wu3 liu2 zhu4}, stem and branch point selection; midday-midnight point selection
子癎 {zi3 xian2}, 西醫 eclampsia (equivalent to eclampsia); epilepsy of pregnancy
子懸 {zi3 xuan2}, pregnancy suspension (stirring fetus with distention and fullness in the chest and heart due to liver depression, congestion of qi4 and phlegm, and fetal qi4 ascending counterflow)
子眩 {zi3 xuan4}, dizziness of pregnancy
子喑 {zi3 yin1}, loss of voice in pregnancy
子瘖 {zi3 yin1}, loss of voice in pregnancy
子癰 {zi3 yong1}, welling-abscess of the testicle
子臟 {zi3 zang4}, infant's viscus (uterus)
子腫 {zi3 zhong3}, pregnancy swelling; swelling of pregnancy

【梓】 {zi3} [Freq. 4] catalpa.
梓白皮 {zi3 bai2 pi2}, 中藥正名 catalpa bark (Catalpae Cortex)
梓木 {zi3 mu4}, 中藥正名 catalpa wood (Catalpae Lignum)
梓皮 {zi3 pi2}, 中藥異名 catalpa bark (Catalpae Cortex)
梓實 {zi3 shi2}, 中藥正名 catalpa fruit (Catalpae Fructus)
梓葉 {zi3 ye4}, 中藥正名 catalpa leaf (Catalpae Folium)

【紫】 {zi3} [Freq. 3] purple; purple.
紫白癜風 {zi3 bai2 dian4 feng1}, purple and white patch wind (equivalent to WM tinea versicolor)
紫斑 {zi3 ban1}, purple macules
紫貝 {zi3 bei4}, 中藥正名 purple cowrie (Mauritiae, Erosariae seu Cypraeae Testa)
紫背天葵 (1) {zi3 bei4 tian1 kui2}, 中藥異名 purple gynura (Gynurae Bicoloris Herba)
紫背天葵 (2) {zi3 bei4 tian1 kui2}, 中藥異名 tea begonia (Begoniae Fimbristipulatae Herba)
紫背天葵 (3) {zi3 bei4 tian1 kui2}, 中藥異名 semiaquilegia (Semiaquilegiae Herba)
紫背天葵 (4) {zi3 bei4 tian1 kui2 cao3}, 中藥異名 purple senecio (Senecionis Nudicaulis Herba)
紫背天葵子 {zi3 bei4 tian1 kui2 zi3}, 中藥異名 semiaquilegia root (Semiaquilegiae Radix)
紫背天葵草根 {zi3 bei4 tian1 kui3 cao3 gen1}, 中藥正名 purple senecio root (Senecionis Nudicaulis Radix)
紫背魚腥草 {zi3 bei4 yu2 xing1 cao3}, 中藥異名 houttuynia (Houttuyniae Herba)
紫背天葵草 {zi3 bie4 tian1 kui2 cao3}, 中藥正名 purple senecio (Senecionis Nudicaulis Herba)
紫菜 {zi3 cai4}, 中藥正名 laver (Porphyra)
紫菜苔 {zi3 cai4}, 中藥正名 purple pakchoi (Brassicae Chinensis Purpureae Herba)
紫草根 {zi3 cao3 gen1}, 中藥異名 arnebia/lithospermum (Arnebiae/Lithospermi Radix)

紫草茸 {zi3 cao3 rong2}, 中藥正名 lac (Lacciferi Secretio)
紫草茸湯 {zi3 cao3 rong2 tang1}, 方名 Lac Decoction
紫草油 {zi3 cao3 you2}, 方名 Arnebia/Lithospermum Oil
紫草 {zi3 cao3, 中藥正名 arnebia/lithospermum (Arnebiae/Lithospermi Radix)
紫蟲膠 {zi3 chong2 jiao1}, 中藥異名 lac (Lacciferi Secretio)
紫丹參 {zi3 dan1 shen1}, 中藥異名 salvia (Salviae Miltiorrhizae Radix)
紫地榆 {zi3 di4 yu2}, 中藥異名 sanguisorba (Sanguisorbae Radix)
紫癜 {zi3 dian4}, purple patches (equivlaent to WM purpura)
紫癜風 {zi3 dian4 feng1}, purple patch wind (equivlaent to WM purpura)
紫杜鵑 {zi3 du4 juan1}, 中藥正名 purple rhododendron (Rhododendri Mariae Flos, Folium seu Radicis Cortex)
紫甘藍 {zi3 gan1 lan2}, 中藥正名 red cabbage (Brassicae *Rubrae Caulis et Folium)
紫根 {zi3 gen1}, 中藥異名 arnebia/lithospermum (Arnebiae/Lithospermi Radix)
紫根牡蠣湯 {zi3 gen1 mu3 li4 tang1}, 方名 Arnebia/Lithospermum and Oyster Shell Decoction
紫梗 {zi3 geng3}, 中藥異名 lac (Lacciferi Secretio)
紫宮 {zi3 gong1}, 腧穴正名 CV-19 (Purple Palace)
紫桂 {zi3 gui4}, 中藥異名 cinnamon bark (Cinnamomi Cortex)
紫桂丸 {zi3 gui4 wan2}, 方名 Purple Cinnamon Pill
紫河車 {zi3 he2 che1}, 中藥正名 placenta (Hominis Placenta)
紫河車 {zi3 he2 ju1}, 中藥異名 placenta (Hominis Placenta)
紫花地丁 {zi3 hua1 di4 ding1}, 中藥正名 violet (Violae Herba)
紫花芥 {zi3 hua1 jie4}, 中藥正名 malcolmia (Malcolmiae Semen)
紫花魚燈草 {zi3 hua1 yu2 deng1 cao3}, 中藥正名 purple corydalis (Corydalis Incisae Herba seu Radix)
紫蕺 {zi3 ji2}, 中藥異名 houttuynia (Houttuyniae Herba)
紫膠 {zi3 jiao1}, 中藥異名 lac (Lacciferi Secretio)
紫金標 {zi3 jin1 biao1}, 中藥正名 lesser ceratostigma (Ceratostigmatis Minoris Radix)
紫金丹 {zi3 jin1 dan1}, 方名 Purple Gold Elixir
紫金粉 {zi3 jin1 fen3}, 方名 Purple Gold Powder
紫金蓮 {zi3 jin1 lian2}, 中藥正名 ceratostigma (Ceratostigmatis Radix)
紫金龍 {zi3 jin1 long2}, 中藥正名 dactylicapnos root (Dactylicapnoris Radix)
紫金牛 {zi3 jin1 niu2}, 中藥正名 Japanese ardisia (Ardisiae Japonicae Herba)
紫金牛根 {zi3 jin1 niu2 gen1}, 中藥正名 Japanese ardisia root (Ardisiae Japonicae Radix)
紫金皮 {zi3 jin1 pi2}, 中藥正名 tripterygium (Tripterygii Frutex seu Radicis Cortex)
紫金砂 {zi3 jin1 sha1}, 中藥正名 pternopetalum root (Pternopetali Radix)
紫堇 {zi3 jin3}, 中藥正名 common corydalis (Corydalis Edulis Herba et Radix)
紫堇花 {zi3 jin3 hua1}, 中藥正名 common corydalis flower (Corydalis Edulis Flos)

紫荆根皮 {zi3 jing1 gen1 pi2}, 中藥正名 cercis root bark (Cercis Radicis Cortex)
紫荆果 {zi3 jing1 guo3}, 中藥正名 cercis fruit (Cercis Fructus)
紫荆花 {zi3 jing1 hua1}, 中藥正名 cercis flower (Cercis Flos)
紫荆木 {zi3 jing1 mu4}, 中藥正名 cercis wood (Cercis Lignum)
紫荆皮 {zi3 jing1 pi2}, 中藥正名 cercis bark (Cercis Cortex)
紫荆皮散 {zi3 jing1 pi2 san3}, 方名 Cercis Powder
紫荆丫 {zi3 jing1 ya1}, 中藥正名 abelia fruit or flower (Abeliae Fructus seu Flos)
紫礦 {zi3 kuang4}, 中藥異名 lac (Lacciferi Secretio)
紫鉚, 中藥異名 lac (Lacciferi Secretio)
紫脈 {zi3 mai4}, purple vessel
紫茉莉根 {zi3 mo4 li4 gen1}, 中藥正名 four-o'clock tuber (Mirabilis Tuber)
紫茉莉葉 {zi3 mo4 li4 ye4}, 中藥正名 four-o'clock leaf (Mirabilis Folium)
紫茉莉子 {zi3 mo4 li4 zi3}, 中藥正名 four-o'clock seed (Mirabilis Endospermium)
紫楠 {zi3 nan2}, 中藥正名 purple nanmu (Phoebes Sheareri Cortex, Ramulus et Folium)
紫楠根 {zi3 nan2 gen1}, 中藥正名 purple nanmu root (Phoebes Sheareri Radix)
紫&&7847‖砂 {zi3 nao2 sha1}, 中藥正名 purple sal ammoniac (Sal Ammoniacum Purpureum)
紫蒨 {zi3 qian4}, 中藥異名 aster (Asteris Radix)
紫青藤根 {zi3 qing1 teng2 gen1}, 中藥正名 Guling berchemia (Berchemiae Kulingensis Radix)
紫杉 {zi3 shan1}, 中藥正名 Japanese yew twig and leaf (Taxi Cuspidatae Ramulus et Folium)
紫梢花 {zi3 shao1 hua1}, 中藥正名 spongilla (Spongilla )
紫舌 {zi3 she2}, purple tongue
紫參保肝沖劑 {zi3 shen1 bao3 gan1 chong1 ji4}, 方名 Arnebia/Lithospermum Liver-Safeguarding Granules
紫石英 {zi3 shi2 ying1}, 中藥正名 fluorite (Fluoritum)
紫蘇 {zi3 su1}, 中藥正名 perilla (Perillae Folium, Caulis et Calyx)
紫蘇安胎飲 {zi3 su1 an1 tai1 yin3}, 方名 Perilla Leaf Fetus-Quieting Beverage
紫蘇苞 {zi3 su1 bao1}, 中藥正名 perilla calyx (Perillae Calyx)
紫蘇梗 {zi3 su1 geng3}, 中藥正名 perilla stem (Perillae Caulis)
紫蘇莖葉 {zi3 su1 jing1 ye4}, 中藥異名 perilla stem (Perillae Caulis)
紫蘇麻仁粥 {zi3 su1 ma2 ren2 zhou1}, 方名 Perilla Seed and Cannabis Fruit Gruel
紫蘇葉 {zi3 su1 ye4, 中藥正名 perilla leaf (Perillae Folium)
紫蘇子 {zi3 su1 zi3}, 中藥正名 perilla fruit (Perillae Fructus)
紫檀 {zi3 tan2}, 中藥正名 burmese rosewood (Pterocarpi Lignum)
紫藤 {zi3 teng2}, 中藥正名 wisteria stem and leaf (Wisteriae Caulis et Folium)
紫藤根 {zi3 teng2 gen1}, 中藥正名 wisteria root (Wisteriae Radix)
紫藤子 {zi3 teng2 zi3}, 中藥正名 wisteria seed (Wisteriae Semen)
紫銅礦 {zi3 tong2 kuang4}, 中藥正名 bornite (Bornitum)

紫菀 {zi3 wan3}, 中藥正名 aster (Asteris Radix)
紫菀茸 {zi3 wan3 rong2}, 中藥異名 aster (Asteris Radix)
紫菀散 {zi3 wan3 san3}, 方名 Aster Powder
紫菀湯 {zi3 wan3 tang1}, 方名 Aster Decoction
紫葳 {zi3 wei1}, 中藥異名 campsis flower (Campsis Flos)
紫薇根 {zi3 wei1 gen1}, 中藥正名 crape myrtle root (Lagerstroemiae Radix)
紫葳根 {zi3 wei1 gen1}, 中藥正名 campsis (Campsis Radix)
紫薇花 {zi3 wei1 hua1}, 中藥正名 crape myrtle flower (Lagerstroemiae Flos)
紫葳莖葉 {zi3 wei1 jing1 ye4}, 中藥正名 campsis stem and leaf (Campsis Caulis et Folium)
紫薇葉 {zi3 wei1 ye4}, 中藥正名 crape myrtle leaf (Lagerstroemiae Folium)
紫雪 {zi3 xue3}, 方名 Purple Snow
紫雪丹 {zi3 xue3 dan1}, 方名 Purple Snow Elixir
紫雪花 {zi3 xue3 hua1}, 中藥正名 purple leadwort [stem, leaf, and flower] (Plumbaginis Indicae Caulis, Folium et Flos)
紫鴨跖草 {zi3 ya1 zhi2 cao3}, 中藥正名 spiderwort (Tradescantiae Herba)
紫燕草 {zi3 yan4 cao3}, 中藥正名 hybrid lobelia (Lobeliae Hybridae Herba)
紫印 {zi3 yin4}, purple mark
紫玉簪 {zi3 yu4 zan1}, 中藥正名 blue plantain lily (Hostae Ventricosae Flos)
紫玉簪根 {zi3 yu4 zan1 gen1}, 中藥正名 blue plantain lily root (Hostae Ventricosae Rhizoma)
紫玉簪葉 {zi3 yu4 zan1 ye4}, 中藥正名 blue plantain lily leaf (Hostae Ventricosae Folium)
紫苑 {zi3 yuan4}, 中藥異名 aster (Asteris Radix)
紫云膏 {zi3 yun2 gao1}, 方名 Purple Clouds Plaster
紫雲英子 {zi3 yun2 ying1 zi3}, 中藥正名 Chinese astragalus seed (Astragali Sinici Semen)
紫朱 {zi3 zhu1}, 中藥異名 hematite (Haematitum)
紫珠 {zi3 zhu1}, 中藥正名 beauty-berry leaf (Callicarpae Formosanae Folium)
紫珠草 {zi3 zhu1 cao3}, 中藥異名 beauty-berry leaf (Callicarpae Formosanae Folium)
紫珠葉 {zi3 zhu1 ye4}, 中藥異名 beauty-berry leaf (Callicarpae Formosanae Folium)
紫竹根 {zi3 zhu2 gen1}, 中藥正名 black bamboo root (Bambusae Nigrae Rhizoma)

~~ {zi4} ~~

【字】 {zi4} [Freq. 3] character; zi4 (a unit of weight equal to four qian2); style (a name chosen by a person himself in addition to his given name)

【自】 {zi4} [Freq. 3] self; spontaneously (自愈 {zi4 yu4}, recover spontaneously); naturally; freely (不能自轉側 {bu4 neng2 zi4 zhuan3 ce4}, cannot freely turn sides); from.
自表入里 {zi4 biao3 ru4 li3}, pass from the exterior into the interior
自感 {zi4 gan3}, subjective feeling of

自汗 {zi4 han4}, spontaneous sweating
自灸 {zi4 jiu3}, natural moxibustion
自覺 {zi4 jue2}, subjectively feel; subjective
自扣草 {zi4 kou4 cao3}, 中藥正名 Cantonese ranunculus (Ranunculi Cantoniensis Herba)
自裡出表 {zi4 li3 chu1 biao3}, pass from the interior to the exterior
自利 {zi4 li4}, spontaneous diarrhea
自利清水 {zi4 li4 qing1 shui3}, spontaneous clear water diarrhea
自然銅 {zi4 ran2 tong2}, 中藥正名 pyrite (Pyritum)
自身免疫性溶血性貧血 {zi4 shen1 mian3 yi4 xing4 rong2 xue4 xing4 pin2 xue4}, 西醫 autoimmune hemolytic anemia (AIHA)
自調 {zi4 tiao2}, regulated
自消容 {zi4 xiao1 rong2}, 中藥正名 Assam crotolaria (Crotalariae Assamicae Caulis et Folium)
自消容根 {zi4 xiao1 rong2 gen1}, 中藥正名 Assam crotalaria root (Crotalariae Assamicae Radix)
自主神經系統 {zi4 zhu3 shen2 jing1 xi4 tong3}, 西醫 autonomic nervous system

【恣】 {zi4} [Freq. 4] indulge in.
恣食甘肥 {zi4 shi2 gan1 fei2}, indulgence in sweet, fatty foods
恣食厚肥 {zi4 shi2 hou4 fei2}, indulgence in rich fatty foods

【漬】 {zi4} [Freq. 4] steep

【眥】 {zi4} [Freq. 3] canthus.
眥病 {zi4 bing4}, disease of the canthi
眥漏 {zi4 lou4}, weeping canthus
眥癢 {zi4 yang3}, itchy canthus

~~ {zong1} ~~
【宗】 {zong1} [Freq. 2] ancestor (n.), ancestral (adj.) (宗氣 {zong1 qi4}, ancestral qi4; 宗筋所聚 {zong1 jin1 suo3 ju4}, gathering place of the ancestral sinews); gather (v.).
宗筋 {zong1 jin1}, ancestral sinew (anterior yin1; the penis)
宗筋弛縱 {zong1 jin1 chi2 zong4}, slackness of the ancestral sinew (impotence)
宗筋所聚 {zong1 jin1 suo3 ju4}, gathering place of the ancestral sinews (the penis)
宗筋之會 {zong1 jin1 zhi1 hui4}, meeting point of the sinews
宗脈 {zong1 mai4}, gathering place of the ancestral vessels
宗脈所聚 {zong1 mai4 suo3 ju4}, gathering place of the ancestral vessels (the ears or eyes)

宗氣 {zong1 qi4}, ancestral qi4
宗氣泄 {zong1 qi4 xie4}, discharge of ancestral qi4

【棕】 {zong1} [Freq. 4] trachycarpus.
棕板 {zong1 ban3}, 中藥異名 trachycarpus stipule (Trachycarpi Stipula)
棕兒茶 {zong1 er2 cha2}, 中藥異名 white cutch (Catechu Album)
棕骨 {zong1 gu3}, 中藥正名 trachycarpus stipule (Trachycarpi Stipula)
棕櫚花 {zong1 lu92 hua1}, 中藥正名 trachycarpus flower (Trachycarpi Flos)
棕櫚皮 {zong1 lu92 pi2}, 中藥異名 trachycarpus (Trachycarpi Petiolus)
棕櫚炭 {zong1 lu92 tan4}, 中藥正名 charred trachycarpus (Trachycarpi Petiolus Carbonisatus)
棕櫚葉 {zong1 lu92 ye3}, 中藥正名 trachycarpus leaf (Trachycarpi Folium)
棕櫚子 {zong1 lu92 zi3}, 中藥正名 trachycarpus fruit (Trachycarpi Fructus)
棕櫚 {zong1 lu92, 中藥正名 trachycarpus (Trachycarpi Petiolus)
棕木 {zong1 mu4}, 中藥異名 sappan (Sappan Lignum)
棕樹根 {zong1 shu4 gen1}, 中藥正名 trachycarpus root (Trachycarpi Radix)
棕樹心 {zong1 shu4 xin1}, 中藥正名 trachycarpus wood (Trachycarpi Lignum)
棕炭 {zong1 tan4}, 中藥異名 charred trachycarpus (Trachycarpi Petiolus Carbonisatus)

【&&3661||】 {zong1} [Freq. 4] name of a subterranean fungus

~~ {zong3} ~~
【總】 {zong3} [Freq. 4] all together; general command.
總按 {zong3 an4}, simultaneous palpation; pressing with three fingers
總穴 {zong3 xue2}, command point (four command points)

~~ {zong4} ~~
【縱】 {zong4} [Freq. 4] lengthwise; indulge.
縱帶笛鯛 {zong4 dai4 di2 diao1}, 中藥正名 black-striped snapper (Lutjanus Vitta)
縱隔 {zong4 ge2}, 西醫 mediastinum
縱切 {zong4 qie1}, cut lengthwise
縱蓉 {zong4 rong2}, 中藥異名 cistanche (Cistanches Herba)
縱挺不收 {zong4 ting3 bu4 shou1}, persistent erection
縱慾陽痿 {zong4 yu4 yang2 wei3}, impotence from sexual overindulgence

【瘲】 {zong4} [Freq. 5] slackening (瘛瘲 {qi4 zong4}, tugging and slackening)

~~ {zou3} ~~

【走】 {zou3} [Freq. 3] penetrate (v.), penetration (n.); wandering (n.).

走哺 {zou3 bu3}, fecourinary block vomiting

走竄 {zou3 cuan4}, mobile and penetrating

走而不守 {zou3 er2 bu4 shou3}, mobile

走方醫 {zou3 fang1 yi1}, itinerant healer

走罐 {zou3 guan4}, slide-cupping

走罐法 {zou3 guan4 fa3}, slide-cupping

走黃 {zou3 huang2}, running yellow

走馬風 {zou3 ma3 feng1}, 中藥正名 six-eared blumea (Blumeae Laciniatae Herba seu Folium) (Sambuci Herba seu Radix); 中藥異名 elder

走馬箭 {zou3 ma3 jian4}, 中藥異名 elder (Sambuci Herba seu Radix)

走馬胎 {zou3 ma3 tai1}, 中藥正名 large-leaved ardisia root (Ardisiae Gigantifoliae Rhizoma)

走馬胎葉 {zou3 ma3 tai1 ye4}, 中藥正名 large-leaved ardisia leaf (Ardisiae Gigantifoliae Folium)

走馬牙疳 {zou3 ma3 ya2 gan1}, galloping gan1 of the teeth and gum (equivalent to WM cancrum oris)

走注 {zou3 zhu4}, traveling influx (moving impediment)

~~ {zu1} ~~

【葅】 {zu1} [Freq. 4] plant name.

葅菜 {zu1 cai4}, 中藥異名 houttuynia (Houttuyniae Herba)

~~ {zu2} ~~

【足】 {zu2} [Freq. 2] foot (n.) (足少陰腎經 {zu2 shao4 yin1 shen4 jing1}, foot lesser yin kidney channel; 足痛 {zu2 tong4}, foot pain); leg (n.); lower extremity (n.) (手足寒逆 {shou3 zu2 han2 ni4}, cold counterflow of the extremities); sufficient (adj.), sufficiency (n.) (腎氣不足 {shen4 qi4 bu4 zu2}, insufficiency of kidney qi4).

足背 {zu2 bei4}, dorsum of the foot

足背靜脈弓 {zu2 bei4 jing4 mai4 gong1}, 西醫 dorsal venous arch of the foot

足不收 {zu2 bu4 shou1}, loss of use of the legs

足顫 {zu2 chan4}, tremor of the feet

足次趾 {zu2 ci4 zhi3}, second toe

足大趾 {zu2 da4 zhi3}, great toe

足大趾次趾 {zu2 da4 zhi3 ci4 zhi3}, toe next to the great toe

足底 {zu2 di3}, sole (of the foot); plantar
足底疔 {zu2 di3 ding1}, plantar clove sore
足疔 {zu2 ding1}, clove sore of the foot
足發背 {zu2 fa1 bei4}, effusion of the dorsum of the foot
足趺 {zu2 fu1}, upper surface of the foot; instep; dorsum of the foot
足跗 {zu2 fu1}, upper surface of the foot; instep; dorsum of the foot
足跟痛 {zu2 gen1 tong4}, heel pain
足跟作痛 {zu2 gen1 zuo4 tong4}, pain in the heel
足&&4BD2||腫 {zu2 heng2 zhong3}, swelling of the foot and lower leg
足後動脈 {zu2 hou4 dong4 mai4}, 西醫 posterior pedis artery
足踝疽 {zu2 huai2 ju1}, ankle flat-abscess
足厥陰肝經 {zu2 jue2 yin1 gan1 jing1}, foot reverting yin1 liver channel; LV
足空 {zu2 kong1}, 腧穴異名 GB-35 (Leg Hollow)
足冷膝軟 {zu2 leng3 xi1 ruan3}, cold legs and limp knees
足竅 {zu2 liao2}, 腧穴異名 BL-35 (Leg Bone-Hole) (Leg Bone-Hole); 腧穴異名 GB-35
足&&91C3.9ACE|{zu2 liao2}, 腧穴異名 GB-35 (Leg Bone-Hole)
足臨泣 {zu2 lin2 qi4}, 腧穴正名 GB-41 (Foot Overlooking Tears)
足羅 {zu2 luo2}, 腧穴正名 Foot Net
足明 {zu2 ming2}, 腧穴正名 Foot Brightness
足竅陰 {zu2 qiao4 yin1}, 腧穴正名 GB-44 (Foot Orifice Yin1)
足三里 {zu2 san1 li3}, 腧穴正名 ST-36 (Leg Three Li3)
足三陽經 {zu2 san1 yang2 jing1}, three yang2 channels of the foot
足三陰經 {zu2 san1 yin1 jing1}, three yin1 channels of the foot
足少陽膽經 {zu2 shao4 yang2 dan3 jing1}, foot lesser yang2 gallbladder channel; GB
足少陰合 {zu2 shao4 yin1 he2}, 腧穴異名 KI-1 (Foot Lesser Yin1 Union)
足少陰腎經 {zu2 shao4 yin1 shen4 jing1}, foot lesser yin1 kidney channel; KI
足太陽膀胱經 {zu2 tai4 yang2 pang2 guang1 jing1}, foot greater yang2 bladder channel; BL
足太陰脾經 {zu2 tai4 yin1 pi2 jing1}, foot greater yin1 spleen channel; SP
足通谷 {zu2 tong1 gu3}, 腧穴異名 BL-66 (Foot Valley Passage)
足痛 {zu2 tong4}, foot pain
足外反熱 {zu2 wai4 fan3 re4}, heat on the outside of the feet
足腕 {zu2 wan4}, ankle
足痿 {zu2 wei3}, wilting of the legs
足五里 {zu2 wu3 li3}, 腧穴正名 LV-10 (Foot Five Li3)
足膝寒冷 {zu2 xi1 han2 leng3}, cold feet and knees
足膝紅腫 {zu2 xi1 hong2 zhong3}, red swollen feet and knees
足下垂點 {zu2 xia4 chui2 dian3}, 腧穴異名 Foot Prolapse Point
足下熱 {zu2 xia4 re4}, heat on the underside of the feet

足癬 {zu2 xian3}, 西醫 tinea pedis
足小趾 {zu2 xiao3 zhi3}, little toe
足小趾次趾 {zu2 xiao3 zhi3 ci4 zhi3}, toe next to the little toe
足心 {zu2 xin1}, 腧穴正名 Sole Heart
足心熱 {zu2 xin1 re4}, heat in the heart of the soles
足心痛 {zu2 xin1 tong4}, pain in the heart of the sole; pain in the heart of the sole
足丫 {zu2 ya1}, foot
足丫疔 {zu2 ya1 ding1}, clove sore of the foot
足陽明胃經 {zu2 yang2 ming2 wei4 jing1}, foot yang2 brightness stomach channel; ST
足一寒一熱 {zu2 yi1 han2 yi1 re4}, heat in one foot and cold in the other
足益聰 {zu2 yi4 cong1}, 腧穴正名 Foot Hearing Booster
足之上廉 {zu2 zhi1 shang4 lian2}, 腧穴異名 ST-37 (Upper Ridge of the Leg)
足趾發黑 {zu2 zhi3 fa1 hei1}, blackening of the toes
足趾潰爛 {zu2 zhi3 kui4 lan4}, ulceration of the feet
足中平 {zu2 zhong1 ping2}, 腧穴正名 Foot Central Balance
足腫 {zu2 zhong3}, swelling of the feet

~~ {zu3} ~~
【阻】 {zu3} [Freq. 2] obstruct (v.), obstruction (n.) (痰阻心竅 {tan2 zu3 xin1 qiao4}, phlegm {obstructing} the orifices of the heart; 痰熱阻肺{tan2 re4 zu3 fei4}, phlegm-heat malign {obstruction}; 惡阻{e4 zu3}, malign obstruction).
阻礙 {zu3 ai4}, impede
阻病 {zu3 bing4}, obstruction sickness (same as malign obstruction)
阻滯 {zu3 zhi4}, obstruction

【組】 {zu3} [Freq. 4] weave; compose.
組成 {zu3 cheng2}, ingredient; constituent
組成代謝 {zu3 cheng2 dai4 xie4}, 西醫 anabolism
組織 {zu3 zhi1}, 西醫 tissue

~~ {zuan1} ~~
【鑽】 {zuan1} [Freq. 4] bore.
鑽地風 {zuan1 di4 feng1}, 中藥正名 schizophragma root bark (Schizophragmatis Radicis Cortex)

~~ {zui3} ~~

【嘴】 {zui3} [Freq. 4] mouth.

嘴里發苦 {zui3 li3 fa1 ku3}, bitter taste in the mouth

~~ {zui4} ~~

【醉】 {zui4} [Freq. 4] drunk.

醉馬草 {zui4 ma3 cao3}, 中藥正名 locoweed (Oxytropis Glabrae Herba) (Achnatheri Inebriantis Herba et Radix); 中藥異名 inebriate achnatherum

醉魚草 {zui4 ma3 yu3}, 中藥正名 Lindley's buddleia (Buddlejae Lindleyanae Herba)

醉鄉玉屑 {zui4 xiang1 yu4 xie4}, 方名 Enchanted Land Jade Shavings

醉魚草花 {zui4 yu2 cao3 hua1}, 中藥正名 Lindley's buddleia flower (Buddlejae Lindleyanae Flos)

【晬】 {zui4} [Freq. 4] period of twelve watches.

晬時 {zui4 shi2}, period of twelve watches

~~ {zuo3} ~~

【左】 {zuo3} [Freq. 3] left.

左顧牡蠣 {zuo3 gu4 mu3 li4}, 中藥異名 oyster shell (Ostreae Concha)

左歸丸 {zuo3 gui1 wan2}, 方名 Left-Restoring [Kidney Yin1] Pill

左歸飲 {zuo3 gui1 yin3}, 方名 Left-Restoring [Kidney Yin1] Beverage

左患灸右，右患灸左 {zuo3 huan4 jiu3 you4, you4 huan4 jiu3 zuo3}, for disease of the left, moxa the right; for disease of the right, moxa the left; contralateral moxibustion

左金丸 {zuo3 jin1 wan2}, 方名 Left-Running Metal Pill

左力 {zuo3 li4}, 中藥異名 evodia (Evodiae Fructus)

左牡蠣 {zuo3 mu3 li4}, 中藥異名 oyster shell (Ostreae Concha)

左扭 {zuo3 niu3}, 中藥異名 large gentian (Gentianae Macrophyllae Radix)

左殼 {zuo3 qiao4 (ke2)}, 中藥異名 oyster shell (Ostreae Concha)

左秦艽 {zuo3 qin2 jiao1}, 中藥異名 large gentian (Gentianae Macrophyllae Radix)

左腎右命 {zuo3 shen4 you4 ming4}, kidney is on the left and the life [gate] on the right

左癱右瘓 {zuo3 tan1 you4 huan4}, left and right side paralysis

左突膏 {zuo3 tu1 gao1}, 方名 Suppurative Swelling Paste

左宜 {zuo3 yi2}, 腧穴正名 Left's Need

左右配穴法 {zuo3 you4 pei4 xue2 fa3}, combining left and right points

左轉藤 {zuo3 zhuan3 teng2}, 中藥異名 lygodium (Lygodii Herba)

左轉藤灰 {zuo3 zhuan3 teng2 hui1}, 中藥異名 lygodium spore (Lygodii Spora)

【佐】 {zuo3} [Freq. 2] assist (v.), assistant (n.) (君臣佐使 {jun1 chen2 zuo3 shi3}, sovereign, minister, assistant, and courier).
佐金平木 {zuo3 jin1 ping2 mu4}, assist metal to calm wood

~~ {zuo4} ~~
【作】 {zuo4} act (v.); action(n.); exert.
作強之官 {zuo4 qing2 zhi1 guan1}, office (*the kidney)
作祟 {zuo4 sui4}, exert a disturbing influence (of ghosts and demons)
作用 {zuo4 yong4}, effect

【坐】 {zuo4} [Freq. 5] sit.
坐板瘡 {zuo4 ban3 chuang1}, seat sores
坐板骨 {zuo4 ban3 gu3}, seat board bone (ischium)
坐產 {zuo4 chan3}, sitting labor (childbearing)
坐骨 {zuo4 gu3}, seat bone; ischium; 腧穴正名 Ischium
坐骨神經痛 {zuo4 gu3 shen2 jing1 tong4}, 西醫 sciatica
坐罐法 {zuo4 guan4 fa3}, stationary cupping
坐立不安 {zuo4 li4 bu4 an1}, fidgetiness sitting or standing; fidgetiness
坐臥不安 {zuo4 wo4 bu4 an1}, fidgetiness sitting or lying; fidgetiness
坐臥不寧 {zuo4 wo4 bu4 ning2}, fidgetiness sitting or lying; fidgetiness

【柞】 {zuo4} [Freq. 4] Japanese xylosma.
柞木根 {zuo4 mu4 gen1}, 中藥正名 Japanese xylosma root (Xylosmatis Japonici Radix)
柞木皮 {zuo4 mu4 pi2}, 中藥正名 Japanese xylosma bark (Xylosmatis Japonici Cortex)
柞木葉 {zuo4 mu4 ye4}, 中藥正名 Japanese xylosma leaf (Xylosmatis Japonici Folium)
柞樹皮 {zuo4 shu4 pi2}, 中藥正名 Mongolian oak bark (Quercus Mongolicae Cortex)
柞樹葉 {zuo4 shu4 ye4}, 中藥正名 Mongolian oak leaf (Quercus Mongolicae Folium)

Report
Number of Single Chinese Characters: 2967 中文單字數
Number of English Equivalents of Single Chinese Characters: 4081 中文單字的英文對應詞數
Number of Compound Chinese Terms: 28617 中文複詞數

Number of English Equivalents of Compound Chinese Terms: 30354 中文複詞的英文對應詞數
End of File